

claude-windows / 831509e0-5773-4469-a2ff-205848372a6b

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\831509e0-5773-4469-a2ff-205848372a6b\subagents\workflows\wf_23091f7b-74e\agent-afa4f924c68716cc0.jsonl`  
- SHA-256: `71527462efc79db9046875fdc0627809f6dec039a0e2ae5e9745a9eae5d73646`  
- Source modified: `2026-06-22T01:34:00+00:00`  
- Imported at: `2026-07-05T16:48:22+00:00`  
- project: `wf_23091f7b-74e`  
- session_id: `831509e0-5773-4469-a2ff-205848372a6b`
```

Transcript

1. user (2026-06-22T01:32:44.674Z)

You are a senior Hindi (??????, Devanagari U+0900?U+097F) localizer finalizing the translation. Apply the reviewer findings below. Fix flagged keys; LEAVE clean keys unchanged. Obey all keep-literal/HTML rules.

ENGLISH SOURCE:

```
{  
  "heroTitle": "Annotate your footage. <span class=\"hl\">Train a model that's yours.</span>",  
  "heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's direction is the  
inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the moat is your  
consented dataset, on a commercially-clean, inspectable stack you control.",  
  "nav.home": "? KhelSutra home",  
  "nav.annotate": "Annotate",  
  "nav.train": "Train your own model",  
  "nav.setup": "Setup & use",  
  "sample": "? <b>Want to see what KhelSutra produces?</b> A real sample reel plays the moment  
you <a href=\"#join\">request access</a>.",  
  "annotate.kicker": "Step 1 · real and shipping today",  
  "annotate.title": "Annotate your footage",  
  "annotate.pill": "live today",  
  "annotate.body": "<b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b> that  
turns \"watch a match\" into golden labels. While you watch your own video in VLC, you mark each  
rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next  
to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated  
racquet sports (badminton, tennis, table tennis, pickleball, padel).",  
  "annotate.cap1": "Enable it once: VLC ? View ? Rally Annotator.",  
  "annotate.cap2": "Mark each rally's start/end + ending reason, then Save Rally.",  
  "annotate.flowLead": "The flow, per rally:",  
  "annotate.step1": "<b>Mark START</b> on the serve-contact frame (pause/scrub for accuracy).",  
  "annotate.step2": "<b>Mark END</b> when the shuttle is dead.",  
  "annotate.step3": "Pick an <b>ending reason</b>, optionally a shot count, then <b>Save  
Rally</b> ? one CSV row.",  
  "annotate.step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video later  
to continue.",  
  "annotate.note": "It's a click-driven dialog (no marking hotkeys yet), and targets <b>VLC  
3.0.x</b>.",  
  "train.kicker": "Step 2 · the moat",  
  "train.title": "Train your own model",  
  "train.pill": "open pipeline · in build",  
  "train.reassureTitle": "You don't have to train anything to start.",  
  "train.reassureBody": "KhelSutra runs on a ready-made default, so you get rally detection and  
reels <b>out of the box</b> ? nothing to set up. Training on your own footage (below) is an  
<b>optional</b> power-up: a model tuned to your courts, your angles, your halls.",  
  "train.intro": "For those who want it, your labels feed an <b>owned</b> rally model ? trained  
on <b>your</b> courts, <b>your</b> angles, <b>your</b> busy multi-court halls. The pipeline is
```



```
"\''' ????\\\"' ???? ???? ???? ???? ???? VLC ???? ???? ???? ???? ???? , ?? ? ? ?  
???? ? ? ????? ? ? ? ? ?-?? ? ? ? ???? ???? ? ? ? ???? ???? ???? ; ? ???? ???? ?  
? ? ? ? ? ? CSV ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>??? ???? ? ? ? ? ? ? ? ? ? ?  
? ? ? ?</b> ? ? ? ? ? -?-?-? ???? ???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ?)\"",  
    "annotate.cap1": "? ? ? ? ? : VLC ? View ? Rally Annotator?",  
    "annotate.cap2": "? ? ? ? ? / ? + ? ? ? ? ? ? ? ? ? ? ? , ? Save Rally?",  
    "annotate.flowLead": "? ? ? ? ? !:",  
    "annotate.step1": "\"???-???? ? ? ? ? ? ? <b>Mark START</b> (???? ? ? ? ? ???/?  
?)?\"",  
    "annotate.step2": "? ? ? ? ? ? ? ? <b>Mark END</b>?",  
    "annotate.step3": "\"? ? <b>???? ? ? ? ?</b> ???? , ? ? ? ? ? ? ? ? <b>Save  
Rally</b> ? ? CSV ?????\"",  
    "annotate.step4": "\"??? ? ? ? ? ? <b>Edit / Delete / Undo</b> ? ? ? ? ? ; ? ? ? ? ?  
? ? ? ? ? ? ? ? ?\"",  
    "annotate.note": "? ? ????-???? ???? ? ? ( ? ? ? ? ? ? ? ? ? ? ) , ? <b>VLC  
3.0.x</b> ? ? ? ? ? ?",  
    "train.kicker": "? ? 2 . ? ? ? ? ?\"",  
    "train.title": "? ? ? ? ?\"",  
    "train.pill": "? ? ?????? . ? ? ? ? ?\"",  
    "train.reassureTitle": "\"??? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? \"",  
    "train.reassureBody": "\"KheISutra ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>??? ? ? ? ?  
?</b> ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? <b>?????</b> ? ? -? ? ? : ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ?\"",  
    "train.intro": "\"? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>???</b> ? ? ? ? ? ? ? ? ?  
? ? ? ? <b>???</b> ? ? ? ? ? , <b>???</b> ? ? ? , <b>???</b> ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? - ? ? ? ? ? ? :\",  
    "train.moat.ownTitle": "? ? ? ? ? ? ?\"",  
    "train.moat.ownBody": "\"? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? ? ?\"",  
    "train.moat.cleanTitle": "\"????? ? ?\"",  
    "train.moat.cleanBody": "\"???? MIT/Apache/BSD ? ? ? ; ? ? ? ? ? LLM ? ? ? ? ? ? ? ?  
? ? ? ?\"",  
    "train.moat.privateTitle": "\"??? ? ? ? ? -?\"",  
    "train.moat.privateBody": "\"???? ? ? ? ? ? ; ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? -? ? ? ?  
? , ? ? ? ? -? ? ?\"",  
    "train.moat.minorsTitle": "\"????? ? ? ?\"",  
    "train.moat.minorsBody": "\"????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? ? ? ? ?\"",  
    "train.honestTitle": "\"? ? ? ? ? ? ?\"",  
    "train.honestBody": "\"???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>? ? ? ? ?  
? ? ? ? ? ? ? ? ? ? ? ? ? ? ? CLI ? ; ? ? ? -GPU ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
<b>?</b> ? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? GPU ? ? ? ? ? ? ? <b>? \\\"Train now\\\" ? ?  
? ?</b> ? , ? ? ? <b>? ? ? LLM ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>????? ? ? , ? ? ? ? ? ? ? , ? ? ? ? ? ? ?</b> ? ? ? ?  
\\\"Gemini ? ? ? ? ? ? ? ? ,\\\" ? ? ? ? ? \\\"? ? ? ? ? ? ? ? ? ? ? ? \",  
    "setup.kicker": "? ? 3 . ? ? ? ? ? ? ? ? ?\"",  
    "setup.title": "\"???? ? ?\"",  
    "setup.install": "<b>???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
VLC ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?  
VLC ? Tools ? Plugins and extensions ? ? <i>Reload extensions</i>, ? ? ? ? <i>View ? Rally  
Annotator</i> ? ? ? ? ? ? :\",  
    "setup.record": "<a href=\\\"capture\\\">?-???? ? ? ? ? ? ? ? ? ? ?</a> ? ? ? ? ? ? ? <b>?????</b>  
? ? ? ? ? ? ? ? ? ? , ? ? ? ? ? ? , ? ? ? ? ? ? , ? ? ? ? ? ) ? VLC ? ? <b>????</b> ? ? ? ?  
<code>&lt;video&gt;.rallies.csv</code> ? ? ? ? ? ? :",  
    "setup.reasons": "<code>ending_reason</code> ? ? ? ? ? ? : <code>unknown</code> .  
<code>winner</code> . <code>forced_error</code> . <code>unforced_error</code> .  
<code>service_fault</code> . <code>let</code> . <code>other</code> ? ? ? ? ? ? ? ? ? ?  
? ? ; ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?\"",  
    "setup.train": "<b>????</b> ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? CPU  
? ? ? ? ? ? ? ? ? ? ? ; ? ? ? ? ? ? ? ? GPU ? ? ? :\",  
    "setup.joinRule": "\"? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? <b>???-???</b> ? ? ? ? ? ? ? ? ? ?  
? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?\"",  
    "not.kicker": "\"???? ? ? ? ? ? ? ?\""}
```

```

"not.title": "?? ???? ???? ?",
"not.i1": "??-???? ???? ???? ? ?????? ? ? ? ?????? CLI ???",
"not.i2": "??????? ? ???? ? ?????? ???? ???? ? ? ? ???? ???",
"not.i3": "Gemini/GPT ? ? ?????? ???? ? ???? ???? ? ? ? ???? ?????",
"not.i4": "??-???, ????? ? ? ???? ?????? ????? ? ? ???",
"cta.title": "????? ???? ????",
"cta.button": "????? ???? ? ???? ????",
"foot.flyer": "????? ??????:",
"foot.mark": "???? ? ? \"Generated by Khelsutra.guru\" ? ???? ???? ??"
}

```

```
[
{
  "key": "annotate.body",
  "severity": "medium",
  "problem": "English \"turns \\\"watch a match\\\" into golden labels\" ? \"golden labels\" is a term of art (ground-truth/gold-standard training labels). The Hindi renders it as \"????? ????\" (\"nice/fine labels\"), which softens and mistranslates the meaning: it loses the gold-standard / ground-truth connotation and reads as a vague quality compliment.",
  "suggestion": "Use \"???? ????\" or convey ground-truth quality, e.g. \"... ?? ????? (????-????????) ??? ???? ???? ?\" ? preserve the \"gold/ground-truth\" sense rather than \"?????\".",
  "lens": "accuracy"
},
{
  "key": "annotate.body",
  "severity": "low",
  "problem": "English: \"five net-separated racquet sports\". Hindi: \"???? ???-??-??? ??????\". \"???-??-???\" (\"separated from the net\") is ambiguous/slightly off; the source means sports where players are separated BY a net (net divides the two sides). \"???-??-???\" can be misread as separated away from the net.",
  "suggestion": "Use \"??? ?? ?????\" or \"??? ?? ??????\" (separated by a net), e.g. \"??? ???-????? ????? ?\" to make clear the net divides the players.",
  "lens": "accuracy"
},
{
  "key": "heroLead",
  "severity": "low",
  "problem": "English \"where the moat is your consented dataset\" uses the business metaphor \"moat\" (defensible competitive advantage). Hindi renders it \"???? ????\" (\"the real strength/power\"). This is an acceptable idiomatic substitution but slightly under-translates the defensibility/competitive-advantage nuance of \"moat\"; it's consistent with train.kicker which also uses \"???? ????\" for \"the moat\", so meaning is broadly preserved. Flagging as minor under-translation, not a hard error.",
  "suggestion": "Acceptable as-is given consistency; if tightening, consider a gloss conveying defensibility (e.g. \"????/???????????? ????\"). Low priority.",
  "lens": "accuracy"
},
{
  "key": "annotate.body",
  "severity": "high",
  "problem": "\"???-??-??? ???? ????\" is an awkward, unidiomatic calque of \"net-separated racquet sports.\" \"???-??-???\" reads as a literal word-by-word translation and is confusing ? a non-technical coach/parent would not parse what \"net-from-separate\" means. It is not natural Hindi.",
  "suggestion": "Use a clearer descriptive phrase, e.g. \"??? ?? ??? (?? ??? ???) ???? ?\" or \"??? ?? ???? ???? ?\" ? something that conveys the two sides are separated by a net in plain Hindi.",
  "lens": "fluency"
},
{
  "key": "annotate.body",
  "severity": "medium",
  "problem": "\"????? ????\" for \"golden labels\" loses meaning and reads oddly. \"?????\"
```

```

means simply \"nice/good quality\" and does not convey the intended sense of \"gold-standard /
ground-truth\" labels. For the target reader it sounds vague and a little off.\",
  \"suggestion\": \"Consider \\\"?????? (????-????????) ????\\" or rephrase to \\\"???????? ????\\"
/ \\\"???-???????? ??? ????\" to convey the gold-standard intent more naturally.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"train.reassureBody\",
  \"severity\": \"medium\",
  \"problem\": \"\\\"??? ? ???? ? ???? ????\" for \\\"nothing to set up\" is colloquially off.
\\\"????\" (to arrange/settle) is not the natural verb for software setup and reads awkwardly
here; it clashes with register and could be misread.\",
  \"suggestion\": \"Use \\\"??? ? ? ? ? ? ? ? ? ? ?\" or \\\"??? ? ? ? ? ? ? ? ? ? ?
????\" to match the setup sense consistently with the rest of the page.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"heroLead\",
  \"severity\": \"low\",
  \"problem\": \"\\\"?????-???? ????\" for \\\"inspectable stack\" is slightly stiff/literal. The
hyphenated \\\"?????-????\" reads as a constructed technical calque rather than natural prose;
combined with \\\"????????-????\" the noun phrase feels piled-up and translationese.\",
  \"suggestion\": \"Consider \\\"???? ? ? ? ? ?\" as a relative clause, e.g. \\\"...? ? ?
???????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
stacked adjectives.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"train.intro\",
  \"severity\": \"low\",
  \"problem\": \"\\\"? ? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ...\" mixes a third-person opener (\\\"those
who want it\") with second-person \\\"???? ????\" in the same clause, which is slightly jarring.
The English \\\"For those who want it, your labels...\" has the same shift, but in Hindi the
abrupt person change reads less smoothly.\",
  \"suggestion\": \"Smooth the transition, e.g. \\\"??? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
??? ? ? ? ? ? ? ? ? ...\" keeps the person consistent and reads more naturally.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"train.moat.ownBody\",
  \"severity\": \"low\",
  \"problem\": \"\\\"???? ? ? ? ? ? ? ? ? ? ? ? ?\" for \\\"not rented inference\" is a terse literal
calque. \\\"???? ? ? ? ? ? ? ? ?\" is awkward and may not be understood by a non-technical reader as
the contrast with renting model access.\",
  \"suggestion\": \"Expand slightly, e.g. \\\"???? ? ? ? ? ? ? ? ? ? ? ? ?\" or \\\"???? ? ? ? ? ? ? ? ?
? ? ? ? ? ? ? ? ?\" for clarity and smoother flow.\",
  \"lens\": \"fluency\"
},
{
  \"key\": \"setup.install\",
  \"severity\": \"medium\",
  \"problem\": \"The source connects the menu steps with the arrow symbol '?' that must be
preserved as-is: 'VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>'. The
translation replaces the second '?' (before <i>Reload extensions</i>) with the Hindi word '??'
(and): 'VLC ? Tools ? Plugins and extensions ? <i>Reload extensions</i>'. This drops a required
'?' symbol and breaks the menu-navigation arrow chain that mirrors the VLC UI path.\",
  \"suggestion\": \"Restore the arrow: '... ??? VLC ? Tools ? Plugins and extensions ? <i>Reload
extensions</i>, ? ? ? ? ...' (keep the '?' before <i>Reload extensions</i>).\",
  \"lens\": \"integrity\"
}
]

```

KEEP THESE EXACTLY ? never translate or transliterate them:

- Brand/URLs: KhelSutra, khelsutra.guru, and the watermark text \"Generated by Khelsutra.guru\".
- Tools/proper nouns: VLC, \"VLC 3.0.x\", \"Rally Annotator\", rally-annotator, rally_annotator.lua,

WASB.

- Models/licences/acronyms: Gemini, GPT, LLM, GPU, CPU, MIT, Apache, BSD, CLI, CSV.
- Everything inside `<code>...</code>` stays byte-identical (commands, paths, the ending_reason enum values
 - unknown / winner / forced_error / unforced_error / service_fault / let / other, <video>.rallies.csv, "extensions", the python command lines).
- Numbers & units literal: 1080p, 30 fps, 60 fps, ~30°, 0.1.0.
- VLC UI button/menu labels that appear in the page's screenshots STAY IN ENGLISH so the text matches what the user sees on screen: "Mark START", "Mark END", "Save Rally", "Edit / Delete / Undo", "Reload extensions", "View ? Rally Annotator", "Tools ? Plugins and extensions". Translate the sentence AROUND them.
- Symbols/punctuation kept as-is: ? · ? ? ? °.

Preserve every inline HTML tag EXACTLY as in the source ? same tags, same attributes, same order:
, <i>, , <code>, , and <b style="color:#EAF3EE">. Only the human-readable text BETWEEN tags is translated. Keep the < / > entities and the literal text inside <code> unchanged.
A link like request access keeps the same href; only "request access" is translated.

Return {"translations": { "<dotted key>": "<final value>", ... }} with ALL 52 keys.

2. assistant (2026-06-22T01:32:52.592Z)

I'll apply the reviewer findings to the flagged keys while leaving clean keys unchanged. Let me work through each flagged key.

The flagged keys are:

1. `annotate.body` ? "golden labels" mistranslation, "net-separated" awkward calque
2. `heroLead` ? low-priority "moat" and "inspectable stack" (latter is fluency)
3. `train.reassureBody` ? "?????" awkward verb for setup
4. `train.intro` ? person shift (3rd ? 2nd)
5. `train.moat.ownBody` ? "????? ?? ????????" terse calque
6. `setup.install` ? dropped `` arrow (integrity, must fix)

Let me apply fixes. The `heroLead` "moat" finding is explicitly acceptable as-is (consistency with train.kicker), so I'll fix only the fluency item there (inspectable stack). The integrity fix on `setup.install` is mandatory.

3. user (2026-06-22T01:33:40.038Z)

Structured output provided successfully

4. assistant (2026-06-22T01:34:00.525Z)

I've applied the reviewer findings and returned all 52 keys via StructuredOutput. Summary of the fixes:

- **annotate.body** (high/medium/low): "golden labels" ? "?????? (????-????????) ???? (conveys gold-standard sense); "net-separated racquet sports" ? "?? ? ? ? (?? ? ? ? ?)" (clear, idiomatic ? net divides the two sides).
- **heroLead** (low, fluency): "?????-???? ??" ? relative clause "?? ? ? ? ? ? ? ? ?" (reads naturally, no stacked adjectives). Kept "???? ??" for "moat" as the reviewer explicitly marked it acceptable given consistency with train.kicker.
- **train.reassureBody** (medium): "?? ? ? ? ? ? ? ? ?" ? "?? ? ? ? ? ? ? ? ?" (matches the setup register).
- **train.intro** (low): person shift fixed ? "?? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ." ? "?? ? ? ? ? ? ? , ? ? ? ? ? ? ? ." (consistent second person).
- **train.moat.ownBody** (low): "???? ? ? ? ? ? ? ? ?" ? "???? ? ? ? ? ? ? ? ?" (smoother, clearer).

- **setup.install** (medium, integrity): restored the dropped arrow ? "Plugins and extensions ?
<i>Reload extensions</i>, ?? ???..." (preserves the full menu-navigation arrow chain).

All keep-literal terms (brand/URLs, VLC UI labels, code spans, enum values, licences, the `? . ?
?` symbols) and every inline HTML tag were preserved unchanged. Clean keys were left untouched.