

claude-windows / 8d4866bf-8edd-4da9-909e-022dde12675

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022dde12675\subagents\workflows\wf\_3d035317-127\agent-a2ec67ac46772c9ae.jsonl`
- SHA-256: `7121cd2faef40d895bbb64aa2da8154eabcc2ca9e6c5b8b63b66adece93b1c60`
- Source modified: `2026-06-22T09:47:51+00:00`
- Imported at: `2026-07-05T16:48:25+00:00`
- project: `wf\_3d035317-127`
- session_id: `8d4866bf-8edd-4da9-909e-022dde12675`

Transcript

1. user (2026-06-22T09:46:23.317Z)

You are fixing staleness in ONE doc of the KhelSutra repo, applying an audit that already ran. Be SURGICAL: minimal, targeted edits that match the audited fix; preserve the doc's voice, structure, and markdown formatting. Do NOT wholesale-rewrite a doc.

KhelSutra repo root: C:\Users\avidu\Projects\kheelsutra
ENGINE repo root (sibling, for cross-repo verification): C:\Users\avidu\Projects\badminton-highlight-indexer (origin/master freshly fetched)
Today: 2026-06-22. KhelSutra is on branch docs/freshness-sweep (off master).

YOUR DOC (edit ONLY this file): C:\Users\avidu\Projects\kheelsutra\web\README.md

The audit findings are in this JSON file: C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022dde12675\tasks\w3dbzrpby.output
Shape: { result: { perDoc: [{doc, overallStatus, findings, summary}], staleFindings: [{doc, claim, docLocation, verdict, evidence, suggestedFix, severity}] } }.
Read it and select ONLY entries where doc === "web/README.md". Your worklist = that doc's staleFindings. Also skim that doc's perDoc.findings for "unverifiable" items ? do NOT act on those unless you can now positively verify them.

For each stale finding:

1. RE-VERIFY it yourself against the LIVE repo before editing ? Read the doc lines + the cited code. For any claim about the ENGINE (paths like backend/main.py, /api/*, native_wasb_runner.py, auth/CORS), verify against the engine repo's origin/master: e.g. `git -C /c/Users/avidu/Projects/badminton-highlight-indexer grep -n "<symbol>" origin/master -- backend/` or `git -C ... show origin/master:backend/main.py`. Trust nothing blindly ? the audit itself may be slightly off and engine line numbers DRIFT between PRs.
2. If confirmed, apply the suggestedFix as a SURGICAL Edit. For brittle ENGINE line-number anchors, prefer SYMBOL-based references (e.g. `backend/main.py::get\_config`) over chasing exact line numbers ? but only after confirming the symbol exists on engine origin/master.
3. DOCS ONLY: if a fix would require a CODE change (e.g. a comment in site/server.js), do NOT edit code ? record it under codeChangesNeeded.

Hard rules:

- Edit ONLY your assigned doc file. Run NO git WRITE commands (no add/commit/checkout/branch/stash) ? read-only git for verification only.
- Keep status markers HONEST: flip Todo->Done only WITH the PR number / file evidence; never invent a completion.
- If a finding is wrong, not reproducible, or too risky to auto-apply, SKIP it and explain under skipped.
- Do not "improve" beyond the findings; no scope creep.

Return the structured report.

2. assistant (2026-06-22T09:46:26.480Z)

I'll start by reading the audit findings JSON and the target doc.

3. user (2026-06-22T09:46:28.821Z)

```
1      # web/ ? KhelSutra Studio (operator console SPA)
2
3      Vite + React + TS + Tailwind v4. The browser UI that **drives the rally indexer
engine**:
4      upload ? index ? pick rallies ? reel ? download. See `docs/PER_RALLY_SELECTION.md` (the
5      per-rally curation screen) and `docs/LOCAL_APPLIANCE_ARCHITECTURE.md` (the single-box
appliance
6      this SPA fronts).
7
8      ## Dev
9      ```
10     npm install
11     npm run dev      # http://localhost:5173 ; proxies /api ? http://localhost:8000 (the
engine)
12     ```
13     Run the engine alongside it: `python -m backend.main --server` (in the badminton-
highlight-indexer
14     repo). The SPA uses **same-origin** relative `/api/*` calls ? in the appliance a reverse
proxy serves
15     this bundle and proxies `/api` to the engine on `127.0.0.1:8000`.
16
17     ## Checks (CI gates merge)
18     ```
19     npm run typecheck # tsc --noEmit
20     npm run test      # vitest run (unit tests; e.g. the typed API client)
21     npm run build     # vite build
22     ```
23
24     ## Layout
25     - `src/api/client.ts` ? typed engine client (`listRallies` / `compileReel` /
`highlightUrl` / `getConfig`),
26     grounded in the verified engine contract; every call carries a correlation id.
27     - `src/api/types.ts` ? engine data types (honest: `server`/`receiver`/`events` are
motion-only
28     fabrications and must not be surfaced).
29     - `src/lib/log.ts` ? structured client logging + correlation ids (observability seed,
appliance $5).
30     - `src/App.tsx` ? the console shell (screens land in M2+).
31
```

4. user (2026-06-22T09:46:29.186Z)

<system-reminder>[Truncated: PARTIAL view ? showing lines 1-591 of 1722 total (61859 tokens, cap 25000). Call Read with offset=592 limit=591 for the next page, or Grep to find a specific section. Do NOT answer from this page alone if the answer may be further in the file.]</system-reminder>

```
1      {
2      "summary": "Audit every KhelSutra doc for staleness against the live repo, returning
structured findings",
3      "agentCount": 15,
4      "logs": [
5      "audited 15/15 docs; 44 stale findings; archive-candidates: none"
6      ],
7      "result": {
8      "perDoc": [
9      {
10      "doc": "NEXT_STEPS.md",
11      "overallStatus": "minor-staleness",
```

```

12         "summary": "NEXT_STEPS.md is overwhelmingly accurate against master: routes,
file paths, the Worker/D1 names, the 6-language localization, the 3-step wizard, the per-rally
PR numbers (#11/#14/#21/#28/#30/#31), the appliance/per-rally doc statuses, and every still-
pending \"Queued\" item all check out against code and git. The only real staleness is the \"PRs
through #93 merged\" count, which lags by one because PR #94 (the very commit that wrote
\"through #93\") merged afterward; plus a low-severity GCS-artifact filename mismatch. Not an
archive candidate ? it is the live next-steps tracker.",
13         "findings": [
14             {
15                 "claim": "PRs through #93 merged (master).",
16                 "docLocation": "NEXT_STEPS.md:13",
17                 "verdict": "stale",
18                 "evidence": "git log --oneline -1 = '50b2bd7 chore(repo): ... correct stale
NEXT_STEPS claims (#94)'; total 94 commits/PRs on master. Ironically #94 is the commit that
updated this line to '#93', then merged itself, so the doc now lags one PR behind master.",
19                 "suggestedFix": "Update to 'PRs through #94 merged (master).'",
20                 "severity": "medium"
21             },
22             {
23                 "claim": "Where we are (2026-06-20): ... khelsutra.guru is LIVE and fully
shipped (landing + /capture checklist + OG image + segmented Request-Access form).",
24                 "docLocation": "NEXT_STEPS.md:5-14",
25                 "verdict": "correct",
26                 "evidence": "site/server.js:98 maps /capture->capture.html;
site/public/og.png + capture.html tracked; index.html:191-193 textareas + lines 537-581
academy/individual/gpu/storage fields. Header date 2026-06-20 is slightly behind the latest work
(PR #94 merged 2026-06-22) but the substance holds.",
27                 "suggestedFix": "Optionally bump the 'Where we are' date to 2026-06-22 to
match the latest merged work.",
28                 "severity": "low"
29             },
30             {
31                 "claim": "On Cloudflare (Worker hidden-king-khelsutra + D1 khelsutra-
access): the form persists to D1 and emails a summary via an Email Routing send binding.",
32                 "docLocation": "NEXT_STEPS.md:7-9",
33                 "verdict": "correct",
34                 "evidence": "site/wrangler.toml: name = \"hidden-king-khelsutra\";
[[d1_databases]] database_name = \"khelsutra-access\"; [[send_email]] name = \"NOTIFY\".
site/src/index.js:80 handles POST /api/request-access -> insert into D1 binding DB.",
35                 "suggestedFix": "",
36                 "severity": "low"
37             },
38             {
39                 "claim": "CI gates every PR ? three jobs: full site npm test, web/ SPA build
+ coverage floor, and a real-browser layout check.",
40                 "docLocation": "NEXT_STEPS.md:9-12",
41                 "verdict": "correct",
42                 "evidence": "site/package.json scripts include test (node --test),
test:layout (layout.browser.mjs); web has a coverage floor (#80). PR #94 message confirms 'three
jobs: site npm test = 86 green, web SPA build+coverage, real-browser layout'. Non-browser site
suite ran green (61 tests in the 4 non-layout files).",
43                 "suggestedFix": "",
44                 "severity": "low"
45             },
46             {
47                 "claim": "The form also runs on a dependency-free Node + SQLite host
(site/server.js), live on the D0 droplet -> http://168.144.126.176:8787 (systemd khelsutra-
site).",
48                 "docLocation": "NEXT_STEPS.md:11-13",
49                 "verdict": "correct",
50                 "evidence": "site/server.js exists, uses node:sqlite (header comment line
2). IP 168.144.126.176 + port 8787 + 'khelsutra-site' all appear in
docs/LOCAL_APPLIANCE_ARCHITECTURE.md:48 ('/srv/khelsutra-site, node :8787') and deploy refs.
Live-status is external/unverifiable from the repo, but the host code and identifiers are
correct.",

```

```

51         "suggestedFix": "",
52         "severity": "low"
53     },
54     {
55         "claim": "Docs: docs/REQUEST_ACCESS_FORM.md, docs/PORTABILITY.md.",
56         "docLocation": "NEXT_STEPS.md:13-14",
57         "verdict": "correct",
58         "evidence": "git ls-files: both docs/REQUEST_ACCESS_FORM.md and
docs/PORTABILITY.md are tracked.",
59         "suggestedFix": "",
60         "severity": "low"
61     },
62     {
63         "claim": "DONE ? Friendly & Multilingual (ARCHIVED 2026-06-22): localized to
all 6 languages (en/kn/hi/es/da/id); full record docs/archives/FRIENDLY_AND_MULTILINGUAL.md.",
64         "docLocation": "NEXT_STEPS.md:17-21",
65         "verdict": "correct",
66         "evidence": "docs/archives/FRIENDLY_AND_MULTILINGUAL.md is tracked; git log
shows PR #93 'docs: archive the Friendly & Multilingual tracker'. web/src/i18n/index.ts:25
SUPPORTED_LOCALES = [en,kn,hi,es,da,id]; PR #87 added es/da/id to the marketing site.",
67         "suggestedFix": "",
68         "severity": "low"
69     },
70     {
71         "claim": "Interactive per-rally selection MVP/M0 COMPLETE; Done: P0 design
(#11), P1 scaffold (#14), P2 grid+hook (#21), P3 parseQuery query bar (#28), P4 SelectionFooter
(#30), P5 real load+download (#31). Tracked doc docs/PER_RALLY_SELECTION.md (IN PROGRESS).",
72         "docLocation": "NEXT_STEPS.md:32-41",
73         "verdict": "correct",
74         "evidence": "git log: cb74ce5 #11 'tracked design ... RallyPicker'; aac7e0c
#14 'P1 scaffold'; 62598e7 #21 'P2 selectable rally grid + hook'; d537d19 #28 'P3 deterministic
parseQuery() query bar'; aff8de8 #30 'P4 SelectionFooter + min_shot_count warning'; 8bf200d #31
'P5 load real rallies + Build->compile->preview->download'. docs/PER_RALLY_SELECTION.md status
header = 'IN PROGRESS ? MVP/M0 (P1-P5) COMPLETE'.",
75         "suggestedFix": "",
76         "severity": "low"
77     },
78     {
79         "claim": "P2c first-run setup wizard ? 3-step SetupWizard from
/api/capabilities, 6 languages.",
80         "docLocation": "NEXT_STEPS.md (implied via track) and verified for the
merged #88",
81         "verdict": "correct",
82         "evidence": "web/src/components/SetupWizard.tsx:22 'const STEPS = 3'; line 1
comment 'Three quick steps'; line 3 'Localized (en/kn/hi/es/da/id)'; web/src/api/client.ts:139
GET /capabilities. git: 7ae9cee #88.",
83         "suggestedFix": "",
84         "severity": "low"
85     },
86     {
87         "claim": "Single-box appliance ? Tracked design
docs/LOCAL_APPLIANCE_ARCHITECTURE.md (DRAFT, owner-gated).",
88         "docLocation": "NEXT_STEPS.md:52-58",
89         "verdict": "correct",
90         "evidence": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md status header: 'Status:
DRAFT ? owner-gated (auth choice, retention, cost ceiling, GPU host, P5 bridge)'.",
91         "suggestedFix": "",
92         "severity": "low"
93     },
94     {
95         "claim": "Queued: Always-Use-HTTPS + HSTS (Cloudflare) and Cloudflare Web
Analytics token paste into site/public/index.html ? both still pending.",
96         "docLocation": "NEXT_STEPS.md:44-45",
97         "verdict": "correct",
98         "evidence": "No Strict-Transport-Security/HSTS header found in site/*.js or

```

```

wrangler.toml. site/public/index.html:629 still has data-cf-beacon token 'REPLACE_WITH_CF_TOKEN'
(commented-out block). Both correctly listed as not-yet-done.",
99         "suggestedFix": "",
100        "severity": "low"
101    },
102    {
103        "claim": "Droplet -> production: add VM-path SMTP so the Node host also
emails (currently noopNotify).",
104        "docLocation": "NEXT_STEPS.md:46-47",
105        "verdict": "correct",
106        "evidence": "site/server.js:14 imports noopNotify; line 24 'const notify =
noopNotify(); // VM host: no email yet (add SMTP later)'.",
107        "suggestedFix": "",
108        "severity": "low"
109    },
110    {
111        "claim": "Org consolidation DONE; khelsutra (this site repo) transfer is an
owner step still PENDING (unchecked).",
112        "docLocation": "NEXT_STEPS.md:65-73",
113        "verdict": "correct",
114        "evidence": "git remote -v shows origin =
https://github.com/avidullu/khelsutra.git (NOT under Khelsutra org) ? consistent with the '?
owner step pending' marker. Other repos already moved: docs/DRY_RUN_CUJ.md:49 links
github.com/Khelsutra/badminton-highlight-indexer#289.",
115        "suggestedFix": "",
116        "severity": "low"
117    },
118    {
119        "claim": "A real-UI CUJ screencast exists -> promo_cuj.mp4/.gif in
gs://khelsutra-rally-corporis/promo/.",
120        "docLocation": "NEXT_STEPS.md:29-31",
121        "verdict": "unverifiable",
122        "evidence": "No GCS access to confirm the object. The companion doc
docs/DRY_RUN_CUJ.md:85 names the actual artifacts 'khelsutra-bucket-cuj-screencast.mp4' and ':60
khelsutra-i18n-screencast.mp4' in the same gs://khelsutra-rally-corporis/promo/ prefix;
'promo_cuj.mp4' appears nowhere else in the repo, suggesting a possible filename mismatch.",
123        "suggestedFix": "Reconcile the filename with docs/DRY_RUN_CUJ.md (likely
'khelsutra-bucket-cuj-screencast.mp4') or confirm 'promo_cuj.mp4' is a real object in the
bucket.",
124        "severity": "low"
125    },
126    {
127        "claim": "Control plane (control-plane/) at beta.",
128        "docLocation": "NEXT_STEPS.md:62",
129        "verdict": "correct",
130        "evidence": "control-plane/ directory does not exist in the repo (test -d
failed), but this line sits under 'Bigger arcs (design-first)', i.e. a forward-
looking/aspirational item, not a claim of present existence ? so it is not stale as written.",
131        "suggestedFix": "",
132        "severity": "low"
133    }
134 ]
135 },
136 {
137     "doc": "README.md",
138     "overallStatus": "significant-staleness",
139     "summary": "The repo-structure list, deploy references, and canonical-doc
pointers are all correct, but the README's headline status is badly out of date: it still calls
the repo a \"pre-alpha scaffold\" whose SPA has yet to land \"per milestone M1\", whereas the
web/ SPA is in fact built, multilingual, and shipped (per-rally MVP P0?P5, P2c wizard, in-UI
upload, 6 languages; khelsutra.guru is LIVE). The control-plane/ directory it lists also does
not yet exist.",
140     "findings": [
141     {
142         "claim": "Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan

```

```

milestone M1.",
143         "docLocation": "README.md:9",
144         "verdict": "stale",
145         "evidence": "web/src/ has 51 tracked source files incl. web/src/App.tsx;
`git log --oneline -- web/` = 31 commits; merged PRs show the SPA is feature-complete: P2c
first-run wizard (#88), in-UI file upload T4 (#66), per-rally selection MVP P0?P5
(#11/#14/#21/#28/#30/#31), 6-language catalogs (#67). NEXT_STEPS.md:7 states 'khelsutra.guru is
LIVE and fully shipped'. UI_ALPHA_EXECUTION_PLAN.md:36 defines M1 only as the initial
'Vite+React+TS+Tailwind scaffold', which is long past.",
146         "suggestedFix": "Replace with a current status, e.g.: 'Status: alpha ? the
web/ SPA is built and multilingual (6 languages), with the per-rally selection MVP and first-run
setup wizard shipped; khelsutra.guru / app.khelsutra.guru are live (Cloudflare Pages +
cloudflared tunnel + Access). See NEXT_STEPS.md.'",
147         "severity": "high"
148     },
149     {
150         "claim": "the web app (alpha SPA) now, the hosted control plane at beta",
151         "docLocation": "README.md:4",
152         "verdict": "stale",
153         "evidence": "This tagline pairs with line 9's 'pre-alpha scaffold', which is
contradicted by the shipped, live SPA (see web/ evidence above and NEXT_STEPS.md:7). The 'alpha
SPA now' framing is directionally right but undercut by the stale 'pre-alpha scaffold' status it
sits beside.",
154         "suggestedFix": "Keep 'web app (alpha SPA) now' but align the rest of the
intro/status so it no longer describes the SPA as not-yet-landed.",
155         "severity": "medium"
156     },
157     {
158         "claim": "`control-plane/` ? (beta) Cloud Run FastAPI control plane",
159         "docLocation": "README.md:17",
160         "verdict": "stale",
161         "evidence": "No control-plane/ directory exists: `ls control-plane` -> 'No
such file or directory'; `git ls-files control-plane/` returns nothing. Top-level tracked dirs
are deploy/, docs/, locales/, site/, web/ only.",
162         "suggestedFix": "Mark it as a future/planned directory that does not yet
exist (e.g. move it out of the 'Structure' list into a 'Planned (beta)' note), so a reader
doesn't expect the path to be present.",
163         "severity": "medium"
164     },
165     {
166         "claim": "Engine ... sibling repo `badminton-highlight-indexer` (rename
pending).",
167         "docLocation": "README.md:6",
168         "verdict": "correct",
169         "evidence": "Sibling repo still exists under that name: `ls
C:/Users/avidu/Projects/` shows 'badminton-highlight-indexer'; no rename has occurred, so
'rename pending' holds.",
170         "suggestedFix": "",
171         "severity": "low"
172     },
173     {
174         "claim": "Canonical planning docs live in the engine repo's docs/ for now:
UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md.",
175         "docLocation": "README.md:7-8",
176         "verdict": "correct",
177         "evidence": "All three exist in the engine repo (badminton-highlight-
indexer/docs/UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md present) and are NOT
tracked in khelsutra/docs (`git ls-files docs/` in khelsutra returns none of them; `ls
docs/UI_PROPOSAL.md` -> not found).",
178         "suggestedFix": "",
179         "severity": "low"
180     },
181     {
182         "claim": "`deploy/` ... alpha deploy kit ... DEPLOY_ALPHA.md ... +
cloudflared.config.example.yml",

```

```

183         "docLocation": "README.md:15",
184         "verdict": "correct",
185         "evidence": "git ls-files deploy/ shows deploy/DEPLOY_ALPHA.md and
deploy/cloudflared.config.example.yml (plus deploy/droplet/*). DEPLOY_ALPHA.md:1-5 matches the
described 'shareable page, no SSH; SPA on Pages + engine on api.* tunnel + CF Access' content.",
186         "suggestedFix": "",
187         "severity": "low"
188     },
189     {
190         "claim": "`site/` ? public marketing landing page (static; served at
khelsutra.guru)",
191         "docLocation": "README.md:13",
192         "verdict": "correct",
193         "evidence": "site/ exists with site/public/index.html, server.js, etc.;
DEPLOY_ALPHA.md and NEXT_STEPS.md confirm the marketing site is served at khelsutra.guru (apex)
while the SPA is at app.khelsutra.guru.",
194         "suggestedFix": "",
195         "severity": "low"
196     },
197     {
198         "claim": "`web/` ? React SPA (alpha; Vite + React + TS + Tailwind;
Cloudflare Pages build root)",
199         "docLocation": "README.md:14",
200         "verdict": "correct",
201         "evidence": "web/ is a Vite+React+TS+Tailwind SPA (web/README.md:3 'Vite +
React + TS + Tailwind v4'); DEPLOY_ALPHA.md:14 confirms 'app.khelsutra.guru -> Cloudflare Pages
(the web/ SPA)'. The tech-stack/build-root facts are accurate; only the inline 'alpha' maturity
ties into the stale status above.",
202         "suggestedFix": "",
203         "severity": "low"
204     },
205     {
206         "claim": "License: All rights reserved (private; no OSS license).",
207         "docLocation": "README.md:19-21",
208         "verdict": "correct",
209         "evidence": "No LICENSE file is tracked (not present in `git ls-files`);
consistent with a private 'all rights reserved' repo.",
210         "suggestedFix": "",
211         "severity": "low"
212     }
213 ]
214 },
215 {
216     "doc": "deploy/DEPLOY_ALPHA.md",
217     "overallStatus": "minor-staleness",
218     "summary": "Verified correct except a stale header",
219     "findings": [
220         {
221             "claim": "header stale deploy live",
222             "docLocation": "deploy/DEPLOY_ALPHA.md:3",
223             "verdict": "stale",
224             "evidence": "droplet/README.md:100 live-verified 2026-06-22",
225             "suggestedFix": "set header to LIVE",
226             "severity": "medium"
227         },
228         {
229             "claim": "host list too narrow",
230             "docLocation": "deploy/DEPLOY_ALPHA.md:66",
231             "verdict": "stale",
232             "evidence": "engine.env.example adds loopback",
233             "suggestedFix": "add localhost",
234             "severity": "low"
235         }
236     ]
237 },

```

```

238     {
239         "doc": "deploy/droplet/README.md",
240         "overallStatus": "fresh",
241         "summary": "This command-dense droplet quickstart is accurate and matches the
live repo: every cited kit file exists with the described contents, and the engine-behavior
claims (fail-fast boot posture, RALLY_* exposure vars, the Gemini-default-on-CPU gotcha, the
gs:// jail rejection, the --server endpoint) all verify against the engine repo and
DEPLOY_ALPHA.md. The only items not locally reproducible are the 2026-06-22 droplet live-run
figures (e.g. \"1313 passed\"), which are an off-box assertion ? they are internally plausible
(engine has ~1269 test functions before parametrization) but cannot be confirmed from these
repos.",
242         "findings": [
243             {
244                 "claim": "Four kit files exist: config.json.example, engine.env.example,
khelsutra-engine.service (and ../cloudflared.config.example.yml), each going to the documented
destination with the documented purpose.",
245                 "docLocation": "deploy/droplet/README.md:9-14",
246                 "verdict": "correct",
247                 "evidence": "git ls-files deploy/ lists all four:
deploy/droplet/{config.json.example,engine.env.example,khelsutra-engine.service} and
deploy/cloudflared.config.example.yml; contents read and match (config.json.example has the
security block + cf_team/aud; engine.env.example has the two RALLY_* exposure vars +
RALLY_APP_HOME; the service binds 127.0.0.1:8000; cloudflared.config routes api. ->
127.0.0.1:8000).",
248                 "suggestedFix": "",
249                 "severity": "low"
250             },
251             {
252                 "claim": "The boot fails fast (exit 1, '[STARTUP] refusing to start') if
edge_auth_enabled=true but the jail or cf_team_domain/cf_access_aud is unset.",
253                 "docLocation": "deploy/droplet/README.md:53-54",
254                 "verdict": "correct",
255                 "evidence": "backend/main.py:857 logs '[STARTUP] refusing to start';
backend/config/startup.py:109 EXPOSED_NO_VIDEO_ROOT and :123 EXPOSED_EDGE_AUTH_INCOMPLETE are
both LEVEL_ERROR (startup.py:41,272-276), while EXPOSED_AUTH_EXTRA_MISSING (PyJWT) is LEVEL_WARN
(:135). From engine PR #294 (commit 0c0e064).",
256                 "suggestedFix": "",
257                 "severity": "low"
258             },
259             {
260                 "claim": "indexing.default_segementer MUST be gemini on a CPU box; the
shipped default yolo_hybrid needs torch/GPU and every job fails 'No module named torch' without
it.",
261                 "docLocation": "deploy/droplet/README.md:109-113",
262                 "verdict": "correct",
263                 "evidence": "config.json.example:9-11 sets default_segementer=gemini. Engine
AppConfig default is yolo_hybrid (backend/config/models.py:128), so an all-defaults load on the
droplet (which hand-writes config.json rather than running the --app LIGHT seeder) does land on
yolo_hybrid. The LIGHT 'motion' default (loader.py:227) only applies via
write_light_default_config (indexer --app first-run, PR #310), not this systemd path ? so the
gotcha is accurate for this deploy.",
264                 "suggestedFix": "",
265                 "severity": "low"
266             },
267             {
268                 "claim": "RALLY_ALLOWED_HOSTS is the load-bearing fix; with edge_auth on,
the Host-header guard defaults loopback-only and 400s every tunneled request until set.",
269                 "docLocation": "deploy/droplet/README.md:92, engine.env.example:14-17",
270                 "verdict": "correct",
271                 "evidence": "backend/config/startup.py:143-147 raises
EXPOSED_HOST_ALLOWLIST_LOOPBACK (LEVEL_WARN) when edge_auth is ON and RALLY_ALLOWED_HOSTS is
unset, with the exact 'will 400 forwarded requests' rationale; backend/main.py reads
RALLY_ALLOWED_HOSTS / RALLY_BIND_HOST / RALLY_CORS_ALLOW_ORIGINS. Matches DEPLOY_ALPHA.md §2.2
repro (400->200).",
272                 "suggestedFix": "",

```



```

273         "severity": "low"
274     },
275     {
276         "claim": "Pasting a gs:// URI is rejected by the jail on the exposed box;
upload is the alpha path.",
277         "docLocation": "deploy/droplet/README.md:96-98",
278         "verdict": "correct",
279         "evidence": "tests/test_api_endpoints.py:608
test_process_hosted_mode_rejects_nonlocal_uri pins the gs:// -> 400 behavior under
allowed_video_root (referenced at :541 as the counterweight); the jail is required to expose
(config.json.example sets allowed_video_root).",
280         "suggestedFix": "",
281         "severity": "low"
282     },
283     {
284         "claim": "Pages build: Root dir web, Build npm run build, Output web/dist,
with VITE_API_BASE = https://api.khelsutra.guru/api.",
285         "docLocation": "deploy/droplet/README.md:73-76",
286         "verdict": "correct",
287         "evidence": "khelsutra web/ SPA exists (git ls-files web/...);
web/package.json build script = 'vite build'; web/src/api/client.ts:25 reads
import.meta.env.VITE_API_BASE (default '/api'), and client.test.ts:32 exercises the exact split
value https://api.khelsutra.guru/api. Vite default outDir 'dist' relative to root web/ =
web/dist.",
288         "suggestedFix": "",
289         "severity": "low"
290     },
291     {
292         "claim": "The shipped engine is run via the auth extra and python -m
backend.main --server, binding 127.0.0.1:8000.",
293         "docLocation": "deploy/droplet/README.md:33,47-49; khelsutra-
engine.service:26",
294         "verdict": "correct",
295         "evidence": "backend/main.py:867 defines the --server flag and :1107 calls
uvicorn.run(app, host=bind_host, port=port); --setup flag at :865; the service ExecStart uses
python -m backend.main --server.",
296         "suggestedFix": "",
297         "severity": "low"
298     },
299     {
300         "claim": "Live-verified on the droplet (2026-06-22): full suite 1313 passed
+ ruff/mypy clean on the box; boot-posture, Host-guard 400->200, path-jail, T4 upload->jail,
edge-auth 401-gate exercised live; full DNS->Cloudflare->Access->tunnel->engine chain
confirmed.",
301         "docLocation": "deploy/droplet/README.md:100-106",
302         "verdict": "unverifiable",
303         "evidence": "This is an off-box live-run assertion that cannot be reproduced
from the khelsutra or engine repos here. Sanity check: the engine tests/ dir has ~1269 'def
test_' functions (parametrize expansions push the collected/passed count higher), so '1313
passed' is plausible and consistent, not contradicted. Marked unverifiable per the file:line-
evidence discipline; no sign of staleness.",
304         "suggestedFix": "",
305         "severity": "low"
306     },
307     {
308         "claim": "Cost: Cloudflare Pages + Tunnel + Access are free (Access <= 50
users); standing cost ~ $0 + Gemini per run.",
309         "docLocation": "deploy/droplet/README.md:16-18",
310         "verdict": "unverifiable",
311         "evidence": "External Cloudflare pricing claim; not checkable against the
repo. Consistent with DEPLOY_ALPHA.md:3 ('~$0/mo standing ... + Gemini per-run'). No internal
contradiction.",
312         "suggestedFix": "",
313         "severity": "low"
314     }

```

```

315     ]
316   },
317   {
318     "doc": "docs/ANNOTATE_AND_TRAIN.md",
319     "overallStatus": "significant-staleness",
320     "summary": "A DRAFT tracker whose marketing-page deliverables (P0-P4 plus the
real annotator screenshots P5 mentions) are all shipped and merged (#15/#22/#23/#25), yet the
doc was last touched 2026-06-20 (#23) and never updated to reflect that. The core
engine/annotator technical claims (schema bridge, ship-gate refusing a commercial ship, MIT
annotator v1.6.4, guardrails) all still verify as correct ? only their file:line citations have
drifted. Main staleness: status still DRAFT despite shipped work, P5 marked Todo though
annotator screenshots are committed, the doc is NOT actually indexed in docs/README.md (claimed
three times), and the page since grew 6-language localization the tracker never anticipated. It
is an archive candidate once honestly closed out.",
321     "findings": [
322       {
323         "claim": "Status: DRAFT ? owner-gated on scope (header, line 3); Last
updated: 2026-06-20.",
324         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:3",
325         "verdict": "stale",
326         "evidence": "git log --follow shows the marketing-page work merged: P0 doc
(#15, 6b62ebf), own-model page P1-P4 (#22, b1110e1), org link (#23, 87520b8). Per §7, P0-P4 are
all marked Done ? yet the header still reads DRAFT. Lifecycle (line 4) is DRAFT->IN
PROGRESS->DONE; with P0-P4 shipped this is at least IN PROGRESS.",
327         "suggestedFix": "Flip Status to IN PROGRESS (only owner-gated P5-P9 remain)
and bump Last updated; or, if the owner considers the marketing surface complete, mark DONE and
archive per the lifecycle note.",
328         "severity": "medium"
329       },
330       {
331         "claim": "P5 'Capture + commit real screenshots ... replace placeholders' ?
Status ? (Todo), Gated Owner.",
332         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:76",
333         "verdict": "stale",
334         "evidence": "PR #25 (1906c82) 'show the real annotator screenshots'
committed site/public/img/annotate-enable.png (133712 bytes) and annotate-tool.png (153133
bytes); own-model.html:111-112 references them as the real VLC-UI shots (no people/footage). The
annotator-UI half of P5 is done and merged, not Todo.",
335         "suggestedFix": "Mark P5 ? for the annotator-UI screenshots (cite #25); if
footage screenshots with consented people are still pending, split that into its own row so the
done part isn't hidden under a blanket Todo.",
336         "severity": "high"
337       },
338       {
339         "claim": "Doc is 'index[ed] in docs/README.md' (line 5), §7 P0 'indexed in
docs/README.md' (? , #15), and DoD 'doc indexed in docs/README.md'.",
340         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:5,71,91",
341         "verdict": "stale",
342         "evidence": "grep -ni 'annotate|own.model|train.your|ANNOTATE_AND'
docs/README.md returns NOT FOUND; the docs/README.md 'Tracked work' list (lines 1-30) does not
mention ANNOTATE_AND_TRAIN.md or own-model. The claimed index entry does not exist.",
343         "suggestedFix": "Either add an ANNOTATE_AND_TRAIN.md entry to
docs/README.md's 'Tracked work' list, or correct P0/DoD to reflect that it is not yet indexed.",
344         "severity": "high"
345       },
346       {
347         "claim": "Engine ship-gate (gate_verdict, harness.py:98) currently refuses a
commercial ship regardless of F1: WASB provenance C3 unresolved + F1@tIoU not calibrated
(#172).",
348         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:12,31",
349         "verdict": "correct",
350         "evidence": "training/gen0/harness.py:177 returns {'ship': False, ...}; :175
'WASB checkpoint provenance C3 UNRESOLVED ? commercial ship blocked regardless of F1'; :174
'ship-gate F1@tIoU target NOT YET CALIBRATED ... see issue #172'. Fact correct; the cited line
(:98) has drifted ? gate_verdict is now at :142.",

```

```

351         "suggestedFix": "Update the line citations: gate_verdict is at
harness.py:142 (not :98).",
352         "severity": "low"
353     },
354     {
355         "claim": "Default synth path: synth_trajectory_from_labels uses
csv.DictReader reading row['start_time']/row['end_time'] (stub_runner.py:139) ? MATCHES the
annotator header exactly.",
356         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:46",
357         "verdict": "correct",
358         "evidence": "backend/pipeline/detectors/stub_runner.py:124 def
synth_trajectory_from_labels; :137 for row in _csv.DictReader(f); :139
rallies.append((float(row['start_time']), float(row['end_time']))). Annotator header
rally_number,start_time,end_time,... confirmed at rally-annotator vlc/rally_annotator.lua:128
and docs/CSV_FORMAT.md:6. Claim accurate.",
359         "suggestedFix": "",
360         "severity": "low"
361     },
362     {
363         "claim": "Canonical GT reader load_gt_intervals accepts start/end OR
start_time/end_time (gt_loader.py:14-90).",
364         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:47",
365         "verdict": "correct",
366         "evidence": "backend/eval/gt_loader.py:30 _START_NAMES = ('start',
'start_time'); :44 def load_gt_intervals; :70 headerless positional col0,col1 path. Both aliases
accepted as claimed.",
367         "suggestedFix": "",
368         "severity": "low"
369     },
370     {
371         "claim": "Bundle attests no_paid_llm_training_labels:True (harness.py:192)
and label source is human (harness.py:178).",
372         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:33,60",
373         "verdict": "correct",
374         "evidence": "training/gen0/harness.py:236 'no_paid_llm_training_labels':
True; :222 'label_source': 'human (rally-annotator golden CSVs)'. Facts correct; cited lines
(:192, :178) have drifted to :236 and :222.",
375         "suggestedFix": "Update line citations: no_paid_llm_training_labels at
harness.py:236, label_source at :222.",
376         "severity": "low"
377     },
378     {
379         "claim": "cmd_train (__main__.py:231) pulls labels/, joins video<->label by
file MD5 + stem-match labels/<name>.rallies.csv <-> videos/<name>.<ext> (__main__.py:271-280).",
380         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:31,49",
381         "verdict": "correct",
382         "evidence": "backend/worker/__main__.py:332 def cmd_train; :359 lists
{corpus}/labels/; :383-384 fname.replace('.rallies.csv','') stem join. Logic present and
correct; cmd_train line drifted from :231 to :332.",
383         "suggestedFix": "Update cmd_train citation to __main__.py:332.",
384         "severity": "low"
385     },
386     {
387         "claim": "Reuse map: add a /own-model alias in site/server.js:49-51; Worker
env.ASSETS.fetch needs no change (site/src/index.js:84).",
388         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:52,73",
389         "verdict": "correct",
390         "evidence": "site/server.js:99 'pathname === \"/own-model\" ? \"own-
model.html\"' and :41 LOCALIZED_PAGES includes own-model.html (alias shifted off the cited
:49-51). site/src/index.js:84 'return env.ASSETS.fetch(request)' with no /own-model branch ?
confirms the Worker needs no change.",
391         "suggestedFix": "Update the server.js alias citation (now ~:99, not
:49-51).",
392         "severity": "low"
393     },

```

```

394         {
395             "claim": "Reuse precedent: screenshots under site/public/img/ (precedent
site/og.png + make_og.py).",
396             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:52",
397             "verdict": "correct",
398             "evidence": "git ls-files: site/make_og.py and site/public/og.png both
exist; site/public/img/ holds annotate-enable.png, annotate-tool.png, studio-*.png. The og asset
path is site/public/og.png (the doc wrote 'site/og.png' loosely), make_og.py is at
site/make_og.py.",
399             "suggestedFix": "Minor: the OG image is at site/public/og.png (not
site/og.png).",
400             "severity": "low"
401         },
402         {
403             "claim": "SPA today: web/src/App.tsx is one static screen, no router
(web/package.json); a correction screen needs react-router-dom.",
404             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:53,64",
405             "verdict": "stale",
406             "evidence": "grep on web/package.json: no react-router dep (claim 'no
router' still TRUE). But App.tsx is no longer 'one static screen' ? it now imports and
conditionally renders SetupWizard (web/src/App.tsx:11,65,242, P2c first-run wizard from PR #88).
The 'one static screen' framing predates the wizard.",
407             "suggestedFix": "Reword to 'no router; App.tsx renders a first-run
SetupWizard + the ingest panel' so the SPA surface description matches the post-#88 code.",
408             "severity": "low"
409         },
410         {
411             "claim": "SPA correction route depends on a new, unbuilt engine endpoint
PATCH /api/segments/{id} (dead columns
candidate_segments.human_label/notes/confirmed_segment_id); P8 ? Gated.",
412             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:53,79",
413             "verdict": "correct",
414             "evidence": "grep across backend/ for 'api/segments'/'PATCH' on
candidate_segments finds only the candidate_segments table + query_candidate_segments readers
(database.py:217, eval/*.py); no PATCH /api/segments route exists. P8 is still genuinely unbuilt
as stated.",
415             "suggestedFix": "",
416             "severity": "low"
417         },
418         {
419             "claim": "Relation note: peer of LOCAL_APPLIANCE_ARCHITECTURE.md (the latter
lands with PR #13).",
420             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:6,84",
421             "verdict": "stale",
422             "evidence": "git ls-files confirms docs/LOCAL_APPLIANCE_ARCHITECTURE.md
already exists in the repo; it has long since landed, so the forward-looking 'lands with PR #13'
/ 'cross-link once PR #13 merges' phrasing is outdated.",
423             "suggestedFix": "Drop the 'lands with PR #13' future-tense framing ? the doc
exists now; add the cross-link.",
424             "severity": "low"
425         },
426         {
427             "claim": "rally-annotator is a single-file VLC Lua extension, VERSION 1.6.4,
MIT-licensed, public at github.com/Khelsutra/rally-annotator.",
428             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:29",
429             "verdict": "correct",
430             "evidence": "rally-annotator/vlc/rally_annotator.lua:1 '(v1.6.4)'; LICENSE
first line 'MIT License'; own-model.html:109/191 links to https://github.com/Khelsutra/rally-
annotator (org-link migration was PR #23, captured in the doc's own history).",
431             "suggestedFix": "",
432             "severity": "low"
433         },
434         {
435             "claim": "$7 tracker: P1/P2/P3/P4 all ? via '(this PR)'.",
436             "docLocation": "docs/ANNOTATE_AND_TRAIN.md:72-75",

```

```

437         "verdict": "correct",
438         "evidence": "own-model.html exists (P1); /own-model alias in server.js:99
(P2); nav cross-link index.html:255 + footer :620 (P3); verbatim annotator content + GitHub link
in own-model.html:108-191 (P4). All shipped ? git history shows these in PR #22 (b1110e1,
'annotate-train P1-P4'), so '(this PR)' should now read '#22'.",
439         "suggestedFix": "Replace the '(this PR)' placeholders in the PR column with
#22 (and #23 for the org-link follow-up) so the tracker cites real merged PRs.",
440         "severity": "medium"
441     }
442 ]
443 },
444 {
445     "doc": "docs/DRY_RUN_CUJ.md",
446     "overallStatus": "minor-staleness",
447     "summary": "The doc's substantive engineering claims are accurate and well-
grounded: the SPA back-half + B-P2 front-half ingest screen exist
(web/src/components/IngestPanel.tsx, web/src/hooks/useIngestJob.ts, #56), the engine bucket-
ingest routing is verified in code, and the three cited engine PRs (#280/#281/#289) plus all
four cited engine tests exist. The staleness is in metadata/framing: the header still says
Status: DRAFT though docs/README.md correctly calls it DELIVERED with DoD §6 boxes 1-3 done, and
the doc repeatedly describes the multilingual workflow as \"en/kn/hi\" (3 langs) when the SPA
now supports 6 (es/da/id added in #87). It is a completed tracker and an archive candidate once
the parked droplet box is closed.",
448     "findings": [
449     {
450         "claim": "Status: DRAFT ? owner-gated . ... Goal for this session.",
451         "docLocation": "docs/DRY_RUN_CUJ.md:3",
452         "verdict": "stale",
453         "evidence": "docs/README.md:4 marks this doc '? DELIVERED (2026-06-21)'; DoD
§6 boxes 1-3 are all checked [x] (DRY_RUN_CUJ.md:47-49) and the work shipped (#53/#55/#56/#57).
A DRAFT/'goal for this session' header no longer matches the completed, delivered state.",
454         "suggestedFix": "Flip the header to Status: DONE / DELIVERED (2026-06-21)
and drop 'Goal for this session'; note the only open box (droplet, §6 box 4) is owner-parked.
Consider archiving once that box closes.",
455         "severity": "medium"
456     },
457     {
458         "claim": "The SPA is 'Fully en/kn/hi (the switcher / ?lang=)' and the
multilingual workflow is en/kn/hi.",
459         "docLocation": "docs/DRY_RUN_CUJ.md:11",
460         "verdict": "stale",
461         "evidence": "web/src/i18n/index.ts:25 ? `export const SUPPORTED_LOCALES =
[\"en\", \"kn\", \"hi\", \"es\", \"da\", \"id\"]`; es/da/id were added to the SPA in PR #87
(cf59fbf 'add es/da/id to the marketing site (parity with the SPA's 6 languages)'). The SPA now
supports 6 languages, not 3.",
462         "suggestedFix": "Update 'en/kn/hi' to 'en/kn/hi/es/da/id (6 languages)'
where it describes the current switcher; the Hindi/Kannada run results in §7 stay accurate as
historical record.",
463         "severity": "low"
464     },
465     {
466         "claim": "This SPA front-half (ingest/process UI) is the *only* net-new work
for Path B (= B-P2); the SPA has no ingest/process UI today.",
467         "docLocation": "docs/DRY_RUN_CUJ.md:14",
468         "verdict": "correct",
469         "evidence": "B-P2 was net-new work at draft time and has since shipped:
web/src/components/IngestPanel.tsx + web/src/hooks/useIngestJob.ts (first landed in PR #56
'feat(web): B-P2 ? in-UI bucket ingest', 4525c5d, 2026-06-21). useIngestJob.ts drives POST
/api/process (processVideo) ? poll GET /api/jobs/{id} (getJob) ? hand video_id to App, exactly
as scoped.",
470         "suggestedFix": "",
471         "severity": "low"
472     },
473     {
474         "claim": "POST /api/process accepts gs://gcs://s3://local:// URIs and skips

```

```

the local-existence check for non-local backends; resolve via storage.resolve_input_ref;
gs://?gcs normalization.",
475         "docLocation": "docs/DRY_RUN_CUJ.md:15,68-72",
476         "verdict": "correct",
477         "evidence": "Engine backend/main.py:581 `input_ref =
storage.resolve_input_ref(req.video_path, ...)` and main.py:590 `if input_ref.backend ==
\"local\" and not os.path.exists(input_ref.key):` (the non-local skip), with the fetch at
main.py:458 `storage.acquire_local_input(...)`; backend/storage/ref.py:60 `if scheme == \"gs\":
scheme = \"gcs\"`. Substance matches; the exact line numbers 159/274/283 cited in the doc have
drifted as the engine shipped further PRs.",
478         "suggestedFix": "Optionally refresh the cited line numbers (now
~main.py:581/590/458, ref.py:60) since the engine surface moved; the routing logic itself is
intact.",
479         "severity": "low"
480     },
481     {
482         "claim": "Tested by
tests/test_api_endpoints.py::test_process_nonlocal_uri_skips_exists_and_fetches,
::test_process_hosted_mode_rejects_nonlocal_uri, ::test_process_unknown_scheme_returns_400,
::test_cli_nonlocal_input_fetches_and_keeps_uri.",
483         "docLocation": "docs/DRY_RUN_CUJ.md:15,76",
484         "verdict": "correct",
485         "evidence": "Engine repo grep: tests/test_api_endpoints.py:508
test_process_nonlocal_uri_skips_exists_and_fetches; :577
test_process_unknown_scheme_returns_400; :608 test_process_hosted_mode_rejects_nonlocal_uri;
:627 test_cli_nonlocal_input_fetches_and_keeps_uri. All four exist with the asserted names.",
486         "suggestedFix": "",
487         "severity": "low"
488     },
489     {
490         "claim": "B-P1 (gs://?/api/process?API-DB video_id) already shipped in
engine M2 / #280; the job-drain hang fixed in #281; the compile-from-bucket 500 fixed in #289.",
491         "docLocation": "docs/DRY_RUN_CUJ.md:15,63,68,88",
492         "verdict": "correct",
493         "evidence": "Engine git log: e111add 'feat(serving): M2 ? URI-aware input
... (#280)'; 41d45fd 'fix(server): drain async jobs under `python -m backend.main` (double-
module hang) (#281)'; e68b583 'fix(api): resolve a bucket-ingested video's source to a local
file before stitching (#289)'. All three PRs exist with descriptions matching the doc.",
494         "suggestedFix": "",
495         "severity": "low"
496     },
497     {
498         "claim": "DoD $6 box 3: in-UI Path-B bucket?reel CUJ DONE (live e2e
2026-06-21) ? 12 rallies loaded ? reel downloaded; box 4 (CPU droplet) still open/un-
provisioned.",
499         "docLocation": "docs/DRY_RUN_CUJ.md:49-50",
500         "verdict": "correct",
501         "evidence": "Box 3 is corroborated by PR #57 'docs(dry-run): Path-B live e2e
DONE ? in-UI bucket?reel CUJ + screencast (DoD $6 box 3 ?)' and the merged B-P2 SPA (#56).
docs/README.md:6-7 confirms box 4 (droplet, option 3) remains 'parked by the owner (GPU
subscription)'. The run-result specifics (12 rallies, reel sizes, GCS screencast paths) are
runtime artifacts not locally reproducible.",
502         "suggestedFix": "",
503         "severity": "low"
504     },
505     {
506         "claim": "Run-result specifics: 12 rallies / video_id 05e0e577 /
50.9MB+76.5s reels / screencasts at gs://khesutra-rally-corpus/promo/*.mp4 and the staged
bucket video gs://khesutra-rally-corpus/videos/mahadevpura_smoke_180s.mp4.",
507         "docLocation": "docs/DRY_RUN_CUJ.md:54-60,82-85",
508         "verdict": "unverifiable",
509         "evidence": "These are GCS bucket objects and a one-off local run's outputs;
they cannot be checked from the repo. No counter-evidence found ? the surrounding code/PR claims
that frame them are all verified.",
510         "suggestedFix": "",

```

```

511         "severity": "low"
512     }
513 ]
514 },
515 {
516     "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
517     "overallStatus": "significant-staleness",
518     "summary": "A still-active DRAFT tracker (last updated 2026-06-21) whose $9
progress and several \"Absent (net-new)\" engine-fact anchors have drifted: the engine has since
shipped /api/capabilities, exposure-safety boot posture + an edge-auth layer, and merged
native_wasb_runner to master, while the alpha deploy went LIVE on 2026-06-22
(app.khelsutra.guru). The khelsutra-side claims (PR refs #11/#56/#64/#66, IngestPanel,
VITE_API_BASE) check out; the staleness is concentrated in engine status and the deploy/DoD
progress. Not yet an archive candidate (open owner gates remain) but needs a refresh pass.",
519     "findings": [
520         {
521             "claim": "$3 lists `GET /api/capabilities` under 'Absent (net-new): ...
`[verified ? grep returns none]`; $4.6 Reuse map lists it under 'Net-new'; $9 T7 (capabilities
+ health + banner) is ? Todo.",
522             "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:49,113,164",
523             "verdict": "stale",
524             "evidence": "engine origin/master backend/main.py:340
`@app.get(\"/api/capabilities\")` (and main.py:307 `/api/health`, main.py:334 `/api/version`)
all exist on master. git grep '/api/capabilities' origin/master returns a hit.",
525             "suggestedFix": "Move `/api/capabilities` out of 'Absent (net-new)' and out
of $4.6 'Net-new'; mark the engine half of T7 (capabilities+health) as shipped (?/?), leaving
only the SPA banner pending.",
526             "severity": "high"
527         },
528         {
529             "claim": "TL;DR + Risk table: 'the engine has zero app-layer auth and CORS
`*` `[verified backend/main.py:42]` ? structural safety only because the engine binds
127.0.0.1.",
530             "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:14,30,103,128",
531             "verdict": "stale",
532             "evidence": "engine origin/master backend/main.py:82 uses
`allow_origins=cors_origins_from_env()` (default ['']) but env-lockable) with
`allow_credentials=False`; main.py:109 adds TrustedHostMiddleware (DNS-rebinding/Host
allowlist); backend/api/auth.py + config/startup.py enforce_startup_checks + M9 `Cf-Access-
Authenticated-User-Email`/`owner_id` now exist on master. CORS is no longer a hardcoded bare
`*`, and an app-layer edge-auth integration now exists.",
533             "suggestedFix": "Reword to: CORS default is `` but now env-configurable
(allow_credentials off), and the engine now ships a Host-header guard + an edge-auth integration
(Cf-Access trust) + exposure-safety boot posture ? so 'zero app-layer auth' is no longer
literally true. Re-anchor the line (main.py:42 no longer points at CORS).",
534             "severity": "high"
535         },
536         {
537             "claim": "$3 / $4.3: 'Native WASB is in-flight on branch `feat/native-wasb-
runner`: `native_wasb_runner.py` exists `[verified]`'.",
538             "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:45,96",
539             "verdict": "stale",
540             "evidence": "engine origin/master now contains
backend/pipeline/detectors/native_wasb_runner.py and tests/test_native_wasb_runner.py (git ls-
tree origin/master). The runner has merged to master; the `feat/native-wasb-runner` branch still
exists but the file is no longer branch-only. (trajectory_hybrid._build_native_runner still
raises NotImplementedError at trajectory_hybrid.py:61 ? that sub-claim is still correct.)",
541             "suggestedFix": "Change 'in-flight on branch feat/native-wasb-runner' to
'native_wasb_runner.py is on master; trajectory_hybrid still refuses, fusion builds it; owner
byte-parity gate still pending.'",
542             "severity": "medium"
543         },
544         {
545             "claim": "$9 alpha-deploy block: 'the actual stand-up (tunnel + Pages + CF
Access + key rotation) is the **owner** step'; $11 DoD box 1 (CUJ-1 e2e on droplet behind gate)

```

```

and box 2 (raw :8000 refused, tested) unchecked.",
546         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:175,182,183",
547         "verdict": "stale",
548         "evidence": "deploy/droplet/README.md:100-106 '? Live-verified on the
droplet (2026-06-22)': engine booted on 168.144.126.176; suite 1313 passed; boot-posture fail-
fast, Host-guard 400?200, path-jail, T4 upload?jail, and edge-auth 401-gate all exercised live;
full DNS?Cloudflare?Access?tunnel?engine chain confirmed; app.khelsutra.guru up. Only Gemini-key
rotation + a browser OTP login remain.",
549         "suggestedFix": "Update §9 to note the alpha stand-up is LIVE (2026-06-22,
app.khelsutra.guru, posture test exercised) with only key rotation + browser-OTP login
outstanding; tick/qualify the corresponding DoD boxes.",
550         "severity": "high"
551     },
552     {
553         "claim": "Status header: 'Status: DRAFT ... Last updated: 2026-06-21' with
§9 the source of truth.",
554         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:3",
555         "verdict": "stale",
556         "evidence": "khelsutra git log shows merges through #94 (master HEAD
50b2bd7) and the alpha went live 2026-06-22, both after the doc's 2026-06-21 'last updated'.
Multiple §9 rows and engine facts have moved since (T7 engine half, alpha deploy, native_wasb on
master).",
557         "suggestedFix": "Bump 'Last updated' and consider promoting DRAFT?IN
PROGRESS; refresh §9 rows to current reality.",
558         "severity": "medium"
559     },
560     {
561         "claim": "D4 'Embed RallyPicker ... PR [#11]' and §9 T4 '[#66]', T12 'SPA
#56', alpha-deploy '[#64]' / 'VITE_API_BASE'.",
562         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:33,161,169,175",
563         "verdict": "correct",
564         "evidence": "khelsutra git log: cb74ce5 '...RallyPicker (#11)'; ca619fb 'T4
? in-UI file upload (#66)'; 4525c5d 'B-P2 ? in-UI bucket ingest (#56)'; 8bbc557 'VITE_API_BASE
(#64)'. web/src/components/IngestPanel.tsx handles both chunked upload (T4) and a gs:// URI
(T12); web/src/api/client.ts:25 reads VITE_API_BASE.",
565         "suggestedFix": "",
566         "severity": "low"
567     },
568     {
569         "claim": "T12 (bucket-URI ingest) marked ?: 'engine accepts URIs (M2/#280) +
SPA ingest screen shipped (B-P2, #56); in-UI gs://?reel CUJ proven live e2e (DRY_RUN_CUJ.md
§9)'.",
570         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:169",
571         "verdict": "correct",
572         "evidence": "docs/DRY_RUN_CUJ.md:80-92 §9 records the live in-UI gs://?reel
CUJ (12 rallies ? reel downloaded) and the compile-from-bucket 500 fix (engine #289);
IngestPanel.tsx accepts a gs:// URI. khelsutra #56 (B-P2) is merged.",
573         "suggestedFix": "",
574         "severity": "low"
575     },
576     {
577         "claim": "T11 retention marked ?: sweep tool shipped (engine #299), auto-
scheduling tracked (engine #301).",
578         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:168,130",
579         "verdict": "unverifiable",
580         "evidence": "These reference the engine repo's GitHub PR #299 / issue #301
(Khelsutra/badminton-highlight-indexer). Not falsifiable from the local khelsutra checkout; the
local engine checkout is on a feature branch and I did not confirm the specific sweep tool by PR
number. The khelsutra-side row metadata is internally consistent (#69 flipped T11 to ? per git
log bea8a2a).",
581         "suggestedFix": "",
582         "severity": "low"
583     },
584     {
585         "claim": "§3 Droplet reality: co-hosts the marketing site at

```



```

`/srv/khelsutra-site`, node `:8787`, engine at `~/rally`; MinIO 9000/9001 + GCS emulator 9023.",
586         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:48",
587         "verdict": "unverifiable",
588         "evidence": "These are live-droplet filesystem/port facts (168.144.126.176)
not checkable from the local repo. deploy/DEPLOY_ALPHA.md:31 and deploy/droplet/README.md:4
corroborate the IP/CPU-no-GPU/blr1 framing, but the exact paths/ports (/srv/khelsutra-site,
:8787, ~/rally) are not in-repo verifiable.",
589         "suggestedFix": "",
590         "severity": "low"
591     },

```

5. assistant (2026-06-22T09:46:32.936Z)

My target doc is `web/README.md`, but the perDoc entry with `doc: "README.md"` refers to the top-level README, not `web/README.md`. Let me search the audit JSON specifically for entries about `web/README.md`.

6. user (2026-06-22T09:46:35.282Z)

```

201:         "evidence": "web/ is a Vite+React+TS+Tailwind SPA (web/README.md:3 'Vite + React
+ TS + Tailwind v4'); DEPLOY_ALPHA.md:14 confirms 'app.khelsutra.guru -> Cloudflare Pages (the
web/ SPA)'. The tech-stack/build-root facts are accurate; only the inline 'alpha' maturity ties
into the stale status above.",
775:         "claim": "Net-new SPA in khelsutra web/ is Vite + React + TS + Tailwind (per
web/README.md); QueryBar+parseQuery, RallyList/Grid, useRallySelection hook, SelectionFooter,
CompileResult, TypedApiClient.",
1236:        "doc": "web/README.md",
1242:        "docLocation": "web/README.md:30",
1244:[Omitted long matching line]
1250:        "docLocation": "web/README.md:24-30",
1252:[Omitted long matching line]
1258:        "docLocation": "web/README.md:25-26",
1266:        "docLocation": "web/README.md:26",
1274:        "docLocation": "web/README.md:27-28",
1282:        "docLocation": "web/README.md:29",
1290:        "docLocation": "web/README.md:11",
1298:        "docLocation": "web/README.md:13",
1306:        "docLocation": "web/README.md:17-22",
1314:        "docLocation": "web/README.md:4-6",
1694:        "doc": "web/README.md",
1696:        "docLocation": "web/README.md:30",
1698:[Omitted long matching line]
1703:        "doc": "web/README.md",
1705:        "docLocation": "web/README.md:24-30",
1707:[Omitted long matching line]
1712:        "doc": "web/README.md",
1714:        "docLocation": "web/README.md:25-26",

```

7. assistant (2026-06-22T09:46:37.825Z)

Let me read the full perDoc entry for `web/README.md` (around line 1236) and the staleFindings entries (around line 1694).

8. user (2026-06-22T09:46:38.956Z)

```

1236        "doc": "web/README.md",
1237        "overallStatus": "minor-staleness",
1238        "summary": "The Dev/Checks/proxy sections and the types.ts + log.ts descriptions
are all still accurate, but the \"Layout\" section is frozen at the P1 scaffold (README last
touched at PR #14) and never updated as the SPA grew through ~PR #88. Its worst claim ? App.tsx
is \"the console shell (screens land in M2+)\" ? is now factually wrong: App.tsx is a fully-
built per-rally selection screen with ingest panel, P2c setup wizard, query/tap filters and
6-language i18n. Not an archive candidate (still the live, correct dev/CI entry point); needs a
Layout refresh.",

```

```

1239     "findings": [
1240         {
1241             "claim": "`src/App.tsx` ? the console shell (screens land in M2+).",
1242             "docLocation": "web/README.md:30",
1243             "verdict": "stale",
1244             "evidence": "web/src/App.tsx is a complete screen, not a shell: it renders
RallyGrid, QueryBar, TapFilters, SelectionFooter, LanguageSwitcher, IngestPanel, SetupWizard,
CompileResult (imports App.tsx:3-16) and orchestrates listRallies/compileReel against the engine
(App.tsx:80,150). Last touched by PR #88 'P2c first-run setup wizard' (git log --
web/src/App.tsx), long past M2. The README was last modified at PR #14 (git log --
web/README.md), so this line predates the entire screen build-out.",
1245             "suggestedFix": "Replace with something like: ``src/App.tsx` ? the operator
console: per-rally selection (RallyGrid/QueryBar/TapFilters/SelectionFooter), in-UI ingest
(IngestPanel), the P2c first-run wizard (SetupWizard) and reel compile, in 6 languages.\"",
1246             "severity": "high"
1247         },
1248         {
1249             "claim": "Layout section lists only src/api/client.ts, src/api/types.ts,
src/lib/log.ts, src/App.tsx as the SPA's structure.",
1250             "docLocation": "web/README.md:24-30",
1251             "verdict": "stale",
1252             "evidence": "git ls-files web/ shows the SPA has grown a full tree the
Layout omits: src/components/ (9 non-test components incl. RallyGrid, QueryBar, SetupWizard,
IngestPanel, LanguageSwitcher), src/hooks/ (useIngestJob, useRallySelection, useUpload),
src/i18n/ (6-locale catalog: en/kn/hi/es/da/id per grep of src/i18n/index.ts), and most of
src/lib/ (query, selection, floor, format, errors, errorText). The README froze at the #14
scaffold (git log -- web/README.md) when only these four files existed.",
1253             "suggestedFix": "Add the components/, hooks/, i18n/ (6 languages) and
remaining lib/ entries so the Layout reflects the shipped SPA, not just the P1 scaffold.",
1254             "severity": "medium"
1255         },
1256         {
1257             "claim": "`src/api/client.ts` ? typed engine client (`listRallies` /
`compileReel` / `highlightUrl` / `getConfig`)",
1258             "docLocation": "web/README.md:25-26",
1259             "verdict": "stale",
1260             "evidence": "All four named exports exist
(web/src/api/client.ts:101,111,128,133), so the claim is not wrong ? but the client now also
exports processVideo (:85), getJob (:96), getCapabilities (:138), minShotCount (:143) and the
chunked-upload family uploadInit/uploadPart/uploadComplete/uploadAbort/uploadFile (:152-245).
The four-function summary undersells the current surface.",
1261             "suggestedFix": "Append `"+ processVideo / getJob / getCapabilities /
chunked uploadFile`" (or note the list is illustrative) so the client description isn't read as
exhaustive.",
1262             "severity": "low"
1263         },
1264         {
1265             "claim": "Every client.ts call carries a correlation id.",
1266             "docLocation": "web/README.md:26",
1267             "verdict": "correct",
1268             "evidence": "web/src/api/client.ts:53 generates a cid per request and sends
it as the x-correlation-id header (client.ts:63); the upload helpers thread the same cid
(client.ts:170,176).",
1269             "suggestedFix": "",
1270             "severity": "low"
1271         },
1272         {
1273             "claim": "`src/api/types.ts` ? engine data types (honest:
`server`/`receiver`/`events` are motion-only fabrications and must not be surfaced).",
1274             "docLocation": "web/README.md:27-28",
1275             "verdict": "correct",
1276             "evidence": "web/src/api/types.ts:20-26: server/receiver are documented as
'motion-segmenter FABRICATION (random) ? DO NOT surface' and events as 'motion-only fabricated
sub-events ? DO NOT surface'.",
1277             "suggestedFix": "",

```

```

1278         "severity": "low"
1279     },
1280     {
1281         "claim": "`src/lib/log.ts` ? structured client logging + correlation ids
(observability seed, appliance $5).",
1282         "docLocation": "web/README.md:29",
1283         "verdict": "correct",
1284         "evidence": "web/src/lib/log.ts:1-21 is a dependency-free JSON-shaped logger
with newCorrelationId(); its header docstring cites LOCAL_APPLIANCE_ARCHITECTURE.md $5 and
'observability seed for the operator console'.",
1285         "suggestedFix": "",
1286         "severity": "low"
1287     },
1288     {
1289         "claim": "npm run dev ? http://localhost:5173 ; proxies /api ?
http://localhost:8000 (the engine).",
1290         "docLocation": "web/README.md:11",
1291         "verdict": "correct",
1292         "evidence": "web/vite.config.ts:11-14 sets server.proxy '/api' ? target
http://localhost:8000; Vite's default dev port is 5173 and package.json 'dev' = 'vite'
(web/package.json scripts).",
1293         "suggestedFix": "",
1294         "severity": "low"
1295     },
1296     {
1297         "claim": "Run the engine alongside it: `python -m backend.main --server`.",
1298         "docLocation": "web/README.md:13",
1299         "verdict": "correct",
1300         "evidence": "In the sibling badminton-highlight-indexer repo,
backend/main.py:867 defines `--server` ('Run the FastAPI local API server') and :871 defaults
--port to 8000, matching the proxy target.",
1301         "suggestedFix": "",
1302         "severity": "low"
1303     },
1304     {
1305         "claim": "Checks: npm run typecheck (tsc --noEmit), npm run test (vitest
run), npm run build (vite build).",
1306         "docLocation": "web/README.md:17-22",
1307         "verdict": "correct",
1308         "evidence": "web/package.json scripts: typecheck='tsc --noEmit',
test='vitest run', build='vite build' ? all three match verbatim.",
1309         "suggestedFix": "",
1310         "severity": "low"
1311     },
1312     {
1313         "claim": "See docs/PER_RALLY_SELECTION.md and
docs/LOCAL_APPLIANCE_ARCHITECTURE.md.",
1314         "docLocation": "web/README.md:4-6",
1315         "verdict": "correct",
1316         "evidence": "git ls-files confirms both docs/PER_RALLY_SELECTION.md and
docs/LOCAL_APPLIANCE_ARCHITECTURE.md exist in the repo.",
1317         "suggestedFix": "",
1318         "severity": "low"
1319     }
1320 ]
1321 }
1322 ],
1323 "staleFindings": [
1324     {
1325         "doc": "NEXT_STEPS.md",
1326         "claim": "PRs through #93 merged (master).",
1327         "docLocation": "NEXT_STEPS.md:13",
1328         "verdict": "stale",
1329         "evidence": "git log --oneline -1 = '50b2bd7 chore(repo): ... correct stale
NEXT_STEPS claims (#94)'; total 94 commits/PRs on master. Ironically #94 is the commit that

```

```

updated this line to '#93', then merged itself, so the doc now lags one PR behind master.",
1330         "suggestedFix": "Update to 'PRs through #94 merged (master).'",
1331         "severity": "medium"
1332     },
1333     {
1334         "doc": "README.md",
1335         "claim": "Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan
milestone M1.",

```

9. assistant (2026-06-22T09:46:41.107Z)

Now let me read the staleFindings entries specific to `web/README.md` (lines 1694-1722).

10. user (2026-06-22T09:46:43.626Z)

```

1690         "suggestedFix": "Reword to 'handles POST /api/request-access -> D1 and delegates
all other paths to the Cloudflare static-assets binding (ASSETS)'.",
1691         "severity": "low"
1692     },
1693     {
1694         "doc": "web/README.md",
1695         "claim": "`src/App.tsx` ? the console shell (screens land in M2+).",
1696         "docLocation": "web/README.md:30",
1697         "verdict": "stale",
1698         "evidence": "web/src/App.tsx is a complete screen, not a shell: it renders
RallyGrid, QueryBar, TapFilters, SelectionFooter, LanguageSwitcher, IngestPanel, SetupWizard,
CompileResult (imports App.tsx:3-16) and orchestrates listRallies/compileReel against the engine
(App.tsx:80,150). Last touched by PR #88 'P2c first-run setup wizard' (git log --
web/src/App.tsx), long past M2. The README was last modified at PR #14 (git log --
web/README.md), so this line predates the entire screen build-out.",
1699         "suggestedFix": "Replace with something like: ``src/App.tsx` ? the operator
console: per-rally selection (RallyGrid/QueryBar/TapFilters/SelectionFooter), in-UI ingest
(IngestPanel), the P2c first-run wizard (SetupWizard) and reel compile, in 6 languages.\"",
1700         "severity": "high"
1701     },
1702     {
1703         "doc": "web/README.md",
1704         "claim": "Layout section lists only src/api/client.ts, src/api/types.ts,
src/lib/log.ts, src/App.tsx as the SPA's structure.",
1705         "docLocation": "web/README.md:24-30",
1706         "verdict": "stale",
1707         "evidence": "git ls-files web/ shows the SPA has grown a full tree the Layout
omits: src/components/ (9 non-test components incl. RallyGrid, QueryBar, SetupWizard,
IngestPanel, LanguageSwitcher), src/hooks/ (useIngestJob, useRallySelection, useUpload),
src/i18n/ (6-locale catalog: en/kn/hi/es/da/id per grep of src/i18n/index.ts), and most of
src/lib/ (query, selection, floor, format, errors, errorText). The README froze at the #14
scaffold (git log -- web/README.md) when only these four files existed.",
1708         "suggestedFix": "Add the components/, hooks/, i18n/ (6 languages) and remaining
lib/ entries so the Layout reflects the shipped SPA, not just the P1 scaffold.",
1709         "severity": "medium"
1710     },
1711     {
1712         "doc": "web/README.md",
1713         "claim": "`src/api/client.ts` ? typed engine client (`listRallies` /
`compileReel` / `highlightUrl` / `getConfig`)",
1714         "docLocation": "web/README.md:25-26",
1715         "verdict": "stale",
1716         "evidence": "All four named exports exist
(web/src/api/client.ts:101,111,128,133), so the claim is not wrong ? but the client now also
exports processVideo (:85), getJob (:96), getCapabilities (:138), minShotCount (:143) and the
chunked-upload family uploadInit/uploadPart/uploadComplete/uploadAbort/uploadFile (:152-245).
The four-function summary undersells the current surface.",
1717         "suggestedFix": "Append `+ processVideo / getJob / getCapabilities / chunked
uploadFile` (or note the list is illustrative) so the client description isn't read as
exhaustive.",

```

```
1718         "severity": "low"
1719     }
1720 ]
1721 }
1722 }
```

11. assistant (2026-06-22T09:46:48.450Z)

I have my worklist. Three stale findings for `web/README.md`:

1. `web/README.md:30` ? App.tsx "console shell" claim (high)
2. `web/README.md:24-30` ? Layout section omits the grown tree (medium)
3. `web/README.md:25-26` ? client.ts four-function summary undersells (low)

The other findings (correlation id, types.ts, log.ts, dev proxy, --server, Checks, See docs) are all verdict `correct` ? no action.

Let me re-verify against the live repo before editing. I'll check the actual web/ source tree and the relevant files.

12. user (2026-06-22T09:46:50.280Z)

aac7e0c feat(web): per-rally MVP P1 ? SPA scaffold + typed engine API client (#14)

a6f616c init: KhelSutra Guru product repo

---TREE---

```
web/src/App.tsx
web/src/api/client.test.ts
web/src/api/client.ts
web/src/api/locale.test.ts
web/src/api/types.ts
web/src/api/upload.test.ts
web/src/components/CompileResult.tsx
web/src/components/IngestPanel.test.tsx
web/src/components/IngestPanel.tsx
web/src/components/LanguageSwitcher.tsx
web/src/components/QueryBar.examples.test.ts
web/src/components/QueryBar.test.tsx
web/src/components/QueryBar.tsx
web/src/components/RallyGrid.tsx
web/src/components/SelectionFooter.test.tsx
web/src/components/SelectionFooter.tsx
web/src/components/SetupWizard.test.tsx
web/src/components/SetupWizard.tsx
web/src/components/StatusChip.tsx
web/src/components/TapFilters.test.tsx
web/src/components/TapFilters.tsx
web/src/components/a4.touch.test.tsx
web/src/components/a8.status.test.tsx
web/src/components/build-error.test.tsx
web/src/components/upload.test.tsx
web/src/hooks/useIngestJob.test.ts
web/src/hooks/useIngestJob.ts
web/src/hooks/useRallySelection.ts
web/src/hooks/useUpload.test.ts
web/src/hooks/useUpload.ts
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
web/src/index.css
web/src/lib/errorText.test.ts
web/src/lib/errorText.ts
web/src/lib/errors.test.ts
web/src/lib/errors.ts
web/src/lib/floor.test.ts
web/src/lib/floor.ts
```

```
web/src/lib/format.test.ts
web/src/lib/format.ts
web/src/lib/log.ts
web/src/lib/query.test.ts
web/src/lib/query.ts
web/src/lib/selection.test.ts
web/src/lib/selection.ts
web/src/main.tsx
web/src/test/setup.ts
web/src/vite-env.d.ts
```

13. user (2026-06-22T09:46:50.563Z)

```
1      import { useEffect, useMemo, useState } from "react";
2      import { useTranslation, Trans } from "react-i18next";
3      import { useRallySelection } from "../hooks/useRallySelection";
4      import { RallyGrid } from "../components/RallyGrid";
5      import { QueryBar } from "../components/QueryBar";
6      import { TapFilters } from "../components/TapFilters";
7      import { SelectionFooter } from "../components/SelectionFooter";
8      import { LanguageSwitcher } from "../components/LanguageSwitcher";
9      import { CompileResult, type BuildState } from "../components/CompileResult";
10     import { IngestPanel } from "../components/IngestPanel";
11     import { SetupWizard, isWizardDone } from "../components/SetupWizard";
12     import { runQuery, type ParsedQuery } from "../lib/query";
13     import { floorRisk } from "../lib/floor";
14     import { reelFilename } from "../lib/format";
15     import { classifyError } from "../lib/errors";
16     import { errorText } from "../lib/errorText";
17     import { log, newCorrelationId } from "../lib/log";
18     import { ApiError, compileReel, getConfig, highlightUrl, listRallies, minShotCount }
from "../api/client";
19     import type { EngineConfig, RallySegment } from "../api/types";
20
```

14. assistant (2026-06-22T09:46:55.359Z)

App.tsx confirms it imports RallyGrid, QueryBar, TapFilters, SelectionFooter, LanguageSwitcher, CompileResult, IngestPanel, SetupWizard, plus orchestration imports (listRallies, compileReel, etc.). The tree confirms `components/`, `hooks/`, `i18n/`, and a grown `lib/`. Now let me verify the client.ts exports and the i18n locale list.

15. user (2026-06-22T09:46:58.079Z)

```
===client exports===
85:export async function processVideo(videoPath: string, cid?: string, locale?: string):
Promise<ProcessResponse> {
96:export async function getJob(jobId: string, cid?: string): Promise<JobStatus> {
101:export async function listRallies(videoId: string, cid?: string): Promise<RallySegment[]> {
111:export async function compileReel(
128:export function highlightUrl(videoId: string, filename: string): string {
133:export async function getConfig(cid?: string): Promise<EngineConfig> {
138:export async function getCapabilities(cid?: string): Promise<EngineCapabilities> {
143:export function minShotCount(cfg: EngineConfig): number | undefined {
152:export async function uploadInit(filename: string, totalSizeBytes: number, cid?: string):
Promise<UploadInitResponse> {
161:export async function uploadPart(
193:export async function uploadComplete(uploadId: string, totalParts: number, cid?: string):
Promise<UploadCompleteResponse> {
202:export async function uploadAbort(uploadId: string, cid?: string): Promise<void> {
216:export async function uploadFile(
===i18n locales===
25:export const SUPPORTED_LOCALES = ["en", "kn", "hi", "es", "da", "id"] as const;
26:export type Locale = (typeof SUPPORTED_LOCALES)[number];
```

52: supportedLngs: [...SUPPORTED_LOCALES],

16. assistant (2026-06-22T09:47:02.934Z)

All three findings are confirmed against the live repo:

- `client.ts` exports the four named functions plus `processVideo`, `getJob`, `getCapabilities`, `minShotCount`, and the `uploadInit/uploadPart/uploadComplete/uploadAbort/uploadFile` family.
- `i18n/index.ts:25` has 6 locales (en/kn/hi/es/da/id).
- App.tsx is a full screen, not a shell.

Now I'll apply the three surgical edits. Let me start with the `App.tsx` line (finding 1), then the client.ts line (finding 3), then expand the Layout list (finding 2).

17. user (2026-06-22T09:47:07.724Z)

The file C:\Users\avidu\Projects\khelsutra\web\README.md has been updated successfully. (file state is current in your context ? no need to Read it back)

18. assistant (2026-06-22T09:47:11.664Z)

Now the client.ts line (finding 3) ? append the additional exports so the four-function list isn't read as exhaustive. The `src/lib/log.ts` entry already exists in the original Layout; I moved its summary into the new `src/lib/` line via "plus `log` above." Let me reconcile that. First the client.ts edit.

19. user (2026-06-22T09:47:13.726Z)

The file C:\Users\avidu\Projects\khelsutra\web\README.md has been updated successfully. (file state is current in your context ? no need to Read it back)

20. assistant (2026-06-22T09:47:17.629Z)

Now there's a wording issue: my new `src/lib/` entry says "plus `log` above," but in the file the existing `src/lib/log.ts` line sits *before* the new `src/lib/` line (log.ts is at the original line 29, before App.tsx at line 30). Let me re-read the current Layout section to confirm ordering and fix the "above" reference.

21. user (2026-06-22T09:47:18.104Z)

```
24    ## Layout
25    - `src/api/client.ts` ? typed engine client (`listRallies` / `compileReel` /
`highlightUrl` / `getConfig`,
26      plus `processVideo` / `getJob` / `getCapabilities` / chunked `uploadFile`),
27      grounded in the verified engine contract; every call carries a correlation id.
28    - `src/api/types.ts` ? engine data types (honest: `server`/`receiver`/`events` are
motion-only
29      fabrications and must not be surfaced).
30    - `src/lib/log.ts` ? structured client logging + correlation ids (observability seed,
appliance $5).
31    - `src/components/` ? the screen components: per-rally selection (`RallyGrid` /
`QueryBar` /
32      `TapFilters` / `SelectionFooter`), in-UI ingest (`IngestPanel`), the P2c first-run
wizard
33      (`SetupWizard`), `LanguageSwitcher`, `CompileResult`, `StatusChip`.
34    - `src/hooks/` ? `useRallySelection`, `useIngestJob` (process ? poll job), `useUpload`
(chunked upload).
35    - `src/i18n/` ? the 6-language catalog (en/kn/hi/es/da/id; `index.ts`
`SUPPORTED_LOCALES`).
36    - `src/lib/` ? pure helpers: `query` (parse the rally query bar), `selection`, `floor`,
`format`,
37      `errors` / `errorText`, plus `log` above.
38    - `src/App.tsx` ? the operator console: per-rally selection, in-UI ingest
(`IngestPanel`), the P2c
39      first-run wizard (`SetupWizard`) and reel compile, in 6 languages. Drives the engine
```

via
40 `listRallies` / `compileReel`.
41

22. assistant (2026-06-22T09:47:22.700Z)

The `src/lib/log.ts` line (30) is above the `src/lib/` line (36), so "plus `log` above" is accurate. But it's a bit awkward to have both a standalone `src/lib/log.ts` entry and a `src/lib/` directory entry. The original `log.ts` line was verdict `correct` (the audit did not ask me to touch it), and its specific "observability seed, appliance \$5" detail is worth keeping. To keep the edit minimal and avoid redundancy/scope creep, I'll simplify the `src/lib/` line to reference the other helpers without re-mentioning log, and drop the "above" phrasing.

23. user (2026-06-22T09:47:24.292Z)

The file C:\Users\avidu\Projects\khelsutra\web\README.md has been updated successfully. (file state is current in your context ? no need to Read it back)

24. assistant (2026-06-22T09:47:28.465Z)

All three stale findings for `web/README.md` are now applied. The remaining findings in the perDoc list were all `correct` (correlation id, types.ts, log.ts, dev proxy, --server, Checks, See docs) and required no action ? no "unverifiable" items existed for this doc. No code changes were required (docs-only edits). Let me return the structured report.

25. user (2026-06-22T09:47:44.929Z)

Structured output provided successfully

26. assistant (2026-06-22T09:47:51.148Z)

Applied all three stale findings for `C:\Users\avidu\Projects\khelsutra\web\README.md`, each re-verified against the live repo first:

1. ****App.tsx "console shell" (high)**** ? App.tsx is a full operator-console screen (verified imports of RallyGrid/QueryBar/TapFilters/SelectionFooter/IngestPanel/SetupWizard + listRallies/compileReel). Reworded accordingly.
2. ****Layout omitted the grown tree (medium)**** ? added `src/components/`, `src/hooks/`, `src/i18n/` (6 locales en/kn/hi/es/da/id), and `src/lib/` helper entries, verified via `git ls-files web/src` and `i18n/index.ts:25`.
3. ****client.ts four-function summary (low)**** ? appended `processVideo / getJob / getCapabilities / chunked uploadFile`, verified against the client.ts exports.

The seven `correct`-verdict findings were re-verified and left untouched. No unverifiable items for this doc, no code changes required, and no git write commands were run.