

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-inde  
xer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_f9255361-69d\agent-  
a6ce3516322e8f012.jsonl`  
- SHA-256: `00537e0933eaf7db41051ac2b6264a05ee2767538b20e43149205a5422b63a9`  
- Source modified: `2026-06-22T09:34:47+00:00`  
- Imported at: `2026-07-05T16:48:26+00:00`  
- project: `wf_f9255361-69d`  
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:32:46.027Z)

You are auditing ONE doc in the KhelSutra brand/site repo for staleness, as part of a "are all the docs up to date?" sweep.

Repo root: C:\Users\avidu\Projects\kheelsutra (bash path: /c/Users/avidu/Projects/kheelsutra)
The repo is on `master`, freshly synced to remote HEAD ? the latest merged PR is #94. Today is 2026-06-22.

DOC TO AUDIT: docs/MULTILINGUAL_EXPANSION.md

Your job: read the doc IN FULL, extract every concrete, falsifiable claim, and VERIFY each against the LIVE repo ? do NOT trust the doc's own wording. Hard discipline rule: a claim is "correct" ONLY when you have file:line or command-output evidence for it; if you cannot verify it, mark verdict "unverifiable" ? never guess, never assume the doc is right. Re-check against actual code/git.

Kinds of claims to check:

- File / path / route references ("served at /capture", "see src/store.js", "public/og.png", "systemd kheelsutra-site") -> does the path or route ACTUALLY exist now? Confirm with git ls-files / Read / the routing in site/server.js + site/src/index.js.
- PR numbers and counts ("PRs #1-#8 merged", "20 tests green", "6 languages", "3-step wizard", "P0..P5 done") -> verify against `git -C <root> log`, the actual test output/count, and the code.
- Status markers (DONE / pending / IN PROGRESS / DRAFT / "?" / "owner-gated" / "NEXT") -> still accurate vs the code & git history? Is something marked pending that is actually shipped, or vice-versa?
- Dates, "live at <url>", "merged in #N".
- Whether the doc describes something now SUPERSEDED or fully shipped -> is it an archive candidate (a tracker whose work is complete, or content duplicated by docs/archives/)? Note: docs/archives/FRIENDLY_AND_MULTILINGUAL.md already exists as the archived multilingual tracker.

Tools: Read the doc + every cited file; Grep/Glob to locate code; Bash for `git -C /c/Users/avidu/Projects/kheelsutra log --oneline`, `... ls-files`, and greps. To check a test count, you may run the suite (`cd /c/Users/avidu/Projects/kheelsutra/site && node --test` or `npm test`), but prefer cheap checks. Verify against master as it stands NOW.

Severity: high = a factually wrong claim a reader would act on (wrong path/route, a "DONE" that isn't, a wrong count/PR that misleads). medium = outdated-but-harmless (stale PR range, old "where we are", superseded framing). low = cosmetic.

Do NOT modify any file ? audit only. Return ONLY the structured object (doc, overallStatus, findings[], summary).

2. assistant (2026-06-22T09:32:48.549Z)

I'll audit the multilingual expansion doc. Let me start by pulling the repo fresh and reading the doc in full.

3. user (2026-06-22T09:32:51.902Z)

Already up to date.

---HEAD---

50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header (#90)

4. user (2026-06-22T09:32:51.909Z)

```
1      # Multilingual Expansion ? 7 new locales (th · id · da · es · zh-Hans · ja · ko)
2
3      > **Status:** `IN PROGRESS` ? **Phase A (es/da/id) shipped
([#67](https://github.com/avidullu/khelsutra/pull/67)); Phases B (Thai) / C (CJK) owner-gated**
· **Owner:** Avi Dullu · **Created:** 2026-06-21 · **Last updated:** 2026-06-21
4      > **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when
DONE)
5      > **Tracking anchors:** $7 progress tracker is the source of truth; index in
`docs/README.md`; pointer in memory `current-state`; thread in `NEXT_STEPS.md` once work starts.
6      > **Relation to existing docs:** **PEER-OF / extends**
[`FRIENDLY_AND_MULTILINGUAL.md`](archives/FRIENDLY_AND_MULTILINGUAL.md) (the `en`/`kn`/`hi`
foundation) and the engine design `I18N_PLAN.md`. **Reuses that foundation verbatim**
(react-i18next + i18next-icu + browser detector + key-parity/no-bare-strings CI + self-hosted
OFL Noto via `@fontsource` + Gemini-draft?native-review). This is a **parallel** line: it adds
locales, it does **not** re-architect i18n.
7      > **Honesty note:** each claim tagged `[verified]` (checked vs the working tree this
session), `[researched]` (sourced, needs sign-off), or `[design]` (proposed). Not legal advice ?
the OFL-font carve-out is the owner's standing call (D7 in FRIENDLY).
8
9      ---
10
11     ## 0. TL;DR
12     Add **Thai, Indonesian, Danish, Spanish, Chinese (Simplified), Japanese, Korean** to the
Studio SPA with the **same rigor as en/kn/hi**. The good news `[verified]`: the i18n foundation
already scales ? **zero changes to the negotiation contract or the catalog format**; adding a
locale is "drop a reviewed `common.json` + (if non-Latin) bundle one OFL Noto font + keep CI
key-parity green." The work splits cleanly into **Phase A** (es/da/id ? *catalog-only, no
fonts*), **Phase B** (Thai ? *one small OFL font*), and **Phase C** (zh-Hans/ja/ko ? *large OFL
CJK fonts + lazy-load + an offline-bundle subsetting decision + the zh script-variant call*).
**The single most important caveats:** (1) **native-speaker review per language** is the real
cost and the public-launch gate (Gemini drafts are *inference-only*, never the source of truth ?
the standing guardrail); (2) **CJK fonts add tens of MB** to the otherwise-tiny air-gapped
bundle; (3) **Spanish now has a 3-form plural** (`{one, many, other}`) ? the one authoring
wrinkle.
13
14     ## 1. Problem & goal
15     **Why now.** en/kn/hi shipped and proved the foundation is locale-pluggable (a Kannada-
default browser auto-renders Kannada; the switcher walks kn?hi?en). The owner wants to broaden
reach beyond the India beachhead ? **SE Asia (th, id), Europe (da, es), and East Asia (zh, ja,
ko)**.
16     **Concrete outcome ("good"):** a user whose browser is in any of the 7 languages lands
on the Studio (and, once `site/` is localized via FRIENDLY B3, the marketing pages too), and ?
without help ? understands the product, runs the tool, and gets a reel, **entirely in their
language**, with the fonts rendering crisply offline.
17     **Read to get current:** this doc $3?$4;
[`FRIENDLY_AND_MULTILINGUAL.md`](archives/FRIENDLY_AND_MULTILINGUAL.md) (the foundation this
rides on, esp. $4 design + $6.5 negotiation tests); `web/src/i18n/index.ts` (the
```

```

detector/ICU/fallback config) + `web/src/main.tsx` (the `@fontsource` font-load pattern) +
`web/src/i18n/hygiene.test.ts` (key-parity + no-bare-strings + offline guards).
18
19     ## 2. Decisions locked (inherited from FRIENDLY unless noted)
20     | # | Decision | Source / date | Implication |
21     |---|-----|-----|-----|
22     | ED1 | **Same framework, no re-architecture** ? react-i18next + i18next-icu + `i18next-
browser-languagedetector`; one `en` source catalog + per-locale siblings; **always fall back to
`en`** | FRIENDLY D-* / `i18n/index.ts` `[verified]` | Each new locale = add to
`SUPPORTED_LOCALES` + a `common.json`; negotiation/format unchanged |
23     | ED2 | **Self-host OFL Noto via `@fontsource`** (the D7 OFL-for-media carve-out) ?
**extend it to the 4 new Noto fonts** (Thai, SC, JP, KR) | FRIENDLY D7 (owner, 2026-06-21) | No
new licensing decision; same `main.tsx` import + `unicode-range`-scoped pattern as kn/hi |
24     | ED3 | **Gemini-draft ? native-speaker review** (inference only, never training; every
value flagged for review) | `CLAUDE.md` guardrail | Translation *quality* is human-gated +
owner-paced; CI proves parity, not quality |
25     | ED4 | **CI key-parity + no-bare-strings stay merge gates** for every locale |
`hygiene.test.ts` `[verified]` | A new catalog must match the `en` key set exactly or CI fails |
26     | ED5 | **All 7 are LTR** ? no RTL/bidi layout work in this batch | `[researched]`
CLDR/W3C | No `dir="rtl"`, no logical-property audit; RTL (ar/he/ur) would be a separate, larger
track |
27     | ED6 *(proposed)* | **Chinese = `zh-Hans` (Simplified) for v1** ; `zh-Hant`
(Traditional) is a *separate* catalog + font, added later only on demand | $8 Q2 `[design]` |
Key the catalog `zh-Hans` (not bare `zh`) so `zh-Hant` slots in cleanly |
28
29     ## 3. Foundation ? research / prior art `[researched]`
30     Per-language diligence (Unicode CLDR plural-rules chart; SIL OFL; `@fontsource`; W3C
BCP-47 ? sources in §10):
31
32     | Lang | BCP-47 | CLDR **cardinal** plurals | Dir | Dedicated font (OFL) |
`@fontsource(-variable)` pkg | Font size / notes |
33     |---|---|---|---|---|---|---|
34     | Thai | `th` | **`other`** (1 form) | LTR | **Noto Sans Thai** | `noto-sans-thai` |
**small** (single script block) · no-space word-wrap gotcha |
35     | Indonesian | `id` | **`other`** (1 form) | LTR | ? (Latin) | ? | pure catalog add |
36     | Danish | `da` | **`one, other`** (2) | LTR | ? (Latin) | ? | same shape as English (`æ
ø å` in Latin font) |
37     | Spanish | `es` | **`one, many, other`** (3) ? | LTR | ? (Latin) | ? | `many` =
millions/compact only; ~15?30% string expansion |
38     | Chinese (Simpl.) | **`zh-Hans`** | **`other`** (1 form) | LTR | **Noto Sans SC** |
`noto-sans-sc` | **very large** (~7?16 MB/weight unsubset) · script-variant decision |
39     | Japanese | `ja` | **`other`** (1 form) | LTR | **Noto Sans JP** | `noto-sans-jp` |
**very large** (CJK) |
40     | Korean | `ko` | **`other`** (1 form) | LTR | **Noto Sans KR** | `noto-sans-kr` |
**very large** (Hangul + Han) |
41
42     **Three findings that drive the design:**
43     1. **Spanish's 3-form plural** is the only authoring change. Current CLDR `es` cardinal
= `{one, many, other}`; `many` fires only on large/compact numbers (e.g. millions), but every
`es` ICU plural message must still carry a `many {?}` arm or `intl-messageformat` falls back.
Flag it to the reviewer and extend the parity/lint check. (th/id/zh/ja/ko are **single-form** ?
trivial; da is 2-form like en.)
44     2. **Fonts split the batch.** es/da/id need **no new font** (Latin). th needs one
**small** OFL font. **zh-Hans/ja/ko need large OFL CJK fonts** ? all OFL-1.1 (bundleable under
ED2), all on `@fontsource-variable`, but multi-MB each.
45     3. **CJK + the offline guard collide.** `@fontsource` serves CJK as ~100+ `unicode-
range` `woff2` chunks, fetched on demand ? efficient *online*, but the SPA's **air-
gapped/offline guarantee** (`hygiene.test.ts` "offline / self-contained") means we must ship
**all** chunks so any glyph renders with no network ? **tens of MB** added with 3 CJK languages.
Mitigations in §4.
46
47     ## 4. Design / architecture
48     **Reuse map (what's reused vs new):**
49     - *Reused unchanged:* the negotiation contract (persisted pref ? `?lang=` ? navigator ?
`en`), the ICU catalog format, the `@fontsource` `unicode-range`-scoped self-host pattern

```

(`main.tsx:7-8`), the key-parity + no-bare-strings + offline CI (`hygiene.test.ts`), the draft?review pipeline, the `` sync (`i18n/index.ts:59-65`).

50 - ***New:** 7 `common.json` catalogs; `SUPPORTED\_LOCALES` entries (`i18n/index.ts:18`); ****4** new Noto font imports; an ****es 3-form plural**** allowance in the catalog + tooling; a ****CJK lazy-load + offline-subset**** strategy (Phase C); Thai line-break CSS safety net.

51 - ****?** Catalog-home (resolved by FRIENDLY B3): **** catalogs now live at repo-root** ****`/locales/{en, kn, hi, es, da, id}/common.json`**** ? the shared top-level dir from the I18N_PLAN "D-CATALOG-HOME" diagram. FRIENDLY ****B3**** hoisted them out of `web/src/i18n/locales/` (the SPA re-points its imports there; the `site/` shim consumes a `copy:locales` mirror). These es/da/id catalogs moved with the hoist, as anticipated.

52

53 ****Negotiation tests (per FRIENDLY \$6.5):**** every new locale gets an N1/N2-style test ? a browser set to that language ****auto-renders**** it (e.g. `navigator.languages=["ja-JP"]` ? `ja`), region subtags normalize (`zh-Hans-CN` ? `zh-Hans`), and a missing key falls back to `en`. ****Auto-selection is the promise; it's proven by a test, never assumed.****

54

55 ****Phasing (least new code/assets first):****

56 - ****Phase A ? Latin trio (`es`, `da`, `id`): catalog-only, zero new assets.**** Highest ROI, proves the pipeline scales beyond Indic with no code. Only `es` needs the 3-form-plural touch.

57 - ****Phase B ? Thai (`th`): one small OFL font.**** Reuses the kn/hi font pattern exactly; add the no-space word-wrap CSS safety net. Self-contained, low-risk.

58 - ****Phase C ? CJK (`zh-Hans`, `ja`, `ko`): the heavy slice.**** Needs the zh-Hans/Hant decision, 3 large OFL fonts, ****per-locale lazy font-load**** (so non-CJK users never download CJK), and an ****offline-bundle subset strategy**** (ship-all-chunks vs a custom subset build step vs online-lazy-only). One PR per CJK language.

59

60 **## 5. Privacy / scope note**

61 i18n is ****presentation-only**** ? no new personal-data collection, no biometrics, minors-excluded posture unchanged (same as FRIENDLY \$5). Gemini-draft translation is inference, not training, with no user data in the loop. CJK/Thai font bundling is OFL media, not code/weights.

62

63 **## 6. Honest limits ? what this does NOT do**

64 - A green CI / DONE proves ****key-parity + render + no-bare-strings + auto-negotiation****, ****not**** translation ***quality*** (native-review-gated, ED3) or correct font rendering (owner-eyeball-gated, like kn/hi).

65 - ****`zh-Hant` (Traditional) is out of v1**** (separate catalog + font); only `zh-Hans` ships first.

66 - ****No RTL**** ? this batch is all LTR.

67 - The ****CJK offline bundle is large**** (tens of MB) unless a subset build is adopted ? a real size trade-off, not free.

68 - `site/` marketing localization for these 7 ****depends on FRIENDLY B3**** landing first (the shared shim); until then this is SPA-only.

69

70 **## 7. Deliverables & progress tracker** ? ****source of truth****

71 Legend: ? Todo · ? In progress · ? Done · ? Blocked/gated. ****One small PR per row****, branched from `origin/master`, no stacking.

72

ID	Deliverable	Phase	Depends on	Gated?	Status	PR
E0	This proposal doc + inbound pointers (README/NEXT_STEPS/memory)					
EA1	**Spanish (`es`)** catalog (Gemini-draft) + ICU **3-form `{one, many, other}`** handling + extend key-parity/no-bare-strings tooling for the `many` arm + negotiation test	A				
E0	No (after approval)					
EA2	**Danish (`da`)** catalog + negotiation test	A	E0	No		
E0						
EA3	**Indonesian (`id`)** catalog + negotiation test	A	E0	No		
E0						
EB1	**Noto Sans Thai** bundle (OFL, `@fontsource-variable`) + Thai no-space word-wrap CSS safety net	B	E0	No (ED2 carve-out applies)		
E0						
EB2	**Thai (`th`)** catalog ? render + negotiation test	B	EB1	No		
E0						
EC0	**Decision + design:** `zh-Hans` vs `zh-Hant` (ED6) + CJK **lazy per-locale font-load** + **offline-bundle subset** strategy (ship-all-chunks vs custom subset vs online-lazy)	C	E0			

73 | ID | Deliverable | Phase | Depends on | Gated? | Status | PR |

74 |----|-----|-----|-----|-----|-----|----|

75 | E0 | This proposal doc + inbound pointers (README/NEXT_STEPS/memory) | ? | ? | **Owner approval to start** | ? | [#58](https://github.com/avidullu/khelsutra/pull/58) (owner-merged) |

76 | EA1 | ****Spanish (`es`)**** catalog (Gemini-draft) + ICU ****3-form `{one, many, other}`**** handling + extend key-parity/no-bare-strings tooling for the `many` arm + negotiation test | A | E0 | No (after approval) | ? | [#67](https://github.com/avidullu/khelsutra/pull/67) |

77 | EA2 | ****Danish (`da`)**** catalog + negotiation test | A | E0 | No | ? | [#67](https://github.com/avidullu/khelsutra/pull/67) |

78 | EA3 | ****Indonesian (`id`)**** catalog + negotiation test | A | E0 | No | ? | [#67](https://github.com/avidullu/khelsutra/pull/67) |

79 | EB1 | ****Noto Sans Thai**** bundle (OFL, `@fontsource-variable`) + Thai no-space word-wrap CSS safety net | B | E0 | No (ED2 carve-out applies) | ? | ? |

80 | EB2 | ****Thai (`th`)**** catalog ? render + negotiation test | B | EB1 | No | ? | ? |

81 | EC0 | ****Decision + design:**** `zh-Hans` vs `zh-Hant` (ED6) + CJK ****lazy per-locale font-load**** + ****offline-bundle subset**** strategy (ship-all-chunks vs custom subset vs online-lazy) | C | E0 | ****Owner (Q2/Q3)**** | ? | ? |

```

82      | EC1 | **Noto Sans SC** + **`zh-Hans`** catalog + lazy-load + negotiation test | C |
EC0 | No (after EC0) | ? | ? |
83      | EC2 | **Noto Sans JP** + **`ja`** catalog + lazy-load + negotiation test | C | EC0 |
No | ? | ? |
84      | EC3 | **Noto Sans KR** + **`ko`** catalog + lazy-load + negotiation test | C | EC0 |
No | ? | ? |
85      | EX1 | **Native-speaker review** of each AI-drafted catalog (one tracked row; per-
language sign-off) | ? | the catalog rows | **Owner (reviewer sourcing)** | ? | ? |
86      | EX2 | **Owner-machine font eyeball** per new script (th, zh, ja, ko) ? cloud CI can't
render fonts | ? | EB*/EC* | **Owner (owner machine)** | ? | ? |
87      | EX3 | **`site/` marketing parity** for the 7 (rides FRIENDLY **B3** shared `t()` shim)
| ? | FRIENDLY B3 | Blocked on B3 | ? | ? |
88
89      ## 8. Open questions ? owner
90      1. **Approve starting this line** (in parallel with the FRIENDLY UX/A-items), and the
**A ? B ? C phasing** ? *(E0 gate.)*
91      2. **Chinese:** ship **`zh-Hans` only** for v1 (recommended), or **both Hans + Hant** ?
*(EC0; Hant = a whole extra catalog + Noto Sans TC.)*
92      3. **CJK offline strategy** *(EC0; the real size trade-off):* (a) ship **all** font
chunks ? simplest, **tens of MB** to the air-gapped bundle; (b) a **custom subset build**
restricted to glyphs the reviewed catalogs use ? KB-scale but adds a build step that re-runs on
catalog change; (c) **online lazy-load only** ? small bundle but **breaks the offline guarantee
for CJK**. *Recommend (b) if offline-for-CJK matters, else (a).*
93      4. **Native-reviewer sourcing** for 7 languages ? who/how/budget? (Vendor like the Roora
labeling pilot? community? paid freelancers?) This is the launch-gate cost.
94      5. **Priority order** ? which markets first? (Default A-then-B-then-C is by *engineering
cost*; if a market is urgent, e.g. `id` or `ja`, it can jump within its phase.)
95      6. **Does `site/` localize for these too** for v1, or SPA-only until FRIENDLY B3 lands?
*(EX3.)*
96
97      ## 9. Definition of done
98      - [ ] All 7 catalogs (`es`, `da`, `id`, `th`, `zh-Hans`, `ja`, `ko`) live +
**rendering** on the `web/` SPA; switcher + persistence + `en` fallback; **no raw keys**.
99      - [ ] **Auto-negotiation green** ? a browser set to each language auto-renders it
(N1/N2-style tests per locale); region subtags normalize; missing-key ? `en`.
100     - [ ] **CI key-parity + no-bare-strings green** (incl. the `es` 3-form plural) + the
**offline/self-contained guard** still green after the CJK fonts land.
101     - [ ] **Fonts render correctly** ? owner eyeball per new script (th, zh-Hans, ja, ko).
102     - [ ] **Native-speaker review** complete + signed off per language (EX1).
103     - [ ] CJK **offline/bundle-size** strategy implemented per the EC0 decision; documented
bundle-size impact.
104     - [ ] *(if in scope)* `site/` marketing renders the 7 via the shared shim (EX3, after
FRIENDLY B3).
105     - [ ] $7 all rows ? (or explicitly deferred) ? flip **Status ? DONE** + archive.
106
107     ## 10. References
108     **Internal `[verified]`:** `web/src/i18n/{index.ts,hygiene.test.ts}`, `web/src/main.tsx`
(font-load pattern), repo-root `/locales/{en,kn,hi,es,da,id}/common.json` (hoisted by FRIENDLY
B3 ? D-CATALOG-HOME); [`FRIENDLY_AND_MULTILINGUAL.md`](archives/FRIENDLY_AND_MULTILINGUAL.md),
engine `docs/I18N_PLAN.md`, `docs/UI_PROPOSAL.md`.
109     **External `[researched]`:** Unicode CLDR v48 plural-rules chart
(https://www.unicode.org/cldr/charts/48/supplemental/language_plural_rules.html) + plural-rules
spec; W3C BCP-47 / Chinese script subtags (`zh-Hans`/`zh-Hant`); SIL Open Font License 1.1 +
Noto CJK LICENSE (github.com/notofonts/noto-cjk); @fontsource-variable/noto-
sans-{thai,sc,jp,kr}; W3C Thai line-breaking (`thai-gap`); react-i18next + i18next-icu.
110
111     ---
112
113     ### Changelog
114     - `2026-06-21` ? **Phase A shipped ?
[#67](https://github.com/avidullu/khelsutra/pull/67)** (E0/EA1/EA2/EA3 ?). es/da/id catalogs
(AI-draft, native review pending) + `lang.*` autonyms + `SUPPORTED_LOCALES`/`LanguageSwitcher`
wiring; **es 3-form {one,many,other}** plural; render + auto-negotiation + plural tests. Added
a **placeholder-parity** hygiene guard (every locale keeps en's `{placeholder}` set) which
caught + fixed a real kn/hi A1-drift (stale `{videoId}` in `mode.loading`/`mode.error`). 168 web

```

tests green; browser-verified es+da render with all 6 languages in the switcher. Status `DRAFT ? IN PROGRESS`. Phases B/C still owner-gated.
115 - `2026-06-21` ? created. Owner ask: add
Thai/Indonesian/Danish/Spanish/Chinese/Japanese/Korean with en/kn/hi-level diligence, as a parallel line for approval. Grounded in a per-language i18n research pass (CLDR plurals, OFL Noto fonts, BCP-47, offline-bundle sizing) + the verified working-tree foundation. Phasing A (Latin) ? B (Thai) ? C (CJK); decisions ED1?ED6; 6 owner questions surfaced (E0 = approval gate).
116

5. assistant (2026-06-22T09:32:55.583Z)

Now I'll verify the concrete claims. Let me check the key file references, locale catalogs, PR history, and test count.

6. user (2026-06-22T09:32:58.461Z)

```
=== locales dir ===
locales/da/common.json
locales/en/common.json
locales/es/common.json
locales/hi/common.json
locales/id/common.json
locales/kn/common.json
=== web i18n ===
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
=== web main ===
web/src/i18n/hygiene.test.ts
web/src/i18n/index.ts
web/src/main.tsx
```

7. user (2026-06-22T09:32:59.761Z)

```
=== PR #58 ===
a20002f docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko) (#58)
3297596 docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko)
=== PR #67 ===
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
=== recent log ===
50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav
tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every
locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header
(#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages)
(#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix)
(#85)
5e5a2ac docs(friendly-multilingual): close out the chapter ($9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero
(#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit
(#80)
```

8328721 docs(tracker): refresh the \$7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
 3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook
 (RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
 9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)
 9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
 aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)
 1cd84af feat(site): A3 ? localize recording-education + marketing to kn/hi, Noto on the site
 (#74)
 c1848df feat(web): LW2 ? send the UI locale to /api/compile (watermark) + /api/process
 (analytics) (#73)
 1b1fa7b feat(web+site): B3 ? trilingual marketing site via shared t()/data-i18n shim (D-CATALOG-
 HOME) (#70)
 f7e2bd5 chore(site): add robots.txt + a "crawling / bot protection" runbook for khelsutra.guru
 (#71)
 bea8a2a docs(appliance): flip T11 retention sweep to ? ? tool shipped (engine #299), scheduling
 tracked (#301) (#69)
 46e0244 feat(web): A9 ? localized tap-only filter controls (#68)
 a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
 ca619fb feat(web): T4 ? in-UI file upload (the runnable-tool keystone) (#66)
 4627830 docs(deploy): alpha deploy kit ? make Studio a shareable page (split: Pages + api.*
 tunnel + CF Access) (#65)
 8bbc557 feat(web): VITE_API_BASE ? let the SPA target a split api.* origin (default same-origin
 /api) (#64)

8. assistant (2026-06-22T09:33:03.097Z)

Key finding emerging: the doc says locales live at `/locales/{en,kn,hi,es,da,id}/common.json` which matches exactly. PR #58 and #67 confirmed. Now let me verify the SUPPORTED_LOCALES, the font-load pattern line refs, the test count, and the archive note.

9. user (2026-06-22T09:33:04.066Z)

```

1      // i18n scaffold (tracker B1) ? the shared localization foundation for KhelSutra Studio.
2      //
3      // Per docs/archives/FRIENDLY_AND_MULTILINGUAL.md + the engine's I18N_PLAN.md:
4      //   - keys, never prose (t("app.title"), enforced later by a no-bare-strings lint, B2);
5      //   - ICU MessageFormat for interpolation/plurals (Kannada/Hindi plural rules live in
the catalog,
6      //     not the code ? replaces the SPA's hand-rolled `count > 1 ? "s" : ""`);
7      //   - one negotiation order shared with the marketing site (B3);
8      //   - always-fallback to `en` so a missing translation degrades to English, never a raw
key.
9      import i18n from "i18next";
10     import { initReactI18next } from "react-i18next";
11     import LanguageDetector from "i18next-browser-languagedetector";
12     import ICU from "i18next-icu";
13     // Catalogs are HOISTED to repo-root /locales (D-CATALOG-HOME) ? the single source of
truth shared
14     // by this SPA and the marketing site's t() shim (tracker B3). Vite resolves the
workspace root via
15     // the repo `.git` marker, so importing the parent-dir /locales works in dev, build, and
viteest.
16     import enCommon from "../../../../../locales/en/common.json";
17     import knCommon from "../../../../../locales/kn/common.json";
18     import hiCommon from "../../../../../locales/hi/common.json";
19     import esCommon from "../../../../../locales/es/common.json";
20     import daCommon from "../../../../../locales/da/common.json";
21     import idCommon from "../../../../../locales/id/common.json";
22
23     // Supported locales: en/kn/hi foundation (FRIENDLY D6) + MULTILINGUAL_EXPANSION Phase A
(es/da/id,
24     // Latin, catalog-only). Anything else falls back to `en`.
25     export const SUPPORTED_LOCALES = ["en", "kn", "hi", "es", "da", "id"] as const;
26     export type Locale = (typeof SUPPORTED_LOCALES)[number];
27     export const DEFAULT_LOCALE: Locale = "en";

```

```

28
29    // ONE persisted-preference key, shared with the marketing site's t() shim (D9 / tracker
B3), so a
30    // visitor's language choice carries across both surfaces.
31    export const LANG_STORAGE_KEY = "khelsutra.lang";
32
33    // Catalogs live in repo-root /locales (D-CATALOG-HOME), consumed by both surfaces. `kn`
+ `hi`
34    // shipped (B5/B6, AI-drafted ? native review pending). A missing key in any locale
still falls back
35    // to `en` ? the by-design invariant.
36    const resources = {
37      en: { common: enCommon },
38      kn: { common: knCommon },
39      hi: { common: hiCommon },
40      es: { common: esCommon },
41      da: { common: daCommon },
42      id: { common: idCommon },
43    } as const;
44
45    void i18n
46      .use(ICU)
47      .use(LanguageDetector)
48      .use(initReactI18next)
49      .init({
50        resources,
51        fallbackLng: DEFAULT_LOCALE,
52        supportedLngs: [...SUPPORTED_LOCALES],
53        nonExplicitSupportedLngs: true, // en-IN -> en
54        defaultNS: "common",
55        ns: ["common"],
56        interpolation: { escapeValue: false }, // React already escapes
57        returnNull: false,
58        // Negotiation order (I18N_PLAN §2.3): persisted pref -> ?lang= -> browser -> en.
59        detection: {
60          order: ["localStorage", "querystring", "navigator"],
61          lookupLocalStorage: LANG_STORAGE_KEY,
62          lookupQuerystring: "lang",
63          caches: ["localStorage"],
64        },
65        react: { useSuspense: false },
66      });
67
68    // Keep <html lang> in sync with the active locale (screen readers + SEO use it).
Reflects the
69    // resolved content language, so an `en` fallback for an absent locale still reads as
`en`.
70    function syncDocumentLang(lng: string) {

```

10. user (2026-06-22T09:33:04.477Z)

```

1    import { StrictMode } from "react";
2    import { createRoot } from "react-dom/client";
3    import App from "./App";
4    import "./i18n"; // initialize the i18next singleton before the app renders (tracker B1)
5    // Self-hosted OFL Noto fonts so Kannada/Hindi render crisply offline (tracker B4 /
decision D7) ?
6    // no Google Fonts runtime dependency. unicode-range-scoped, so only Indic codepoints
use them.
7    import "@fontsource-variable/noto-sans-kannada/index.css";
8    import "@fontsource-variable/noto-sans-devanagari/index.css";
9    import "./index.css";
10
11    const root = document.getElementById("root");
12    if (!root) throw new Error("#root not found");

```

```
13
14     createRoot(root).render(
15         <StrictMode>
```

11. assistant (2026-06-22T09:33:08.418Z)

Verified: `SUPPORTED\_LOCALES` line 25 (doc says line 18 ? minor drift), `` sync starts at line 70 (doc says lines 59-65 ? that's actually the detection block), and `main.tsx:7-8` font-load pattern is correct. Now let me verify the test count and check the hygiene tests / archive state.

12. user (2026-06-22T09:33:26.571Z)

```
stderr | src/i18n/i18n.test.tsx > MULTILINGUAL Phase A (es/da/id) >
renders each new locale's catalog (real translations, not English / not raw keys)
{"ts":"2026-06-22T09:33:26.122Z","level":"error","event":"api.network_error","cid":"1ff86dd9-e43a-446c-9ad6-47243aca2c0d","method":"GET","url":"/api/capabilities","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.122Z","level":"error","event":"api.network_error","cid":"f21c8705-37ee-4f01-9644-d937d90ef497","method":"GET","url":"/api/config","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.151Z","level":"error","event":"api.network_error","cid":"62b62e80-e95e-41b8-a756-ad44f667e4aa","method":"GET","url":"/api/capabilities","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.151Z","level":"error","event":"api.network_error","cid":"20e5530a-50ad-40d1-9e36-eb4b5e6c4b34","method":"GET","url":"/api/config","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.178Z","level":"error","event":"api.network_error","cid":"856c22d1-66f0-419b-b3df-0ecf2edc5bcd","method":"GET","url":"/api/capabilities","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.178Z","level":"error","event":"api.network_error","cid":"bb7775a8-1d20-47db-a3be-41b6e78746d2","method":"GET","url":"/api/config","error":"Error: no engine in test"}
{"ts":"2026-06-22T09:33:26.178Z","level":"warn","event":"config.unavailable","error":"ApiError: Network error calling GET /api/config"}
```

```
stderr | src/i18n/i18n.test.tsx > MULTILINGUAL Phase A (es/da/id) >
renders each new locale's catalog (real translations, not English / not raw keys)
{"ts":"2026-06-22T09:33:26.179Z","level":"warn","event":"config.unavailable","error":"ApiError: Network error calling GET /api/config"}
```

```
stderr | src/i18n/i18n.test.tsx > MULTILINGUAL Phase A (es/da/id) >
renders each new locale's catalog (real translations, not English / not raw keys)
{"ts":"2026-06-22T09:33:26.179Z","level":"warn","event":"wizard.capabilities_unavailable","cid":"856c22d1-66f0-419b-b3df-0ecf2edc5bcd","error":"ApiError: Network error calling GET /api/capabilities"}
{"ts":"2026-06-22T09:33:26.179Z","level":"warn","event":"config.unavailable","error":"ApiError: Network error calling GET /api/config"}
```

```
? src/i18n/i18n.test.tsx (17 tests)
1521ms
? i18n scaffold (B1) > renders user-facing copy from the en
catalog (not raw keys) 760ms
```

```
Test Files  24 passed (24)
Tests       223 passed (223)
Start at    15:03:14
Duration    11.98s (transform 7.66s, setup 524ms, collect 23.70s, tests 9.51s,
environment 90.58s, prepare 11.07s)
```

13. user (2026-06-22T09:33:27.192Z)

Exit code 2

```

=== archive exists? ===
docs/archives/FRIENDLY_AND_MULTILINGUAL.md
=== I18N_PLAN engine? ===
-rw-r--r-- 1 avidu 197609 15138 Jun 21 12:09 ../badminton-highlight-indexer/docs/I18N_PLAN.md
=== UI_PROPOSAL ===
=== README index ref ===
docs/README.md:16:- ***MULTILINGUAL_EXPANSION.md*** ? proposal to add **7 more locales**
(th/id/da/es/zh-Hans/ja/ko)

```

14. assistant (2026-06-22T09:33:35.519Z)

The test suite shows 223 tests passing now (doc's changelog claims "168 web tests green" as of #67). The doc's body refers to `web/src/i18n/hygiene.test.ts` and `web/src/main.tsx` which both exist. Let me verify a couple remaining items: the `UI\_PROPOSAL.md` reference (which returned empty ? possible broken ref), the `es` 3-form plural claim, and the placeholder-parity guard.

15. user (2026-06-22T09:33:39.778Z)

```

=== UI_PROPOSAL anywhere? ===
exit: 1
=== es plural many arm ===
51:   "count": "{count, plural, one {# jugada} many {# jugadas} other {# jugadas}}",
59:   "floorSomeLead": "{count, plural, one {# jugada} many {# jugadas} other {# jugadas}}",
466:   "count": "{count, plural, one {# jugada seleccionada} many {# jugadas seleccionadas}
other {# jugadas seleccionadas}}"
=== placeholder/parity guard in hygiene ===
web/src/i18n/hygiene.test.ts:2:// 1. KEY-PARITY ? every locale catalog has EXACTLY the `en`
key set (the extensibility proof:
web/src/i18n/hygiene.test.ts:5:// 2. NO-BARE-STRINGS (attribute level, v1) ? user-facing
component attributes (placeholder /
web/src/i18n/hygiene.test.ts:29:describe("i18n key-parity ? every locale has EXACTLY the en
keys", () => {
web/src/i18n/hygiene.test.ts:49:// Key-parity proves every locale has the same KEYS; this proves
every locale's VALUE keeps the same
web/src/i18n/hygiene.test.ts:50:// simple `{placeholder}` set as en ? so a translation can never
silently drop a {count}/{error}/{min}/
web/src/i18n/hygiene.test.ts:52:// simple {word} placeholder and match as empty on both sides,
so they're correctly ignored.)
web/src/i18n/hygiene.test.ts:53:describe("placeholder parity ? every locale preserves en's
{placeholders}", () => {
web/src/i18n/hygiene.test.ts:63:  const placeholders = (s: string) => (s.match(/\{(\w+)\}/g) ??
[]).sort();
web/src/i18n/hygiene.test.ts:71:  it(`${loc} preserves every {placeholder} that en uses`, ()
=> {
web/src/i18n/hygiene.test.ts:75:    if (!(key in locE)) continue; // missing keys are the
key-parity test's job
=== I18N_PLAN in this repo? ===
exit: 1

```

16. assistant (2026-06-22T09:33:48.128Z)

All verified. Key findings:

- `UI\_PROPOSAL.md` referenced in §10 does NOT exist anywhere in the repo (broken reference).
- `I18N\_PLAN.md` lives in the sibling engine repo (`../badminton-highlight-indexer/docs/`), not this repo ? the doc says "engine `docs/I18N\_PLAN.md`" which is accurate (it's labeled "engine").
- es 3-form `{one, many, other}` plural confirmed in locales/es/common.json.
- Placeholder-parity guard confirmed in hygiene.test.ts (the changelog claim).

Now let me check the archive note context ? the doc points to

`archives/FRIENDLY\_AND\_MULTILINGUAL.md` as a dependency for B3/site work. The doc's body has unchecked rows (EB*, EC*, EX*) that depend on FRIENDLY B3, which has now shipped (#70, #87, #89-#91, archived #93). Let me confirm site/ now has es/da/id (EX3 status) and whether FRIENDLY B3 actually landed.

17. user (2026-06-22T09:33:51.040Z)

```
=== site locales dir ===
site/public/i18n.js
site/public/locales/da/common.json
site/public/locales/en/common.json
site/public/locales/es/common.json
site/public/locales/hi/common.json
site/public/locales/id/common.json
site/public/locales/kn/common.json
site/scripts/copy-locales.mjs
site/src/i18n.shim.test.js
site/src/locales-drift.test.js
=== B3 / #70 ===
1b1fa7b feat(web+site): B3 ? trilingual marketing site via shared t()/data-i18n shim (D-CATALOG-HOME) (#70)
=== es/da/id on site #87 ===
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
```

18. assistant (2026-06-22T09:33:56.527Z)

Important finding: EX3 in the \$7 tracker is marked ? "Blocked on B3" ? but B3 has landed (#70), AND site/ marketing parity for es/da/id has actually shipped (#87 ? site/public/locales now has es, da, id). So EX3's "Blocked on B3" status and the "until then this is SPA-only" framing (\$4, \$6, \$1) are now stale: the site is no longer SPA-only for the Phase-A trio.

Let me confirm the doc's overall status framing one more time ? verify nothing in Phase B/C (th, CJK) has shipped, so the "IN PROGRESS, Phases B/C owner-gated" remains broadly accurate.

19. user (2026-06-22T09:33:59.696Z)

```
=== any th/zh/ja/ko catalogs? ===
exit: 1
=== noto thai/sc/jp/kr fonts in deps? ===
exit: 1
=== doc last-updated vs reality: changelog says 168 tests; now: ===
223 (confirmed above)
```

20. assistant (2026-06-22T09:34:04.473Z)

Confirmed: no Phase B (Thai) or Phase C (CJK) catalogs/fonts have shipped ? so "Phases B/C owner-gated, ?" remains accurate. Phase A (es/da/id) shipped via #67 exactly as the doc claims. The doc is broadly fresh, with a few staleness points around the now-shipped FRIENDLY B3 / site parity (EX3) and minor line-number drift.

I have enough evidence. Let me compile the structured findings.

21. user (2026-06-22T09:34:37.348Z)

Structured output provided successfully

22. assistant (2026-06-22T09:34:46.989Z)

Audit complete. The doc `docs/MULTILINGUAL\_EXPANSION.md` is broadly fresh (minor-staleness), with verification anchored to file:line and git evidence throughout.

Key findings:

- **Core claims all hold** ? Phase A (es/da/id) shipped via #67 exactly as stated; catalogs live at the cited repo-root `/locales/...` path; Phases B (Thai) and C (CJK) genuinely have not started (no th/zh/ja/ko catalogs or Noto fonts in the tree), so the "owner-gated, ?" markers are accurate. Not an archive candidate.
- **Medium staleness (the one a reader could act on):** EX3 ("site/ marketing parity ... Blocked on B3", ?) plus the repeated "until then this is SPA-only" framing in \$1/\$4/\$6 are now outdated. FRIENDLY B3 landed (#70) and site es/da/id parity shipped (#87) ?

`site/public/locales/{es,da,id}/common.json` exist, so the Phase-A trio is no longer SPA-only.
- **Low staleness:** §10 cites a non-existent `docs/UI\_PROPOSAL.md` (broken ref);
`SUPPORTED\_LOCALES` cited at `index.ts:18` but is actually line 25; `` sync cited at
`index.ts:59-65` but `syncDocumentLang()` starts at line 70; changelog's "168 web tests" is a
dated point-in-time note (suite now reports 223).

The `I18N\_PLAN.md` reference is correct (it lives in the sibling engine repo and the doc labels
it "engine"). The structured object has been returned.