

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-inde  
xer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_f9255361-69d\agent-  
a7bb0afc36cd7e537.jsonl`  
- SHA-256: `91a6a5fcdee1eb55fd9959013d99b6e40946b690ea62b52ea73eacdc43adea80`  
- Source modified: `2026-06-22T09:34:22+00:00`  
- Imported at: `2026-07-05T16:48:26+00:00`  
- project: `wf_f9255361-69d`  
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:32:46.019Z)

You are auditing ONE doc in the KhelSutra brand/site repo for staleness, as part of a "are all the docs up to date?" sweep.

Repo root: C:\Users\avidu\Projects\kheelsutra (bash path: /c/Users/avidu/Projects/kheelsutra)
The repo is on `master`, freshly synced to remote HEAD ? the latest merged PR is #94. Today is 2026-06-22.

DOC TO AUDIT: README.md

Your job: read the doc IN FULL, extract every concrete, falsifiable claim, and VERIFY each against the LIVE repo ? do NOT trust the doc's own wording. Hard discipline rule: a claim is "correct" ONLY when you have file:line or command-output evidence for it; if you cannot verify it, mark verdict "unverifiable" ? never guess, never assume the doc is right. Re-check against actual code/git.

Kinds of claims to check:

- File / path / route references ("served at /capture", "see src/store.js", "public/og.png", "systemd kheelsutra-site") -> does the path or route ACTUALLY exist now? Confirm with git ls-files / Read / the routing in site/server.js + site/src/index.js.
- PR numbers and counts ("PRs #1-#8 merged", "20 tests green", "6 languages", "3-step wizard", "P0..P5 done") -> verify against `git -C <root> log`, the actual test output/count, and the code.
- Status markers (DONE / pending / IN PROGRESS / DRAFT / "?" / "owner-gated" / "NEXT") -> still accurate vs the code & git history? Is something marked pending that is actually shipped, or vice-versa?
- Dates, "live at <url>", "merged in #N".
- Whether the doc describes something now SUPERSEDED or fully shipped -> is it an archive candidate (a tracker whose work is complete, or content duplicated by docs/archives/)? Note: docs/archives/FRIENDLY_AND_MULTILINGUAL.md already exists as the archived multilingual tracker.

Tools: Read the doc + every cited file; Grep/Glob to locate code; Bash for `git -C /c/Users/avidu/Projects/kheelsutra log --oneline`, `... ls-files`, and greps. To check a test count, you may run the suite (`cd /c/Users/avidu/Projects/kheelsutra/site && node --test` or `npm test`), but prefer cheap checks. Verify against master as it stands NOW.

Severity: high = a factually wrong claim a reader would act on (wrong path/route, a "DONE" that isn't, a wrong count/PR that misleads). medium = outdated-but-harmless (stale PR range, old "where we are", superseded framing). low = cosmetic.

Do NOT modify any file ? audit only. Return ONLY the structured object (doc, overallStatus, findings[], summary).

2. assistant (2026-06-22T09:32:48.408Z)

I'll audit the README.md in the KhelSutra repo. Let me start by reading the doc and gathering repo context in parallel.

3. user (2026-06-22T09:32:49.362Z)

```
1      # KhelSutra Guru ?
2
3      **Private product repo** ? the heart and brain of
[khelsutra.guru](https://khelsutra.guru):
4      the web app (alpha SPA) now, the hosted control plane at beta.
5
6      - **Engine** (pipeline, API, eval): sibling repo `badminton-highlight-indexer` (rename
pending).
7      - **Canonical planning docs** (live in the engine repo's `docs/` for now, migrate here
at beta):
8          `UI_PROPOSAL.md` · `HOSTING_PLAN.md` · `UI_ALPHA_EXECUTION_PLAN.md`.
9      - **Status:** pre-alpha scaffold. SPA lands in `web/` per execution-plan milestone M1.
10
11     ## Structure
12
13     - `site/` ? public marketing landing page (static; served at khelsutra.guru)
14     - `web/` ? React SPA (alpha; Vite + React + TS + Tailwind; Cloudflare Pages build root)
15     - `deploy/` ? **alpha deploy kit** ? make Studio a shareable page (no SSH):
[`DEPLOY_ALPHA.md`](deploy/DEPLOY_ALPHA.md) (SPA on Pages + engine on an `api.*` cloudflared
tunnel + CF Access) + `cloudflared.config.example.yml`
16     - `docs/` ? product docs as they migrate from the engine repo
17     - `control-plane/` ? (beta) Cloud Run FastAPI control plane
18
19     ## License
20
21     All rights reserved (private; no OSS license).
22
```

4. user (2026-06-22T09:32:50.559Z)

```
50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav
tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every
locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header
(#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages)
(#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix)
(#85)
5e5a2ac docs(friendly-multilingual): close out the chapter ($9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero
(#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit
(#80)
8328721 docs(tracker): refresh the $7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook
(RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)
9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)
1cd84af feat(site): A3 ? localize recording-education + marketing to kn/hi, Noto on the site
(#74)
```

c1848df feat(web): LW2 ? send the UI locale to /api/compile (watermark) + /api/process (analytics) (#73)
1b1fa7b feat(web+site): B3 ? trilingual marketing site via shared t()/data-i18n shim (D-CATALOG-HOME) (#70)
f7e2bd5 chore(site): add robots.txt + a "crawling / bot protection" runbook for khelsutra.guru (#71)
bea8a2a docs(appliance): flip T11 retention sweep to ? ? tool shipped (engine #299), scheduling tracked (#301) (#69)
46e0244 feat(web): A9 ? localized tap-only filter controls (#68)
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
ca619fb feat(web): T4 ? in-UI file upload (the runnable-tool keystone) (#66)
4627830 docs(deploy): alpha deploy kit ? make Studio a shareable page (split: Pages + api.* tunnel + CF Access) (#65)
8bbc557 feat(web): VITE_API_BASE ? let the SPA target a split api.* origin (default same-origin /api) (#64)
92a6c45 feat(web): A8 ? background-processing reassurance + icon+text status chips (#63)
501c014 feat(web): A5 ? friendly engine-error mapping across build + load (shared errors.*) (#62)
95195a5 feat(web): A4 ? mobile touch targets (?44px) + visible tooltip text (#61)
ccdcfcd feat(web): A1 ? plain-language copy pass on the en catalog (de-jargon) (#60)
a20002f docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko) (#58)
a0475bc docs: hygiene refresh ? sync trackers to shipped reality (#59)
7750afc docs(dry-run): Path-B live e2e DONE ? in-UI bucket?reel CUJ + screencast (DoD \$6 box 3 ?) (#57)
4525c5d feat(web): B-P2 ? in-UI bucket ingest (point at a gs:// video ? process ? load) (#56)
d0461fd docs: correct stale "bucket ingest is net-new" claims (B-P1 already shipped in M2/#280) (#55)
2421557 docs(dry-run): record Path-A local result (en+hi reel downloaded) + the engine fix it surfaced (#54)

5. user (2026-06-22T09:32:50.856Z)

.gitattributes
.github/workflows/parity.yml
.github/workflows/test.yml
.gitignore
NEXT_STEPS.md
README.md
deploy/DEPLOY_ALPHA.md
deploy/cloudflared.config.example.yml
deploy/droplet/README.md
deploy/droplet/config.json.example
deploy/droplet/engine.env.example
deploy/droplet/khelsutra-engine.service
docs/ANNOTATE_AND_TRAIN.md
docs/DRY_RUN_CUJ.md
docs/LOCAL_APPLIANCE_ARCHITECTURE.md
docs/MULTILINGUAL_EXPANSION.md
docs/PER_RALLY_SELECTION.md
docs/PORTABILITY.md
docs/README.md
docs/REQUEST_ACCESS_FORM.md
docs/archives/FRIENDLY_AND_MULTILINGUAL.md
locales/da/common.json
locales/en/common.json
locales/es/common.json
locales/hi/common.json
locales/id/common.json
locales/kn/common.json
site/README.md
site/make_og.py
site/package-lock.json
site/package.json
site/public/capture.html
site/public/flyer-hi.html

site/public/flyer-kn.html
site/public/flyer.html
site/public/i18n.js
site/public/img/annotate-enable.png
site/public/img/annotate-tool.png
site/public/img/flyer-qr.svg
site/public/img/studio-en.png
site/public/img/studio-hi.png
site/public/img/studio-kn.png
site/public/index.html
site/public/locales/da/common.json
site/public/locales/en/common.json
site/public/locales/es/common.json
site/public/locales/hi/common.json
site/public/locales/id/common.json
site/public/locales/kn/common.json
site/public/og.png
site/public/own-model.html
site/public/robots.txt
site/public/video/tool-cuj.mp4
site/schema.sql
site/scripts/copy-locales.mjs
site/scripts/droplet-smoke.sh
site/scripts/parity-check.sh
site/scripts/provision-vm.sh
site/scripts/teardown-vm.sh
site/server.js
site/src/assets.test.js
site/src/deploy-config.test.js
site/src/i18n.shim.test.js
site/src/index.js
site/src/index.test.js
site/src/layout.browser.mjs
site/src/locales-drift.test.js
site/src/notify.js
site/src/server.test.js
site/src/store.js
site/src/ux.dom.test.js
site/wrangler.toml
web/.gitignore
web/README.md
web/index.html
web/package-lock.json
web/package.json
web/src/App.tsx
web/src/api/client.test.ts
web/src/api/client.ts
web/src/api/locale.test.ts
web/src/api/types.ts
web/src/api/upload.test.ts
web/src/components/CompileResult.tsx
web/src/components/IngestPanel.test.tsx
web/src/components/IngestPanel.tsx
web/src/components/LanguageSwitcher.tsx
web/src/components/QueryBar.examples.test.ts
web/src/components/QueryBar.test.tsx
web/src/components/QueryBar.tsx
web/src/components/RallyGrid.tsx
web/src/components/SelectionFooter.test.tsx
web/src/components/SelectionFooter.tsx
web/src/components/SetupWizard.test.tsx
web/src/components/SetupWizard.tsx
web/src/components/StatusChip.tsx
web/src/components/TapFilters.test.tsx
web/src/components/TapFilters.tsx

```
web/src/components/a4.touch.test.tsx
web/src/components/a8.status.test.tsx
web/src/components/build-error.test.tsx
web/src/components/upload.test.tsx
web/src/hooks/useIngestJob.test.ts
web/src/hooks/useIngestJob.ts
web/src/hooks/useRallySelection.ts
web/src/hooks/useUpload.test.ts
web/src/hooks/useUpload.ts
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
web/src/index.css
web/src/lib/errorText.test.ts
web/src/lib/errorText.ts
web/src/lib/errors.test.ts
web/src/lib/errors.ts
web/src/lib/floor.test.ts
web/src/lib/floor.ts
web/src/lib/format.test.ts
web/src/lib/format.ts
web/src/lib/log.ts
web/src/lib/query.test.ts
web/src/lib/query.ts
web/src/lib/selection.test.ts
web/src/lib/selection.ts
web/src/main.tsx
web/src/test/setup.ts
web/src/vite-env.d.ts
web/tsconfig.json
web/vite.config.ts
```

6. assistant (2026-06-22T09:32:54.740Z)

The README is short. Let me verify each concrete claim. Key claims to check:

1. The structure paths (`site/`, `web/`, `deploy/`, `docs/`, `control-plane/`)
2. `deploy/DEPLOY\_ALPHA.md` and `cloudflared.config.example.yml` exist
3. Status: "pre-alpha scaffold", "SPA lands in `web/` per execution-plan milestone M1"
4. The canonical doc names

Let me check these.

7. user (2026-06-22T09:32:56.961Z)

```
=== top-level dirs ===
```

```
total 50
```

```
drwxr-xr-x 1 avidu 197609    0 Jun 22 14:57 .
drwxr-xr-x 1 avidu 197609    0 Jun 22 11:41 ..
drwxr-xr-x 1 avidu 197609    0 Jun 22 11:12 .claude
drwxr-xr-x 1 avidu 197609    0 Jun 22 15:02 .git
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes
drwxr-xr-x 1 avidu 197609    0 Jun 20 12:43 .github
-rw-r--r-- 1 avidu 197609 323 Jun 22 14:57 .gitignore
-rw-r--r-- 1 avidu 197609 6884 Jun 22 14:57 NEXT_STEPS.md
-rw-r--r-- 1 avidu 197609 1133 Jun 21 22:17 README.md
drwxr-xr-x 1 avidu 197609    0 Jun 22 06:49 deploy
drwxr-xr-x 1 avidu 197609    0 Jun 22 11:41 docs
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 locales
drwxr-xr-x 1 avidu 197609    0 Jun 21 15:38 node_modules
drwxr-xr-x 1 avidu 197609    0 Jun 22 11:15 site
drwxr-xr-x 1 avidu 197609    0 Jun 22 06:31 web
```

```
=== control-plane? ===
```

```
ls: cannot access 'control-plane': No such file or directory
NO control-plane dir
```

```
=== deploy ===
DEPLOY_ALPHA.md
cloudflared.config.example.yml
droplet
```

8. user (2026-06-22T09:32:58.509Z)

```
=== web dir tracked? ===
web/.gitignore
web/README.md
web/index.html
web/package-lock.json
web/package.json
=== control-plane tracked? ===
(end control-plane)
=== deploy tracked files ===
deploy/DEPLOY_ALPHA.md
deploy/cloudflared.config.example.yml
deploy/droplet/README.md
deploy/droplet/config.json.example
deploy/droplet/engine.env.example
deploy/droplet/khelsutra-engine.service
```

9. assistant (2026-06-22T09:33:06.926Z)

Now let me verify the canonical doc names exist in the engine repo, the status claims, and whether the SPA is actually "pre-alpha scaffold" or fully built. The git history shows extensive `web/` SPA work (P2c wizard #88, in-UI upload T4 #66, multilingual catalogs, etc.) which contradicts "pre-alpha scaffold / SPA lands in web/ per M1".

10. user (2026-06-22T09:33:10.717Z)

```
=== UI_PROPOSAL ===
docs/UI_PROPOSAL.md
=== HOSTING_PLAN ===
docs/HOSTING_PLAN.md
=== UI_ALPHA_EXECUTION_PLAN ===
docs/UI_ALPHA_EXECUTION_PLAN.md
=== any UI_ALPHA glob ===
docs/CLOUD_GPU_DRYRUN_GUIDE.md
docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md
docs/UI_PROPOSAL.md
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md
docs/archives/roora-vendor/ROORA_LABELING_GUIDELINES.md
docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md
```

11. user (2026-06-22T09:33:12.059Z)

```
=== web SPA app source ===
51
files in web/src
=== App.tsx exists ===
web/src/App.tsx
=== git log touching web/ (count of commits) ===
31
```

12. assistant (2026-06-22T09:33:15.438Z)

The `docs/UI\_PROPOSAL.md` etc. were globbed against the khelsutra repo, but those should live in the engine repo. Wait ? the glob ran in the khelsutra repo and found them. Let me confirm where these docs actually live, since the README says they "live in the engine repo's `docs/`". Let me check the khelsutra docs/ contents and the engine repo.

13. user (2026-06-22T09:33:19.452Z)

```
Exit code 2
=== khelsutra docs/ tracked ===
--- exit 1 ---
=== Are these symlinks or real? ===
ls: cannot access 'docs/UI_PROPOSAL.md': No such file or directory
ls: cannot access 'docs/HOSTING_PLAN.md': No such file or directory
ls: cannot access 'docs/UI_ALPHA_EXECUTION_PLAN.md': No such file or directory
```

14. user (2026-06-22T09:33:20.549Z)

```
=== engine repo docs ===
/c/Users/avidu/Projects/badminton-highlight-indexer/docs/HOSTING_PLAN.md
/c/Users/avidu/Projects/badminton-highlight-indexer/docs/UI_ALPHA_EXECUTION_PLAN.md
/c/Users/avidu/Projects/badminton-highlight-indexer/docs/UI_PROPOSAL.md
```

15. assistant (2026-06-22T09:33:25.847Z)

Now I understand. The earlier glob ran from the khelsutra working directory but git found them via the engine repo path resolution ? actually no, the `git ls-files` in khelsutra returned no matches (exit 1), and `ls docs/UI\_PROPOSAL.md` failed. The first glob result was misleading because of how `git ls-files` with multiple patterns works. The three canonical docs do NOT exist in khelsutra/docs but DO exist in the engine repo. So that claim is correct: they live in the engine repo.

Let me check the docs/ contents of khelsutra and the README in docs/ to verify the "product docs as they migrate" claim, plus check whether the SPA's "M1 / pre-alpha scaffold" status is accurate.

16. user (2026-06-22T09:33:28.463Z)

```
=== khelsutra docs/ ===
docs/ANNOTATE_AND_TRAIN.md
docs/DRY_RUN_CUJ.md
docs/LOCAL_APPLIANCE_ARCHITECTURE.md
docs/MULTILINGUAL_EXPANSION.md
docs/PER_RALLY_SELECTION.md
docs/PORTABILITY.md
docs/README.md
docs/REQUEST_ACCESS_FORM.md
docs/archives/FRIENDLY_AND_MULTILINGUAL.md
=== UI_ALPHA_EXECUTION_PLAN M1 mention ===
13:| 2026-06-10 | Separate **private repo `khelsutra`** ("heart and brain"): `web/` SPA now,
control plane at beta; backend enablers stay in the indexer repo |
21:- [x] `khelsutra` repo **scaffolded** at `C:\Users\avidu\Projects\khelsutra` (README,
.gitignore, web/, docs/)
35:**L2 ? SPA** (khelsutra repo, `web/`; dev server proxies to `http://localhost:8000`):
36:- [ ] **M1 scaffold:** Vite + React + TS + Tailwind, router, typed API client, branding
(KhelSutra Guru)
48:- [ ] **D1 (owner):** Cloudflare account ? add khelsutra.guru ? GoDaddy nameserver switch
(HOSTING_PLAN $5) ? scoped API token ($6) ? Pages project connected to GitHub `khelsutra` (build
root `web/`)
74:S1?S2 PR-1 · S3 PR-2 · S4 PR-3 · S5 PR-4 · S6 M1+M2 · S7 M3 · S8 M4 · S9 L3 E2E + fixes ·
```

17. user (2026-06-22T09:33:29.431Z)

```
=== web/README.md head ===
```

web/ ? KhelSutra Studio (operator console SPA)

Vite + React + TS + Tailwind v4. The browser UI that **drives the rally indexer engine**:
upload ? index ? pick rallies ? reel ? download. See `docs/PER\_RALLY\_SELECTION.md` (the
per-rally curation screen) and `docs/LOCAL\_APPLIANCE\_ARCHITECTURE.md` (the single-box appliance

this SPA fronts).

Dev

...

```
npm install
npm run dev      # http://localhost:5173 ; proxies /api ? http://localhost:8000 (the engine)
...
```

Run the engine alongside it: ``python -m backend.main --server`` (in the badminton-highlight-indexer repo). The SPA uses **same-origin** relative `/api/*`` calls ? in the appliance a reverse proxy serves this bundle and proxies `/api`` to the engine on ``127.0.0.1:8000``.

Checks (CI gates merge)

...

```
npm run typecheck # tsc --noEmit
npm run test      # vitest run (unit tests; e.g. the typed API client)
npm run build     # vite build
...
```

Layout

- ``src/api/client.ts`` ? typed engine client (``listRallies`` / ``compileReel`` / ``highlightUrl`` / ``getConfig``), grounded in the verified engine contract; every call carries a correlation id.
- ``src/api/types.ts`` ? engine data types (honest: ``server``/``receiver``/``events`` are motion-only fabrications and must not be surfaced).
- ``src/lib/log.ts`` ? structured client logging + correlation ids (observability seed, appliance \$5).
- ``src/App.tsx`` ? the console shell (screens land in M2+).

=== NEXT_STEPS.md head (status) ===

Next steps (live) ? KhelSutra brand / site

Prioritized "what to do next" for the **khelsutra`** product repo. Refresh at each checkpoint.

Where we are (2026-06-20): ``khelsutra.guru`` is **LIVE** and fully shipped ? landing page + ``capture`` checklist + OG image + a **segmented Request-Access form** (academy/individual + GPU + storage + free text). On **Cloudflare** (Worker ``hidden-king-khelsutra`` + D1 ``khelsutra-access``): the form persists to D1 **and** emails a summary to the owner on every registration (Email Routing send binding ? verified live). **Git auto-deploy is connected** (Workers Builds, root ``site/``): merge to ``master`` ? deploys; **CI gates every PR** ? three jobs: the full site ``npm test`` (Worker + VM host + assets + UX), the ``web/`` SPA build + coverage floor, and a real-browser layout check. The same form also runs on a dependency-free **Node + SQLite** host (``site/server.js``), **live + browsable** on the D0 droplet ? `http://168.144.126.176:8787`` (systemd ``khelsutra-site``). PRs through #93 merged (master). Docs: ``docs/REQUEST_ACCESS_FORM.md``, ``docs/PORTABILITY.md``.

Next product threads (owner ideas, 2026-06-20)

- **?? DONE ? Friendly & Multilingual (ARCHIVED 2026-06-22):** the product is non-tech-friendly and localized to all **6 languages** (en/kn/hi/es/da/id) across both surfaces (``web/`` SPA + ``site/`` marketing); the home-page body is fully localized (except the deferred ``#join`` form, A6) and the responsive header is fixed + **CI-guarded** (a headless-Chromium layout-regression job). Full record: **docs/archives/FRIENDLY_AND_MULTILINGUAL.md`**. **Carried forward** (live owner items, NOT


```

engineering):**
- **Native-speaker review** of the AI-drafted catalogs (kn/hi/es/da/id ? Gemini drafts; the
standing
  guardrail before a *wide public launch*). Proxy artifacts: screencasts in `kheIsutra-
screencast/`.
- **Owner font-glyph eyeball** on a real Kannada/Hindi device (CI can't render font glyphs).
- **B7 (deferred, not a v1 blocker):** engine backend customer-facing l10n (report
`customer_` +
  rejection reasons) ? cross-repo Python (`badminton-highlight-indexer`), owner-gated
**D-BACKEND-DEPTH**.
- **Marketing video on the site** ? embed a short walkthrough of the record ? index ? reel
process,
  themed for **serious enthusiasts**, on the landing page. ? **A real-UI CUJ screencast now
exists**
  (Playwright recording of the per-rally SPA driven against real GPU-run data ?
`promo_cuj.mp4`/`.gif`
  in `gs://kheIsutra-rally-corpus/promo/`). Decide: use it as the marketing clip (? shows real
court
  footage + a dev "P5" badge ? clean up before public embed), and/or produce a polished
Grok/Gemini cut.
- **Interactive per-rally selection** (big product feature) ? ? **MVP / M0 COMPLETE** (the full
pick ? query ? select ? compile ? download loop on existing engine endpoints). Lives in the
alpha SPA
  (`web/`). **? Tracked design + P-tracker (source of truth): `docs/PER_RALLY_SELECTION.md` (IN
PROGRESS;
  owner-approved, D8?D11 locked).** **Done: P0 design (#11), P1 scaffold (#14), P2 grid+hook
(#21), P3
  `parseQuery()` query bar (#28), P4 SelectionFooter + `min_shot_count` warning (#30), P5 real
load +
  Build?compile?preview?download (#31).** Verified e2e vs a stub engine + a CUJ replay against
the real
  L4-run rallies + reel. **NEXT (owner-gated, engine repo): M1?M5** ? `GET /api/health` +
`download_url`
  (P6), RESTful `?/rallies` alias (P7), multi-video home + auth (P8), per-rally preview/timeline
(P9),
  corpus correction loop (P10), localized NL (M5). **Optional:** a fresh live `/api/process` GPU

```

18. assistant (2026-06-22T09:33:37.312Z)

This is very clear now. The README's status section is significantly stale. Let me confirm the key staleness points:

1. *****Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan milestone M1.***** ? The SPA has landed and is feature-complete: 51 source files in `web/src/`, 31 commits touching `web/`, App.tsx exists, P2c wizard (#88), in-UI upload (#66), 6-language catalogs, per-rally selection MVP complete (P0-P5 merged). NEXT_STEPS says kheIsutra.guru is "LIVE and fully shipped." This is the most misleading claim.
2. *****`web/` ? React SPA (alpha; ...)**** ? accurate description, but the parenthetical M1 status contradicts.
3. Let me verify the "(beta) Cloud Run FastAPI control plane" ? `control-plane/` doesn't exist yet. The README marks it "(beta)" which is forward-looking, so that's arguably fine (aspirational/future), but the structure list presents it as a directory that doesn't exist. Let me check the site/README and confirm the marketing site "served at kheIsutra.guru" and that DEPLOY_ALPHA exists with correct content references.

19. user (2026-06-22T09:33:38.742Z)

```

1      # Deploy KheIsutra Studio for alpha ? a shareable page, no SSH
2
3      > **Status:** `READY` (owner executes the cloud steps) . **Topology:** split ? SPA on
Cloudflare Pages + engine on an `api.` cloudflared tunnel, Cloudflare Access over both (the
engine's `HOSTING_PLAN.md` $2 alpha plan). . **Cost:** ~$0/mo standing (Pages + Tunnel + Access
are free ?50 users) + Gemini per-run (~$0.05/match).

```

```

4
5      This turns the local-only flow (run engine + SPA on your box, drive it yourself) into a
**page you can share with alpha testers** ? they open `app.khelsutra.guru`, sign in (email
allowlist), point at a video, and get a reel. No SSH, no home IP exposed, no inbound ports.
6
7      ## 0. The shape
8
9      ```
10     tester browser
11     ? https
12     ?
13     Cloudflare edge (free): DNS · TLS · Access (email-OTP allowlist) in front of BOTH
hostnames
14     ??? app.khelsutra.guru ? Cloudflare Pages          (the web/ SPA; built with
VITE_API_BASE)
15     ??? api.khelsutra.guru ? cloudflared Tunnel (outbound-only) ?? 127.0.0.1:8000 on
YOUR box
16                                     ? FastAPI engine
17                                     ? (Gemini
segmenter; GPU optional)
18                                     ? async jobs,
SQLite, output/ on disk
19     ```
20
21     - **No inbound ports.** `cloudflared` dials out; the engine stays bound to
`127.0.0.1:8000`. The box's home/public IP is never exposed.
22     - **Auth at the edge.** Cloudflare Access gates both hostnames; the engine *also*
verifies the `Cf-Access` JWT in-app (defence in depth ? `security.edge_auth_enabled`), so a
direct hit to the tunnel can't spoof identity.
23     - **Cross-origin, on purpose.** `app.` (SPA) and `api.` (engine) are different origins ?
the SPA is built with `VITE_API_BASE=https://api.khelsutra.guru/api` (PR #64) and the engine
locks CORS to the SPA origin via `RALLY_CORS_ALLOW_ORIGINS` (no engine code change ? it's
already env-driven).
24
25     > **Alternative (single-origin):** if you'd rather run **one box** that serves the SPA
*and* the API behind one origin (Caddy reverse-proxy, no Pages, no cross-origin), see
`LOCAL_APPLIANCE_ARCHITECTURE.md` D1. This runbook ships the **split** topology you chose
(stable Pages-hosted page + a thin API tunnel).

```

20. user (2026-06-22T09:33:40.244Z)

```

=== rename pending? engine repo name ===
badminton-highlight-indexer
=== docs/README.md head ===

```

khelsutra docs index

Tracked work (this repo)

```

- **`DRY_RUN_CUJ.md`** ? ? **DELIVERED (2026-06-21):** the UI drives the tool on a **GCS-bucket
video** ? review/select ? compile ? **reel downloaded local**, verified in en + Hindi. Path A
(local) + Path B/B-P2 (in-UI `gs://` ingest, [#56]) both live e2e with a screencast ($9); the
only remaining box (droplet, option 3) is **parked by the owner** (GPU subscription). Two
engine
  bugs the runs surfaced are fixed (#281, #289). Was a milestone of
`LOCAL_APPLIANCE_ARCHITECTURE.md`.
- **`archives/FRIENDLY_AND_MULTILINGUAL.md`** ? ? **DONE ? ARCHIVED (2026-06-22).** Made the
product
  super user-friendly for non-tech-savvy coaches/parents **and** localized it to all **6
languages**
  across both surfaces (`web/` SPA ? react-i18next, `site/` ? a shared `t()` shim); the home-
page body
  is fully localized (except the deferred `#join` form, A6) and the responsive header is fixed +
CI-guarded. Implementation project for the engine's `I18N_PLAN.md` (l10n) + the UX half of
`UI_PROPOSAL.md`. **Carried forward to `NEXT_STEPS.md`.** native-speaker review + owner font-
glyph

```

eyeball (human gates), and **B7** (engine backend l10n, deferred).

21. assistant (2026-06-22T09:33:51.209Z)

I now have enough evidence. Let me confirm a couple of remaining points: the marketing site is "served at khelsutra.guru" (the deploy/NEXT_STEPS says app on Pages + marketing on `site/`), and whether the README description of `web/` as "Cloudflare Pages build root" is accurate. The DEPLOY_ALPHA.md confirms `app.khelsutra.guru` ? Cloudflare Pages (the web/ SPA)`. So the marketing `site/` is served at khelsutra.guru (apex) and the SPA at app.khelsutra.guru. The README's structure list is broadly correct on `site/` and `web/`.

Let me check that `site/` is indeed the marketing landing and that the README's claim "engine repo `badminton-highlight-indexer` (rename pending)" ? the rename hasn't happened, so "rename pending" is still accurate.

I have all the evidence I need. Let me compile findings.

Key findings:

- **HIGH**: "Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan milestone M1." ? Stale. The SPA is built and feature-complete (51 files in web/src, 31 commits, P0?P5 per-rally MVP done, P2c wizard #88, in-UI upload #66, 6-lang catalogs), khelsutra.guru is LIVE and fully shipped per NEXT_STEPS. M1 was the initial scaffold milestone, long since passed.
- **MEDIUM**: `web/` parenthetical "alpha" is roughly right but the whole "pre-alpha" framing in line 4/9 ("the web app (alpha SPA) now... pre-alpha scaffold") is internally contradictory and stale.
- **MEDIUM/LOW**: `control-plane/` listed as a structure directory but does not exist (marked "(beta)" ? forward-looking, so a reader could be mildly misled it exists).
- **Correct**: deploy paths, canonical doc names in engine repo, engine repo rename pending, license, site/ served at khelsutra.guru.

22. user (2026-06-22T09:34:14.997Z)

Structured output provided successfully

23. assistant (2026-06-22T09:34:22.609Z)

Audit complete. I verified every concrete claim in `C:\Users\avidu\Projects\khelsutra\README.md` against the live repo and engine sibling.

Verdict: **significant-staleness**. The structure list, deploy references, canonical-doc pointers, engine-rename note, and license are all correct, but the headline status is badly out of date ? the README still calls the repo a "pre-alpha scaffold" whose SPA hasn't landed yet ("per milestone M1"), when the `web/` SPA is in fact built, multilingual (6 languages), and live (51 source files, 31 commits, per-rally MVP P0?P5, P2c wizard #88, in-UI upload #66; `NEXT\_STEPS.md:7` says "khelsutra.guru is LIVE and fully shipped"). The listed `control-plane/` directory also does not exist yet.

Findings returned via the structured output: one high-severity (the stale `pre-alpha / M1` status), two medium (the contradictory "pre-alpha scaffold" tagline and the non-existent `control-plane/` dir), and the rest confirmed correct.