

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_f9255361-69d\agent-aa697480ed9e65e71.jsonl`  
- SHA-256: `0d348970b6a28b5b2ccd397b5065bffa390f7bc908b5580e2dd1ee74c27da2ad`  
- Source modified: `2026-06-22T09:36:52+00:00`  
- Imported at: `2026-07-05T16:48:26+00:00`  
- project: `wf_f9255361-69d`  
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:32:46.017Z)

You are auditing ONE doc in the KhelSutra brand/site repo for staleness, as part of a "are all the docs up to date?" sweep.

Repo root: C:\Users\avidu\Projects\kheelsutra (bash path: /c/Users/avidu/Projects/kheelsutra)
The repo is on `master`, freshly synced to remote HEAD ? the latest merged PR is #94. Today is 2026-06-22.

DOC TO AUDIT: NEXT_STEPS.md

Your job: read the doc IN FULL, extract every concrete, falsifiable claim, and VERIFY each against the LIVE repo ? do NOT trust the doc's own wording. Hard discipline rule: a claim is "correct" ONLY when you have file:line or command-output evidence for it; if you cannot verify it, mark verdict "unverifiable" ? never guess, never assume the doc is right. Re-check against actual code/git.

Kinds of claims to check:

- File / path / route references ("served at /capture", "see src/store.js", "public/og.png", "systemd kheelsutra-site") -> does the path or route ACTUALLY exist now? Confirm with git ls-files / Read / the routing in site/server.js + site/src/index.js.
- PR numbers and counts ("PRs #1-#8 merged", "20 tests green", "6 languages", "3-step wizard", "P0..P5 done") -> verify against `git -C <root> log`, the actual test output/count, and the code.
- Status markers (DONE / pending / IN PROGRESS / DRAFT / "?" / "owner-gated" / "NEXT") -> still accurate vs the code & git history? Is something marked pending that is actually shipped, or vice-versa?
- Dates, "live at <url>", "merged in #N".
- Whether the doc describes something now SUPERSEDED or fully shipped -> is it an archive candidate (a tracker whose work is complete, or content duplicated by docs/archives/)? Note: docs/archives/FRIENDLY_AND_MULTILINGUAL.md already exists as the archived multilingual tracker.

Tools: Read the doc + every cited file; Grep/Glob to locate code; Bash for `git -C /c/Users/avidu/Projects/kheelsutra log --oneline`, `... ls-files`, and greps. To check a test count, you may run the suite (`cd /c/Users/avidu/Projects/kheelsutra/site && node --test` or `npm test`), but prefer cheap checks. Verify against master as it stands NOW.

Severity: high = a factually wrong claim a reader would act on (wrong path/route, a "DONE" that isn't, a wrong count/PR that misleads). medium = outdated-but-harmless (stale PR range, old "where we are", superseded framing). low = cosmetic.

Do NOT modify any file ? audit only. Return ONLY the structured object (doc, overallStatus, findings[], summary).

2. assistant (2026-06-22T09:32:48.569Z)

I'll audit the NEXT_STEPS.md doc in the KhelSutra repo. Let me start by reading the doc and gathering repo context.

3. user (2026-06-22T09:32:49.513Z)

```
1      # Next steps (live) ? KhelSutra brand / site
2
3      Prioritized "what to do next" for the `khelsutra` product repo**. Refresh at each
checkpoint.
4
5      **Where we are (2026-06-20):** `khelsutra.guru` is **LIVE and fully shipped** ? landing
page + `capture`
6      checklist + OG image + a **segmented Request-Access form** (academy/individual + GPU +
storage + free
7      text). On **Cloudflare** (Worker `hidden-king-khelsutra` + D1 `khelsutra-access`): the
form persists to
8      D1 **and emails a summary to the owner on every registration** (Email Routing send
binding ? verified
9      live). **Git auto-deploy is connected** (Workers Builds, root `site/`): merge to
`master` ? deploys;
10     **CI gates every PR** ? three jobs: the full site `npm test` (Worker + VM host + assets
+ UX), the
11     `web/` SPA build + coverage floor, and a real-browser layout check. The same form also
runs on a
12     dependency-free **Node + SQLite** host (`site/server.js`), **live + browsable on the D0
droplet ?
13     http://168.144.126.176:8787** (systemd `khelsutra-site`). PRs through #93 merged
(master). Docs:
14     `docs/REQUEST_ACCESS_FORM.md`, `docs/PORTABILITY.md`.
15
16     ## Next product threads (owner ideas, 2026-06-20)
17     - **? DONE ? Friendly & Multilingual (ARCHIVED 2026-06-22):** the product is non-tech-
friendly and
18     localized to all **6 languages** (en/kn/hi/es/da/id) across both surfaces (`web/` SPA
+ `site/`
19     marketing); the home-page body is fully localized (except the deferred `#join` form,
A6) and the
20     responsive header is fixed + **CI-guarded** (a headless-Chromium layout-regression
job). Full record:
21     **`docs/archives/FRIENDLY_AND_MULTILINGUAL.md`**. **Carried forward (live owner items,
NOT engineering):**
22     - **Native-speaker review** of the AI-drafted catalogs (kn/hi/es/da/id ? Gemini
drafts; the standing
23     guardrail before a *wide public launch*). Proxy artifacts: screencasts in
`khelsutra-screencast/`.
24     - **Owner font-glyph eyeball** on a real Kannada/Hindi device (CI can't render font
glyphs).
25     - **B7 (deferred, not a v1 blocker):** engine backend customer-facing l10n (report
`customer_` +
26     rejection reasons) ? cross-repo Python (`badminton-highlight-indexer`), owner-gated
**D-BACKEND-DEPTH**.
27     - **Marketing video on the site** ? embed a short walkthrough of the record ? index ?
reel process,
28     themed for **serious enthusiasts**, on the landing page. ? **A real-UI CUJ screencast
now exists**
29     (Playwright recording of the per-rally SPA driven against real GPU-run data ?
`promo_cuj.mp4/`.`gif`
30     in `gs://khelsutra-rally-corpus/promo/`). Decide: use it as the marketing clip ( ?
shows real court
31     footage + a dev "P5" badge ? clean up before public embed), and/or produce a polished
Grok/Gemini cut.
32     - **Interactive per-rally selection** (big product feature) ? ? **MVP / M0 COMPLETE**
(the full
33     pick ? query ? select ? compile ? download loop on existing engine endpoints). Lives
in the alpha SPA
```

```

34      (`web/`). **? Tracked design + P-tracker (source of truth):
`docs/PER_RALLY_SELECTION.md` (IN PROGRESS;
35      owner-approved, D8?D11 locked).** **Done: P0 design (#11), P1 scaffold (#14), P2
grid+hook (#21), P3
36      `parseQuery()` query bar (#28), P4 SelectionFooter + `min_shot_count` warning (#30),
P5 real load +
37      Build?compile?preview?download (#31).** Verified e2e vs a stub engine + a CUJ replay
against the real
38      L4-run rallies + reel. **NEXT (owner-gated, engine repo): M1?M5** ? `GET /api/health`
+ `download_url`
39      (P6), RESTful `?/rallies` alias (P7), multi-video home + auth (P8), per-rally
preview/timeline (P9),
40      corpus correction loop (P10), localized NL (M5). **Optional:** a fresh live
`/api/process` GPU
41      inference once the engine session's M2 training frees the single GPU.
42
43      ## Queued (site polish)
44      - **Always-Use-HTTPS + HSTS** (Cloudflare SSL/TLS) ? closes the plain-HTTP flag.
45      - **Cloudflare Web Analytics** ? paste the token into `site/public/index.html` (or
enable auto-setup).
46      - **Droplet ? production** ? TLS + a subdomain (`vm.khelsutra.guru` via Caddy) if it
should be a real
47      standby; add **VM-path SMTP** so the Node host also emails (currently `noopNotify`).
48      - **DMARC** TXT for deliverability; delete any orphan `khelsutra-site` Worker; clean CF
D1 test rows
49      (`deploy-test@`, `email-test@`). Revoke the droplet SSH key
(`~/ssh/khelsutra_droplet`) when done.
50
51      ## Bigger arcs (design-first)
52      - **Single-box appliance (KhelSutra Studio)** ? **? Tracked design:
`docs/LOCAL_APPLIANCE_ARCHITECTURE.md` (DRAFT, owner-gated).**
53      The `web/` SPA drives the full **ingest (Drive / bucket URI / local upload) ? index ?
pick rallies ? reel ? download**
54      loop on ONE box, behind an **edge auth gate** (engine stays `127.0.0.1`, CORS `` is
moot). It is the single-box
55      profile of the engine's decoupled `StorageBackend` + `backend.worker` architecture.
MVP runs on the CPU droplet via
56      **Gemini/stub** ; **real local-GPU detection needs a GPU host** (DO droplet / GCE VM /
Cloud Run+GPU ? owner priority
57      ASAP, runs parallel to the UI MVP). Per-rally selection = one screen. Owner decisions
pending in §10 (edge auth,
58      retention, cost ceiling, GPU host, P5 bridge).
59      - **Alpha SPA** in `web/` (Vite + React + TS + Tailwind) ? hosts the operator console +
the per-rally selection UI above.
60      - **BYO-storage + autosync** ? connect Drive/OneDrive/GCS/S3, watch the folder, auto-
prepare reels
61      (engine `PLATFORM_ARCHITECTURE.md §3`). The form's GPU/storage answers are the demand
signal.
62      - **Control plane** (`control-plane/`) at beta.
63
64      ## Org & repos
65      - ? **DONE (2026-06-20): proprietary repos consolidated into the `Khelsutra` org
(private).** Transferred
66      `badminton-highlight-indexer` (engine), `sports-data-collector`, `sports-obsreport` ?
`Khelsutra/` (stay private; no
67      open PRs/forks; GitHub redirects git ops so active sessions kept working; local
remotes repointed + verified).
68      `rally-annotator` stays in the org **PUBLIC** (OSS MIT plugin the site links to ? do
not make private). Owner is org
69      admin (full access) and can **invite a contributor** (org member / per-repo outside
collaborator) anytime.
70      - ? **`khelsutra` (this site repo) ? owner step pending.** A transfer breaks the
**Cloudflare Workers-Builds** git
71      connection (auto-deploy) until the Cloudflare GitHub App is installed on the
`Khelsutra` org and the Worker

```

```

72     reconnected (dashboard). When ready: install the CF app on the org ? `gh api
repos/avidullu/khelsutra/transfer -f
73     new_owner=Khelsutra` ? reconnect the Worker to `Khelsutra/khelsutra` ? verify a
deploy.
74     - ? **Engine CI under the org** ? verify the engine's GitHub Actions run on the next PR
(free orgs default Actions-on;
75     enable in org settings if a run doesn't start).
76
77     ## Convention
78     Substantial work gets a tracked doc in `docs/`; one PR per item off `origin/master`;
merge to `master`
79     auto-deploys (CI must be green).
80

```

4. user (2026-06-22T09:32:50.380Z)

```

50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav
tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every
locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header
(#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages)
(#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix)
(#85)
5e5a2ac docs(friendly-multilingual): close out the chapter ($9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero
(#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit
(#80)
8328721 docs(tracker): refresh the $7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook
(RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)
9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)
1cd84af feat(site): A3 ? localize recording-education + marketing to kn/hi, Noto on the site
(#74)
c1848df feat(web): LW2 ? send the UI locale to /api/compile (watermark) + /api/process
(analytics) (#73)
1b1fa7b feat(web+site): B3 ? trilingual marketing site via shared t()/data-i18n shim (D-CATALOG-
HOME) (#70)
f7e2bd5 chore(site): add robots.txt + a "crawling / bot protection" runbook for khelsutra.guru
(#71)
bea8a2a docs(appliance): flip T11 retention sweep to ? ? tool shipped (engine #299), scheduling
tracked (#301) (#69)
46e0244 feat(web): A9 ? localized tap-only filter controls (#68)
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
ca619fb feat(web): T4 ? in-UI file upload (the runnable-tool keystone) (#66)
4627830 docs(deploy): alpha deploy kit ? make Studio a shareable page (split: Pages + api.*
tunnel + CF Access) (#65)
8bbc557 feat(web): VITE_API_BASE ? let the SPA target a split api.* origin (default same-origin
/api) (#64)
92a6c45 feat(web): A8 ? background-processing reassurance + icon+text status chips (#63)
501c014 feat(web): A5 ? friendly engine-error mapping across build + load (shared errors.*)
(#62)
95195a5 feat(web): A4 ? mobile touch targets (?44px) + visible tooltip text (#61)

```

ccdcfcd feat(web): A1 ? plain-language copy pass on the en catalog (de-jargon) (#60)
a20002f docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko) (#58)
a0475bc docs: hygiene refresh ? sync trackers to shipped reality (#59)
7750afc docs(dry-run): Path-B live e2e DONE ? in-UI bucket?reel CUJ + screencast (DoD \$6 box 3 ?) (#57)
4525c5d feat(web): B-P2 ? in-UI bucket ingest (point at a gs:// video ? process ? load) (#56)
d0461fd docs: correct stale "bucket ingest is net-new" claims (B-P1 already shipped in M2/#280) (#55)
2421557 docs(dry-run): record Path-A local result (en+hi reel downloaded) + the engine fix it surfaced (#54)

5. assistant (2026-06-22T09:32:54.893Z)

Now let me verify the claims. Let me check the key files, routes, PR count, and test setup.

6. user (2026-06-22T09:32:58.433Z)

```
94
---LATEST PR---
50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
---ls-files docs---
docs/ANNOTATE_AND_TRAIN.md
docs/DRY_RUN_CUJ.md
docs/LOCAL_APPLIANCE_ARCHITECTURE.md
docs/MULTILINGUAL_EXPANSION.md
docs/PER_RALLY_SELECTION.md
docs/PORTABILITY.md
docs/README.md
docs/REQUEST_ACCESS_FORM.md
docs/archives/FRIENDLY_AND_MULTILINGUAL.md
---ls-files site root---
NEXT_STEPS.md
README.md
---site server + index---
site/public/index.html
site/public/og.png
site/server.js
site/src/index.js
---archives---
docs/archives/FRIENDLY_AND_MULTILINGUAL.md
```

7. assistant (2026-06-22T09:33:01.198Z)

Many claims confirmed structurally. Let me verify the routes in server.js + index.js, the test suite, and the language/wizard claims.

8. user (2026-06-22T09:33:03.958Z)

```
===server.js routes===
2:// Serves public/ and POST /api/request-access into SQLite (node:sqlite), using the
96:async function serveStatic(pathname, req, searchParams, res) {
97:  const rel = pathname === "/" ? "index.html"
98:    : pathname === "/capture" ? "capture.html"
99:    : pathname === "/own-model" ? "own-model.html"
100:   : pathname === "/flyer" ? "flyer.html"
101:   : pathname === "/flyer-kn" ? "flyer-kn.html"
102:   : pathname === "/flyer-hi" ? "flyer-hi.html"
103:   : pathname.replace(/^\//, "");
127:  const pathname = decodeURIComponent(parsed.pathname);
128:  if (pathname === "/api/request-access") {
132:    return await serveStatic(pathname, req, parsed.searchParams, res);

===index.js (worker) routes===
2:// Request-Access form: POST /api/request-access -> validate -> insert into D1 (binding DB).
```

```
80:   if (url.pathname === "/api/request-access") {
```

9. user (2026-06-22T09:33:05.631Z)

```
===worker name + D1 in wrangler===
```

npx wrangler d1 create khelsutra-access # copy the printed database_id below

npx wrangler d1 execute khelsutra-access --remote --file=schema.sql

```
name = "hidden-king-khelsutra" # the git-connected Worker that owns khelsutra.guru ? keep in
```

```
sync with Cloudflare
```

```
binding = "ASSETS"
```

```
[[d1_databases]]
```

```
binding = "DB"
```

```
database_name = "khelsutra-access"
```

```
database_id = "cd02c6bf-4bd6-4a33-a333-ced86e36b511" # from `wrangler d1 create khelsutra-access`
```

Email-on-registration: Email Routing send binding -> a VERIFIED destination address.

```
[[send_email]]
```

```
name = "NOTIFY"
```

```
---try wrangler.jsonc---
```

10. assistant (2026-06-22T09:33:08.843Z)

Confirmed: Worker `hidden-king-khelsutra`, D1 `khelsutra-access`, `/capture` route, OG image, email send binding. Now let me verify the test suite, the SPA languages, the per-rally selection doc, and other route claims.

11. user (2026-06-22T09:33:13.573Z)

```
===package.json test script===
```

```
5: "scripts": {
```

```
6:   "test": "node --test",
```

```
7:   "test:cf": "node --test src/index.test.js",
```

```
8:   "test:vm": "node --test src/server.test.js",
```

```
9:   "test:deploy": "node --test src/deploy-config.test.js src/assets.test.js",
```

```
10:  "test:layout": "node --test src/layout.browser.mjs",
```

```
11:    "copy:locales": "node scripts/copy-locales.mjs",
```

```
12:    "predeploy": "node scripts/copy-locales.mjs",
```

```
===running site test count===
```

12. user (2026-06-22T09:33:14.941Z)

```
===web/ languages / locales===
```

```
catalog-invariants.test.ts
```

```
hygiene.test.ts
```

```
i18n.test.tsx
```

```
index.ts
```

```
---grep locale keys---
```

```
web/src/api/locale.test.ts:kn
```

```
web/src/api/locale.test.ts:kn
```

```
web/src/api/locale.test.ts:hi
```

```
web/src/api/locale.test.ts:hi
```

```
web/src/components/LanguageSwitcher.tsx:en
```

```
web/src/components/LanguageSwitcher.tsx:en
```

```
web/src/components/LanguageSwitcher.tsx:kn
```

```
web/src/components/LanguageSwitcher.tsx:kn
```

```
web/src/components/LanguageSwitcher.tsx:hi
```

```
web/src/components/LanguageSwitcher.tsx:hi
```

```
===PER_RALLY_SELECTION status header===
```

Interactive per-rally selection ? reel builder (RallyPicker)

> **Status:** `IN PROGRESS` ? **MVP / M0 (P1?P5) COMPLETE 2026-06-20** (pick ? query ? select ? compile ? download, on existing engine endpoints). **Validated live e2e against a REAL engine (Gemini) via the in-UI bucket?reel CUJ ? `DRY\_RUN\_CUJ.md` \$9, 2026-06-21** (supersedes the original stub-engine verification). Design **APPROVED** by owner 2026-06-20. Downstream milestones M1?M5 (multi-video auth, per-rally preview endpoint, corpus loop, localized NL) remain owner-gated. . **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> **Tracking anchors:** \$7 progress tracker is the source of truth; indexed in `docs/README.md`; pointer in `NEXT\_STEPS.md` + memory `current-state` once work starts.
> **Relation:** second major tracked work item in the `kshelutra` repo (peer of `REQUEST\_ACCESS\_FORM.md`); mirrors the engine repo's `PROJECT\_DOC\_TEMPLATE` discipline. Primarily realizes alpha screen **A5 Highlights** (engine repo `UI\_PROPOSAL.md:47`, exec-plan **M4** `UI\_ALPHA\_EXECUTION\_PLAN.md:39`); its correction-loop extension realizes **A4 Rally Review** (`UI\_PROPOSAL.md:46`, exec-plan **M3** `:38`). Consumes the engine's `/api/query` + `/api/compile` contract.
> **Honesty note:** every engine-fact claim is tagged `[verified]` (read against engine code this session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not legal/financial advice.

0. TL;DR

Build the **pick-rallies ? reel** surface as a **hybrid**: a selectable rally **list/grid** is the workhorse; a **deterministic query bar** ("rallies over 10s, longest first") pre-selects into the **same** selection set; a sticky footer compiles the selection into one downloadable MP4. The entire MVP runs on **existing engine endpoints** ? `POST /api/query` ? `POST /api/compile` ? `GET /api/highlights` `[verified backend/main.py:331-340, 342-396, 307-328]` ? with **zero new engine intelligence and zero new endpoints**. The single most important caveat: queries and chips are scoped to **length / count / order / shot-count only**; shot-type, player, and score are **roadmap-only** (no detector, no column) and must not be faked. The biggest UX-vs-effort tension: **no per-rally preview is possible today** ? only the **final compiled reel** can stream ? so MVP selects on text metadata, and visual preview/timeline is a deliberate later milestone.

1. Problem & goal

Today the alpha can detect rallies and stitch a reel, but reel-building is either a **silent `stitching.min\_shot\_count` threshold** `[verified backend/main.py:362-383]` or a static checkbox list whose data plumbing is even broken ? the bundled static UI reads `data.rallies` while the API returns `play\_segments`, so it renders nothing `[verified backend/api/static/app.js:344 vs backend/main.py:340]`. The owner's framing is **dynamic per-video selection, not a fixed threshold**: a coach should say "give me the long rallies from this session" and get exactly those, then fine-tune by hand.

The concrete outcome ("good"): A coach uploads a 40-minute session; the engine finds 60 rallies. They type **"top 15 longest"**, eyeball the auto-selected cards, untick two warm-up rallies, name it **"Tuesday ? long points"**, and download a ~6-minute reel ? without learning any threshold knob.

Goal: the smallest **honest** surface that turns engine-detected rallies into a user-curated, downloadable reel, with both **fast** (query) and **precise** (checkbox) selection sharing **one** state.

Non-goals (alpha): no conversational LLM (`UI\_PROPOSAL.md:66` defers it); no shot-type/player/score filters (no data exists); no per-rally video preview while it requires unbuilt streaming; no multi-tenant auth (single-box alpha).

2. Decisions locked

#	Decision	Source / date	Implication
---	-----	-----	-----

13. assistant (2026-06-22T09:33:19.174Z)

The site test run didn't capture counts (layout.browser.mjs likely needs a browser). Let me run

the non-browser test files and verify locale count of 6 languages in the SPA, plus confirm a few remaining route/file claims.

14. user (2026-06-22T09:33:27.294Z)

===CF + VM + assets + deploy tests (no browser)===

15. user (2026-06-22T09:33:27.721Z)

===SPA locale catalogs===

---index.ts locales---

```
1:// i18n scaffold (tracker B1) ? the shared localization foundation for KhelSutra Studio.
3:// Per docs/archives/FRIENDLY_AND_MULTILINGUAL.md + the engine's I18N_PLAN.md:
4://   - keys, never prose (t("app.title"), enforced later by a no-bare-strings lint, B2);
5://   - ICU MessageFormat for interpolation/plurals (Kannada/Hindi plural rules live in the
catalog,
6://     not the code ? replaces the SPA's hand-rolled `count > 1 ? "s" : ""`);
8://   - always-fallback to `en` so a missing translation degrades to English, never a raw key.
13:// Catalogs are HOISTED to repo-root /locales (D-CATALOG-HOME) ? the single source of truth
shared
14:// by this SPA and the marketing site's t() shim (tracker B3). Vite resolves the workspace
root via
15:// the repo `.git` marker, so importing the parent-dir /locales works in dev, build, and
vittest.
16:import enCommon from "../../locales/en/common.json";
17:import knCommon from "../../locales/kn/common.json";
18:import hiCommon from "../../locales/hi/common.json";
19:import esCommon from "../../locales/es/common.json";
20:import daCommon from "../../locales/da/common.json";
21:import idCommon from "../../locales/id/common.json";
23:// Supported locales: en/kn/hi foundation (FRIENDLY D6) + MULTILINGUAL_EXPANSION Phase A
(es/da/id,
24:// Latin, catalog-only). Anything else falls back to `en`.
25:export const SUPPORTED_LOCALES = ["en", "kn", "hi", "es", "da", "id"] as const;
27:export const DEFAULT_LOCALE: Locale = "en";
29:// ONE persisted-preference key, shared with the marketing site's t() shim (D9 / tracker B3),
so a
===LanguageSwitcher languages===
```

16. assistant (2026-06-22T09:33:32.658Z)

Confirmed 6 locales (en/kn/hi/es/da/id) in the SPA. The test run produced no `# tests` summary lines ? that's unexpected. Let me check the test output format more carefully.

17. user (2026-06-22T09:33:36.094Z)

```
? buildSubmissionEmail summarizes the submission (0.5398ms)
? handleRequest notifies on a valid submission; a notify failure never breaks it (1.1691ms)
? handleRequest does NOT notify on a bot or a bad email (0.9377ms)
? [VM host] server.js serves the form (240.8679ms)
? [VM host] serves /capture and /og.png (6.1099ms)
? [VM host] serves the tool screencast as video/mp4 (plays in the post-signup reveal) (3.2012ms)
? [VM host] serves /own-model (9.9907ms)
? [VM host] serves the academy flyers (/flyer, /flyer-kn, /flyer-hi) as clean URLs (8.0019ms)
? [VM host] POST /api/request-access persists to SQLite (18.089ms)
? [VM host] honeypot + bad email are rejected without persisting (5.0349ms)
? [VM host] GET /api/request-access -> 405 (1.2363ms)
? [VM host · N8] a Kannada browser (Accept-Language: kn) gets the kn-rendered page (2.8367ms)
? [VM host · N8] ?lang= overrides the browser language (2.3249ms)
? [VM host · N8] the persisted cookie beats Accept-Language (returning user keeps their choice)
(1.8086ms)
? [VM host · N8] unsupported/absent language falls back to en (never a locale we can't serve)
(3.9763ms)
? [VM host · N8] non-localized assets are NOT rewritten (only the 3 marketing pages negotiate)
```

```

(2.1512ms)
? [VM host] serves the shared catalogs the shim fetches (/locales/*/common.json as JSON)
(2.281ms)
? tests 61
? suites 0
? pass 61
? fail 0
? cancelled 0
? skipped 0
? todo 0
? duration_ms 1904.8188

```

18. assistant (2026-06-22T09:33:40.547Z)

The non-browser tests pass (61 tests). The `# tests` grep failed because Node uses `? tests`, not `# tests`. Note: the doc doesn't actually cite a specific test count, so this is just corroboration. Now let me verify the remaining specific claims: the droplet IP/URL, systemd service name, the docs referenced, PR #94 being the "correct stale NEXT_STEPS claims" commit, and the per-rally PR numbers.

19. user (2026-06-22T09:35:03.129Z)

```

===droplet IP + systemd in repo===
./deploy/DEPLOY_ALPHA.md:31:- A box to run the engine: the CPU droplet `168.144.126.176`
(Gemini-only ? no GPU; fine for alpha) or your Windows+WSL GPU box (real WASB). `ffmpeg` +
Python 3.8+ installed; the `badminton-highlight-indexer` engine checked out.
./deploy/droplet/README.md:4:(`168.144.126.176`, Gemini, no GPU). Values are pre-baked for
app.khelsutra.guru` /
./deploy/droplet/README.md:87:curl --max-time 5 http://168.144.126.176:8000/api/health      #
-> refused / timeout
./deploy/droplet/README.md:100:> Live-verified on the droplet (2026-06-22). Engine
installed + booted on `168.144.126.176`; full
./docs/archives/FRIENDLY_AND_MULTILINGUAL.md:161:- [ ] Manual cross-check (owner machine):
OS/browser set to Kannada and to Hindi each render the respective language on BOTH surfaces,
with Noto fonts displaying. *(Owner eyeball ? pending; cloud CI can't render font glyphs.
Closest proxy: the Playwright screencasts in `khelsutra-screencast/` ? `khelsutra-
site-i18n-desktop.mp4` (site, kn) + `khelsutra-i18n-screencast.mp4` (SPA, `locale: kn-IN`.)*)
./docs/archives/FRIENDLY_AND_MULTILINGUAL.md:192:- `2026-06-22` ? marketing site reaches
parity with the SPA's 6 languages ([#87](https://github.com/avidullu/khelsutra/pull/87)) ?
es/da/id added to the site. The site dropdown was intentionally en/kn/hi because the other 3
catalogs (es=Spanish, da=Danish, id=Indonesian) had their `site.` marketing copy 100%
English-seeded (SPA-console only). Translated the 115 `site.` keys kn covers
(nav/hero/recording-education/capture+diagram/own-model/reveal) into es/da/id and added them to
all 3 page switchers; the shim `SUPPORTED` + `server.js` `SITE_LOCALES` now list all 6, so a
browser in any of these auto-negotiates (`<html lang>` + `content-language`). AI-drafted ?
3-lens adversarial verify (accuracy/fluency/integrity) ? revise via a 15-agent workflow (11 es
+ 10 da + 14 id findings folded), reusing each locale's shipped SPA-console vocabulary (rally ?
es `jugada`, da `duel`, id `reli`); inline HTML tags + literal tokens preserved (tag-multiset
integrity test). The Request-Access form (`site.join.` , 14 keys) stays English in es/da/id too
? parity with kn/hi (A6 deferred form l10n for all non-en). New/updated tests: 6-language
switcher + es/da/id negotiation + real-translation + integrity guards. Site 77 + web 215
green; web typecheck/coverage (93.4%)/build green. Real-browser pass (es/da/id home heroes
distinct & correct; Indonesian capture page + diagram render; only the pre-existing Cloudflare
RUM beacon errors on localhost); screencast `khelsutra-site-esdaid-desktop.webm` + per-locale
stills. es/da/id native-review-pending (same standing gate as kn/hi). Note: a few
hardcoded hero-mockup chips in `index.html` (`See it in action`/`Auto-index rallies`/`Download
your reel`, not `data-i18n-wired`) stay English in every non-en locale incl. kn/hi ? a pre-
existing gap, out of scope.
./docs/DRY_RUN_CUJ.md:36:3. Engine host: local Windows (simplest, Gemini/motion) . the CPU
droplet `168.144.126.176` (shared testbed ? careful) . a GPU VM (only for WASB).
./docs/LOCAL_APPLIANCE_ARCHITECTURE.md:48:- Droplet reality: `168.144.126.176`, CPU-only,
NO GPU, region `blr1`; co-hosts the marketing site (`/srv/khelsutra-site`, node `:8787`)
and the engine (`~/rally`); ran the full train+infer e2e against DO Spaces with the GPU
mocked `[SETUP_NEW_MACHINE.md, DECOUPLED_COMPUTE/HANDOFF.md]`. Shared testbed: MinIO
`9000/9001` + GCS emulator `9023` also run there.

```

```

./docs/PORTABILITY.md:32:round-trip + cleanup). Verified live on the owner's droplet (Ubuntu
24.04, isolated `srv/khelsutra-site`).
./docs/PORTABILITY.md:44: SSH_TARGET=root@<ip> [SSH_KEY=~/.ssh/khelsutra_droplet] [PORT=8787]
[RESTORE_DB=./backup.db] \

===per-rally PR numbers in history (#11 #14 #21 #28 #30 #31)===
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages)
(#88)
4525c5d feat(web): B-P2 ? in-UI bucket ingest (point at a gs:// video ? process ? load) (#56)
d0461fd docs: correct stale "bucket ingest is net-new" claims (B-P1 already shipped in M2/#280)
(#55)
a7214ad fix(site): serve .mp4 as video/mp4 on the Node host so the tool screencast plays (#35)
05915f2 docs(next-steps): per-rally MVP/M0 COMPLETE (P1?P5, #28/#30/#31); CUJ screencast + M1?M5
next (#32)
8bf200d feat(web): per-rally MVP P5 ? load real rallies + Build?compile?preview?download (MVP
complete) (#31)
aff8de8 feat(web): per-rally MVP P4 ? SelectionFooter + honest min_shot_count warning (#30)
66805ab docs(next-steps): per-rally P3 (parseQuery query bar) merged (#28); P4 next (#29)
d537d19 feat(web): per-rally MVP P3 ? deterministic parseQuery() query bar (traced +
adversarially hardened) (#28)
b1110e1 feat(site): own-model page ? annotate your footage & train your own model (annotate-
train P1-P4) (#22)
62598e7 feat(web): per-rally MVP P2 ? selectable rally grid + selection hook (unit-tested) (#21)
aac7e0c feat(web): per-rally MVP P1 ? SPA scaffold + typed engine API client (#14)
cb74ce5 docs(web): tracked design for interactive per-rally selection (RallyPicker) (#11)

```

20. assistant (2026-06-22T09:35:07.917Z)

All per-rally PR numbers verified: P0 design #11, P1 #14, P2 #21, P3 #28, P4 #30, P5 #31. The droplet IP `168.144.126.176` and systemd `khelsutra-site` references exist. Now let me check a few specific claims: the wizard "3-step" and "/api/capabilities", the marketing video / promo_cuj refs, the multilingual archive, and the "PRs through #93 merged" claim ? which is the most important since master is now at #94.

21. user (2026-06-22T09:35:11.401Z)

```

===wizard PR #88 (3 steps, /api/capabilities, 6 langs)===
web/src/api/client.ts:137:/** What THIS box can do ? drives the first-run wizard. GET
/api/capabilities (PACKAGING_PLAN P2c). */
web/src/api/client.ts:139: return request<EngineCapabilities>("/capabilities", { method: "GET",
cid });
web/src/api/types.ts:48:/** GET /api/capabilities [backend/main.py] ? an HONEST probe of what
THIS box can do, rendered by
web/src/api/types.ts:58: /** Whether a Gemini key is PRESENT (never its value) ? drives the AI-
highlights step. */
web/src/App.tsx:11:import { SetupWizard, isWizardDone } from "./components/SetupWizard";
web/src/App.tsx:241:      videos (from /api/capabilities). Shows once per browser; then
the ingest panel takes over. */
web/src/App.tsx:242:      {!videoId && !wizardDone && <SetupWizard onClose={() =>
setWizardDone(true)} />}
web/src/components/a4.touch.test.tsx:14:import { WIZARD_DONE_KEY } from "./SetupWizard";
web/src/components/a4.touch.test.tsx:23: // touch targets they assert ? the wizard's own ?44px
targets are covered in SetupWizard.test.tsx.
web/src/components/SetupWizard.test.tsx:5:import { SetupWizard, WIZARD_DONE_KEY, isWizardDone }
from "./SetupWizard";

===PR #94 diff touched NEXT_STEPS?===
commit 50b2bd75f9178d54de6a65887b08b7dae29fad56
Author: Avi <avi.dullu@gmail.com>
Date: Mon Jun 22 14:57:55 2026 +0530

```

chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)

Two small repo-hygiene fixes found while syncing to remote head:

- .gitignore: add *.db (server.js creates site/access.db from schema.sql at runtime) and .claude/ (machine-specific editor/agent config ? launch.json carries absolute C:/ paths, plus settings.local.json + worktrees/). Both showed as untracked, so a stray `git add -A` could have committed them. Comments are on their own lines (.gitignore has no trailing-comment syntax).

- NEXT_STEPS.md: drop the "/capture footer link" item ? already done (both footer links in index.html are /capture). Correct the stale status header: "PRs #1-#8 / npm test (20 green)" -> through #93, and CI is now three jobs (site npm test = 86 green, web SPA build+coverage, real-browser layout).

No runtime/site behavior change. Full site suite green (86/86).

===Does NEXT_STEPS say through #93?===

13:http://168.144.126.176:8787** (systemd `khelsutra-site`). PRs through #93 merged (master). Docs:

22. assistant (2026-06-22T09:35:17.229Z)

Key finding: PR #94 itself was the commit that "corrected stale NEXT_STEPS claims" and updated the doc to say "PRs through #93 merged". But #94 then merged afterward, so the doc now lags by one PR ? it says "through #93" while master is at #94. This is a self-referential staleness (the doc that updated the count is now one behind). Note also #94's message says "site npm test = 86 green" but the doc body doesn't state a test count (the body says "the full site `npm test`"), so no count claim to flag in the doc body. Let me verify the wizard is "3 steps", check the docs referenced exist, and confirm the multilingual archive + the `#join`/A6 footer-link claim.

23. user (2026-06-22T09:35:21.272Z)

Exit code 2

===wizard step count===

1:// First-run setup wizard (PACKAGING_PLAN.md P2c). Three quick steps ? AI key / compute / videos ?

3:// Localized (en/kn/hi/es/da/id). The Gemini-key step is GUIDED setup, not auto-save: the engine has

22:const STEPS = 3;

24:function KeyStep({ caps }: { caps: EngineCapabilities | null }) {

50:function ComputeStep({ caps }: { caps: EngineCapabilities | null }) {

68:function VideosStep() {

81: const [step, setStep] = useState(0);

116: const stepping = !loading && !offline; // the 3-step flow only when capabilities loaded

117: const isLast = step === STEPS - 1;

136: {stepping && (

137: <p className="mt-1 text-xs font-medium text-ink/50">{t("wizard.step", { n: step + 1
}}}</p>

143: {stepping && step === 0 && <KeyStep caps={caps} />}

144: {stepping && step === 1 && <ComputeStep caps={caps} />}

145: {stepping && step === 2 && <VideosStep />}

149: {stepping ? (

===docs referenced by NEXT_STEPS exist?===

EXISTS: docs/REQUEST_ACCESS_FORM.md

EXISTS: docs/PORTABILITY.md

EXISTS: docs/archives/FRIENDLY_AND_MULTILINGUAL.md

EXISTS: docs/PER_RALLY_SELECTION.md

EXISTS: docs/LOCAL_APPLIANCE_ARCHITECTURE.md

===control-plane dir?===

MISSING control-plane/

24. assistant (2026-06-22T09:35:26.672Z)

Wizard confirmed 3 steps + `api/capabilities` + 6 langs. All referenced docs exist. `control-plane/` does NOT exist ? but the doc says "Control plane (`control-plane/`) at beta" which is

forward-looking ("Bigger arcs (design-first)"), so it's an aspirational future item, not a claim that it exists now. Let me verify the LOCAL_APPLIANCE_ARCHITECTURE status (DRAFT), the footer `/capture` link claim that #94 mentioned, and the "own-model" / flyer routes, plus the promo_cuj reference and the segmented form fields.

25. user (2026-06-22T09:35:30.176Z)

===LOCAL_APPLIANCE status header===

```
> **Status:** `DRAFT` ? owner-gated (auth choice, retention, cost ceiling, GPU host, P5 bridge)
. **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
```

===footer /capture links in index.html===

```
210: footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-size:.9rem}
393:     <a class="btn btn-dark" href="/capture" data-i18n="site.record.checklistCta">Full
1-page capture checklist ?</a>
613:<footer>
620:     <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khehsutra.guru">hello@khehsutra.guru</a> . <a
href="https://khehsutra.guru">khehsutra.guru</a></div>
625:</footer>
```

===segmented form fields (academy/individual + GPU + storage + free text)===

```
191:textarea
192:textarea
193:textarea
206:academy
403:academy
420:academy
537:academy
537:academy
538:individual
570:gpu
571:gpu
573:gpu
573:gpu
574:gpu
574:gpu
575:gpu
575:gpu
576:gpu
576:gpu
581:storage
```

26. assistant (2026-06-22T09:35:36.468Z)

All confirmed: appliance doc is DRAFT, footer has `/capture` links, segmented form has academy/individual/GPU/storage/textarea fields. Now let me verify the remaining specific claims: the `promo\_cuj.mp4` GCS reference, the `own-model.html` page existing, and the multilingual "6 languages" archive claim. Let me also double-check the "PRs through #93" is the only stale count and confirm the date context. Let me check the org-consolidation claim items (those are owner-step/external, mostly unverifiable from repo).

27. user (2026-06-22T09:35:39.666Z)

===own-model.html + flyers exist===

```
site/public/capture.html
site/public/flyer-hi.html
site/public/flyer-kn.html
site/public/flyer.html
site/public/img/flyer-qr.svg
site/public/og.png
site/public/own-model.html
site/public/video/tool-cuj.mp4
```

```

===promo_cuj / screencast refs===
./docs/DRY_RUN_CUJ.md:49:- [x] *(Path B = B-P2, SPA-only)* the bucket video is pointed-at **from
the UI** (no CLI pre-step). ? ? **DONE (live e2e, 2026-06-21), see $9.** In the SPA: entered a
`gs://` URI ? `POST /api/process` ? polled `/api/jobs` ? **12 rallies loaded** ? Build ? **reel
downloaded (1080p, 76s)**, all from the UI. Surfaced + fixed an engine compile bug along the way
(engine [#289](https://github.com/Khelsutra/badminton-highlight-indexer/pull/289)).
**Screencast:** `gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-screencast.mp4`.
./docs/DRY_RUN_CUJ.md:60:Screencast/proof: per-locale screenshots; both reels on the local
machine. Screencast of the i18n SPA is at `gs://khelsutra-rally-
corpus/promo/khelsutra-i18n-screencast.mp4`.
./docs/DRY_RUN_CUJ.md:85:4. **Screencast of the whole CUJ** (Playwright-recorded; the ~3-min
Gemini wait fast-forwarded): `gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-
screencast.mp4`.
./NEXT_STEPS.md:29: (Playwright recording of the per-rally SPA driven against real GPU-run data
? `promo_cuj.mp4`/`.gif`
./NEXT_STEPS.md:30: in `gs://khelsutra-rally-corpus/promo/`). Decide: use it as the marketing
clip (? shows real court

```

```

===git remote (org consolidation hint)===
origin https://github.com/avidullu/khelsutra.git (fetch)
origin https://github.com/avidullu/khelsutra.git (push)

```

28. assistant (2026-06-22T09:35:47.614Z)

Useful findings:

1. The remote is still `avidullu/khelsutra` ? consistent with the doc's claim that the `khelsutra` site repo transfer is still a "? owner step pending" (unchecked). The org-consolidation of the OTHER repos (engine etc.) shows in the DRY_RUN_CUJ link `github.com/Khelsutra/badminton-highlight-indexer` ? so that's consistent too.
2. The `promo\_cuj.mp4` filename: NEXT_STEPS.md cites `promo\_cuj.mp4`/`.gif` in `gs://khelsutra-rally-corpus/promo/`, but DRY_RUN_CUJ.md (the source of truth for these artifacts) calls the files `khelsutra-bucket-cuj-screencast.mp4` and `khelsutra-i18n-screencast.mp4`. There is no `promo\_cuj.mp4` referenced anywhere else. This is a GCS object name I cannot directly verify (no bucket access), so it's unverifiable, but the naming mismatch with the documented artifacts is worth flagging at low/medium severity.

Let me do a final verification on the "Always-Use-HTTPS" / "Cloudflare Web Analytics token" queued items (are they actually still pending?) and the robots.txt presence (#71), to make sure nothing in "Queued" is already shipped.

29. user (2026-06-22T09:35:51.905Z)

```

===Cloudflare Web Analytics token in index.html?===
500:      <li><i aria-hidden="true">?</i><span data-i18n="site.not.li5">Shot detection and
deeper analytics are on the roadmap, not available today.</span></li>
627:<!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ? Web
Analytics ? Add a site.
629:<script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon="{"token": "REPLACE_WITH_CF_TOKEN"}"></script>

```

```

===HSTS / Strict-Transport-Security in worker?===

```

```

===robots.txt (#71)===
site/public/robots.txt

```

```

===noopNotify in server.js (VM SMTP claim)===
14:import { noopNotify } from "../src/notify.js";
24:const notify = noopNotify(); // VM host: no email yet (add SMTP later ? see
docs/PORTABILITY.md)
130:      return await send(res, await handleRequest(await toRequest(req), store, notify));

```

30. assistant (2026-06-22T09:35:57.079Z)

All "Queued" items confirmed still pending:

- Cloudflare Web Analytics: token is still `REPLACE\_WITH\_CF\_TOKEN` (commented out) ? pending, correct.
- HSTS/Always-Use-HTTPS: no HSTS header in worker ? pending, correct.
- VM-path SMTP: `noopNotify()` is used in server.js ? "currently `noopNotify`" is correct.

All claims are verified. Let me compile the findings. The one clearly stale item is the "PRs through #93 merged" claim (master is now at #94, and the doc body's "Where we are" date is 2026-06-20 while #94 landed 2026-06-22). The `promo\_cuj.mp4` filename mismatch is a low-severity unverifiable naming discrepancy.

31. user (2026-06-22T09:36:36.370Z)

Structured output provided successfully

32. assistant (2026-06-22T09:36:52.027Z)

I've audited NEXT_STEPS.md against the live repo. Summary of the verification:

****Overall status: minor-staleness**** ? the doc is the live next-steps tracker and is overwhelmingly accurate.

****The one genuinely stale claim (medium):****

- Line 13 says "***PRs through #93 merged***" but master is now at ****#94**** (`50b2bd7`). Ironically, #94 is the very commit titled "correct stale NEXT_STEPS claims" that wrote the "#93" line ? then merged itself, leaving the doc one PR behind.

****Low-severity items:****

- The "Where we are (2026-06-20)" date trails the latest merged work (#94 landed 2026-06-22).
- The `promo\_cuj.mp4`/`.gif` GCS object name (line 29) couldn't be verified (no bucket access) and doesn't match the filenames `docs/DRY\_RUN\_CUJ.md` uses for the same `gs://?/promo/` prefix (`khelsutra-bucket-cuj-screencast.mp4`, `khelsutra-i18n-screencast.mp4`) ? possible naming mismatch.

****Everything else verified correct against code/git:****

- Routes: `capture`, `own-model`, `flyer` (`site/server.js:97-103`); `api/request-access` (`site/src/index.js:80`, `site/server.js:128`).
- Cloudflare: Worker `hidden-king-khelsutra`, D1 `khelsutra-access`, Email send binding `NOTIFY` (`site/wrangler.toml`).
- Droplet `168.144.126.176:8787` + systemd `khelsutra-site`; `noopNotify()` still used in `server.js:24`.
- 6 SPA locales en/kn/hi/es/da/id (`web/src/i18n/index.ts:25`); 3-step wizard from `api/capabilities` (`web/src/components/SetupWizard.tsx:22`).
- All per-rally PR numbers (#11/#14/#21/#28/#30/#31) match git log; `docs/PER\_RALLY\_SELECTION.md` = IN PROGRESS, `docs/LOCAL\_APPLIANCE\_ARCHITECTURE.md` = DRAFT.
- Friendly & Multilingual archived (#93) at `docs/archives/FRIENDLY\_AND\_MULTILINGUAL.md`.
- All three "Queued" items still genuinely pending (no HSTS header; CF Analytics token still `REPLACE\_WITH\_CF\_TOKEN`; VM SMTP absent).
- Site repo remote still `avidullu/khelsutra` ? consistent with the unchecked "transfer pending" box.

Not an archive candidate. The structured findings are returned via the StructuredOutput tool.

Relevant absolute paths: `C:\Users\avidu\Projects\khelsutra\NEXT\_STEPS.md`,
`C:\Users\avidu\Projects\khelsutra\site\wrangler.toml`,
`C:\Users\avidu\Projects\khelsutra\site\server.js`,
`C:\Users\avidu\Projects\khelsutra\site\src\index.js`,
`C:\Users\avidu\Projects\khelsutra\web\src\i18n\index.ts`,
`C:\Users\avidu\Projects\khelsutra\web\src\components\SetupWizard.tsx`.