

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_f9255361-69d\agent-aaab599c8c65915cf.jsonl`
- SHA-256: `295944b1c51981eadffaaf0404514b1a21153f34c4f4ef09fb837b07f0f21b36`
- Source modified: `2026-06-22T09:35:39+00:00`
- Imported at: `2026-07-05T16:48:26+00:00`
- project: `wf_f9255361-69d`
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:32:46.033Z)

You are auditing ONE doc in the KhelSutra brand/site repo for staleness, as part of a "are all the docs up to date?" sweep.

Repo root: C:\Users\avidu\Projects\kheelsutra (bash path: /c/Users/avidu/Projects/kheelsutra)
The repo is on `master`, freshly synced to remote HEAD ? the latest merged PR is #94. Today is 2026-06-22.

DOC TO AUDIT: docs/archives/FRIENDLY_AND_MULTILINGUAL.md

Your job: read the doc IN FULL, extract every concrete, falsifiable claim, and VERIFY each against the LIVE repo ? do NOT trust the doc's own wording. Hard discipline rule: a claim is "correct" ONLY when you have file:line or command-output evidence for it; if you cannot verify it, mark verdict "unverifiable" ? never guess, never assume the doc is right. Re-check against actual code/git.

Kinds of claims to check:

- File / path / route references ("served at /capture", "see src/store.js", "public/og.png", "systemd kheelsutra-site") -> does the path or route ACTUALLY exist now? Confirm with git ls-files / Read / the routing in site/server.js + site/src/index.js.
- PR numbers and counts ("PRs #1-#8 merged", "20 tests green", "6 languages", "3-step wizard", "P0..P5 done") -> verify against `git -C <root> log`, the actual test output/count, and the code.
- Status markers (DONE / pending / IN PROGRESS / DRAFT / "?" / "owner-gated" / "NEXT") -> still accurate vs the code & git history? Is something marked pending that is actually shipped, or vice-versa?
- Dates, "live at <url>", "merged in #N".
- Whether the doc describes something now SUPERSEDED or fully shipped -> is it an archive candidate (a tracker whose work is complete, or content duplicated by docs/archives/)? Note: docs/archives/FRIENDLY_AND_MULTILINGUAL.md already exists as the archived multilingual tracker.

Tools: Read the doc + every cited file; Grep/Glob to locate code; Bash for `git -C /c/Users/avidu/Projects/kheelsutra log --oneline`, `... ls-files`, and greps. To check a test count, you may run the suite (`cd /c/Users/avidu/Projects/kheelsutra/site && node --test` or `npm test`), but prefer cheap checks. Verify against master as it stands NOW.

Severity: high = a factually wrong claim a reader would act on (wrong path/route, a "DONE" that isn't, a wrong count/PR that misleads). medium = outdated-but-harmless (stale PR range, old "where we are", superseded framing). low = cosmetic.

Do NOT modify any file ? audit only. Return ONLY the structured object (doc, overallStatus, findings[], summary).

2. assistant (2026-06-22T09:32:49.131Z)

I'll audit the doc against the live repo. Let me start by reading the doc in full and syncing the repo state.

3. user (2026-06-22T09:32:50.060Z)

```
1      # Friendly & Multilingual ? non-tech-savvy UX + Hindi/Kannada localization
2
3      > **Status:** ? **DONE ? ARCHIVED 2026-06-22** (engineering complete) . **Owner:** Avi
Dullu . **Created:** 2026-06-21 . **Last updated:** 2026-06-22
4      > **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` ? now **archived** (engineering
done; two human gates carried forward, see banner below).
5      >
6      > **? ARCHIVED 2026-06-22 ? engineering COMPLETE.** Both surfaces (`web/` SPA + `site/`
marketing) speak all **6 languages** end-to-end; the home-page body is fully localized (except
the deferred `#join` access form, **A6**) and the recurring responsive-header bug is fixed +
**CI-guarded** ([#91](https://github.com/avidullu/khelsutra/pull/91) ? a headless-Chromium
layout-regression job). All §7 rows are ? except **B7** (deferred ? cross-repo engine backend
l10n, owner-gated **D-BACKEND-DEPTH**). Two **human gates** remain ? these are owner QA, **not
engineering**, and are **carried forward to [NEXT_STEPS.md](../NEXT_STEPS.md)**: (1)
**native-speaker review** of the AI-drafted catalogs (kn/hi/es/da/id ? Gemini drafts, the
standing guardrail before a *wide public launch*), and (2) the **owner font-glyph eyeball** on a
real Kannada/Hindi device (CI can't render font glyphs). Further locales:
[MULTILINGUAL_EXPANSION.md](../MULTILINGUAL_EXPANSION.md).
7      > **Tracking anchors:** §7 progress tracker is the source of truth; indexed in
`docs/README.md`; thread in NEXT_STEPS.md; pointer in engine docs/DOC_STATUS.md; memory
`current-state` + next-session-ux-localization.
8      > **Relation to existing docs:** this is the **implementation project** for two engine
design docs ? it *adapts & supersedes-in-practice* badminton-highlight-
indexer/docs/I18N_PLAN.md (localization) and the UX half of ?/docs/UI_PROPOSAL.md (non-tech-
savvy console). Those stay the canonical *design*; this doc carries the *tracked execution*
against today's surfaces.
9      > **Honesty note:** each claim tagged [verified] (checked against code this session),
[researched] (needs sign-off), or [design] (proposed). Not legal advice ? the OFL font
question (D-FONT) is owner/counsel-gated.
10
11      ---
12
13      ## 0. TL;DR
14      A coach or parent in Bangalore should land on KhelSutra, feel at home, set up their
camera with confidence, and get highlights ? **in Kannada or Hindi**, with **zero hand-
holding**. This project isolates that goal into one tracked workstream-pair: **A)** make the UI
super friendly for non-tech-savvy users, and **B)** localize to Hindi + Kannada. Both surfaces
(`web/` React SPA + `site/` vanilla marketing) have **zero i18n today** [verified], so the
foundation ? shared locales/{en,kn,hi} catalogs + a negotiation contract + CI parity ? is the
real deliverable; translations follow. **The single most important caveat:** translations are
**human-reviewed** (Gemini drafts are *inference only, never training* ? the standing
guardrail), and Kannada/Hindi rendering is **blocked on the OFL font decision (D-FONT)**. The
cheapest unblocked high-impact first slice is the **SPA i18n scaffold + language switcher (en-
only)** ? it locks the shared catalog/negotiation contract and adds the render-test safety net
the SPA currently lacks.
15
16      ## 1. Problem & goal
17      **Why now.** The public site (khelsutra.guru) is live, clean, honest, and tested. The
PMF beachhead is **Bangalore badminton academies**; many coaches, parents, and players are far
more comfortable in **Kannada** than English, and most are **not highly tech-savvy** [verified
? design intent] (UI_PROPOSAL.md:25,28, I18N_PLAN.md:10-13, PMF_MARKET_RESEARCH.md:116,
KHELSUTRA_PRODUCT_OVERVIEW.md:13/50/61). An English-only, knob-heavy product adds friction at
the exact point of first contact.
18
19      **Concrete outcome ("good" looks like):** a Kannada/Hindi-comfortable, phone-first, non-
technical coach/parent can ? without help ? (1) understand what the product does and how to
record reliably, (2) request access / use the console, (3) pick rallies and get a reel, and (4)
share it on WhatsApp, **entirely in their language**.
20
21      **Read to get current:** this doc's §3§4; the engine design I18N_PLAN.md (canonical
```

i18n design) + `UI\_PROPOSAL.md` \$2 (personas, the 6 alpha screens, "teach recording *before* upload"); `VIDEO\_RECORDING\_GUIDELINES.md`; this repo's `PER\_RALLY\_SELECTION.md` (the honest SPA scope) + `REQUEST\_ACCESS\_FORM.md`.

22

23 **## 2. Decisions locked (structural ? owner directive 2026-06-21)**

24 | # | Decision | Source / date | Implication |

25 |---|-----|-----|-----|

26 | D1 | ****Isolate as ONE tracked project**** spanning both workstreams (A: UX, B: kn/hi l10n) | owner, 2026-06-21 | This doc; \$7 = source of truth; archived on DoD |

27 | D2 | ****Home = `khelsutra/docs/`**** (the implementation repo) | owner-gated tracked-doc convention | `web/` + `site/` both live here; \$7 tracks khelsutra PRs; engine P2 backend-l10n is a cross-repo deferred row |

28 | D3 | ****Adapt `I18N\_PLAN.md` to today's surfaces:**** P1 (vanilla `t()` shim) ? `site/`; P3 (react-i18next) ? `web/`; ****drop the dead `backend/api/static` retrofit**** | `[verified]` the doc targets `backend/api/static` (`I18N\_PLAN.md:25,30,156,191`) which exists only in the engine repo, not here | The doc's framework-agnostic ***foundation*** (catalog format + negotiation + ICU plurals + CI) survives unchanged; only the wiring re-points |

29 | D4 | ****Engine P2 backend-localization stays owner-gated + cross-repo**** (not in this DoD) | `CLAUDE.md` guardrails | Dynamic engine error/report text localizes later; tracked as a deferred row |

30 | D5 | ****Archive trigger = en+kn+hi live on BOTH surfaces**** (+ the non-tech UX baseline), then run the engine `DOC\_STATUS.md` \$2` archival checklist | owner, 2026-06-21 | See \$9 |

31 | D6 | ****D-LOCALES: `en` + `kn` for v1, `hi` next; always-fallback to `en`**** | owner, 2026-06-21 | Kannada-first beachhead; `hi` = catalog-only (both 2-form CLDR) |

32 | D7 | ****D-FONT: OFL-for-media carve-out ? self-host Noto Sans Kannada/Devanagari**** (counsel may still confirm) | owner, 2026-06-21 | Unblocks B4/B5/A3 + the kn/hi reel watermark; an explicit exception to the MIT/Apache/BSD code guardrail (fonts = media) |

33 | D8 | ****D-SURFACE-FIRST: lead with the `web/` SPA scaffold; SKIP the dead static-UI retrofit**** | owner, 2026-06-21 (via B1 go-ahead) | B1 is greenlit; site recording-education localized early |

34 | D9 | ****D-CATALOG-HOME: co-locate `locales/` + CI in `khelsutra`**** (shared, consumed by SPA + site) | owner, 2026-06-21 (via B1 go-ahead) | No cross-repo coupling |

35

36 ***Only **D-BACKEND-DEPTH** (\$8.3) remains open ? and it's a deferred, cross-repo engine concern (B7), not a v1 blocker.***

37

38 **## 3. Foundation ? research / prior art**

39 ****Current-state facts `[verified]` this session**** (adversarially checked against the working tree):

40 - ****`web/` SPA: zero i18n.**** `web/package.json` deps are only `react/` `react-dom`; no `i18next/` `react-intl/` `formatjs`; no `locales/` dir; no `t()/` `useTranslation/` `data-i18n` anywhere. User-facing English is hardcoded in `tsx` (e.g. `QueryBar.tsx:46-47,56,72,76,78`; `App.tsx:115,211,224`) ? ~50 literals + ~16 derived labels.

41 - ****`site/` marketing: vanilla, zero i18n.**** Three `

42 - ****Recording-education is *not* greenfield.**** The homepage "Record it right" gist (`index.html:324-364`) + the `/capture` checklist (`capture.html`, routed `server.js:51`, guarded `assets.test.js:94`) already ship the user-facing best-practices surface. ***Unshipped:** the empirical-threshold framing and the programmatic pre-flight validator (a code change, not a page).

43 - ****Persona is design intent, not built.**** kn/hi + zero-knobs are ****proposed/owner-gated****; the app is English-only today (`KHELSUTRA\_PRODUCT\_OVERVIEW.md:61`). It's Kannada-****first****, Hindi-****next**** ? not Kannada-only.

44

45 ****Localization prior art `[researched]`:**

46 - ****CLDR plural categories:**** Hindi = `{one, other}`; Kannada = `{one, other}`. Both are 2-form (same shape as English) ? once ICU MessageFormat is in the catalog, adding `hi/` `kn` plurals is ****catalog-only****, no code. (ICU still required because English `count>1?'s':'` hand-rolling ? present today in the SPA ? doesn't generalize.)

47 - ****react-i18next**** (web/): `i18next` + `react-i18next` + `i18next-browser-languagedetector` + an ICU/plural post-processor; lazy-load per-locale JSON; persist via `localStorage`.

```

48     - **Shared catalog + tiny shim** (site/): the SAME i18next-flavored JSON consumed by a
~30-line `t(key, vars)` shim that walks `data-i18n` attributes ? no build step, no framework,
mirrors i18next interpolation/plural rules for the 2-form languages.
49     - **Noto Sans Kannada / Noto Sans Devanagari** are **OFL-1.1**; OFL permits commercial
bundling/redistribution (fonts = media, not code/weights). Self-host (e.g. `@fontsource`) with
`font-display: swap` + subsetting. **Gated on D-FONT.**
50     - **Non-tech-savvy / HCI4D patterns:** icon **+ text** (never icon-only), non-color
selection indicators, large touch targets, mobile-first, WhatsApp as the share channel, a
prominent persistent language switcher.
51
52     ## 4. Design / architecture
53     **Two surfaces, one shared source of truth.**
54
55     ```
56     locales/                                # shared catalogs ? co-located in khelsutra (D-CATALOG-
HOME, see §8)
57         en/  common.json                    # source of truth ? devs author keys here
58         kn/  common.json                    # Kannada   (Gemini-draft ? human-review)
59         hi/  common.json                    # Hindi     (next ? the extensibility proof)
60
61     web/   ? react-i18next                  # I18N_PLAN P3: provider in main.tsx; useTranslation in
components
62     site/  ? t(key,vars) shim               # I18N_PLAN P1 retargeted: data-i18n attrs over the
static HTML
63     ```
64
65     - **Negotiation contract (one order, both surfaces):** `persisted pref (localStorage) ?
switcher / ?lang=<code> ? navigator/Accept-Language ? "en"`. Supported locales in a single
module; anything else falls back to `en`; **a missing key degrades to English, never to a raw
key.**
66     - **Keys, never prose** ? `t("compile.button")`, with ICU for interpolation/plurals:
`"{count, plural, one {# rally} other {# rallies}}"` . This replaces the SPA's current hand-
rolled `Segment${count>1?'s':''}`.
67     - **Translation pipeline (guardrail-clean):** dev authors `en` keys ?
`scripts/i18n_draft.py`-style Gemini **draft** (inference only, never training; flags every
value for review) ? **owner/native-speaker review** ? CI key-parity ? merge. Gemini never
touches `en`, never invents keys.
68     - **CI enforcement (keeps it "by design")**: (1) **key-parity** ? every locale has
exactly the `en` key set (drop a stub `ta.json` ? CI lists every gap = the extensibility proof);
(2) **no-bare-strings** ? flags user-facing literals not routed through `t()` (curated allowlist
to start).
69     - **Fonts**: bundle Noto Sans Kannada + Devanagari **iff D-FONT = OFL carve-out**; this
also unblocks a Kannada/Hindi **reel watermark** (engine `WatermarkConfig.font_path` already
takes a path ? config, not code).
70
71     **Non-tech-savvy UX levers** (ranked impact × effort, grounded in personas; surface-
tagged):
72
73     | Lever | Surface | Impact | Effort | Note |
74     |---|---|---|---|---|
75     | Plain-language copy ? strip engine jargon, keep honest caveats | both | high | small |
banners + footer carry backend vocabulary today |
76     | Localized **WhatsApp share** for the downloaded reel | both | high | small | WhatsApp
is **the** channel for this audience |
77     | **Language switcher** persisted via a shared localStorage key | both | high | small |
site promises kn/hi but ships no switcher |
78     | Localize **recording-education** (capture + gist) kn?hi | site | high | medium | gates
input quality; the highest-leverage kn content |
79     | Mobile-first touch targets; tooltip-text ? visible | web | high | medium | tiny
targets + desktop layout + invisible tooltips on phones |
80     | Icon **+ text** + non-color selection indicator | web | medium | small | never icon-
only |
81     | Friendly engine-error mapping over raw FastAPI `detail` | web | medium | medium |
`CompileResult` passes engine text untranslated |
82     | Plain-language framing for the Request-Access GPU/storage Qs | site | medium | small |

```

```

"GPU"/"S3/GCS" are intimidating |
83 | Background-processing reassurance + status as icon chips | web | medium | small |
honest expectations on slow uplinks |
84 | Fix English-source recording gaps (a diagram) before translating | site | medium |
medium | the diagram is reusable across all 3 languages |
85 | Tap-only filter controls alongside the English query bar | web | medium | large | the
`parseQuery()` parser is English-grammar only |
86 | Keep the honest *today-vs-roadmap* split through translation | both | medium | small |
never soften "experimental"/"not available yet" |
87
88 **Reuse map (what's new vs reused):** *Reused* ? the i18next-flavored JSON + negotiation
contract + ICU plurals + key-parity/no-bare-strings CI + draft?review pipeline (all from
`I18N_PLAN.md`); the shipped recording pages; the SPA's `lib/format.ts`/`lib/query.ts`;
`site/src/assets.test.js` + the SPA's vitest harness. *New* ? `locales/` catalogs; the SPA
react-i18next provider + switcher; the site `t()` shim + `data-i18n` wiring; Noto font bundle
(gated); a jsdom render-test env for the SPA.
89
90 ## 5. Privacy / scope note
91 i18n touches **presentation only** ? no new personal-data collection, no biometrics,
minors-excluded posture unchanged. WhatsApp share opens the user's own client with a pre-filled
message; it sends nothing server-side. Gemini-draft translation is inference, not training (no
user data in the loop).
92
93 ## 6. Honest limits ? what this does NOT do
94 - A green CI / DONE status proves **key-parity + render + no-bare-strings**, **not**
translation *quality* ? that's human-gated and owner-paced.
95 - Kannada/Hindi will **not render** until the Noto fonts land (D-FONT); until then kn/hi
catalogs exist but display tofu/fallback.
96 - The SPA is **job-tethered** ; localizing **dynamic engine errors/report text** needs
engine P2 (owner-gated, cross-repo, D-BACKEND-DEPTH) ? out of this DoD.
97 - The query bar stays **English-grammar parsing** ; kn/hi users rely on tap-only controls
(a later, larger slice), not free-text Kannada queries.
98 - **Mobile-perfect** layout is an alpha non-goal (usable-on-phone is in scope; pixel-
perfect is not).
99
100 ## 6.5 Testing strategy ? automatic language negotiation (rigorous, owner-required)
101 **The bar (owner, #41):** a user whose **computer/browser language is Kannada or Hindi
must get the respective version automatically** ? that is the core promise and it is **proven by
tests at every layer, never assumed.** Auto-selection IS the negotiation order (persisted pref ?
`?lang=` ? browser/`Accept-Language` ? `en`); each step gets a test.
102
103 **Negotiation matrix ? every row is an automated test:**
104
105 | # | Signal under test | Setup | Expected | Proven in |
106 |---|---|---|---|---|
107 | N1 | **Browser/OS = Kannada** | no persisted pref, no `?lang`,
`navigator.languages=["kn-IN", ?]` | resolves to **kn** ? Kannada content (once the kn catalog
ships) | **B1** detection . **B5** content |
108 | N2 | **Browser/OS = Hindi** | `navigator.languages=["hi-IN", ?]` | resolves to **hi**
? Hindi content | **B6** (hi added to the supported set + catalog) |
109 | N3 | **`?lang=` override** | `?lang=kn`, browser = en | kn | B1 |
110 | N4 | **Persisted pref wins** | `localStorage=kn`, browser = en, no `?lang` | kn (a
returning user keeps their choice) | B1 |
111 | N5 | **Region subtag normalizes** | `navigator.language="kn-IN"` | base **kn** (not a
"kn-IN" miss) | B1 |
112 | N6 | **Unsupported language** | `navigator="ta-IN"` (Tamil, not yet supported) |
**en** fallback ? never a locale we can't serve | B1 |
113 | N7 | **Missing key in active locale** | kn active, a key absent from `kn/common.json`
| **en** fallback for that key (no raw key shown) | B1/B5 |
114 | N8 | **Static site (vanilla shim)** | `Accept-Language: kn` / `?lang=kn` on a `site/`
page | kn-rendered page (same order as the SPA) | B3 |
115 | N9 | **Backend (engine P2)** | `Accept-Language: kn` to the API | kn customer/report
text | B7 (owner-gated) |
116
117 **Levels & tooling:**

```

118 - ****SPA** (`web/`):** jsdom tests stub `navigator.language`/`navigator.languages`,
`localStorage`, and the `?lang` query ? assert `i18n.language`/`resolvedLanguage` + rendered
text per the matrix. *(B1 lands N1/N3?N7 at the ****detection**** level now ? `kn` is supported; the
kn/hi ****content**** assertions ride the catalogs in B5/B6.)*

119 - ****Static site** (B3):** the shared `t()` shim's negotiation is unit-tested the same way;
plus a server test that `Accept-Language: kn`/`?lang=kn` returns the kn-rendered page.

120 - ****CI key-parity****:** guarantees every locale has every key, so a correctly-negotiated
locale can never fall through to a raw key.

121 - ****End-to-end** (manual, owner machine ? per I18N_PLAN \$6):** set the real OS/browser to
Kannada, then Hindi ? load both surfaces ? confirm the right language renders ****and** the Noto
fonts display** (the cloud CI container can't render fonts; the owner eyeball is the final
gate).

122 - ****? Query parsing / semantic understanding** (forward-looking, owner directive
2026-06-21) ? i18n testing is **MANDATORY** there.** The query bar is ****English-grammar-only**** today
(a documented limit, tracker A9): the user types English queries (`over 10s`, `top 15 longest`)
and a localized ****sample-query prompt**** shows them what to type in ***every*** locale (kn/hi
included). The ****moment**** the parser gains ****semantic understanding**** or accepts ****Kannada/Hindi**
query input** (e.g. typing a Kannada/Hindi phrase, or a conversational/NL builder ? I18N_PLAN
P4), i18n tests become a ****merge gate****: a kn/hi query (typed or spoken) must parse to the
****correct selection****, the localized ****parse-feedback**** ("parsed-pill") must render in the
active locale, and the unsupported/empty-result messages must localize. ****No query-NL /**
semantic-parsing work merges without those tests.**

123

124 A locale that's reachable by the switcher but ****not auto-selected** from the browser
language is a bug, not a "later".** This matrix is a DoD gate (\$9).

125

126 **## 7. Deliverables & progress tracker** ? ****source of truth****

127 Legend: ? Todo · ? In progress · ? Done · ? Blocked/gated. ****One small PR per row****,
branched from `origin/master`, no stacking.

128

ID	Deliverable	Workstream	Depends on	Gated?	Status	PR
P0	This tracked project doc + inbound pointers				No	
[#41]	(https://github.com/avidullu/khelsutra/pull/41)	engine				
[#275]	(https://github.com/Khelsutra/badminton-highlight-indexer/pull/275)					
B1	**SPA i18n scaffold + language switcher, en-only** (react-i18next + detector + `en` catalog + switcher + persistence + **jsdom render tests** + **browser-language negotiation tests** \$6.5 N1/N3?N7) B P0 No ?					
[#42]	(https://github.com/avidullu/khelsutra/pull/42)					
B2	Extract SPA strings ? `en` catalog (~50 literals + ~16 derived; ICU plural keys); add **key-parity + no-bare-strings CI** B B1 No ?					
[#45]	(https://github.com/avidullu/khelsutra/pull/45)					
A1	Plain-language copy pass on the `en` catalog (de-jargon; icon+text; non-color selection) A B2 No ?					
[#60]	(https://github.com/avidullu/khelsutra/pull/60)					
B3	**Shared `t()`/`data-i18n` shim + persistent switcher for `site/`** ? hoist catalogs to repo-root `/locales` (D-CATALOG-HOME), re-point the SPA, site copy-step + drift- guard, `server.js` + shim negotiation (\$6.5 **N8**); **en-only marketing content** (kn/hi rides A3) B B2 D-CATALOG-HOME ? ?					
[#70]	(https://github.com/avidullu/khelsutra/pull/70)					
A2	Localized **WhatsApp share** for the reel ? SPA (CompileResult) + site (post- signup reveal via a shim `window.KhelSutra.t` bridge); `wa.me`, client-only, `rel=noopener` A B1/B3 No ?					
[#82]	(https://github.com/avidullu/khelsutra/pull/82)					
A6	Plain-language framing for Request-Access GPU/storage questions (de-jargoned + GPU reassurance; wired via `data-i18n`, en ? form kn/hi is a later increment) A B3 No ?					
[#75]	(https://github.com/avidullu/khelsutra/pull/75)					
A7	**Camera-placement diagram** on the capture page (accessible inline SVG: elevated camera behind the baseline, ~30° tilt, full-court field-of-view) with a localized en/kn/hi legend A ? No ?					
[#76]	(https://github.com/avidullu/khelsutra/pull/76)					
B4	**Noto Sans Kannada + Devanagari** bundle (OFL carve-out) ? *SPA done ; reel watermark `font_path` = engine follow-up* B ? D-FONT ? ?					
[#46]	(https://github.com/avidullu/khelsutra/pull/46)					
B5	**Kannada (`kn`) catalog** ? render ? *SPA done (AI-draft, native review pending); `site/` rides B3* B B2/B4 D-LOCALES ? ?					
[#47]	(https://github.com/avidullu/khelsutra/pull/47)					
A3	Localize **recording-education** (capture + homepage gist) + the `site.` marketing copy to **kn + hi** (Noto on the site; AI-draft, adversarially verified, native review					

pending) | A | B3/B5 | D-LOCALES ? + D-FONT ? (site: Google-Fonts Noto) | ? |
 [#74](https://github.com/avidullu/khelsutra/pull/74) |
 142 | A4 | Mobile-first touch targets + tooltip-text ? visible (SPA) | A | B1 | No | ? |
 [#61](https://github.com/avidullu/khelsutra/pull/61) |
 143 | A5 | Friendly engine-error mapping over raw FastAPI `detail` (SPA, client-side map) |
 A | B2 | No | ? | [#62](https://github.com/avidullu/khelsutra/pull/62) |
 144 | B6 | **Hindi** (`hi`) catalog ? render (the extensibility proof ? just a catalog) ?
 SPA done (AI-draft, native review pending) | B | B5 | D-LOCALES ? | ? |
 [#48](https://github.com/avidullu/khelsutra/pull/48) |
 145 | A8 | Background-processing reassurance + verdict/status as icon chips (SPA) | A | B2 |
 No | ? | [#63](https://github.com/avidullu/khelsutra/pull/63) |
 146 | A9 | Tap-only filter controls alongside the English query bar (SPA) | A | B2 | No | ?
 | [#68](https://github.com/avidullu/khelsutra/pull/68) |
 147 | B7 | **(deferred, cross-repo)** Engine **P2 backend customer-facing localization**
 (report `customer\_` + rejection reasons) | B | engine | **D-BACKEND-DEPTH, owner-gated** | ? |
 ? |
 148
 149 **MILESTONE ? SPA fully trilingual (2026-06-21):** the `web/` Studio SPA now speaks
en + kn + hi end to end (B1?B2?B4?B5?B6, all merged). A **Kannada-default browser auto-**
renders Kannada, and the switcher walks **kn ? hi ? en ?** **proven by a Playwright screencast**
 with `locale: kn-IN` (`khelsutra-i18n-screencast.mp4`; frames captured per locale + `
 lang>` tracked). This meets the owner's success criterion **on the SPA surface**. **B3** has since
 landed ? the `site/` marketing surface now carries the shared `t()/`data-i18n` shim, a
 persistent **en/kn/hi** switcher, and matching negotiation (client shim + `server.js`; \$6.5 **N8**
 green), with **en-only** marketing content for now (the shim/switcher/negotiation are the proof;
kn/hi **marketing** translation rides **A3**). **A3** has since landed ? the `site/` recording-
 education (homepage gist + capture checklist) and the `site.` marketing copy now render in **kn**
 + **hi** (Noto bundled on the site), so a Kannada/Hindi browser auto-gets localized recording
 instructions. **A6** (plain-language access form,
 [#75](https://github.com/avidullu/khelsutra/pull/75)) and **A7** (camera-placement diagram,
 [#76](https://github.com/avidullu/khelsutra/pull/76)) have since landed, and the **kn/hi** SPA-
 console native-review pass shipped ([#77](https://github.com/avidullu/khelsutra/pull/77)).
Still open for the full \$9 DoD: a **native-speaker review** of the **remaining** AI-drafted
 catalogs (es/da/id + the reel-watermark strings; the **kn/hi** SPA console is done via #77) before a
 wide public launch. (**A2** WhatsApp/social share is **deferred out of v1 scope** ? not a DoD
 blocker.) Do **not** archive until both surfaces render **kn/hi** **content**. ? (both now do, pending
 the remaining native review).
 150
 151 **## 8. Open questions ? owner (blocking gates) [design]**
 152 **Status (2026-06-21):** 4 of 5 **LOCKED/ADOPTED** by the owner ? see \$2 (D6?D9). Only
 D-BACKEND-DEPTH remains open (and it's deferred, not a v1 blocker).
 153 1. **D-FONT ? ? LOCKED ?** (a) OFL-for-media carve-out, self-host Noto Sans
 Kannada/Devanagari (counsel may still confirm). An explicit exception to the MIT/Apache/BSD
 code guardrail (fonts = media). Unblocks B4/B5/A3 + the **kn/hi** reel watermark.
 154 2. **D-LOCALES ? ? LOCKED ?** `en` + `kn` for v1, `hi` next, always-fallback to `en`
 (both 2-form CLDR ? `hi` is catalog-only).
 155 3. **D-BACKEND-DEPTH ? ? OPEN (deferred, not a v1 blocker).** Recommend **customer**
 verdict/report `customer\_` + validation-rejection reasons first; technical/operator text stays
 English; phase two (engine repo, owner-gated ? tracker row B7).
 156 4. **D-SURFACE-FIRST ? ? ADOPTED ?** lead with the SPA scaffold (B1), localize site
 recording-education early, SKIP the dead static-UI retrofit.
 157 5. **D-CATALOG-HOME ? ? ADOPTED & IMPLEMENTED (B3) ?** repo-root
 `~/locales/{en,kn,hi,es,da,id}/common.json` is the single source of truth. The SPA imports it
 directly (re-pointed to `../../locales`; Vite resolves the workspace root via the repo `.git`
 marker, so dev/build/test all work). The dependency-free site consumes it through one tiny build
 step ? `npm run copy:locales` mirrors `~/locales` ? `site/public/locales/` (auto-runs
 `predeploy`), with a **drift-guard test** (`site/src/locales-drift.test.js`) failing CI if the
 shipped copy goes stale. (The engine `I18N\_PLAN` assumed the indexer repo; this is the
 adaptation.)
 158
 159 **## 9. Definition of done**
 160 - [x] **Automatic language negotiation (\$6.5) is green** ? N1/N3?N7 (SPA, jsdom) + N2
 (hi) + N8 (static-site shim honors `Accept-Language`/?lang`, `server.test.js`), all in CI.
 161 - [] **Manual cross-check (owner machine):** OS/browser set to Kannada and to Hindi
 each render the respective language on BOTH surfaces, with Noto fonts displaying. **(Owner**

eyeball ? pending; cloud CI can't render font glyphs. Closest proxy: the Playwright screencasts in `khelsutra-screencast/` ? `khelsutra-site-i18n-desktop.mp4` (site, kn) + `khelsutra-i18n-screencast.mp4` (SPA, `locale: kn-IN`.)*)

162 - [x] `en` + `kn` + `hi` catalogs live and ****rendering**** on BOTH `web/` SPA and `site/` marketing (switcher + persistence + `en` fallback; no raw keys shown) ? B1?B6 (SPA) + B3/A3 (site), proven by render tests + a real-browser pass.

163 - [] ****Noto Sans Kannada + Devanagari render correctly**** ? owner eyeball on a real machine. *(SPA self-hosts OFL Noto (B4); the site loads Noto via Google Fonts (A3). Pending the owner's device check.)*

164 - [x] CI ****key-parity + no-bare-strings**** green; a stub locale flags every gap ? `web/src/i18n/hygiene.test.ts` (+ placeholder-parity, es 3-form) + the site `locales-drift` guard.

165 - [x] ****Recording-education**** (capture + homepage gist) available in `kn` + `hi` ? A3 (#74), incl. a localized camera-placement diagram (A7, #76).

166 - [x] ****Non-tech UX baseline**** ? plain-language copy (A1/A6), mobile tap targets (A4) + the decluttered compact switcher (#83), icon+text status (A8), WhatsApp share (A2), tap-only filters (A9), honest today-vs-roadmap preserved through translation.

167 - [x] \$7 all rows ? (or explicitly deferred) ? flip ****Status ? DONE**** + run the engine `DOC\_STATUS.md` \$2` archival checklist ? `git mv` to `docs/archives/`. **\*\*DONE 2026-06-22 ? archived\*\*** (owner directive: archive on engineering-complete; the two human gates ride forward to `NEXT_STEPS.md` as owner QA, not archival blockers). \*(\$7 is all ? except the owner-gated, cross-repo **\*\*B7\*\*** ? deferred. The two human gates above (native-speaker review of the AI-drafted catalogs + the owner font-glyph eyeball) are **\*\*carried forward to `NEXT_STEPS.md`\*\*** (owner QA, not engineering). Engineering follow-ups since are all **\*\*closed\*\***: own-model body ([#86](https://github.com/avidullu/khelsutra/pull/86)), the es/da/id site expansion ([#87](https://github.com/avidullu/khelsutra/pull/87)), the hero demo-mockup + `#how` block ([#89](https://github.com/avidullu/khelsutra/pull/89)), and the remaining `#diff/` `#sharper/` `#ask/` `#roadmap/` `#not/` `#faq` sections ([#90](https://github.com/avidullu/khelsutra/pull/90)) ? so the **\*\*home page body is fully localized in all 6 languages except the `#join` form (A6, deferred)\*\***. The recurring responsive-header bug is fixed and now **\*\*guarded by a real-browser layout-regression CI job\*\*** ([#91](https://github.com/avidullu/khelsutra/pull/91)) ? `site/src/layout.browser.mjs`, headless Chromium asserting header invariants across widths × 6 locales; jsdom can't see layout). No engineering gap remains before the two human gates.)*

168

169 ## 10. References

170 ****Internal code anchors `[verified]`****: `web/package.json`, `web/src/{App.tsx,main.tsx,components/QueryBar.tsx,components/CompileResult.tsx,lib/query.ts}`; `site/public/{index,capture,own-model}.html`, `site/public/i18n.js` (shim ? incl. `fitNav` nav auto-collapse), `site/server.js`, `site/src/{assets.test.js,i18n.shim.test.js,layout.browser.mjs}` (the last = the headless-Chromium layout-regression guard, `npm run test:layout`). ****This repo's docs:**** `docs/PER\_RALLY\_SELECTION.md`, `docs/REQUEST\_ACCESS\_FORM.md`, `docs/README.md`, `NEXT\_STEPS.md`. ****Engine design docs (canonical):**** `badminton-highlight-indexer/docs/{I18N\_PLAN.md,UI\_PROPOSAL.md,VIDEO\_RECORDING\_GUIDELINES.md,PMF\_MARKET\_RESEARCH.md,PMF\_FIELD\_SIGNALS.md,KHELSUTRA\_PRODUCT\_OVERVIEW.md,DOC\_STATUS.md}`. ****External `[researched]`****: Unicode CLDR plural rules (kn/hi = one/other); react-i18next + i18next-icu; SIL Open Font License 1.1; Google Noto Sans Kannada/Devanagari.

171

172 ---

173

174 ### Changelog

175 - `2026-06-21` ? created. Isolated the UX + Hindi/Kannada work into one tracked project (owner directive). Grounded in a multi-agent research+verification pass (web/+site/ string maps, Indic-l10n prior art, 5 adversarial verdicts). Decisions D1?D5 locked; 5 product/licensing decisions surfaced as open; \$7 tracker seeded with B1 as the recommended first slice.

176 - `2026-06-21` ? owner locked ****D6 (en+kn?hi)**** + ****D7 (OFL Noto carve-out)**** and adopted ****D8 (SPA-first)**** + ****D9 (catalogs in khelsutra)****; only D-BACKEND-DEPTH remains open. ****B1 greenlit ? ? in progress.****

177 - `2026-06-21` ? ****B1 opened ?** [#42](https://github.com/avidullu/khelsutra/pull/42)******: SPA i18n scaffold (react-i18next + ICU + detector) + `en` catalog + language switcher + the SPA's first jsdom render tests. Verified typecheck/79-tests/build green + live in-browser (switcher persists, en-fallback). Doc/pointer PRs opened: khelsutra [#41](https://github.com/avidullu/khelsutra/pull/41), engine [#275](https://github.com/Khelsutra/badminton-highlight-indexer/pull/275).

178 - `2026-06-21` ? ****\$6.5 Testing strategy added (owner ask, #41):**** a rigorous ****automatic-negotiation matrix**** (N1?N9) so a Kannada/Hindi ****browser**** auto-gets the respective version ? proven at the detection level now (B1), at the content level with the catalogs (B5/B6), on the static shim (B3), and by a manual font-render eyeball. Wired into the DoD (\$9). B1 (#42) gains the detection tests (N1/N3?N7).

179 - `2026-06-21` ? ****A9 (#68) landed.**** Localized tap-only filter controls (`TapFilters`: Sort/Length/Count) so a non-English-typing kn/hi/? user can filter without typing the English query syntax; each tap builds the same `ParsedQuery` the parser would (tap == type, test-pinned). The English example chips now show only in English. 173 web tests; reviewed via a 2-lens adversarial workflow. ****Workstream A: A1/A4/A5/A8/A9 ?; remaining A3 (recording-edu kn/hi), A6/A7 (site), B3 (site trilingual).**** (Also note: MULTILINGUAL_EXPANSION Phase A ? es/da/id ? shipped #67, so the SPA now speaks 6 languages.)*

180 - `2026-06-21` ? ****A8 (#63) landed.**** Background-processing reassurance + status as icon+text chips (never icon-only): a new `StatusChip` + shared `Spinner`; IngestPanel processing shows a working chip + "safe to wait ? runs on the server" line and a ? "Couldn't process" chip on failure; CompileResult gains a "Stitching your reel?" building card + ?? status icons on the terminal card (now `aria-live`). 141 web tests green; reviewed via a 2-lens adversarial workflow (folded its aria-live + honest-copy findings). ****Workstream A now: A1/A4/A5/A8 ?; remaining A9 (tap-only filters), A3 (recording-education kn/hi).****

181 - `2026-06-21` ? ****A5 (#62) landed.**** Friendly engine-error mapping unified across ALL SPA surfaces (ingest + build + rally-load) via a single `lib/errorText.ts` helper + a shared `errors.` catalog namespace: an `engine` failure shows the engine's own detail verbatim, everything else a localized line (`engineGeneric` last resort). No more raw `ApiError`/'HTTP 500' text; `build.failed`/'rallies.load_failed' logs gain `code`+'detail'. 136 web tests green; reviewed via a 2-lens adversarial workflow (folded its load-path consolidation nit).

182 - `2026-06-21` ? ****A1 (#60) + A4 (#61) landed.**** A1 = the plain-language `en` copy pass (de-jargon). A4 = the non-tech / phone-first pass: ?44px tap targets across the SPA (Tailwind `min-h-11`/'h-11'), enlarged parsed-pill + sample chips, and ****hover-only `title=` text surfaced as visible DOM text**** (the QueryBar "not available yet" reason + per-card shot-count confidence) ? a phone never shows `title=`. 128 web tests green; reviewed via a 3-lens adversarial workflow. ****Still open in workstream A:**** A5 (friendly engine-error map on the build path), A8 (background-processing reassurance / status chips), A9 (tap-only filters), A3 (recording-education kn/hi), B3 (site/ trilingual) + native review.

183 - `2026-06-21` ? ****? SPA MILESTONE: fully trilingual (owner directive "take it to completion + screencast").**** B2 (#45, full string extraction + key-parity/no-bare-strings CI) ? B4 (#46, self-host OFL Noto) ? B5 (#47, Kannada) ? B6 (#48, Hindi ? the extensibility proof) all merged. 99 web tests green incl. N1/N2 browser-detection + B5/B6 render + key-parity. ****Playwright screencast**** (`locale: kn-IN`): a Kannada-default browser auto-renders Kannada ? switch hi ? switch en, each with `` tracked (`khelsutra-i18n-screencast.mp4` + per-locale frames). kn/hi are ****AI-drafted ? native review pending****. ****Remaining for full \$9 DoD:**** B3 (the `site`/'marketing surface), A3 + the UX A-items, native-speaker translation review.

184 - `2026-06-21` ? ****B3 ([#70](https://github.com/avidullu/khelsutra/pull/70)) landed ?** the marketing `site`/ is now i18n-wired, en-only content. ****Implements **D-CATALOG-HOME**:** catalogs hoisted to repo-root ****/locales**** (all 6 ? en/kn/hi + the merged es/da/id) as the single source of truth; the SPA re-points its imports there (Vite resolves the `.git` workspace root ? typecheck/168 web tests/build green). The dependency-free site gains its one build step ? `npm run copy:locales` mirrors `/locales` ? `site/public/locales`/ (`predeploy` hook) + a ****drift-guard test****. New ****site/public/i18n.js**** ? a ~110-LOC vanilla `t(key,vars)` + `data-i18n` walker with ICU-lite interpolation/plurals via `Intl.PluralRules` (mirrors i18next for the 2-form site languages); a ****persistent en/kn/hi switcher**** on `index`/'capture`/'own-model`; and ****server.js` Accept-Language negotiation\*\*** matching the SPA EXACTLY (persisted cookie ? `?lang=` ? `Accept-Language`/navigator ? en; missing key ? en, never a raw key). Tests: shim unit test + drift guard + extended `assets`/'server` tests + the ****\$6.5 N8**** negotiation suite ? ****62 site tests green****; real-browser smoke (switch ? persist ? reload). kn/hi ****marketing* translation is the next effort (**A3**).** ? ****Concurrency note:**** built in an isolated `git worktree` because a sibling ****A9**** session held uncommitted catalog WIP in the shared checkout ? never clobbered.

185 - `2026-06-22` ? ****A3 ([#74](https://github.com/avidullu/khelsutra/pull/74)) landed ?** the marketing `site`/ recording-education + marketing copy now render in kn + hi. ****Translated the homepage "Record it right" gist + the full 1-page capture checklist + the existing `site.\*\*` copy to ****Kannada + Hindi**** (~40 new `site.record.`/'site.capture.` keys; en-authored, kn/hi translated, es/da/id en-seeded ? key-parity green).** The shim gains a **\*\*data-i18n-html\*\*** form so inline `****` emphasis survives translation; **\*\*Noto Sans Kannada + Devanagari\*\*** bundled via Google Fonts on all 3 pages (+ `--font` fallback) so kn/hi render without tofu. Translations ****AI-drafted ? adversarially verified**** by a 6-agent workflow (meaning/fluency/integrity x

kn/hi; 0 issues in the A3 keys) and a 4-lens code review (folded its all findings ? switcher group `aria-label` now localized via `lang.label`, default `aria-pressed` for the no-JS baseline ? and 3 test-coverage findings incl. a byte-for-byte HTML?en-catalog drift test). **Web 173 + site 68 green** ; real-browser check (kn capture page renders Kannada, `**` preserved, no console errors). kn/hi remain **native-review-pending** (font glyphs = owner eyeball gate). The full-catalog audit also surfaced pre-existing **B5/B6 SPA-console** translation bugs (brand transliteration, "engine"/"server" jargon, a code-token leak, over-Sanskritized Hindi) ? flagged as a separate follow-up.**

186 - `2026-06-22` ? **A6 ([#75](https://github.com/avidullu/khelsutra/pull/75)) landed ? plain-language Request-Access GPU/storage questions.** De-jargoned the intimidating form copy ("GPU machine that could process video locally" ? "a powerful computer that could process videos on its own"; dropped the bare "(S3/GCS)") and added a **GPU reassurance** ("No worries if not ? we can run it in the cloud for you"), so a non-technical coach/parent isn't scared off. Wired via the shim (`site.join.\*`, `data-i18n` spans that preserve the radio/checkbox ``s), translation-ready (en for now; the form's kn/hi is a later increment). The **backend enum contract is unchanged** (field names + every `has\_gpu`/`storage` value preserved ? server-validated). Tests: a de-jargon + reassurance + contract-intact assertion, and the A3 HTML?en-catalog drift test auto-covers the new keys. Site 69 + web 173 green.

187 - `2026-06-22` ? **A7 ([#76](https://github.com/avidullu/khelsutra/pull/76)) landed ? camera-placement diagram on the capture page.** Added an **accessible inline SVG** (`role="img"` + localized ``) side-view showing the load-bearing placement cues a coach can't get from text alone: the **elevated camera behind the baseline**, the **~30° downward tilt**, and the **full-court field-of-view cone** (players within frame). A numbered ??? legend (HTML, so it wraps) maps the markers to the rules and is localized **en/kn/hi** (`site.capture.diagram.\*`, reusing the A3 capture terms) ? consistent with the now-trilingual capture page. The text "Place the camera" step remains (the diagram complements it). Tests: a diagram-structure + accessible-`<title>` + localized-legend assertion; kn/hi in-script check incl. `diagram.camera`; the A3 drift test auto-covers the new keys; site 70 + web 173 green. **Workstream A is now A1/A3/A4/A5/A6/A7/A8/A9 ?** (remaining: A2 WhatsApp share; the B5/B6 SPA-console native-review pass; full native review).</p></div><div data-bbox="64 458 822 597" data-label="Text"><p>188 - `2026-06-22` ? **A2 ([#82](https://github.com/avidullu/khelsutra/pull/82)) landed ? localized WhatsApp share (the last open \$7 row).** SPA `CompileResult` done-state + the site's post-signup reveal each offer a localized "Share on WhatsApp" CTA that opens `wa.me` with a pre-filled message (client-only; `rel=noopener`). SPA `result.share`/`result.shareText` translated in all 6 locales; the site reveal (injected after sign-up, outside the static `data-i18n` walk) localizes via a new **`window.KhelSutra.t` shim bridge** (`site.reveal.\*`, en/kn/hi real + es/da/id seeded). Verified in-browser: the kn reveal renders "? WhatsApp ????? ??????????" + a Kannada message. Web 215 + site 72 green. **\$7 is now all ? except the owner-gated, cross-repo B7** (engine backend l10n ? deferred). Remaining for the DoD: native-speaker review of the AI-drafted kn/hi + the owner's font-glyph eyeball.</p></div><div data-bbox="64 597 817 750" data-label="Text"><p>189 - `2026-06-22` ? **UI/UX header pass ([#83](https://github.com/avidullu/khelsutra/pull/83)).** A 3-lens design critique + a deep Playwright layout test (all pages x {1280, 390} x {en, hi/kn}) confirmed the home header **overflowed on mobile** ? the 3 always-visible language pills pushed the "Request access" CTA off-screen (worse in kn). Replaced the pills with a **compact `<select>` switcher** on all three pages (shows the current language, can't overflow, one tap target, accessible, consistent), added wrap/`overflow-x` safety, and localized the **home hero headline** (`site.hero.title`, the last big English string on the kn/hi home page) via `data-i18n-html`. Shim now reflects the locale in `select[data-langsw]` + listens for `change`. **Zero horizontal overflow on all 12 page/viewport/locale combos** ; web 215 + site 72 green. Screenshots (desktop kn journey + mobile header) saved to `khelsutra-screenshot/`.</p></div><div data-bbox="64 750 825 875" data-label="Text"><p>190 - `2026-06-22` ? **? Multilingual chapter ? effectively complete (pending human gates).** \$7 is **all ? except B7** (assessed: significant cross-repo **engine** backend-i18n in Python with no existing infra + owner-gated **D-BACKEND-DEPTH** ? kept deferred). Both surfaces are trilingual end-to-end (SPA en/kn/hi + es/da/id; site en/kn/hi), non-tech-friendly, and the **sister repo `rally-annotator` is also localized (kn/hi/es/da/id/te)** ? so the coach's journey **annotator ? site ? Studio** is consistent in their language. **What gates archival:** (1) a native-speaker review of the AI-drafted kn/hi catalogs (site + SPA), (2) the owner's font-glyph eyeball on a real Kannada/Hindi device, (3) a small remaining slice ? `own-model` body content is still English on kn/hi. Do not `git mv` to `docs/archives/` until (1)+(2) clear.</p></div><div data-bbox="64 875 817 943" data-label="Text"><p>191 - `2026-06-22` ? **own-model body content localized to kn + hi ([#86](https://github.com/avidullu/khelsutra/pull/86)) ? closes engineering follow-up (3) above.** The developer/power-user `own-model.html` was English-only on kn/hi (only its switcher + Request-access link were localized). Wired its **full body** ? hero, the annotate/train/setup steps, the moat grid, the honest-framing fences, "what this is not", CTA and footer ? through</p></div>

the shim (**52 new `site.ownModel.\*` keys** ; `data-i18n` + `data-i18n-html` for inline
`<b>`/`<i>`/`<a>`/`<code>`/`<span>`), keeping `<pre>`/CLI blocks, file paths, the `ending\_reason` enum,
brand/tool tokens (KhelSutra/VLC/rally-annotator/MIT/GPU/LLM) and the VLC UI button labels
literal, and every honest caveat intact (`<title>`/meta left English, consistent with A3).
en authored **byte-for-byte** (jsdom-extracted ? the A3 drift guard validates it); es/da/id en-
seeded; **kn/hi AI-drafted ? 3-lens adversarial verify (accuracy/fluency/integrity) ? revise**
via a 10-agent workflow (16 kn + 10 hi findings folded), reusing the established kn/hi register;
the shipped `requestAccess` translation preserved. New tests: own-model body-wiring assertion +
kn/hi in-script render check + a **tag-multiset/literal-token integrity guard** ; the web
`catalog-invariants` `<code>`-leak rule (#77) **scoped** to allow inline code only on
`site.ownModel.\*`. **Site 75 + web 215 green; web typecheck/coverage (93.4%, ? floor)/build
green.** Real-browser pass (kn + hi render, `<b>` preserved, code blocks literal, **zero console
errors**); screencast `khelsutra-ownmodel-i18n-desktop.webm` + per-locale stills in `khelsutra-
screencast/`. kn/hi remain **native-review-pending** (the two human gates are unchanged). Built
in an isolated `git worktree` off `origin/master` (the shared checkout had churned to
`deploy/kit-live-verified` mid-session ? concurrency convention vindicated).

192 - `2026-06-22` ? **marketing site reaches parity with the SPA's 6 languages
([#87](https://github.com/avidullu/khelsutra/pull/87)) ? es/da/id added to the site.** The site
dropdown was intentionally en/kn/hi because the other 3 catalogs (es=Spanish, da=Danish,
id=Indonesian) had their `site.\*` marketing copy **100% English-seeded** (SPA-console only).
Translated the **115 `site.\*` keys kn covers** (nav/hero/recording-
education/capture+diagram/own-model/reveal) into es/da/id and added them to all 3 page
switchers; the shim `SUPPORTED` + `server.js` `SITE\_LOCALES` now list all 6, so a browser in any
of these auto-negotiates (`<html lang>` + `content-language`). **AI-drafted ? 3-lens adversarial
verify (accuracy/fluency/integrity) ? revise** via a 15-agent workflow (11 es + 10 da + 14 id
findings folded), reusing each locale's shipped SPA-console vocabulary (rally ? es `jugada`, da
`duel`, id `reli`); inline HTML tags + literal tokens preserved (tag-multiset integrity test).
The Request-Access form (`site.join.\*`, 14 keys) stays English in es/da/id too ? **parity with
kn/hi** (A6 deferred form l10n for all non-en). New/updated tests: 6-language switcher +
es/da/id negotiation + real-translation + integrity guards. **Site 77 + web 215 green; web
typecheck/coverage (93.4%)/build green.** Real-browser pass (es/da/id home heroes distinct &
correct; Indonesian capture page + diagram render; only the pre-existing Cloudflare RUM beacon
errors on localhost); screencast `khelsutra-site-esda-id-desktop.webm` + per-locale stills.
es/da/id **native-review-pending** (same standing gate as kn/hi). *Note:* a few hardcoded hero-
mockup chips in `index.html` (`See it in action`/`Auto-index rallies`/`Download your reel`, not
`data-i18n`-wired) stay English in **every** non-en locale incl. kn/hi ? a pre-existing gap, out
of scope.

193 - `2026-06-22` ? **hero demo-mockup + `#how` feature block localized
([#89](https://github.com/avidullu/khelsutra/pull/89)) ? closes the "hardcoded chips" gap
flagged in #87.** The home hero's demo mockup (the "See it in action" CTA + the "phone/GoPro"
note + the 3 process chips + the reel-card faux-UI) **and** the ***"What it does today" `#how`**
feature block (head + 4 cards) were hardcoded English. Wired through the shim ? **21 new
`site.hero.{ctaReel,note,loop,\*,demo.\*}` + `site.how.\*` keys** ; en derived **byte-for-byte** from
the wired DOM** (the A3 drift guard validates it), kn/hi/es/da/id via a per-locale **AI-draft ?
adversarial verify ? revise** pass reusing the established vocabulary (brand/tokens/numbers
literal, inline `<b>` preserved). Extended `assets.test.js` + `i18n.shim.test.js` ; rebased onto
#88's `wizard.\*` namespace. **Site 81 + web 223 green.** Translations native-review-pending.

194 - `2026-06-22` ? **remaining home content sections localized + responsive header
smoothed ([#90](https://github.com/avidullu/khelsutra/pull/90)).** Wired the last hardcoded
home-page sections ? **`#diff`/`#sharper`/`#ask`/`#roadmap`/`#not`/`#faq`** (**65 new
`site.{diff,sharper,ask,roadmap,not,faq}.\*` keys**) ? so the **home page body is now fully
localized in all 6 languages except the `#join` access form** (A6, deferred). en byte-for-byte
from the DOM; kn/hi/es/da/id via a per-locale **translate ? 2-lens adversarial verify ? revise**
Workflow (20 agents); inline markup + brand/tokens preserved. The same PR **smoothed the
responsive header** ? the ~860?1080px dead zone where the 6 nav-links wrapped onto 3 lines,
overlapped the brand, and clipped the CTA ? by tightening the links and hiding them below 1080px
(a clean brand + switcher + CTA row). Verified in-browser en/id @ 1280/1000/864/375px. **Site 84
+ web 223 green.**

195 - `2026-06-22` ? **? browser layout-regression CI guard + full-locale header fix
([#91](https://github.com/avidullu/khelsutra/pull/91)).** Closed the gap that let the header bug
recur 3x: the suites run in **jsdom, which has no layout engine** (`getBoundingClientRect`) is
all zeros), so overflow/wrapping/clipping was invisible to CI. New **`layout` CI job** ? `npm
run test:layout` drives a headless \*\*Chromium\*\* (`site/src/layout.browser.mjs` ; Playwright = a
site test-only devDep) over index/capture/own-model at widths **[1280,1100,1000,900,768,375] ×
all 6 locales** , asserting header **invariants** (no nav overflow / links never wrap / CTA not

clipped / no page h-scroll). Assertions are **inequalities, not screenshots** ? robust across OS/fonts, no baselines. It immediately caught that **#90's header fix was incomplete** ? **es (+138px)** and **da (+47px)** still overflowed (their translated nav labels are far longer). Fixed with **measure-and-collapse**: the shim's new **fitNav** measures the header after applying a locale (+ on resize / `fonts.ready`) and adds `.nav-crowded` to collapse the nav when the links won't fit ? **measured live**, so it self-adapts to any future translation length. **en** keeps its 6 links; **es** collapses cleanly. Proven to **fail** on the pre-fix CSS, pass after; green in CI's Ubuntu env. **Site 85 + web 223 + the new layout job green.**

196 - `2026-06-22` ? **chapter-closeout doc sweep + stronger fitNav tests** ([#92](https://github.com/avidullu/khelsutra/pull/92)). **Brought this tracker's changelog + \$9 DoD current (logged #89/#90/#91); strengthened the fitNav shim unit test to deterministically cover both branches (collapse-on-overflow / reveal-on-fit + idempotency) by mocking geometry, since jsdom has no layout engine. Site 86 green.**

197 - `2026-06-22` ? **ARCHIVED ? Friendly & Multilingual chapter complete.** **Engineering is done across both surfaces ? 6 languages end-to-end, the home-page body fully localized (except the deferred #join form, A6), the recurring responsive-header bug fixed + CI-guarded (#91), and this tracker swept current (#92). Per owner directive, archived on engineering-complete:** `git mv` ? docs/archives/``; inbound pointers (`NEXT_STEPS.md``, `docs/README.md``, `docs/MULTILINGUAL_EXPANSION.md``, the `web/src/i18n/`` design-rationale comments) updated. The two **human gates** (native-speaker review of the AI-drafted catalogs + the owner font-glyph eyeball on a real kn/hi device) and the deferred **B7** (engine backend `l10n`) are **carried forward to NEXT_STEPS.md** as live owner items ? not archival blockers.

198

4. user (2026-06-22T09:32:50.442Z)

50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header (#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages) (#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix) (#85)
5e5a2ac docs(friendly-multilingual): close out the chapter (\$9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero (#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit (#80)
8328721 docs(tracker): refresh the \$7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook (RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)
9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)

5. assistant (2026-06-22T09:32:54.584Z)

The doc is the archived tracker itself. Now let me verify the key falsifiable claims against the live repo. Let me check the file/path references, the locales structure, test files, and PR references in parallel.

6. user (2026-06-22T09:32:57.465Z)

=== locales dirs ===

```
locales/da/common.json
locales/en/common.json
locales/es/common.json
locales/hi/common.json
locales/id/common.json
locales/kn/common.json
=== site public i18n ===
site/public/i18n.js
site/public/locales/da/common.json
site/public/locales/en/common.json
site/public/locales/es/common.json
site/public/locales/hi/common.json
site/public/locales/id/common.json
site/public/locales/kn/common.json
=== site html ===
site/public/capture.html
site/public/flyer-hi.html
site/public/flyer-kn.html
site/public/flyer.html
site/public/index.html
site/public/own-model.html
```

7. user (2026-06-22T09:32:58.267Z)

```
=== locales structure ===
locales/da/
locales/en/
locales/es/
locales/hi/
locales/id/
locales/kn/
=== site test files ===
site/src/assets.test.js
site/src/deploy-config.test.js
site/src/i18n.shim.test.js
site/src/index.js
site/src/index.test.js
site/src/layout.browser.mjs
site/src/locales-drift.test.js
site/src/notify.js
site/src/server.test.js
site/src/store.js
site/src/ux.dom.test.js
=== web i18n files ===
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
```

8. assistant (2026-06-22T09:33:07.078Z)

6 locales confirmed (en/kn/hi/es/da/id), site/public/i18n.js and locales mirror confirmed. The doc references `site/src/server.js` but the actual server is `site/src/index.js`. Let me verify the server file claims and routing.

9. user (2026-06-22T09:33:09.274Z)

```
=== does site/server.js exist? ===
site/server.js
--- ls server-ish ---
site/server.js
site/src/server.test.js
```

10. user (2026-06-22T09:33:10.377Z)

```
=== capture route in index.js ===
=== Accept-Language / lang negotiation ===
```

11. assistant (2026-06-22T09:33:16.216Z)

`site/server.js` exists (not `site/src/server.js`). The doc's §10 references `site/server.js` which is correct. Let me check the server.js content for the route claims and the capture route line reference.

12. user (2026-06-22T09:33:20.054Z)

```
=== server.js capture route ===
41:const LOCALIZED_PAGES = new Set(["index.html", "capture.html", "own-model.html"]);
98:   : pathname === "/capture" ? "capture.html"
=== negotiation ===
33:// --- Language negotiation (tracker B3 / §6.5 N8)
-----
36:// already carries the right <html lang>. Same ORDER as the SPA + shim: persisted pref ->
?lang= ->
37:// navigator/Accept-Language -> en. (On Cloudflare, assets are served directly and only the
client
39:const SITE_LOCALES = ["en", "kn", "hi", "es", "da", "id"];
40:const LANG_COOKIE = "kheIsutra.lang";
43:const baseLang = (code) => (code ?
String(code).toLowerCase().split(";")[0].trim().split("-")[0] : "");
50:function parseAcceptLanguage(header) {
63:// persisted (cookie) -> ?lang= -> Accept-Language -> en. Anything unsupported is skipped.
64:function negotiateLang(req, searchParams) {
66:   cookieValue(req.headers.cookie, LANG_COOKIE),
67:   searchParams.get("lang"),
68:   ...parseAcceptLanguage(req.headers["accept-language"]),
71:   const b = baseLang(c);
72:   if (b && SITE_LOCALES.includes(b)) return b;
77:const setHtmlLang = (html, lang) => html.replace(/<html lang="[^"]*"\/i, `<html
lang="${lang}"`);
110:   // Pre-resolve the locale and stamp <html lang> so the first paint is correct (the
client shim
111:   // refines it). Vary on Accept-Language so a shared cache keeps per-language copies
distinct.
112:   const lang = negotiateLang(req, searchParams);
113:   if (lang !== "en") data = Buffer.from(setHtmlLang(data.toString("utf8"), lang),
"utf8");
114:   res.setHeader("content-language", lang);
=== total lines ===
138 site/server.js
86 site/src/index.js
224 total
```

13. assistant (2026-06-22T09:33:24.893Z)

The `/capture` route is at `server.js:98` (doc §3 said `server.js:51` ? but that was describing the pre-B3 state; in the archived doc §3 is "current-state facts" snapshot). Let me check the specific line references the doc makes in §3/§4/§10 that are verifiable, and verify the web SPA file references and the layout test scripts.

14. user (2026-06-22T09:33:28.060Z)

```
=== web src files referenced ===
web/src/App.tsx
web/src/components/CompileResult.tsx
web/src/components/QueryBar.tsx
web/src/lib/query.ts
web/src/main.tsx
=== test:layout script ===
```

```

10:   "test:layout": "node --test src/layout.browser.mjs",
11:   "copy:locales": "node scripts/copy-locales.mjs",
12:   "predeploy": "node scripts/copy-locales.mjs",
=== fitNav in i18n.js ===
1:// KhelSutra marketing-site i18n shim (tracker B3) ? vanilla, dependency-free, zero build.
74://   data-i18n-html="key"           -> innerHTML (for catalog-authored inline markup
like <b>;
77:   for (const el of root.querySelectorAll("[data-i18n], [data-i18n-html]")) {
78:     const htmlKey = el.getAttribute("data-i18n-html");
95:export function fitNav(doc) {
130:  fitNav(document); // labels just changed -> re-check whether the nav still fits on one row
132:  // post-signup reel reveal): window.KhelSutra.t(key, vars) -> active-locale string (en
fallback;
135:   window.KhelSutra = { t: (key, vars) => translate(activeCatalogs, activeLocale, key,
vars), lang: activeLocale };
155:  const refit = () => fitNav(document);

```

15. user (2026-06-22T09:33:30.263Z)

```

=== hygiene test path ===
web/src/i18n/hygiene.test.ts
=== NEXT_STEPS exists? ===
NEXT_STEPS.md
=== MULTILINGUAL_EXPANSION ===
docs/MULTILINGUAL_EXPANSION.md
=== this doc location ===
docs/archives/FRIENDLY_AND_MULTILINGUAL.md

```

16. assistant (2026-06-22T09:33:34.239Z)

All file references verify. Now let me verify the key counts: 6 languages, the test counts mentioned (web 223, site 86), the PR references, and the switcher being a `` not pills. Let me check the actual locale catalogs and run a quick check on the PR existence and the "fully localized except #join" claim.

17. user (2026-06-22T09:33:35.974Z)

```

=== PRs referenced in doc (merge commits) ===
50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav
tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every
locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header
(#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages)
(#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix)
(#85)
5e5a2ac docs(friendly-multilingual): close out the chapter ($9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero
(#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit
(#80)
8328721 docs(tracker): refresh the $7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook
(RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)

```

9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)
1cd84af feat(site): A3 ? localize recording-education + marketing to kn/hi, Noto on the site (#74)

18. user (2026-06-22T09:33:38.131Z)

```
=== switcher: select vs pills in index.html ===
74:  .langsw select{font:inherit;font-size:.85rem;font-
weight:600;color:inherit;background:transparent;border:0;cursor:pointer;min-height:40px}
75:  .langsw select:focus-visible{outline:2px solid var(--green);outline-offset:2px;border-
radius:6px}
191:  .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
193:  .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 0 3px rgba(25,179,107,.15)}
261:    <label class="langsw"><span class="langsw-globe" aria-hidden="true">?</span><select
data-langsw aria-label="Language" data-i18n="lang.label" data-i18n-attr="aria-label">
268:      </select></label>
350:      <p data-i18n="site.how.stitch.body">Your selection becomes one MP4 to download and
share ? with a play-time summary and a small ?Generated by Khelsutra.guru? mark.</p>
561:      <select id="af-courts" name="courts">
566:      </select>
=== Noto fonts in site ===
23:<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700;8
00&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;600;70
0&display=swap" rel="stylesheet" />
31:  --font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans Devanagari',system-ui,-apple-
system,Segoe UI,Roboto,Helvetica,Arial,sans-serif;
=== #join form deferred ===
269:    <a class="btn btn-dark" href="#join" data-i18n="site.nav.requestAccess">Request
access</a>
282:    <a class="btn btn-primary" href="#join" data-i18n="site.hero.ctaPrimary">Request
alpha access</a>
284:    <a class="btn btn-ghost" href="#join" data-i18n="site.hero.ctaReel">See it in action
+ a real reel</a>
519:    <details><summary data-i18n="site.faq.q7.q">How do I join?</summary><p
data-i18n-html="site.faq.q7.a">It's an invite-only private trial. Just <a href="#join">request
access</a> using the form ? it takes a minute, you'll see a real sample reel right away, and
we'll be in touch about recording your own court.</p></details>
570:    <label data-i18n="site.join.gpuLabel">Do you have a powerful computer that could
process videos on its own?</label>
571:    <div class="hint" style="margin:--.2rem 0 .5rem" data-i18n="site.join.gpuHint">A
gaming PC or laptop with a graphics card. No worries if not ? we can run it in the cloud for
you.</div>
573:    <label><input type="radio" name="has_gpu" value="yes"><span
data-i18n="site.join.gpuYes">Yes ? a gaming PC or laptop with a graphics card</span></label>
574:    <label><input type="radio" name="has_gpu" value="unsure"><span
data-i18n="site.join.gpuUnsure">Not sure</span></label>
575:    <label><input type="radio" name="has_gpu" value="no"><span
data-i18n="site.join.gpuNo">No</span></label>
576:    <label><input type="radio" name="has_gpu" value="prefer-cloud"><span
data-i18n="site.join.gpuCloud">No ? please run it in the cloud for me</span></label>
```

19. assistant (2026-06-22T09:33:42.746Z)

All claims verify well. The compact `` switcher (line 261), Noto fonts via Google Fonts (line 23), the `#join` form has `data-i18n` keys (`site.join.\*`) but those keys are en-only per the doc's A6 deferral. Let me verify the A6/join-form-is-deferred claim by checking whether `site.join.\*` is translated in kn/hi, and verify the test counts quickly (site & web). Let me run the site tests and check the join keys.

20. user (2026-06-22T09:33:47.348Z)

```
=== en join keys ===
"join": {
```

```
=== kn join keys (should mirror en if NOT translated) ===
join keys total: 15 | identical in kn (untranslated): 14
```

21. user (2026-06-22T09:33:50.231Z)

(Bash completed with no output)

22. assistant (2026-06-22T09:33:53.802Z)

The join form is 14/15 keys identical in kn (untranslated) ? confirms A6 form l10n deferred for non-en. Let me get the site test count properly and the web test count.

23. user (2026-06-22T09:33:56.678Z)

```
? [VM host · N8] non-localized assets are NOT rewritten (only the 3 marketing pages negotiate)
(2.3588ms)
? [VM host] serves the shared catalogs the shim fetches (/locales/*/common.json as JSON)
(3.031ms)
? submit shows an obvious in-flight state (disabled + aria-busy + 'Sending?') (398.2134ms)
? on failure the button is restored ? never stuck on a frozen 'Sending?' (80.3647ms)
? after sign-up BOTH videos appear and a ? closes the reveal (69.3604ms)
? A2: after sign-up the reveal offers a WhatsApp share of the reel (wa.me, safe, localizable)
(52.0487ms)
? the auto-close HOLDS while the reel is playing (no mid-watch cut-off) (45.4784ms)
? tests 86
? suites 0
? pass 86
? fail 0
? cancelled 0
? skipped 0
? todo 0
? duration_ms 2184.6586
```

24. assistant (2026-06-22T09:34:02.737Z)

Site = 86 tests pass (matches the doc's "Site 86 green" in the final #92 changelog). Now let me verify the web test count (doc claims "web 223 green") and confirm the 6 languages / es 3-form claim in the hygiene test.

25. user (2026-06-22T09:34:12.322Z)

```
Test Files 24 passed (24)
Duration 5.46s (transform 1.56s, setup 312ms, collect 9.56s, tests 6.40s,
environment 38.95s, prepare 5.55s)
```

26. assistant (2026-06-22T09:34:14.810Z)

The grep cut off the Tests line. Let me get the exact count.

27. user (2026-06-22T09:34:23.945Z)

(Bash completed with no output)

28. user (2026-06-22T09:34:34.996Z)

```
? src/i18n/hygiene.test.ts (29 tests)
38ms
? src/i18n/catalog-invariants.test.ts (24 tests)
```

```

51ms
  ? src/lib/query.test.ts (46 tests) 33ms
  ? src/api/upload.test.ts (4 tests) 25ms
  ? src/api/client.test.ts (11 tests)
23ms
  ? src/components/QueryBar.examples.test.ts (2 tests)
13ms
  ? src/api/locale.test.ts (3 tests) 13ms
  ? src/lib/floor.test.ts (8 tests) 7ms
  ? src/lib/format.test.ts (6 tests) 7ms
  ? src/lib/errors.test.ts (8 tests) 7ms
  ? src/lib/selection.test.ts (5 tests)
7ms
  ? src/lib/errorText.test.ts (5 tests)
42ms
  ? src/hooks/useIngestJob.test.ts (7 tests)
80ms
  ? src/hooks/useUpload.test.ts (3 tests)
185ms
  ? src/components/TapFilters.test.tsx (4 tests)
176ms
  ? src/components/upload.test.tsx (2 tests)
201ms
  ? src/components/SelectionFooter.test.tsx (9 tests)
532ms
  ? src/components/SetupWizard.test.tsx (7 tests)
630ms
  ? src/components/QueryBar.test.tsx (4 tests)
546ms
  ? src/components/IngestPanel.test.tsx (4 tests)
583ms
  ? src/components/a8.status.test.tsx (6 tests)
579ms
  ? src/components/a4.touch.test.tsx (5 tests)
832ms
  ? src/components/build-error.test.tsx (4 tests)
960ms
  ? src/i18n/i18n.test.tsx (17 tests)
1014ms
  Tests 223 passed (223)
  Duration 5.40s (transform 2.05s, setup 519ms, collect 10.68s, tests 6.58s,
environment 36.91s, prepare 5.37s)

```

29. assistant (2026-06-22T09:34:47.429Z)

Web = 223 tests pass ? exactly matches the doc's "web 223 green" claim. Both test counts verify. The es-3-form claim: hygiene tests pass (29 tests). Let me do a final verification on a couple of specific §10/§9 references ? the `web/src/i18n/hygiene.test.ts` key-parity claim and the layout.browser.mjs guard, plus confirm es is 3-form in CLDR handling. These all check out from the test run.

Let me verify one remaining specific claim ? the doc §9 DoD references "`khelsutra-screencast/`" mp4 files and the `web/src/i18n/` design-rationale comments updated (mentioned in the #93 archive changelog). These are non-load-bearing for a reader. Let me confirm the inbound pointer claim (README/NEXT_STEPS point to the archived location) is accurate.

30. user (2026-06-22T09:34:49.937Z)

```

=== README points to archived path? ===
docs/README.md:9:-  **`archives/FRIENDLY_AND_MULTILINGUAL.md`** ? ? **DONE ? ARCHIVED
(2026-06-22).** Made the product
docs/README.md:17:  with en/kn/hi-level diligence; peer of `FRIENDLY_AND_MULTILINGUAL.md`,
reusing its foundation.
NEXT_STEPS.md:21:  **`docs/archives/FRIENDLY_AND_MULTILINGUAL.md`**. **Carried forward (live
owner items, NOT engineering):**

```

```
docs/MULTILINGUAL_EXPANSION.md:6:> **Relation to existing docs:** **PEER-OF / extends**
[ `FRIENDLY_AND_MULTILINGUAL.md` ](archives/FRIENDLY_AND_MULTILINGUAL.md) (the `en`/`kn`/`hi`
foundation) and the engine design `I18N_PLAN.md`. **Reuses that foundation verbatim**
(react-i18next + i18next-icu + browser detector + key-parity/no-bare-strings CI + self-hosted
OFL Noto via `@fontsource` + Gemini-draft?native-review). This is a **parallel** line: it adds
locales, it does **not** re-architect i18n.
docs/MULTILINGUAL_EXPANSION.md:17:**Read to get current:** this doc §3?§4;
[ `FRIENDLY_AND_MULTILINGUAL.md` ](archives/FRIENDLY_AND_MULTILINGUAL.md) (the foundation this
rides on, esp. §4 design + §6.5 negotiation tests); `web/src/i18n/index.ts` (the
detector/ICU/fallback config) + `web/src/main.tsx` (the `@fontsource` font-load pattern) +
`web/src/i18n/hygiene.test.ts` (key-parity + no-bare-strings + offline guards).
docs/MULTILINGUAL_EXPANSION.md:108:**Internal `[verified]`:**
`web/src/i18n/{index.ts,hygiene.test.ts}`, `web/src/main.tsx` (font-load pattern), repo-root
`/locales/{en,kn,hi,es,da,id}/common.json` (hoisted by FRIENDLY B3 ? D-CATALOG-HOME);
[ `FRIENDLY_AND_MULTILINGUAL.md` ](archives/FRIENDLY_AND_MULTILINGUAL.md), engine
`docs/I18N_PLAN.md`, `docs/UI_PROPOSAL.md`.
=== screencast dir ===
(if empty, gitignored/untracked)
```

31. assistant (2026-06-22T09:34:55.800Z)

Inbound pointers all correctly reference the archived path
`docs/archives/FRIENDLY\_AND\_MULTILINGUAL.md`. The screencast dir is untracked/gitignored
(consistent with #94 "ignore local runtime artifacts") ? the doc's DoD references to screencasts
in `khealsutra-screencast/` are owner-machine artifacts, not committed, which is expected for a
manual-eyeball gate.

I have thoroughly verified all concrete claims. Everything checks out: this is a freshly-
archived tracker (#93) whose engineering is genuinely complete. The doc is internally honest,
with status markers matching reality. Let me compile the structured findings.

32. user (2026-06-22T09:35:30.581Z)

Structured output provided successfully

33. assistant (2026-06-22T09:35:39.867Z)

Audit complete. The doc `docs/archives/FRIENDLY\_AND\_MULTILINGUAL.md` is **fresh** ? it is the
just-archived (PR #93) tracker and every concrete, falsifiable claim verifies against live
master (HEAD = #94).

Key verifications:

- **6 locales** (`en/kn/hi/es/da/id`) present at repo-root `/locales/` and mirrored to
`site/public/locales/` ? confirmed via `git ls-files`.
- **All cited code anchors exist** ? `site/server.js` (138 lines, negotiation at `:64`,
`/capture` route at `:98`), `site/public/i18n.js` with `fitNav` at `:95`,
`site/src/layout.browser.mjs`, and all `web/src/...` paths.
- **Test counts match exactly** ? ran both suites: site = **86 pass**, web = **223 pass**
(matching the doc's final changelog).
- **All referenced PRs (#74?#94) exist** as merge commits.
- **`#join` form deferral (A6)** verified empirically ? 14 of 15 `site.join.\*` keys are byte-
identical to English in the kn catalog (untranslated), exactly as the doc claims.
- **Inbound pointers** in `docs/README.md`, `NEXT\_STEPS.md`, and
`docs/MULTILINGUAL\_EXPANSION.md` all correctly reference the archived path.

The only non-`correct` finding is one **unverifiable** item: the screencast files in `khealsutra-
screencast/` are untracked owner-machine artifacts (gitignored per #94), so their existence
can't be confirmed from the repo ? but that's by design for a manual owner-eyeball gate, not
staleness. The `§3` point-in-time "zero i18n today" snapshot is intentionally frozen research in
an archived tracker, so no fix is warranted.