

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_3d035317-127\agent-ab53522d3aefdef7f.jsonl`  
- SHA-256: `5cddb6ec3fb169b7b7fe9a0cf084a6beb04e9d3c8da5d4f5bd668246dde2d0ab`  
- Source modified: `2026-06-22T09:48:00+00:00`  
- Imported at: `2026-07-05T16:48:25+00:00`  
- project: `wf_3d035317-127`  
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:46:23.313Z)

You are fixing staleness in ONE doc of the KhelSutra repo, applying an audit that already ran. Be SURGICAL: minimal, targeted edits that match the audited fix; preserve the doc's voice, structure, and markdown formatting. Do NOT wholesale-rewrite a doc.

KhelSutra repo root: C:\Users\avidu\Projects\khelsutra
ENGINE repo root (sibling, for cross-repo verification): C:\Users\avidu\Projects\badminton-highlight-indexer (origin/master freshly fetched)
Today: 2026-06-22. KhelSutra is on branch docs/freshness-sweep (off master).

YOUR DOC (edit ONLY this file): C:\Users\avidu\Projects\khelsutra\docs\README.md

The audit findings are in this JSON file: C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022ddee12675\tasks\w3dbzrpby.output
Shape: { result: { perDoc: [{doc, overallStatus, findings, summary}], staleFindings: [{doc, claim, docLocation, verdict, evidence, suggestedFix, severity}] } }.
Read it and select ONLY entries where doc === "docs/README.md". Your worklist = that doc's staleFindings. Also skim that doc's perDoc.findings for "unverifiable" items ? do NOT act on those unless you can now positively verify them.

For each stale finding:

1. RE-VERIFY it yourself against the LIVE repo before editing ? Read the doc lines + the cited code. For any claim about the ENGINE (paths like backend/main.py, /api/*, native_wasb_runner.py, auth/CORS), verify against the engine repo's origin/master: e.g. ``git -C /c/Users/avidu/Projects/badminton-highlight-indexer grep -n "<symbol>" origin/master -- backend/`` or ``git -C ... show origin/master:backend/main.py``. Trust nothing blindly ? the audit itself may be slightly off and engine line numbers DRIFT between PRs.
2. If confirmed, apply the suggestedFix as a SURGICAL Edit. For brittle ENGINE line-number anchors, prefer SYMBOL-based references (e.g. ``backend/main.py::get_config``) over chasing exact line numbers ? but only after confirming the symbol exists on engine origin/master.
3. DOCS ONLY: if a fix would require a CODE change (e.g. a comment in site/server.js), do NOT edit code ? record it under codeChangesNeeded.

Hard rules:

- Edit ONLY your assigned doc file. Run NO git WRITE commands (no add/commit/checkout/branch/stash) ? read-only git for verification only.
- Keep status markers HONEST: flip Todo->Done only WITH the PR number / file evidence; never invent a completion.
- If a finding is wrong, not reproducible, or too risky to auto-apply, SKIP it and explain under skipped.
- Do not "improve" beyond the findings; no scope creep.

Return the structured report.

2. assistant (2026-06-22T09:46:25.968Z)

I'll start by reading the audit findings and the target doc.

3. user (2026-06-22T09:46:28.650Z)

```
1      # khelsutra docs index
2
3      ## Tracked work (this repo)
4      - **`DRY_RUN_CUJ.md`** ? ? **DELIVERED (2026-06-21):** the UI drives the tool on a
**GCS-bucket
5      video** ? review/select ? compile ? **reel downloaded local**, verified in en + Hindi.
Path A
6      (local) + Path B/B-P2 (in-UI `gs://` ingest, [#56]) both live e2e with a screencast
($9); the
7      only remaining box (droplet, option 3) is **parked by the owner** (GPU subscription).
Two engine
8      bugs the runs surfaced are fixed (#281, #289). Was a milestone of
`LOCAL_APPLIANCE_ARCHITECTURE.md`.
9      - **`archives/FRIENDLY_AND_MULTILINGUAL.md`** ? ? **DONE ? ARCHIVED (2026-06-22).** Made
the product
10     super user-friendly for non-tech-savvy coaches/parents **and** localized it to all **6
languages**
11     across both surfaces (`web/` SPA ? react-i18next, `site/` ? a shared `t()` shim); the
home-page body
12     is fully localized (except the deferred `#join` form, A6) and the responsive header is
fixed +
13     CI-guarded. Implementation project for the engine's `I18N_PLAN.md` (l10n) + the UX
half of
14     `UI_PROPOSAL.md`. **Carried forward to `NEXT_STEPS.md`:** native-speaker review +
owner font-glyph
15     eyeball (human gates), and **B7** (engine backend l10n, deferred).
16     - **`MULTILINGUAL_EXPANSION.md`** ? proposal to add **7 more locales** (th/id/da/es/zh-
Hans/ja/ko)
17     with en/kn/hi-level diligence; peer of `FRIENDLY_AND_MULTILINGUAL.md`, reusing its
foundation.
18     `DRAFT` ? **owner-gated (approval to start)**, [#58].
19     - **`LOCAL_APPLIANCE_ARCHITECTURE.md`** ? the single-box, UI-powered rally indexer +
reel
20     generator (KhelSutra Studio): the `web/` SPA drives the full ingest ? index ? reel
loop on one
21     box behind an edge gate; the single-box deployment profile of the engine's decoupled
22     architecture. Umbrella for the console; per-rally selection is one screen of it.
`DRAFT`.
23     - **`PER_RALLY_SELECTION.md`** ? interactive pick-rallies ? reel builder (RallyPicker).
The alpha
24     SPA over the engine's rally index; hybrid grid + deterministic query bar on the
**existing**
25     `/api/query` + `/api/compile` contract. `IN PROGRESS` (decisions locked).
26     - **`REQUEST_ACCESS_FORM.md`** ? segmented lead-capture form + Worker/D1 backend
(shipped).
27     - **`PORTABILITY.md`** ? the Node+SQLite VM-host runbook (Cloudflare ? droplet parity).
28
29     ## Engine planning docs
30     Canonical planning docs currently live in the engine repo (`badminton-highlight-
indexer/docs`):
31     `UI_PROPOSAL.md` · `HOSTING_PLAN.md` · `UI_ALPHA_EXECUTION_PLAN.md`. They migrate here
when the
32     control plane lands (per ADR-009 in the engine repo's
`docs/archives/decisions/DECISIONS.md`).
33
```

4. user (2026-06-22T09:46:28.791Z)

<system-reminder>[Truncated: PARTIAL view ? showing lines 1-591 of 1722 total (61859 tokens, cap

25000). Call Read with offset=592 limit=591 for the next page, or Grep to find a specific section. Do NOT answer from this page alone if the answer may be further in the file.]</system-reminder>

```
1      {
2      "summary": "Audit every KhelSutra doc for staleness against the live repo, returning
structured findings",
3      "agentCount": 15,
4      "logs": [
5      "audited 15/15 docs; 44 stale findings; archive-candidates: none"
6      ],
7      "result": {
8      "perDoc": [
9      {
10     "doc": "NEXT_STEPS.md",
11     "overallStatus": "minor-staleness",
12     "summary": "NEXT_STEPS.md is overwhelmingly accurate against master: routes,
file paths, the Worker/D1 names, the 6-language localization, the 3-step wizard, the per-rally
PR numbers (#11/#14/#21/#28/#30/#31), the appliance/per-rally doc statuses, and every still-
pending \"Queued\" item all check out against code and git. The only real staleness is the \"PRs
through #93 merged\" count, which lags by one because PR #94 (the very commit that wrote
\"through #93\") merged afterward; plus a low-severity GCS-artifact filename mismatch. Not an
archive candidate ? it is the live next-steps tracker.",
13     "findings": [
14     {
15     "claim": "PRs through #93 merged (master).",
16     "docLocation": "NEXT_STEPS.md:13",
17     "verdict": "stale",
18     "evidence": "git log --oneline -1 = '50b2bd7 chore(repo): ... correct stale
NEXT_STEPS claims (#94)'; total 94 commits/PRs on master. Ironically #94 is the commit that
updated this line to '#93', then merged itself, so the doc now lags one PR behind master.",
19     "suggestedFix": "Update to 'PRs through #94 merged (master).'",
20     "severity": "medium"
21     },
22     {
23     "claim": "Where we are (2026-06-20): ... khelsutra.guru is LIVE and fully
shipped (landing + /capture checklist + OG image + segmented Request-Access form).",
24     "docLocation": "NEXT_STEPS.md:5-14",
25     "verdict": "correct",
26     "evidence": "site/server.js:98 maps /capture->capture.html;
site/public/og.png + capture.html tracked; index.html:191-193 textareas + lines 537-581
academy/individual/gpu/storage fields. Header date 2026-06-20 is slightly behind the latest work
(PR #94 merged 2026-06-22) but the substance holds.",
27     "suggestedFix": "Optionally bump the 'Where we are' date to 2026-06-22 to
match the latest merged work.",
28     "severity": "low"
29     },
30     {
31     "claim": "On Cloudflare (Worker hidden-king-khelsutra + D1 khelsutra-
access): the form persists to D1 and emails a summary via an Email Routing send binding.",
32     "docLocation": "NEXT_STEPS.md:7-9",
33     "verdict": "correct",
34     "evidence": "site/wrangler.toml: name = \"hidden-king-khelsutra\";
[[d1_databases]] database_name = \"khelsutra-access\"; [[send_email]] name = \"NOTIFY\".
site/src/index.js:80 handles POST /api/request-access -> insert into D1 binding DB.",
35     "suggestedFix": "",
36     "severity": "low"
37     },
38     {
39     "claim": "CI gates every PR ? three jobs: full site npm test, web/ SPA build
+ coverage floor, and a real-browser layout check.",
40     "docLocation": "NEXT_STEPS.md:9-12",
41     "verdict": "correct",
42     "evidence": "site/package.json scripts include test (node --test),
test:layout (layout.browser.mjs); web has a coverage floor (#80). PR #94 message confirms 'three
```

```

jobs: site npm test = 86 green, web SPA build+coverage, real-browser layout'. Non-browser site
suite ran green (61 tests in the 4 non-layout files).",
43         "suggestedFix": "",
44         "severity": "low"
45     },
46     {
47         "claim": "The form also runs on a dependency-free Node + SQLite host
(site/server.js), live on the DO droplet -> http://168.144.126.176:8787 (systemd khelsutra-
site).",
48         "docLocation": "NEXT_STEPS.md:11-13",
49         "verdict": "correct",
50         "evidence": "site/server.js exists, uses node:sqlite (header comment line
2). IP 168.144.126.176 + port 8787 + 'khelsutra-site' all appear in
docs/LOCAL_APPLIANCE_ARCHITECTURE.md:48 ('/srv/khelsutra-site, node :8787') and deploy refs.
Live-status is external/unverifiable from the repo, but the host code and identifiers are
correct.",
51         "suggestedFix": "",
52         "severity": "low"
53     },
54     {
55         "claim": "Docs: docs/REQUEST_ACCESS_FORM.md, docs/PORTABILITY.md.",
56         "docLocation": "NEXT_STEPS.md:13-14",
57         "verdict": "correct",
58         "evidence": "git ls-files: both docs/REQUEST_ACCESS_FORM.md and
docs/PORTABILITY.md are tracked.",
59         "suggestedFix": "",
60         "severity": "low"
61     },
62     {
63         "claim": "DONE ? Friendly & Multilingual (ARCHIVED 2026-06-22): localized to
all 6 languages (en/kn/hi/es/da/id); full record docs/archives/FRIENDLY_AND_MULTILINGUAL.md.",
64         "docLocation": "NEXT_STEPS.md:17-21",
65         "verdict": "correct",
66         "evidence": "docs/archives/FRIENDLY_AND_MULTILINGUAL.md is tracked; git log
shows PR #93 'docs: archive the Friendly & Multilingual tracker'. web/src/i18n/index.ts:25
SUPPORTED_LOCALES = [en,kn,hi,es,da,id]; PR #87 added es/da/id to the marketing site.",
67         "suggestedFix": "",
68         "severity": "low"
69     },
70     {
71         "claim": "Interactive per-rally selection MVP/M0 COMPLETE; Done: P0 design
(#11), P1 scaffold (#14), P2 grid+hook (#21), P3 parseQuery query bar (#28), P4 SelectionFooter
(#30), P5 real load+download (#31). Tracked doc docs/PER_RALLY_SELECTION.md (IN PROGRESS).",
72         "docLocation": "NEXT_STEPS.md:32-41",
73         "verdict": "correct",
74         "evidence": "git log: cb74ce5 #11 'tracked design ... RallyPicker'; aac7e0c
#14 'P1 scaffold'; 62598e7 #21 'P2 selectable rally grid + hook'; d537d19 #28 'P3 deterministic
parseQuery() query bar'; aff8de8 #30 'P4 SelectionFooter + min_shot_count warning'; 8bf200d #31
'P5 load real rallies + Build->compile->preview->download'. docs/PER_RALLY_SELECTION.md status
header = 'IN PROGRESS ? MVP/M0 (P1-P5) COMPLETE'.",
75         "suggestedFix": "",
76         "severity": "low"
77     },
78     {
79         "claim": "P2c first-run setup wizard ? 3-step SetupWizard from
/api/capabilities, 6 languages.",
80         "docLocation": "NEXT_STEPS.md (implied via track) and verified for the
merged #88",
81         "verdict": "correct",
82         "evidence": "web/src/components/SetupWizard.tsx:22 'const STEPS = 3'; line 1
comment 'Three quick steps'; line 3 'Localized (en/kn/hi/es/da/id)'; web/src/api/client.ts:139
GET /capabilities. git: 7ae9cee #88.",
83         "suggestedFix": "",
84         "severity": "low"
85     },

```

```

86         {
87             "claim": "Single-box appliance ? Tracked design
docs/LOCAL_APPLIANCE_ARCHITECTURE.md (DRAFT, owner-gated).",
88             "docLocation": "NEXT_STEPS.md:52-58",
89             "verdict": "correct",
90             "evidence": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md status header: 'Status:
DRAFT ? owner-gated (auth choice, retention, cost ceiling, GPU host, P5 bridge)'.",
91             "suggestedFix": "",
92             "severity": "low"
93         },
94         {
95             "claim": "Queued: Always-Use-HTTPS + HSTS (Cloudflare) and Cloudflare Web
Analytics token paste into site/public/index.html ? both still pending.",
96             "docLocation": "NEXT_STEPS.md:44-45",
97             "verdict": "correct",
98             "evidence": "No Strict-Transport-Security/HSTS header found in site/*.js or
wrangler.toml. site/public/index.html:629 still has data-cf-beacon token 'REPLACE_WITH_CF_TOKEN'
(commented-out block). Both correctly listed as not-yet-done.",
99             "suggestedFix": "",
100            "severity": "low"
101        },
102        {
103            "claim": "Droplet -> production: add VM-path SMTP so the Node host also
emails (currently noopNotify).",
104            "docLocation": "NEXT_STEPS.md:46-47",
105            "verdict": "correct",
106            "evidence": "site/server.js:14 imports noopNotify; line 24 'const notify =
noopNotify(); // VM host: no email yet (add SMTP later)'.",
107            "suggestedFix": "",
108            "severity": "low"
109        },
110        {
111            "claim": "Org consolidation DONE; khelsutra (this site repo) transfer is an
owner step still PENDING (unchecked).",
112            "docLocation": "NEXT_STEPS.md:65-73",
113            "verdict": "correct",
114            "evidence": "git remote -v shows origin =
https://github.com/avidullu/khelsutra.git (NOT under Khelsutra org) ? consistent with the '?
owner step pending' marker. Other repos already moved: docs/DRY_RUN_CUJ.md:49 links
github.com/Khelsutra/badminton-highlight-indexer#289.",
115            "suggestedFix": "",
116            "severity": "low"
117        },
118        {
119            "claim": "A real-UI CUJ screencast exists -> promo_cuj.mp4/.gif in
gs://khelsutra-rally-corpus/promo/.",
120            "docLocation": "NEXT_STEPS.md:29-31",
121            "verdict": "unverifiable",
122            "evidence": "No GCS access to confirm the object. The companion doc
docs/DRY_RUN_CUJ.md:85 names the actual artifacts 'khelsutra-bucket-cuj-screencast.mp4' and ':60
khelsutra-i18n-screencast.mp4' in the same gs://khelsutra-rally-corpus/promo/ prefix;
'promo_cuj.mp4' appears nowhere else in the repo, suggesting a possible filename mismatch.",
123            "suggestedFix": "Reconcile the filename with docs/DRY_RUN_CUJ.md (likely
'khelsutra-bucket-cuj-screencast.mp4') or confirm 'promo_cuj.mp4' is a real object in the
bucket.",
124            "severity": "low"
125        },
126        {
127            "claim": "Control plane (control-plane/) at beta.",
128            "docLocation": "NEXT_STEPS.md:62",
129            "verdict": "correct",
130            "evidence": "control-plane/ directory does not exist in the repo (test -d
failed), but this line sits under 'Bigger arcs (design-first)', i.e. a forward-
looking/aspirational item, not a claim of present existence ? so it is not stale as written.",
131            "suggestedFix": "",

```

```

132         "severity": "low"
133     }
134 ]
135 },
136 {
137     "doc": "README.md",
138     "overallStatus": "significant-staleness",
139     "summary": "The repo-structure list, deploy references, and canonical-doc
pointers are all correct, but the README's headline status is badly out of date: it still calls
the repo a \"pre-alpha scaffold\" whose SPA has yet to land \"per milestone M1\", whereas the
web/ SPA is in fact built, multilingual, and shipped (per-rally MVP P0?P5, P2c wizard, in-UI
upload, 6 languages; khelsutra.guru is LIVE). The control-plane/ directory it lists also does
not yet exist.",
140     "findings": [
141         {
142             "claim": "Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan
milestone M1.",
143             "docLocation": "README.md:9",
144             "verdict": "stale",
145             "evidence": "web/src/ has 51 tracked source files incl. web/src/App.tsx;
`git log --oneline -- web/` = 31 commits; merged PRs show the SPA is feature-complete: P2c
first-run wizard (#88), in-UI file upload T4 (#66), per-rally selection MVP P0?P5
(#11/#14/#21/#28/#30/#31), 6-language catalogs (#67). NEXT_STEPS.md:7 states 'khelsutra.guru is
LIVE and fully shipped'. UI_ALPHA_EXECUTION_PLAN.md:36 defines M1 only as the initial
'Vite+React+TS+Tailwind scaffold', which is long past.",
146             "suggestedFix": "Replace with a current status, e.g.: 'Status: alpha ? the
web/ SPA is built and multilingual (6 languages), with the per-rally selection MVP and first-run
setup wizard shipped; khelsutra.guru / app.khelsutra.guru are live (Cloudflare Pages +
cloudflared tunnel + Access). See NEXT_STEPS.md.'",
147             "severity": "high"
148         },
149         {
150             "claim": "the web app (alpha SPA) now, the hosted control plane at beta",
151             "docLocation": "README.md:4",
152             "verdict": "stale",
153             "evidence": "This tagline pairs with line 9's 'pre-alpha scaffold', which is
contradicted by the shipped, live SPA (see web/ evidence above and NEXT_STEPS.md:7). The 'alpha
SPA now' framing is directionally right but undercut by the stale 'pre-alpha scaffold' status it
sits beside.",
154             "suggestedFix": "Keep 'web app (alpha SPA) now' but align the rest of the
intro/status so it no longer describes the SPA as not-yet-landed.",
155             "severity": "medium"
156         },
157         {
158             "claim": "`control-plane/` ? (beta) Cloud Run FastAPI control plane",
159             "docLocation": "README.md:17",
160             "verdict": "stale",
161             "evidence": "No control-plane/ directory exists: `ls control-plane` -> 'No
such file or directory'; `git ls-files control-plane/` returns nothing. Top-level tracked dirs
are deploy/, docs/, locales/, site/, web/ only.",
162             "suggestedFix": "Mark it as a future/planned directory that does not yet
exist (e.g. move it out of the 'Structure' list into a 'Planned (beta)' note), so a reader
doesn't expect the path to be present.",
163             "severity": "medium"
164         },
165         {
166             "claim": "Engine ... sibling repo `badminton-highlight-indexer` (rename
pending).",
167             "docLocation": "README.md:6",
168             "verdict": "correct",
169             "evidence": "Sibling repo still exists under that name: `ls
C:/Users/avidu/Projects/` shows 'badminton-highlight-indexer'; no rename has occurred, so
'rename pending' holds.",
170             "suggestedFix": "",
171             "severity": "low"

```

```

172         },
173         {
174             "claim": "Canonical planning docs live in the engine repo's docs/ for now:
UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md.",
175             "docLocation": "README.md:7-8",
176             "verdict": "correct",
177             "evidence": "All three exist in the engine repo (badminton-highlight-
indexer/docs/UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md present) and are NOT
tracked in khelsutra/docs (`git ls-files docs/` in khelsutra returns none of them; `ls
docs/UI_PROPOSAL.md` -> not found).",
178             "suggestedFix": "",
179             "severity": "low"
180         },
181         {
182             "claim": "`deploy/` ... alpha deploy kit ... DEPLOY_ALPHA.md ... +
cloudflared.config.example.yml",
183             "docLocation": "README.md:15",
184             "verdict": "correct",
185             "evidence": "git ls-files deploy/ shows deploy/DEPLOY_ALPHA.md and
deploy/cloudflared.config.example.yml (plus deploy/droplet/*). DEPLOY_ALPHA.md:1-5 matches the
described 'shareable page, no SSH; SPA on Pages + engine on api.* tunnel + CF Access' content.",
186             "suggestedFix": "",
187             "severity": "low"
188         },
189         {
190             "claim": "`site/` ? public marketing landing page (static; served at
khelsutra.guru)",
191             "docLocation": "README.md:13",
192             "verdict": "correct",
193             "evidence": "site/ exists with site/public/index.html, server.js, etc.;
DEPLOY_ALPHA.md and NEXT_STEPS.md confirm the marketing site is served at khelsutra.guru (apex)
while the SPA is at app.khelsutra.guru.",
194             "suggestedFix": "",
195             "severity": "low"
196         },
197         {
198             "claim": "`web/` ? React SPA (alpha; Vite + React + TS + Tailwind;
Cloudflare Pages build root)",
199             "docLocation": "README.md:14",
200             "verdict": "correct",
201             "evidence": "web/ is a Vite+React+TS+Tailwind SPA (web/README.md:3 'Vite +
React + TS + Tailwind v4'); DEPLOY_ALPHA.md:14 confirms 'app.khelsutra.guru -> Cloudflare Pages
(the web/ SPA)'. The tech-stack/build-root facts are accurate; only the inline 'alpha' maturity
ties into the stale status above.",
202             "suggestedFix": "",
203             "severity": "low"
204         },
205         {
206             "claim": "License: All rights reserved (private; no OSS license).",
207             "docLocation": "README.md:19-21",
208             "verdict": "correct",
209             "evidence": "No LICENSE file is tracked (not present in `git ls-files`);
consistent with a private 'all rights reserved' repo.",
210             "suggestedFix": "",
211             "severity": "low"
212         }
213     ]
214 },
215 {
216     "doc": "deploy/DEPLOY_ALPHA.md",
217     "overallStatus": "minor-staleness",
218     "summary": "Verified correct except a stale header",
219     "findings": [
220         {
221             "claim": "header stale deploy live",

```

```

222         "docLocation": "deploy/DEPLOY_ALPHA.md:3",
223         "verdict": "stale",
224         "evidence": "droplet/README.md:100 live-verified 2026-06-22",
225         "suggestedFix": "set header to LIVE",
226         "severity": "medium"
227     },
228     {
229         "claim": "host list too narrow",
230         "docLocation": "deploy/DEPLOY_ALPHA.md:66",
231         "verdict": "stale",
232         "evidence": "engine.env.example adds loopback",
233         "suggestedFix": "add localhost",
234         "severity": "low"
235     }
236 ]
237 },
238 {
239     "doc": "deploy/droplet/README.md",
240     "overallStatus": "fresh",
241     "summary": "This command-dense droplet quickstart is accurate and matches the
live repo: every cited kit file exists with the described contents, and the engine-behavior
claims (fail-fast boot posture, RALLY_* exposure vars, the Gemini-default-on-CPU gotcha, the
gs:// jail rejection, the --server entrypoint) all verify against the engine repo and
DEPLOY_ALPHA.md. The only items not locally reproducible are the 2026-06-22 droplet live-run
figures (e.g. \"1313 passed\"), which are an off-box assertion ? they are internally plausible
(engine has ~1269 test functions before parametrization) but cannot be confirmed from these
repos.",
242     "findings": [
243         {
244             "claim": "Four kit files exist: config.json.example, engine.env.example,
khelsutra-engine.service (and ../cloudflared.config.example.yml), each going to the documented
destination with the documented purpose.",
245             "docLocation": "deploy/droplet/README.md:9-14",
246             "verdict": "correct",
247             "evidence": "git ls-files deploy/ lists all four:
deploy/droplet/{config.json.example,engine.env.example,khelsutra-engine.service} and
deploy/cloudflared.config.example.yml; contents read and match (config.json.example has the
security block + cf_team/aud; engine.env.example has the two RALLY_* exposure vars +
RALLY_APP_HOME; the service binds 127.0.0.1:8000; cloudflared.config routes api. ->
127.0.0.1:8000).",
248             "suggestedFix": "",
249             "severity": "low"
250         },
251         {
252             "claim": "The boot fails fast (exit 1, '[STARTUP] refusing to start') if
edge_auth_enabled=true but the jail or cf_team_domain/cf_access_aud is unset.",
253             "docLocation": "deploy/droplet/README.md:53-54",
254             "verdict": "correct",
255             "evidence": "backend/main.py:857 logs '[STARTUP] refusing to start';
backend/config/startup.py:109 EXPOSED_NO_VIDEO_ROOT and :123 EXPOSED_EDGE_AUTH_INCOMPLETE are
both LEVEL_ERROR (startup.py:41,272-276), while EXPOSED_AUTH_EXTRA_MISSING (PyJWT) is LEVEL_WARN
(:135). From engine PR #294 (commit 0c0e064).",
256             "suggestedFix": "",
257             "severity": "low"
258         },
259         {
260             "claim": "indexing.default_segmenter MUST be gemini on a CPU box; the
shipped default yolo_hybrid needs torch/GPU and every job fails 'No module named torch' without
it.",
261             "docLocation": "deploy/droplet/README.md:109-113",
262             "verdict": "correct",
263             "evidence": "config.json.example:9-11 sets default_segmenter=gemini. Engine
AppConfig default is yolo_hybrid (backend/config/models.py:128), so an all-defaults load on the
droplet (which hand-writes config.json rather than running the --app LIGHT seeder) does land on
yolo_hybrid. The LIGHT 'motion' default (loader.py:227) only applies via

```



```

write_light_default_config (indexer --app first-run, PR #310), not this systemd path ? so the
gotcha is accurate for this deploy.",
264         "suggestedFix": "",
265         "severity": "low"
266     },
267     {
268         "claim": "RALLY_ALLOWED_HOSTS is the load-bearing fix; with edge_auth on,
the Host-header guard defaults loopback-only and 400s every tunneled request until set.",
269         "docLocation": "deploy/droplet/README.md:92, engine.env.example:14-17",
270         "verdict": "correct",
271         "evidence": "backend/config/startup.py:143-147 raises
EXPOSED_HOST_ALLOWLIST_LOOPBACK (LEVEL_WARN) when edge_auth is ON and RALLY_ALLOWED_HOSTS is
unset, with the exact 'will 400 forwarded requests' rationale; backend/main.py reads
RALLY_ALLOWED_HOSTS / RALLY_BIND_HOST / RALLY_CORS_ALLOW_ORIGINS. Matches DEPLOY_ALPHA.md §2.2
repro (400->200).",
272         "suggestedFix": "",
273         "severity": "low"
274     },
275     {
276         "claim": "Pasting a gs:// URI is rejected by the jail on the exposed box;
upload is the alpha path.",
277         "docLocation": "deploy/droplet/README.md:96-98",
278         "verdict": "correct",
279         "evidence": "tests/test_api_endpoints.py:608
test_process_hosted_mode_rejects_nonlocal_uri pins the gs:// -> 400 behavior under
allowed_video_root (referenced at :541 as the counterweight); the jail is required to expose
(config.json.example sets allowed_video_root).",
280         "suggestedFix": "",
281         "severity": "low"
282     },
283     {
284         "claim": "Pages build: Root dir web, Build npm run build, Output web/dist,
with VITE_API_BASE = https://api.khelsutra.guru/api.",
285         "docLocation": "deploy/droplet/README.md:73-76",
286         "verdict": "correct",
287         "evidence": "khelsutra web/ SPA exists (git ls-files web/...);
web/package.json build script = 'vite build'; web/src/api/client.ts:25 reads
import.meta.env.VITE_API_BASE (default '/api'), and client.test.ts:32 exercises the exact split
value https://api.khelsutra.guru/api. Vite default outDir 'dist' relative to root web/ =
web/dist.",
288         "suggestedFix": "",
289         "severity": "low"
290     },
291     {
292         "claim": "The shipped engine is run via the auth extra and python -m
backend.main --server, binding 127.0.0.1:8000.",
293         "docLocation": "deploy/droplet/README.md:33,47-49; khelsutra-
engine.service:26",
294         "verdict": "correct",
295         "evidence": "backend/main.py:867 defines the --server flag and :1107 calls
uvicorn.run(app, host=bind_host, port=port); --setup flag at :865; the service ExecStart uses
python -m backend.main --server.",
296         "suggestedFix": "",
297         "severity": "low"
298     },
299     {
300         "claim": "Live-verified on the droplet (2026-06-22): full suite 1313 passed
+ ruff/mypy clean on the box; boot-posture, Host-guard 400->200, path-jail, T4 upload->jail,
edge-auth 401-gate exercised live; full DNS->Cloudflare->Access->tunnel->engine chain
confirmed.",
301         "docLocation": "deploy/droplet/README.md:100-106",
302         "verdict": "unverifiable",
303         "evidence": "This is an off-box live-run assertion that cannot be reproduced
from the khelsutra or engine repos here. Sanity check: the engine tests/ dir has ~1269 'def
test_' functions (parametrize expansions push the collected/passed count higher), so '1313

```

```

passed' is plausible and consistent, not contradicted. Marked unverifiable per the file:line-
evidence discipline; no sign of staleness.",
304         "suggestedFix": "",
305         "severity": "low"
306     },
307     {
308         "claim": "Cost: Cloudflare Pages + Tunnel + Access are free (Access <= 50
users); standing cost ~ $0 + Gemini per run.",
309         "docLocation": "deploy/droplet/README.md:16-18",
310         "verdict": "unverifiable",
311         "evidence": "External Cloudflare pricing claim; not checkable against the
repo. Consistent with DEPLOY_ALPHA.md:3 ('-$0/mo standing ... + Gemini per-run'). No internal
contradiction.",
312         "suggestedFix": "",
313         "severity": "low"
314     }
315 ]
316 },
317 {
318     "doc": "docs/ANNOTATE_AND_TRAIN.md",
319     "overallStatus": "significant-staleness",
320     "summary": "A DRAFT tracker whose marketing-page deliverables (P0-P4 plus the
real annotator screenshots P5 mentions) are all shipped and merged (#15/#22/#23/#25), yet the
doc was last touched 2026-06-20 (#23) and never updated to reflect that. The core
engine/annotator technical claims (schema bridge, ship-gate refusing a commercial ship, MIT
annotator v1.6.4, guardrails) all still verify as correct ? only their file:line citations have
drifted. Main staleness: status still DRAFT despite shipped work, P5 marked Todo though
annotator screenshots are committed, the doc is NOT actually indexed in docs/README.md (claimed
three times), and the page since grew 6-language localization the tracker never anticipated. It
is an archive candidate once honestly closed out.",
321     "findings": [
322     {
323         "claim": "Status: DRAFT ? owner-gated on scope (header, line 3); Last
updated: 2026-06-20.",
324         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:3",
325         "verdict": "stale",
326         "evidence": "git log --follow shows the marketing-page work merged: P0 doc
(#15, 6b62ebf), own-model page P1-P4 (#22, b1110e1), org link (#23, 87520b8). Per $7, P0-P4 are
all marked Done ? yet the header still reads DRAFT. Lifecycle (line 4) is DRAFT->IN
PROGRESS->DONE; with P0-P4 shipped this is at least IN PROGRESS.",
327         "suggestedFix": "Flip Status to IN PROGRESS (only owner-gated P5-P9 remain)
and bump Last updated; or, if the owner considers the marketing surface complete, mark DONE and
archive per the lifecycle note.",
328         "severity": "medium"
329     },
330     {
331         "claim": "P5 'Capture + commit real screenshots ... replace placeholders' ?
Status ? (Todo), Gated Owner.",
332         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:76",
333         "verdict": "stale",
334         "evidence": "PR #25 (1906c82) 'show the real annotator screenshots'
committed site/public/img/annotate-enable.png (133712 bytes) and annotate-tool.png (153133
bytes); own-model.html:111-112 references them as the real VLC-UI shots (no people/footage). The
annotator-UI half of P5 is done and merged, not Todo.",
335         "suggestedFix": "Mark P5 ? for the annotator-UI screenshots (cite #25); if
footage screenshots with consented people are still pending, split that into its own row so the
done part isn't hidden under a blanket Todo.",
336         "severity": "high"
337     },
338     {
339         "claim": "Doc is 'index[ed] in docs/README.md' (line 5), $7 P0 'indexed in
docs/README.md' (?, #15), and DoD 'doc indexed in docs/README.md'.",
340         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:5,71,91",
341         "verdict": "stale",
342         "evidence": "grep -ni 'annotate|own.model|train.your|ANNOTATE_AND'

```

```

docs/README.md returns NOT FOUND; the docs/README.md 'Tracked work' list (lines 1-30) does not
mention ANNOTATE_AND_TRAIN.md or own-model. The claimed index entry does not exist.",
343         "suggestedFix": "Either add an ANNOTATE_AND_TRAIN.md entry to
docs/README.md's 'Tracked work' list, or correct P0/DoD to reflect that it is not yet indexed.",
344         "severity": "high"
345     },
346     {
347         "claim": "Engine ship-gate (gate_verdict, harness.py:98) currently refuses a
commercial ship regardless of F1: WASB provenance C3 unresolved + F1@tIoU not calibrated
(#172).",
348         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:12,31",
349         "verdict": "correct",
350         "evidence": "training/gen0/harness.py:177 returns {'ship': False, ...}; :175
'WASB checkpoint provenance C3 UNRESOLVED ? commercial ship blocked regardless of F1'; :174
'ship-gate F1@tIoU target NOT YET CALIBRATED ... see issue #172'. Fact correct; the cited line
(:98) has drifted ? gate_verdict is now at :142.",
351         "suggestedFix": "Update the line citations: gate_verdict is at
harness.py:142 (not :98).",
352         "severity": "low"
353     },
354     {
355         "claim": "Default synth path: synth_trajectory_from_labels uses
csv.DictReader reading row['start_time']/row['end_time'] (stub_runner.py:139) ? MATCHES the
annotator header exactly.",
356         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:46",
357         "verdict": "correct",
358         "evidence": "backend/pipeline/detectors/stub_runner.py:124 def
synth_trajectory_from_labels; :137 for row in _csv.DictReader(f); :139
rallies.append((float(row['start_time']), float(row['end_time']))). Annotator header
rally_number,start_time,end_time,... confirmed at rally-annotator vlc/rally_annotator.lua:128
and docs/CSV_FORMAT.md:6. Claim accurate.",
359         "suggestedFix": "",
360         "severity": "low"
361     },
362     {
363         "claim": "Canonical GT reader load_gt_intervals accepts start/end OR
start_time/end_time (gt_loader.py:14-90).",
364         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:47",
365         "verdict": "correct",
366         "evidence": "backend/eval/gt_loader.py:30 _START_NAMES = ('start',
'start_time'); :44 def load_gt_intervals; :70 headerless positional col0,col1 path. Both aliases
accepted as claimed.",
367         "suggestedFix": "",
368         "severity": "low"
369     },
370     {
371         "claim": "Bundle attests no_paid_llm_training_labels:True (harness.py:192)
and label source is human (harness.py:178).",
372         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:33,60",
373         "verdict": "correct",
374         "evidence": "training/gen0/harness.py:236 'no_paid_llm_training_labels':
True; :222 'label_source': 'human (rally-annotator golden CSVs)'. Facts correct; cited lines
(:192, :178) have drifted to :236 and :222.",
375         "suggestedFix": "Update line citations: no_paid_llm_training_labels at
harness.py:236, label_source at :222.",
376         "severity": "low"
377     },
378     {
379         "claim": "cmd_train (__main__.py:231) pulls labels/, joins video<->label by
file MD5 + stem-match labels/<name>.rallies.csv <-> videos/<name>.<ext> (__main__.py:271-280).",
380         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:31,49",
381         "verdict": "correct",
382         "evidence": "backend/worker/__main__.py:332 def cmd_train; :359 lists
{corpus}/labels/; :383-384 fname.replace('.rallies.csv','') stem join. Logic present and
correct; cmd_train line drifted from :231 to :332.",

```

```

383         "suggestedFix": "Update cmd_train citation to __main__.py:332.",
384         "severity": "low"
385     },
386     {
387         "claim": "Reuse map: add a /own-model alias in site/server.js:49-51; Worker
env.ASSETS.fetch needs no change (site/src/index.js:84).",
388         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:52,73",
389         "verdict": "correct",
390         "evidence": "site/server.js:99 'pathname === \"/own-model\" ? \"/own-
model.html\"' and :41 LOCALIZED_PAGES includes own-model.html (alias shifted off the cited
:49-51). site/src/index.js:84 'return env.ASSETS.fetch(request)' with no /own-model branch ?
confirms the Worker needs no change.",
391         "suggestedFix": "Update the server.js alias citation (now ~:99, not
:49-51).",
392         "severity": "low"
393     },
394     {
395         "claim": "Reuse precedent: screenshots under site/public/img/ (precedent
site/og.png + make_og.py).",
396         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:52",
397         "verdict": "correct",
398         "evidence": "git ls-files: site/make_og.py and site/public/og.png both
exist; site/public/img/ holds annotate-enable.png, annotate-tool.png, studio-*.png. The og asset
path is site/public/og.png (the doc wrote 'site/og.png' loosely), make_og.py is at
site/make_og.py.",
399         "suggestedFix": "Minor: the OG image is at site/public/og.png (not
site/og.png).",
400         "severity": "low"
401     },
402     {
403         "claim": "SPA today: web/src/App.tsx is one static screen, no router
(web/package.json); a correction screen needs react-router-dom.",
404         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:53,64",
405         "verdict": "stale",
406         "evidence": "grep on web/package.json: no react-router dep (claim 'no
router' still TRUE). But App.tsx is no longer 'one static screen' ? it now imports and
conditionally renders SetupWizard (web/src/App.tsx:11,65,242, P2c first-run wizard from PR #88).
The 'one static screen' framing predates the wizard.",
407         "suggestedFix": "Reword to 'no router; App.tsx renders a first-run
SetupWizard + the ingest panel' so the SPA surface description matches the post-#88 code.",
408         "severity": "low"
409     },
410     {
411         "claim": "SPA correction route depends on a new, unbuilt engine endpoint
PATCH /api/segments/{id} (dead columns
candidate_segments.human_label/notes/confirmed_segment_id); P8 ? Gated.",
412         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:53,79",
413         "verdict": "correct",
414         "evidence": "grep across backend/ for 'api/segments'/'PATCH' on
candidate_segments finds only the candidate_segments table + query_candidate_segments readers
(database.py:217, eval/*.py); no PATCH /api/segments route exists. P8 is still genuinely unbuilt
as stated.",
415         "suggestedFix": "",
416         "severity": "low"
417     },
418     {
419         "claim": "Relation note: peer of LOCAL_APPLIANCE_ARCHITECTURE.md (the latter
lands with PR #13).",
420         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:6,84",
421         "verdict": "stale",
422         "evidence": "git ls-files confirms docs/LOCAL_APPLIANCE_ARCHITECTURE.md
already exists in the repo; it has long since landed, so the forward-looking 'lands with PR #13'
/ 'cross-link once PR #13 merges' phrasing is outdated.",
423         "suggestedFix": "Drop the 'lands with PR #13' future-tense framing ? the doc
exists now; add the cross-link.",

```

```

424         "severity": "low"
425     },
426     {
427         "claim": "rally-annotator is a single-file VLC Lua extension, VERSION 1.6.4,
MIT-licensed, public at github.com/Khelsutra/rally-annotator.",
428         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:29",
429         "verdict": "correct",
430         "evidence": "rally-annotator/vlc/rally_annotator.lua:1 '(v1.6.4)'; LICENSE
first line 'MIT License'; own-model.html:109/191 links to https://github.com/Khelsutra/rally-
annotator (org-link migration was PR #23, captured in the doc's own history).",
431         "suggestedFix": "",
432         "severity": "low"
433     },
434     {
435         "claim": "$7 tracker: P1/P2/P3/P4 all ? via '(this PR)'.",
436         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:72-75",
437         "verdict": "correct",
438         "evidence": "own-model.html exists (P1); /own-model alias in server.js:99
(P2); nav cross-link index.html:255 + footer :620 (P3); verbatim annotator content + GitHub link
in own-model.html:108-191 (P4). All shipped ? git history shows these in PR #22 (b1110e1,
'annotate-train P1-P4'), so '(this PR)' should now read '#22'.",
439         "suggestedFix": "Replace the '(this PR)' placeholders in the PR column with
#22 (and #23 for the org-link follow-up) so the tracker cites real merged PRs.",
440         "severity": "medium"
441     }
442 ]
443 },
444 {
445     "doc": "docs/DRY_RUN_CUJ.md",
446     "overallStatus": "minor-staleness",
447     "summary": "The doc's substantive engineering claims are accurate and well-
grounded: the SPA back-half + B-P2 front-half ingest screen exist
(web/src/components/IngestPanel.tsx, web/src/hooks/useIngestJob.ts, #56), the engine bucket-
ingest routing is verified in code, and the three cited engine PRs (#280/#281/#289) plus all
four cited engine tests exist. The staleness is in metadata/framing: the header still says
Status: DRAFT though docs/README.md correctly calls it DELIVERED with DoD $6 boxes 1-3 done, and
the doc repeatedly describes the multilingual workflow as \"en/kn/hi\" (3 langs) when the SPA
now supports 6 (es/da/id added in #87). It is a completed tracker and an archive candidate once
the parked droplet box is closed.",
448     "findings": [
449         {
450             "claim": "Status: DRAFT ? owner-gated . ... Goal for this session.",
451             "docLocation": "docs/DRY_RUN_CUJ.md:3",
452             "verdict": "stale",
453             "evidence": "docs/README.md:4 marks this doc '? DELIVERED (2026-06-21)'; DoD
$6 boxes 1-3 are all checked [x] (DRY_RUN_CUJ.md:47-49) and the work shipped (#53/#55/#56/#57).
A DRAFT/'goal for this session' header no longer matches the completed, delivered state.",
454             "suggestedFix": "Flip the header to Status: DONE / DELIVERED (2026-06-21)
and drop 'Goal for this session'; note the only open box (droplet, $6 box 4) is owner-parked.
Consider archiving once that box closes.",
455             "severity": "medium"
456         },
457         {
458             "claim": "The SPA is 'Fully en/kn/hi (the switcher / ?lang=)' and the
multilingual workflow is en/kn/hi.",
459             "docLocation": "docs/DRY_RUN_CUJ.md:11",
460             "verdict": "stale",
461             "evidence": "web/src/i18n/index.ts:25 ? `export const SUPPORTED_LOCALES =
[\"en\", \"kn\", \"hi\", \"es\", \"da\", \"id\"]`; es/da/id were added to the SPA in PR #87
(cf59fbf 'add es/da/id to the marketing site (parity with the SPA's 6 languages)'). The SPA now
supports 6 languages, not 3.",
462             "suggestedFix": "Update 'en/kn/hi' to 'en/kn/hi/es/da/id (6 languages)'
where it describes the current switcher; the Hindi/Kannada run results in $7 stay accurate as
historical record.",
463             "severity": "low"

```

```

464         },
465         {
466             "claim": "This SPA front-half (ingest/process UI) is the *only* net-new work
for Path B (= B-P2); the SPA has no ingest/process UI today.",
467             "docLocation": "docs/DRY_RUN_CUJ.md:14",
468             "verdict": "correct",
469             "evidence": "B-P2 was net-new work at draft time and has since shipped:
web/src/components/IngestPanel.tsx + web/src/hooks/useIngestJob.ts (first landed in PR #56
'feat(web): B-P2 ? in-UI bucket ingest', 4525c5d, 2026-06-21). useIngestJob.ts drives POST
/api/process (processVideo) ? poll GET /api/jobs/{id} (getJob) ? hand video_id to App, exactly
as scoped.",
470             "suggestedFix": "",
471             "severity": "low"
472         },
473         {
474             "claim": "POST /api/process accepts gs://gcs://s3://local:// URIs and skips
the local-existence check for non-local backends; resolve via storage.resolve_input_ref;
gs://?gcs normalization.",
475             "docLocation": "docs/DRY_RUN_CUJ.md:15,68-72",
476             "verdict": "correct",
477             "evidence": "Engine backend/main.py:581 `input_ref =
storage.resolve_input_ref(req.video_path, ...)` and main.py:590 `if input_ref.backend ==
`\"local\" and not os.path.exists(input_ref.key):` (the non-local skip), with the fetch at
main.py:458 `storage.acquire_local_input(...)`; backend/storage/ref.py:60 `if scheme == \"gs\":
scheme = \"gcs\"`. Substance matches; the exact line numbers 159/274/283 cited in the doc have
drifted as the engine shipped further PRs.",
478             "suggestedFix": "Optionally refresh the cited line numbers (now
~main.py:581/590/458, ref.py:60) since the engine surface moved; the routing logic itself is
intact.",
479             "severity": "low"
480         },
481         {
482             "claim": "Tested by
tests/test_api_endpoints.py::test_process_nonlocal_uri_skips_exists_and_fetches,
::test_process_hosted_mode_rejects_nonlocal_uri, ::test_process_unknown_scheme_returns_400,
::test_cli_nonlocal_input_fetches_and_keeps_uri.",
483             "docLocation": "docs/DRY_RUN_CUJ.md:15,76",
484             "verdict": "correct",
485             "evidence": "Engine repo grep: tests/test_api_endpoints.py:508
test_process_nonlocal_uri_skips_exists_and_fetches; :577
test_process_unknown_scheme_returns_400; :608 test_process_hosted_mode_rejects_nonlocal_uri;
:627 test_cli_nonlocal_input_fetches_and_keeps_uri. All four exist with the asserted names.",
486             "suggestedFix": "",
487             "severity": "low"
488         },
489         {
490             "claim": "B-P1 (gs://?/api/process?API-DB video_id) already shipped in
engine M2 / #280; the job-drain hang fixed in #281; the compile-from-bucket 500 fixed in #289.",
491             "docLocation": "docs/DRY_RUN_CUJ.md:15,63,68,88",
492             "verdict": "correct",
493             "evidence": "Engine git log: e111add 'feat(serving): M2 ? URI-aware input
... (#280)'; 41d45fd 'fix(server): drain async jobs under `python -m backend.main` (double-
module hang) (#281)'; e68b583 'fix(api): resolve a bucket-ingested video's source to a local
file before stitching (#289)'. All three PRs exist with descriptions matching the doc.",
494             "suggestedFix": "",
495             "severity": "low"
496         },
497         {
498             "claim": "DoD §6 box 3: in-UI Path-B bucket?reel CUJ DONE (live e2e
2026-06-21) ? 12 rallies loaded ? reel downloaded; box 4 (CPU droplet) still open/un-
provisioned.",
499             "docLocation": "docs/DRY_RUN_CUJ.md:49-50",
500             "verdict": "correct",
501             "evidence": "Box 3 is corroborated by PR #57 'docs(dry-run): Path-B live e2e
DONE ? in-UI bucket?reel CUJ + screencast (DoD §6 box 3 ?)' and the merged B-P2 SPA (#56).

```

docs/README.md:6-7 confirms box 4 (droplet, option 3) remains 'parked by the owner (GPU subscription)'. The run-result specifics (12 rallies, reel sizes, GCS screencast paths) are runtime artifacts not locally reproducible.",

```

502         "suggestedFix": "",
503         "severity": "low"
504     },
505     {
506         "claim": "Run-result specifics: 12 rallies / video_id 05e0e577 /
50.9MB+76.5s reels / screencasts at gs://khelsutra-rally-corpus/promo/*.mp4 and the staged
bucket video gs://khelsutra-rally-corpus/videos/mahadevpura_smoke_180s.mp4.",
507         "docLocation": "docs/DRY_RUN_CUJ.md:54-60,82-85",
508         "verdict": "unverifiable",
509         "evidence": "These are GCS bucket objects and a one-off local run's outputs;
they cannot be checked from the repo. No counter-evidence found ? the surrounding code/PR claims
that frame them are all verified.",
510         "suggestedFix": "",
511         "severity": "low"
512     }
513 ]
514 },
515 {
516     "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
517     "overallStatus": "significant-staleness",
518     "summary": "A still-active DRAFT tracker (last updated 2026-06-21) whose §9
progress and several \"Absent (net-new)\" engine-fact anchors have drifted: the engine has since
shipped /api/capabilities, exposure-safety boot posture + an edge-auth layer, and merged
native_wasb_runner to master, while the alpha deploy went LIVE on 2026-06-22
(app.khelsutra.guru). The khelsutra-side claims (PR refs #11/#56/#64/#66, IngestPanel,
VITE_API_BASE) check out; the staleness is concentrated in engine status and the deploy/DoD
progress. Not yet an archive candidate (open owner gates remain) but needs a refresh pass.",
519     "findings": [
520     {
521         "claim": "§3 lists `GET /api/capabilities` under 'Absent (net-new): ...
`[verified ? grep returns none]`; §4.6 Reuse map lists it under 'Net-new'; §9 T7 (capabilities
+ health + banner) is ? Todo.",
522         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:49,113,164",
523         "verdict": "stale",
524         "evidence": "engine origin/master backend/main.py:340
`@app.get(\"/api/capabilities\")` (and main.py:307 `/api/health`, main.py:334 `/api/version`)
all exist on master. git grep '/api/capabilities' origin/master returns a hit.",
525         "suggestedFix": "Move `/api/capabilities` out of 'Absent (net-new)' and out
of §4.6 'Net-new'; mark the engine half of T7 (capabilities+health) as shipped (?/?), leaving
only the SPA banner pending.",
526         "severity": "high"
527     },
528     {
529         "claim": "TL;DR + Risk table: 'the engine has zero app-layer auth and CORS
`*` `[verified backend/main.py:42]`' ? structural safety only because the engine binds
127.0.0.1.",
530         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:14,30,103,128",
531         "verdict": "stale",
532         "evidence": "engine origin/master backend/main.py:82 uses
`allow_origins=cors_origins_from_env()` (default ['*']) but env-lockable) with
`allow_credentials=False`; main.py:109 adds TrustedHostMiddleware (DNS-rebinding/Host
allowlist); backend/api/auth.py + config/startup.py enforce_startup_checks + M9 `Cf-Access-
Authenticated-User-Email`/`owner_id` now exist on master. CORS is no longer a hardcoded bare
`*`, and an app-layer edge-auth integration now exists.",
533         "suggestedFix": "Reword to: CORS default is `*` but now env-configurable
(allow_credentials off), and the engine now ships a Host-header guard + an edge-auth integration
(Cf-Access trust) + exposure-safety boot posture ? so 'zero app-layer auth' is no longer
literally true. Re-anchor the line (main.py:42 no longer points at CORS).",
534         "severity": "high"
535     },
536     {
537         "claim": "§3 / §4.3: 'Native WASB is in-flight on branch `feat/native-wasb-

```

```

runner`: `native_wasb_runner.py` exists `[verified]`'".",
538         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:45,96",
539         "verdict": "stale",
540         "evidence": "engine origin/master now contains
backend/pipeline/detectors/native_wasb_runner.py and tests/test_native_wasb_runner.py (git ls-
tree origin/master). The runner has merged to master; the `feat/native-wasb-runner` branch still
exists but the file is no longer branch-only. (trajectory_hybrid._build_native_runner still
raises NotImplementedError at trajectory_hybrid.py:61 ? that sub-claim is still correct.)",
541         "suggestedFix": "Change 'in-flight on branch feat/native-wasb-runner' to
'native_wasb_runner.py is on master; trajectory_hybrid still refuses, fusion builds it; owner
byte-parity gate still pending.'",
542         "severity": "medium"
543     },
544     {
545         "claim": "$9 alpha-deploy block: 'the actual stand-up (tunnel + Pages + CF
Access + key rotation) is the **owner** step'; $11 DoD box 1 (CUJ-1 e2e on droplet behind gate)
and box 2 (raw :8000 refused, tested) unchecked.",
546         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:175,182,183",
547         "verdict": "stale",
548         "evidence": "deploy/droplet/README.md:100-106 '? Live-verified on the
droplet (2026-06-22)': engine booted on 168.144.126.176; suite 1313 passed; boot-posture fail-
fast, Host-guard 400?200, path-jail, T4 upload?jail, and edge-auth 401-gate all exercised live;
full DNS?Cloudflare?Access?tunnel?engine chain confirmed; app.khelsutra.guru up. Only Gemini-key
rotation + a browser OTP login remain.",
549         "suggestedFix": "Update $9 to note the alpha stand-up is LIVE (2026-06-22,
app.khelsutra.guru, posture test exercised) with only key rotation + browser-OTP login
outstanding; tick/qualify the corresponding DoD boxes.",
550         "severity": "high"
551     },
552     {
553         "claim": "Status header: 'Status: DRAFT ... Last updated: 2026-06-21' with
$9 the source of truth.",
554         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:3",
555         "verdict": "stale",
556         "evidence": "khelsutra git log shows merges through #94 (master HEAD
50b2bd7) and the alpha went live 2026-06-22, both after the doc's 2026-06-21 'last updated'.
Multiple $9 rows and engine facts have moved since (T7 engine half, alpha deploy, native_wasb on
master).",
557         "suggestedFix": "Bump 'Last updated' and consider promoting DRAFT?IN
PROGRESS; refresh $9 rows to current reality.",
558         "severity": "medium"
559     },
560     {
561         "claim": "D4 'Embed RallyPicker ... PR [#11]' and $9 T4 '[#66]', T12 'SPA
#56', alpha-deploy '[#64]' / 'VITE_API_BASE'.",
562         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:33,161,169,175",
563         "verdict": "correct",
564         "evidence": "khelsutra git log: cb74ce5 '...RallyPicker (#11)'; ca619fb 'T4
? in-UI file upload (#66)'; 4525c5d 'B-P2 ? in-UI bucket ingest (#56)'; 8bbc557 'VITE_API_BASE
(#64)'. web/src/components/IngestPanel.tsx handles both chunked upload (T4) and a gs:// URI
(T12); web/src/api/client.ts:25 reads VITE_API_BASE.",
565         "suggestedFix": "",
566         "severity": "low"
567     },
568     {
569         "claim": "T12 (bucket-URI ingest) marked ?: 'engine accepts URIs (M2/#280) +
SPA ingest screen shipped (B-P2, #56); in-UI gs:///reel CUJ proven live e2e (DRY_RUN_CUJ.md
$9)'.",
570         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:169",
571         "verdict": "correct",
572         "evidence": "docs/DRY_RUN_CUJ.md:80-92 $9 records the live in-UI gs:///reel
CUJ (12 rallies ? reel downloaded) and the compile-from-bucket 500 fix (engine #289);
IngestPanel.tsx accepts a gs:// URI. khelsutra #56 (B-P2) is merged.",
573         "suggestedFix": "",
574         "severity": "low"

```



```

575         },
576         {
577             "claim": "T11 retention marked ? : sweep tool shipped (engine #299), auto-
scheduling tracked (engine #301).",
578             "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:168,130",
579             "verdict": "unverifiable",
580             "evidence": "These reference the engine repo's GitHub PR #299 / issue #301
(Khelsutra/badminton-highlight-indexer). Not falsifiable from the local khelsutra checkout; the
local engine checkout is on a feature branch and I did not confirm the specific sweep tool by PR
number. The khelsutra-side row metadata is internally consistent (#69 flipped T11 to ? per git
log bea8a2a).",
581             "suggestedFix": "",
582             "severity": "low"
583         },
584         {
585             "claim": "S3 Droplet reality: co-hosts the marketing site at
`/srv/khelsutra-site`, node `:8787`, engine at `~/rally`; MinIO 9000/9001 + GCS emulator 9023.",
586             "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:48",
587             "verdict": "unverifiable",
588             "evidence": "These are live-droplet filesystem/port facts (168.144.126.176)
not checkable from the local repo. deploy/DEPLOY_ALPHA.md:31 and deploy/droplet/README.md:4
corroborate the IP/CPU-no-GPU/blr1 framing, but the exact paths/ports (/srv/khelsutra-site,
:8787, ~/rally) are not in-repo verifiable.",
589             "suggestedFix": "",
590             "severity": "low"
591         },

```

5. assistant (2026-06-22T09:46:35.763Z)

The README.md I read is the one at `khelsutra/docs/README.md`. But the audit's perDoc entries for "README.md" (lines 137-213) describe a DIFFERENT README ? one with "pre-alpha scaffold", "control-plane/", "Structure" list etc. That doesn't match the docs index I read. Let me check: the audit `staleFindings` use `doc === "docs/README.md"`. Let me find those specifically, and also confirm whether the README audited is the repo-root one or the docs one.

The perDoc entry `doc: "README.md"` describes content (line 9 "pre-alpha scaffold", repo-structure list) that matches a ROOT README, not the docs index I read. My assigned file is `docs/README.md`. Let me find the actual `staleFindings` array with `doc === "docs/README.md"`.

6. user (2026-06-22T09:46:38.217Z)

```
1323:   "staleFindings": [
```

7. user (2026-06-22T09:46:42.248Z)

```

1323       "staleFindings": [
1324         {
1325             "doc": "NEXT_STEPS.md",
1326             "claim": "PRs through #93 merged (master).",
1327             "docLocation": "NEXT_STEPS.md:13",
1328             "verdict": "stale",
1329             "evidence": "git log --oneline -1 = '50b2bd7 chore(repo): ... correct stale
NEXT_STEPS claims (#94)'; total 94 commits/PRs on master. Ironically #94 is the commit that
updated this line to '#93', then merged itself, so the doc now lags one PR behind master.",
1330             "suggestedFix": "Update to 'PRs through #94 merged (master).'",
1331             "severity": "medium"
1332         },
1333         {
1334             "doc": "README.md",
1335             "claim": "Status: pre-alpha scaffold. SPA lands in `web/` per execution-plan
milestone M1.",
1336             "docLocation": "README.md:9",
1337             "verdict": "stale",
1338             "evidence": "web/src/ has 51 tracked source files incl. web/src/App.tsx; `git

```

```

log --oneline -- web/` = 31 commits; merged PRs show the SPA is feature-complete: P2c first-run
wizard (#88), in-UI file upload T4 (#66), per-rally selection MVP P0?P5
(#11/#14/#21/#28/#30/#31), 6-language catalogs (#67). NEXT_STEPS.md:7 states 'khelsutra.guru is
LIVE and fully shipped'. UI_ALPHA_EXECUTION_PLAN.md:36 defines M1 only as the initial
'Vite+React+TS+Tailwind scaffold', which is long past.",
1339     "suggestedFix": "Replace with a current status, e.g.: 'Status: alpha ? the web/
SPA is built and multilingual (6 languages), with the per-rally selection MVP and first-run
setup wizard shipped; khelsutra.guru / app.khelsutra.guru are live (Cloudflare Pages +
cloudflared tunnel + Access). See NEXT_STEPS.md.'",
1340     "severity": "high"
1341 },
1342 {
1343     "doc": "README.md",
1344     "claim": "the web app (alpha SPA) now, the hosted control plane at beta",
1345     "docLocation": "README.md:4",
1346     "verdict": "stale",
1347     "evidence": "This tagline pairs with line 9's 'pre-alpha scaffold', which is
contradicted by the shipped, live SPA (see web/ evidence above and NEXT_STEPS.md:7). The 'alpha
SPA now' framing is directionally right but undercut by the stale 'pre-alpha scaffold' status it
sits beside.",
1348     "suggestedFix": "Keep 'web app (alpha SPA) now' but align the rest of the
intro/status so it no longer describes the SPA as not-yet-landed.",
1349     "severity": "medium"
1350 },
1351 {
1352     "doc": "README.md",
1353     "claim": "`control-plane/` ? (beta) Cloud Run FastAPI control plane",
1354     "docLocation": "README.md:17",
1355     "verdict": "stale",
1356     "evidence": "No control-plane/ directory exists: `ls control-plane` -> 'No such
file or directory'; `git ls-files control-plane/` returns nothing. Top-level tracked dirs are
deploy/, docs/, locales/, site/, web/ only.",
1357     "suggestedFix": "Mark it as a future/planned directory that does not yet exist
(e.g. move it out of the 'Structure' list into a 'Planned (beta)' note), so a reader doesn't
expect the path to be present.",
1358     "severity": "medium"
1359 },
1360 {
1361     "doc": "deploy/DEPLOY_ALPHA.md",
1362     "claim": "header stale deploy live",
1363     "docLocation": "deploy/DEPLOY_ALPHA.md:3",
1364     "verdict": "stale",
1365     "evidence": "droplet/README.md:100 live-verified 2026-06-22",
1366     "suggestedFix": "set header to LIVE",
1367     "severity": "medium"
1368 },
1369 {
1370     "doc": "deploy/DEPLOY_ALPHA.md",
1371     "claim": "host list too narrow",
1372     "docLocation": "deploy/DEPLOY_ALPHA.md:66",
1373     "verdict": "stale",
1374     "evidence": "engine.env.example adds loopback",
1375     "suggestedFix": "add localhost",
1376     "severity": "low"
1377 },
1378 {
1379     "doc": "docs/ANNOTATE_AND_TRAIN.md",
1380     "claim": "Status: DRAFT ? owner-gated on scope (header, line 3); Last updated:
2026-06-20.",
1381     "docLocation": "docs/ANNOTATE_AND_TRAIN.md:3",
1382     "verdict": "stale",
1383     "evidence": "git log --follow shows the marketing-page work merged: P0 doc (#15,
6b62ebf), own-model page P1-P4 (#22, b1110e1), org link (#23, 87520b8). Per §7, P0-P4 are all
marked Done ? yet the header still reads DRAFT. Lifecycle (line 4) is DRAFT->IN PROGRESS->DONE;
with P0-P4 shipped this is at least IN PROGRESS.",

```

```

1384         "suggestedFix": "Flip Status to IN PROGRESS (only owner-gated P5-P9 remain) and
bump Last updated; or, if the owner considers the marketing surface complete, mark DONE and
archive per the lifecycle note.",
1385         "severity": "medium"
1386     },
1387     {
1388         "doc": "docs/ANNOTATE_AND_TRAIN.md",
1389         "claim": "P5 'Capture + commit real screenshots ... replace placeholders' ?
Status ? (Todo), Gated Owner.",
1390         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:76",
1391         "verdict": "stale",
1392         "evidence": "PR #25 (1906c82) 'show the real annotator screenshots' committed
site/public/img/annotate-enable.png (133712 bytes) and annotate-tool.png (153133 bytes); own-
model.html:111-112 references them as the real VLC-UI shots (no people/footage). The annotator-
UI half of P5 is done and merged, not Todo.",
1393         "suggestedFix": "Mark P5 ? for the annotator-UI screenshots (cite #25); if
footage screenshots with consented people are still pending, split that into its own row so the
done part isn't hidden under a blanket Todo.",
1394         "severity": "high"
1395     },
1396     {
1397         "doc": "docs/ANNOTATE_AND_TRAIN.md",
1398         "claim": "Doc is 'index[ed] in docs/README.md' (line 5), §7 P0 'indexed in
docs/README.md' (? , #15), and DoD 'doc indexed in docs/README.md'.",
1399         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:5,71,91",
1400         "verdict": "stale",
1401         "evidence": "grep -ni 'annotate|own.model|train.your|ANNOTATE_AND'
docs/README.md returns NOT FOUND; the docs/README.md 'Tracked work' list (lines 1-30) does not
mention ANNOTATE_AND_TRAIN.md or own-model. The claimed index entry does not exist.",
1402         "suggestedFix": "Either add an ANNOTATE_AND_TRAIN.md entry to docs/README.md's
'Tracked work' list, or correct P0/DoD to reflect that it is not yet indexed.",
1403         "severity": "high"
1404     },
1405     {
1406         "doc": "docs/ANNOTATE_AND_TRAIN.md",
1407         "claim": "SPA today: web/src/App.tsx is one static screen, no router
(web/package.json); a correction screen needs react-router-dom.",
1408         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:53,64",
1409         "verdict": "stale",
1410         "evidence": "grep on web/package.json: no react-router dep (claim 'no router'
still TRUE). But App.tsx is no longer 'one static screen' ? it now imports and conditionally
renders SetupWizard (web/src/App.tsx:11,65,242, P2c first-run wizard from PR #88). The 'one
static screen' framing predates the wizard.",
1411         "suggestedFix": "Reword to 'no router; App.tsx renders a first-run SetupWizard +
the ingest panel' so the SPA surface description matches the post-#88 code.",
1412         "severity": "low"
1413     },
1414     {
1415         "doc": "docs/ANNOTATE_AND_TRAIN.md",
1416         "claim": "Relation note: peer of LOCAL_APPLIANCE_ARCHITECTURE.md (the latter
lands with PR #13).",
1417         "docLocation": "docs/ANNOTATE_AND_TRAIN.md:6,84",
1418         "verdict": "stale",
1419         "evidence": "git ls-files confirms docs/LOCAL_APPLIANCE_ARCHITECTURE.md already
exists in the repo; it has long since landed, so the forward-looking 'lands with PR #13' /
'cross-link once PR #13 merges' phrasing is outdated.",
1420         "suggestedFix": "Drop the 'lands with PR #13' future-tense framing ? the doc
exists now; add the cross-link.",
1421         "severity": "low"
1422     },
1423     {
1424         "doc": "docs/DRY_RUN_CUJ.md",
1425         "claim": "Status: DRAFT ? owner-gated . ... Goal for this session.",
1426         "docLocation": "docs/DRY_RUN_CUJ.md:3",
1427         "verdict": "stale",

```

```

1428         "evidence": "docs/README.md:4 marks this doc '? DELIVERED (2026-06-21)'; DoD $6
boxes 1-3 are all checked [x] (DRY_RUN_CUJ.md:47-49) and the work shipped (#53/#55/#56/#57). A
DRAFT/'goal for this session' header no longer matches the completed, delivered state.",
1429         "suggestedFix": "Flip the header to Status: DONE / DELIVERED (2026-06-21) and
drop 'Goal for this session'; note the only open box (droplet, $6 box 4) is owner-parked.
Consider archiving once that box closes.",
1430         "severity": "medium"
1431     },
1432     {
1433         "doc": "docs/DRY_RUN_CUJ.md",
1434         "claim": "The SPA is 'Fully en/kn/hi (the switcher / ?lang=)' and the
multilingual workflow is en/kn/hi.",
1435         "docLocation": "docs/DRY_RUN_CUJ.md:11",
1436         "verdict": "stale",
1437         "evidence": "web/src/i18n/index.ts:25 ? `export const SUPPORTED_LOCALES =
[\"en\", \"kn\", \"hi\", \"es\", \"da\", \"id\"]`; es/da/id were added to the SPA in PR #87
(cf59fbf 'add es/da/id to the marketing site (parity with the SPA's 6 languages)'). The SPA now
supports 6 languages, not 3.",
1438         "suggestedFix": "Update 'en/kn/hi' to 'en/kn/hi/es/da/id (6 languages)' where it
describes the current switcher; the Hindi/Kannada run results in $7 stay accurate as historical
record.",
1439         "severity": "low"
1440     },
1441     {
1442         "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
1443         "claim": "$3 lists `GET /api/capabilities` under 'Absent (net-new): ...
[verified ? grep returns none]'; $4.6 Reuse map lists it under 'Net-new'; $9 T7 (capabilities
+ health + banner) is ? Todo.",
1444         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:49,113,164",
1445         "verdict": "stale",
1446         "evidence": "engine origin/master backend/main.py:340
`@app.get(\"/api/capabilities\")` (and main.py:307 `/api/health`, main.py:334 `/api/version`)
all exist on master. git grep '/api/capabilities' origin/master returns a hit.",
1447         "suggestedFix": "Move `/api/capabilities` out of 'Absent (net-new)' and out of
$4.6 'Net-new'; mark the engine half of T7 (capabilities+health) as shipped (??), leaving only
the SPA banner pending.",
1448         "severity": "high"
1449     },
1450     {
1451         "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
1452         "claim": "TL;DR + Risk table: 'the engine has zero app-layer auth and CORS `*`
[verified backend/main.py:42]` ? structural safety only because the engine binds 127.0.0.1.",
1453         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:14,30,103,128",
1454         "verdict": "stale",
1455         "evidence": "engine origin/master backend/main.py:82 uses
`allow_origins=cors_origins_from_env()` (default ['*'] but env-lockable) with
`allow_credentials=False`; main.py:109 adds TrustedHostMiddleware (DNS-rebinding/Host
allowlist); backend/api/auth.py + config/startup.py enforce_startup_checks + M9 `Cf-Access-
Authenticated-User-Email`/`owner_id` now exist on master. CORS is no longer a hardcoded bare
`*`, and an app-layer edge-auth integration now exists.",
1456         "suggestedFix": "Reword to: CORS default is `*` but now env-configurable
(allow_credentials off), and the engine now ships a Host-header guard + an edge-auth integration
(Cf-Access trust) + exposure-safety boot posture ? so 'zero app-layer auth' is no longer
literally true. Re-anchor the line (main.py:42 no longer points at CORS).",
1457         "severity": "high"
1458     },
1459     {
1460         "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
1461         "claim": "$3 / $4.3: 'Native WASB is in-flight on branch `feat/native-wasb-
runner`: `native_wasb_runner.py` exists [verified]`'.",
1462         "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:45,96",
1463         "verdict": "stale",
1464         "evidence": "engine origin/master now contains
backend/pipeline/detectors/native_wasb_runner.py and tests/test_native_wasb_runner.py (git ls-
tree origin/master). The runner has merged to master; the `feat/native-wasb-runner` branch still

```

```

exists but the file is no longer branch-only. (trajectory_hybrid._build_native_runner still
raises NotImplementedError at trajectory_hybrid.py:61 ? that sub-claim is still correct.)",
1465     "suggestedFix": "Change 'in-flight on branch feat/native-wasb-runner' to
'native_wasb_runner.py is on master; trajectory_hybrid still refuses, fusion builds it; owner
byte-parity gate still pending.'",
1466     "severity": "medium"
1467 },
1468 {
1469     "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
1470     "claim": "$9 alpha-deploy block: 'the actual stand-up (tunnel + Pages + CF
Access + key rotation) is the **owner** step'; $11 DoD box 1 (CUJ-1 e2e on droplet behind gate)
and box 2 (raw :8000 refused, tested) unchecked.",
1471     "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:175,182,183",
1472     "verdict": "stale",
1473     "evidence": "deploy/droplet/README.md:100-106 '? Live-verified on the droplet
(2026-06-22)': engine booted on 168.144.126.176; suite 1313 passed; boot-posture fail-fast,
Host-guard 400?200, path-jail, T4 upload?jail, and edge-auth 401-gate all exercised live; full
DNS?Cloudflare?Access?tunnel?engine chain confirmed; app.khelsutra.guru up. Only Gemini-key
rotation + a browser OTP login remain.",
1474     "suggestedFix": "Update $9 to note the alpha stand-up is LIVE (2026-06-22,
app.khelsutra.guru, posture test exercised) with only key rotation + browser-OTP login
outstanding; tick/qualify the corresponding DoD boxes.",
1475     "severity": "high"
1476 },
1477 {
1478     "doc": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md",
1479     "claim": "Status header: 'Status: DRAFT ... Last updated: 2026-06-21' with $9
the source of truth.",
1480     "docLocation": "docs/LOCAL_APPLIANCE_ARCHITECTURE.md:3",
1481     "verdict": "stale",
1482     "evidence": "khelsutra git log shows merges through #94 (master HEAD 50b2bd7)
and the alpha went live 2026-06-22, both after the doc's 2026-06-21 'last updated'. Multiple $9
rows and engine facts have moved since (T7 engine half, alpha deploy, native_wasb on master).",
1483     "suggestedFix": "Bump 'Last updated' and consider promoting DRAFT?IN PROGRESS;
refresh $9 rows to current reality.",
1484     "severity": "medium"
1485 },
1486 {
1487     "doc": "docs/MULTILINGUAL_EXPANSION.md",
1488     "claim": "EX3 ('site/ marketing parity for the 7') is ? and 'Blocked on B3'; and
$1/$4/$6 say site localization 'depends on FRIENDLY B3 landing first ? until then this is SPA-
only.'",
1489     "docLocation": "docs/MULTILINGUAL_EXPANSION.md:87,16,68",
1490     "verdict": "stale",
1491     "evidence": "FRIENDLY B3 shipped: git log 1b1fa7b 'feat(web+site): B3 ?
trilingual marketing site via shared t()/data-i18n shim (#70)'. Site es/da/id parity also
shipped: cf59fbf '#87'. git ls-files shows site/public/locales/{es,da,id}/common.json present.
The dependency is satisfied and the Phase-A trio is no longer SPA-only.",
1492     "suggestedFix": "Update EX3 to reflect that FRIENDLY B3 landed (#70) and the
Phase-A es/da/id site parity shipped (#87) ? mark the es/da/id portion ? (site has those
catalogs) with only th/zh/ja/ko site parity remaining; drop the 'until then this is SPA-only'
caveat for es/da/id in $1/$4/$6.",
1493     "severity": "medium"
1494 },
1495 {
1496     "doc": "docs/MULTILINGUAL_EXPANSION.md",
1497     "claim": "$10 References cites internal 'docs/UI_PROPOSAL.md'.",
1498     "docLocation": "docs/MULTILINGUAL_EXPANSION.md:108",
1499     "verdict": "stale",
1500     "evidence": "git ls-files | grep -i UI_PROPOSAL returns nothing (exit 1) ? no
such file exists anywhere in the repo.",
1501     "suggestedFix": "Remove the docs/UI_PROPOSAL.md reference or repoint it to the
correct doc (the engine repo has UI docs; this repo does not contain UI_PROPOSAL.md).",
1502     "severity": "low"
1503 },

```

```

1504     {
1505         "doc": "docs/MULTILINGUAL_EXPANSION.md",
1506         "claim": "SUPPORTED_LOCALES entries are at i18n/index.ts:18.",
1507         "docLocation": "docs/MULTILINGUAL_EXPANSION.md:50",
1508         "verdict": "stale",
1509         "evidence": "web/src/i18n/index.ts: SUPPORTED_LOCALES is declared at line 25 (=
[ 'en', 'kn', 'hi', 'es', 'da', 'id' ]), not line 18 (line 18 is the hiCommon import). Line-number
drift only.",
1510         "suggestedFix": "Change the citation from i18n/index.ts:18 to
i18n/index.ts:25.",
1511         "severity": "low"
1512     },
1513     {
1514         "doc": "docs/MULTILINGUAL_EXPANSION.md",
1515         "claim": "The <html lang> sync is at i18n/index.ts:59-65.",
1516         "docLocation": "docs/MULTILINGUAL_EXPANSION.md:49",
1517         "verdict": "stale",
1518         "evidence": "web/src/i18n/index.ts:59-65 is the detection-order block
(order/lookupLocalStorage/etc.); the syncDocumentLang() function for <html lang> begins at line
70.",
1519         "suggestedFix": "Repoint the <html lang> citation to ~i18n/index.ts:70
(syncDocumentLang).",
1520         "severity": "low"
1521     },
1522     {
1523         "doc": "docs/PER_RALLY_SELECTION.md",
1524         "claim": "P6 (engine repo) ? GET /api/health + offline banner; /api/compile
returns download_url ? Status ? (Todo, not built); §4.3 table marks GET /api/health as 'new' and
the download_url addition as 'modify' (not yet done).",
1525         "docLocation": "docs/PER_RALLY_SELECTION.md:133 (P7 tracker row P6), :83-84
(§4.3 table)",
1526         "verdict": "stale",
1527         "evidence": "backend/main.py:307 `@app.get(\"/api/health\")` is fully
implemented; backend/main.py compile (~line 769) returns
`{\"status\": \"success\", \"filepath\": out_path, \"download_url\": download_url}` where
download_url = `/api/highlights/{video_id}/{out_name}`. Both P6 items are shipped in the
engine.",
1528         "suggestedFix": "Flip P6 to ? (or split: health=?, download_url=?) and update
§4.3 status from 'new'/'modify' to 'exists'. Note in the doc that the engine now returns
download_url so the SPA no longer needs to hand-build the URL (though it still can).",
1529         "severity": "high"
1530     },
1531     {
1532         "doc": "docs/PER_RALLY_SELECTION.md",
1533         "claim": "Compile returns a server-local filepath, NOT a URL, so the SPA
constructs this download URL itself (repeated as a core caveat in §0 TL;DR, §3 Foundation, §4.2
data flow, D11/risk table, changelog).",
1534         "docLocation": "docs/PER_RALLY_SELECTION.md:12, :44, :73, :116",
1535         "verdict": "stale",
1536         "evidence": "backend/main.py compile endpoint now returns `download_url`
alongside `filepath`: `download_url =
f\"/api/highlights/{quote(req.video_id)}/{quote(out_name)}\"; return
{ \"status\": \"success\", \"filepath\": out_path, \"download_url\": download_url }`. The 'filepath not
a URL' premise that the whole 'SPA must build the URL' design rests on is no longer the full
picture.",
1537         "suggestedFix": "Update the caveat to: compile returns BOTH a server-local
filepath and a ready-to-use download_url (/api/highlights/...). The SPA may use download_url
directly; the hand-built-URL fallback is now optional, not required.",
1538         "severity": "high"
1539     },
1540     {
1541         "doc": "docs/PER_RALLY_SELECTION.md",
1542         "claim": "P8 ? GET /api/videos + identity scoping ? Status ? owner, ? (not
built); §4.3 marks 'GET /api/videos' as 'new', noting 'only get_video(id) exists,
database.py:418'.",

```

```

1543         "docLocation": "docs/PER_RALLY_SELECTION.md:135 (P8 row), :86 (§4.3)",
1544         "verdict": "stale",
1545         "evidence": "backend/main.py:374 `@app.get(\"/api/videos\")` ?
`db_instance.list_videos(limit=limit)`; backend/infrastructure/database.py:545 `def
list_videos(...)`". The endpoint and the DB enumerate both exist (added per PACKAGING_PLAN.md
P1). The doc's 'only get_video(id) exists' claim and the 'new' status are wrong; identity
scoping may still be pending but the listing endpoint shipped.",
1546         "suggestedFix": "Mark the GET /api/videos endpoint as 'exists' in §4.3; in P8
note that the videos-list endpoint already shipped and only the identity/owner-scoping layer
remains gated.",
1547         "severity": "high"
1548     },
1549     {
1550         "doc": "docs/PER_RALLY_SELECTION.md",
1551         "claim": "P3/P4/P5 tracker rows show PR = '(this PR)' as the merge reference.",
1552         "docLocation": "docs/PER_RALLY_SELECTION.md:130-132",
1553         "verdict": "stale",
1554         "evidence": "git log: P3 merged as #28 (d537d19), P4 as #30 (aff8de8), P5 as #31
(8bf200d). The '(this PR)' placeholders were never backfilled, so a reader cannot find the
actual PRs.",
1555         "suggestedFix": "Replace '(this PR)' with [#28], [#30], [#31] for P3/P4/P5
respectively.",
1556         "severity": "medium"
1557     },
1558     {
1559         "doc": "docs/PER_RALLY_SELECTION.md",
1560         "claim": "Engine line anchors in [verified ...] tags: config at
backend/main.py:121-123; jobs :274-293; highlights download :307-328; query :331-340; compile +
floor :342-396; play_segments database.py:124-135; dead correction cols :166-168; no list-videos
:418; query read :427-475.",
1561         "docLocation": "docs/PER_RALLY_SELECTION.md:38-46, :163 (§10 anchors)",
1562         "verdict": "stale",
1563         "evidence": "Live engine: /api/config is at main.py:297 (not 121-123);
/api/jobs/{job_id} at :637 (not 274-293); /api/highlights at :670 (not 307-328); /api/query at
:694 (not 331-340); /api/compile at :705 (not 342-396); play_segments CREATE TABLE at
database.py:186 (not 124-135); get_video at :536 (not 418). The endpoints/contracts still EXIST
and behave as described, but every cited line number has drifted because the engine ships PRs
independently.",
1564         "suggestedFix": "Re-run the anchors against current engine HEAD and update line
numbers, or replace brittle line numbers with symbol names (e.g. main.py::get_config,
database.py::list_videos). The sibling DRY_RUN_CUJ.md §8 already warns that engine-surface
claims drift between sessions.",
1565         "severity": "medium"
1566     },
1567     {
1568         "doc": "docs/PER_RALLY_SELECTION.md",
1569         "claim": "References §0.6 / §10 cite 'REQUEST_ACCESS_FORM.md' (repo-root style)
as a peer doc.",
1570         "docLocation": "docs/PER_RALLY_SELECTION.md:6, :164",
1571         "verdict": "stale",
1572         "evidence": "git ls-files shows the file is at docs/REQUEST_ACCESS_FORM.md, not
at repo root. The bare 'REQUEST_ACCESS_FORM.md' reference is path-imprecise (it now lives under
docs/).",
1573         "suggestedFix": "Reference it as docs/REQUEST_ACCESS_FORM.md.",
1574         "severity": "low"
1575     },
1576     {
1577         "doc": "docs/PORTABILITY.md",
1578         "claim": "`node --test src/` runs BOTH paths.",
1579         "docLocation": "docs/PORTABILITY.md:25",
1580         "verdict": "stale",
1581         "evidence": "package.json `\"test\": \"node --test\"` (no src/ arg) is what CI
runs (.github/workflows/test.yml:25 `npm test`). The split targets are test:cf / test:vm. `node
--test src/` is not the command CI uses; the bare `node --test` discovers and runs all
*.test.js.",

```

```

1582         "suggestedFix": "Change to: `npm test` (node --test) runs BOTH paths, and CI
runs it on every PR.",
1583         "severity": "low"
1584     },
1585     {
1586         "doc": "docs/PORTABILITY.md",
1587         "claim": "VM deploy runbook: Node 22+ only ? no npm install (node:sqlite is
built in).",
1588         "docLocation": "docs/PORTABILITY.md:64",
1589         "verdict": "stale",
1590         "evidence": "Internally inconsistent with the doc's own provisioning section
(line 40: Node >=24 'so node:sqlite is unflagged') and the repo: provision-vm.sh NODE_MAJOR
default 24 + 'must be >= 24', .github/workflows/test.yml:17 node-version 24, server.js:1 also
says 'Node 22+'. node:sqlite was flagged/experimental before Node ~22.5 and only stabilized
later; a reader running the runbook on Node 22 may hit a flagged/unavailable node:sqlite. The
authoritative requirement in code is >=24.",
1591         "suggestedFix": "Change 'Node 22+ only' to 'Node 24+ only (node:sqlite is
unflagged at >=24)' in both the runbook (line 64) and server.js:1, to match provision-vm.sh /
CI.",
1592         "severity": "medium"
1593     },
1594     {
1595         "doc": "docs/README.md",
1596         "claim": "MULTILINGUAL_EXPANSION.md is a 'proposal to add 7 more locales
(th/id/da/es/zh-Hans/ja/ko) ... DRAFT ? owner-gated (approval to start), [#58].'",
1597         "docLocation": "docs/README.md:16-18",
1598         "verdict": "stale",
1599         "evidence": "docs/MULTILINGUAL_EXPANSION.md:3 status header reads 'IN PROGRESS ?
Phase A (es/da/id) shipped (#67); Phases B (Thai) / C (CJK) owner-gated'. Git confirms PR #67
'feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs'. site/public/locales/
now contains es, da, id directories and web/src/i18n/index.ts:25 lists SUPPORTED_LOCALES =
en, kn, hi, es, da, id. So es/da/id are no longer 'to add', and the doc is not a not-yet-started
DRAFT.",
1600         "suggestedFix": "Update to: `***MULTILINGUAL_EXPANSION.md*** ? `IN PROGRESS`:
Phase A (es/da/id) shipped ([#67]); Thai (B) / CJK (C) remain owner-gated. Adds locales beyond
the en/kn/hi foundation; peer of the archived `FRIENDLY_AND_MULTILINGUAL.md`.",
1601         "severity": "high"
1602     },
1603     {
1604         "doc": "docs/README.md",
1605         "claim": "The index lists every tracked doc in this repo (DRY_RUN_CUJ,
FRIENDLY_AND_MULTILINGUAL, MULTILINGUAL_EXPANSION, LOCAL_APPLIANCE_ARCHITECTURE,
PER_RALLY_SELECTION, REQUEST_ACCESS_FORM, PORTABILITY).",
1606         "docLocation": "docs/README.md:3-27",
1607         "verdict": "stale",
1608         "evidence": "git ls-files docs/ also returns docs/ANNOTATE_AND_TRAIN.md, which
is NOT referenced anywhere in README.md. That doc's own header (docs/ANNOTATE_AND_TRAIN.md:5)
states its tracking anchor is 'index in docs/README.md', so it expects to be listed here.",
1609         "suggestedFix": "Add a 'Tracked work' entry, e.g.: `***ANNOTATE_AND_TRAIN.md***
? annotate-your-footage ? train-your-own-model USP pages (rally-annotator + engine `worker
train`). `DRAFT` ? owner-gated on scope.",
1610         "severity": "medium"
1611     },
1612     {
1613         "doc": "docs/REQUEST_ACCESS_FORM.md",
1614         "claim": "Frontend lives in `site/index.html` (the header/hero buttons scroll to
#join; #join becomes the form).",
1615         "docLocation": "docs/REQUEST_ACCESS_FORM.md:58",
1616         "verdict": "stale",
1617         "evidence": "`ls site/index.html` -> exit 2 (no such file). The frontend is git-
tracked as site/public/index.html (git ls-files), which contains the #join section
(public/index.html:524) and the href=`#join` CTAs (lines 269,282,284). The file was moved by
PR #3 (git show f699847 --stat: `site/{ => public}/index.html`) on 2026-06-20 ? the same day as
the doc's 'Last updated', so the path reference was never updated.",
1618         "suggestedFix": "Change `site/index.html` to `site/public/index.html` in §4 (the

```



```

#join + form behavior it describes is otherwise correct).",
1619         "severity": "medium"
1620     },
1621     {
1622         "doc": "docs/REQUEST_ACCESS_FORM.md",
1623         "claim": "The hidden honeypot field is named `hp` (anti-spam; if filled ->
silently drop).",
1624         "docLocation": "docs/REQUEST_ACCESS_FORM.md:55",
1625         "verdict": "stale",
1626         "evidence": "site/public/index.html:602 `<input class=`hp` type=`text`"
name=`company`" ...>` ? `hp` is the CSS class, the field NAME is `company`. The Worker honeypot
check keys on `company`: site/src/index.js:21 `return !(p && typeof p.company === `string` &&
p.company.trim() !== ``)`, and the client drops on `f.company` (public/index.html:722).",
1627         "suggestedFix": "In the §3 table, change the honeypot row's field from `hp` to
`company` (note `hp` is the CSS class).",
1628         "severity": "low"
1629     },
1630     {
1631         "doc": "docs/REQUEST_ACCESS_FORM.md",
1632         "claim": "P3: per-submission email notify is LIVE (per-submission to
`hello@`).",
1633         "docLocation": "docs/REQUEST_ACCESS_FORM.md:85",
1634         "verdict": "stale",
1635         "evidence": "Email-notify is implemented (site/src/notify.js cfEmailNotify +
wrangler.toml `[send_email]`), but the destination is avi.dullu@gmail.com, not hello@:
wrangler.toml:24 `destination_address = `avi.dullu@gmail.com```, :28 `NOTIFY_TO =
`avi.dullu@gmail.com``. (The form's contact mailto fallback does use hello@, but submission
notifications go to avi.dullu@gmail.com.)",
1636         "suggestedFix": "Change 'per-submission to `hello@`' to 'per-submission to
avi.dullu@gmail.com' to match wrangler.toml NOTIFY_TO.",
1637         "severity": "low"
1638     },
1639     {
1640         "doc": "docs/REQUEST_ACCESS_FORM.md",
1641         "claim": "Anti-spam: add Cloudflare Turnstile in P2 if spam appears.",
1642         "docLocation": "docs/REQUEST_ACCESS_FORM.md:66",
1643         "verdict": "stale",
1644         "evidence": "Internal inconsistency: §4 line 66 says Turnstile lands 'in P2',
but the §6 tracker lists Turnstile under P3 (line 85). P2 (the Worker, PR #3) shipped without
Turnstile, so §4's 'P2' is the wrong phase label.",
1645         "suggestedFix": "Change 'in P2' to 'in P3' in §4 to match the tracker.",
1646         "severity": "low"
1647     },
1648     {
1649         "doc": "site/README.md",
1650         "claim": "Layout: src/ contains index.js (the Worker) and index.test.js (unit
tests for the form logic) ? implies that is the whole src/ surface.",
1651         "docLocation": "site/README.md:8-9",
1652         "verdict": "stale",
1653         "evidence": "git ls-files site/src/ returns 11 files: assets.test.js, deploy-
config.test.js, i18n.shim.test.js, index.js, index.test.js, layout.browser.mjs, locales-
drift.test.js, notify.js, server.js absent (it's at site/server.js), store.js, server.test.js,
ux.dom.test.js. The README names only index.js + index.test.js and omits store.js, notify.js,
and the 6 added test files.",
1654         "suggestedFix": "List the real src/ surface: src/index.js (shared
handler/validation), src/store.js (D1 + SQLite stores), src/notify.js (email/no-op notifiers),
and note the test files (index/server/assets/deploy-config/i18n.shim/locales-drift/ux.dom +
layout.browser.mjs).",
1655         "severity": "medium"
1656     },
1657     {
1658         "doc": "site/README.md",
1659         "claim": "The site is just 'a static landing page + /capture checklist plus a
small Worker' ? Cloudflare-Worker-only; server.js / VM host / droplet are not mentioned at
all.",

```

```

1660         "docLocation": "site/README.md:1-12",
1661         "verdict": "stale",
1662         "evidence": "site/server.js:1-14 is an 'Always-on VM host for the KhelSutra site
... the portability fallback if Cloudflare acts out ? see docs/PORTABILITY.md', sharing the same
handleRequest from src/index.js. docs/PORTABILITY.md exists. The site test run shows a full '[VM
host]' suite (POST persists to SQLite, serves /own-model, flyers, locales). The README has zero
mention of server.js, the VM host, the droplet, or PORTABILITY.md.",
1663         "suggestedFix": "Add a short section: the same handler runs in two places ? the
Cloudflare Worker (src/index.js, this README's focus) and an always-on VM host (server.js, the
portability fallback; see docs/PORTABILITY.md), used by the alpha droplet.",
1664         "severity": "medium"
1665     },
1666     {
1667         "doc": "site/README.md",
1668         "claim": "public/ ? static assets served as-is (index.html, capture.html,
og.png, robots.txt).",
1669         "docLocation": "site/README.md:7",
1670         "verdict": "stale",
1671         "evidence": "git ls-files site/public/ also lists own-model.html,
flyer.html/flyer-kn.html/flyer-hi.html, i18n.js, img/ (studio/annotate/flyer-qr), video/tool-
cu.mp4, and locales/{en,kn,hi,es,da,id}/common.json ? a 6-language i18n + flyers + SPA-video
surface absent from the README's 4-file list.",
1672         "suggestedFix": "Broaden the public/ description to mention the localized pages
+ locales/ (6 langs), the flyers, own-model.html, img/, and video/, not just the original four
files.",
1673         "severity": "low"
1674     },
1675     {
1676         "doc": "site/README.md",
1677         "claim": "npm test # node --test src/ (no install needed)",
1678         "docLocation": "site/README.md:16",
1679         "verdict": "stale",
1680         "evidence": "site/package.json scripts.test = 'node --test' (no src/ path
argument). Running it executes 86 tests across src/ and other dirs (? tests 86, pass 86).",
1681         "suggestedFix": "Change the annotation to '# node --test (86 tests, no install
needed)'.",
1682         "severity": "low"
1683     },
1684     {
1685         "doc": "site/README.md",
1686         "claim": "src/index.js ? the Worker: serves public/ and handles POST
/api/request-access -> D1.",
1687         "docLocation": "site/README.md:8",
1688         "verdict": "stale",
1689         "evidence": "site/src/index.js:84 returns env.ASSETS.fetch(request) for non-form
paths ? on Cloudflare the static assets are served by the [assets] binding (wrangler.toml:12-14
ASSETS), not by Worker code. The Worker only owns the /api/request-access path; it delegates
'everything else: static assets'.",
1690         "suggestedFix": "Reword to 'handles POST /api/request-access -> D1 and delegates
all other paths to the Cloudflare static-assets binding (ASSETS)'.",
1691         "severity": "low"
1692     },
1693     {
1694         "doc": "web/README.md",
1695         "claim": "`src/App.tsx` ? the console shell (screens land in M2+).",
1696         "docLocation": "web/README.md:30",
1697         "verdict": "stale",
1698         "evidence": "web/src/App.tsx is a complete screen, not a shell: it renders
RallyGrid, QueryBar, TapFilters, SelectionFooter, LanguageSwitcher, IngestPanel, SetupWizard,
CompileResult (imports App.tsx:3-16) and orchestrates listRallies/compileReel against the engine
(App.tsx:80,150). Last touched by PR #88 'P2c first-run setup wizard' (git log --
web/src/App.tsx), long past M2. The README was last modified at PR #14 (git log --
web/README.md), so this line predates the entire screen build-out.",
1699         "suggestedFix": "Replace with something like: `src/App.tsx` ? the operator
console: per-rally selection (RallyGrid/QueryBar/TapFilters/SelectionFooter), in-UI ingest

```

```

(IngestPanel), the P2c first-run wizard (SetupWizard) and reel compile, in 6 languages.\",
1700     \"severity\": \"high\"
1701   },
1702   {
1703     \"doc\": \"web/README.md\",
1704     \"claim\": \"Layout section lists only src/api/client.ts, src/api/types.ts,
src/lib/log.ts, src/App.tsx as the SPA's structure.\",
1705     \"docLocation\": \"web/README.md:24-30\",
1706     \"verdict\": \"stale\",
1707     \"evidence\": \"git ls-files web/ shows the SPA has grown a full tree the Layout
omits: src/components/ (9 non-test components incl. RallyGrid, QueryBar, SetupWizard,
IngestPanel, LanguageSwitcher), src/hooks/ (useIngestJob, useRallySelection, useUpload),
src/i18n/ (6-locale catalog: en/kn/hi/es/da/id per grep of src/i18n/index.ts), and most of
src/lib/ (query, selection, floor, format, errors, errorText). The README froze at the #14
scaffold (git log -- web/README.md) when only these four files existed.\",
1708     \"suggestedFix\": \"Add the components/, hooks/, i18n/ (6 languages) and remaining
lib/ entries so the Layout reflects the shipped SPA, not just the P1 scaffold.\",
1709     \"severity\": \"medium\"
1710   },
1711   {
1712     \"doc\": \"web/README.md\",
1713     \"claim\": \"`src/api/client.ts` ? typed engine client (`listRallies` /
`compileReel` / `highlightUrl` / `getConfig`)\",
1714     \"docLocation\": \"web/README.md:25-26\",
1715     \"verdict\": \"stale\",
1716     \"evidence\": \"All four named exports exist
(web/src/api/client.ts:101,111,128,133), so the claim is not wrong ? but the client now also
exports processVideo (:85), getJob (:96), getCapabilities (:138), minShotCount (:143) and the
chunked-upload family uploadInit/uploadPart/uploadComplete/uploadAbort/uploadFile (:152-245).
The four-function summary undersells the current surface.\",
1717     \"suggestedFix\": \"Append `\"+ processVideo / getJob / getCapabilities / chunked
uploadFile`\" (or note the list is illustrative) so the client description isn't read as
exhaustive.\",
1718     \"severity\": \"low\"
1719   }
1720 ]
1721 }
1722 }

```

8. assistant (2026-06-22T09:46:47.522Z)

Now I have the two `staleFindings` entries for `docs/README.md`:

1. **README.md:16-18** ? MULTILINGUAL_EXPANSION.md described as DRAFT/not-started; should reflect Phase A (es/da/id) shipped (#67), IN PROGRESS.
2. **README.md:3-27** ? index omits ANNOTATE_AND_TRAIN.md, which expects to be listed.

The perDoc entries with `\"doc\": \"README.md\"` (no `docs/` prefix) describe the ROOT README ? those are NOT my file. My file is `docs/README.md`. Let me verify both findings against the live repo before editing.

9. user (2026-06-22T09:46:50.223Z)

=== MULTILINGUAL_EXPANSION.md header ===

Multilingual Expansion ? 7 new locales (th · id · da · es · zh-Hans · ja · ko)

```

> **Status:** `IN PROGRESS` ? **Phase A (es/da/id) shipped
([#67](https://github.com/avidullu/khelsutra/pull/67)); Phases B (Thai) / C (CJK) owner-gated**
· **Owner:** Avi Dullu · **Created:** 2026-06-21 · **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT` ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> **Tracking anchors:** $7 progress tracker is the source of truth; index in `docs/README.md`;
pointer in memory `current-state`; thread in `NEXT_STEPS.md` once work starts.
> **Relation to existing docs:** **PEER-OF / extends**
[ `FRIENDLY_AND_MULTILINGUAL.md` ] (archives/FRIENDLY_AND_MULTILINGUAL.md) (the `en`/`kn`/`hi`

```

foundation) and the engine design `I18N\_PLAN.md`. ****Reuses that foundation verbatim****
(react-i18next + i18next-icu + browser detector + key-parity/no-bare-strings CI + self-hosted
OFL Noto via `@fontsource` + Gemini-draft?native-review). This is a ****parallel**** line: it adds
locales, it does ****not**** re-architect i18n.
> ****Honesty note:**** each claim tagged `[verified]` (checked vs the working tree this session),
`[researched]` (sourced, needs sign-off), or `[design]` (proposed). Not legal advice ? the OFL-
font carve-out is the owner's standing call (D7 in FRIENDLY).

=== ANNOTATE_AND_TRAIN.md exists? ===
docs/ANNOTATE_AND_TRAIN.md

=== ANNOTATE_AND_TRAIN.md header ===

Annotate your footage ? train your own model (KhelSutra Studio USP pages)

> ****Status:**** `DRAFT` ? owner-gated on scope . ****Owner:**** Avi . ****Created:**** 2026-06-20 . ****Last
updated:**** 2026-06-20
> ****Lifecycle:**** `DRAFT` ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> ****Tracking anchors:**** §7 progress tracker is the source of truth; index in `docs/README.md`;
pointer in `NEXT\_STEPS.md` + memory `current-state` once work starts.
> ****Relation:**** peer of `khelsutra/docs/PER\_RALLY\_SELECTION.md` and
`khelsutra/docs/LOCAL\_APPLIANCE\_ARCHITECTURE.md` (the latter lands with PR #13); mirrors the
engine repo's `PROJECT\_DOC\_TEMPLATE` discipline. Documents an EXTERNAL public tool (`rally-
annotator`, MIT) and the engine's `backend/worker train` CLI; it does not own those repos.
> ****Honesty note:**** every engine-fact claim is tagged `[verified]` (read against code this
session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not legal advice.

10. assistant (2026-06-22T09:46:55.651Z)

Both findings confirmed:

1. ****MULTILINGUAL_EXPANSION.md**** ? header is now `IN PROGRESS` with Phase A (es/da/id) shipped
(#67); the docs/README.md index entry (lines 16-18) still calls it a "proposal to add 7 more
locales ? DRAFT ? owner-gated (approval to start), [#58]." Stale. The suggested fix's PR ref
`[#58]` should become `[#67]` for Phase A.
2. ****ANNOTATE_AND_TRAIN.md**** ? exists, status DRAFT, and its own header says its tracking anchor
is "index in docs/README.md". The index does NOT list it. Stale (missing entry).

Let me verify the #67 PR reference and confirm #58 vs #67 in git log to keep the status marker
honest.

11. user (2026-06-22T09:46:58.280Z)

=== PR #67 ===
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
=== PR #58 ===
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
a20002f docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko) (#58)
=== locales dirs ===
site/public/locales/da
site/public/locales/en
site/public/locales/es
site/public/locales/hi
site/public/locales/id
site/public/locales/kn

12. assistant (2026-06-22T09:47:02.151Z)

Both PRs verified: #58 created the proposal, #67 shipped Phase A (es/da/id). The site locales
confirm es/da/id exist. The MULTILINGUAL_EXPANSION.md header is the source of truth at `IN
PROGRESS` with Phase A shipped (#67).

Now I'll apply the two surgical edits. First, the MULTILINGUAL_EXPANSION.md index entry.

13. user (2026-06-22T09:47:05.893Z)

The file C:\Users\avidu\Projects\khelsutra\docs\README.md has been updated successfully. (file state is current in your context ? no need to Read it back)

14. assistant (2026-06-22T09:47:09.900Z)

Now the ANNOTATE_AND_TRAIN.md entry. The audit suggested adding it to the "Tracked work" list. I'll add it after the LOCAL_APPLIANCE_ARCHITECTURE.md entry (its sibling/peer per the relation note), keeping the doc's voice and honest status (`DRAFT`).

15. user (2026-06-22T09:47:14.390Z)

The file C:\Users\avidu\Projects\khelsutra\docs\README.md has been updated successfully. (file state is current in your context ? no need to Read it back)

16. assistant (2026-06-22T09:47:22.839Z)

Both edits applied. Now let me verify the `[#67]` link reference resolves ? the doc uses bare `[#67]` shorthand. Let me check whether these markdown link references are defined anywhere or whether the repo uses inline-style links, to match the doc's existing convention.

17. user (2026-06-22T09:47:25.051Z)

=== existing [#NN] usages in docs/README.md ===

```
6: (local) + Path B/B-P2 (in-UI `gs://` ingest, [#56]) both live e2e with a screencast ($9);
the
16:- **`MULTILINGUAL_EXPANSION.md`** ? `IN PROGRESS`: **Phase A (es/da/id) shipped** ([#67]);
**Thai
```

=== any link reference defs? ===

(no reference-style link defs)

18. assistant (2026-06-22T09:47:28.963Z)

The doc uses bare `[#56]` / `[#67]` shorthand with no reference-style link definitions ? these are stylistic, not hyperlinks. My `[#67]` matches the existing `[#56]` convention exactly. The edit is consistent with the doc's voice.

Both findings are resolved. Let me do a final read of the edited region to confirm the result is clean.

19. user (2026-06-22T09:47:29.475Z)

```
16      - **`MULTILINGUAL_EXPANSION.md`** ? `IN PROGRESS`: **Phase A (es/da/id) shipped**
([#67]); **Thai
17      (B) / CJK (C) remain owner-gated**. Adds **7 locales** (th/id/da/es/zh-Hans/ja/ko)
beyond the
18      en/kn/hi foundation with en/kn/hi-level diligence; peer of the archived
19      `FRIENDLY_AND_MULTILINGUAL.md`, reusing its foundation.
20      - **`LOCAL_APPLIANCE_ARCHITECTURE.md`** ? the single-box, UI-powered rally indexer +
reel
21      generator (KhelSutra Studio): the `web/` SPA drives the full ingest ? index ? reel
loop on one
22      box behind an edge gate; the single-box deployment profile of the engine's decoupled
23      architecture. Umbrella for the console; per-rally selection is one screen of it.
`DRAFT`.
24      - **`PER_RALLY_SELECTION.md`** ? interactive pick-rallies ? reel builder (RallyPicker).
The alpha
25      SPA over the engine's rally index; hybrid grid + deterministic query bar on the
**existing**
26      `/api/query` + `/api/compile` contract. `IN PROGRESS` (decisions locked).
27      - **`ANNOTATE_AND_TRAIN.md`** ? annotate-your-footage ? train-your-own-model USP pages
(the MIT
```

```
28      `rally-annotator` VLC extension + the engine's `backend/worker train` CLI). `DRAFT` ?
29      owner-gated on scope; peer of `LOCAL_APPLIANCE_ARCHITECTURE.md`.
30      - **`REQUEST_ACCESS_FORM.md`** ? segmented lead-capture form + Worker/D1 backend
(shipped).
31      - **`PORTABILITY.md`** ? the Node+SQLite VM-host runbook (Cloudflare ? droplet parity).
```

20. assistant (2026-06-22T09:47:32.879Z)

Both edits are clean and consistent with the doc's formatting and voice. Both stale findings for `docs/README.md` were re-verified against the live repo and fixed surgically. There were no "unverifiable" findings in the perDoc list for this exact file path that I could positively verify into action, and no fixes required code changes.

21. user (2026-06-22T09:47:50.290Z)

Structured output provided successfully

22. assistant (2026-06-22T09:48:00.068Z)

Done. I applied two surgical edits to `C:\Users\avidu\Projects\khelsutra\docs\README.md`, both re-verified against the live repo:

1. **MULTILINGUAL_EXPANSION.md** index entry (lines 16-19) ? flipped the stale "proposal ? DRAFT ? owner-gated (approval to start), [#58]" to the current "IN PROGRESS: Phase A (es/da/id) shipped ([#67]); Thai (B) / CJK (C) remain owner-gated", matching the doc's own header and confirmed by git (#67 shipped es/da/id) and the present `site/public/locales/{es,da,id}` dirs.
2. **New ANNOTATE_AND_TRAIN.md** index entry (lines 27-29) ? added the missing tracked-work bullet (kept its honest `DRAFT` status), since that doc names "index in docs/README.md" as a tracking anchor yet was absent from the list.

I skipped the audit's `README.md` (no `docs/` prefix) findings ? they describe the repo-root README (pre-alpha scaffold / control-plane / License), a different file than my assigned `docs/README.md`. No code changes were needed.