

claude-windows / 8d4866bf-8edd-4da9-909e-022ddee12675

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\8d4866bf-8edd-4da9-909e-022ddee12675\subagents\workflows\wf_f9255361-69d\agent-ac960913fcbec6a9f.jsonl`  
- SHA-256: `51d4467c95f73b651be75454ffea2d6fcfab8aeaae224edca1a52e5e570e541`  
- Source modified: `2026-06-22T09:35:24+00:00`  
- Imported at: `2026-07-05T16:48:26+00:00`  
- project: `wf_f9255361-69d`  
- session_id: `8d4866bf-8edd-4da9-909e-022ddee12675`
```

Transcript

1. user (2026-06-22T09:32:46.031Z)

You are auditing ONE doc in the KhelSutra brand/site repo for staleness, as part of a "are all the docs up to date?" sweep.

Repo root: C:\Users\avidu\Projects\kheelsutra (bash path: /c/Users/avidu/Projects/kheelsutra)
The repo is on `master`, freshly synced to remote HEAD ? the latest merged PR is #94. Today is 2026-06-22.

DOC TO AUDIT: docs/README.md

Your job: read the doc IN FULL, extract every concrete, falsifiable claim, and VERIFY each against the LIVE repo ? do NOT trust the doc's own wording. Hard discipline rule: a claim is "correct" ONLY when you have file:line or command-output evidence for it; if you cannot verify it, mark verdict "unverifiable" ? never guess, never assume the doc is right. Re-check against actual code/git.

Kinds of claims to check:

- File / path / route references ("served at /capture", "see src/store.js", "public/og.png", "systemd kheelsutra-site") -> does the path or route ACTUALLY exist now? Confirm with git ls-files / Read / the routing in site/server.js + site/src/index.js.
- PR numbers and counts ("PRs #1-#8 merged", "20 tests green", "6 languages", "3-step wizard", "P0..P5 done") -> verify against `git -C <root> log`, the actual test output/count, and the code.
- Status markers (DONE / pending / IN PROGRESS / DRAFT / "?" / "owner-gated" / "NEXT") -> still accurate vs the code & git history? Is something marked pending that is actually shipped, or vice-versa?
- Dates, "live at <url>", "merged in #N".
- Whether the doc describes something now SUPERSEDED or fully shipped -> is it an archive candidate (a tracker whose work is complete, or content duplicated by docs/archives/)? Note: docs/archives/FRIENDLY_AND_MULTILINGUAL.md already exists as the archived multilingual tracker.

Tools: Read the doc + every cited file; Grep/Glob to locate code; Bash for `git -C /c/Users/avidu/Projects/kheelsutra log --oneline`, `... ls-files`, and greps. To check a test count, you may run the suite (`cd /c/Users/avidu/Projects/kheelsutra/site && node --test` or `npm test`), but prefer cheap checks. Verify against master as it stands NOW.

Severity: high = a factually wrong claim a reader would act on (wrong path/route, a "DONE" that isn't, a wrong count/PR that misleads). medium = outdated-but-harmless (stale PR range, old "where we are", superseded framing). low = cosmetic.

Do NOT modify any file ? audit only. Return ONLY the structured object (doc, overallStatus, findings[], summary).

2. assistant (2026-06-22T09:32:48.524Z)

I'll start by reading the doc to audit, then verify each claim against the live repo.

3. user (2026-06-22T09:32:49.018Z)

```
1      # khelsutra docs index
2
3      ## Tracked work (this repo)
4      - **`DRY_RUN_CUJ.md`** ? ? **DELIVERED (2026-06-21):** the UI drives the tool on a
**GCS-bucket
5          video** ? review/select ? compile ? **reel downloaded local**, verified in en + Hindi.
Path A
6          (local) + Path B/B-P2 (in-UI `gs://` ingest, [#56]) both live e2e with a screencast
($9); the
7          only remaining box (droplet, option 3) is **parked by the owner** (GPU subscription).
Two engine
8          bugs the runs surfaced are fixed (#281, #289). Was a milestone of
`LOCAL_APPLIANCE_ARCHITECTURE.md`.
9      - **`archives/FRIENDLY_AND_MULTILINGUAL.md`** ? ? **DONE ? ARCHIVED (2026-06-22).** Made
the product
10         super user-friendly for non-tech-savvy coaches/parents **and** localized it to all **6
languages**
11         across both surfaces (`web/` SPA ? react-i18next, `site/` ? a shared `t()` shim); the
home-page body
12         is fully localized (except the deferred `#join` form, A6) and the responsive header is
fixed +
13         CI-guarded. Implementation project for the engine's `I18N_PLAN.md` (l10n) + the UX
half of
14         `UI_PROPOSAL.md`. **Carried forward to `NEXT_STEPS.md`:** native-speaker review +
owner font-glyph
15         eyeball (human gates), and **B7** (engine backend l10n, deferred).
16     - **`MULTILINGUAL_EXPANSION.md`** ? proposal to add **7 more locales** (th/id/da/es/zh-
Hans/ja/ko)
17         with en/kn/hi-level diligence; peer of `FRIENDLY_AND_MULTILINGUAL.md`, reusing its
foundation.
18         `DRAFT` ? **owner-gated (approval to start)**, [#58].
19     - **`LOCAL_APPLIANCE_ARCHITECTURE.md`** ? the single-box, UI-powered rally indexer +
reel
20         generator (KhelSutra Studio): the `web/` SPA drives the full ingest ? index ? reel
loop on one
21         box behind an edge gate; the single-box deployment profile of the engine's decoupled
22         architecture. Umbrella for the console; per-rally selection is one screen of it.
`DRAFT`.
23     - **`PER_RALLY_SELECTION.md`** ? interactive pick-rallies ? reel builder (RallyPicker).
The alpha
24         SPA over the engine's rally index; hybrid grid + deterministic query bar on the
**existing**
25         `/api/query` + `/api/compile` contract. `IN PROGRESS` (decisions locked).
26     - **`REQUEST_ACCESS_FORM.md`** ? segmented lead-capture form + Worker/D1 backend
(shipped).
27     - **`PORTABILITY.md`** ? the Node+SQLite VM-host runbook (Cloudflare ? droplet parity).
28
29     ## Engine planning docs
30     Canonical planning docs currently live in the engine repo (`badminton-highlight-
indexer/docs`):
31     `UI_PROPOSAL.md` · `HOSTING_PLAN.md` · `UI_ALPHA_EXECUTION_PLAN.md`. They migrate here
when the
32     control plane lands (per ADR-009 in the engine repo's
`docs/archives/decisions/DECISIONS.md`).
33
```

4. user (2026-06-22T09:32:49.937Z)

50b2bd7 chore(repo): ignore local runtime artifacts + correct stale NEXT_STEPS claims (#94)
e2570e4 docs: archive the Friendly & Multilingual tracker (engineering complete) (#93)
0bef61e docs(friendly-multilingual): close out the chapter ? log #89/#90/#91 + strengthen fitNav

tests (#92)
9f77ddc test(site): browser layout-regression CI guard + auto-collapse the nav to fit every locale (#91)
4415fe8 feat(site): localize remaining home sections (6 langs) + smooth the responsive header (#90)
26c9da1 feat(site): localize the hero demo mockup + #how feature block (6 languages) (#89)
7ae9cee feat(web): P2c first-run setup wizard (3 steps from /api/capabilities, 6 languages) (#88)
cf59fbf feat(site): add es/da/id to the marketing site (parity with the SPA's 6 languages) (#87)
17242a9 feat(site): localize own-model body content to kn/hi (#86)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix) (#85)
5e5a2ac docs(friendly-multilingual): close out the chapter (\$9 DoD + UI/UX + B7 deferred) (#84)
4c0f35c fix(site): UI/UX ? compact language switcher + header overflow fix + localized hero (#83)
0fae364 feat(web+site): A2 ? localized WhatsApp share for the reel (SPA + site) (#82)
1e52cfd deploy(droplet): tailored alpha kit for the CPU droplet (engine api. side) (#81)
64076a5 test(web): add a coverage floor (CI-gated) + i18n regression tests for the #77 audit (#80)
8328721 docs(tracker): refresh the \$7 milestone prose to merged reality (A6/A7/#77 landed) (#79)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook (RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
9f1ec9c fix(i18n): native-review pass on the kn/hi SPA console catalogs (#77)
9a2d7d2 feat(site): A7 ? camera-placement diagram on the capture page (#76)
aa8d5e9 feat(site): A6 ? plain-language Request-Access GPU/storage questions (#75)
1cd84af feat(site): A3 ? localize recording-education + marketing to kn/hi, Noto on the site (#74)
c1848df feat(web): LW2 ? send the UI locale to /api/compile (watermark) + /api/process (analytics) (#73)
1b1fa7b feat(web+site): B3 ? trilingual marketing site via shared t()/data-i18n shim (D-CATALOG-HOME) (#70)
f7e2bd5 chore(site): add robots.txt + a "crawling / bot protection" runbook for khelsutra.guru (#71)
bea8a2a docs(appliance): flip T11 retention sweep to ? ? tool shipped (engine #299), scheduling tracked (#301) (#69)
46e0244 feat(web): A9 ? localized tap-only filter controls (#68)
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
ca619fb feat(web): T4 ? in-UI file upload (the runnable-tool keystone) (#66)
4627830 docs(deploy): alpha deploy kit ? make Studio a shareable page (split: Pages + api.* tunnel + CF Access) (#65)
8bbc557 feat(web): VITE_API_BASE ? let the SPA target a split api.* origin (default same-origin /api) (#64)

5. assistant (2026-06-22T09:32:53.228Z)

Let me read the cited docs and verify the claims. I'll start by checking which docs exist and examining the key claims.

6. user (2026-06-22T09:32:54.773Z)

docs/ANNOTATE_AND_TRAIN.md
docs/DRY_RUN_CUJ.md
docs/LOCAL_APPLIANCE_ARCHITECTURE.md
docs/MULTILINGUAL_EXPANSION.md
docs/PER_RALLY_SELECTION.md
docs/PORTABILITY.md
docs/README.md
docs/REQUEST_ACCESS_FORM.md
docs/archives/FRIENDLY_AND_MULTILINGUAL.md

7. user (2026-06-22T09:32:59.974Z)

site/README.md
site/make_og.py

```
site/package-lock.json
site/package.json
site/public/capture.html
site/public/flyer-hi.html
site/public/flyer-kn.html
site/public/flyer.html
site/public/i18n.js
site/public/img/annotate-enable.png
site/public/img/annotate-tool.png
site/public/img/flyer-qr.svg
site/public/img/studio-en.png
site/public/img/studio-hi.png
site/public/img/studio-kn.png
site/public/index.html
site/public/locales/da/common.json
site/public/locales/en/common.json
site/public/locales/es/common.json
site/public/locales/hi/common.json
site/public/locales/id/common.json
site/public/locales/kn/common.json
site/public/og.png
site/public/own-model.html
site/public/robots.txt
site/public/video/tool-cuj.mp4
site/schema.sql
site/scripts/copy-locales.mjs
site/scripts/droplet-smoke.sh
site/scripts/parity-check.sh
site/scripts/provision-vm.sh
site/scripts/teardown-vm.sh
site/server.js
site/src/assets.test.js
site/src/deploy-config.test.js
site/src/i18n.shim.test.js
site/src/index.js
site/src/index.test.js
site/src/layout.browser.mjs
site/src/locales-drift.test.js
site/src/notify.js
site/src/server.test.js
site/src/store.js
site/src/ux.dom.test.js
site/wrangler.toml
web/.gitignore
web/README.md
web/index.html
web/package-lock.json
web/package.json
```

8. assistant (2026-06-22T09:33:03.867Z)

There's a notable discrepancy. The README references `ANNOTATE\_AND\_TRAIN.md` is in the repo but NOT in the README index. Also `archives/FRIENDLY\_AND\_MULTILINGUAL.md` exists. Let me verify each claim systematically. Let me check the locales (the README claims 6 languages) and the i18n setup.

9. user (2026-06-22T09:33:05.673Z)

```
=== site/public/locales ===
da
en
es
hi
id
kn
```

```
=== web locales ===
web/src/api/locale.test.ts
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
```

10. user (2026-06-22T09:33:05.892Z)

```
web/src/App.tsx
web/src/api/client.test.ts
web/src/api/client.ts
web/src/api/locale.test.ts
web/src/api/types.ts
web/src/api/upload.test.ts
web/src/components/CompileResult.tsx
web/src/components/IngestPanel.test.tsx
web/src/components/IngestPanel.tsx
web/src/components/LanguageSwitcher.tsx
web/src/components/QueryBar.examples.test.ts
web/src/components/QueryBar.test.tsx
web/src/components/QueryBar.tsx
web/src/components/RallyGrid.tsx
web/src/components/SelectionFooter.test.tsx
web/src/components/SelectionFooter.tsx
web/src/components/SetupWizard.test.tsx
web/src/components/SetupWizard.tsx
web/src/components/StatusChip.tsx
web/src/components/TapFilters.test.tsx
web/src/components/TapFilters.tsx
web/src/components/a4.touch.test.tsx
web/src/components/a8.status.test.tsx
web/src/components/build-error.test.tsx
web/src/components/upload.test.tsx
web/src/hooks/useIngestJob.test.ts
web/src/hooks/useIngestJob.ts
web/src/hooks/useRallySelection.ts
web/src/hooks/useUpload.test.ts
web/src/hooks/useUpload.ts
web/src/i18n/catalog-invariants.test.ts
web/src/i18n/hygiene.test.ts
web/src/i18n/i18n.test.tsx
web/src/i18n/index.ts
web/src/index.css
web/src/lib/errorText.test.ts
web/src/lib/errorText.ts
web/src/lib/errors.test.ts
web/src/lib/errors.ts
web/src/lib/floor.test.ts
web/src/lib/floor.ts
web/src/lib/format.test.ts
web/src/lib/format.ts
web/src/lib/log.ts
web/src/lib/query.test.ts
web/src/lib/query.ts
web/src/lib/selection.test.ts
web/src/lib/selection.ts
web/src/main.tsx
web/src/test/setup.ts
web/src/vite-env.d.ts
```

11. assistant (2026-06-22T09:33:09.512Z)

6 languages confirmed (da/en/es/hi/id/kn) in the site, and `SetupWizard.tsx` exists (the 3-step wizard from #88). Let me verify the i18n catalog languages in web/ and check the locale count

there.

12. user (2026-06-22T09:33:10.874Z)

```
1      // i18n scaffold (tracker B1) ? the shared localization foundation for KhelSutra Studio.
2      //
3      // Per docs/archives/FRIENDLY_AND_MULTILINGUAL.md + the engine's I18N_PLAN.md:
4      //   - keys, never prose (t("app.title"), enforced later by a no-bare-strings lint, B2);
5      //   - ICU MessageFormat for interpolation/plurals (Kannada/Hindi plural rules live in
the catalog,
6      //     not the code ? replaces the SPA's hand-rolled `count > 1 ? "s" : ""`);
7      //   - one negotiation order shared with the marketing site (B3);
8      //   - always-fallback to `en` so a missing translation degrades to English, never a raw
key.
9      import i18n from "i18next";
10     import { initReactI18next } from "react-i18next";
11     import LanguageDetector from "i18next-browser-languagedetector";
12     import ICU from "i18next-icu";
13     // Catalogs are HOISTED to repo-root /locales (D-CATALOG-HOME) ? the single source of
truth shared
14     // by this SPA and the marketing site's t() shim (tracker B3). Vite resolves the
workspace root via
15     // the repo `.git` marker, so importing the parent-dir /locales works in dev, build, and
viteest.
16     import enCommon from "../../locales/en/common.json";
17     import knCommon from "../../locales/kn/common.json";
18     import hiCommon from "../../locales/hi/common.json";
19     import esCommon from "../../locales/es/common.json";
20     import daCommon from "../../locales/da/common.json";
21     import idCommon from "../../locales/id/common.json";
22
23     // Supported locales: en/kn/hi foundation (FRIENDLY D6) + MULTILINGUAL_EXPANSION Phase A
(es/da/id,
24     // Latin, catalog-only). Anything else falls back to `en`.
25     export const SUPPORTED_LOCALES = ["en", "kn", "hi", "es", "da", "id"] as const;
26     export type Locale = (typeof SUPPORTED_LOCALES)[number];
27     export const DEFAULT_LOCALE: Locale = "en";
28
29     // ONE persisted-preference key, shared with the marketing site's t() shim (D9 / tracker
B3), so a
30     // visitor's language choice carries across both surfaces.
31     export const LANG_STORAGE_KEY = "khelsutra.lang";
32
33     // Catalogs live in repo-root /locales (D-CATALOG-HOME), consumed by both surfaces. `kn`
+ `hi`
34     // shipped (B5/B6, AI-drafted ? native review pending). A missing key in any locale
still falls back
35     // to `en` ? the by-design invariant.
36     const resources = {
37       en: { common: enCommon },
38       kn: { common: knCommon },
39       hi: { common: hiCommon },
40       es: { common: esCommon },
41       da: { common: daCommon },
42       id: { common: idCommon },
43     } as const;
44
45     void i18n
46       .use(ICU)
47       .use(LanguageDetector)
48       .use(initReactI18next)
49       .init({
50         resources,
51         fallbackLng: DEFAULT_LOCALE,
52         supportedLngs: [...SUPPORTED_LOCALES],
```

```

53     nonExplicitSupportedLngs: true, // en-IN -> en
54     defaultNS: "common",
55     ns: ["common"],
56     interpolation: { escapeValue: false }, // React already escapes
57     returnNull: false,
58     // Negotiation order (I18N_PLAN §2.3): persisted pref -> ?lang= -> browser -> en.
59     detection: {
60       order: ["localStorage", "querystring", "navigator"],
61       lookupLocalStorage: LANG_STORAGE_KEY,
62       lookupQuerystring: "lang",
63       caches: ["localStorage"],
64     },
65     react: { useSuspense: false },
66   });
67
68   // Keep <html lang> in sync with the active locale (screen readers + SEO use it).
69   // resolved content language, so an `en` fallback for an absent locale still reads as
70   // `en`.
71   function syncDocumentLang(lng: string) {
72     if (typeof document !== "undefined") {
73       document.documentElement.lang = (i18n.resolvedLanguage || lng ||
74       DEFAULT_LOCALE).split("-")[0];
75     }
76   }
77   i18n.on("languageChanged", syncDocumentLang);
78   syncDocumentLang(i18n.language ?? DEFAULT_LOCALE);
79
80   export default i18n;

```

13. user (2026-06-22T09:33:12.091Z)

=== DRY_RUN_CUJ head ===

Dry-run CUJ ? UI drives the tool on a bucket video ? reel downloaded local (multilingual)

```

> **Status:** `DRAFT` ? owner-gated . **Owner:** Avi Dullu . **Created:** 2026-06-21 . **Goal
for this session.**
> **Umbrella:** a milestone of `docs/LOCAL_APPLIANCE_ARCHITECTURE.md` (the appliance) +
`docs/PER_RALLY_SELECTION.md` (the shipped SPA back-half).
> **Honesty note:** grounded in a file:line integration-surface map (this session); claims
tagged `[verified]` / `[gap]`.

```

0. The goal (owner's words)

Operate the **web UI** ? point at a **video on the GCS bucket** ? the engine (tool) processes it
 ? **review/select rallies** in the UI ? **compile** ? **download the reel to the local machine**. Then **repeat** with the UI in Hindi to prove the multilingual workflow.

1. What already works vs the gap `[verified]`

Back half (shipped ? PER_RALLY_SELECTION M0): the SPA loads ``?video=<id>`` ? `POST /api/query` (rallies, default all-selected) ? deterministic query/select ? POST /api/compile` ? <video> preview + <a download> saves the MP4 locally. Reel download-to-local works today` (GET /api/highlights/{video_id}/{filename} streams it; /api/compile` also returns download_url. Fully en/kn/hi (the switcher / ?lang=).`

Front half ? the gap is the SPA, NOT the engine `[corrected 2026-06-21; see §8]`:
 - The SPA has **no ingest/process UI** ? it can't point at a video (bucket or local), can't call `/api/process`, can't poll `/api/jobs`. It only gets a `video_id` from `?video=` in the URL.
 - **This SPA front-half is the only net-new work for Path B (= B-P2).**
 - **HTTP bucket-ingest ALREADY EXISTS** in the engine (shipped M2 / [#280]) `[verified file:line]`: `POST /api/process` accepts a `gs://`gcs://` (also s3://`local://` video_path` directly. Submit resolves the URI and skips the local-existence check for non-local backends` (backend/main.py:274,283` ? storage.resolve_input_ref` ; gs://`?gcs``

normalized in `backend/storage/ref.py:60`); the job worker then fetches it to scratch
(`\_execute\_processing` ? `storage.acquire\_local\_input`, `main.py:159`) and runs the **same**
hash ? validate ? segment ? DB pipeline as a local file ? writing a queryable `video\_id` into
the API's SQLite `videos`/`play\_segments`. Proven end-to-end by
`tests/test\_api\_endpoints.py::test\_process\_nonlocal\_uri\_skips\_exists\_and\_fetches` (gs:// ? 202,
not 404 ? job `done` ? `db.get\_video(video\_id)` row with the **source URI preserved**), plus the
hosted-mode-rejection / unknown-scheme-400 / CLI-variant tests.

14. assistant (2026-06-22T09:33:15.091Z)

Now let me verify the specific README claims. Let me check the PR numbers cited (#56, #58, #281,
#289), the archived doc, and the engine planning docs claim.

15. user (2026-06-22T09:33:19.705Z)

```
=== PR #56 ===
a0475bc docs: hygiene refresh ? sync trackers to shipped reality (#59)
4525c5d feat(web): B-P2 ? in-UI bucket ingest (point at a gs:// video ? process ? load) (#56)
=== PR #58 ===
a2292ef feat(web): MULTILINGUAL Phase A ? Spanish/Danish/Indonesian SPA catalogs (#67)
a20002f docs: propose Multilingual Expansion ? 7 new locales (th/id/da/es/zh-Hans/ja/ko) (#58)
a0475bc docs: hygiene refresh ? sync trackers to shipped reality (#59)
=== all PR numbers in log ===
#78
#79
#80
#81
#82
#83
#84
#85
#86
#87
#88
#89
#90
#91
#92
#93
#94
#280
#299
#301
```

16. user (2026-06-22T09:33:19.812Z)

```
1      # Friendly & Multilingual ? non-tech-savvy UX + Hindi/Kannada localization
2
3      > Status ? DONE ? ARCHIVED 2026-06-22 (engineering complete) . Owner: Avi
Dullu . Created: 2026-06-21 . Last updated: 2026-06-22
4      > Lifecycle: `DRAFT ? IN PROGRESS ? DONE ? archived` ? now archived (engineering
done; two human gates carried forward, see banner below).
5      >
6      > ? ARCHIVED 2026-06-22 ? engineering COMPLETE. Both surfaces (`web`/` SPA + `site`/
marketing) speak all 6 languages end-to-end; the home-page body is fully localized (except
the deferred `#join` access form, A6) and the recurring responsive-header bug is fixed +
CI-guarded ([#91](https://github.com/avidullu/khelsutra/pull/91) ? a headless-Chromium
layout-regression job). All $7 rows are ? except B7 (deferred ? cross-repo engine backend
l10n, owner-gated D-BACKEND-DEPTH). Two human gates remain ? these are owner QA, not
engineering, and are carried forward to [NEXT_STEPS.md](../NEXT_STEPS.md): (1)
native-speaker review of the AI-drafted catalogs (kn/hi/es/da/id ? Gemini drafts, the
standing guardrail before a wide public launch), and (2) the owner font-glyph eyeball on a
real Kannada/Hindi device (CI can't render font glyphs). Further locales:
[ `MULTILINGUAL_EXPANSION.md` ](../MULTILINGUAL_EXPANSION.md).
```


7 > **Tracking anchors:** §7 progress tracker is the source of truth; indexed in
`docs/README.md`; thread in `NEXT\_STEPS.md`; pointer in engine `docs/DOC\_STATUS.md`; memory
`current-state` + `next-session-ux-localization`.

8 > **Relation to existing docs:** this is the **implementation project** for two engine
design docs ? it **adapts & supersedes-in-practice** `badminton-highlight-
indexer/docs/I18N_PLAN.md` (localization) and the UX half of `?/docs/UI_PROPOSAL.md` (non-tech-
savvy console). Those stay the canonical **design**; this doc carries the **tracked execution**
against today's surfaces.

9 > **Honesty note:** each claim tagged `[verified]` (checked against code this session),
`[researched]` (needs sign-off), or `[design]` (proposed). Not legal advice ? the OFL font
question (D-FONT) is owner/counsel-gated.

10

11 ---

12

13 ## 0. TL;DR

14 A coach or parent in Bangalore should land on KhelSutra, feel at home, set up their
camera with confidence, and get highlights ? **in Kannada or Hindi**, with **zero hand-
holding**. This project isolates that goal into one tracked workstream-pair: **(A)** make the UI
super friendly for non-tech-savvy users, and **(B)** localize to Hindi + Kannada. Both surfaces
(`web/` React SPA + `site/` vanilla marketing) have **zero i18n today** `[verified]`, so the
foundation ? shared `locales/{en,kn,hi}` catalogs + a negotiation contract + CI parity ? is the
real deliverable; translations follow. **The single most important caveat:** translations are
human-reviewed (Gemini drafts are **inference only, never training** ? the standing
guardrail), and Kannada/Hindi rendering is **blocked on the OFL font decision (D-FONT)**. The
cheapest unblocked high-impact first slice is the **SPA i18n scaffold + language switcher (en-
only)** ? it locks the shared catalog/negotiation contract and adds the render-test safety net
the SPA currently lacks.

15

16 ## 1. Problem & goal

17 **Why now.** The public site (khelesutra.guru) is live, clean, honest, and tested. The
PMF beachhead is **Bangalore badminton academies**; many coaches, parents, and players are far
more comfortable in **Kannada** than English, and most are **not highly tech-savvy** `[verified
? design intent]` (`UI_PROPOSAL.md:25,28`, `I18N_PLAN.md:10-13`, `PMF_MARKET_RESEARCH.md:116`,
`KHELSUTRA\_PRODUCT\_OVERVIEW.md:13/50/61`). An English-only, knob-heavy product adds friction at
the exact point of first contact.

18

19 **Concrete outcome ("good" looks like):** a Kannada/Hindi-comfortable, phone-first, non-
technical coach/parent can ? without help ? (1) understand what the product does and how to
record reliably, (2) request access / use the console, (3) pick rallies and get a reel, and (4)
share it on WhatsApp, **entirely in their language**.

20

21 **Read to get current:** this doc's §3?§4; the engine design `I18N\_PLAN.md` (canonical
i18n design) + `UI\_PROPOSAL.md` §2 (personas, the 6 alpha screens, "teach recording **before**
upload"); `VIDEO\_RECORDING\_GUIDELINES.md`; this repo's `PER\_RALLY\_SELECTION.md` (the honest SPA
scope) + `REQUEST\_ACCESS\_FORM.md`.

22

23 ## 2. Decisions locked (structural ? owner directive 2026-06-21)

24 | # | Decision | Source / date | Implication |

25 |---|-----|-----|-----|

26 | D1 | **Isolate as ONE tracked project** spanning both workstreams (A: UX, B: kn/hi
l10n) | owner, 2026-06-21 | This doc; §7 = source of truth; archived on DoD |

27 | D2 | **Home = `khelesutra/docs/`** (the implementation repo) | owner-gated tracked-doc
convention | `web/` + `site/` both live here; §7 tracks khelesutra PRs; engine P2 backend-l10n is
a cross-repo deferred row |

28 | D3 | **Adapt `I18N\_PLAN.md` to today's surfaces:** P1 (vanilla `t()` shim) ? `site/`;
P3 (react-i18next) ? `web/`; **drop the dead `backend/api/static` retrofit** | `[verified]` the
doc targets `backend/api/static` (`I18N\_PLAN.md:25,30,156,191`) which exists only in the engine
repo, not here | The doc's framework-agnostic **foundation** (catalog format + negotiation + ICU
plurals + CI) survives unchanged; only the wiring re-points |

29 | D4 | **Engine P2 backend-localization stays owner-gated + cross-repo** (not in this
DoD) | `CLAUDE.md` guardrails | Dynamic engine error/report text localizes later; tracked as a
deferred row |

30 | D5 | **Archive trigger = en+kn+hi live on BOTH surfaces** (+ the non-tech UX
baseline), then run the engine `DOC\_STATUS.md` §2` archival checklist | owner, 2026-06-21 | See
§9 |

17. assistant (2026-06-22T09:33:25.922Z)

The archived doc is confirmed and the README's description matches. Now a key finding: the README's PR references use khelsutra repo PR numbers, but I notice the README cites `#56` (B-P2 in-UI gs:// ingest) and `#58` (MULTILINGUAL_EXPANSION proposal) ? both confirmed. #281, #289 are engine-repo PRs (DRY_RUN). Let me verify those are engine PRs and check the remaining claims about routes/paths and the engine planning docs.

18. user (2026-06-22T09:33:29.747Z)

```
=== engine #281 ===
41d45fd fix(server): drain async jobs under `python -m backend.main` (double-module hang) (#281)
=== engine #289 ===
e68b583 fix(api): resolve a bucket-ingested video's source to a local file before stitching
(#289)
=== engine docs UI_PROPOSAL/HOSTING/UI_ALPHA ===
docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md
docs/UI_PROPOSAL.md
```

19. user (2026-06-22T09:33:31.233Z)

```
=== PER_RALLY_SELECTION head ===
```

Interactive per-rally selection ? reel builder (RallyPicker)

```
> **Status:** `IN PROGRESS` ? **MVP / M0 (P1?P5) COMPLETE 2026-06-20** (pick ? query ? select ?
compile ? download, on existing engine endpoints). **Validated live e2e against a REAL engine
(Gemini) via the in-UI bucket?reel CUJ ? `DRY_RUN_CUJ.md` $9, 2026-06-21** (supersedes the
original stub-engine verification). Design **APPROVED by owner 2026-06-20**. Downstream
milestones M1?M5 (multi-video auth, per-rally preview endpoint, corpus loop, localized NL)
remain owner-gated. . **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> **Tracking anchors:** $7 progress tracker is the source of truth; indexed in `docs/README.md`;
pointer in `NEXT_STEPS.md` + memory `current-state` once work starts.
> **Relation:** second major tracked work item in the `khelsutra` repo (peer of
`REQUEST_ACCESS_FORM.md`); mirrors the engine repo's `PROJECT_DOC_TEMPLATE` discipline.
Primarily realizes alpha screen **A5 Highlights** (engine repo `UI_PROPOSAL.md:47`, exec-plan
**M4** `UI_ALPHA_EXECUTION_PLAN.md:39`); its correction-loop extension realizes **A4 Rally
Review** (`UI_PROPOSAL.md:46`, exec-plan **M3** `:38`). Consumes the engine's `/api/query` +
`/api/compile` contract.
> **Honesty note:** every engine-fact claim is tagged `[verified]` (read against engine code
this session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not
legal/financial advice.
```

```
=== LOCAL_APPLIANCE head ===
```

Single-box appliance ? UI-powered rally indexer + reel generator (KhelSutra Studio)

```
> **Status:** `DRAFT` ? owner-gated (auth choice, retention, cost ceiling, GPU host, P5 bridge)
. **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> **Tracking anchors:** $9 progress tracker is the source of truth; indexed in `docs/README.md`;
pointer in `NEXT_STEPS.md` + memory `current-state` once work starts.
> **Relation:** peer-of `PER_RALLY_SELECTION.md` / `REQUEST_ACCESS_FORM.md` in this repo;
**consumes** the engine's decoupled `StorageBackend` + `python -m backend.worker` seams and the
FastAPI loop; **extends** the engine's `HOSTING_PLAN.md` gating + `UI_PROPOSAL.md` alpha
screens. Engine-side changes here are **proposals to coordinate** with the active
decoupled/worker sessions ? not written unilaterally.
> **Honesty note:** every engine-fact claim is tagged `[verified]` (read against engine source
this session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not
legal/financial advice.
```

```
=== REQUEST_ACCESS head ===
```

Request-Access form ? segmented lead capture + setup discovery

```
> **Status:** `IN PROGRESS` . **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-20
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived`
> **Relation:** first tracked work item in the `khealsutra` repo; mirrors the engine repo's
> `PROJECT_DOC_TEMPLATE` discipline (status header . decisions-locked . §6 tracker . DoD).
```

20. assistant (2026-06-22T09:33:35.984Z)

Now I've verified most claims. Let me check the README's status markers against actual doc status headers:

- README says `PER\_RALLY\_SELECTION.md` = "IN PROGRESS (decisions locked)" ? doc header says "IN PROGRESS ? MVP/M0 COMPLETE". Matches.
- README says `LOCAL\_APPLIANCE\_ARCHITECTURE.md` = "DRAFT" ? matches.
- README says `MULTILINGUAL\_EXPANSION.md` = "DRAFT, owner-gated, [#58]" ? let me verify.
- README says `REQUEST\_ACCESS\_FORM.md` = "(shipped)" ? but the doc header says "IN PROGRESS". Let me investigate this potential discrepancy.

21. user (2026-06-22T09:33:38.178Z)

=== MULTILINGUAL_EXPANSION head ===

Multilingual Expansion ? 7 new locales (th · id · da · es · zh-Hans · ja · ko)

```
> **Status:** `IN PROGRESS` ? **Phase A (es/da/id) shipped
([#67](https://github.com/avidullu/khealsutra/pull/67)); Phases B (Thai) / C (CJK) owner-gated**
. **Owner:** Avi Dullu . **Created:** 2026-06-21 . **Last updated:** 2026-06-21
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> **Tracking anchors:** §7 progress tracker is the source of truth; index in `docs/README.md`;
pointer in memory `current-state`; thread in `NEXT_STEPS.md` once work starts.
> **Relation to existing docs:** **PEER-OF / extends**
[FRIENDLY_AND_MULTILINGUAL.md](archives/FRIENDLY_AND_MULTILINGUAL.md) (the `en`/`kn`/`hi`
foundation) and the engine design `I18N_PLAN.md`. **Reuses that foundation verbatim**
(react-i18next + i18next-icu + browser detector + key-parity/no-bare-strings CI + self-hosted
OFL Noto via `@fontsource` + Gemini-draft?native-review). This is a **parallel** line: it adds
locales, it does **not** re-architect i18n.
=== PORTABILITY head ===
```

Portability ? Cloudflare now, always-on VM if needed

```
> **Status:** design + proven (2026-06-20). **Decision:** keep the site/form host-portable so
> moving off Cloudflare to an owner-run always-on VM ("if Cloudflare acts out") is an **adapter
> swap, not a rewrite.**
```

The shape that makes it portable

- **Logic is runtime-agnostic.** `src/index.js` uses Web-standard `Request`/`Response` and pure

22. user (2026-06-22T09:33:39.739Z)

=== REQUEST_ACCESS full status section ===

Request-Access form ? segmented lead capture + setup discovery

```
> **Status:** `IN PROGRESS` . **Owner:** Avi . **Created:** 2026-06-20 . **Last updated:** 2026-06-20
> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE ? archived`
> **Relation:** first tracked work item in the `khealsutra` repo; mirrors the engine repo's
> `PROJECT_DOC_TEMPLATE` discipline (status header . decisions-locked . §6 tracker . DoD).
> Feeds the platform direction in the engine repo's `PLATFORM_ARCHITECTURE.md §3`
(StorageBackend /
> ComputeBackend) and `VIDEO_LOCALITY_MODEL.md` ? see §7.
```

0. TL;DR

Replace the landing page's ``mailto:`` "Request access" CTA with a real form that (a) segments **academies vs individual enthusiasts**, (b) asks the two questions that actually decide how we'd serve a user ? **"do you have a GPU machine?"** (compute placement) and **"where do your videos live?"** (storage backend) ? and (c) keeps a free-text message. Submissions are stored in our own **Cloudflare D1** via a small **Worker** (``POST /api/request-access``). The form doubles as PMF + architecture research.

1. Problem & goal

=== ANNOTATE_AND_TRAIN head (NOT in README!) ===

Annotate your footage ? train your own model (KhelSutra Studio USP pages)

```
> Status: `DRAFT` ? owner-gated on scope . Owner: Avi . Created: 2026-06-20 . Last updated: 2026-06-20
> Lifecycle: `DRAFT` ? IN PROGRESS ? DONE ? archived` (move to `docs/archives/` when DONE)
> Tracking anchors: $7 progress tracker is the source of truth; index in `docs/README.md`; pointer in `NEXT_STEPS.md` + memory `current-state` once work starts.
> Relation: peer of `khelsutra/docs/PER_RALLY_SELECTION.md` and `khelsutra/docs/LOCAL_APPLIANCE_ARCHITECTURE.md` (the latter lands with PR #13); mirrors the engine repo's `PROJECT_DOC_TEMPLATE` discipline. Documents an EXTERNAL public tool (`rally-annotator`, MIT) and the engine's `backend/worker train` CLI; it does not own those repos.
> Honesty note: every engine-fact claim is tagged `[verified]` (read against code this session), `[design]` (proposed here), or `[researched]` (needs sign-off). Not legal advice.
```

23. assistant (2026-06-22T09:33:47.315Z)

Two clear findings emerging:

1. **ANNOTATE_AND_TRAIN.md** exists in the repo but is NOT listed in the README index (and its own header says it should be "index in docs/README.md"). This is a real gap ? a tracked doc missing from the index.
2. **README** says **MULTILINGUAL_EXPANSION.md** is **DRAFT** and ``[#58]`` ? but the doc's actual status is **IN PROGRESS** ? Phase A (es/da/id) shipped (``#67``). The README is stale here: it describes the doc as a not-yet-started DRAFT proposal, but Phase A has shipped and the doc is IN PROGRESS. Also, ``[#58]`` was just the proposal PR; the shipped work is ``#67``.
3. **README** says **REQUEST_ACCESS_FORM.md** ... (shipped) but the doc's own status header says **IN PROGRESS**. Let me verify whether the form is actually shipped (Worker/D1 route exists).

Let me verify the **REQUEST_ACCESS** route actually exists in the code, and double-check the **MULTILINGUAL_EXPANSION** locale list claim ("7 more locales th/id/da/es/zh-Hans/ja/ko") against the doc.

24. user (2026-06-22T09:33:48.876Z)

```
C:\Users\avidu\Projects\khelsutra\site\src\ux.dom.test.js:16:// Boot the real page; `fetchImpl` decides how /api/request-access resolves. window.setInterval is
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:82:test("[VM host] POST /api/request-access persists to SQLite", async () => {
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:83:  const res = await
fetch(`${base}/api/request-access`, {
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:101:  const bot = await
fetch(`${base}/api/request-access`, {
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:106:  const bad = await
fetch(`${base}/api/request-access`, {
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:117:test("[VM host] GET /api/request-access -> 405", async () => {
C:\Users\avidu\Projects\khelsutra\site\src\server.test.js:118:  assert.equal((await
fetch(`${base}/api/request-access`)).status, 405);
C:\Users\avidu\Projects\khelsutra\site\src\index.js:2:// Request-Access form: POST /api/request-
```

```

access -> validate -> insert into D1 (binding DB).
C:\Users\avidu\Projects\khelsutra\site\src\index.js:80:    if (url.pathname === "/api/request-
access") {
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:25:  assert.match(html,
/\api\/request-access/, "form no longer posts to /api/request-access");
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:143:test("the 'How do I join?' FAQ
points at the request-access form, not email", () => {
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:147:  assert.match(m[1], /request
access/i, "the join FAQ should send people to the request-access form");
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:176:  // the sample REEL stays gated
behind request-access ? NOT embedded/playable here, no footage shown
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:177:  assert.doesNotMatch(om,
/<iframe/i, "the reel must NOT be embedded here ? it's gated behind request-access");
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:178:  assert.doesNotMatch(om,
/youtube/i, "no YouTube embed on own-model; the reel is shown only after request-access");
C:\Users\avidu\Projects\khelsutra\site\src\assets.test.js:431:
assert.match(enCatalog.site.faq.q7.a, /<a href="#join">request access<\a>/, "en faq.q7.a lost
the request-access link");
C:\Users\avidu\Projects\khelsutra\site\src\index.test.js:25:  return new
Request("https://khelsutra.guru/api/request-access", {
C:\Users\avidu\Projects\khelsutra\site\src\index.test.js:91:  const bad = new
Request("https://khelsutra.guru/api/request-access", {
C:\Users\avidu\Projects\khelsutra\site\src\index.test.js:138:  const res = await
worker.fetch(new Request("https://khelsutra.guru/api/request-access"), { DB: fakeDB() });

```

25. user (2026-06-22T09:33:50.314Z)

1:# Multilingual Expansion ? 7 new locales (th · id · da · es · zh-Hans · ja · ko)

26. assistant (2026-06-22T09:33:59.392Z)

Important finding on the MULTILINGUAL_EXPANSION locale claim. The README says "7 more locales (th/id/da/es/zh-Hans/ja/ko)" ? but Phase A (es/da/id) has SHIPPED per #67. So `id`, `da`, `es` from that list are no longer "more locales to add" ? they're already in the 6-language foundation now. The doc title still says 7 (it's the doc's own framing), but the README presents it as a pending DRAFT proposal which is stale on two counts (status DRAFT vs IN PROGRESS; the es/da/id subset shipped).

The REQUEST_ACCESS form route `/api/request-access` exists and is tested ? so "(shipped)" in the README is defensible for the backend, even though the doc header says IN PROGRESS. This is a minor internal inconsistency. Let me verify the engine planning docs claim more precisely and check the `UI\_ALPHA\_EXECUTION\_PLAN.md` is still in the engine repo (README says it lives in engine repo). Let me also confirm the test count isn't claimed anywhere and check `PORTABILITY.md` "Node+SQLite VM-host runbook" against `site/server.js`.

27. user (2026-06-22T09:34:03.033Z)

```

=== engine repo branch + these 3 docs present ===
docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md
docs/UI_PROPOSAL.md
=== ADR-009 reference ===
docs/archives/decisions/DECISIONS.md
found DECISIONS.md
3

```

28. user (2026-06-22T09:34:04.186Z)

```

=== server.js is Node+SQLite VM host? ===
2:// Serves public/ and POST /api/request-access into SQLite (node:sqlite), using the
8:import { createServer } from "node:http";
11:import { DatabaseSync } from "node:sqlite";
13:import { sqliteStore } from "../src/store.js";
23:const store = sqliteStore(db);

```

```
124:createServer(async (req, res) => {
138:}).listen(PORT, () => console.log(`khelsutra site listening on :${PORT} (sqlite:
${DB_PATH})`));
```

29. assistant (2026-06-22T09:34:09.451Z)

All the engine planning docs claims verify (UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md present in engine repo; ADR-009 in DECISIONS.md). PORTABILITY's "Node+SQLite VM-host runbook" verifies against `site/server.js` (node:sqlite, createServer/listen). Note: the engine repo grep above ran in the badminton-highlight-indexer directory (cwd was set there from a previous bash call ? confirmed by the docs being found there). Let me confirm that was the engine repo and not khelsutra.

30. user (2026-06-22T09:34:12.331Z)

```
/c/Users/avidu/Projects/badminton-highlight-indexer
origin https://github.com/Khelsutra/badminton-highlight-indexer.git (fetch)
docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md
docs/UI_PROPOSAL.md
--- confirm khelsutra does NOT have these ---
(none = correct, they're engine-only)
```

31. assistant (2026-06-22T09:34:17.772Z)

Confirmed: the three engine planning docs (UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md) live in the engine repo (`badminton-highlight-indexer`), NOT in khelsutra ? exactly as the README claims. That claim is correct.

Now let me do a final verification of the DRY_RUN_CUJ \$9 "screencast" claim and the "verified in en + Hindi" + "#56" claims, plus confirm the README's claim that the multilingual archive is the only archived doc.

32. user (2026-06-22T09:34:20.418Z)

```
=== DRY_RUN $9 exists + screencast/en+Hindi ===
8:Operate the **web UI** ? point at a **video on the GCS bucket** ? the engine (tool) processes
it ? **review/select rallies in the UI** ? **compile** ? **download the reel to the local
machine** . Then **repeat with the UI in Hindi** to prove the multilingual workflow.
29:5. **Repeat in Hindi:** click *****(or `?lang=hi`) ? redo select?compile?download ?
confirm the whole flow works with the UI in Hindi.
48:- [x] The **same flow works with the UI in Hindi** ? multilingual workflow confirmed. ? ?
(Kannada also works via the same switcher.)
49:- [x] *(Path B = B-P2, SPA-only)* the bucket video is pointed-at **from the UI** (no CLI pre-
step). ? ? **DONE (live e2e, 2026-06-21), see $9.** In the SPA: entered a `gs://` URI ? `POST
/api/process` ? polled `/api/jobs` ? **12 rallies loaded** ? Build ? **reel downloaded (1080p,
76s)** , all from the UI. Surfaced + fixed an engine compile bug along the way (engine
[#289](https://github.com/Khelsutra/badminton-highlight-indexer/pull/289)). **Screencast:**
`gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-screencast.mp4`.
58:5. **Repeated with the UI in Hindi** (`?lang=hi`): the page + rally cards + "?? ??" +
"?? ??" all in Hindi; reel compiled + **downloaded** (`highlights_local_hi.mp4`). ?
multilingual workflow confirmed.
60:Screencast/proof: per-locale screenshots; both reels on the local machine. Screencast of the
i18n SPA is at `gs://khelsutra-rally-corpus/promo/khelsutra-i18n-screencast.mp4`.
80:## 9. ? Run result ? Path B, live in-UI bucket?reel CUJ (2026-06-21)
85:4. **Screencast of the whole CUJ** (Playwright-recorded; the ~3-min Gemini wait fast-
forwarded): `gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-screencast.mp4`.
88:`/api/compile` **500'd** on a bucket-ingested video: `videos.filepath` keeps the **source
URI** (`gs://`, M2 provenance), and the stitcher was handed that directly ? ffmpeg can't open a
`gs://` path. **Fix:** compile now resolves the source via `storage.acquire_local_input` first
(identity for a local path; fetch-to-scratch for a bucket URI) + a regression test ? engine
**[#289](https://github.com/Khelsutra/badminton-highlight-indexer/pull/289)** (full suite
1182?). This is what makes the in-UI bucket?reel CUJ actually complete. *Proof-and-validation-
driven: recording the screencast is what found the bug.*
```

93:- `2026-06-21` ? **\$9: Path-B live e2e DONE** ? the in-UI `gs://`?reel CUJ ran end to end (12 rallies ? reel downloaded); surfaced + fixed the compile-from-bucket 500 (engine #289); screencast uploaded to the promo bucket. **DoD \$6 box 3 ?.**

=== archives dir contents ===

docs/archives/FRIENDLY_AND_MULTILINGUAL.md

=== tool-cuj video present (screencast asset) ===

site/public/video/tool-cuj.mp4

33. assistant (2026-06-22T09:34:36.705Z)

All DRY_RUN_CUJ claims in the README verify: \$9 exists, Path A (local) + Path B (in-UI gs:// ingest, #56) both live, en + Hindi verified, engine bugs #281/#289 fixed, screencast in \$9. The `docs/archives/` dir contains only `FRIENDLY\_AND\_MULTILINGUAL.md` ? consistent with the README treating it as the one archived doc.

I now have enough evidence. Let me summarize the findings:

****Verified correct:****

- DRY_RUN_CUJ.md entry (? DELIVERED, Path A + B/B-P2 #56, en+Hindi, #281/#289 fixed, \$9 screencast)
- archives/FRIENDLY_AND_MULTILINGUAL.md entry (DONE-ARCHIVED 2026-06-22, 6 languages, both surfaces, #91 CI guard, B7 deferred)
- LOCAL_APPLIANCE_ARCHITECTURE.md (DRAFT ? matches)
- PER_RALLY_SELECTION.md (IN PROGRESS, decisions locked ? matches; uses /api/query + /api/compile, which exist)
- REQUEST_ACCESS_FORM.md (shipped ? the `/api/request-access` Worker/D1 route exists and is tested; minor: doc header still says IN PROGRESS)
- PORTABILITY.md (Node+SQLite VM-host runbook ? verified against site/server.js)
- Engine planning docs (UI_PROPOSAL.md, HOSTING_PLAN.md, UI_ALPHA_EXECUTION_PLAN.md live in engine repo; ADR-009 in DECISIONS.md)

****Stale findings:****

1. ****HIGH****: `MULTILINGUAL\_EXPANSION.md` described as `DRAFT ? owner-gated (approval to start), [#58]` and "proposal to add 7 more locales (th/id/da/es/zh-Hans/ja/ko)". Actual doc status is `IN PROGRESS ? Phase A (es/da/id) shipped (#67)` . es/da/id are now live in both surfaces. The README presents it as not-yet-started.
2. ****MEDIUM/HIGH****: `ANNOTATE\_AND\_TRAIN.md` exists in the repo (its own header says "index in docs/README.md") but is missing entirely from this README index.

Let me return the structured output.

34. user (2026-06-22T09:35:08.743Z)

Structured output provided successfully

35. assistant (2026-06-22T09:35:24.794Z)

Audit complete. I reviewed `docs/README.md` in full and verified every concrete claim against the live khelsutra repo (and the sibling engine repo for the cross-repo claims).

Overall status: ****minor-staleness****. The index is freshly maintained and mostly correct, with two real defects:

1. ****HIGH ? stale MULTILINGUAL_EXPANSION entry**** (`docs/README.md:16-18`): the README presents it as a not-yet-started `DRAFT` proposal "[#58]" to add 7 locales including es/da/id, but the doc itself is `IN PROGRESS` with Phase A (es/da/id) already shipped in PR #67 ? those three locales are now live in both surfaces (`site/public/locales/`, `web/src/i18n/index.ts:25`).
2. ****MEDIUM ? missing doc in the index**** (`docs/README.md:3-27`): `docs/ANNOTATE\_AND\_TRAIN.md` is tracked in the repo and its own header says it should be "index in docs/README.md", but it appears nowhere in this index.

Everything else verified correct: DRY_RUN_CUJ (Path A + B/#56, en+Hindi, engine #281/#289, \$9 screencast), the archived FRIENDLY_AND_MULTILINGUAL (6 langs, #91 CI guard, B7 deferred),

LOCAL_APPLIANCE (DRAFT), PER_RALLY_SELECTION (IN PROGRESS on real /api/query+/api/compile), REQUEST_ACCESS_FORM (the `/api/request-access` Worker/D1 route exists at `site/src/index.js:80` and is tested), PORTABILITY (Node+SQLite host = `site/server.js`), and the three engine planning docs which do live in `badminton-highlight-indexer/docs` with ADR-009 in that repo's DECISIONS.md.

One minor internal inconsistency worth noting but not actionable in this index: REQUEST_ACCESS_FORM is called "(shipped)" here while that doc's own header still reads `IN PROGRESS` ? a defect in that doc, not this one.