

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf_e3715462-63d\agent-a163a9a15720411f0.jsonl`  
- SHA-256: `f99f61f86116d798e5ad7bc17acbfe4acaf1e4e32efdcdfd22422bec7dabee4c`  
- Source modified: `2026-06-21T18:36:30+00:00`  
- Imported at: `2026-07-05T16:48:21+00:00`  
- project: `wf_e3715462-63d`  
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`
```

Transcript

1. user (2026-06-21T18:34:30.747Z)

You are a strict, native-level Kannada (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json

STEP 2 ? Read the Kannada (?????) translation map (Read tool): undefined/_tmp_kn_flat.json

Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:

NATURAL FLUENCY: a native speaker should find it natural, warm, and instantly clear for a NON-TECHNICAL coach/parent. Flag stiff, over-formal/over-Sanskritized, or machine-like wording and confusing constructions; suggest a smoother everyday phrasing.

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_kn_fluency.json

Each element: {"key": "<dotted key e.g.

record.place.body>","severity":"critical"|"minor","problem":"<short English note>","suggestion":"<the FULL corrected Kannada (?????) value for that key, preserving tags and literal tokens>"}.

Include ONLY keys with a REAL problem through THIS lens. If there are none, write []. Be precise and conservative ? do not invent problems, and do not re-flag good translations.

STEP 5 ? Return the summary object {flagged: <number of issues you wrote>, wrote: "undefined/_tmp_issues_kn_fluency.json"}.

2. assistant (2026-06-21T18:34:33.778Z)

I'll start by reading the English source and Kannada translation files.

3. user (2026-06-21T18:34:34.061Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

4. assistant (2026-06-21T18:34:36.873Z)

The paths use a literal `undefined` prefix. Let me find the actual files.

5. user (2026-06-21T18:34:40.135Z)

Exit code 2

---also check undefined dir---

---cwd tmp files---

6. user (2026-06-21T18:34:44.555Z)

===

7. assistant (2026-06-21T18:34:47.549Z)

No temp files exist yet. The `undefined` placeholder suggests a path variable wasn't substituted. Let me look for the source English and Kannada catalogs in the site directory.

8. user (2026-06-21T18:34:50.124Z)

```
total 85
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609  3953 Jun 21 23:55 README.md
-rw-r--r-- 1 avidu 197609 12288 Jun 20 20:15 access.db
-rw-r--r-- 1 avidu 197609  2369 Jun 20 11:30 make_og.py
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:48 node_modules
-rw-r--r-- 1 avidu 197609 19438 Jun 21 08:20 package-lock.json
-rw-r--r-- 1 avidu 197609   537 Jun 21 23:55 package.json
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:55 public
-rw-r--r-- 1 avidu 197609   849 Jun 20 11:30 schema.sql
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:55 scripts
-rw-r--r-- 1 avidu 197609  5918 Jun 21 23:55 server.js
drwxr-xr-x 1 avidu 197609      0 Jun 21 23:55 src
-rw-r--r-- 1 avidu 197609 1064 Jun 20 12:52 wrangler.toml
=== glob for locale/catalog files ===
/c/Users/avidu/Projects/khelsutra/site/node_modules/parse5/dist/common/token.d.ts
/c/Users/avidu/Projects/khelsutra/site/public/locales/da/common.json
/c/Users/avidu/Projects/khelsutra/site/public/locales/en/common.json
/c/Users/avidu/Projects/khelsutra/site/public/locales/es/common.json
/c/Users/avidu/Projects/khelsutra/site/public/locales/hi/common.json
/c/Users/avidu/Projects/khelsutra/site/public/locales/id/common.json
/c/Users/avidu/Projects/khelsutra/site/public/locales/kn/common.json
```

9. assistant (2026-06-21T18:34:53.313Z)

Found the locale files. There's a Kannada catalog at `site/public/locales/kn/common.json` and English at `site/public/locales/en/common.json`. Let me read both.

10. user (2026-06-21T18:34:53.805Z)

```
1      {
2        "app": {
3          "badge": "pick your rallies · alpha",
4          "title": "Pick the rallies for your reel",
5          "intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then fine-
6            tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't want."
7        },
8        "lang": {
9          "label": "Language",
10         "en": "English",
11         "kn": "?????",
12         "hi": "?????",
13         "es": "Español",
14         "da": "Dansk",
15         "id": "Bahasa Indonesia"
16       },
17       "bulk": {
18         "selectAll": "Select all",
19         "clear": "Clear",
20         "invert": "Invert"
21       },
22       "mode": {
23         "demo": "These are sample rallies ? process a video above to work on a real match.",
24         "loading": "Finding the rallies in your video?",
```

```

24     "error": "Couldn't load this video's rallies: {error}",
25     "loaded": "Found <b>{count}</b> rallies in your video."
26 },
27 "query": {
28     "placeholder": "e.g. over 10s · top 15 longest · shortest first",
29     "ariaLabel": "Filter rallies by length, count or order",
30     "apply": "Apply",
31     "notAvailable": "not available yet",
32     "notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
33     "notAvailableHelp": "Shot type, players and score aren't available yet ? filter by
rally length instead.",
34     "unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
35     "hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample below.",
36     "try": "Sample queries:",
37     "support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
38 },
39 "grid": {
40     "empty": "No rallies to show yet.",
41     "rally": "Rally {n}",
42     "inReel": "Rally {n}, in reel",
43     "notInReel": "Rally {n}, not in reel",
44     "start": "start",
45     "long": "long",
46     "shots": "~{count} shots · experimental",
47     "shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
48     "shotsConfidence": " ? confidence: {conf}"
49 },
50 "footer": {
51     "count": "{count, plural, one {# rally} other {# rallies}}",
52     "summaryRest": "selected · {total} total",
53     "reelName": "Reel name",
54     "reelNamePlaceholder": "my-highlights",
55     "build": "Build reel ({count})",
56     "building": "Building?",
57     "floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it would
be skipped, so the build would fail. Pick a longer rally.",
58     "floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
59     "floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
60     "floorSomeRest": "with fewer than {min} shots will be skipped when building (they're
too short).",
61 },
62 "result": {
63     "ready": "Your reel is ready",
64     "failed": "Build failed",
65     "building": "Stitching your reel?",
66     "buildingReassure": "Joining your selected rallies into one video ? this usually
only takes a moment.",
67     "dismiss": "Dismiss",
68     "download": "Download {filename}"
69 },
70 "build": {
71     "noVideo": "These are sample rallies ? process a real video first to build a reel."
72 },
73 "ingest": {
74     "title": "Process a video",
75     "intro": "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes.",
76     "uriPlaceholder": "gs://your-bucket/match.mp4",
77     "uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine host",
78     "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine
running KhelSutra.",
79     "submit": "Process video",

```

```

80     "submitting": "Submitting?",
81     "cancel": "Cancel",
82     "working": "Processing your video?",
83     "progress": "{progress}",
84     "retry": "Try again",
85     "reassure": "Safe to wait ? KhelSutra keeps working even if your connection is slow;
a long video can take several minutes.",
86     "statusFailed": "Couldn't process",
87     "chooseFile": "Choose a video file",
88     "uploadAria": "Choose a video file to upload",
89     "fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
90     "orLink": "Or use a cloud link",
91     "uploadingStatus": "Uploading?",
92     "uploadProgress": "Upload progress"
93 },
94 "errors": {
95     "networkError": "Can't reach KhelSutra. Is it running?",
96     "invalidUri": "Enter a video location first ? a gs:// link or a path on the machine
running KhelSutra.",
97     "emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
98     "timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
99     "engineGeneric": "Something went wrong. Please try again."
100 },
101 "tap": {
102     "title": "Tap to filter:",
103     "longest": "Longest first",
104     "shortest": "Shortest first",
105     "over10": "Over 10 seconds",
106     "over20": "Over 20 seconds",
107     "top5": "Top 5 longest",
108     "top10": "Top 10 longest"
109 },
110 "site": {
111     "nav": {
112         "how": "How it works",
113         "why": "Why it's hard",
114         "ownModel": "Own your model",
115         "flyer": "Flyer",
116         "roadmap": "Roadmap",
117         "faq": "FAQ",
118         "requestAccess": "Request access"
119     },
120     "hero": {
121         "eyebrow": "Invite-only alpha · Bengaluru",
122         "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123         "ctaPrimary": "Request alpha access",
124         "ctaHow": "See how it works"
125     },
126     "capture": {
127         "title": "1-page capture checklist",
128         "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels."
129     },
130     "ownModel": {
131         "requestAccess": "Request access ?"
132     }
133 },
134 "selection": {
135     "count": "{count, plural, one {# rally selected} other {# rallies selected}}"
136 }

```

```
137     }
138
```

11. user (2026-06-21T18:34:54.201Z)

```
1     {
2         "app": {
3             "badge": "????-????? ???? · ????",
4             "title": "???? ???? ???? ???? ????",
5             "intro": "<b>????? ????</b>? ???? ???? ???? ? ??. <i>???? ???? ????
15?</i> ? ???? ?????????????? ???? ???? ?????????? ??????. ?????? <b>?????????</b>
????????????????; ?????????????? ???? ??????????."
6         },
7         "lang": {
8             "label": "????",
9             "en": "English",
10            "kn": "?????",
11            "hi": "?????",
12            "es": "Español",
13            "da": "Dansk",
14            "id": "Bahasa Indonesia"
15        },
16        "bulk": {
17            "selectAll": "????????? ??????????",
18            "clear": "?????????????",
19            "invert": "?????????"
20        },
21        "mode": {
22            "demo": "??? ?????? ?????????? ? ?????? ?????????? ???? ?????? ???? ???? ??????
?????????????????",
23            "loading": "????? ?????????????? ?????????????? ??????????????????",
24            "error": "? ???????? ?????????????? ??? ?????: {error}",
25            "loaded": "????? ?????????????? <b>{count}</b> ?????????? ??????????"
26        },
27        "query": {
28            "placeholder": "???. over 10s · top 15 longest · shortest first",
29            "ariaLabel": "????, ???? ???? ???? ?????????? ?????????????? ?????? ????",
30            "apply": "?????????",
31            "notAvailable": "????? ??????????",
32            "notAvailableTitle": "?{token}? ?? {kind} ?????? ???? ? ?????? ??????????",
33            "notAvailableHelp": "???? ??????, ?????? ???? ???? ???? ?????????? ? ??????
????? ???? ?????????? ?????? ????.",
34            "unreadable": "????? ?????????? ? ?over 10s? ???? ?top 15 longest? ??????????",
35            "hint": "10 ?????????????? ???? ?????????????? over 10s ???? ???? ? ???? ??????
????????? ?????? ????.",
36            "try": "????? ??????????:",
37            "support": "<b>????? ????</b>? ?????????? ?????? ?????????? ??????????
?????????????. ???-???? <x>?????????</x> (????????????????).",
38        },
39        "grid": {
40            "empty": "????? ???? ???? ??????????????",
41            "rally": "????? {n}",
42            "inReel": "????? {n}, ??????????",
43            "notInReel": "????? {n}, ??????????????",
44            "start": "?????????",
45            "long": "????",
46            "shots": "~{count} ???????? · ??????????",
47            "shotsTitle": "???? ???? ?????????????? (????????????????) ?????
????????????{conf}. ?????? ???? ???? ?????????? ?????? ????.",
48            "shotsConfidence": " ? ??????: {conf}"
49        },
50        "footer": {
51            "count": "{count, plural, one {# ?????} other {# ?????????}}",
52            "summaryRest": "????????? · ???? {total}",
53            "reelName": "??? ????",

```

```
54     "reelNamePlaceholder": "my-highlights",
55     "build": "???? ????? ({count})",
56     "building": "????????????????",
57     "floorOne": "<b>????? ???? ?????????? ??????</b>????? {min} ?????? ?????? ??????????
? ?????? ?????? ?????????????????, ?????????? ??? ?????????????????? ?????? ?????????????? ??????",
58     "floorAll": "<b>????????????? ?????? {count} ??????????????</b> {min} ?????? ?????
????????????? ? ?????? ?????????????? ?????????????????, ?????????? ??? ?????????????????? ?????
????????????? ??????",
59     "floorSomeLead": "{count, plural, one {# ??????} other {# ?????????}}",
60     "floorSomeRest": "{min} ?????? ?????? ?????????????? ?????????? ?????????????????????
(????????? <code>min_shot_count</code> ????)".
61 },
62     "result": {
63         "ready": "????? ??? ?????????????",
64         "failed": "????? ??????????",
65         "building": "????? ??? ??????????????????",
66         "buildingReassure": "????? ?????????? ?????????????? ??? ?????????? ?????????????????? ?
????????????? ?????? ?????????? ??????????".
67         "dismiss": "?????????",
68         "download": "{filename} ?????????? ????"
69     },
70     "build": {
71         "noVideo": "??? ?????? ?????????? ? ??? ?????? ?????? ?????? ?????? ??????????????????".
72     },
73     "ingest": {
74         "title": "?????? ??????????????????",
75         "intro": "????????????????? ??? ?????????? ?????? ? ?????? ?????? ??? ??????????????????
???? ? ??? ?????????????? ?????????????? ?????? ?????? ?????????? ??????????????",
76         "uriPlaceholder": "gs://your-bucket/match.mp4",
77         "uriAriaLabel": "?????? ??? ? gs:// ?????? URL ??? ?????? ?????????????????? ??",
78         "hint": "gs:// ?????? ?????, ??? ?????? ?????????????????? ?????? ?????? ??????
?????????",
79         "submit": "?????? ??????????????????",
80         "submitting": "????????????????????",
81         "cancel": "?????????????",
82         "working": "????? ?????? ??????????????????????????",
83         "progress": "{progress}",
84         "retry": "????? ??????????",
85         "reassure": "????????? ?????????? ? ?????? ?????? ?????????????????? ?????????? ?????????????
???? ??????????????????; ?????? ?????????? ?????? ?????????? ??????????????",
86         "statusFailed": "????????????????????????????",
87         "chooseFile": "?????? ??? ??????",
88         "uploadAria": "????????? ?????? ?????? ??? ??????",
89         "fileHint": "? ????????? .mp4 ??? .mov ?????? ? ??? ?????????? ?????????, ???
????????????? ?????????????? ??????????????",
90         "orLink": "????? ?????? ?????? ????",
91         "uploadingStatus": "????????? ?????????????",
92         "uploadProgress": "????????? ??????"
93     },
94     "errors": {
95         "networkError": "?????? ??????????????????. ??? ??????????????????",
96         "invalidUri": "????? ?????? ?????????? ?????????? ? gs:// ?????? ??? ??????????????????
??.",
97         "emptyResult": "????????? ?????????? ??? ? ?????????????? ?????? ?????????? ??????????
????????? ?????? ?????????????? ??????????????",
98         "timeout": "????????????????? ?????? ??? ??????????????????????????. ??? ?????? ?????????????????????
? ?????? ?????????????????? ?????????? ???, ??? ?????? ??????????????",
99         "engineGeneric": "??? ??????????. ?????????? ?????? ??????????????"
100     },
101     "tap": {
102         "title": "????????? ?????? ?????? ????",
103         "longest": "??? ?????????? ??????",
104         "shortest": "??? ?????????? ??????",
105         "over10": "10 ?????????????? ??????",
106         "over20": "20 ?????????????? ??????"
```

```

107     "top5": "??? ????? 5",
108     "top10": "??? ????? 10"
109 },
110 "site": {
111     "nav": {
112         "how": "How it works",
113         "why": "Why it's hard",
114         "ownModel": "Own your model",
115         "flyer": "Flyer",
116         "roadmap": "Roadmap",
117         "faq": "FAQ",
118         "requestAccess": "Request access"
119     },
120     "hero": {
121         "eyebrow": "Invite-only alpha · Bengaluru",
122         "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123         "ctaPrimary": "Request alpha access",
124         "ctaHow": "See how it works"
125     },
126     "capture": {
127         "title": "1-page capture checklist",
128         "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels."
129     },
130     "ownModel": {
131         "requestAccess": "Request access ?"
132     }
133 },
134 "selection": {
135     "count": "{count, plural, one {# ?????? ?????????????} other {# ??????????
????????????}}}"
136 }
137 }
138

```

12. assistant (2026-06-21T18:35:25.233Z)

Both files are loaded. The path uses a literal `undefined` prefix, which won't be a valid Windows path. I'll write the output to the same directory as the source files (the `site/public/locales` working area would be odd; the prompt intends a `\_tmp` scratch path). Since the input paths resolved to the real catalogs, I'll write the issues file to the project root, but the prompt demands the exact literal path `undefined/\_tmp\_issues\_kn\_fluency.json`. Let me note both files have identical keys and now review them.

Let me analyze the Kannada translations through the natural-fluency lens.

Key observations as a native Kannada speaker reviewing for non-technical coaches/parents:

1. `**`app.intro`**` ? "???????????? ?" (fine-tune) is fine. "?????????????????????" is a bit literal/stiff but acceptable.

2. `**`bulk.invert`**` ? "?????????" means "rotate/turn" ? confusing for "Invert" (selection). A coach won't understand. Better: "???????????? ?" or "????? ??????".

3. `**`mode.demo`**` / multiple ? "?????????????????" (process) is very formal/machine-like. Recurring across ingest. This is the standard tech term though; for non-tech audience "?????????????????" is stiff but widely the only word. I'll flag the most awkward instances.

4. `**`footer.floorOne`` / ``floorAll`**` ? "?????? ?????? ??????????????????" ? "???????" (engine) is jargon that's not in the English ("it would be skipped"). Non-technical parents won't know what "???????" is. The English deliberately avoids "engine". This is a fluency/clarity problem.

5. `**`footer.floorSomeRest`**` ? Kannada has "(????????? `min\_shot\_count` ?????)" ? this exposes a

raw code token ``min_shot_count`` and "?????" jargon, while English says "(they're too short)". This is a serious mismatch and very machine-like / confusing for the audience.

6. `**`ingest.intro`**` ? Kannada adds "????? ????? ???? ?????????????? ?????" (bucket link or file on engine) ? "?????" and "?????" are jargon for parents.

7. `**`ingest.reassure`**` ? "????????? ?????????? ???? ??????????????" ? "?????" jargon, English just says "keeps working".

8. `**`result.dismiss`**` ? "?????????" means "dismiss/fire (an employee)" ? too formal/legalistic. Better "?????" (close).

9. `**`bulk.clear`**` "?????????" is standard, fine.

10. `**`errors.networkError`**` ? "????? ??????????????" ? exposes "?????" to user; English says "Can't reach KhelSutra". Better to use ??????????.

11. `**`errors.invalidUri`**` ? "????????????? ??" ? jargon "???" (path) and "?????". English says "a path on the machine running KhelSutra".

Let me focus and be conservative ? flag genuine fluency/clarity problems. The "?????" leakage (where English deliberately says "KhelSutra" or nothing) and the raw ``min_shot_count`` token are the strongest, most defensible issues. "?????????" for invert and "?????????" for dismiss are clear word-choice problems.

Now let me write the issues file. I'll first determine a writable path since ``undefined/`` is not valid on Windows.

13. user (2026-06-21T18:35:26.581Z)

created
/c/Users/avidu/Projects/khelsutra

14. assistant (2026-06-21T18:35:30.914Z)

The ``undefined`` directory was created relative to the cwd, so ``undefined/_tmp_issues_kn_fluency.json`` is now a writable path. Let me write the issues file.

15. assistant (2026-06-21T18:36:06.928Z)

```
[
  {
    "key": "bulk.invert",
    "severity": "critical",
    "problem": "\"?????????\" reads as 'rotate/turn around' ? it does not convey 'invert the selection'. A coach/parent will be confused about what this button does.",
    "suggestion": "????? ??????"
  },
  {
    "key": "result.dismiss",
    "severity": "minor",
    "problem": "\"?????????\" is formal/legalistic (used for dismissing an employee or a case). For closing a result card it sounds stiff and odd.",
    "suggestion": "?????"
  },
  {
    "key": "footer.floorOne",
    "severity": "critical",
    "problem": "\"????? ?????? ??????????????\" leaks the internal jargon '?????' (engine), which the English deliberately avoids ('it would be skipped'). Non-technical parents won't know what 'engine' means.",
    "suggestion": "<b>????? ?????? ???? ??????</b>????? {min} ?????? ?????? ?????????? ? ?????? ??????????????????, ???????? ???? ???? ??????????. ?????? ?????? ?????????????? ??????."
  },
]
```



```

{
  "key": "footer.floorAll",
  "severity": "critical",
  "problem": "Again leaks '?????' (engine) jargon absent from the English ('they'd all be
skipped'). Confusing for the non-technical audience.",
  "suggestion": "<b>???? ???? {count} ??????????</b> {min} ????? ???? ????????? ?
????????????????????, ??????? ???? ??? ??????????. ????? ???? ????????????? ?????."
},
{
  "key": "footer.floorSomeRest",
  "severity": "critical",
  "problem": "Exposes a raw code token (min_shot_count) and '?????' jargon inside a <code>
tag, while the English simply says '(they're too short)'. This is machine-like and meaningless
to a coach/parent.",
  "suggestion": "???? {min} ????? ???? ????????????????????? ??????? ????????????????????? (???
???? ??????????)."
},
{
  "key": "ingest.intro",
  "severity": "minor",
  "problem": "Adds '???? ???? ???? ????????????????? ????' (bucket link / file on engine)
which is jargon not present in the English intro; sounds technical and off-putting for
parents/coaches.",
  "suggestion": "???????????????? ???? ????? ???? ? ??? ?????? ????????????? ??????????.
?????? ???? ????????? ??????????"
},
{
  "key": "ingest.reassure",
  "severity": "minor",
  "problem": "'???????????? ????????????? ???? ?????????????????' leaks '?????' jargon; the
English just says 'KhelSutra keeps working'. Sounds techy for the audience.",
  "suggestion": "???????? ???? ? ???? ?????? ????????????????? ????????? ????
????????????????; ????? ????????? ?????? ????????? ??????????"
},
{
  "key": "errors.networkError",
  "severity": "minor",
  "problem": "'?????? ?????????????????' exposes '?????' to the user; the English says 'Can't
reach KhelSutra'. The product name is warmer and clearer than the internal term.",
  "suggestion": "????????? ??????????????????. ??? ??????????????????"
}
]

```

16. user (2026-06-21T18:36:06.945Z)

File created successfully at:

C:\Users\avidu\Projects\khelsutra\undefined_tmp_issues_kn_fluency.json (file state is current
in your context ? no need to Read it back)

17. assistant (2026-06-21T18:36:21.128Z)

I reviewed all keys in both catalogs and flagged 8 genuine natural-fluency issues.

Key findings (the source/translation files were the locale catalogs at
`C:\Users\avidu\Projects\khelsutra\site\public\locales\en\common.json` and `...\kn\common.json`;
the literal `undefined/` output path resolved to
`C:\Users\avidu\Projects\khelsutra\undefined\\_tmp\_issues\_kn\_fluency.json`):

- The strongest recurring problem is **jargon leakage**: the Kannada repeatedly surfaces internal terms the English deliberately hides ? "?????" (engine) in `footer.floorOne/floorAll`, `ingest.intro`, `errors.networkError`, and "?????" in `ingest.reassure`. A non-technical coach/parent won't know these mean.
- **footer.floorSomeRest** is the worst: it exposes a raw code token `min\_shot\_count` inside a ``` tag where English just says "(they're too short)" ? machine-like and meaningless to the audience.`

- `bulk.invert` uses "???????" (rotate/turn) which doesn't convey "invert selection" ? genuinely confusing.
- `result.dismiss` uses "???????" (legalistic "dismiss/fire") ? stiff for closing a card; "?????" is warmer.

I left the rest (e.g. the standard "?????????????" for "process", which is the conventional term) untouched to stay conservative.

18. user (2026-06-21T18:36:21.249Z)

Structured output provided successfully

19. assistant (2026-06-21T18:36:30.851Z)

Reviewed all keys in the Kannada catalog through the natural-fluency lens and flagged 8 real issues.

Files used:

- English source: `C:\Users\avidu\Projects\khelsutra\site\public\locales\en\common.json`
- Kannada translation: `C:\Users\avidu\Projects\khelsutra\site\public\locales\kn\common.json`
- Issues written to: `C:\Users\avidu\Projects\khelsutra\undefined\_tmp_issues_kn_fluency.json` (the literal `undefined/` prefix from the task resolved relative to the project cwd)

Summary of flagged issues (8 total ? 4 critical, 4 minor):

- **Jargon leakage** (main theme): `footer.floorOne`, `footer.floorAll`, `ingest.intro`, `errors.networkError` surface "?????" (engine) and `ingest.reassure` surfaces "?????" (server) ? internal terms the English deliberately hides from non-technical users.
- `footer.floorSomeRest` (critical): exposes a raw code token `min_shot_count` in a `<code>` tag where English just says "(they're too short)".
- `bulk.invert` (critical): "???????" reads as rotate/turn, not "invert selection".
- `result.dismiss` (minor): "???????" is legalistic; "?????" is warmer for closing a card.

I stayed conservative and left conventional terms (e.g. "?????????????????" for process) untouched.

Note: the input paths in the task came through with a literal `undefined` prefix (a placeholder that wasn't substituted), so I located the actual catalogs under `site/public/locales/` and wrote the output to the `undefined/` path as specified.