

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_7a9a5f0d-cb0\agent-a3f02f014c28889e6.jsonl`
- SHA-256: `ebab805a15f65d5d978f753198eabfa4e2a187339e0b679aa7dabfb78e7ba624`
- Source modified: `2026-06-21T22:25:00+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_7a9a5f0d-cb0`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T22:23:02.155Z)

You are a senior product designer doing a serious UI/UX critique. KhelSutra marketing site (3 static pages: home/index, capture checklist, own-model). It recently gained a persistent en/kn/hi language switcher in the header, plus other i18n. Audience: non-tech-savvy badminton coaches/parents in India, mostly on phones. Known suspicion: the headers became cluttered / misaligned (esp. the home header on mobile).

Screenshots (Read these image files, absolute paths):

- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-kn.png

HTML/CSS source (Read for the header markup + styles): C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/index.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/capture.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/own-model.html

Review ONLY through this lens:

VISUAL HIERARCHY, SPACING & CONSISTENCY: is the spacing rhythm consistent; is anything misaligned or visually unbalanced; does the switcher draw the wrong amount of attention; are there inconsistencies between the three pages?

Read the relevant screenshots (and the HTML/CSS for fixes). Return concrete, prioritized findings (severity, exact where, the problem, and a concrete CSS/HTML fix). Focus on real issues a coach/parent would hit; the home-header mobile overflow is the headline suspicion ? confirm or refute it with specifics. Skip trivial nitpicks unless they cause real friction.

2. assistant (2026-06-21T22:23:05.619Z)

I'll start by reading the screenshots and source files. Let me focus on the headers, prioritizing the home mobile views since that's the headline suspicion.

3. assistant (2026-06-21T22:23:11.821Z)

The home mobile overflow is confirmed and severe. Let me read the desktop home and the other pages' headers to compare.

4. assistant (2026-06-21T22:23:19.378Z)

Crucial finding: the capture page mobile header uses a completely different layout (stacked, multi-row) than the home page (single row, overflowing). Let me check own-model mobile and the desktop variants of capture/own-model to map the full inconsistency.

5. assistant (2026-06-21T22:23:26.521Z)

Now I have a clear picture. Let me read the HTML/CSS source for all three headers to ground the fixes.

6. user (2026-06-21T22:23:27.606Z)

```
1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? every rally indexed, the dead time gone</title>
7      <meta name="description" content="KhelSutra turns a full badminton match into a clean
index of rallies with the dead time stripped out ? a highlight reel you can watch and download.
Invite-only alpha, Bengaluru." />
8      <meta property="og:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
9      <meta property="og:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha for academies and players in Bengaluru." />
10     <meta property="og:type" content="website" />
11     <meta property="og:url" content="https://khelsutra.guru" />
12     <meta property="og:image" content="https://khelsutra.guru/og.png" />
13     <meta property="og:image:width" content="1200" />
14     <meta property="og:image:height" content="630" />
15     <meta name="twitter:card" content="summary_large_image" />
16     <meta name="twitter:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
17     <meta name="twitter:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha, Bengaluru." />
18     <meta name="twitter:image" content="https://khelsutra.guru/og.png" />
19     <meta name="theme-color" content="#0C261F" />
20     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
21     <link rel="preconnect" href="https://fonts.googleapis.com" />
22     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
23     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
24     <style>
25     :root{
26         --ink:#0C261F; --ink2:#123A2E; --green:#19B36B; --green-d:#149A5C;
27         --lime:#C7F2B0; --paper:#F6F8F4; --card:#fff;
28         --tx:#14271F; --mut:#566B61; --line:#E4E9E2;
29         --on-dark:#EAF3EE; --on-dark-mut:#A7C3B7;
30         --r:14px; --rs:10px; --maxw:1080px;
31         --font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans Devanagari',system-
ui,-apple-system,Segoe UI,Roboto,Helvetica,Arial,sans-serif;
32     }
33     *{box-sizing:border-box}
34     html{scroll-behavior:smooth}
35     body{margin:0;font-family:var(--font);color:var(--tx);background:var(--paper);line-
height:1.65;-webkit-font-smoothing:antialiased}
36     a{color:inherit}
37     .wrap{max-width:var(--maxw);margin:0 auto;padding:0 22px}
38     h1,h2,h3{line-height:1.15;margin:0;letter-spacing:-.02em}
39     h1{font-size:clamp(2rem,5vw,3.4rem);font-weight:800}
40     h2{font-size:clamp(1.5rem,3.2vw,2.2rem);font-weight:700}
41     h3{font-size:1.15rem;font-weight:700}
42     p{margin:.6rem 0}
```

```

43     .btn{display:inline-flex;align-items:center;gap:.5rem;font-weight:600;font-
size:1rem;border-radius:999px;padding:.78rem 1.4rem;text-decoration:none;border:1px solid
transparent;cursor:pointer;transition:.15s}
44     .btn-primary{background:var(--green);color:#04140D}
45     .btn-primary:hover{background:var(--green-d)}
46     .btn-ghost{background:transparent;border-color:rgba(255,255,255,.28);color:var(--on-
dark)}
47     .btn-ghost:hover{border-color:rgba(255,255,255,.6)}
48     .btn-dark{background:var(--ink);color:#fff}
49     .btn-dark:hover{background:var(--ink2)}
50     .btn[disabled]{opacity:.75;cursor:progress}
51     /* in-flight spinner for the request-access submit */
52     .spin{display:inline-block;width:1em;height:1em;border:2px solid currentColor;border-
right-color:transparent;border-radius:50%;animation:spin .6s linear infinite}
53     @keyframes spin{to{transform:rotate(360deg)}}
54     .eyebrow{display:inline-flex;align-items:center;gap:.5rem;font-size:.82rem;font-
weight:600;letter-spacing:.02em;
55         background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.3);padding:.3rem .8rem;border-radius:999px}
56
57     /* header */
58     header{position:sticky;top:0;z-index:20;background:rgba(246,248,244,.86);backdrop-
filter:blur(10px);border-bottom:1px solid var(--line)}
59     .nav{display:flex;align-items:center;justify-content:space-between;height:66px}
60     .brand{display:flex;align-items:center;gap:.6rem;font-weight:800;font-
size:1.18rem;letter-spacing:-.02em;text-decoration:none}
61     .brand .dot{color:var(--green)}
62     .nav-links{display:flex;align-items:center;gap:1.6rem}
63     .nav-links a{font-size:.95rem;font-weight:500;color:var(--mut);text-decoration:none}
64     .nav-links a:hover{color:var(--tx)}
65     /* persistent language switcher (B3) ? theme-agnostic: inherits text colour, green
fill = active */
66     .nav-right{display:flex;align-items:center;gap:1rem}
67     .langsw{display:inline-flex;gap:2px;border:1px solid rgba(120,120,120,.3);border-
radius:999px;padding:2px}
68     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.62;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
69     .langsw button:hover{opacity:1}
70     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
71     .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:7px
0 7px 12px;border-color:transparent transparent transparent var(--green);margin:0
.32em;transform:translateY(1px)}
72
73     /* hero */
74     .hero{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2)
100%);color:var(--on-dark);position:relative;overflow:hidden}
75     .hero .wrap{padding-top:74px;padding-bottom:88px;position:relative;z-index:2}
76     .hero .eyebrow{background:rgba(199,242,176,.12);color:var(--lime);border-
color:rgba(199,242,176,.25)}
77     .hero h1{margin:1.1rem 0 0;max-width:15ch}
78     .hero h1 .hl{color:var(--lime)}
79     .hero .lead{font-size:clamp(1.05rem,1.6vw,1.28rem);color:var(--on-dark-mut);max-
width:54ch;margin:1.2rem 0 0}
80     .hero-cta{display:flex;flex-wrap:wrap;gap:.8rem;margin-top:2rem}
81     .hero-note{margin-top:1.1rem;font-size:.86rem;color:var(--on-dark-mut)}
82     .shuttle{position:absolute;right:-60px;top:-40px;width:520px;max-
width:55%;opacity:.16;z-index:1;pointer-events:none}
83     .loop{display:flex;flex-wrap:wrap;gap:.6rem;margin-top:2.4rem}
84     .loop .chip{display:flex;align-
items:center;gap:.5rem;background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);
85         border-radius:999px;padding:.5rem 1rem;font-weight:500;font-
size:.92rem;color:var(--on-dark)}
86     .loop .chip b{color:var(--lime);font-weight:700}
87     .loop .arrow{color:var(--on-dark-mut);align-self:center}

```

```

88
89     .hero-grid{display:grid;grid-template-columns:1.04fr .96fr;gap:46px;align-
items:center}
90     .hero-left{min-width:0}
91     .hero-visual{min-width:0}
92     .reel-card{background:#fff;border-radius:18px;border:1px solid
rgba(255,255,255,.14);box-shadow:0 26px 60px -24px rgba(0,0,0,.55);overflow:hidden}
93     .reel-head{display:flex;align-items:center;gap:.55rem;padding:.7rem .9rem;border-
bottom:1px solid var(--line)}
94     .reel-head .dots{display:flex;gap:5px}
95     .reel-head .dots i{width:9px;height:9px;border-
radius:50%;background:#D9DED7;display:block}
96     .reel-head .file{font-size:.78rem;color:var(--mut);font-weight:600}
97     .reel-video{position:relative;aspect-ratio:16/9;background:linear-
gradient(150deg,#0E3A2C,#17533C);display:flex;align-items:center;justify-content:center}
98     .reel-video .court{position:absolute;inset:16px;border:2px solid
rgba(199,242,176,.30);border-radius:6px}
99     .reel-video .court:before{content:"";position:absolute;left:50%;top:0;bottom:0;width:2
px;background:rgba(199,242,176,.30)}
100    .reel-video .court:after{content:"";position:absolute;top:50%;left:0;right:0;height:2p
x;background:rgba(199,242,176,.22)}
101    .reel-video .play{width:60px;height:60px;border-
radius:50%;background:var(--lime);display:flex;align-items:center;justify-
content:center;color:#0C261F;font-size:1.4rem;z-index:2;padding-left:4px;box-shadow:0 10px 26px
rgba(0,0,0,.35)}
102    .reel-video .badge{position:absolute;top:12px;left:12px;background:rgba(12,38,31,.72);
color:var(--lime);font-size:.7rem;font-weight:700;letter-spacing:.06em;padding:.26rem
.6rem;border-radius:999px;z-index:2}
103    .reel-video
.wm{position:absolute;bottom:10px;right:12px;color:rgba(234,243,238,.78);font-size:.66rem;font-
weight:500;z-index:2}
104    .reel-body{padding:.95rem 1.05rem 1.1rem}
105    .reel-body .lbl{font-size:.72rem;font-weight:600;letter-spacing:.04em;text-
transform:uppercase;color:var(--mut)}
106    .reel-track{position:relative;height:12px;border-
radius:6px;background:#E8ECE6;margin:.55rem 0 .95rem}
107    .reel-track span{position:absolute;top:0;bottom:0;background:var(--green);border-
radius:6px}
108    .reel-stats{display:flex;gap:10px}
109    .reel-stats .m{flex:1;background:var(--paper);border-radius:10px;padding:.6rem .85rem}
110    .reel-stats .m b{display:block;font-size:1.25rem;color:var(--tx);font-weight:700}
111    .reel-stats .m em{font-size:.76rem;color:var(--mut);font-style:normal}
112    .ask{display:flex;align-items:center;gap:.55rem;margin:.85rem 1.05rem
.2rem;padding:.6rem .7rem;border:1px solid var(--line);border-
radius:12px;background:var(--paper)}
113    .ask-ic{color:var(--green-d);font-size:.95rem}
114    .ask-tx{flex:1;font-size:.88rem;color:var(--tx);font-weight:500;line-height:1.3}
115    .ask-go{width:26px;height:26px;border-
radius:8px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
116    .lbl{display:flex;justify-content:space-between;align-items:center}
117    .lbl .match{color:var(--green-d);font-weight:700}
118    .reel-track span.off{background:#D7DDD4}
119    .reel-track span.on{background:var(--green)}
120    .result{display:flex;align-items:center;gap:.7rem;margin-top:.2rem;padding:.65rem
.8rem;background:var(--ink);border-radius:12px}
121    .result .play{width:34px;height:34px;border-
radius:50%;background:var(--lime);color:#0C261F;display:flex;align-items:center;justify-
content:center;flex:none;font-size:.95rem;padding-left:2px}
122    .result-tx{flex:1}
123    .result-tx b{display:block;font-size:.84rem;font-weight:700;color:#fff}
124    .result-tx em{display:block;font-style:normal;font-size:.73rem;color:var(--on-dark-
mut)}}
125    .result .dl{color:var(--on-dark-mut);font-size:1.1rem}
126    .ask .q{font-weight:600;background:var(--paper);border:1px solid var(--line);border-

```

```

radius:10px;padding:.6rem .75rem;font-size:.95rem}
127     .askc .q i{color:var(--green-d);font-style:normal;margin-right:.35rem}
128     .askc .a{display:flex;gap:.5rem;color:var(--mut);font-size:.93rem;margin-
top:.75rem;padding-left:.1rem}
129     .askc .a i{color:var(--green-d);font-style:normal;margin-top:.1rem}
130     .ask-note{margin-top:1.5rem;font-size:.95rem;color:var(--mut)}
131
132     /* sections */
133     section{padding:72px 0}
134     .sec-head{max-width:60ch}
135     .sec-head .kicker{font-size:.82rem;font-weight:700;letter-spacing:.08em;text-
transform:uppercase;color:var(--green-d)}
136     .sec-head h2{margin:.5rem 0 0}
137     .sec-head p{color:var(--mut);font-size:1.08rem;margin-top:.7rem}
138
139     .grid{display:grid;gap:18px;margin-top:2.4rem}
140     .g4{grid-template-columns:repeat(4,1fr)}
141     .g3{grid-template-columns:repeat(3,1fr)}
142     .g2{grid-template-columns:repeat(2,1fr)}
143     .card{background:var(--card);border:1px solid var(--line);border-
radius:var(--r);padding:1.4rem}
144     .card .ic{width:42px;height:42px;border-radius:11px;display:flex;align-
items:center;justify-content:center;
145         background:rgba(25,179,107,.12);color:var(--green-d);font-size:1.3rem;margin-
bottom:.9rem}
146     .card h3{font-size:1.05rem}
147     .card p{color:var(--mut);font-size:.96rem;margin:.4rem 0 0}
148
149     .split{display:grid;grid-template-columns:1.1fr .9fr;gap:42px;align-items:center}
150     .panel{background:var(--ink);color:var(--on-dark);border-radius:18px;padding:2.2rem}
151     .panel h2{color:#fff}
152     .panel p{color:var(--on-dark-mut)}
153     .panel .pill{display:inline-
block;background:rgba(199,242,176,.14);color:var(--lime);font-size:.8rem;font-weight:600;
154         padding:.3rem .7rem;border-radius:999px;margin-bottom:1rem}
155
156     .road{display:grid;grid-template-columns:repeat(5,1fr);gap:14px;margin-top:2.2rem}
157     .road .step{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:1.1rem}
158     .road .step .n{font-size:1.4rem;color:var(--green-d)}
159     .road .step h3{font-size:1rem;margin-top:.5rem}
160     .road .step p{font-size:.88rem;color:var(--mut);margin-top:.3rem}
161
162     .honest{background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:0 var(--rs) var(--rs) 0;padding:1.2rem 1.4rem;margin-top:1.6rem}
163     .honest b{color:var(--tx)}
164     .honest p{color:var(--mut);margin:.3rem 0 0}
165
166     .notes{list-style:none;padding:0;margin:2rem 0 0;display:grid;grid-template-
columns:repeat(2,1fr);gap:12px}
167     .notes li{display:flex;gap:.6rem;background:var(--card);border:1px solid
var(--line);border-radius:var(--rs);padding:.9rem 1.1rem;color:var(--mut);font-size:.95rem}
168     .notes li i{color:var(--green-d);margin-top:.15rem}
169
170     details{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:0 1.2rem;margin-top:10px}
171     details summary{cursor:pointer;font-weight:600;padding:1rem 0;list-
style:none;display:flex;justify-content:space-between;align-items:center;gap:1rem}
172     details summary::-webkit-details-marker{display:none}
173     details summary::after{content:"+";color:var(--green-d);font-size:1.3rem;font-
weight:400}
174     details[open] summary::after{content:"?"}
175     details p{color:var(--mut);margin:0 0 1.1rem}
176
177     .cta{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2) 100%);color:var(--on-

```

```

dark});border-radius:20px;padding:3rem 2.4rem;text-align:center;margin:0 0 0}
178     .cta h2{color:#fff;max-width:20ch;margin:0 auto}
179     .cta p{color:var(--on-dark-mut);max-width:46ch;margin:.8rem auto 0}
180     .cta .hero-cta{justify-content:center}
181     .af{max-width:560px;margin:2.2rem auto 0;background:var(--card);border:1px solid
var(--line);border-radius:var(--r);padding:1.6rem 1.5rem;text-align:left}
182     .af .row{margin-bottom:1.05rem}
183     .af label{display:block;font-size:.9rem;font-weight:600;color:var(--tx);margin-
bottom:.4rem}
184     .af .hint{font-weight:400;color:var(--mut);font-size:.84rem}
185     .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
186     .af textarea{min-height:84px;resize:vertical}
187     .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 0 3px rgba(25,179,107,.15)}
188     .seg{display:flex;gap:10px}
189     .seg label{flex:1;margin:0;border:1px solid var(--line);border-
radius:10px;padding:.7rem .8rem;cursor:pointer;font-weight:500;text-align:center}
190     .seg input{position:absolute;opacity:0}
191     .seg label:hover{border-color:var(--green)}
192     .seg label:has(input:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d);font-weight:700}
193     .opts{display:flex;flex-wrap:wrap;gap:8px}
194     .opts label{margin:0;display:inline-flex;align-items:center;gap:.4rem;border:1px solid
var(--line);border-radius:999px;padding:.4rem .8rem;font-weight:500;font-
size:.88rem;cursor:pointer}
195     .opts label:has(:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d)}
196     .opts input{accent-color:var(--green)}
197     .af .consent{display:flex;align-items:flex-start;gap:.5rem}
198     .af .consent input{margin-top:.2rem;accent-color:var(--green)}
199     .af .acad{display:none}
200     .af.is-academy .acad{display:block}
201     .hp{position:absolute;left:-9999px;width:1px;height:1px;overflow:hidden}
202     .form-done{max-width:560px;margin:2rem auto 0;text-
align:center;background:rgba(25,179,107,.08);border:1px solid
rgba(25,179,107,.3);color:var(--green-d);border-radius:var(--r);padding:1.4rem;font-weight:600}
203
204     footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-
size:.9rem}
205     .foot{display:flex;flex-wrap:wrap;justify-content:space-between;gap:1.2rem;align-
items:center}
206     .foot a{color:var(--green-d);text-decoration:none}
207     .foot a:hover{text-decoration:underline}
208     .stamp{font-size:.82rem;color:var(--mut)}
209
210     @media (max-width:860px){
211         .nav-links{display:none}
212         .g4{grid-template-columns:repeat(2,1fr)}
213         .g3,.g2{grid-template-columns:1fr}
214         .split{grid-template-columns:1fr;gap:24px}
215         .road{grid-template-columns:repeat(2,1fr)}
216         .notes{grid-template-columns:1fr}
217         .shuttle{opacity:.1}
218         .hero-grid{grid-template-columns:1fr;gap:30px}
219         .reel-card{max-width:460px}
220     }
221
222     /* tool demo + sample reel ? revealed AFTER sign-up, then auto-closes */
223     .reelwrap{position:relative;max-width:680px;margin:.5rem auto 0;aspect-
ratio:16/9;border-radius:14px;overflow:hidden;border:1px solid var(--line);background:#0C261F}
224     .reelwrap iframe{width:100%;height:100%;border:0;display:block}
225     .tool-vid{display:block;width:100%;max-width:680px;margin:.5rem auto 0;border-

```

```

radius:14px;border:1px solid var(--line);background:#0C261F}
226     .reveal-h{max-width:680px;margin:1.2rem auto .15rem;font-size:.74rem;font-
weight:700;letter-spacing:.06em;text-transform:uppercase;color:var(--green-d);text-align:left}
227     .reveal-bar{max-width:680px;margin:.2rem auto 0;display:flex;justify-content:flex-end}
228     .reveal-x{background:transparent;border:1px solid var(--line);color:var(--mut);font-
size:.78rem;font-weight:600;padding:.32rem .72rem;border-radius:999px;cursor:pointer}
229     .reveal-x:hover{color:var(--tx);border-color:var(--mut)}
230 </style>
231 </head>
232 <body>
233 <script type="module" src="/i18n.js"></script>
234
235 <header>
236     <div class="wrap nav">
237         <a class="brand" href="#top">Khel<span class="play" aria-
hidden="true"></span>Sutra</a>
238         <nav class="nav-links" aria-label="Primary">
239             <a href="#how" data-i18n="site.nav.how">How it works</a>
240             <a href="#diff" data-i18n="site.nav.why">Why it's hard</a>
241             <a href="/own-model" data-i18n="site.nav.ownModel">Own your model</a>
242             <a href="/flyer" data-i18n="site.nav.flyer">Flyer</a>
243             <a href="#roadmap" data-i18n="site.nav.roadmap">Roadmap</a>
244             <a href="#faq" data-i18n="site.nav.faq">FAQ</a>
245         </nav>
246         <div class="nav-right">
247             <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
248                 <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
249                 <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
250                 <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
251             </div>
252             <a class="btn btn-dark" href="#join" data-i18n="site.nav.requestAccess">Request
access</a>
253         </div>
254     </div>
255 </header>
256
257 <a id="top"></a>
258 <section class="hero" style="padding:0">
259     <div class="wrap hero-grid">
260         <div class="hero-left">
261             <span class="eyebrow" data-i18n="site.hero.eyebrow">Invite-only alpha .
Bengaluru</span>
262             <h1>Every rally, indexed. <span class="hl">The dead time, gone.</span></h1>
263             <p class="lead" data-i18n="site.hero.lead">KhelSutra finds every rally in your
session and strips out the knock-ups, walks and gaps ? so a full match becomes a clean highlight
reel you can watch and download. No editing, no scrubbing.</p>
264             <div class="hero-cta">
265                 <a class="btn btn-primary" href="#join" data-i18n="site.hero.ctaPrimary">Request
alpha access</a>
266                 <a class="btn btn-ghost" href="#how" data-i18n="site.hero.ctaHow">See how it
works</a>
267                 <a class="btn btn-ghost" href="#join">See it in action + a real reel</a>
268             </div>
269             <p class="hero-note">A phone or GoPro on a tripod is all you need. No special
hardware.</p>
270         <div class="loop">
271             <span class="chip"><b>1.</b> Auto-index rallies</span>
272             <span class="arrow">?</span>
273             <span class="chip"><b>2.</b> Dead time removed</span>
274             <span class="arrow">?</span>
275             <span class="chip"><b>3.</b> Download your reel</span>

```

```

276         </div>
277     </div>
278     <div class="hero-visual">
279         <div class="reel-card">
280             <div class="reel-head">
281                 <span class="dots"><i></i><i></i><i></i></span>
282                 <span class="file">match_2026.mp4 · indexed</span>
283             </div>
284             <div class="reel-body">
285                 <div class="lbl"><span>Rallies detected</span><span class="match">44
286                 <div class="reel-track">
287                     <span class="on" style="left:2%;width:8%"></span>
288                     <span class="on" style="left:13%;width:6%"></span>
289                     <span class="on" style="left:22%;width:12%"></span>
290                     <span class="on" style="left:37%;width:7%"></span>
291                     <span class="on" style="left:47%;width:11%"></span>
292                     <span class="on" style="left:61%;width:6%"></span>
293                     <span class="on" style="left:70%;width:13%"></span>
294                     <span class="on" style="left:86%;width:9%"></span>
295                 </div>
296                 <div class="result">
297                     <span class="play" aria-hidden="true">?</span>
298                     <span class="result-tx"><b>Highlight reel · 44 rallies · 18 min</b><em>dead
299                     <span class="dl" aria-hidden="true">?</span>
300                 </div>
301             </div>
302         </div>
303     </div>
304 </div>
305 </section>
306
307 <section id="how">
308     <div class="wrap">
309         <div class="sec-head">
310             <div class="kicker">What it does today</div>
311             <h2>A full match, turned into rallies you can search</h2>
312             <p>Upload a whole session or match. KhelSutra does the rest ? no editing skill
313             </div>
314             <div class="grid g4">
315                 <div class="card">
316                     <div class="ic" aria-hidden="true">?</div>
317                     <h3>Every rally, indexed</h3>
318                     <p>It finds each rally ? start, end and length ? and turns the whole match into
319                     </div>
320                     <div class="card">
321                         <div class="ic" aria-hidden="true">?</div>
322                         <h3>Dead time removed</h3>
323                         <p>Knock-ups, walks, picking up the shuttle, the gaps between points ? stripped
324                         </div>
325                         <div class="card">
326                             <div class="ic" aria-hidden="true">?</div>
327                             <h3>Process once, reuse</h3>
328                             <p>Come back later to watch or download your reel. Re-running a video replaces
329                             </div>
330                             <div class="card">
331                                 <div class="ic" aria-hidden="true">?</div>
332                                 <h3>Stitched reel + summary</h3>
333                                 <p>Your selection becomes one MP4 to download and share ? with a play-time
334                                 summary and a small ?Generated by Khelsutra.guru? mark.</p>

```



```

334         </div>
335     </div>
336 </div>
337 </section>
338
339 <section id="record" style="background:#EFF4EC">
340     <div class="wrap">
341         <div class="sec-head">
342             <div class="kicker" data-i18n="site.record.kicker">Record it right</div>
343             <h2 data-i18n="site.record.title">Five minutes of setup ? reliably great
reels</h2>
344             <p data-i18n="site.record.intro">Highlight quality starts with the recording. Set
the camera up once like this and KhelSutra has everything it needs to find the rallies.</p>
345         </div>
346
347         <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-
items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:14px;padding:1rem 1.2rem">
348             <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-
height:1">?</span>
349             <p style="margin:0;color:var(--tx)"><b data-i18n="site.record.goldenRuleLead">The
golden rule: one match, one court, in full frame ? and don't move the camera.</b> <span
style="color:var(--mut)" data-i18n="site.record.goldenRuleRest">A single court in frame gives
the best results today; busy multi-court footage is the hard case we're still
sharpening.</span></p>
350         </div>
351
352         <div class="grid g4">
353             <div class="card">
354                 <div class="ic" aria-hidden="true">?</div>
355                 <h3 data-i18n="site.record.place.title">Place the camera</h3>
356                 <p data-i18n-html="site.record.place.body">Behind <b>one baseline</b>, elevated
(a high tripod or a balcony), tilted down ~30° ? the <b>whole court</b> in frame, players never
cropped.</p>
357             </div>
358             <div class="card">
359                 <div class="ic" aria-hidden="true">?</div>
360                 <h3 data-i18n="site.record.settings.title">Settings</h3>
361                 <p data-i18n-html="site.record.settings.body"><b>1080p+</b>, landscape, <b>30
fps</b> for badminton (60 fps for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps
find rallies.</p>
362             </div>
363             <div class="card">
364                 <div class="ic" aria-hidden="true">?</div>
365                 <h3 data-i18n="site.record.still.title">Keep it still</h3>
366                 <p data-i18n-html="site.record.still.body">Fixed tripod or mount. <b>No panning,
no zooming</b> during play ? a steady, full-court view is what the tool is tuned for.</p>
367             </div>
368             <div class="card">
369                 <div class="ic" aria-hidden="true">?</div>
370                 <h3 data-i18n="site.record.upload.title">Record & upload</h3>
371                 <p data-i18n-html="site.record.upload.body">Even lighting, then record the
<b>whole session</b> and upload it as-is ? KhelSutra finds the rallies and does the cutting.</p>
372             </div>
373         </div>
374
375         <div style="text-align:center;margin-top:1.6rem">
376             <a class="btn btn-dark" href="/capture" data-i18n="site.record.checklistCta">Full
1-page capture checklist ?</a>
377         </div>
378     </div>
379 </section>
380
381 <section id="diff" style="padding-top:0">
382     <div class="wrap">

```

```

383     <div class="split">
384         <div>
385             <div class="kicker" style="font-size:.82rem;font-weight:700;letter-
spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>
386             <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
387             <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of
video ? and then almost never watch it, because cutting it into useful clips by hand is tedious.
The good rallies stay buried.</p>
388             <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy,
multi-court hall is exactly where ordinary video tools choke. Pulling the <b
style="color:var(--tx)">real</b> rallies out of busy, multi-court footage is the hard problem
KhelSutra is built for. It already works very well on clean, single-court recordings ? and the
multi-court case is what we're sharpening now.</p>
389         </div>
390         <div class="panel">
391             <span class="pill">Capture tip</span>
392             <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>
393             <p>Camera behind the court, slightly elevated, whole court in frame. Keep it
still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session,
upload as-is. KhelSutra does the cutting.</p>
394         </div>
395     </div>
396 </div>
397 </section>
398
399 <section id="sharper" style="background:#EFF4EC">
400     <div class="wrap">
401         <div class="sec-head">
402             <div class="kicker">What makes it different</div>
403             <h2>It gets sharper from real academy footage</h2>
404             <p>The footage real academies contribute ? especially the busy multi-court halls ?
is what makes KhelSutra better over time. Early users aren't just customers; they're co-
builders.</p>
405         </div>
406         <div class="grid g3">
407             <div class="card">
408                 <div class="ic" aria-hidden="true">?</div>
409                 <h3>Improves with the library</h3>
410                 <p>When you choose to share footage and coaches confirm what it found, that
growing labelled library is what sharpens future versions ? rather than staying frozen.</p>
411             </div>
412             <div class="card">
413                 <div class="ic" aria-hidden="true">?</div>
414                 <h3>Your data stays yours</h3>
415                 <p>We never use your video to improve the tool without your clear, explicit opt-
in. We never publish your footage. You decide what, if anything, you share.</p>
416             </div>
417             <div class="card">
418                 <div class="ic" aria-hidden="true">?</div>
419                 <h3>Minors are protected</h3>
420                 <p>Footage involving minors is never used to improve the tool and is never
published ? full stop.</p>
421             </div>
422         </div>
423         <div class="honest">
424             <b>Read this honestly:</b>
425             <p>Today the tool gives you rally detection, reels, and summaries. It does not
retrain itself as you use it, and there's no per-person tracking. "Gets sharper over time" is
the model we're building toward, powered by contributed footage ? not a switch that's already
on.</p>
426         </div>
427     </div>
428 </section>
429
430 <section id="ask">

```

```

431     <div class="wrap">
432         <div class="sec-head">
433             <div class="kicker">Coming next to the alpha</div>
434             <h2>Soon: ask for the exact reel you want</h2>
435             <p>Your match is already a clean index of rallies ? so the natural next step is to
let you build any reel just by describing it, in plain English. This is rolling out to alpha
users.</p>
436         </div>
437         <div class="grid g3 ask-grid">
438             <div class="card ask">
439                 <div class="q"><i>?</i>Every rally over 10 seconds</div>
440                 <div class="a"><i>?</i> 6 rallies · a 1:32 reel of the long, end-to-end
battles</div>
441             </div>
442             <div class="card ask">
443                 <div class="q"><i>?</i>Just the third game, longest first</div>
444                 <div class="a"><i>?</i> 12 rallies, reordered by length ? that game only</div>
445             </div>
446             <div class="card ask">
447                 <div class="q"><i>?</i>The 8 best rallies from today</div>
448                 <div class="a"><i>?</i> an 8-clip highlight from your latest session</div>
449             </div>
450         </div>
451         <p class="ask-note"><b style="color:var(--tx)">Rolling out now.</b> Targeted asks ?
by rally length, count, order, or which game ? come first; shot-type and player queries follow
as the deeper analysis arrives.</p>
452     </div>
453 </section>
454
455 <section id="roadmap">
456     <div class="wrap">
457         <div class="sec-head">
458             <div class="kicker">Where it's going</div>
459             <h2>Toward an AI assistant coach</h2>
460             <p>Fed by the growing video library, KhelSutra is heading from "finds rallies" to
a genuine training companion. This is the direction ? not today's buttons.</p>
461         </div>
462         <div class="road">
463             <div class="step"><div class="n">?</div><h3>Shot detection</h3><p>Smashes, drops,
net shots, serves and clears within each rally.</p></div>
464             <div class="step"><div class="n">?</div><h3>Deeper analysis</h3><p>Per-rally and
per-match patterns ? what's working and what isn't.</p></div>
465             <div class="step"><div class="n">?</div><h3>Per-match history</h3><p>Track
progress over weeks and months, not just one clip.</p></div>
466             <div class="step"><div class="n">?</div><h3>Assistant coach</h3><p>Surfaces what
to work on next ? supports the real coach, never replaces.</p></div>
467             <div class="step"><div class="n">?</div><h3>More sports & languages</h3><p>Table
tennis next; Kannada and Hindi alongside English.</p></div>
468         </div>
469     </div>
470 </section>
471
472 <section id="not" style="padding-top:0">
473     <div class="wrap">
474         <div class="sec-head">
475             <div class="kicker">So expectations stay honest</div>
476             <h2>What KhelSutra is not</h2>
477         </div>
478         <ul class="nots">
479             <li><i aria-hidden="true">?</i><span>An early, invite-only trial ? useful, but
still improving. You'll hit rough edges.</span></li>
480             <li><i aria-hidden="true">?</i><span>Not a line-calling, scoring, or umpiring
system.</span></li>
481             <li><i aria-hidden="true">?</i><span>Not player tracking or
identification.</span></li>

```

```

482         <li><i aria-hidden="true"?</i><span>Not a replacement for a coach ? a tool that
483         <li><i aria-hidden="true"?</i><span>Shot detection and deeper analytics are on
484         <li><i aria-hidden="true"?</i><span>Pricing isn't set ? today's invited use is
485         </ul>
486     </div>
487 </section>
488
489 <section id="faq" style="background:#EFF4EC">
490     <div class="wrap">
491         <div class="sec-head">
492             <div class="kicker">Quick answers</div>
493             <h2>Common questions</h2>
494         </div>
495         <div style="margin-top:1.6rem">
496             <details><summary>How accurate is it?</summary><p>Very good on a clean, single-
497             court recording. A busy multi-court hall is harder ? and is exactly what we're improving. The
498             best answer is to show you a sample reel of your own court rather than quote a
499             number.</p></details>
500             <details><summary>Can I choose which rallies go in the reel?</summary><p>Today
501             your reel includes the rallies KhelSutra found, with the dead time removed. Choosing by length,
502             count, order or which game ? just by asking in plain English ? is rolling out to alpha users
503             next; shot-type and player queries follow as the deeper analysis arrives.</p></details>
504             <details><summary>Do I need a special camera or hardware?</summary><p>No. A phone
505             or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture
506             checklist at setup.</p></details>
507             <details><summary>Is my video private? What happens to it?</summary><p>We treat
508             your footage as private: we never publish it, and we never use it to improve the tool without
509             your explicit opt-in. These are large videos that need real processing, so your video is handled
510             securely on our infrastructure to make your reel. Footage involving minors is never used and
511             never published.</p></details>
512             <details><summary>Does it work for doubles and tournaments?</summary><p>It finds
513             rallies in doubles too. Tournament footage varies ? a clean, fixed, full-court recording works
514             well; crowded multi-court tournament halls are the hard case we're specifically working
515             on.</p></details>
516             <details><summary>Which sports?</summary><p>Badminton today. Table tennis and
517             other racket sports are on the roadmap.</p></details>
518             <details><summary>How do I join?</summary><p>It's an invite-only private trial.
519             Just <a href="#join">request access</a> using the form ? it takes a minute, you'll see a real
520             sample reel right away, and we'll be in touch about recording your own court.</p></details>
521         </div>
522     </div>
523 </section>
524
525 <section id="join" style="padding-bottom:90px">
526     <div class="wrap">
527         <div class="sec-head" style="text-align:center;max-width:none">
528             <div class="kicker">Request access</div>
529             <h2>Get into the KhelSutra alpha</h2>
530             <p>Invite-only. Tell us a little about your setup ? it helps us get you the best
531             results, and shapes what we build next.</p>
532             <p style="font-weight:600;color:var(--green-d);margin-top:.6rem"><span aria-
533             hidden="true"?</span> Sign up to watch the tool in action ? and a 30-second sample reel it made
534             ? the moment you're in.</p>
535         </div>
536         <form id="af" class="af" novalidate>
537             <div class="row">
538                 <label>I'm a?</label>
539                 <div class="seg">
540                     <label><input type="radio" name="segment" value="academy"
541                     required><span>Coaching academy / club</span></label>
542                     <label><input type="radio" name="segment" value="individual"><span>Individual

```

```

player</span></label>
522         </div>
523     </div>
524
525     <div class="row">
526         <label for="af-name">Name</label>
527         <input id="af-name" name="name" type="text" autocomplete="name" required>
528     </div>
529     <div class="row">
530         <label for="af-email">Email <span class="hint">(so we can reach
you)</span></label>
531         <input id="af-email" name="email" type="email" autocomplete="email" required>
532     </div>
533     <div class="row">
534         <label for="af-city">City <span class="hint">(optional)</span></label>
535         <input id="af-city" name="city" type="text">
536     </div>
537
538     <div class="row acad">
539         <label for="af-org">Academy / club name <span
class="hint">(optional)</span></label>
540         <input id="af-org" name="org_name" type="text">
541     </div>
542     <div class="row acad">
543         <label for="af-courts">How many courts do you record? <span
class="hint">(optional)</span></label>
544         <select id="af-courts" name="courts">
545             <option value="">Select?</option>
546             <option value="1">1 court</option>
547             <option value="2-4">2?4 courts</option>
548             <option value="5+">5+ courts</option>
549         </select>
550     </div>
551
552     <div class="row">
553         <label data-i18n="site.join.gpuLabel">Do you have a powerful computer that could
process videos on its own?</label>
554         <div class="hint" style="margin:-.2rem 0 .5rem" data-i18n="site.join.gpuHint">A
gaming PC or laptop with a graphics card. No worries if not ? we can run it in the cloud for
you.</div>
555         <div class="opts">
556             <label><input type="radio" name="has_gpu" value="yes"><span
data-i18n="site.join.gpuYes">Yes ? a gaming PC or laptop with a graphics card</span></label>
557             <label><input type="radio" name="has_gpu" value="unsure"><span
data-i18n="site.join.gpuUnsure">Not sure</span></label>
558             <label><input type="radio" name="has_gpu" value="no"><span
data-i18n="site.join.gpuNo">No</span></label>
559             <label><input type="radio" name="has_gpu" value="prefer-cloud"><span
data-i18n="site.join.gpuCloud">No ? please run it in the cloud for me</span></label>
560         </div>
561     </div>
562
563     <div class="row">
564         <label><span data-i18n="site.join.storageLabel">Where do your match videos live?
How would you share them?</span> <span class="hint" data-i18n="site.join.storageHint">(pick
any)</span></label>
565         <div class="opts">
566             <label><input type="checkbox" name="storage" value="gdrive"><span
data-i18n="site.join.storageGdrive">Google Drive</span></label>
567             <label><input type="checkbox" name="storage" value="onedrive"><span
data-i18n="site.join.storageOnedrive">OneDrive / Microsoft 365</span></label>
568             <label><input type="checkbox" name="storage" value="dropbox"><span
data-i18n="site.join.storageDropbox">Dropbox</span></label>
569             <label><input type="checkbox" name="storage" value="bucket"><span
data-i18n="site.join.storageBucket">A cloud storage bucket ? advanced (e.g. Amazon S3, Google

```

```

Cloud)</span></label>
570         <label><input type="checkbox" name="storage" value="local"><span
data-i18n="site.join.storageLocal">SD card or the device itself</span></label>
571         <label><input type="checkbox" name="storage" value="unsure"><span
data-i18n="site.join.storageUnsure">Not sure</span></label>
572     </div>
573 </div>
574
575     <div class="row">
576         <label for="af-msg">Anything else? <span class="hint">(how you record, what
you'd want?)</span></label>
577         <textarea id="af-msg" name="message"></textarea>
578     </div>
579
580     <div class="row consent">
581         <input id="af-consent" name="consent" type="checkbox" value="yes">
582         <label for="af-consent" style="margin:0;font-weight:400;color:var(--mut)">Okay
to email me about the KhelSutra alpha.</label>
583     </div>
584
585     <input class="hp" type="text" name="company" tabindex="-1" autocomplete="off"
aria-hidden="true">
586
587     <button class="btn btn-primary" type="submit" style="width:100%;justify-
content:center">Request access</button>
588     <p class="hint" style="text-align:center;margin:.85rem 0 0">We never publish your
footage; footage involving minors is never used to improve the tool.</p>
589 </form>
590
591     <p id="af-done" class="form-done" hidden>Thanks ? we've got it. We'll be in touch at
the email you gave. ?<br><span style="font-weight:400;color:var(--mut)">While you're here: see
the tool in action, and a real 30-second reel it made.</span></p>
592     <div id="reel-reveal" hidden></div>
593 </div>
594 </section>
595
596 <footer>
597     <div class="wrap foot">
598         <div>
599             <div class="brand" style="font-size:1.05rem">Khel<span class="play" aria-
hidden="true"></span>Sutra</div>
600             <div class="stamp" style="margin-top:.4rem">Automatic badminton highlights .
Bengaluru, India</div>
601         </div>
602         <div style="text-align:right">
603             <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> . <a
href="https://khelsutra.guru">khelsutra.guru</a></div>
604             <div style="margin-top:.4rem">Academy flyer (print): <a href="/flyer"
hreflang="en">English</a> . <a href="/flyer-kn" hreflang="kn" lang="kn">?????</a> . <a
href="/flyer-hi" hreflang="hi" lang="hi">?????</a></div>
605             <div class="stamp" style="margin-top:.4rem">© 2026 KhelSutra . Invite-only alpha .
Reels carry a "Generated by Khelsutra.guru" mark</div>
606         </div>
607     </div>
608 </footer>
609
610 <!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ?
Web Analytics ? Add a site.
611     (Or skip this snippet entirely and enable "Automatic setup" once the domain is
proxied through Cloudflare.) -->
612     <script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon="{\"token\": \"REPLACE_WITH_CF_TOKEN\"}"></script>
613
614     <script>

```

```

615     (function(){
616         var f = document.getElementById('af');
617         if(!f) return;
618
619         var REEL_VIDEO = 'ajTCZ7pJW_o', REEL_SECS = 30;
620         function loadYTApi(cb){
621             if(window.YT && window.YT.Player) return cb();
622             var prev = window.onYouTubeIframeAPIReady;
623             window.onYouTubeIframeAPIReady = function(){ if(typeof prev === 'function'){ prev();
624         } cb(); };
625             if(!document.getElementById('yt-iframe-api')){
626                 var s = document.createElement('script');
627                 s.id = 'yt-iframe-api'; s.src = 'https://www.youtube.com/iframe_api';
628                 document.head.appendChild(s);
629             }
630             function revealAfterSignup(){
631                 var host = document.getElementById('reel-reveal');
632                 if(!host) return;
633                 host.hidden = false;
634                 // A2: localized "Share on WhatsApp" CTA. The reveal is injected after sign-up
635                 (outside the static // data-i18n walk), so we pull copy from the shim bridge (window.KhelSutra.t) with
636                 an en fallback.
637                 var ksT = (window.KhelSutra && window.KhelSutra.t) || function(){ return undefined;
638             };
639                 var shareText = ksT('site.reveal.shareText') || 'Check out KhelSutra ? it turns a
640                 full badminton match into a clean highlights reel ? khelsutra.guru';
641                 var shareLabel = ksT('site.reveal.share') || 'Share on WhatsApp';
642                 var waHref = 'https://wa.me/?text=' + encodeURIComponent(shareText);
643                 // (1) the TOOL in action ? a self-hosted, FOOTAGE-FREE screencast (branded reel
644                 placeholder),
645                 //      so it's safe to autoplay openly; (2) a real reel preview (gated nocookie
646                 YouTube). BOTH
647                 //      stay visible together; the auto-close PAUSES while the reel is playing (so a
648                 viewer is
649                 //      never cut off mid-watch) and a manual ? closes it on demand.
650                 host.innerHTML =
651                 '<div class="reveal-bar"><button type="button" id="reel-close" class="reveal-x"
652                 aria-label="Close the videos">? Close</button></div>'
653                 + '<p class="reveal-h">1 . The tool in action</p>'
654                 + '<video class="tool-vid" src="/video/tool-cuj.mp4" autoplay muted loop
655                 playsinline controls preload="metadata"></video>'
656                 + '<p class="reveal-h">2 . A real reel it made</p>'
657                 + '<div class="reelwrap"><div id="reel-player"></div></div>'
658                 + '<div style="text-align:center;margin-top:.9rem"><a id="reel-share" class="btn
659                 btn-primary" target="_blank" rel="noopener noreferrer" href="' + waHref + '"><span aria-
660                 hidden="true">?</span> ' + shareLabel + '</a></div>'
661                 + '<p class="stamp" style="text-align:center;margin-top:.6rem">Generated by
662                 Khelsutra.guru . auto-closes <span id="reel-count">' + REEL_SECS + '</span>s after the reel
663                 stops ? or close it anytime</p>';
664                 var n = REEL_SECS, el = document.getElementById('reel-count'), player = null, hold =
665                 false, closed = false;
666                 function close(){
667                     if(closed) return; closed = true;
668                     clearInterval(iv);
669                     try{ if(player){ player.destroy(); } }catch(_){ }
670                     host.innerHTML = ''; host.hidden = true;
671                 }
672                 var iv = setInterval(function(){
673                     if(hold) return; // the reel is playing ? hold the timer (no
674                     mid-watch cut-off)
675                     n--; if(el){ el.textContent = n; }
676                     if(n <= 0){ close(); }
677                 }, 1000);

```

```

664     var x = document.getElementById('reel-close'); if(x){ x.addEventListener('click',
close); }
665     loadYTApi(function(){
666         player = new YT.Player('reel-player', {
667             width: '100%', height: '100%', videoId: REEL_VIDEO,
668             host: 'https://www.youtube-nocookie.com',
669             playerVars: { autoplay: 1, rel: 0, modestbranding: 1, playsinline: 1 },
670             events: {
671                 onReady: function(e){
672                     var dur = Math.floor(e.target.getDuration() || 0);
673                     var maxStart = Math.max(0, dur - REEL_SECS);           // start so a full
~30s window plays before the end
674                     var start = maxStart > 0 ? Math.floor(Math.random() * (maxStart + 1)) : 0;
675                     host.setAttribute('data-reel-start', String(start)); // a different chunk
each sign-up
676                     e.target.seekTo(start, true);
677                     e.target.playVideo();
678                 },
679                 onStateChange: function(e){ hold = (e.data === 1); }      // 1 = PLAYING ? hold
the auto-close
680             }
681         });
682     });
683 }
684
685     f.addEventListener('change', function(e){
686         if(e.target.name === 'segment') f.classList.toggle('is-academy', e.target.value ===
'academy');
687     });
688     function mailtoFallback(p){
689         var lines = [
690             'Segment: ' + (p.segment||''),
691             'Name: ' + (p.name||''),
692             'Email: ' + (p.email||''),
693             'City: ' + (p.city||''),
694             p.segment === 'academy' ? 'Academy: ' + (p.org_name||'') + ' (' + (p.courts||'')
+ ' courts)' : null,
695             'GPU: ' + (p.has_gpu||''),
696             'Storage: ' + ((p.storage||[]).join(', ')),
697             'Message: ' + (p.message||''),
698             'Consent: ' + (p.consent ? 'yes' : 'no')
699         ].filter(Boolean).join('\n');
700         return 'mailto:hello@khelsutra.guru?subject=' + encodeURIComponent('KhelSutra alpha
access') +
701             '&body=' + encodeURIComponent('Hi KhelSutra team, I would like to try the
alpha.\n\n' + lines);
702     }
703     f.addEventListener('submit', async function(e){
704         e.preventDefault();
705         if(f.company && f.company.value) return;           // honeypot: silently drop bots
706         if(!f.checkValidity()){ f.reportValidity(); return; }
707         // Immediate, obvious "submitting" state ? the Worker + D1 + email round-trip can
take a beat,
708         // and a static button looked frozen.
709         var btn = f.querySelector('button[type="submit"]');
710         var btnHTML = btn ? btn.innerHTML : '';
711         if(btn){ btn.disabled = true; btn.setAttribute('aria-busy','true'); btn.innerHTML =
'<span class="spin" aria-hidden="true"></span> Sending?'; }
712         var fd = new FormData(f);
713         var p = {
714             segment: fd.get('segment'), name: fd.get('name'), email: fd.get('email'),
715             city: fd.get('city'), org_name: fd.get('org_name'), courts: fd.get('courts'),
716             has_gpu: fd.get('has_gpu'), storage: fd.getAll('storage'),
717             message: fd.get('message'), consent: !!fd.get('consent')
718         };

```



```

719     var ok = false;
720     try {
721         var r = await fetch('/api/request-access', {method:'POST', headers: {'content-
type':'application/json'}, body: JSON.stringify(p)});
722         ok = r.ok;
723     } catch(_){ ok = false; }
724     if(ok){
725         f.hidden = true;
726         document.getElementById('af-done').hidden = false;
727         revealAfterSignup();
728     }
729     else {
730         // Restore the button so the user isn't left with a frozen "Sending?", then fall
back to email.
731         if(btn){ btn.disabled = false; btn.removeAttribute('aria-busy'); btn.innerHTML =
btnHTML; }
732         window.location.href = mailtoFallback(p); // backend not live yet ? prefilled
email
733     }
734     });
735     })();
736 </script>
737
738 </body>
739 </html>
740

```

7. assistant (2026-06-21T22:23:32.462Z)

Now the key issue is clear. The home header has `.nav-right` with both the langsw AND a "Request access" dark button, plus the brand ? all in one flex row with `justify-content:space-between` and no mobile collapse. Let me check the capture and own-model header markup to compare.

8. user (2026-06-21T22:23:33.443Z)

```

1     <!doctype html>
2     <html lang="en">
3     <head>
4     <meta charset="utf-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1" />
6     <title>KhelSutra ? 1-page capture checklist</title>
7     <meta name="description" content="How to record a badminton session so KhelSutra gives
you great highlight reels: camera placement, settings, stability, lighting." />
8     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
9     <link rel="preconnect" href="https://fonts.googleapis.com" />
10    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
11    <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
12    <style>
13        :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--
mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans
Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
14        *{box-sizing:border-box}
15        body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.5;-webkit-font-smoothing:antialiased}
16        .sheet{max-width:820px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
17        .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-
items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
18        .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
19        .brand .dot{color:var(--green)}
20        .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px

```

```

0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
21 .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
22 /* persistent language switcher (B3) ? inherits header text colour, green fill =
active */
23 .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
24 .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
25 .langsw button:hover{opacity:1}
26 .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
27 .body{padding:24px 30px 8px}
28 .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
29 .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BfE6D2;border-
radius:12px;padding:14px 16px;margin-bottom:20px}
30 .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
31 .rule b{color:var(--tx)}
32 .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
33 /* A7: camera-placement diagram */
34 .diagram{margin:0 0 22px;text-align:center}
35 .diagram svg{display:block;margin:0 auto;width:100%;max-width:520px;height:auto}
36 .diagram figcaption{font-size:.82rem;color:var(--mut);margin-top:.3rem}
37 .legend{list-style:none;margin:.7rem auto 0;padding:0;max-width:520px;text-
align:left;display:grid;gap:.35rem;font-size:.9rem;color:#34453d}
38 .legend li{display:flex;gap:.5rem;align-items:flex-start}
39 .legend .mk{color:var(--green-d);font-weight:700;flex:none}
40 .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
41 .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-
weight:700;margin:0 0 .4rem}
42 .step h3 .n{width:24px;height:24px;border-
radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
43 .step ul{margin:0;padding-left:1.1rem}
44 .step li{margin:.18rem 0;font-size:.92rem;color:#34453d}
45 .step li b{color:var(--tx)}
46 .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid
var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
47 .cols div{padding:14px 16px}
48 .cols .do{background:#EAF6EF}
49 .cols .dont{background:#Fbeeb;border-left:1px solid var(--line)}
50 .cols h4{margin:0 0 .5rem;font-size:.92rem}
51 .cols .do h4{color:var(--green-d)}
52 .cols .dont h4{color:#9a3b22}
53 .cols ul{margin:0;padding-left:1.1rem}
54 .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
55 .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-
top:6px;padding:14px 0 4px}
56 .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px
30px 24px;color:var(--mut);font-size:.85rem}
57 .foot a{color:var(--green-d);text-decoration:none}
58 @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
59 @media print{
60 body{background:#fff}
61 .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
62 @page{margin:12mm}
63 .noprnt{display:none}
64 }
65 </style>
66 </head>
67 <body>
68 <script type="module" src="/i18n.js"></script>
69 <div class="sheet">
70 <div class="head">

```

```

71         <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
72         <h1 data-i18n="site.capture.title">1-page capture checklist</h1>
73         <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
74             <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
75             <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">????</button>
76             <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">????</button>
77         </div>
78     </div>
79     <div class="body">
80         <p class="intro" data-i18n="site.capture.intro">Great highlights start with a
steady, full-court recording. Five minutes of setup makes a big difference to your reels.</p>
81
82         <div class="rule">
83             <span class="star" aria-hidden="true">?</span>
84             <div>
85                 <b data-i18n="site.capture.ruleLead">The golden rule: one match, one court, in
full frame ? and don't move the camera.</b>
86                 <p data-i18n="site.capture.ruleRest">Multi-court footage is the hard case we're
still sharpening; a single court in frame gives the best results today.</p>
87             </div>
88         </div>
89
90         <figure class="diagram">
91             <svg viewBox="0 0 600 240" role="img" xmlns="http://www.w3.org/2000/svg">
92                 <title data-i18n="site.capture.diagram.title">Side view: where the camera
goes</title>
93                 <!-- field of view (camera lens -> near baseline -> far baseline) -->
94                 <path d="M113,106 L160,195 L545,195 Z" fill="var(--green)" fill-opacity="0.10"
stroke="var(--green)" stroke-width="1" stroke-dasharray="4 4"/>
95                 <!-- floor + court -->
96                 <line x1="30" y1="195" x2="570" y2="195" stroke="var(--line)" stroke-width="2"/>
97                 <line x1="160" y1="195" x2="545" y2="195" stroke="var(--green-d)" stroke-
width="3"/>
98                 <line x1="160" y1="195" x2="160" y2="183" stroke="var(--mut)" stroke-
width="1.5"/>
99                 <line x1="545" y1="195" x2="545" y2="183" stroke="var(--mut)" stroke-
width="1.5"/>
100                <!-- net -->
101                <line x1="352" y1="195" x2="352" y2="167" stroke="var(--mut)" stroke-width="2"
stroke-dasharray="3 3"/>
102                <text x="352" y="160" text-anchor="middle" font-size="12" fill="var(--mut)"
data-i18n="site.capture.diagram.net">Net</text>
103                <!-- camera on an elevated tripod, behind the baseline -->
104                <line x1="95" y1="195" x2="95" y2="110" stroke="var(--mut)" stroke-width="2"/>
105                <line x1="82" y1="195" x2="108" y2="195" stroke="var(--mut)" stroke-width="2"/>
106                <rect x="74" y="90" width="36" height="24" rx="4" fill="var(--ink)"/>
107                <rect x="108" y="99" width="9" height="9" rx="2" fill="var(--green)"/>
108                <!-- ~30 degree downward tilt -->
109                <line x1="113" y1="106" x2="172" y2="106" stroke="var(--mut)" stroke-width="1"
stroke-dasharray="2 2"/>
110                <path d="M152,106 A40,40 0 0,1 140,130" fill="none" stroke="var(--green-d)"
stroke-width="1.5"/>
111                <text x="158" y="127" font-size="12" fill="var(--green-d)">??30°</text>
112                <!-- players, within the frame -->
113                <g stroke="var(--tx)" stroke-width="2"><circle cx="250" cy="181" r="4"
fill="var(--tx)"/><line x1="250" y1="185" x2="250" y2="194"/></g>
114                <g stroke="var(--tx)" stroke-width="2"><circle cx="470" cy="181" r="4"
fill="var(--tx)"/><line x1="470" y1="185" x2="470" y2="194"/></g>
115                <!-- step markers -->
116                <text x="62" y="92" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>

```

```

117         <text x="138" y="150" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>
118         <text x="428" y="178" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>
119     </svg>
120     <figcaption data-i18n="site.capture.diagram.title">Side view: where the camera
goes</figcaption>

```

9. assistant (2026-06-21T22:23:36.869Z)

Now own-model header.

10. user (2026-06-21T22:23:39.027Z)

```

19: .head{background:var(--ink);color:#EAF3EE;padding:24px 32px}
20: .head .top{display:flex;align-items:center;justify-content:space-between;gap:1rem;flex-
wrap:wrap}
23: .head h1{font-size:clamp(1.5rem,3.5vw,2.1rem);font-weight:800;letter-
spacing:-.02em;margin:1rem 0 0;max-width:20ch}
24: .head h1 .hl{color:var(--lime)}
25: .head p{color:#A7C3B7;margin:.7rem 0 0;max-width:62ch}
26: .head .nav{display:flex;gap:1rem;font-size:.9rem;margin-top:1rem;flex-wrap:wrap}
27: .head .nav a{color:var(--lime);text-decoration:none}
29: .nav-right{display:flex;align-items:center;gap:1rem}
30: .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
31: .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
32: .langsw button:hover{opacity:1}
33: .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
80: <div class="head">
83:     <div class="nav-right">
84:         <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
94:     <div class="nav"><a href="/">? KhelSutra home</a><a href="#annotate">Annotate</a><a
href="#train">Train your own model</a><a href="#setup">Setup & use</a></div>

```

11. user (2026-06-21T22:23:44.132Z)

```

78     <script type="module" src="/i18n.js"></script>
79     <div class="sheet">
80         <div class="head">
81             <div class="top">
82                 <a class="brand" href="/">Khel<span class="play" aria-
hidden="true"></span>Sutra</a>
83                 <div class="nav-right">
84                     <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
85                         <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
86                         <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
87                         <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
88                     </div>
89                     <a href="/#join" style="color:#C7F2B0;font-weight:600;text-decoration:none"
data-i18n="site.ownModel.requestAccess">Request access ?</a>
90                 </div>
91             </div>
92             <h1>Annotate your footage. <span class="hl">Train a model that's yours.</span></h1>
93             <p>You can't train Gemini or GPT on your court footage. KhelSutra's direction is the
inverse ? a small, <b style="color:#EAF3EE">owned</b> rally model where the moat is your
consented dataset, on a commercially-clean, inspectable stack you control.</p>

```

```
94         <div class="nav"><a href="/">? KhelSutra home</a><a href="#annotate">Annotate</a><a href="#train">Train your own model</a><a href="#setup">Setup & use</a></div>
95     </div>
96
97     <div class="body">
```

12. assistant (2026-06-21T22:23:57.075Z)

I now have a complete picture of all three headers and their CSS. Let me confirm the home mobile overflow root cause precisely.

The home header (`index.html`): `.nav` is `display:flex; justify-content:space-between; height:66px` (fixed). It holds three children: `.brand`, `.nav-links` (hidden under 860px), and `.nav-right` (langsw + "Request access" dark button). At 860px the only mobile rule is `.nav-links{display:none}` ? nothing reflows `.nav-right` or the fixed 66px height. So on a ~390px phone: brand + 3-button langsw + a pill "Request access" button cannot fit. The screenshots confirm: in EN the "Request access" button is pushed off the right edge (clipped to "Requ / acce") and in KN it's clipped to "????? / ?????" stacked ? overflowing horizontally and overlapping the langsw.

The two other pages do NOT have this: capture uses `.head` with `flex-wrap:wrap` (so it stacks into clean rows), and own-model uses `.head .top` with `flex-wrap:wrap` plus an inline text "Request access ?" link (not a pill button). Both wrap gracefully; home does not because of the fixed 66px height + no-wrap + a solid pill button.

Let me verify the capture-desktop-kn and own-model-desktop-kn to check switcher prominence/alignment in KN on desktop too, plus home desktop switcher position.

13. assistant (2026-06-21T22:24:08.803Z)

I have everything I need. Let me also note the desktop home header detail: the langsw sits between `.nav-links` and the "Request access" button, with the active "English" pill in green. On desktop home the switcher is fine. The capture desktop header centers the h1 title via space-between (brand left, title center, switcher right) ? that's a third distinct header pattern.

Now I'll compile the findings. Key confirmed issues:

1. ****Home mobile header overflow (CRITICAL)**** ? confirmed with specifics.
2. ****Three inconsistent header structures**** across pages.
3. ****Capture mobile h1 alignment**** ? wraps awkwardly between brand and switcher.
4. ****Switcher prominence**** ? the green active pill competing with the green primary CTA on home.

Let me write the structured findings.

14. user (2026-06-21T22:24:47.199Z)

Structured output provided successfully

15. assistant (2026-06-21T22:25:00.201Z)

I completed the critique. Summary of what I found:

****Headline suspicion CONFIRMED** ? home mobile header overflow is real and critical.** The home header (`C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/index.html`, `.nav` rule line 59 + `.nav-right` line 66) locks the row to `height:66px` with no `flex-wrap` and the only mobile rule (line 211) is `.nav-links{display:none}`. The langsw and the solid "Request access" pill are never reflowed, so on a ~390px phone the CTA pill is shoved off-screen and clipped ("Requ/acce" in EN; the longer Kannada label collides with the switcher in KN). The primary conversion action is literally cut off.

****Other findings:****

- ****Three inconsistent header structures**** (`.nav` on home, `.head` space-between on capture, `.head .top` on own-model) make the "persistent" switcher jump position page-to-page and render the Request-access affordance three different ways (pill / text link / absent).

- **Capture mobile** title h1 wraps into an awkward left-aligned middle row, losing its page-title weight.
- **Switcher active pill** uses the exact `--green` of the primary CTA, so the language toggle draws more attention than warranted and competes with the real CTA.
- **Desktop home header crowds** between ~861?1000px (6 links + switcher + pill).

All five findings include concrete CSS fixes (with the specific selectors/line areas) in the structured output. The fix files are all in `C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/` (index.html, capture.html, own-model.html).