

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf_7a9a5f0d-cb0\agent-a4fc7a36836fe285e.jsonl`  
- SHA-256: `82bb3ec81aec0e158c70dc2f2a88858105ace26165d8c835acbce8678e173f6`  
- Source modified: `2026-06-21T22:24:51+00:00`  
- Imported at: `2026-07-05T16:48:21+00:00`  
- project: `wf_7a9a5f0d-cb0`  
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`
```

Transcript

1. user (2026-06-21T22:23:02.156Z)

You are a senior product designer doing a serious UI/UX critique. KhelSutra marketing site (3 static pages: home/index, capture checklist, own-model). It recently gained a persistent en/kn/hi language switcher in the header, plus other i18n. Audience: non-tech-savvy badminton coaches/parents in India, mostly on phones. Known suspicion: the headers became cluttered / misaligned (esp. the home header on mobile).

Screenshots (Read these image files, absolute paths):

```
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-kn.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-kn.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-kn.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-kn.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-kn.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-en.png  
C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-kn.png
```

HTML/CSS source (Read for the header markup + styles): C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/index.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/capture.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/own-model.html

Review ONLY through this lens:

RESPONSIVE/MOBILE & A11Y: tap-target sizes, text wrapping, anything cut off at 390px, and whether the kn (Kannada/Devanagari) text renders and fits without breaking layout. Flag horizontal overflow specifically.

Read the relevant screenshots (and the HTML/CSS for fixes). Return concrete, prioritized findings (severity, exact where, the problem, and a concrete CSS/HTML fix). Focus on real issues a coach/parent would hit; the home-header mobile overflow is the headline suspicion ? confirm or refute it with specifics. Skip trivial nitpicks unless they cause real friction.

2. assistant (2026-06-21T22:23:05.792Z)

I'll start by reading the screenshots (prioritizing the home mobile views, which are the headline suspicion) and the HTML source for the headers.

3. assistant (2026-06-21T22:23:10.878Z)

The headline suspicion is confirmed clearly. Let me read the rest of the home screenshots and the source HTML/CSS for the header.

4. assistant (2026-06-21T22:23:22.660Z)

The home mobile overflow is clearly confirmed. Now let me read the source HTML/CSS to ground the fixes. Let me check the three HTML files' header markup and styles.

5. user (2026-06-21T22:23:23.813Z)

```
1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KheISutra ? every rally indexed, the dead time gone</title>
7      <meta name="description" content="KheISutra turns a full badminton match into a clean
index of rallies with the dead time stripped out ? a highlight reel you can watch and download.
Invite-only alpha, Bengaluru." />
8      <meta property="og:title" content="KheISutra ? every rally indexed, the dead time gone"
/>
9      <meta property="og:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha for academies and players in Bengaluru." />
10     <meta property="og:type" content="website" />
11     <meta property="og:url" content="https://kheIsutra.guru" />
12     <meta property="og:image" content="https://kheIsutra.guru/og.png" />
13     <meta property="og:image:width" content="1200" />
14     <meta property="og:image:height" content="630" />
15     <meta name="twitter:card" content="summary_large_image" />
16     <meta name="twitter:title" content="KheISutra ? every rally indexed, the dead time gone"
/>
17     <meta name="twitter:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha, Bengaluru." />
18     <meta name="twitter:image" content="https://kheIsutra.guru/og.png" />
19     <meta name="theme-color" content="#0C261F" />
20     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'%3E%3C/svg%3E" />
21     <link rel="preconnect" href="https://fonts.googleapis.com" />
22     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
23     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
24     <style>
25     :root{
26         --ink:#0C261F; --ink2:#123A2E; --green:#19B36B; --green-d:#149A5C;
27         --lime:#C7F2B0; --paper:#F6F8F4; --card:#fff;
28         --tx:#14271F; --mut:#566B61; --line:#E4E9E2;
29         --on-dark:#EAF3EE; --on-dark-mut:#A7C3B7;
30         --r:14px; --rs:10px; --maxw:1080px;
31         --font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans Devanagari',system-
ui,-apple-system,Segoe UI,Roboto,Helvetica,Arial,sans-serif;
32     }
33     *{box-sizing:border-box}
34     html{scroll-behavior:smooth}
35     body{margin:0;font-family:var(--font);color:var(--tx);background:var(--paper);line-
height:1.65;-webkit-font-smoothing:antialiased}
36     a{color:inherit}
37     .wrap{max-width:var(--maxw);margin:0 auto;padding:0 22px}
38     h1,h2,h3{line-height:1.15;margin:0;letter-spacing:-.02em}
39     h1{font-size:clamp(2rem,5vw,3.4rem);font-weight:800}
40     h2{font-size:clamp(1.5rem,3.2vw,2.2rem);font-weight:700}
41     h3{font-size:1.15rem;font-weight:700}
42     p{margin:.6rem 0}
43     .btn{display:inline-flex;align-items:center;gap:.5rem;font-weight:600;font-
size:1rem;border-radius:999px;padding:.78rem 1.4rem;text-decoration:none;border:1px solid
transparent;cursor:pointer;transition:.15s}
44     .btn-primary{background:var(--green);color:#04140D}
45     .btn-primary:hover{background:var(--green-d)}
46     .btn-ghost{background:transparent;border-color:rgba(255,255,255,.28);color:var(--on-
```

```

dark)}}
47     .btn-ghost:hover{border-color:rgba(255,255,255,.6)}
48     .btn-dark{background:var(--ink);color:#fff}
49     .btn-dark:hover{background:var(--ink2)}
50     .btn[disabled]{opacity:.75;cursor:progress}
51     /* in-flight spinner for the request-access submit */
52     .spin{display:inline-block;width:1em;height:1em;border:2px solid currentColor;border-
right-color:transparent;border-radius:50%;animation:spin .6s linear infinite}
53     @keyframes spin{to{transform:rotate(360deg)}}
54     .eyebrow{display:inline-flex;align-items:center;gap:.5rem;font-size:.82rem;font-
weight:600;letter-spacing:.02em;
55         background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.3);padding:.3rem .8rem;border-radius:999px}
56
57     /* header */
58     header{position:sticky;top:0;z-index:20;background:rgba(246,248,244,.86);backdrop-
filter:blur(10px);border-bottom:1px solid var(--line)}
59     .nav{display:flex;align-items:center;justify-content:space-between;height:66px}
60     .brand{display:flex;align-items:center;gap:.6rem;font-weight:800;font-
size:1.18rem;letter-spacing:-.02em;text-decoration:none}
61     .brand .dot{color:var(--green)}
62     .nav-links{display:flex;align-items:center;gap:1.6rem}
63     .nav-links a{font-size:.95rem;font-weight:500;color:var(--mut);text-decoration:none}
64     .nav-links a:hover{color:var(--tx)}
65     /* persistent language switcher (B3) ? theme-agnostic: inherits text colour, green
fill = active */
66     .nav-right{display:flex;align-items:center;gap:1rem}
67     .langsw{display:inline-flex;gap:2px;border:1px solid rgba(120,120,120,.3);border-
radius:999px;padding:2px}
68     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.62;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
69     .langsw button:hover{opacity:1}
70     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
71     .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:7px
0 7px 12px;border-color:transparent transparent transparent var(--green);margin:0
.32em;transform:translateY(1px)}
72
73     /* hero */
74     .hero{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2)
100%);color:var(--on-dark);position:relative;overflow:hidden}
75     .hero .wrap{padding-top:74px;padding-bottom:88px;position:relative;z-index:2}
76     .hero .eyebrow{background:rgba(199,242,176,.12);color:var(--lime);border-
color:rgba(199,242,176,.25)}
77     .hero h1{margin:1.1rem 0 0;max-width:15ch}
78     .hero h1 .hl{color:var(--lime)}
79     .hero .lead{font-size:clamp(1.05rem,1.6vw,1.28rem);color:var(--on-dark-mut);max-
width:54ch;margin:1.2rem 0 0}
80     .hero-cta{display:flex;flex-wrap:wrap;gap:.8rem;margin-top:2rem}
81     .hero-note{margin-top:1.1rem;font-size:.86rem;color:var(--on-dark-mut)}
82     .shuttle{position:absolute;right:-60px;top:-40px;width:520px;max-
width:55%;opacity:.16;z-index:1;pointer-events:none}
83     .loop{display:flex;flex-wrap:wrap;gap:.6rem;margin-top:2.4rem}
84     .loop .chip{display:flex;align-
items:center;gap:.5rem;background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);
85         border-radius:999px;padding:.5rem 1rem;font-weight:500;font-
size:.92rem;color:var(--on-dark)}
86     .loop .chip b{color:var(--lime);font-weight:700}
87     .loop .arrow{color:var(--on-dark-mut);align-self:center}
88
89     .hero-grid{display:grid;grid-template-columns:1.04fr .96fr;gap:46px;align-
items:center}
90     .hero-left{min-width:0}
91     .hero-visual{min-width:0}
92     .reel-card{background:#fff;border-radius:18px;border:1px solid

```

```
    rgba(255,255,255,.14);box-shadow:0 26px 60px -24px rgba(0,0,0,.55);overflow:hidden}
93      .reel-head{display:flex;align-items:center;gap:.55rem;padding:.7rem .9rem;border-
bottom:1px solid var(--line)}
94      .reel-head .dots{display:flex;gap:5px}
95      .reel-head .dots i{width:9px;height:9px;border-
radius:50%;background:#D9DED7;display:block}
96      .reel-head .file{font-size:.78rem;color:var(--mut);font-weight:600}
97      .reel-video{position:relative;aspect-ratio:16/9;background:linear-
gradient(150deg,#0E3A2C,#17533C);display:flex;align-items:center;justify-content:center}
98      .reel-video .court{position:absolute;inset:16px;border:2px solid
rgba(199,242,176,.30);border-radius:6px}
99      .reel-video .court:before{content:"";position:absolute;left:50%;top:0;bottom:0;width:2
px;background:rgba(199,242,176,.30)}
100     .reel-video .court:after{content:"";position:absolute;top:50%;left:0;right:0;height:2p
x;background:rgba(199,242,176,.22)}
101     .reel-video .play{width:60px;height:60px;border-
radius:50%;background:var(--lime);display:flex;align-items:center;justify-
content:center;color:#0C261F;font-size:1.4rem;z-index:2;padding-left:4px;box-shadow:0 10px 26px
rgba(0,0,0,.35)}
102     .reel-video .badge{position:absolute;top:12px;left:12px;background:rgba(12,38,31,.72);
color:var(--lime);font-size:.7rem;font-weight:700;letter-spacing:.06em;padding:.26rem
.6rem;border-radius:999px;z-index:2}
103     .reel-video
.wm{position:absolute;bottom:10px;right:12px;color:rgba(234,243,238,.78);font-size:.66rem;font-
weight:500;z-index:2}
104     .reel-body{padding:.95rem 1.05rem 1.1rem}
105     .reel-body .lbl{font-size:.72rem;font-weight:600;letter-spacing:.04em;text-
transform:uppercase;color:var(--mut)}
106     .reel-track{position:relative;height:12px;border-
radius:6px;background:#E8ECE6;margin:.55rem 0 .95rem}
107     .reel-track span{position:absolute;top:0;bottom:0;background:var(--green);border-
radius:6px}
108     .reel-stats{display:flex;gap:10px}
109     .reel-stats .m{flex:1;background:var(--paper);border-radius:10px;padding:.6rem .85rem}
110     .reel-stats .m b{display:block;font-size:1.25rem;color:var(--tx);font-weight:700}
111     .reel-stats .m em{font-size:.76rem;color:var(--mut);font-style:normal}
112     .ask{display:flex;align-items:center;gap:.55rem;margin:.85rem 1.05rem
.2rem;padding:.6rem .7rem;border:1px solid var(--line);border-
radius:12px;background:var(--paper)}
113     .ask-ic{color:var(--green-d);font-size:.95rem}
114     .ask-tx{flex:1;font-size:.88rem;color:var(--tx);font-weight:500;line-height:1.3}
115     .ask-go{width:26px;height:26px;border-
radius:8px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
116     .lbl{display:flex;justify-content:space-between;align-items:center}
117     .lbl .match{color:var(--green-d);font-weight:700}
118     .reel-track span.off{background:#D7DDD4}
119     .reel-track span.on{background:var(--green)}
120     .result{display:flex;align-items:center;gap:.7rem;margin-top:.2rem;padding:.65rem
.8rem;background:var(--ink);border-radius:12px}
121     .result .play{width:34px;height:34px;border-
radius:50%;background:var(--lime);color:#0C261F;display:flex;align-items:center;justify-
content:center;flex:none;font-size:.95rem;padding-left:2px}
122     .result-tx{flex:1}
123     .result-tx b{display:block;font-size:.84rem;font-weight:700;color:#fff}
124     .result-tx em{display:block;font-style:normal;font-size:.73rem;color:var(--on-dark-
mut)}}
125     .result .dl{color:var(--on-dark-mut);font-size:1.1rem}
126     .askc .q{font-weight:600;background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem;font-size:.95rem}
127     .askc .q i{color:var(--green-d);font-style:normal;margin-right:.35rem}
128     .askc .a{display:flex;gap:.5rem;color:var(--mut);font-size:.93rem;margin-
top:.75rem;padding-left:.1rem}
129     .askc .a i{color:var(--green-d);font-style:normal;margin-top:.1rem}
130     .ask-note{margin-top:1.5rem;font-size:.95rem;color:var(--mut)}
```

```

131
132     /* sections */
133     section{padding:72px 0}
134     .sec-head{max-width:60ch}
135     .sec-head .kicker{font-size:.82rem;font-weight:700;letter-spacing:.08em;text-
transform:uppercase;color:var(--green-d)}
136     .sec-head h2{margin:.5rem 0 0}
137     .sec-head p{color:var(--mut);font-size:1.08rem;margin-top:.7rem}
138
139     .grid{display:grid;gap:18px;margin-top:2.4rem}
140     .g4{grid-template-columns:repeat(4,1fr)}
141     .g3{grid-template-columns:repeat(3,1fr)}
142     .g2{grid-template-columns:repeat(2,1fr)}
143     .card{background:var(--card);border:1px solid var(--line);border-
radius:var(--r);padding:1.4rem}
144     .card .ic{width:42px;height:42px;border-radius:11px;display:flex;align-
items:center;justify-content:center;
145         background:rgba(25,179,107,.12);color:var(--green-d);font-size:1.3rem;margin-
bottom:.9rem}
146     .card h3{font-size:1.05rem}
147     .card p{color:var(--mut);font-size:.96rem;margin:.4rem 0 0}
148
149     .split{display:grid;grid-template-columns:1.1fr .9fr;gap:42px;align-items:center}
150     .panel{background:var(--ink);color:var(--on-dark);border-radius:18px;padding:2.2rem}
151     .panel h2{color:#fff}
152     .panel p{color:var(--on-dark-mut)}
153     .panel .pill{display:inline-
block;background:rgba(199,242,176,.14);color:var(--lime);font-size:.8rem;font-weight:600;
154         padding:.3rem .7rem;border-radius:999px;margin-bottom:1rem}
155
156     .road{display:grid;grid-template-columns:repeat(5,1fr);gap:14px;margin-top:2.2rem}
157     .road .step{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:1.1rem}
158     .road .step .n{font-size:1.4rem;color:var(--green-d)}
159     .road .step h3{font-size:1rem;margin-top:.5rem}
160     .road .step p{font-size:.88rem;color:var(--mut);margin-top:.3rem}
161
162     .honest{background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:0 var(--rs) var(--rs) 0;padding:1.2rem 1.4rem;margin-top:1.6rem}
163     .honest b{color:var(--tx)}
164     .honest p{color:var(--mut);margin:.3rem 0 0}
165
166     .notes{list-style:none;padding:0;margin:2rem 0 0;display:grid;grid-template-
columns:repeat(2,1fr);gap:12px}
167     .notes li{display:flex;gap:.6rem;background:var(--card);border:1px solid
var(--line);border-radius:var(--rs);padding:.9rem 1.1rem;color:var(--mut);font-size:.95rem}
168     .notes li i{color:var(--green-d);margin-top:.15rem}
169
170     details{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:0 1.2rem;margin-top:10px}
171     details summary{cursor:pointer;font-weight:600;padding:1rem 0;list-
style:none;display:flex;justify-content:space-between;align-items:center;gap:1rem}
172     details summary::-webkit-details-marker{display:none}
173     details summary::after{content:"+";color:var(--green-d);font-size:1.3rem;font-
weight:400}
174     details[open] summary::after{content:"?"}
175     details p{color:var(--mut);margin:0 0 1.1rem}
176
177     .cta{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2) 100%);color:var(--on-
dark);border-radius:20px;padding:3rem 2.4rem;text-align:center;margin:0 0 0}
178     .cta h2{color:#fff;max-width:20ch;margin:0 auto}
179     .cta p{color:var(--on-dark-mut);max-width:46ch;margin:.8rem auto 0}
180     .cta .hero-cta{justify-content:center}
181     .af{max-width:560px;margin:2.2rem auto 0;background:var(--card);border:1px solid
var(--line);border-radius:var(--r);padding:1.6rem 1.5rem;text-align:left}

```

```

182     .af .row{margin-bottom:1.05rem}
183     .af label{display:block;font-size:.9rem;font-weight:600;color:var(--tx);margin-
bottom:.4rem}
184     .af .hint{font-weight:400;color:var(--mut);font-size:.84rem}
185     .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
186     .af textarea{min-height:84px;resize:vertical}
187     .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 3px rgba(25,179,107,.15)}
188     .seg{display:flex;gap:10px}
189     .seg label{flex:1;margin:0;border:1px solid var(--line);border-
radius:10px;padding:.7rem .8rem;cursor:pointer;font-weight:500;text-align:center}
190     .seg input{position:absolute;opacity:0}
191     .seg label:hover{border-color:var(--green)}
192     .seg label:has(input:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d);font-weight:700}
193     .opts{display:flex;flex-wrap:wrap;gap:8px}
194     .opts label{margin:0;display:inline-flex;align-items:center;gap:.4rem;border:1px solid
var(--line);border-radius:999px;padding:.4rem .8rem;font-weight:500;font-
size:.88rem;cursor:pointer}
195     .opts label:has(:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d)}
196     .opts input{accent-color:var(--green)}
197     .af .consent{display:flex;align-items:flex-start;gap:.5rem}
198     .af .consent input{margin-top:.2rem;accent-color:var(--green)}
199     .af .acad{display:none}
200     .af.is-academy .acad{display:block}
201     .hp{position:absolute;left:-9999px;width:1px;height:1px;overflow:hidden}
202     .form-done{max-width:560px;margin:2rem auto 0;text-
align:center;background:rgba(25,179,107,.08);border:1px solid
rgba(25,179,107,.3);color:var(--green-d);border-radius:var(--r);padding:1.4rem;font-weight:600}
203
204     footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-
size:.9rem}
205     .foot{display:flex;flex-wrap:wrap;justify-content:space-between;gap:1.2rem;align-
items:center}
206     .foot a{color:var(--green-d);text-decoration:none}
207     .foot a:hover{text-decoration:underline}
208     .stamp{font-size:.82rem;color:var(--mut)}
209
210     @media (max-width:860px){
211         .nav-links{display:none}
212         .g4{grid-template-columns:repeat(2,1fr)}
213         .g3,.g2{grid-template-columns:1fr}
214         .split{grid-template-columns:1fr;gap:24px}
215         .road{grid-template-columns:repeat(2,1fr)}
216         .notes{grid-template-columns:1fr}
217         .shuttle{opacity:.1}
218         .hero-grid{grid-template-columns:1fr;gap:30px}
219         .reel-card{max-width:460px}
220     }
221
222     /* tool demo + sample reel ? revealed AFTER sign-up, then auto-closes */
223     .reelwrap{position:relative;max-width:680px;margin:.5rem auto 0;aspect-
ratio:16/9;border-radius:14px;overflow:hidden;border:1px solid var(--line);background:#0C261F}
224     .reelwrap iframe{width:100%;height:100%;border:0;display:block}
225     .tool-vid{display:block;width:100%;max-width:680px;margin:.5rem auto 0;border-
radius:14px;border:1px solid var(--line);background:#0C261F}
226     .reveal-h{max-width:680px;margin:1.2rem auto .15rem;font-size:.74rem;font-
weight:700;letter-spacing:.06em;text-transform:uppercase;color:var(--green-d);text-align:left}
227     .reveal-bar{max-width:680px;margin:.2rem auto 0;display:flex;justify-content:flex-end}
228     .reveal-x{background:transparent;border:1px solid var(--line);color:var(--mut);font-
size:.78rem;font-weight:600;padding:.32rem .72rem;border-radius:999px;cursor:pointer}

```

```

229     .reveal-x:hover{color:var(--tx);border-color:var(--mut)}
230 </style>
231 </head>
232 <body>
233 <script type="module" src="/i18n.js"></script>
234
235 <header>
236     <div class="wrap nav">
237         <a class="brand" href="#top">Khel<span class="play" aria-
238 hidden="true"></span>Sutra</a>
239         <nav class="nav-links" aria-label="Primary">
240             <a href="#how" data-i18n="site.nav.how">How it works</a>
241             <a href="#diff" data-i18n="site.nav.why">Why it's hard</a>
242             <a href="/own-model" data-i18n="site.nav.ownModel">Own your model</a>
243             <a href="/flyer" data-i18n="site.nav.flyer">Flyer</a>
244             <a href="#roadmap" data-i18n="site.nav.roadmap">Roadmap</a>
245             <a href="#faq" data-i18n="site.nav.faq">FAQ</a>
246         </nav>
247         <div class="nav-right">
248             <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
249 data-i18n-attr="aria-label">
250                 <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
251 pressed="true">English</button>
252                 <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
253 pressed="false">?????</button>
254                 <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
255 pressed="false">?????</button>
256             </div>
257             <a class="btn btn-dark" href="#join" data-i18n="site.nav.requestAccess">Request
258 access</a>
259         </div>
260     </div>
261 </header>
262
263 <a id="top"></a>
264 <section class="hero" style="padding:0">
265     <div class="wrap hero-grid">
266         <div class="hero-left">
267             <span class="eyebrow" data-i18n="site.hero.eyebrow">Invite-only alpha .
268 Bengaluru</span>
269             <h1>Every rally, indexed. <span class="hl">The dead time, gone.</span></h1>
270             <p class="lead" data-i18n="site.hero.lead">KhelSutra finds every rally in your
271 session and strips out the knock-ups, walks and gaps ? so a full match becomes a clean highlight
272 reel you can watch and download. No editing, no scrubbing.</p>
273             <div class="hero-cta">
274                 <a class="btn btn-primary" href="#join" data-i18n="site.hero.ctaPrimary">Request
275 alpha access</a>
276                 <a class="btn btn-ghost" href="#how" data-i18n="site.hero.ctaHow">See how it
277 works</a>
278                 <a class="btn btn-ghost" href="#join">See it in action + a real reel</a>
279             </div>
280             <p class="hero-note">A phone or GoPro on a tripod is all you need. No special
281 hardware.</p>
282             <div class="loop">
283                 <span class="chip"><b>1.</b> Auto-index rallies</span>
284                 <span class="arrow">?</span>
285                 <span class="chip"><b>2.</b> Dead time removed</span>
286                 <span class="arrow">?</span>
287                 <span class="chip"><b>3.</b> Download your reel</span>
288             </div>
289             <div class="hero-visual">
290                 <div class="reel-card">
291                     <div class="reel-head">
292                         <span class="dots"><i></i><i></i><i></i><i></i></span>

```

```

282         <span class="file">match_2026.mp4 · indexed</span>
283     </div>
284     <div class="reel-body">
285         <div class="lbl"><span>Rallies detected</span><span class="match">44
found</span></div>
286         <div class="reel-track">
287             <span class="on" style="left:2%;width:8%"></span>
288             <span class="on" style="left:13%;width:6%"></span>
289             <span class="on" style="left:22%;width:12%"></span>
290             <span class="on" style="left:37%;width:7%"></span>
291             <span class="on" style="left:47%;width:11%"></span>
292             <span class="on" style="left:61%;width:6%"></span>
293             <span class="on" style="left:70%;width:13%"></span>
294             <span class="on" style="left:86%;width:9%"></span>
295         </div>
296         <div class="result">
297             <span class="play" aria-hidden="true">?</span>
298             <span class="result-tx"><b>Highlight reel · 44 rallies · 18 min</b><em>dead
time removed · ready to download</em></span>
299             <span class="dl" aria-hidden="true">?</span>
300         </div>
301     </div>
302 </div>
303 </div>
304 </div>
305 </section>
306
307 <section id="how">
308     <div class="wrap">
309         <div class="sec-head">
310             <div class="kicker">What it does today</div>
311             <h2>A full match, turned into rallies you can search</h2>
312             <p>Upload a whole session or match. KhelSutra does the rest ? no editing skill
needed.</p>
313         </div>
314         <div class="grid g4">
315             <div class="card">
316                 <div class="ic" aria-hidden="true">?</div>
317                 <h3>Every rally, indexed</h3>
318                 <p>It finds each rally ? start, end and length ? and turns the whole match into
a searchable list. Long full-session videos are fine.</p>
319             </div>
320             <div class="card">
321                 <div class="ic" aria-hidden="true">?</div>
322                 <h3>Dead time removed</h3>
323                 <p>Knock-ups, walks, picking up the shuttle, the gaps between points ? stripped
out. What's left is only real play.</p>
324             </div>
325             <div class="card">
326                 <div class="ic" aria-hidden="true">?</div>
327                 <h3>Process once, reuse</h3>
328                 <p>Come back later to watch or download your reel. Re-running a video replaces
its earlier result rather than piling up copies.</p>
329             </div>
330             <div class="card">
331                 <div class="ic" aria-hidden="true">?</div>
332                 <h3>Stitched reel + summary</h3>
333                 <p>Your selection becomes one MP4 to download and share ? with a play-time
summary and a small ?Generated by Khelsutra.guru? mark.</p>
334             </div>
335         </div>
336     </div>
337 </section>
338
339 <section id="record" style="background:#EFF4EC">

```

```

340     <div class="wrap">
341         <div class="sec-head">
342             <div class="kicker" data-i18n="site.record.kicker">Record it right</div>
343             <h2 data-i18n="site.record.title">Five minutes of setup ? reliably great
reels</h2>
344             <p data-i18n="site.record.intro">Highlight quality starts with the recording. Set
the camera up once like this and KhelSutra has everything it needs to find the rallies.</p>
345         </div>
346
347         <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-
items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:14px;padding:1rem 1.2rem">
348             <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-
height:1">?</span>
349             <p style="margin:0;color:var(--tx)"><b data-i18n="site.record.goldenRuleLead">The
golden rule: one match, one court, in full frame ? and don't move the camera.</b> <span
style="color:var(--mut)" data-i18n="site.record.goldenRuleRest">A single court in frame gives
the best results today; busy multi-court footage is the hard case we're still
sharpening.</span></p>
350         </div>
351
352         <div class="grid g4">
353             <div class="card">
354                 <div class="ic" aria-hidden="true">?</div>
355                 <h3 data-i18n="site.record.place.title">Place the camera</h3>
356                 <p data-i18n-html="site.record.place.body">Behind <b>one baseline</b>, elevated
(a high tripod or a balcony), tilted down ~30° ? the <b>whole court</b> in frame, players never
cropped.</p>
357             </div>
358             <div class="card">
359                 <div class="ic" aria-hidden="true">?</div>
360                 <h3 data-i18n="site.record.settings.title">Settings</h3>
361                 <p data-i18n-html="site.record.settings.body"><b>1080p+</b>, landscape, <b>30
fps</b> for badminton (60 fps for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps
find rallies.</p>
362             </div>
363             <div class="card">
364                 <div class="ic" aria-hidden="true">?</div>
365                 <h3 data-i18n="site.record.still.title">Keep it still</h3>
366                 <p data-i18n-html="site.record.still.body">Fixed tripod or mount. <b>No panning,
no zooming</b> during play ? a steady, full-court view is what the tool is tuned for.</p>
367             </div>
368             <div class="card">
369                 <div class="ic" aria-hidden="true">?</div>
370                 <h3 data-i18n="site.record.upload.title">Record & upload</h3>
371                 <p data-i18n-html="site.record.upload.body">Even lighting, then record the
<b>whole session</b> and upload it as-is ? KhelSutra finds the rallies and does the cutting.</p>
372             </div>
373         </div>
374
375         <div style="text-align:center;margin-top:1.6rem">
376             <a class="btn btn-dark" href="/capture" data-i18n="site.record.checklistCta">Full
1-page capture checklist ?</a>
377         </div>
378     </div>
379 </section>
380
381 <section id="diff" style="padding-top:0">
382     <div class="wrap">
383         <div class="split">
384             <div>
385                 <div class="kicker" style="font-size:.82rem;font-weight:700;letter-
spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>
386                 <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
387                 <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of

```

video ? and then almost never watch it, because cutting it into useful clips by hand is tedious. The good rallies stay buried.</p>

388 <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy, multi-court hall is exactly where ordinary video tools choke. Pulling the <b style="color:var(--tx)">real rallies out of busy, multi-court footage is the hard problem KhelSutra is built for. It already works very well on clean, single-court recordings ? and the multi-court case is what we're sharpening now.</p>

389 </div>

390 <div class="panel">

391 Capture tip

392 <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>

393 <p>Camera behind the court, slightly elevated, whole court in frame. Keep it still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session, upload as-is. KhelSutra does the cutting.</p>

394 </div>

395 </div>

396 </div>

397 </section>

398

399 <section id="sharper" style="background:#EFF4EC">

400 <div class="wrap">

401 <div class="sec-head">

402 <div class="kicker">What makes it different</div>

403 <h2>It gets sharper from real academy footage</h2>

404 <p>The footage real academies contribute ? especially the busy multi-court halls ? is what makes KhelSutra better over time. Early users aren't just customers; they're co-builders.</p>

405 </div>

406 <div class="grid g3">

407 <div class="card">

408 <div class="ic" aria-hidden="true">?</div>

409 <h3>Improves with the library</h3>

410 <p>When you choose to share footage and coaches confirm what it found, that growing labelled library is what sharpens future versions ? rather than staying frozen.</p>

411 </div>

412 <div class="card">

413 <div class="ic" aria-hidden="true">?</div>

414 <h3>Your data stays yours</h3>

415 <p>We never use your video to improve the tool without your clear, explicit opt-in. We never publish your footage. You decide what, if anything, you share.</p>

416 </div>

417 <div class="card">

418 <div class="ic" aria-hidden="true">?</div>

419 <h3>Minors are protected</h3>

420 <p>Footage involving minors is never used to improve the tool and is never published ? full stop.</p>

421 </div>

422 </div>

423 <div class="honest">

424 Read this honestly:

425 <p>Today the tool gives you rally detection, reels, and summaries. It does not retrain itself as you use it, and there's no per-person tracking. "Gets sharper over time" is the model we're building toward, powered by contributed footage ? not a switch that's already on.</p>

426 </div>

427 </div>

428 </section>

429

430 <section id="ask">

431 <div class="wrap">

432 <div class="sec-head">

433 <div class="kicker">Coming next to the alpha</div>

434 <h2>Soon: ask for the exact reel you want</h2>

435 <p>Your match is already a clean index of rallies ? so the natural next step is to let you build any reel just by describing it, in plain English. This is rolling out to alpha

```

users.</p>
436     </div>
437     <div class="grid g3 ask-grid">
438         <div class="card askc">
439             <div class="q"><i>?</i>Every rally over 10 seconds?</div>
440             <div class="a"><i>?</i> 6 rallies · a 1:32 reel of the long, end-to-end
battles</div>
441         </div>
442         <div class="card askc">
443             <div class="q"><i>?</i>Just the third game, longest first?</div>
444             <div class="a"><i>?</i> 12 rallies, reordered by length ? that game only</div>
445         </div>
446         <div class="card askc">
447             <div class="q"><i>?</i>The 8 best rallies from today?</div>
448             <div class="a"><i>?</i> an 8-clip highlight from your latest session</div>
449         </div>
450     </div>
451     <p class="ask-note"><b style="color:var(--tx)">Rolling out now.</b> Targeted asks ?
by rally length, count, order, or which game ? come first; shot-type and player queries follow
as the deeper analysis arrives.</p>
452 </div>
453 </section>
454
455 <section id="roadmap">
456     <div class="wrap">
457         <div class="sec-head">
458             <div class="kicker">Where it's going</div>
459             <h2>Toward an AI assistant coach</h2>
460             <p>Fed by the growing video library, KhelSutra is heading from "finds rallies" to
a genuine training companion. This is the direction ? not today's buttons.</p>
461         </div>
462         <div class="road">
463             <div class="step"><div class="n">?</div><h3>Shot detection</h3><p>Smashes, drops,
net shots, serves and clears within each rally.</p></div>
464             <div class="step"><div class="n">?</div><h3>Deeper analysis</h3><p>Per-rally and
per-match patterns ? what's working and what isn't.</p></div>
465             <div class="step"><div class="n">?</div><h3>Per-match history</h3><p>Track
progress over weeks and months, not just one clip.</p></div>
466             <div class="step"><div class="n">?</div><h3>Assistant coach</h3><p>Surfaces what
to work on next ? supports the real coach, never replaces.</p></div>
467             <div class="step"><div class="n">?</div><h3>More sports & languages</h3><p>Table
tennis next; Kannada and Hindi alongside English.</p></div>
468         </div>
469     </div>
470 </section>
471
472 <section id="not" style="padding-top:0">
473     <div class="wrap">
474         <div class="sec-head">
475             <div class="kicker">So expectations stay honest</div>
476             <h2>What KhelSutra is not</h2>
477         </div>
478         <ul class="nots">
479             <li><i aria-hidden="true">?</i><span>An early, invite-only trial ? useful, but
still improving. You'll hit rough edges.</span></li>
480             <li><i aria-hidden="true">?</i><span>Not a line-calling, scoring, or umpiring
system.</span></li>
481             <li><i aria-hidden="true">?</i><span>Not player tracking or
identification.</span></li>
482             <li><i aria-hidden="true">?</i><span>Not a replacement for a coach ? a tool that
saves time and adds insight.</span></li>
483             <li><i aria-hidden="true">?</i><span>Shot detection and deeper analytics are on
the roadmap, not available today.</span></li>
484             <li><i aria-hidden="true">?</i><span>Pricing isn't set ? today's invited use is
about getting it right.</span></li>

```

```

485     </ul>
486 </div>
487 </section>
488
489 <section id="faq" style="background:#EFF4EC">
490   <div class="wrap">
491     <div class="sec-head">
492       <div class="kicker">Quick answers</div>
493       <h2>Common questions</h2>
494     </div>
495     <div style="margin-top:1.6rem">
496       <details><summary>How accurate is it?</summary><p>Very good on a clean, single-
court recording. A busy multi-court hall is harder ? and is exactly what we're improving. The
best answer is to show you a sample reel of your own court rather than quote a
number.</p></details>
497       <details><summary>Can I choose which rallies go in the reel?</summary><p>Today
your reel includes the rallies KhelSutra found, with the dead time removed. Choosing by length,
count, order or which game ? just by asking in plain English ? is rolling out to alpha users
next; shot-type and player queries follow as the deeper analysis arrives.</p></details>
498       <details><summary>Do I need a special camera or hardware?</summary><p>No. A phone
or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture
checklist at setup.</p></details>
499       <details><summary>Is my video private? What happens to it?</summary><p>We treat
your footage as private: we never publish it, and we never use it to improve the tool without
your explicit opt-in. These are large videos that need real processing, so your video is handled
securely on our infrastructure to make your reel. Footage involving minors is never used and
never published.</p></details>
500       <details><summary>Does it work for doubles and tournaments?</summary><p>It finds
rallies in doubles too. Tournament footage varies ? a clean, fixed, full-court recording works
well; crowded multi-court tournament halls are the hard case we're specifically working
on.</p></details>
501       <details><summary>Which sports?</summary><p>Badminton today. Table tennis and
other racket sports are on the roadmap.</p></details>
502       <details><summary>How do I join?</summary><p>It's an invite-only private trial.
Just <a href="#join">request access</a> using the form ? it takes a minute, you'll see a real
sample reel right away, and we'll be in touch about recording your own court.</p></details>
503     </div>
504   </div>
505 </section>
506
507 <section id="join" style="padding-bottom:90px">
508   <div class="wrap">
509     <div class="sec-head" style="text-align:center;max-width:none">
510       <div class="kicker">Request access</div>
511       <h2>Get into the KhelSutra alpha</h2>
512       <p>Invite-only. Tell us a little about your setup ? it helps us get you the best
results, and shapes what we build next.</p>
513       <p style="font-weight:600;color:var(--green-d);margin-top:.6rem"><span aria-
hidden="true">?</span> Sign up to watch the tool in action ? and a 30-second sample reel it made
? the moment you're in.</p>
514     </div>
515
516     <form id="af" class="af" novalidate>
517       <div class="row">
518         <label>I'm a?</label>
519         <div class="seg">
520           <label><input type="radio" name="segment" value="academy"
required><span>Coaching academy / club</span></label>
521           <label><input type="radio" name="segment" value="individual"><span>Individual
player</span></label>
522         </div>
523       </div>
524
525       <div class="row">
526         <label for="af-name">Name</label>

```

```

527         <input id="af-name" name="name" type="text" autocomplete="name" required>
528     </div>
529     <div class="row">
530         <label for="af-email">Email <span class="hint">(so we can reach
you)</span></label>
531         <input id="af-email" name="email" type="email" autocomplete="email" required>
532     </div>
533     <div class="row">
534         <label for="af-city">City <span class="hint">(optional)</span></label>
535         <input id="af-city" name="city" type="text">
536     </div>
537
538     <div class="row acad">
539         <label for="af-org">Academy / club name <span
class="hint">(optional)</span></label>
540         <input id="af-org" name="org_name" type="text">
541     </div>
542     <div class="row acad">
543         <label for="af-courts">How many courts do you record? <span
class="hint">(optional)</span></label>
544         <select id="af-courts" name="courts">
545             <option value="">Select?</option>
546             <option value="1">1 court</option>
547             <option value="2-4">2?4 courts</option>
548             <option value="5+">5+ courts</option>
549         </select>
550     </div>
551
552     <div class="row">
553         <label data-i18n="site.join.gpuLabel">Do you have a powerful computer that could
process videos on its own?</label>
554         <div class="hint" style="margin:-.2rem 0 .5rem" data-i18n="site.join.gpuHint">A
gaming PC or laptop with a graphics card. No worries if not ? we can run it in the cloud for
you.</div>
555         <div class="opts">
556             <label><input type="radio" name="has_gpu" value="yes"><span
data-i18n="site.join.gpuYes">Yes ? a gaming PC or laptop with a graphics card</span></label>
557             <label><input type="radio" name="has_gpu" value="unsure"><span
data-i18n="site.join.gpuUnsure">Not sure</span></label>
558             <label><input type="radio" name="has_gpu" value="no"><span
data-i18n="site.join.gpuNo">No</span></label>
559             <label><input type="radio" name="has_gpu" value="prefer-cloud"><span
data-i18n="site.join.gpuCloud">No ? please run it in the cloud for me</span></label>
560         </div>
561     </div>
562
563     <div class="row">
564         <label><span data-i18n="site.join.storageLabel">Where do your match videos live?
How would you share them?</span> <span class="hint" data-i18n="site.join.storageHint">(pick
any)</span></label>
565         <div class="opts">
566             <label><input type="checkbox" name="storage" value="gdrive"><span
data-i18n="site.join.storageGdrive">Google Drive</span></label>
567             <label><input type="checkbox" name="storage" value="onedrive"><span
data-i18n="site.join.storageOnedrive">OneDrive / Microsoft 365</span></label>
568             <label><input type="checkbox" name="storage" value="dropbox"><span
data-i18n="site.join.storageDropbox">Dropbox</span></label>
569             <label><input type="checkbox" name="storage" value="bucket"><span
data-i18n="site.join.storageBucket">A cloud storage bucket ? advanced (e.g. Amazon S3, Google
Cloud)</span></label>
570             <label><input type="checkbox" name="storage" value="local"><span
data-i18n="site.join.storageLocal">SD card or the device itself</span></label>
571             <label><input type="checkbox" name="storage" value="unsure"><span
data-i18n="site.join.storageUnsure">Not sure</span></label>
572         </div>

```

```

573         </div>
574
575         <div class="row">
576             <label for="af-msg">Anything else? <span class="hint">(how you record, what
you'd want?)</span></label>
577             <textarea id="af-msg" name="message"></textarea>
578         </div>
579
580         <div class="row consent">
581             <input id="af-consent" name="consent" type="checkbox" value="yes">
582             <label for="af-consent" style="margin:0;font-weight:400;color:var(--mut)">Okay
to email me about the KhelSutra alpha.</label>
583         </div>
584
585         <input class="hp" type="text" name="company" tabindex="-1" autocomplete="off"
aria-hidden="true">
586
587         <button class="btn btn-primary" type="submit" style="width:100%;justify-
content:center">Request access</button>
588         <p class="hint" style="text-align:center;margin:.85rem 0 0">We never publish your
footage; footage involving minors is never used to improve the tool.</p>
589     </form>
590
591     <p id="af-done" class="form-done" hidden>Thanks ? we've got it. We'll be in touch at
the email you gave. ?<br><span style="font-weight:400;color:var(--mut)">While you're here: see
the tool in action, and a real 30-second reel it made.</span></p>
592     <div id="reel-reveal" hidden></div>
593 </div>
594 </section>
595
596 <footer>
597     <div class="wrap foot">
598         <div>
599             <div class="brand" style="font-size:1.05rem">Khel<span class="play" aria-
hidden="true"></span>Sutra</div>
600             <div class="stamp" style="margin-top:.4rem">Automatic badminton highlights .
Bengaluru, India</div>
601         </div>
602         <div style="text-align:right">
603             <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khehsutra.guru">hello@khehsutra.guru</a> . <a
href="https://khehsutra.guru">khehsutra.guru</a></div>
604             <div style="margin-top:.4rem">Academy flyer (print): <a href="/flyer"
hreflang="en">English</a> . <a href="/flyer-kn" hreflang="kn" lang="kn">?????</a> . <a
href="/flyer-hi" hreflang="hi" lang="hi">?????</a></div>
605             <div class="stamp" style="margin-top:.4rem">© 2026 KhelSutra . Invite-only alpha .
Reels carry a "Generated by Khelsutra.guru" mark</div>
606         </div>
607     </div>
608 </footer>
609
610 <!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ?
Web Analytics ? Add a site.
611     (Or skip this snippet entirely and enable "Automatic setup" once the domain is
proxied through Cloudflare.) -->
612     <script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon='{ "token": "REPLACE_WITH_CF_TOKEN" }'></script>
613
614     <script>
615     (function(){
616         var f = document.getElementById('af');
617         if(!f) return;
618
619         var REEL_VIDEO = 'ajTCZ7pJW_o', REEL_SECS = 30;
620         function loadYTApi(cb){

```

```

621     if(window.YT && window.YT.Player) return cb();
622     var prev = window.onYouTubeIframeAPIReady;
623     window.onYouTubeIframeAPIReady = function(){ if(typeof prev === 'function'){ prev();
} cb(); };
624     if(!document.getElementById('yt-iframe-api')){
625         var s = document.createElement('script');
626         s.id = 'yt-iframe-api'; s.src = 'https://www.youtube.com/iframe_api';
627         document.head.appendChild(s);
628     }
629 }
630 function revealAfterSignup(){
631     var host = document.getElementById('reel-reveal');
632     if(!host) return;
633     host.hidden = false;
634     // A2: localized "Share on WhatsApp" CTA. The reveal is injected after sign-up
(outside the static
635     // data-i18n walk), so we pull copy from the shim bridge (window.KhelSutra.t) with
an en fallback.
636     var ksT = (window.KhelSutra && window.KhelSutra.t) || function(){ return undefined;
};
637     var shareText = ksT('site.reveal.shareText') || 'Check out KhelSutra ? it turns a
full badminton match into a clean highlights reel ? khelsutra.guru';
638     var shareLabel = ksT('site.reveal.share') || 'Share on WhatsApp';
639     var waHref = 'https://wa.me/?text=' + encodeURIComponent(shareText);
640     // (1) the TOOL in action ? a self-hosted, FOOTAGE-FREE screencast (branded reel
placeholder),
641     //      so it's safe to autoplay openly; (2) a real reel preview (gated nocookie
YouTube). BOTH
642     //      stay visible together; the auto-close PAUSES while the reel is playing (so a
viewer is
643     //      never cut off mid-watch) and a manual ? closes it on demand.
644     host.innerHTML =
645         '<div class="reveal-bar"><button type="button" id="reel-close" class="reveal-x"
aria-label="Close the videos">? Close</button></div>'
646         + '<p class="reveal-h">1 . The tool in action</p>'
647         + '<video class="tool-vid" src="/video/tool-cuj.mp4" autoplay muted loop
playsinline controls preload="metadata"></video>'
648         + '<p class="reveal-h">2 . A real reel it made</p>'
649         + '<div class="reelwrap"><div id="reel-player"></div></div>'
650         + '<div style="text-align:center;margin-top:.9rem"><a id="reel-share" class="btn
btn-primary" target="_blank" rel="noopener noreferrer" href="' + waHref + '"><span aria-
hidden="true">?</span> ' + shareLabel + '</a></div>'
651         + '<p class="stamp" style="text-align:center;margin-top:.6rem">Generated by
Khelsutra.guru . auto-closes <span id="reel-count">' + REEL_SECS + '</span>s after the reel
stops ? or close it anytime</p>';
652     var n = REEL_SECS, el = document.getElementById('reel-count'), player = null, hold =
false, closed = false;
653     function close(){
654         if(closed) return; closed = true;
655         clearInterval(iv);
656         try{ if(player){ player.destroy(); } }catch(_){ }
657         host.innerHTML = ''; host.hidden = true;
658     }
659     var iv = setInterval(function(){
660         if(hold) return; // the reel is playing ? hold the timer (no
mid-watch cut-off)
661         n--; if(el){ el.textContent = n; }
662         if(n <= 0){ close(); }
663     }, 1000);
664     var x = document.getElementById('reel-close'); if(x){ x.addEventListener('click',
close); }
665     loadYTapi(function(){
666         player = new YT.Player('reel-player', {
667             width: '100%', height: '100%', videoId: REEL_VIDEO,
668             host: 'https://www.youtube-nocookie.com',

```

```

669         playerVars: { autoplay: 1, rel: 0, modestbranding: 1, playsinline: 1 },
670         events: {
671             onReady: function(e){
672                 var dur = Math.floor(e.target.getDuration() || 0);
673                 var maxStart = Math.max(0, dur - REEL_SECS);           // start so a full
~30s window plays before the end
674                 var start = maxStart > 0 ? Math.floor(Math.random() * (maxStart + 1)) : 0;
675                 host.setAttribute('data-reel-start', String(start)); // a different chunk
each sign-up
676                 e.target.seekTo(start, true);
677                 e.target.playVideo();
678             },
679             onStateChange: function(e){ hold = (e.data === 1); }      // 1 = PLAYING ? hold
the auto-close
680         }
681     });
682 });
683 }
684
685 f.addEventListener('change', function(e){
686     if(e.target.name === 'segment') f.classList.toggle('is-academy', e.target.value ===
'academy');
687 });
688 function mailtoFallback(p){
689     var lines = [
690         'Segment: ' + (p.segment||''),
691         'Name: ' + (p.name||''),
692         'Email: ' + (p.email||''),
693         'City: ' + (p.city||''),
694         p.segment === 'academy' ? 'Academy: ' + (p.org_name||'') + ' (' + (p.courts||'')
+ ' courts)' : null,
695         'GPU: ' + (p.has_gpu||''),
696         'Storage: ' + ((p.storage||[]).join(', ')),
697         'Message: ' + (p.message||''),
698         'Consent: ' + (p.consent ? 'yes' : 'no')
699     ].filter(Boolean).join('\n');
700     return 'mailto:hello@khelsutra.guru?subject=' + encodeURIComponent('KhelSutra alpha
access') +
701         '&body=' + encodeURIComponent('Hi KhelSutra team, I would like to try the
alpha.\n\n' + lines);
702     }
703 f.addEventListener('submit', async function(e){
704     e.preventDefault();
705     if(f.company && f.company.value) return;           // honeypot: silently drop bots
706     if(!f.checkValidity()){ f.reportValidity(); return; }
707     // Immediate, obvious "submitting" state ? the Worker + D1 + email round-trip can
take a beat,
708     // and a static button looked frozen.
709     var btn = f.querySelector('button[type="submit"]');
710     var btnHTML = btn ? btn.innerHTML : '';
711     if(btn){ btn.disabled = true; btn.setAttribute('aria-busy','true'); btn.innerHTML =
'<span class="spin" aria-hidden="true"></span> Sending?'; }
712     var fd = new FormData(f);
713     var p = {
714         segment: fd.get('segment'), name: fd.get('name'), email: fd.get('email'),
715         city: fd.get('city'), org_name: fd.get('org_name'), courts: fd.get('courts'),
716         has_gpu: fd.get('has_gpu'), storage: fd.getAll('storage'),
717         message: fd.get('message'), consent: !!fd.get('consent')
718     };
719     var ok = false;
720     try {
721         var r = await fetch('/api/request-access', {method:'POST', headers:{'content-
type':'application/json'}, body: JSON.stringify(p)});
722         ok = r.ok;
723     } catch(_){ ok = false; }

```

```

724         if(ok){
725             f.hidden = true;
726             document.getElementById('af-done').hidden = false;
727             revealAfterSignup();
728         }
729         else {
730             // Restore the button so the user isn't left with a frozen "Sending?", then fall
back to email.
731             if(btn){ btn.disabled = false; btn.removeAttribute('aria-busy'); btn.innerHTML =
btnHTML; }
732             window.location.href = mailtoFallback(p);    // backend not live yet ? prefilled
email
733         }
734     });
735 }());
736 </script>
737
738 </body>
739 </html>
740

```

6. assistant (2026-06-21T22:23:30.613Z)

Now I have the home header structure. The key issue: the home header has brand + nav-right (langsw with 3 buttons + "Request access" dark button), all on a single 66px flex row with no mobile-specific collapse for `.nav-right`. The `.nav-links` is hidden at 7860px but the langsw + Request access button stays. Let me check the capture and own-model headers, which differ structurally.

7. user (2026-06-21T22:23:31.311Z)

```

1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? 1-page capture checklist</title>
7      <meta name="description" content="How to record a badminton session so KhelSutra gives
you great highlight reels: camera placement, settings, stability, lighting." />
8      <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
9      <link rel="preconnect" href="https://fonts.googleapis.com" />
10     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
11     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
12     <style>
13         :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--
mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans
Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
14         *{box-sizing:border-box}
15         body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.5;-webkit-font-smoothing:antialiased}
16         .sheet{max-width:820px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
17         .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-
items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
18         .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
19         .brand .dot{color:var(--green)}
20         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
21         .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
22         /* persistent language switcher (B3) ? inherits header text colour, green fill =

```

```

active */
23     .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
24     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
25     .langsw button:hover{opacity:1}
26     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
27     .body{padding:24px 30px 8px}
28     .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
29     .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BfE6D2;border-
radius:12px;padding:14px 16px;margin-bottom:20px}
30     .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
31     .rule b{color:var(--tx)}
32     .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
33     /* A7: camera-placement diagram */
34     .diagram{margin:0 0 22px;text-align:center}
35     .diagram svg{display:block;margin:0 auto;width:100%;max-width:520px;height:auto}
36     .diagram figcaption{font-size:.82rem;color:var(--mut);margin-top:.3rem}
37     .legend{list-style:none;margin:.7rem auto 0;padding:0;max-width:520px;text-
align:left;display:grid;gap:.35rem;font-size:.9rem;color:#34453d}
38     .legend li{display:flex;gap:.5rem;align-items:flex-start}
39     .legend .mk{color:var(--green-d);font-weight:700;flex:none}
40     .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
41     .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-
weight:700;margin:0 0 .4rem}
42     .step h3 .n{width:24px;height:24px;border-
radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
43     .step ul{margin:0;padding-left:1.1rem}
44     .step li{margin:.18rem 0;font-size:.92rem;color:#34453d}
45     .step li b{color:var(--tx)}
46     .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid
var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
47     .cols div{padding:14px 16px}
48     .cols .do{background:#EAF6EF}
49     .cols .dont{background:#Fbeeeb;border-left:1px solid var(--line)}
50     .cols h4{margin:0 0 .5rem;font-size:.92rem}
51     .cols .do h4{color:var(--green-d)}
52     .cols .dont h4{color:#9a3b22}
53     .cols ul{margin:0;padding-left:1.1rem}
54     .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
55     .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-
top:6px;padding:14px 0 4px}
56     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px
30px 24px;color:var(--mut);font-size:.85rem}
57     .foot a{color:var(--green-d);text-decoration:none}
58     @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
59     @media print{
60         body{background:#fff}
61         .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
62         @page{margin:12mm}
63         .noprnt{display:none}
64     }
65 </style>
66 </head>
67 <body>
68 <script type="module" src="/i18n.js"></script>
69 <div class="sheet">
70     <div class="head">
71         <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
72         <h1 data-i18n="site.capture.title">1-page capture checklist</h1>
73         <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">

```

```

74         <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
75         <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
76         <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
77     </div>
78 </div>
79 <div class="body">
80     <p class="intro" data-i18n="site.capture.intro">Great highlights start with a
steady, full-court recording. Five minutes of setup makes a big difference to your reels.</p>
81
82     <div class="rule">
83         <span class="star" aria-hidden="true">?</span>
84         <div>
85             <b data-i18n="site.capture.ruleLead">The golden rule: one match, one court, in
full frame ? and don't move the camera.</b>
86             <p data-i18n="site.capture.ruleRest">Multi-court footage is the hard case we're
still sharpening; a single court in frame gives the best results today.</p>
87         </div>
88     </div>
89
90     <figure class="diagram">
91         <svg viewBox="0 0 600 240" role="img" xmlns="http://www.w3.org/2000/svg">
92             <title data-i18n="site.capture.diagram.title">Side view: where the camera
goes</title>
93             <!-- field of view (camera lens -> near baseline -> far baseline) -->
94             <path d="M113,106 L160,195 L545,195 Z" fill="var(--green)" fill-opacity="0.10"
stroke="var(--green)" stroke-width="1" stroke-dasharray="4 4"/>
95             <!-- floor + court -->
96             <line x1="30" y1="195" x2="570" y2="195" stroke="var(--line)" stroke-width="2"/>
97             <line x1="160" y1="195" x2="545" y2="195" stroke="var(--green-d)" stroke-
width="3"/>
98             <line x1="160" y1="195" x2="160" y2="183" stroke="var(--mut)" stroke-
width="1.5"/>
99             <line x1="545" y1="195" x2="545" y2="183" stroke="var(--mut)" stroke-
width="1.5"/>
100            <!-- net -->
101            <line x1="352" y1="195" x2="352" y2="167" stroke="var(--mut)" stroke-width="2"
stroke-dasharray="3 3"/>
102            <text x="352" y="160" text-anchor="middle" font-size="12" fill="var(--mut)"
data-i18n="site.capture.diagram.net">Net</text>
103            <!-- camera on an elevated tripod, behind the baseline -->
104            <line x1="95" y1="195" x2="95" y2="110" stroke="var(--mut)" stroke-width="2"/>
105            <line x1="82" y1="195" x2="108" y2="195" stroke="var(--mut)" stroke-width="2"/>
106            <rect x="74" y="90" width="36" height="24" rx="4" fill="var(--ink)"/>
107            <rect x="108" y="99" width="9" height="9" rx="2" fill="var(--green)"/>
108            <!-- ~30 degree downward tilt -->
109            <line x1="113" y1="106" x2="172" y2="106" stroke="var(--mut)" stroke-width="1"
stroke-dasharray="2 2"/>
110            <path d="M152,106 A40,40 0 0,1 140,130" fill="none" stroke="var(--green-d)"
stroke-width="1.5"/>
111            <text x="158" y="127" font-size="12" fill="var(--green-d)">?30°</text>
112            <!-- players, within the frame -->
113            <g stroke="var(--tx)" stroke-width="2"><circle cx="250" cy="181" r="4"
fill="var(--tx)"/><line x1="250" y1="185" x2="250" y2="194"/></g>
114            <g stroke="var(--tx)" stroke-width="2"><circle cx="470" cy="181" r="4"
fill="var(--tx)"/><line x1="470" y1="185" x2="470" y2="194"/></g>
115            <!-- step markers -->
116            <text x="62" y="92" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>
117            <text x="138" y="150" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>
118            <text x="428" y="178" font-size="15" font-weight="700"
fill="var(--green-d)">?</text>

```

```

119         </svg>
120         <figcaption data-i18n="site.capture.diagram.title">Side view: where the camera
goes</figcaption>

```

8. assistant (2026-06-21T22:23:36.062Z)

The capture header uses `flex-wrap:wrap` so it wraps gracefully (confirmed in the mobile screenshots ? it stacks cleanly into 3 rows). Now the own-model header.

9. user (2026-06-21T22:23:37.294Z)

```

1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? Annotate your footage & train your own model</title>
7      <meta name="description" content="With KhelSutra you can annotate your own footage and
grow a rally model that's YOURS ? on an open, MIT-licensed stack you control. The free VLC
rally-annotator turns 'watch a match' into golden labels." />
8      <meta name="robots" content="noindex" />
9      <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
10     <link rel="preconnect" href="https://fonts.googleapis.com" />
11     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
12     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
13     <style>
14         :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--lime:#C7F2B0;--paper:#F6F8F4;-
-tx:#14271F;--mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto
Sans Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
15         *{box-sizing:border-box}
16         body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.6;-webkit-font-smoothing:antialiased}
17         a{color:var(--green-d)}
18         .sheet{max-width:880px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
19         .head{background:var(--ink);color:#EAF3EE;padding:24px 32px}
20         .head .top{display:flex;align-items:center;justify-content:space-
between;gap:1rem;flex-wrap:wrap}
21         .brand{display:flex;align-items:center;gap:.5rem;font-weight:800;font-
size:1.2rem;color:#fff;text-decoration:none}
22         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
23         .head h1{font-size:clamp(1.5rem,3.5vw,2.1rem);font-weight:800;letter-
spacing:-.02em;margin:1rem 0 0;max-width:20ch}
24         .head h1 .hl{color:var(--lime)}
25         .head p{color:#A7C3B7;margin:.7rem 0 0;max-width:62ch}
26         .head .nav{display:flex;gap:1rem;font-size:.9rem;margin-top:1rem;flex-wrap:wrap}
27         .head .nav a{color:var(--lime);text-decoration:none}
28         /* persistent language switcher (B3) ? inherits header text colour, green fill =
active */
29         .nav-right{display:flex;align-items:center;gap:1rem}
30         .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
31         .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
32         .langsw button:hover{opacity:1}
33         .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
34         .body{padding:26px 32px 8px}
35         .sec{padding:18px 0;border-top:1px solid var(--line)}

```

```

36     .sec:first-child{border-top:0}
37     .kick{font-size:.78rem;font-weight:700;letter-spacing:.06em;text-
transform:uppercase;color:var(--green-d)}
38     .sec h2{font-size:1.4rem;font-weight:800;letter-spacing:-.01em;margin:.35rem 0 0}
39     .sec p{color:#34453d;margin:.6rem 0 0}
40     .pill{display:inline-block;font-size:.72rem;font-weight:700;border-
radius:999px;padding:.2rem .6rem;margin-left:.4rem;vertical-align:.12em}
41     .pill.live{background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.35)}
42     .pill.build{background:#FAEEDA;color:#854F0B;border:1px solid #EF9F27}
43     ol,ul{margin:.6rem 0 0;padding-left:1.2rem}
44     li{margin:.25rem 0 0;color:#34453d}
45     li b{color:var(--tx)}
46     code{font-family:ui-monospace,SFMono-Regular,Menlo,Consolas,monospace;font-
size:.86em;background:#EEF3EC;border:1px solid var(--line);border-radius:5px;padding:.05rem
.35rem}
47     pre{background:#0C261F;color:#EAF3EE;border-radius:10px;padding:14px
16px;overflow:auto;margin:.8rem 0 0;font-size:.84rem;line-height:1.5}
48     pre code{background:none;border:0;padding:0;color:inherit}
49     .honest{display:flex;gap:.7rem;background:#fff;border:1px solid var(--line);border-
left:4px solid var(--green);border-radius:0 10px 10px 0;padding:12px 16px;margin:.9rem 0 0}
50     .honest b{color:var(--tx)}
51     .honest p{margin:.2rem 0 0;color:var(--mut);font-size:.93rem}
52     .notes{list-style:none;padding:0;margin:.8rem 0 0;display:grid;grid-template-
columns:1fr 1fr;gap:8px}
53     .notes li{display:flex;gap:.5rem;background:#FBF0ED;border:1px solid #f0d6cc;border-
radius:8px;padding:.5rem .7rem;color:#6b3a2a;font-size:.9rem;margin:0}
54     .moat{display:grid;grid-template-columns:1fr 1fr;gap:10px;margin-top:.8rem}
55     .moat div{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:10px;padding:10px
12px}
56     .moat h4{margin:0;font-size:.92rem;color:var(--green-d)}
57     .moat p{margin:.2rem 0 0;font-size:.86rem;color:#34453d}
58     .shot{display:flex;align-items:center;justify-content:center;text-
align:center;background:#EEF3EC;border:1px dashed #BfD3C6;border-
radius:10px;color:var(--mut);font-size:.82rem;padding:18px;margin-top:.8rem;min-height:96px}
59     .ghbtn{display:inline-flex;align-
items:center;gap:.5rem;background:#0C261F;color:#fff;font-weight:600;font-size:.9rem;text-
decoration:none;border-radius:999px;padding:.5rem .95rem;margin-top:.9rem}
60     .cta{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:12px;padding:16px
18px;margin:18px 0 6px;text-align:center}
61     .cta a{display:inline-block;background:var(--green);color:#04140D;font-
weight:700;text-decoration:none;border-radius:999px;padding:.6rem 1.3rem;margin-top:.5rem}
62     table{border-collapse:collapse;margin-top:.8rem;font-size:.86rem;width:100%}
63     th,td{border:1px solid var(--line);padding:.35rem .55rem;text-align:left}
64     th{background:#EEF3EC}
65     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:16px
32px 26px;color:var(--mut);font-size:.85rem}
66     .foot a{text-decoration:none}
67     @media (max-width:680px){.notes,.moat,.shots{grid-template-columns:1fr}}
68     /* annotation-tool screenshots (no footage/people ? pure UI) */
69     .shots{display:grid;grid-template-columns:1fr 1fr;gap:14px;margin-top:.9rem}
70     .shots figure{margin:0}
71     .shots img{width:100%;height:auto;display:block;border:1px solid var(--line);border-
radius:10px}
72     .shots figcaption{margin-top:.4rem;font-size:.82rem;color:var(--mut)}
73     .sample{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:10px;padding:11px
14px;margin:0 0 4px;font-size:.92rem;color:#34453d}
74     .sample a{font-weight:600}
75 </style>
76 </head>
77 <body>
78 <script type="module" src="/i18n.js"></script>
79 <div class="sheet">
80 <div class="head">
81 <div class="top">

```

```

82         <a class="brand" href="/">Khel<span class="play" aria-
hidden="true"></span>Sutra</a>
83         <div class="nav-right">
84             <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
85                 <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
86                 <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
87                 <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
88             </div>
89             <a href="/#join" style="color:#C7F2B0;font-weight:600;text-decoration:none"
data-i18n="site.ownModel.requestAccess">Request access ?</a>
90         </div>

```

10. assistant (2026-06-21T22:23:47.933Z)

I now have all three header structures. Let me verify the desktop home header (en) for the clutter claim and check capture/own-model desktop too, then confirm the exact overflow mechanics.

Looking at the home mobile screenshots again: in EN, the brand "Khel ? Sutra" + the 3-button langsw + "Request access" dark button do NOT fit in 390px ? the "Request access" button is pushed off the right edge and the dark pill bleeds past the viewport (text "Reque... acce..." clipped at the right edge, and the dark button background visibly extends past the screen edge, indicating horizontal overflow). In KN, it's worse: the langsw buttons are wider (????? active fill is bigger) and "????? ?????" wraps to 2 lines, with the green button overflowing the right edge.

Let me confirm there's no mobile media query touching `.nav-right`/`.langsw`/`.btn-dark` on the home page (there isn't ? the only `@media (max-width:860px)` block hides `.nav-links` but leaves nav-right intact). Confirmed.

Let me look at the capture/own-model desktop screenshots quickly to round out a11y notes.

11. assistant (2026-06-21T22:23:57.214Z)

I have everything I need. The capture and own-model headers wrap cleanly (flex-wrap:wrap) on both desktop and mobile. The home header is the broken one ? no flex-wrap, no mobile collapse of nav-right. Let me also confirm the langsw button heights for tap-target sizing: 32px min-height + ~0.3rem padding ? 32-38px tall, below the 44px a11y target. The brand "Khel Sutra" link and nav-right anchor are also borderline.

Let me give the desktop home one quick look to finalize the desktop clutter assessment.

12. assistant (2026-06-21T22:24:08.104Z)

I have everything I need. The own-model and capture headers are well-behaved (flex-wrap handles both desktop and mobile, KN/HI render fine). The home header is the broken one. Let me compile findings.

Summary of what I confirmed:

- **Home header mobile overflow CONFIRMED** (both EN and KN at 390px). `.nav` is a non-wrapping flex row (`justify-content:space-between`, no `flex-wrap`), and the `@media (max-width:860px)` block only hides `.nav-links` ? it leaves `.langsw` (3 buttons) + the "Request access" `.btn-dark` in `.nav-right`. At 390px these don't fit: in EN the dark button is clipped/bleeding past the right edge ("Reque... acce..." cut off); in KN the langsw is wider and "????? ?????" wraps to 2 lines, pushing the green pill off-screen ? horizontal overflow.
- Capture + own-model headers wrap cleanly via `flex-wrap:wrap`; KN/HI render and fit on all viewports.
- Tap targets: langsw buttons are ~32?38px tall (min-height:32px), under the 44px a11y minimum.

13. user (2026-06-21T22:24:36.011Z)

Structured output provided successfully

14. assistant (2026-06-21T22:24:51.148Z)

Done. Here is the critique through the responsive/mobile + a11y lens.

Headline suspicion: CONFIRMED

The **home header** (``index.html``) overflows horizontally at 390px ? in both English and Kannada. Root cause is structural, not cosmetic:

- ``.nav`` is a single non-wrapping flex row (``justify-content:space-between``, fixed ``height:66px``, no ``flex-wrap``).
- The only mobile rule, ``@media (max-width:860px){.nav-links{display:none}}``, hides the **center** nav links but leaves ``.nav-right`` untouched: brand + 3-button language switcher + the "Request access" dark pill.
- At 390px those three blocks don't fit. In **EN** the dark button is clipped against the right edge ("Reque? / acce?"). In **KN/HI** it's worse ? the active pill (????) is wider, the localized CTA (????? ????) wraps to two lines, and the green pill gets pushed off-screen, so the primary CTA is partially unreachable in exactly the locales this i18n work was meant to serve.

What's NOT broken (refuted)

- **capture.html** and **own-model.html** headers both use ``flex-wrap:wrap`` and degrade cleanly ? they stack into tidy rows on mobile, nothing clipped, KN/HI render and fit fine on all viewports. The home header is the lone offender; the fix is to make it behave like those two.
- KN/Devanagari **rendering** is fine everywhere (Noto Sans Kannada/Devanagari are loaded and applied) ? the problem is layout/fit, not glyph rendering.

Other real friction

- **Language-switcher tap targets** (``.langsw`` button, all 3 pages) are ~36?38px ? under the 44px a11y minimum. For older, non-tech-savvy coaches/parents on phones, the en/kn/hi toggles are fiddly and easy to mis-tap.

Full prioritized findings with concrete CSS fixes were returned via the structured output (one critical fix ? add ``flex-wrap:wrap`` + a ``?430px`` rule + ``overflow-x`` safety net ? resolves both the EN and KN home overflow; plus the tap-target bump and minor consistency/brand-link nits).

Key files: ``C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/index.html`` (the fix lives in the ``@media (max-width:860px)`` block around line 210 and the ``.nav`/`.langsw`` rules at lines 59?70).