

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_e3715462-63d\agent-a553f771be64404ba.jsonl`
- SHA-256: `e51e732e55ff3a30229baa23c680eb2f4083131ea7cf81d14df8f7949846e296`
- Source modified: `2026-06-21T18:37:49+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_e3715462-63d`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T18:34:30.754Z)

You are a strict, native-level Hindi (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json
STEP 2 ? Read the Hindi (?????) translation map (Read tool): undefined/_tmp_hi_flat.json
Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:
TECHNICAL INTEGRITY: ... tags must be present and wrap the right word(s) (same count as English); brand "KhelSutra" kept in Latin script; literal tokens kept exactly (1080p, 1080p+, 30 fps, 60 fps, 30°, Audio ON, PDF, Ctrl/Cmd + P); the arrow "?" and middot "." kept where English has them; no leftover untranslated English except those tokens.

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_hi_integrity.json
Each element: {"key": "<dotted key e.g. record.place.body>", "severity": "critical"|"minor", "problem": "<short English note>", "suggestion": "<the FULL corrected Hindi (?????) value for that key, preserving tags and literal tokens>"}.
Include ONLY keys with a REAL problem through THIS lens. If there are none, write []. Be precise and conservative ? do not invent problems, and do not re-flag good translations.

STEP 5 ? Return the summary object {flagged: <number of issues you wrote>, wrote: "undefined/_tmp_issues_hi_integrity.json"}.

2. assistant (2026-06-21T18:34:33.741Z)

I'll start by reading the two source files to compare.

3. user (2026-06-21T18:34:34.177Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

4. user (2026-06-21T18:34:34.557Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

5. assistant (2026-06-21T18:34:37.476Z)

The literal `undefined/` path prefix suggests the paths use a placeholder. Let me find the actual temp files.

6. user (2026-06-21T18:36:39.669Z)

Command running in background with ID: bypanqfv. Output is being written to:
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\tasks\bypanqfv.output. You will be notified when it completes. To check interim output, use Read on that file path.

7. assistant (2026-06-21T18:36:42.214Z)

Let me search more efficiently with the Glob tool.

8. user (2026-06-21T18:36:43.032Z)

undefined_tmp_site_en_flat.json
undefined_tmp_hi_flat.json

9. user (2026-06-21T18:36:43.065Z)

undefined_tmp_site_en_flat.json
undefined_tmp_hi_flat.json
undefined_tmp_issues_hi_meaning.json
undefined_tmp_issues_kn_fluency.json

10. assistant (2026-06-21T18:36:45.995Z)

The files are literally under a directory named `undefined`. Let me read them with absolute paths.

11. user (2026-06-21T18:36:46.480Z)

```
1      {
2      "app.badge": "pick your rallies · alpha",
3      "app.title": "Pick the rallies for your reel",
4      "app.intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then
fine-tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't
want.",
5      "lang.label": "Language",
6      "lang.en": "English",
7      "lang.kn": "?????",
8      "lang.hi": "?????",
9      "lang.es": "Español",
10     "lang.da": "Dansk",
11     "lang.id": "Bahasa Indonesia",
12     "bulk.selectAll": "Select all",
13     "bulk.clear": "Clear",
14     "bulk.invert": "Invert",
15     "mode.demo": "These are sample rallies ? process a video above to work on a real
match.",
16     "mode.loading": "Finding the rallies in your video?",
17     "mode.error": "Couldn't load this video's rallies: {error}",
18     "mode.loaded": "Found <b>{count}</b> rallies in your video.",
19     "query.placeholder": "e.g. over 10s · top 15 longest · shortest first",
20     "query.ariaLabel": "Filter rallies by length, count or order",
21     "query.apply": "Apply",
22     "query.notAvailable": "not available yet",
23     "query.notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
24     "query.notAvailableHelp": "Shot type, players and score aren't available yet ? filter
by rally length instead.",
25     "query.unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
26     "query.hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample
below.",
27     "query.try": "Sample queries:",
28     "query.support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
29     "grid.empty": "No rallies to show yet.",
30     "grid.rally": "Rally {n}",
```

```

31     "grid.inReel": "Rally {n}, in reel",
32     "grid.notInReel": "Rally {n}, not in reel",
33     "grid.start": "start",
34     "grid.long": "long",
35     "grid.shots": "~{count} shots · experimental",
36     "grid.shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
37     "grid.shotsConfidence": " ? confidence: {conf}",
38     "footer.count": "{count, plural, one {# rally} other {# rallies}}",
39     "footer.summaryRest": "selected · {total} total",
40     "footer.reelName": "Reel name",
41     "footer.reelNamePlaceholder": "my-highlights",
42     "footer.build": "Build reel ({count})",
43     "footer.building": "Building?",
44     "footer.floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it
would be skipped, so the build would fail. Pick a longer rally.",
45     "footer.floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
46     "footer.floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
47     "footer.floorSomeRest": "with fewer than {min} shots will be skipped when building
(they're too short).",
48     "result.ready": "Your reel is ready",
49     "result.failed": "Build failed",
50     "result.building": "Stitching your reel?",
51     "result.buildingReassure": "Joining your selected rallies into one video ? this
usually only takes a moment.",
52     "result.dismiss": "Dismiss",
53     "result.download": "Download {filename}",
54     "build.noVideo": "These are sample rallies ? process a real video first to build a
reel.",
55     "ingest.title": "Process a video",
56     "ingest.intro": "Point KhelSutra at a video and it finds the rallies for you ? this
can take a few minutes.",
57     "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58     "ingest.uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine
host",
59     "ingest.hint": "Paste a cloud-storage link (gs://?), or a path to a video on the
machine running KhelSutra.",
60     "ingest.submit": "Process video",
61     "ingest.submitting": "Submitting?",
62     "ingest.cancel": "Cancel",
63     "ingest.working": "Processing your video?",
64     "ingest.progress": "{progress}",
65     "ingest.retry": "Try again",
66     "ingest.reassure": "Safe to wait ? KhelSutra keeps working even if your connection is
slow; a long video can take several minutes.",
67     "ingest.statusFailed": "Couldn't process",
68     "ingest.chooseFile": "Choose a video file",
69     "ingest.uploadAria": "Choose a video file to upload",
70     "ingest.fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
71     "ingest.orLink": "Or use a cloud link",
72     "ingest.uploadingStatus": "Uploading?",
73     "ingest.uploadProgress": "Upload progress",
74     "errors.networkError": "Can't reach KhelSutra. Is it running?",
75     "errors.invalidUri": "Enter a video location first ? a gs:// link or a path on the
machine running KhelSutra.",
76     "errors.emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
77     "errors.timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
78     "errors.engineGeneric": "Something went wrong. Please try again.",
79     "tap.title": "Tap to filter:",
80     "tap.longest": "Longest first",
81     "tap.shortest": "Shortest first",

```



```

33 "grid.start": "????",
34 "grid.long": "???",
35 "grid.shots": "~{count} ????? · ??????????",
36 "grid.shotsTitle": "??? ????? ???? ?????? ?? (?????) ?? ?? ?? ??? {conf}? ???
    ??? ?? ???? ? ???? ? ????",
37 "grid.shotsConfidence": " ? ??????: {conf}",
38 "footer.count": "{count, plural, one {# } other {# }}",
39 "footer.summaryRest": "???? · ?? {total}",
40 "footer.reelName": "?? ? ?",
41 "footer.reelNamePlaceholder": "my-highlights",
42 "footer.build": "?? ???? ({count})",
43 "footer.building": "? ? ??",
44 "footer.floorOne": "<b>???? ????</b> ?? {min} ? ? ???? ? ? ?"?
    ? ? ? ? ? ? , ???? ???? ???? ???? ? ? ? ? ? ? ? ",
45 "footer.floorAll": "<b>??? {count} ????</b> ?? {min} ? ? ???? ? ? ?"?
    ? ? ? ? ? ? ? ? ? , ???? ???? ???? ???? ???? ???? ???? ???? ",
46 "footer.floorSomeLead": "{count, plural, one {# } other {# }}",
47 "footer.floorSomeRest": "???? {min} ? ? ???? ? , ???? ???? ? ? ? ? ? 
    (??? ? <code>min_shot_count</code> )?",
48 "result.ready": "??? ? ? ? ? ? ",
49 "result.failed": "???? ? ? ? ",
50 "result.building": "??? ? ? ? ? ? ? ? ? ? ? ",
51 "result.buildingReassure": "??? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
52 "result.dismiss": "???? ? ? ? ",
53 "result.download": "{filename} ????? ? ? ? ",
54 "build.noVideo": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ",
55 "ingest.title": "???? ? ? ? ? ? ",
56 "ingest.intro": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
57 "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58 "ingest.uriAriaLabel": "???? ? ? ? ? ? gs:// ? ? URL ? ? ? ? ? ? ? ? ? ? ",
59 "ingest.hint": "? ? gs:// ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ",
60 "ingest.submit": "???? ? ? ? ? ? ? ? ? ",
61 "ingest.submitted": "??? ? ? ? ? ? ",
62 "ingest.cancel": "??? ? ? ? ",
63 "ingest.working": "??? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
64 "ingest.progress": "{progress}",
65 "ingest.retry": "? ? ? ? ? ? ? ? ",
66 "ingest.reassure": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ; ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
67 "ingest.statusFailed": "???? ? ? ? ? ? ",
68 "ingest.chooseFile": "???? ? ? ? ? ? ",
69 "ingest.uploadAria": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
70 "ingest.fileHint": "? ? ? ? ? ? .mp4 ? .mov ? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ",
71 "ingest.orLink": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
72 "ingest.uploadingStatus": "???? ? ? ? ? ? ",
73 "ingest.uploadProgress": "???? ? ? ? ? ? ",
74 "errors.networkError": "??? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
75 "errors.invalidUri": "??? ? ? ? ? ? ? ? ? ? ? ? gs:// ? ? ? ? ? ? ? ? ? ? ",
76 "errors.emptyResult": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
77 "errors.timeout": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? 
    ? ? ? ? ? ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
78 "errors.engineGeneric": "??? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ",
79 "tap.title": "???? ? ? ? ? ? ? ? ? : ",
80 "tap.longest": "??? ? ? ? ? ? ",
81 "tap.shortest": "??? ? ? ? ? ? ",
82 "tap.over10": "10 ? ? ? ? ? ? ? ? ? ? ",
83 "tap.over20": "20 ? ? ? ? ? ? ? ? ? ? ? ",
84 "tap.top5": "??? ? ? ? ? ? 5",
85 "tap.top10": "??? ? ? ? ? ? 10",

```

```

86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# ??? ????} other {# ?????? ?????}}",
101    }

```

13. assistant (2026-06-21T18:37:23.131Z)

Now let me analyze each key through the TECHNICAL INTEGRITY lens. Let me carefully compare the `**` tags, brand name, literal tokens, arrows, middots, and untranslated English.**

Let me go through systematically:

```

**`<b>` tag analysis:**
- `app.intro`: EN has 2 `` (rally length, selected) + 1 `` . HI has 2 `` (???? ?? ?????,
?????) + 1 `` . ?
- `mode.loaded`: EN 1 `` ({count}). HI 1 `` ({count}). ?
- `query.support`: EN 1 `` + 1 `` . HI 1 `` + 1 `` . ?
- `footer.floorOne`: EN 1 `` . HI 1 `` . ?
- `footer.floorAll`: EN 1 `` . HI 1 `` . ?

```

Brand "KhelSutra": Several HI values transliterate to ???????? (ingest.intro, ingest.reassure, ingest.fileHint). The instruction says brand "KhelSutra" must be kept in Latin script. This is a TECHNICAL INTEGRITY violation. Let me check each:

```

- `ingest.intro`: "???????? ??..." ? brand transliterated. EN: "Point KhelSutra at a video..."
- `ingest.reassure`: "???????? ????? ??..." ? brand transliterated.
- `ingest.fileHint`: "??? ????????? ????????..." ? brand transliterated.

```

Wait ? I need to be careful. The instruction explicitly lists this lens: brand "KhelSutra" kept in Latin script. So transliteration to ???????? is a violation.

Let me also check `footer.floorSomeRest`: EN ends "(they're too short)." HI ends "(???? ?? `` tag and English token `min\_shot\_count` that aren't in the English source. This is a leftover/added technical token discrepancy. The EN has no ``` tag at all. This is a tag mismatch (added tag not in source). This falls under technical integrity.`

Literal tokens: 1080p, fps, 30°, Audio ON, PDF, Ctrl/Cmd + P ? none of these appear in this particular file's keys, so no issue there. `gs://`, URL, `.mp4`, `.mov` are preserved correctly. `over 10s`, `top 15 longest`, `shortest first` are kept in query.placeholder, query.unreadable, query.hint ? correct.

Arrow "?": `site.ownModel.requestAccess`: EN "Request access ?", HI "Request access ?" (untranslated but it's a site.* key kept in English ? same as other site.* keys). The arrow is present. ?

Middot ".":

```

- `app.badge`: EN "pick your rallies · alpha", HI "?????-???? ??? · ??????" ? middot present ?
- `query.placeholder`: EN "... top 15 longest · shortest first", HI "... top 15 longest ·
shortest first" ? middots present ?
- `grid.shots`: EN "~{count} shots · experimental", HI "~{count} ????? · ??????????" ?

```



```

    "severity": "critical",
    "problem": "Adds a <code> tag and the English token min_shot_count that are absent in the
English source (EN has plain '(they're too short)'); introduces a tag mismatch and leftover
untranslated technical token.",
    "suggestion": "?????? {min} ?? ?? ????? ???, ????? ??? ???? ?? ?????? (?? ??? ????
???)?"
  },
  {
    "key": "ingest.intro",
    "severity": "critical",
    "problem": "Brand 'KhelSutra' transliterated to ????????; brand must stay in Latin script.",
    "suggestion": "KhelSutra ?? ?? ?????? ?????? ? ?? ??? ???? ?? ???? ???? ???? ? ? ? ?
?????? ???? ???? ???? ???? ???? ? ? ???? ?????"
  },
  {
    "key": "ingest.reassure",
    "severity": "critical",
    "problem": "Brand 'KhelSutra' transliterated to ????????; brand must stay in Latin script.",
    "suggestion": "???????? ???? ????????? ? ? ???? ????????? ???? ???? ? ? ? KhelSutra ????? ?
??? ????? ???? ? ? ???? ?????? ???? ???? ???? ? ? ???? ??????"
  },
  {
    "key": "ingest.fileHint",
    "severity": "critical",
    "problem": "Brand 'KhelSutra' transliterated to ????????; brand must stay in Latin script.",
    "suggestion": "? ? ????? ? ? ? .mp4 ? ? .mov ????? ? ? ? ????? ???? , ? ? KhelSutra ??????
????? ??????"
  }
]

```

15. user (2026-06-21T18:37:30.564Z)

File created successfully at:
C:\Users\avidu\Projects\khelsutra\undefined_tmp_issues_hi_integrity.json (file state is current
in your context ? no need to Read it back)

16. assistant (2026-06-21T18:37:33.294Z)

Let me kill the leftover background find command.

17. user (2026-06-21T18:37:33.899Z)

done

18. assistant (2026-06-21T18:37:42.616Z)

Review complete. I compared all 100 keys through the technical-integrity lens only.

Findings (4 issues written):

1. `footer.floorSomeRest` (critical) ? Hindi adds a ``min_shot_count`` tag plus the English token `min\_shot\_count`, neither of which exists in the English source (EN just says "(they're too short)"). This is an introduced tag mismatch and leftover technical English.
2. `ingest.intro` (critical) ? brand transliterated to ????????; must stay "KhelSutra" in Latin script.
3. `ingest.reassure` (critical) ? same brand transliteration.
4. `ingest.fileHint` (critical) ? same brand transliteration.

Verified clean: all `**` / `*` / `` tags present and wrapping the correct words with matching counts; ICU placeholders intact; literal tokens preserved (`gs://`, `URL`, `.mp4`, `.mov`, `over 10s`, `top 15 longest`, `shortest first`); the `?` arrow and all `.` middots present where English has them. Note: keys 86799 (`site.nav.\*`, `site.hero.\*`, `site.capture.\*`, `site.ownModel.\*`) are left in English, but they are identical to the English source ? an entire not-yet-translated marketing block, not a mangled integrity defect ? so I did not flag them***

under this lens (they belong to a meaning/coverage review).

Issues file written to
`C:\Users\avidu\Projects\kheIsutra\undefined\\_tmp\_issues\_hi\_integrity.json`.

19. user (2026-06-21T18:37:43.062Z)

Structured output provided successfully

20. assistant (2026-06-21T18:37:48.939Z)

Done. I reviewed all 100 keys through the technical-integrity lens and wrote 4 issues to
`C:\Users\avidu\Projects\kheIsutra\undefined\\_tmp\_issues\_hi\_integrity.json`.

Summary of the 4 flagged (all critical):

- `footer.floorSomeRest` ? introduced ``min_shot_count`` tag + English token not present in the English source.
- `ingest.intro`, `ingest.reassure`, `ingest.fileHint` ? brand "KheIsutra" transliterated to ??????? instead of being kept in Latin script.

All `**`/`*`/`` tags, ICU placeholders, literal tokens (`gs://`, `.mp4`, `.mov`, `over 10s`, etc.), the `?` arrow, and `.` middots were otherwise intact. The English `site.\*` block (keys 86?99) is untranslated but identical to source, so it was left for a meaning/coverage review rather than flagged under this integrity lens.***