

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_7a9a5f0d-cb0\agent-a5d3c04b85ae6cc76.jsonl`
- SHA-256: `13cce8f5d73578fd53ecc94b54368acdf1cafd162ae521d897dada4e7974009a`
- Source modified: `2026-06-21T22:24:44+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_7a9a5f0d-cb0`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T22:23:02.152Z)

You are a senior product designer doing a serious UI/UX critique. KhelSutra marketing site (3 static pages: home/index, capture checklist, own-model). It recently gained a persistent en/kn/hi language switcher in the header, plus other i18n. Audience: non-tech-savvy badminton coaches/parents in India, mostly on phones. Known suspicion: the headers became cluttered / misaligned (esp. the home header on mobile).

Screenshots (Read these image files, absolute paths):

- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/home-mobile-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/capture-mobile-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-desktop-kn.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-en.png
- C:/Users/avidu/Projects/khelsutra-screencast/eval-before/own-model-mobile-kn.png

HTML/CSS source (Read for the header markup + styles): C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/index.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/capture.html , C:/Users/avidu/Projects/khelsutra-fu2-wt/site/public/own-model.html

Review ONLY through this lens:

HEADER LAYOUT: clutter, crowding, alignment, and OVERFLOW across all pages + BOTH viewports + en/kn. Pay special attention to the home (index) header ? does the brand + nav links + language switcher + "Request access" CTA fit, or does anything clip/overflow/wrap badly on mobile (390px)? Is the switcher crowding the nav? Are the three pages? headers visually consistent?

Read the relevant screenshots (and the HTML/CSS for fixes). Return concrete, prioritized findings (severity, exact where, the problem, and a concrete CSS/HTML fix). Focus on real issues a coach/parent would hit; the home-header mobile overflow is the headline suspicion ? confirm or refute it with specifics. Skip trivial nitpicks unless they cause real friction.

2. assistant (2026-06-21T22:23:05.579Z)

I'll start by reading the screenshots and the HTML/CSS source for the headers.

3. assistant (2026-06-21T22:23:12.231Z)

The home headers confirm the suspicion clearly. Let me read the capture and own-model headers plus zoom in on the home mobile header detail, and read the HTML/CSS source.

4. assistant (2026-06-21T22:23:21.999Z)

The screenshots confirm the headline suspicion dramatically. Now let me read the HTML/CSS source to provide concrete fixes. The home header is the critical one.

5. user (2026-06-21T22:23:23.577Z)

```
1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? every rally indexed, the dead time gone</title>
7      <meta name="description" content="KhelSutra turns a full badminton match into a clean
index of rallies with the dead time stripped out ? a highlight reel you can watch and download.
Invite-only alpha, Bengaluru." />
8      <meta property="og:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
9      <meta property="og:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha for academies and players in Bengaluru." />
10     <meta property="og:type" content="website" />
11     <meta property="og:url" content="https://khelsutra.guru" />
12     <meta property="og:image" content="https://khelsutra.guru/og.png" />
13     <meta property="og:image:width" content="1200" />
14     <meta property="og:image:height" content="630" />
15     <meta name="twitter:card" content="summary_large_image" />
16     <meta name="twitter:title" content="KhelSutra ? every rally indexed, the dead time gone"
/>
17     <meta name="twitter:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha, Bengaluru." />
18     <meta name="twitter:image" content="https://khelsutra.guru/og.png" />
19     <meta name="theme-color" content="#0C261F" />
20     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'%3E%3C/svg%3E" />
21     <link rel="preconnect" href="https://fonts.googleapis.com" />
22     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
23     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
24     <style>
25         :root{
26             --ink:#0C261F; --ink2:#123A2E; --green:#19B36B; --green-d:#149A5C;
27             --lime:#C7F2B0; --paper:#F6F8F4; --card:#fff;
28             --tx:#14271F; --mut:#566B61; --line:#E4E9E2;
29             --on-dark:#EAF3EE; --on-dark-mut:#A7C3B7;
30             --r:14px; --rs:10px; --maxw:1080px;
31             --font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans Devanagari',system-
ui,-apple-system,Segoe UI,Roboto,Helvetica,Arial,sans-serif;
32         }
33         *{box-sizing:border-box}
34         html{scroll-behavior:smooth}
35         body{margin:0;font-family:var(--font);color:var(--tx);background:var(--paper);line-
height:1.65;-webkit-font-smoothing:antialiased}
36         a{color:inherit}
37         .wrap{max-width:var(--maxw);margin:0 auto;padding:0 22px}
38         h1,h2,h3{line-height:1.15;margin:0;letter-spacing:-.02em}
39         h1{font-size:clamp(2rem,5vw,3.4rem);font-weight:800}
40         h2{font-size:clamp(1.5rem,3.2vw,2.2rem);font-weight:700}
41         h3{font-size:1.15rem;font-weight:700}
42         p{margin:.6rem 0}
43         .btn{display:inline-flex;align-items:center;gap:.5rem;font-weight:600;font-
size:1rem;border-radius:999px;padding:.78rem 1.4rem;text-decoration:none;border:1px solid
transparent;cursor:pointer;transition:.15s}
44         .btn-primary{background:var(--green);color:#04140D}
45         .btn-primary:hover{background:var(--green-d)}
46         .btn-ghost{background:transparent;border-color:rgba(255,255,255,.28);color:var(--on-
```

```

dark)}}
47     .btn-ghost:hover{border-color:rgba(255,255,255,.6)}
48     .btn-dark{background:var(--ink);color:#fff}
49     .btn-dark:hover{background:var(--ink2)}
50     .btn[disabled]{opacity:.75;cursor:progress}
51     /* in-flight spinner for the request-access submit */
52     .spin{display:inline-block;width:1em;height:1em;border:2px solid currentColor;border-
right-color:transparent;border-radius:50%;animation:spin .6s linear infinite}
53     @keyframes spin{to{transform:rotate(360deg)}}
54     .eyebrow{display:inline-flex;align-items:center;gap:.5rem;font-size:.82rem;font-
weight:600;letter-spacing:.02em;
55         background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.3);padding:.3rem .8rem;border-radius:999px}
56
57     /* header */
58     header{position:sticky;top:0;z-index:20;background:rgba(246,248,244,.86);backdrop-
filter:blur(10px);border-bottom:1px solid var(--line)}
59     .nav{display:flex;align-items:center;justify-content:space-between;height:66px}
60     .brand{display:flex;align-items:center;gap:.6rem;font-weight:800;font-
size:1.18rem;letter-spacing:-.02em;text-decoration:none}
61     .brand .dot{color:var(--green)}
62     .nav-links{display:flex;align-items:center;gap:1.6rem}
63     .nav-links a{font-size:.95rem;font-weight:500;color:var(--mut);text-decoration:none}
64     .nav-links a:hover{color:var(--tx)}
65     /* persistent language switcher (B3) ? theme-agnostic: inherits text colour, green
fill = active */
66     .nav-right{display:flex;align-items:center;gap:1rem}
67     .langsw{display:inline-flex;gap:2px;border:1px solid rgba(120,120,120,.3);border-
radius:999px;padding:2px}
68     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.62;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
69     .langsw button:hover{opacity:1}
70     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
71     .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:7px
0 7px 12px;border-color:transparent transparent transparent var(--green);margin:0
.32em;transform:translateY(1px)}
72
73     /* hero */
74     .hero{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2)
100%);color:var(--on-dark);position:relative;overflow:hidden}
75     .hero .wrap{padding-top:74px;padding-bottom:88px;position:relative;z-index:2}
76     .hero .eyebrow{background:rgba(199,242,176,.12);color:var(--lime);border-
color:rgba(199,242,176,.25)}
77     .hero h1{margin:1.1rem 0 0;max-width:15ch}
78     .hero h1 .hl{color:var(--lime)}
79     .hero .lead{font-size:clamp(1.05rem,1.6vw,1.28rem);color:var(--on-dark-mut);max-
width:54ch;margin:1.2rem 0 0}
80     .hero-cta{display:flex;flex-wrap:wrap;gap:.8rem;margin-top:2rem}
81     .hero-note{margin-top:1.1rem;font-size:.86rem;color:var(--on-dark-mut)}
82     .shuttle{position:absolute;right:-60px;top:-40px;width:520px;max-
width:55%;opacity:.16;z-index:1;pointer-events:none}
83     .loop{display:flex;flex-wrap:wrap;gap:.6rem;margin-top:2.4rem}
84     .loop .chip{display:flex;align-
items:center;gap:.5rem;background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);
85         border-radius:999px;padding:.5rem 1rem;font-weight:500;font-
size:.92rem;color:var(--on-dark)}
86     .loop .chip b{color:var(--lime);font-weight:700}
87     .loop .arrow{color:var(--on-dark-mut);align-self:center}
88
89     .hero-grid{display:grid;grid-template-columns:1.04fr .96fr;gap:46px;align-
items:center}
90     .hero-left{min-width:0}
91     .hero-visual{min-width:0}
92     .reel-card{background:#fff;border-radius:18px;border:1px solid

```

```
    rgba(255,255,255,.14);box-shadow:0 26px 60px -24px rgba(0,0,0,.55);overflow:hidden}
93      .reel-head{display:flex;align-items:center;gap:.55rem;padding:.7rem .9rem;border-
bottom:1px solid var(--line)}
94      .reel-head .dots{display:flex;gap:5px}
95      .reel-head .dots i{width:9px;height:9px;border-
radius:50%;background:#D9DED7;display:block}
96      .reel-head .file{font-size:.78rem;color:var(--mut);font-weight:600}
97      .reel-video{position:relative;aspect-ratio:16/9;background:linear-
gradient(150deg,#0E3A2C,#17533C);display:flex;align-items:center;justify-content:center}
98      .reel-video .court{position:absolute;inset:16px;border:2px solid
rgba(199,242,176,.30);border-radius:6px}
99      .reel-video .court:before{content:"";position:absolute;left:50%;top:0;bottom:0;width:2
px;background:rgba(199,242,176,.30)}
100     .reel-video .court:after{content:"";position:absolute;top:50%;left:0;right:0;height:2p
x;background:rgba(199,242,176,.22)}
101     .reel-video .play{width:60px;height:60px;border-
radius:50%;background:var(--lime);display:flex;align-items:center;justify-
content:center;color:#0C261F;font-size:1.4rem;z-index:2;padding-left:4px;box-shadow:0 10px 26px
rgba(0,0,0,.35)}
102     .reel-video .badge{position:absolute;top:12px;left:12px;background:rgba(12,38,31,.72);
color:var(--lime);font-size:.7rem;font-weight:700;letter-spacing:.06em;padding:.26rem
.6rem;border-radius:999px;z-index:2}
103     .reel-video
.wm{position:absolute;bottom:10px;right:12px;color:rgba(234,243,238,.78);font-size:.66rem;font-
weight:500;z-index:2}
104     .reel-body{padding:.95rem 1.05rem 1.1rem}
105     .reel-body .lbl{font-size:.72rem;font-weight:600;letter-spacing:.04em;text-
transform:uppercase;color:var(--mut)}
106     .reel-track{position:relative;height:12px;border-
radius:6px;background:#E8ECE6;margin:.55rem 0 .95rem}
107     .reel-track span{position:absolute;top:0;bottom:0;background:var(--green);border-
radius:6px}
108     .reel-stats{display:flex;gap:10px}
109     .reel-stats .m{flex:1;background:var(--paper);border-radius:10px;padding:.6rem .85rem}
110     .reel-stats .m b{display:block;font-size:1.25rem;color:var(--tx);font-weight:700}
111     .reel-stats .m em{font-size:.76rem;color:var(--mut);font-style:normal}
112     .ask{display:flex;align-items:center;gap:.55rem;margin:.85rem 1.05rem
.2rem;padding:.6rem .7rem;border:1px solid var(--line);border-
radius:12px;background:var(--paper)}
113     .ask-ic{color:var(--green-d);font-size:.95rem}
114     .ask-tx{flex:1;font-size:.88rem;color:var(--tx);font-weight:500;line-height:1.3}
115     .ask-go{width:26px;height:26px;border-
radius:8px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
116     .lbl{display:flex;justify-content:space-between;align-items:center}
117     .lbl .match{color:var(--green-d);font-weight:700}
118     .reel-track span.off{background:#D7DDD4}
119     .reel-track span.on{background:var(--green)}
120     .result{display:flex;align-items:center;gap:.7rem;margin-top:.2rem;padding:.65rem
.8rem;background:var(--ink);border-radius:12px}
121     .result .play{width:34px;height:34px;border-
radius:50%;background:var(--lime);color:#0C261F;display:flex;align-items:center;justify-
content:center;flex:none;font-size:.95rem;padding-left:2px}
122     .result-tx{flex:1}
123     .result-tx b{display:block;font-size:.84rem;font-weight:700;color:#fff}
124     .result-tx em{display:block;font-style:normal;font-size:.73rem;color:var(--on-dark-
mut)}}
125     .result .dl{color:var(--on-dark-mut);font-size:1.1rem}
126     .askc .q{font-weight:600;background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem;font-size:.95rem}
127     .askc .q i{color:var(--green-d);font-style:normal;margin-right:.35rem}
128     .askc .a{display:flex;gap:.5rem;color:var(--mut);font-size:.93rem;margin-
top:.75rem;padding-left:.1rem}
129     .askc .a i{color:var(--green-d);font-style:normal;margin-top:.1rem}
130     .ask-note{margin-top:1.5rem;font-size:.95rem;color:var(--mut)}
```

```

131
132     /* sections */
133     section{padding:72px 0}
134     .sec-head{max-width:60ch}
135     .sec-head .kicker{font-size:.82rem;font-weight:700;letter-spacing:.08em;text-
transform:uppercase;color:var(--green-d)}
136     .sec-head h2{margin:.5rem 0 0}
137     .sec-head p{color:var(--mut);font-size:1.08rem;margin-top:.7rem}
138
139     .grid{display:grid;gap:18px;margin-top:2.4rem}
140     .g4{grid-template-columns:repeat(4,1fr)}
141     .g3{grid-template-columns:repeat(3,1fr)}
142     .g2{grid-template-columns:repeat(2,1fr)}
143     .card{background:var(--card);border:1px solid var(--line);border-
radius:var(--r);padding:1.4rem}
144     .card .ic{width:42px;height:42px;border-radius:11px;display:flex;align-
items:center;justify-content:center;
145         background:rgba(25,179,107,.12);color:var(--green-d);font-size:1.3rem;margin-
bottom:.9rem}
146     .card h3{font-size:1.05rem}
147     .card p{color:var(--mut);font-size:.96rem;margin:.4rem 0 0}
148
149     .split{display:grid;grid-template-columns:1.1fr .9fr;gap:42px;align-items:center}
150     .panel{background:var(--ink);color:var(--on-dark);border-radius:18px;padding:2.2rem}
151     .panel h2{color:#fff}
152     .panel p{color:var(--on-dark-mut)}
153     .panel .pill{display:inline-
block;background:rgba(199,242,176,.14);color:var(--lime);font-size:.8rem;font-weight:600;
154         padding:.3rem .7rem;border-radius:999px;margin-bottom:1rem}
155
156     .road{display:grid;grid-template-columns:repeat(5,1fr);gap:14px;margin-top:2.2rem}
157     .road .step{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:1.1rem}
158     .road .step .n{font-size:1.4rem;color:var(--green-d)}
159     .road .step h3{font-size:1rem;margin-top:.5rem}
160     .road .step p{font-size:.88rem;color:var(--mut);margin-top:.3rem}
161
162     .honest{background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:0 var(--rs) var(--rs) 0;padding:1.2rem 1.4rem;margin-top:1.6rem}
163     .honest b{color:var(--tx)}
164     .honest p{color:var(--mut);margin:.3rem 0 0}
165
166     .notes{list-style:none;padding:0;margin:2rem 0 0;display:grid;grid-template-
columns:repeat(2,1fr);gap:12px}
167     .notes li{display:flex;gap:.6rem;background:var(--card);border:1px solid
var(--line);border-radius:var(--rs);padding:.9rem 1.1rem;color:var(--mut);font-size:.95rem}
168     .notes li i{color:var(--green-d);margin-top:.15rem}
169
170     details{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:0 1.2rem;margin-top:10px}
171     details summary{cursor:pointer;font-weight:600;padding:1rem 0;list-
style:none;display:flex;justify-content:space-between;align-items:center;gap:1rem}
172     details summary::-webkit-details-marker{display:none}
173     details summary::after{content:"+";color:var(--green-d);font-size:1.3rem;font-
weight:400}
174     details[open] summary::after{content:"?"}
175     details p{color:var(--mut);margin:0 0 1.1rem}
176
177     .cta{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2) 100%);color:var(--on-
dark);border-radius:20px;padding:3rem 2.4rem;text-align:center;margin:0 0 0}
178     .cta h2{color:#fff;max-width:20ch;margin:0 auto}
179     .cta p{color:var(--on-dark-mut);max-width:46ch;margin:.8rem auto 0}
180     .cta .hero-cta{justify-content:center}
181     .af{max-width:560px;margin:2.2rem auto 0;background:var(--card);border:1px solid
var(--line);border-radius:var(--r);padding:1.6rem 1.5rem;text-align:left}

```

```

182     .af .row{margin-bottom:1.05rem}
183     .af label{display:block;font-size:.9rem;font-weight:600;color:var(--tx);margin-
bottom:.4rem}
184     .af .hint{font-weight:400;color:var(--mut);font-size:.84rem}
185     .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
186     .af textarea{min-height:84px;resize:vertical}
187     .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 3px rgba(25,179,107,.15)}
188     .seg{display:flex;gap:10px}
189     .seg label{flex:1;margin:0;border:1px solid var(--line);border-
radius:10px;padding:.7rem .8rem;cursor:pointer;font-weight:500;text-align:center}
190     .seg input{position:absolute;opacity:0}
191     .seg label:hover{border-color:var(--green)}
192     .seg label:has(input:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d);font-weight:700}
193     .opts{display:flex;flex-wrap:wrap;gap:8px}
194     .opts label{margin:0;display:inline-flex;align-items:center;gap:.4rem;border:1px solid
var(--line);border-radius:999px;padding:.4rem .8rem;font-weight:500;font-
size:.88rem;cursor:pointer}
195     .opts label:has(:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d)}
196     .opts input{accent-color:var(--green)}
197     .af .consent{display:flex;align-items:flex-start;gap:.5rem}
198     .af .consent input{margin-top:.2rem;accent-color:var(--green)}
199     .af .acad{display:none}
200     .af.is-academy .acad{display:block}
201     .hp{position:absolute;left:-9999px;width:1px;height:1px;overflow:hidden}
202     .form-done{max-width:560px;margin:2rem auto 0;text-
align:center;background:rgba(25,179,107,.08);border:1px solid
rgba(25,179,107,.3);color:var(--green-d);border-radius:var(--r);padding:1.4rem;font-weight:600}
203
204     footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-
size:.9rem}
205     .foot{display:flex;flex-wrap:wrap;justify-content:space-between;gap:1.2rem;align-
items:center}
206     .foot a{color:var(--green-d);text-decoration:none}
207     .foot a:hover{text-decoration:underline}
208     .stamp{font-size:.82rem;color:var(--mut)}
209
210     @media (max-width:860px){
211         .nav-links{display:none}
212         .g4{grid-template-columns:repeat(2,1fr)}
213         .g3,.g2{grid-template-columns:1fr}
214         .split{grid-template-columns:1fr;gap:24px}
215         .road{grid-template-columns:repeat(2,1fr)}
216         .notes{grid-template-columns:1fr}
217         .shuttle{opacity:.1}
218         .hero-grid{grid-template-columns:1fr;gap:30px}
219         .reel-card{max-width:460px}
220     }
221
222     /* tool demo + sample reel ? revealed AFTER sign-up, then auto-closes */
223     .reelwrap{position:relative;max-width:680px;margin:.5rem auto 0;aspect-
ratio:16/9;border-radius:14px;overflow:hidden;border:1px solid var(--line);background:#0C261F}
224     .reelwrap iframe{width:100%;height:100%;border:0;display:block}
225     .tool-vid{display:block;width:100%;max-width:680px;margin:.5rem auto 0;border-
radius:14px;border:1px solid var(--line);background:#0C261F}
226     .reveal-h{max-width:680px;margin:1.2rem auto .15rem;font-size:.74rem;font-
weight:700;letter-spacing:.06em;text-transform:uppercase;color:var(--green-d);text-align:left}
227     .reveal-bar{max-width:680px;margin:.2rem auto 0;display:flex;justify-content:flex-end}
228     .reveal-x{background:transparent;border:1px solid var(--line);color:var(--mut);font-
size:.78rem;font-weight:600;padding:.32rem .72rem;border-radius:999px;cursor:pointer}

```

```

229     .reveal-x:hover{color:var(--tx);border-color:var(--mut)}
230 </style>
231 </head>
232 <body>
233 <script type="module" src="/i18n.js"></script>
234
235 <header>
236     <div class="wrap nav">
237         <a class="brand" href="#top">Khel<span class="play" aria-
238 hidden="true"></span>Sutra</a>
239         <nav class="nav-links" aria-label="Primary">
240             <a href="#how" data-i18n="site.nav.how">How it works</a>
241             <a href="#diff" data-i18n="site.nav.why">Why it's hard</a>
242             <a href="/own-model" data-i18n="site.nav.ownModel">Own your model</a>
243             <a href="/flyer" data-i18n="site.nav.flyer">Flyer</a>
244             <a href="#roadmap" data-i18n="site.nav.roadmap">Roadmap</a>
245             <a href="#faq" data-i18n="site.nav.faq">FAQ</a>
246         </nav>
247         <div class="nav-right">
248             <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
249 data-i18n-attr="aria-label">
250                 <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
251 pressed="true">English</button>
252                 <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
253 pressed="false">????</button>
254                 <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
255 pressed="false">????</button>
256             </div>
257             <a class="btn btn-dark" href="#join" data-i18n="site.nav.requestAccess">Request
258 access</a>
259         </div>
260     </div>
261 </header>
262
263 <a id="top"></a>
264 <section class="hero" style="padding:0">
265     <div class="wrap hero-grid">
266         <div class="hero-left">
267             <span class="eyebrow" data-i18n="site.hero.eyebrow">Invite-only alpha .
268 Bengaluru</span>
269             <h1>Every rally, indexed. <span class="hl">The dead time, gone.</span></h1>
270             <p class="lead" data-i18n="site.hero.lead">KhelSutra finds every rally in your
271 session and strips out the knock-ups, walks and gaps ? so a full match becomes a clean highlight
272 reel you can watch and download. No editing, no scrubbing.</p>
273             <div class="hero-cta">
274                 <a class="btn btn-primary" href="#join" data-i18n="site.hero.ctaPrimary">Request
275 alpha access</a>
276                 <a class="btn btn-ghost" href="#how" data-i18n="site.hero.ctaHow">See how it
277 works</a>
278                 <a class="btn btn-ghost" href="#join">See it in action + a real reel</a>
279             </div>
280             <p class="hero-note">A phone or GoPro on a tripod is all you need. No special
281 hardware.</p>
282             <div class="loop">
283                 <span class="chip"><b>1.</b> Auto-index rallies</span>
284                 <span class="arrow">?</span>
285                 <span class="chip"><b>2.</b> Dead time removed</span>
286                 <span class="arrow">?</span>
287                 <span class="chip"><b>3.</b> Download your reel</span>
288             </div>
289             <div class="hero-visual">
290                 <div class="reel-card">
291                     <div class="reel-head">
292                         <span class="dots"><i></i><i></i><i></i><i></i></span>

```

```

282         <span class="file">match_2026.mp4 · indexed</span>
283     </div>
284     <div class="reel-body">
285         <div class="lbl"><span>Rallies detected</span><span class="match">44
found</span></div>
286         <div class="reel-track">
287             <span class="on" style="left:2%;width:8%"></span>
288             <span class="on" style="left:13%;width:6%"></span>
289             <span class="on" style="left:22%;width:12%"></span>
290             <span class="on" style="left:37%;width:7%"></span>
291             <span class="on" style="left:47%;width:11%"></span>
292             <span class="on" style="left:61%;width:6%"></span>
293             <span class="on" style="left:70%;width:13%"></span>
294             <span class="on" style="left:86%;width:9%"></span>
295         </div>
296         <div class="result">
297             <span class="play" aria-hidden="true">?</span>
298             <span class="result-tx"><b>Highlight reel · 44 rallies · 18 min</b><em>dead
time removed · ready to download</em></span>
299             <span class="dl" aria-hidden="true">?</span>
300         </div>
301     </div>
302 </div>
303 </div>
304 </div>
305 </section>
306
307 <section id="how">
308     <div class="wrap">
309         <div class="sec-head">
310             <div class="kicker">What it does today</div>
311             <h2>A full match, turned into rallies you can search</h2>
312             <p>Upload a whole session or match. KhelSutra does the rest ? no editing skill
needed.</p>
313         </div>
314         <div class="grid g4">
315             <div class="card">
316                 <div class="ic" aria-hidden="true">?</div>
317                 <h3>Every rally, indexed</h3>
318                 <p>It finds each rally ? start, end and length ? and turns the whole match into
a searchable list. Long full-session videos are fine.</p>
319             </div>
320             <div class="card">
321                 <div class="ic" aria-hidden="true">?</div>
322                 <h3>Dead time removed</h3>
323                 <p>Knock-ups, walks, picking up the shuttle, the gaps between points ? stripped
out. What's left is only real play.</p>
324             </div>
325             <div class="card">
326                 <div class="ic" aria-hidden="true">?</div>
327                 <h3>Process once, reuse</h3>
328                 <p>Come back later to watch or download your reel. Re-running a video replaces
its earlier result rather than piling up copies.</p>
329             </div>
330             <div class="card">
331                 <div class="ic" aria-hidden="true">?</div>
332                 <h3>Stitched reel + summary</h3>
333                 <p>Your selection becomes one MP4 to download and share ? with a play-time
summary and a small ?Generated by Khelsutra.guru? mark.</p>
334             </div>
335         </div>
336     </div>
337 </section>
338
339 <section id="record" style="background:#EFF4EC">

```



```

340     <div class="wrap">
341         <div class="sec-head">
342             <div class="kicker" data-i18n="site.record.kicker">Record it right</div>
343             <h2 data-i18n="site.record.title">Five minutes of setup ? reliably great
reels</h2>
344             <p data-i18n="site.record.intro">Highlight quality starts with the recording. Set
the camera up once like this and KhelSutra has everything it needs to find the rallies.</p>
345         </div>
346
347         <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-
items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:14px;padding:1rem 1.2rem">
348             <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-
height:1">?</span>
349             <p style="margin:0;color:var(--tx)"><b data-i18n="site.record.goldenRuleLead">The
golden rule: one match, one court, in full frame ? and don't move the camera.</b> <span
style="color:var(--mut)" data-i18n="site.record.goldenRuleRest">A single court in frame gives
the best results today; busy multi-court footage is the hard case we're still
sharpening.</span></p>
350         </div>
351
352         <div class="grid g4">
353             <div class="card">
354                 <div class="ic" aria-hidden="true">?</div>
355                 <h3 data-i18n="site.record.place.title">Place the camera</h3>
356                 <p data-i18n-html="site.record.place.body">Behind <b>one baseline</b>, elevated
(a high tripod or a balcony), tilted down ~30° ? the <b>whole court</b> in frame, players never
cropped.</p>
357             </div>
358             <div class="card">
359                 <div class="ic" aria-hidden="true">?</div>
360                 <h3 data-i18n="site.record.settings.title">Settings</h3>
361                 <p data-i18n-html="site.record.settings.body"><b>1080p+</b>, landscape, <b>30
fps</b> for badminton (60 fps for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps
find rallies.</p>
362             </div>
363             <div class="card">
364                 <div class="ic" aria-hidden="true">?</div>
365                 <h3 data-i18n="site.record.still.title">Keep it still</h3>
366                 <p data-i18n-html="site.record.still.body">Fixed tripod or mount. <b>No panning,
no zooming</b> during play ? a steady, full-court view is what the tool is tuned for.</p>
367             </div>
368             <div class="card">
369                 <div class="ic" aria-hidden="true">?</div>
370                 <h3 data-i18n="site.record.upload.title">Record & upload</h3>
371                 <p data-i18n-html="site.record.upload.body">Even lighting, then record the
<b>whole session</b> and upload it as-is ? KhelSutra finds the rallies and does the cutting.</p>
372             </div>
373         </div>
374
375         <div style="text-align:center;margin-top:1.6rem">
376             <a class="btn btn-dark" href="/capture" data-i18n="site.record.checklistCta">Full
1-page capture checklist ?</a>
377         </div>
378     </div>
379 </section>
380
381 <section id="diff" style="padding-top:0">
382     <div class="wrap">
383         <div class="split">
384             <div>
385                 <div class="kicker" style="font-size:.82rem;font-weight:700;letter-
spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>
386                 <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
387                 <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of

```

video ? and then almost never watch it, because cutting it into useful clips by hand is tedious. The good rallies stay buried.</p>

388 <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy, multi-court hall is exactly where ordinary video tools choke. Pulling the <b style="color:var(--tx)">real rallies out of busy, multi-court footage is the hard problem KhelSutra is built for. It already works very well on clean, single-court recordings ? and the multi-court case is what we're sharpening now.</p>

389 </div>

390 <div class="panel">

391 Capture tip

392 <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>

393 <p>Camera behind the court, slightly elevated, whole court in frame. Keep it still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session, upload as-is. KhelSutra does the cutting.</p>

394 </div>

395 </div>

396 </div>

397 </section>

398

399 <section id="sharper" style="background:#EFF4EC">

400 <div class="wrap">

401 <div class="sec-head">

402 <div class="kicker">What makes it different</div>

403 <h2>It gets sharper from real academy footage</h2>

404 <p>The footage real academies contribute ? especially the busy multi-court halls ? is what makes KhelSutra better over time. Early users aren't just customers; they're co-builders.</p>

405 </div>

406 <div class="grid g3">

407 <div class="card">

408 <div class="ic" aria-hidden="true">?</div>

409 <h3>Improves with the library</h3>

410 <p>When you choose to share footage and coaches confirm what it found, that growing labelled library is what sharpens future versions ? rather than staying frozen.</p>

411 </div>

412 <div class="card">

413 <div class="ic" aria-hidden="true">?</div>

414 <h3>Your data stays yours</h3>

415 <p>We never use your video to improve the tool without your clear, explicit opt-in. We never publish your footage. You decide what, if anything, you share.</p>

416 </div>

417 <div class="card">

418 <div class="ic" aria-hidden="true">?</div>

419 <h3>Minors are protected</h3>

420 <p>Footage involving minors is never used to improve the tool and is never published ? full stop.</p>

421 </div>

422 </div>

423 <div class="honest">

424 Read this honestly:

425 <p>Today the tool gives you rally detection, reels, and summaries. It does not retrain itself as you use it, and there's no per-person tracking. "Gets sharper over time" is the model we're building toward, powered by contributed footage ? not a switch that's already on.</p>

426 </div>

427 </div>

428 </section>

429

430 <section id="ask">

431 <div class="wrap">

432 <div class="sec-head">

433 <div class="kicker">Coming next to the alpha</div>

434 <h2>Soon: ask for the exact reel you want</h2>

435 <p>Your match is already a clean index of rallies ? so the natural next step is to let you build any reel just by describing it, in plain English. This is rolling out to alpha

```

users.</p>
436     </div>
437     <div class="grid g3 ask-grid">
438         <div class="card askc">
439             <div class="q"><i>?</i>Every rally over 10 seconds?</div>
440             <div class="a"><i>?</i> 6 rallies · a 1:32 reel of the long, end-to-end
battles</div>
441         </div>
442         <div class="card askc">
443             <div class="q"><i>?</i>Just the third game, longest first?</div>
444             <div class="a"><i>?</i> 12 rallies, reordered by length ? that game only</div>
445         </div>
446         <div class="card askc">
447             <div class="q"><i>?</i>The 8 best rallies from today?</div>
448             <div class="a"><i>?</i> an 8-clip highlight from your latest session</div>
449         </div>
450     </div>
451     <p class="ask-note"><b style="color:var(--tx)">Rolling out now.</b> Targeted asks ?
by rally length, count, order, or which game ? come first; shot-type and player queries follow
as the deeper analysis arrives.</p>
452 </div>
453 </section>
454
455 <section id="roadmap">
456     <div class="wrap">
457         <div class="sec-head">
458             <div class="kicker">Where it's going</div>
459             <h2>Toward an AI assistant coach</h2>
460             <p>Fed by the growing video library, KhelSutra is heading from "finds rallies" to
a genuine training companion. This is the direction ? not today's buttons.</p>
461         </div>
462         <div class="road">
463             <div class="step"><div class="n">?</div><h3>Shot detection</h3><p>Smashes, drops,
net shots, serves and clears within each rally.</p></div>
464             <div class="step"><div class="n">?</div><h3>Deeper analysis</h3><p>Per-rally and
per-match patterns ? what's working and what isn't.</p></div>
465             <div class="step"><div class="n">?</div><h3>Per-match history</h3><p>Track
progress over weeks and months, not just one clip.</p></div>
466             <div class="step"><div class="n">?</div><h3>Assistant coach</h3><p>Surfaces what
to work on next ? supports the real coach, never replaces.</p></div>
467             <div class="step"><div class="n">?</div><h3>More sports & languages</h3><p>Table
tennis next; Kannada and Hindi alongside English.</p></div>
468         </div>
469     </div>
470 </section>
471
472 <section id="not" style="padding-top:0">
473     <div class="wrap">
474         <div class="sec-head">
475             <div class="kicker">So expectations stay honest</div>
476             <h2>What KhelSutra is not</h2>
477         </div>
478         <ul class="nots">
479             <li><i aria-hidden="true">?</i><span>An early, invite-only trial ? useful, but
still improving. You'll hit rough edges.</span></li>
480             <li><i aria-hidden="true">?</i><span>Not a line-calling, scoring, or umpiring
system.</span></li>
481             <li><i aria-hidden="true">?</i><span>Not player tracking or
identification.</span></li>
482             <li><i aria-hidden="true">?</i><span>Not a replacement for a coach ? a tool that
saves time and adds insight.</span></li>
483             <li><i aria-hidden="true">?</i><span>Shot detection and deeper analytics are on
the roadmap, not available today.</span></li>
484             <li><i aria-hidden="true">?</i><span>Pricing isn't set ? today's invited use is
about getting it right.</span></li>

```

```

485         </ul>
486     </div>
487 </section>
488
489 <section id="faq" style="background:#EFF4EC">
490     <div class="wrap">
491         <div class="sec-head">
492             <div class="kicker">Quick answers</div>
493             <h2>Common questions</h2>
494         </div>
495         <div style="margin-top:1.6rem">
496             <details><summary>How accurate is it?</summary><p>Very good on a clean, single-
court recording. A busy multi-court hall is harder ? and is exactly what we're improving. The
best answer is to show you a sample reel of your own court rather than quote a
number.</p></details>
497             <details><summary>Can I choose which rallies go in the reel?</summary><p>Today
your reel includes the rallies KhelSutra found, with the dead time removed. Choosing by length,
count, order or which game ? just by asking in plain English ? is rolling out to alpha users
next; shot-type and player queries follow as the deeper analysis arrives.</p></details>
498             <details><summary>Do I need a special camera or hardware?</summary><p>No. A phone
or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture
checklist at setup.</p></details>
499             <details><summary>Is my video private? What happens to it?</summary><p>We treat
your footage as private: we never publish it, and we never use it to improve the tool without
your explicit opt-in. These are large videos that need real processing, so your video is handled
securely on our infrastructure to make your reel. Footage involving minors is never used and
never published.</p></details>
500             <details><summary>Does it work for doubles and tournaments?</summary><p>It finds
rallies in doubles too. Tournament footage varies ? a clean, fixed, full-court recording works
well; crowded multi-court tournament halls are the hard case we're specifically working
on.</p></details>
501             <details><summary>Which sports?</summary><p>Badminton today. Table tennis and
other racket sports are on the roadmap.</p></details>
502             <details><summary>How do I join?</summary><p>It's an invite-only private trial.
Just <a href="#join">request access</a> using the form ? it takes a minute, you'll see a real
sample reel right away, and we'll be in touch about recording your own court.</p></details>
503         </div>
504     </div>
505 </section>
506
507 <section id="join" style="padding-bottom:90px">
508     <div class="wrap">
509         <div class="sec-head" style="text-align:center;max-width:none">
510             <div class="kicker">Request access</div>
511             <h2>Get into the KhelSutra alpha</h2>
512             <p>Invite-only. Tell us a little about your setup ? it helps us get you the best
results, and shapes what we build next.</p>
513             <p style="font-weight:600;color:var(--green-d);margin-top:.6rem"><span aria-
hidden="true">?</span> Sign up to watch the tool in action ? and a 30-second sample reel it made
? the moment you're in.</p>
514         </div>
515
516         <form id="af" class="af" novalidate>
517             <div class="row">
518                 <label>I'm a?</label>
519                 <div class="seg">
520                     <label><input type="radio" name="segment" value="academy"
required><span>Coaching academy / club</span></label>
521                     <label><input type="radio" name="segment" value="individual"><span>Individual
player</span></label>
522                 </div>
523             </div>
524
525             <div class="row">
526                 <label for="af-name">Name</label>

```

```

527         <input id="af-name" name="name" type="text" autocomplete="name" required>
528     </div>
529     <div class="row">
530         <label for="af-email">Email <span class="hint">(so we can reach
you)</span></label>
531         <input id="af-email" name="email" type="email" autocomplete="email" required>
532     </div>
533     <div class="row">
534         <label for="af-city">City <span class="hint">(optional)</span></label>
535         <input id="af-city" name="city" type="text">
536     </div>
537
538     <div class="row acad">
539         <label for="af-org">Academy / club name <span
class="hint">(optional)</span></label>
540         <input id="af-org" name="org_name" type="text">
541     </div>
542     <div class="row acad">
543         <label for="af-courts">How many courts do you record? <span
class="hint">(optional)</span></label>
544         <select id="af-courts" name="courts">
545             <option value="">Select?</option>
546             <option value="1">1 court</option>
547             <option value="2-4">2?4 courts</option>
548             <option value="5+">5+ courts</option>
549         </select>
550     </div>
551
552     <div class="row">
553         <label data-i18n="site.join.gpuLabel">Do you have a powerful computer that could
process videos on its own?</label>
554         <div class="hint" style="margin:-.2rem 0 .5rem" data-i18n="site.join.gpuHint">A
gaming PC or laptop with a graphics card. No worries if not ? we can run it in the cloud for
you.</div>
555         <div class="opts">
556             <label><input type="radio" name="has_gpu" value="yes"><span
data-i18n="site.join.gpuYes">Yes ? a gaming PC or laptop with a graphics card</span></label>
557             <label><input type="radio" name="has_gpu" value="unsure"><span
data-i18n="site.join.gpuUnsure">Not sure</span></label>
558             <label><input type="radio" name="has_gpu" value="no"><span
data-i18n="site.join.gpuNo">No</span></label>
559             <label><input type="radio" name="has_gpu" value="prefer-cloud"><span
data-i18n="site.join.gpuCloud">No ? please run it in the cloud for me</span></label>
560         </div>
561     </div>
562
563     <div class="row">
564         <label><span data-i18n="site.join.storageLabel">Where do your match videos live?
How would you share them?</span> <span class="hint" data-i18n="site.join.storageHint">(pick
any)</span></label>
565         <div class="opts">
566             <label><input type="checkbox" name="storage" value="gdrive"><span
data-i18n="site.join.storageGdrive">Google Drive</span></label>
567             <label><input type="checkbox" name="storage" value="onedrive"><span
data-i18n="site.join.storageOnedrive">OneDrive / Microsoft 365</span></label>
568             <label><input type="checkbox" name="storage" value="dropbox"><span
data-i18n="site.join.storageDropbox">Dropbox</span></label>
569             <label><input type="checkbox" name="storage" value="bucket"><span
data-i18n="site.join.storageBucket">A cloud storage bucket ? advanced (e.g. Amazon S3, Google
Cloud)</span></label>
570             <label><input type="checkbox" name="storage" value="local"><span
data-i18n="site.join.storageLocal">SD card or the device itself</span></label>
571             <label><input type="checkbox" name="storage" value="unsure"><span
data-i18n="site.join.storageUnsure">Not sure</span></label>
572         </div>

```

```

573         </div>
574
575         <div class="row">
576             <label for="af-msg">Anything else? <span class="hint">(how you record, what
you'd want?)</span></label>
577             <textarea id="af-msg" name="message"></textarea>
578         </div>
579
580         <div class="row consent">
581             <input id="af-consent" name="consent" type="checkbox" value="yes">
582             <label for="af-consent" style="margin:0;font-weight:400;color:var(--mut)">Okay
to email me about the KhelSutra alpha.</label>
583         </div>
584
585         <input class="hp" type="text" name="company" tabindex="-1" autocomplete="off"
aria-hidden="true">
586
587         <button class="btn btn-primary" type="submit" style="width:100%;justify-
content:center">Request access</button>
588         <p class="hint" style="text-align:center;margin:.85rem 0 0">We never publish your
footage; footage involving minors is never used to improve the tool.</p>
589     </form>
590
591     <p id="af-done" class="form-done" hidden>Thanks ? we've got it. We'll be in touch at
the email you gave. ?<br><span style="font-weight:400;color:var(--mut)">While you're here: see
the tool in action, and a real 30-second reel it made.</span></p>
592     <div id="reel-reveal" hidden></div>
593 </div>
594 </section>
595
596 <footer>
597     <div class="wrap foot">
598         <div>
599             <div class="brand" style="font-size:1.05rem">Khel<span class="play" aria-
hidden="true"></span>Sutra</div>
600             <div class="stamp" style="margin-top:.4rem">Automatic badminton highlights .
Bengaluru, India</div>
601         </div>
602         <div style="text-align:right">
603             <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> . <a
href="https://khelsutra.guru">khelsutra.guru</a></div>
604             <div style="margin-top:.4rem">Academy flyer (print): <a href="/flyer"
hreflang="en">English</a> . <a href="/flyer-kn" hreflang="kn" lang="kn">?????</a> . <a
href="/flyer-hi" hreflang="hi" lang="hi">?????</a></div>
605             <div class="stamp" style="margin-top:.4rem">© 2026 KhelSutra . Invite-only alpha .
Reels carry a "Generated by Khelsutra.guru" mark</div>
606         </div>
607     </div>
608 </footer>
609
610 <!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ?
Web Analytics ? Add a site.
611     (Or skip this snippet entirely and enable "Automatic setup" once the domain is
proxied through Cloudflare.) -->
612     <script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon='{ "token": "REPLACE_WITH_CF_TOKEN" }'></script>
613
614     <script>
615     (function(){
616         var f = document.getElementById('af');
617         if(!f) return;
618
619         var REEL_VIDEO = 'ajTCZ7pJW_o', REEL_SECS = 30;
620         function loadYTApi(cb){

```

```

621     if(window.YT && window.YT.Player) return cb();
622     var prev = window.onYouTubeIframeAPIReady;
623     window.onYouTubeIframeAPIReady = function(){ if(typeof prev === 'function'){ prev();
} cb(); };
624     if(!document.getElementById('yt-iframe-api')){
625         var s = document.createElement('script');
626         s.id = 'yt-iframe-api'; s.src = 'https://www.youtube.com/iframe_api';
627         document.head.appendChild(s);
628     }
629 }
630 function revealAfterSignup(){
631     var host = document.getElementById('reel-reveal');
632     if(!host) return;
633     host.hidden = false;
634     // A2: localized "Share on WhatsApp" CTA. The reveal is injected after sign-up
(outside the static
635     // data-i18n walk), so we pull copy from the shim bridge (window.KhelSutra.t) with
an en fallback.
636     var ksT = (window.KhelSutra && window.KhelSutra.t) || function(){ return undefined;
};
637     var shareText = ksT('site.reveal.shareText') || 'Check out KhelSutra ? it turns a
full badminton match into a clean highlights reel ? khelsutra.guru';
638     var shareLabel = ksT('site.reveal.share') || 'Share on WhatsApp';
639     var waHref = 'https://wa.me/?text=' + encodeURIComponent(shareText);
640     // (1) the TOOL in action ? a self-hosted, FOOTAGE-FREE screencast (branded reel
placeholder),
641     //      so it's safe to autoplay openly; (2) a real reel preview (gated nocookie
YouTube). BOTH
642     //      stay visible together; the auto-close PAUSES while the reel is playing (so a
viewer is
643     //      never cut off mid-watch) and a manual ? closes it on demand.
644     host.innerHTML =
645         '<div class="reveal-bar"><button type="button" id="reel-close" class="reveal-x"
aria-label="Close the videos">? Close</button></div>'
646         + '<p class="reveal-h">1 · The tool in action</p>'
647         + '<video class="tool-vid" src="/video/tool-cuj.mp4" autoplay muted loop
playsinline controls preload="metadata"></video>'
648         + '<p class="reveal-h">2 · A real reel it made</p>'
649         + '<div class="reelwrap"><div id="reel-player"></div></div>'
650         + '<div style="text-align:center;margin-top:.9rem"><a id="reel-share" class="btn
btn-primary" target="_blank" rel="noopener noreferrer" href="' + waHref + '"><span aria-
hidden="true">?</span> ' + shareLabel + '</a></div>'
651         + '<p class="stamp" style="text-align:center;margin-top:.6rem">Generated by
Khelsutra.guru · auto-closes <span id="reel-count">' + REEL_SECS + '</span>s after the reel
stops ? or close it anytime</p>';
652     var n = REEL_SECS, el = document.getElementById('reel-count'), player = null, hold =
false, closed = false;
653     function close(){
654         if(closed) return; closed = true;
655         clearInterval(iv);
656         try{ if(player){ player.destroy(); } }catch(_){ }
657         host.innerHTML = ''; host.hidden = true;
658     }
659     var iv = setInterval(function(){
660         if(hold) return; // the reel is playing ? hold the timer (no
mid-watch cut-off)
661         n--; if(el){ el.textContent = n; }
662         if(n <= 0){ close(); }
663     }, 1000);
664     var x = document.getElementById('reel-close'); if(x){ x.addEventListener('click',
close); }
665     loadYTapi(function(){
666         player = new YT.Player('reel-player', {
667             width: '100%', height: '100%', videoId: REEL_VIDEO,
668             host: 'https://www.youtube-nocookie.com',

```

```

669         playerVars: { autoplay: 1, rel: 0, modestbranding: 1, playsinline: 1 },
670         events: {
671             onReady: function(e){
672                 var dur = Math.floor(e.target.getDuration() || 0);
673                 var maxStart = Math.max(0, dur - REEL_SECS);           // start so a full
~30s window plays before the end
674                 var start = maxStart > 0 ? Math.floor(Math.random() * (maxStart + 1)) : 0;
675                 host.setAttribute('data-reel-start', String(start)); // a different chunk
each sign-up
676                 e.target.seekTo(start, true);
677                 e.target.playVideo();
678             },
679             onStateChange: function(e){ hold = (e.data === 1); }      // 1 = PLAYING ? hold
the auto-close
680         }
681     });
682 });
683 }
684
685 f.addEventListener('change', function(e){
686     if(e.target.name === 'segment') f.classList.toggle('is-academy', e.target.value ===
'academy');
687 });
688 function mailtoFallback(p){
689     var lines = [
690         'Segment: ' + (p.segment||''),
691         'Name: ' + (p.name||''),
692         'Email: ' + (p.email||''),
693         'City: ' + (p.city||''),
694         p.segment === 'academy' ? 'Academy: ' + (p.org_name||'') + ' (' + (p.courts||'')
+ ' courts)' : null,
695         'GPU: ' + (p.has_gpu||''),
696         'Storage: ' + ((p.storage||[]).join(', ')),
697         'Message: ' + (p.message||''),
698         'Consent: ' + (p.consent ? 'yes' : 'no')
699     ].filter(Boolean).join('\n');
700     return 'mailto:hello@khelsutra.guru?subject=' + encodeURIComponent('KhelSutra alpha
access') +
701         '&body=' + encodeURIComponent('Hi KhelSutra team, I would like to try the
alpha.\n\n' + lines);
702     }
703 f.addEventListener('submit', async function(e){
704     e.preventDefault();
705     if(f.company && f.company.value) return;           // honeypot: silently drop bots
706     if(!f.checkValidity()){ f.reportValidity(); return; }
707     // Immediate, obvious "submitting" state ? the Worker + D1 + email round-trip can
take a beat,
708     // and a static button looked frozen.
709     var btn = f.querySelector('button[type="submit"]');
710     var btnHTML = btn ? btn.innerHTML : '';
711     if(btn){ btn.disabled = true; btn.setAttribute('aria-busy','true'); btn.innerHTML =
'<span class="spin" aria-hidden="true"></span> Sending?'; }
712     var fd = new FormData(f);
713     var p = {
714         segment: fd.get('segment'), name: fd.get('name'), email: fd.get('email'),
715         city: fd.get('city'), org_name: fd.get('org_name'), courts: fd.get('courts'),
716         has_gpu: fd.get('has_gpu'), storage: fd.getAll('storage'),
717         message: fd.get('message'), consent: !!fd.get('consent')
718     };
719     var ok = false;
720     try {
721         var r = await fetch('/api/request-access', {method:'POST', headers:{'content-
type':'application/json'}, body: JSON.stringify(p)});
722         ok = r.ok;
723     } catch(_){ ok = false; }

```



```

724         if(ok){
725             f.hidden = true;
726             document.getElementById('af-done').hidden = false;
727             revealAfterSignup();
728         }
729         else {
730             // Restore the button so the user isn't left with a frozen "Sending?", then fall
back to email.
731             if(btn){ btn.disabled = false; btn.removeAttribute('aria-busy'); btn.innerHTML =
btnHTML; }
732             window.location.href = mailtoFallback(p);    // backend not live yet ? prefilled
email
733         }
734     });
735 }());
736 </script>
737
738 </body>
739 </html>
740

```

6. assistant (2026-06-21T22:23:29.383Z)

Now I have the home header CSS. The key finding: at `max-width:860px` the `.nav-links` are hidden, but the `.nav-right` (langsw + Request access CTA) stays inline with the brand and `.nav{height:66px}` doesn't grow. Let me check the capture and own-model headers to assess consistency.

7. user (2026-06-21T22:23:30.923Z)

```

23: .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
24: .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
25: .langsw button:hover{opacity:1}
26: .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
58: @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
59: @media print{
73:   <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">

```

8. user (2026-06-21T22:23:31.875Z)

```

29: .nav-right{display:flex;align-items:center;gap:1rem}
30: .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
31: .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
32: .langsw button:hover{opacity:1}
33: .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
67: @media (max-width:680px){.nots,.moat,.shots{grid-template-columns:1fr}}
83:   <div class="nav-right">
84:     <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
94:   <div class="nav"><a href="/">? KhelSutra home</a><a href="#annotate">Annotate</a><a
href="#train">Train your own model</a><a href="#setup">Setup &amp; use</a></div>

```

9. assistant (2026-06-21T22:23:36.443Z)

Now let me read the header markup/CSS for capture and own-model to understand their distinct header structures (they look like dark stacked headers in the screenshots, unlike the home's

light bar).

10. user (2026-06-21T22:23:37.207Z)

```
1      <!doctype html>
2      <html lang="en">
3      <head>
4      <meta charset="utf-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1" />
6      <title>KhelSutra ? 1-page capture checklist</title>
7      <meta name="description" content="How to record a badminton session so KhelSutra gives
you great highlight reels: camera placement, settings, stability, lighting." />
8      <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
9      <link rel="preconnect" href="https://fonts.googleapis.com" />
10     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
11     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
12     <style>
13         :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--
mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans
Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
14         *{box-sizing:border-box}
15         body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.5;-webkit-font-smoothing:antialiased}
16         .sheet{max-width:820px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
17         .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-
items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
18         .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
19         .brand .dot{color:var(--green)}
20         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
21         .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
22         /* persistent language switcher (B3) ? inherits header text colour, green fill =
active */
23         .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
24         .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
25         .langsw button:hover{opacity:1}
26         .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
27         .body{padding:24px 30px 8px}
28         .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
29         .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BfE6D2;border-
radius:12px;padding:14px 16px;margin-bottom:20px}
30         .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
31         .rule b{color:var(--tx)}
32         .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
33         /* A7: camera-placement diagram */
34         .diagram{margin:0 0 22px;text-align:center}
35         .diagram svg{display:block;margin:0 auto;width:100%;max-width:520px;height:auto}
36         .diagram figcaption{font-size:.82rem;color:var(--mut);margin-top:.3rem}
37         .legend{list-style:none;margin:.7rem auto 0;padding:0;max-width:520px;text-
align:left;display:grid;gap:.35rem;font-size:.9rem;color:#34453d}
38         .legend li{display:flex;gap:.5rem;align-items:flex-start}
39         .legend .mk{color:var(--green-d);font-weight:700;flex:none}
40         .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
41         .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-
weight:700;margin:0 0 .4rem}
42         .step h3 .n{width:24px;height:24px;border-
```

```

radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
43     .step ul{margin:0;padding-left:1.1rem}
44     .step li{margin:.18rem 0;font-size:.92rem;color:#34453d}
45     .step li b{color:var(--tx)}
46     .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid
var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
47     .cols div{padding:14px 16px}
48     .cols .do{background:#EAF6EF}
49     .cols .dont{background:#Fbeeeb;border-left:1px solid var(--line)}
50     .cols h4{margin:0 0 .5rem;font-size:.92rem}
51     .cols .do h4{color:var(--green-d)}
52     .cols .dont h4{color:#9a3b22}
53     .cols ul{margin:0;padding-left:1.1rem}
54     .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
55     .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-
top:6px;padding:14px 0 4px}
56     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px
30px 24px;color:var(--mut);font-size:.85rem}
57     .foot a{color:var(--green-d);text-decoration:none}
58     @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
59     @media print{
60         body{background:#fff}
61         .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
62         @page{margin:12mm}
63         .noprnt{display:none}
64     }
65 </style>
66 </head>
67 <body>
68 <script type="module" src="/i18n.js"></script>
69 <div class="sheet">
70     <div class="head">
71         <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
72         <h1 data-i18n="site.capture.title">1-page capture checklist</h1>
73         <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
74             <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
75             <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
76             <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
77         </div>
78     </div>
79     <div class="body">
80         <p class="intro" data-i18n="site.capture.intro">Great highlights start with a
steady, full-court recording. Five minutes of setup makes a big difference to your reels.</p>
81
82         <div class="rule">
83             <span class="star" aria-hidden="true">?</span>
84             <div>
85                 <b data-i18n="site.capture.ruleLead">The golden rule: one match, one court, in
full frame ? and don't move the camera.</b>
86                 <p data-i18n="site.capture.ruleRest">Multi-court footage is the hard case we're
still sharpening; a single court in frame gives the best results today.</p>
87             </div>
88         </div>
89
90         <figure class="diagram">

```

11. assistant (2026-06-21T22:23:41.624Z)

Now the own-model header markup and its media query.

12. user (2026-06-21T22:23:42.943Z)

```
12     <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
13     <style>
14         :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--lime:#C7F2B0;--paper:#F6F8F4;-
-tx:#14271F;--mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto
Sans Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
15         *{box-sizing:border-box}
16         body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.6;-webkit-font-smoothing:antialiased}
17         a{color:var(--green-d)}
18         .sheet{max-width:880px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
19         .head{background:var(--ink);color:#EAF3EE;padding:24px 32px}
20         .head .top{display:flex;align-items:center;justify-content:space-
between;gap:1rem;flex-wrap:wrap}
21         .brand{display:flex;align-items:center;gap:.5rem;font-weight:800;font-
size:1.2rem;color:#fff;text-decoration:none}
22         .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
23         .head h1{font-size:clamp(1.5rem,3.5vw,2.1rem);font-weight:800;letter-
spacing:-.02em;margin:1rem 0 0;max-width:20ch}
24         .head h1 .hl{color:var(--lime)}
25         .head p{color:#A7C3B7;margin:.7rem 0 0;max-width:62ch}
26         .head .nav{display:flex;gap:1rem;font-size:.9rem;margin-top:1rem;flex-wrap:wrap}
27         .head .nav a{color:var(--lime);text-decoration:none}
28         /* persistent language switcher (B3) ? inherits header text colour, green fill =
active */
29         .nav-right{display:flex;align-items:center;gap:1rem}
30         .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}
31         .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
32         .langsw button:hover{opacity:1}
33         .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
34         .body{padding:26px 32px 8px}
35         .sec{padding:18px 0;border-top:1px solid var(--line)}
36         .sec:first-child{border-top:0}
37         .kick{font-size:.78rem;font-weight:700;letter-spacing:.06em;text-
transform:uppercase;color:var(--green-d)}
38         .sec h2{font-size:1.4rem;font-weight:800;letter-spacing:-.01em;margin:.35rem 0 0}
39         .sec p{color:#34453d;margin:.6rem 0 0}
40         .pill{display:inline-block;font-size:.72rem;font-weight:700;border-
radius:999px;padding:.2rem .6rem;margin-left:.4rem;vertical-align:.12em}
41         .pill.live{background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.35)}
42         .pill.build{background:#FAEEDA;color:#854F0B;border:1px solid #EF9F27}
43         ol,ul{margin:.6rem 0 0;padding-left:1.2rem}
44         li{margin:.25rem 0;color:#34453d}
45         li b{color:var(--tx)}
46         code{font-family:ui-monospace,SFMono-Regular,Menlo,Consolas,monospace;font-
size:.86em;background:#EEF3EC;border:1px solid var(--line);border-radius:5px;padding:.05rem
.35rem}
47         pre{background:#0C261F;color:#EAF3EE;border-radius:10px;padding:14px
16px;overflow:auto;margin:.8rem 0 0;font-size:.84rem;line-height:1.5}
48         pre code{background:none;border:0;padding:0;color:inherit}
49         .honest{display:flex;gap:.7rem;background:#fff;border:1px solid var(--line);border-
left:4px solid var(--green);border-radius:0 10px 10px 0;padding:12px 16px;margin:.9rem 0 0}
50         .honest b{color:var(--tx)}
51         .honest p{margin:.2rem 0 0;color:var(--mut);font-size:.93rem}
52         .notes{list-style:none;padding:0;margin:.8rem 0 0;display:grid;grid-template-
```

```

columns:1fr 1fr;gap:8px}
53     .notes li{display:flex;gap:.5rem;background:#FBF0ED;border:1px solid #f0d6cc;border-
radius:8px;padding:.5rem .7rem;color:#6b3a2a;font-size:.9rem;margin:0}
54     .moat{display:grid;grid-template-columns:1fr 1fr;gap:10px;margin-top:.8rem}
55     .moat div{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:10px;padding:10px
12px}
56     .moat h4{margin:0;font-size:.92rem;color:var(--green-d)}
57     .moat p{margin:.2rem 0 0;font-size:.86rem;color:#34453d}
58     .shot{display:flex;align-items:center;justify-content:center;text-
align:center;background:#EEF3EC;border:1px dashed #BfD3C6;border-
radius:10px;color:var(--mut);font-size:.82rem;padding:18px;margin-top:.8rem;min-height:96px}
59     .ghbtn{display:inline-flex;align-
items:center;gap:.5rem;background:#0C261F;color:#fff;font-weight:600;font-size:.9rem;text-
decoration:none;border-radius:999px;padding:.5rem .95rem;margin-top:.9rem}
60     .cta{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:12px;padding:16px
18px;margin:18px 0 6px;text-align:center}
61     .cta a{display:inline-block;background:var(--green);color:#04140D;font-
weight:700;text-decoration:none;border-radius:999px;padding:.6rem 1.3rem;margin-top:.5rem}
62     table{border-collapse:collapse;margin-top:.8rem;font-size:.86rem;width:100%}
63     th,td{border:1px solid var(--line);padding:.35rem .55rem;text-align:left}
64     th{background:#EEF3EC}
65     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:16px
32px 26px;color:var(--mut);font-size:.85rem}
66     .foot a{text-decoration:none}
67     @media (max-width:680px){.notes,.moat,.shots{grid-template-columns:1fr}}
68     /* annotation-tool screenshots (no footage/people ? pure UI) */
69     .shots{display:grid;grid-template-columns:1fr 1fr;gap:14px;margin-top:.9rem}
70     .shots figure{margin:0}
71     .shots img{width:100%;height:auto;display:block;border:1px solid var(--line);border-
radius:10px}
72     .shots figcaption{margin-top:.4rem;font-size:.82rem;color:var(--mut)}
73     .sample{background:#EAF6EF;border:1px solid #BfE6D2;border-radius:10px;padding:11px
14px;margin:0 0 4px;font-size:.92rem;color:#34453d}
74     .sample a{font-weight:600}
75     </style>
76     </head>
77     <body>
78     <script type="module" src="/i18n.js"></script>
79     <div class="sheet">
80     <div class="head">
81     <div class="top">
82     <a class="brand" href="/">Khel<span class="play" aria-
hidden="true"></span>Sutra</a>
83     <div class="nav-right">
84     <div class="langsw" role="group" aria-label="Language" data-i18n="lang.label"
data-i18n-attr="aria-label">
85     <button type="button" data-lang="en" data-i18n="lang.en" lang="en" aria-
pressed="true">English</button>
86     <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn" aria-
pressed="false">?????</button>
87     <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi" aria-
pressed="false">?????</button>
88     </div>
89     <a href="/#join" style="color:#C7F2B0;font-weight:600;text-decoration:none"
data-i18n="site.ownModel.requestAccess">Request access ?</a>
90     </div>
91     </div>
92     <h1>Annotate your footage. <span class="hl">Train a model that's yours.</span></h1>
93     <p>You can't train Gemini or GPT on your court footage. KhelSutra's direction is the
inverse ? a small, <b style="color:#EAF3EE">owned</b> rally model where the moat is your
consented dataset, on a commercially-clean, inspectable stack you control.</p>
94     <div class="nav"><a href="/">? KhelSutra home</a><a href="#annotate">Annotate</a><a
href="#train">Train your own model</a><a href="#setup">Setup &amp; use</a></div>
95     </div>
96

```

```

97     <div class="body">
98
99         <p class="sample">? <b>Want to see what KhelSutra produces?</b> A real sample reel
plays the moment you <a href="/#join">request access</a>.</p>
100
101         <section class="sec" id="annotate">
102             <div class="kick">Step 1 · real and shipping today</div>
103             <h2>Annotate your footage <span class="pill live">live today</span></h2>
104             <p><b>rally-annotator</b> is a free, open-source (MIT) <b>VLC plugin</b> that
turns "watch a match" into golden labels. While you watch your own video in VLC, you mark each
rally's start and end plus how the point ended; it writes one row per rally to a plain CSV next
to your video. <b>Your footage never leaves your machine.</b> It covers five net-separated
racquet sports (badminton, tennis, table tennis, pickleball, padel).</p>
105             <a class="ghbtn" href="https://github.com/Khelsutra/rally-annotator"><svg
width="16" height="16" viewBox="0 0 16 16" fill="currentColor" aria-hidden="true"><path d="M8
0C3.58 0 0 3.58 0 8a8 8 0 0 0 5.47 7.59c.4.07.55-.17.55-.38 0-.19-.01-.82-.01-1.49-2.01.37-2.53-
.49-2.69-.94-.09-.23-.48-.94-.82-1.13-.28-.15-.68-.52-.01-.53.63-.01 1.08.58 1.23.82.72 1.21
1.87.87 2.33.66.07-.52.28-.87.51-1.07-1.78-.2-3.64-.89-3.64-3.95
0-.87.31-1.59.82-2.15-.08-.2-.36-1.02.08-2.12 0 0 .67-.21 2.2.82a7.4 7.4 0 0 1 2-.27c.68 0
1.36.09 2 .27 1.53-1.04 2.2-.82 2.2-.82.44 1.1.16 1.92.08 2.12.51.56.82 1.27.82 2.15 0 3.07-1.87
3.75-3.65 3.95.29.25.54.73.54 1.48 0 1.07-.01 1.93-.01 2.2 0 .21.15.46.55.38A8 8 0 0 0 16
8c0-4.42-3.58-8-8-8Z"/></svg> github.com/Khelsutra/rally-annotator</a>
106             <div class="shots">

```

13. assistant (2026-06-21T22:23:53.564Z)

I now have full context on all three headers. Let me synthesize findings.

Key structural facts:

- **Home (index.html):** light sticky bar, `.nav{height:66px; justify-content:space-between}``. At 7860px `.nav-links`` are hidden, but brand + langsw + "Request access" CTA remain in ONE row at fixed 66px height. Screenshots confirm severe overflow: the langsw eats most of the width, the brand "KhelSutra" wraps awkwardly behind the switcher with the play-triangle splitting "Khel" / "Sutra", and "Request access" is clipped off the right edge (cut to "Requ / acce") with the dark CTA pill bleeding off-screen.
- **Capture (capture.html):** dark `.head`` with ``flex-wrap:wrap``; brand + h1 title + langsw. Wraps cleanly to a stacked layout on mobile. No CTA. Looks fine.
- **Own-model (own-model.html):** dark `.head .top`` with ``flex-wrap:wrap``; brand + (langsw + Request access). Wraps cleanly; mobile shows langsw + "Request access ?" on its own row. Looks fine.

So the three headers are structurally inconsistent (home is a different beast) and only the home one overflows.

Let me verify the desktop-kn home header crowding detail (nav links + switcher) which the screenshot showed as tight.

14. assistant (2026-06-21T22:24:00.424Z)

On desktop-kn home: the nav links are present but the Kannada labels are longer, and the switcher + green active pill + "????? ?????" CTA sit very tight against the last nav link ("FAQ"/its kn equivalent) ? crowded but not clipped at desktop width. The real failure is mobile.

I have everything needed. Compiling findings.

15. user (2026-06-21T22:24:31.515Z)

Structured output provided successfully

16. assistant (2026-06-21T22:24:44.726Z)

Done. The headline suspicion is confirmed.

****Confirmed: the home (index.html) mobile header overflows.**** Below 860px the nav links are hidden, but the brand + 3-button language switcher + dark "Request access" CTA are pinned into a single non-wrapping, fixed-66px row (`.nav{justify-content:space-between;height:66px}` with no `flex-wrap`). There isn't enough width ? the switcher dominates the center, the brand is squeezed, and the "Request access" CTA is clipped off the right edge (reads "Requ / acce", pill bleeds past the viewport) in **both en and kn**. The primary CTA is unreadable/untappable on the first screen a phone user sees.`

****Root cause is structural inconsistency.**** The home header is a light sticky full-width bar that can't wrap; capture and own-model use dark `.head`` card headers with ``flex-wrap:wrap``, so those two wrap cleanly on mobile and don't clip (verified in their screenshots). The home header is the only one that breaks.

Secondary: on desktop-kn the full 6-link nav + switcher + CTA crowd tightly (longer Kannada labels), fragile to one more link/locale; and mobile has no nav fallback once links are hidden.

Concrete fixes (all in the screenshots-confirmed files):

- Critical: in index.html ``@media (max-width:860px)`` add `.nav{flex-wrap:wrap;height:auto;...}`` + `.nav-right{flex-wrap:wrap}``, and a ``<=480px`` rule stacking brand on its own line.
- Align the three headers' wrap behavior + switcher border token; ideally extract one shared header partial.
- Trim the top nav (drop "Flyer" ? already in footer) and collapse links earlier (``<=1000px``) so wider kn/hi scripts don't crowd.

Full prioritized list with severities and exact CSS/HTML is in the StructuredOutput. The capture and own-model headers need no overflow fixes ? only consistency alignment.