

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_e3715462-63d\agent-a5ed2ca926b9f9aff.jsonl`
- SHA-256: `e894b33a6d346cae9196c6fc395fddfccccf85a53fc098f4a9e42bf329efff4cf`
- Source modified: `2026-06-21T18:39:24+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_e3715462-63d`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T18:34:30.745Z)

You are a strict, native-level Kannada (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json

STEP 2 ? Read the Kannada (?????) translation map (Read tool): undefined/_tmp_kn_flat.json

Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:

MEANING FIDELITY: each translation must preserve the exact meaning including honest caveats ("still sharpening", "alpha", "experimental", "best results today"). Flag added/dropped/altered meaning, over-promising, or a wrong sense (e.g. a wrong term for the badminton "rally", "court", "baseline", "shuttle").

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_kn_meaning.json

Each element: {"key": "<dotted key e.g.

record.place.body>", "severity": "critical"|"minor", "problem": "<short English note>", "suggestion": "<the FULL corrected Kannada (?????) value for that key, preserving tags and literal tokens>"}.</p>
</div>
<div data-bbox=

Command running in background with ID: bazevv8zq. Output is being written to:
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-
khelsutra\dc1aff63-3aec-42ab-897f-41970003f4e1\tasks\bazevv8zq.output. You will be notified when
it completes. To check interim output, use Read on that file path.

7. user (2026-06-21T18:36:40.889Z)

```
total 183998
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609      0 Jun 22  2024 ..
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 01:13 .daba97f7b6f7dab7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:49 .daba9fa6bdfbce7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:20 .daba9faefff1db7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:59 .daba9faeffd79da7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 11:17 .dabab7eff6dffd37-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 22:00 .dabad7a7f6df5a27-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 15:22 .dabad7f6b6d79fa7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 19:43 .dabadfb797d7d87f-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 14 12:27 .dabaf7e6cfffdc7f-00000000.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 10:21 .dabaffffff7f7df7f-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 15:39 .dabb17f7a6f7dcaf-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 20:26 .dabb37a7e7df5867-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 17 20:16 .dabbf7a6b7d71bf7-00000000.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 17 22:23 .dabbffaf96fffc27-00000000.node
-rw-r--r-- 1 avidu 197609      53 Jun 22 00:04 .ses
-rw-r--r-- 1 avidu 197609      0 Jun 21 09:57 000ba9ea-f35a-4529-9510-972f7888c236.tmp
-rw-r--r-- 1 avidu 197609      0 Jun 19 23:26 05642908-21f5-4bdb-8e85-f6e6ea589115.tmp
drwxr-xr-x 1 avidu 197609      0 Jun 14 19:08 084b-d0ae-ced2-b55f
-rw-r--r-- 1 avidu 197609      0 Jun 20 07:24 08d772d2-687b-4bc0-b674-dd627b2abd52.tmp
-rw-r--r-- 1 avidu 197609      0 Jun 19 11:57 095d8928-5c7d-4e0a-a254-5ee07d5476b1.tmp
-rw-r--r-- 1 avidu 197609 2214551 Jun 22 00:04 0ff2ac2f-f98c-40d6-adc4-2e6f703748e2.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  3 14:08 0p52ds2r.m4s
drwxr-xr-x 1 avidu 197609      0 Jun  3 19:52 0qjmaxck.kbk
drwxr-xr-x 1 avidu 197609      0 Jun  3 19:52 0sczkmhg.nex
-rw-r--r-- 1 avidu 197609      0 Jun 22 00:06 14a886fd-9ea2-4684-a72f-c215017504f6.tmp
-rw-r--r-- 1 avidu 197609      0 Jun 22 00:04 18d61d21-05c4-418c-accf-0554da649c29.tmp
-rw-r--r-- 1 avidu 197609      0 Jun 22 00:01 1f8f8612-c64c-47a8-8e21-19685ac9df5e.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  3 17:09 1nhkiabc.bwt
drwxr-xr-x 1 avidu 197609      0 Jun  3 14:15 1uqdyk3r.kt2
-rw-r--r-- 1 avidu 197609      0 Jun 21 23:59 2008ecab-31b1-4dee-8b3d-304f3ced00e9.tmp
drwxr-xr-x 1 avidu 197609      0 Jun 14 07:28 241b-aaa0-aa80-4bec
-rw-r--r-- 1 avidu 197609 1820592 Jun 22 00:05 2a758d72-6ed6-40be-9f35-6badf08b2f92.tmp
-rw-r--r-- 1 avidu 197609 243708 Jun 21 23:56 2ceab1bd-24c3-4611-aea2-2b1f505b3e23.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  4 18:05 2icyfwqr.qug
drwxr-xr-x 1 avidu 197609      0 Jun  3 14:08 32y342iw.a4n
drwxr-xr-x 1 avidu 197609      0 Jun 19 11:57 336d-b31a-c308-6817
-rw-r--r-- 1 avidu 197609      0 Jun 21 09:54 38d4706d-8b5f-4ff1-a1ed-8e4ac7dd4d7b.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  3 14:58 3o0f3jpb.1hm
drwxr-xr-x 1 avidu 197609      0 Jun  4 18:51 3smpsft5.a4l
drwxr-xr-x 1 avidu 197609      0 Jun 19 11:26 4a7a-8021-267e-affa
-rw-r--r-- 1 avidu 197609 13491 Jun 19 21:56 4f4f1e3a-d2f9-46e7-bc1b-9e6aa388c59c.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  3 14:58 4geuibpk.40b
-rw-r--r-- 1 avidu 197609 48799 Jun 21 11:54 549d87f4-758a-43fc-a28e-e1ed0350f54a.tmp
-rw-r--r-- 1 avidu 197609 37454 Jun 20 07:53 56370f17-24df-4e83-8d35-cf06d9507790.tmp
drwxr-xr-x 1 avidu 197609      0 Jun  3 19:52 5bwbmzhs.uwi
drwxr-xr-x 1 avidu 197609      0 Jun 14 19:08 5f8d32e867455fd3e9535703a0c8e3d1
-rw-r--r-- 1 avidu 197609 10151 Jun 21 23:57 6290b1cc-b70f-48cf-b252-eff7cf319ae8.tmp
---TEMP---
total 183998
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609      0 Jun 20 22:57 ..
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 01:13 .daba97f7b6f7dab7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:49 .daba9fa6bdfbce7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:20 .daba9faefff1db7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 19 22:59 .daba9faeffd79da7-0.node
```

```

-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 11:17 .dabab7eff6dfdd37-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 22:00 .dabad7a7f6df5a27-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 15:22 .dabad7f6b6d79fa7-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 20 19:43 .dabadfb797d7d87f-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 14 12:27 .dabaf7e6cfffcd7f-00000000.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 10:21 .dabaffffff7f7df7f-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 15:39 .dabb17f7a6f7dcf-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 21 20:26 .dabb37a7e7df5867-0.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 17 20:16 .dabbf7a6b7d71bf7-00000000.node
-rwxr-xr-x 1 avidu 197609 1510912 Jun 17 22:23 .dabbffaf96fffc27-00000000.node
-rw-r--r-- 1 avidu 197609 53 Jun 22 00:04 .ses
-rw-r--r-- 1 avidu 197609 0 Jun 21 09:57 000ba9ea-f35a-4529-9510-972f7888c236.tmp
-rw-r--r-- 1 avidu 197609 0 Jun 19 23:26 05642908-21f5-4bdb-8e85-f6e6ea589115.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 14 19:08 084b-d0ae-ced2-b55f
-rw-r--r-- 1 avidu 197609 0 Jun 20 07:24 08d772d2-687b-4bc0-b674-dd627b2abd52.tmp
-rw-r--r-- 1 avidu 197609 0 Jun 19 11:57 095d8928-5c7d-4e0a-a254-5ee07d5476b1.tmp
-rw-r--r-- 1 avidu 197609 2214551 Jun 22 00:04 0ff2ac2f-f98c-40d6-adc4-2e6f703748e2.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 3 14:08 0p52ds2r.m4s
drwxr-xr-x 1 avidu 197609 0 Jun 3 19:52 0qjmaxck.kbk
drwxr-xr-x 1 avidu 197609 0 Jun 3 19:52 0sczknhg.nex
-rw-r--r-- 1 avidu 197609 0 Jun 22 00:06 14a886fd-9ea2-4684-a72f-c215017504f6.tmp
-rw-r--r-- 1 avidu 197609 0 Jun 22 00:04 18d61d21-05c4-418c-accf-0554da649c29.tmp
-rw-r--r-- 1 avidu 197609 0 Jun 22 00:01 1f8f8612-c64c-47a8-8e21-19685ac9df5e.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 3 17:09 1nhkiabc.bwt
drwxr-xr-x 1 avidu 197609 0 Jun 3 14:15 1uqdyk3r.kt2
-rw-r--r-- 1 avidu 197609 0 Jun 21 23:59 2008ecab-31b1-4dee-8b3d-304f3ced00e9.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 14 07:28 241b-aaa0-aa80-4bec
-rw-r--r-- 1 avidu 197609 1820592 Jun 22 00:05 2a758d72-6ed6-40be-9f35-6badf08b2f92.tmp
-rw-r--r-- 1 avidu 197609 243708 Jun 21 23:56 2ceab1bd-24c3-4611-aea2-2b1f505b3e23.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 4 18:05 2icyfwqr.qug
drwxr-xr-x 1 avidu 197609 0 Jun 3 14:08 32y342iw.a4n
drwxr-xr-x 1 avidu 197609 0 Jun 19 11:57 336d-b31a-c308-6817
-rw-r--r-- 1 avidu 197609 0 Jun 21 09:54 38d4706d-8b5f-4ff1-a1ed-8e4ac7dd4d7b.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 3 14:58 3o0f3jpb.1hm
drwxr-xr-x 1 avidu 197609 0 Jun 4 18:51 3smspsft5.a4l
drwxr-xr-x 1 avidu 197609 0 Jun 19 11:26 4a7a-8021-267e-affa
-rw-r--r-- 1 avidu 197609 13491 Jun 19 21:56 4f4f1e3a-d2f9-46e7-bc1b-9e6aa388c59c.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 3 14:58 4geuibpk.40b
-rw-r--r-- 1 avidu 197609 48799 Jun 21 11:54 549d87f4-758a-43fc-a28e-e1ed0350f54a.tmp
-rw-r--r-- 1 avidu 197609 37454 Jun 20 07:53 56370f17-24df-4e83-8d35-cf06d9507790.tmp
drwxr-xr-x 1 avidu 197609 0 Jun 3 19:52 5bwbmzhs.uwi
drwxr-xr-x 1 avidu 197609 0 Jun 14 19:08 5f8d32e867455fd3e9535703a0c8e3d1
-rw-r--r-- 1 avidu 197609 10151 Jun 21 23:57 6290b1cc-b70f-48cf-b252-fff7cf319ae8.tmp
---KHELSUTRA---
total 50
drwxr-xr-x 1 avidu 197609 0 Jun 22 00:05 .
drwxr-xr-x 1 avidu 197609 0 Jun 22 00:04 ..
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:34 .claude
drwxr-xr-x 1 avidu 197609 0 Jun 22 00:04 .git
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes
drwxr-xr-x 1 avidu 197609 0 Jun 20 12:43 .github
-rw-r--r-- 1 avidu 197609 78 Jun 20 18:40 .gitignore
-rw-r--r-- 1 avidu 197609 6617 Jun 21 12:12 NEXT_STEPS.md
-rw-r--r-- 1 avidu 197609 1133 Jun 21 22:17 README.md
drwxr-xr-x 1 avidu 197609 0 Jun 21 22:17 deploy
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 docs
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 locales
drwxr-xr-x 1 avidu 197609 0 Jun 21 15:38 node_modules
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 site
drwxr-xr-x 1 avidu 197609 0 Jun 22 00:06 undefined
drwxr-xr-x 1 avidu 197609 0 Jun 21 12:31 web

```

8. assistant (2026-06-21T18:36:43.661Z)

There's an `undefined` directory directly under the project root. Let me check it.

9. user (2026-06-21T18:36:44.663Z)

```
total 40
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  1319 Jun 22 00:05 _tmp_issues_hi_meaning.json
-rw-r--r-- 1 avidu 197609  4367 Jun 22 00:06 _tmp_issues_kn_fluency.json
-rw-r--r-- 1 avidu 197609   6110 Jun 22 00:05 _tmp_site_en_flat.json
```

10. assistant (2026-06-21T18:36:48.664Z)

The files are in `C:/Users/avidu/Projects/khelsutra/undefined/`. But I see `\_tmp\_kn\_flat.json` is not there yet. There's `\_tmp\_site\_en\_flat.json` and `\_tmp\_issues\_kn\_fluency.json` (a sibling reviewer's output) but no Kannada flat map. Let me check the kill background find and look more broadly.

11. user (2026-06-21T18:36:50.636Z)

<system-reminder>Warning: the file exists but is shorter than the provided offset (1). The file has 1 lines.</system-reminder>

12. user (2026-06-21T18:36:52.426Z)

```
C:/Users/avidu/Projects/khelsutra/locales/:
total 4
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609 0 Jun 22 00:05 ..
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 da
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 en
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 es
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 hi
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 id
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 kn

C:/Users/avidu/Projects/khelsutra/site/:
total 85
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609  3953 Jun 21 23:55 README.md
-rw-r--r-- 1 avidu 197609 12288 Jun 20 20:15 access.db
-rw-r--r-- 1 avidu 197609  2369 Jun 20 11:30 make_og.py
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:48 node_modules
-rw-r--r-- 1 avidu 197609 19438 Jun 21 08:20 package-lock.json
-rw-r--r-- 1 avidu 197609   537 Jun 21 23:55 package.json
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 public
-rw-r--r-- 1 avidu 197609   849 Jun 20 11:30 schema.sql
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 scripts
-rw-r--r-- 1 avidu 197609  5918 Jun 21 23:55 server.js
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 src
-rw-r--r-- 1 avidu 197609  1064 Jun 20 12:52 wrangler.toml
---
```

13. assistant (2026-06-21T18:36:57.383Z)

The Kannada flat map `\_tmp\_kn\_flat.json` doesn't exist yet. The English source and a sibling fluency-review output for Kannada exist. Let me look at what's there and find the Kannada translation source. The actual Kannada catalog lives in `locales/kn/`. Let me read the English flat map, the existing fluency issues file (to understand the key structure), and the Kannada locale source.

14. user (2026-06-21T18:36:58.281Z)

```
1      {
```

```

2      "app.badge": "pick your rallies · alpha",
3      "app.title": "Pick the rallies for your reel",
4      "app.intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then
fine-tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't
want.",
5      "lang.label": "Language",
6      "lang.en": "English",
7      "lang.kn": "?????",
8      "lang.hi": "??????",
9      "lang.es": "Español",
10     "lang.da": "Dansk",
11     "lang.id": "Bahasa Indonesia",
12     "bulk.selectAll": "Select all",
13     "bulk.clear": "Clear",
14     "bulk.invert": "Invert",
15     "mode.demo": "These are sample rallies ? process a video above to work on a real
match.",
16     "mode.loading": "Finding the rallies in your video?",
17     "mode.error": "Couldn't load this video's rallies: {error}",
18     "mode.loaded": "Found <b>{count}</b> rallies in your video.",
19     "query.placeholder": "e.g. over 10s · top 15 longest · shortest first",
20     "query.ariaLabel": "Filter rallies by length, count or order",
21     "query.apply": "Apply",
22     "query.notAvailable": "not available yet",
23     "query.notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
24     "query.notAvailableHelp": "Shot type, players and score aren't available yet ? filter
by rally length instead.",
25     "query.unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?",
26     "query.hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample
below.",
27     "query.try": "Sample queries:",
28     "query.support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
29     "grid.empty": "No rallies to show yet.",
30     "grid.rally": "Rally {n}",
31     "grid.inReel": "Rally {n}, in reel",
32     "grid.notInReel": "Rally {n}, not in reel",
33     "grid.start": "start",
34     "grid.long": "long",
35     "grid.shots": "~{count} shots · experimental",
36     "grid.shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
37     "grid.shotsConfidence": " ? confidence: {conf}",
38     "footer.count": "{count, plural, one {# rally} other {# rallies}}",
39     "footer.summaryRest": "selected · {total} total",
40     "footer.reelName": "Reel name",
41     "footer.reelNamePlaceholder": "my-highlights",
42     "footer.build": "Build reel ({count})",
43     "footer.building": "Building?",
44     "footer.floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it
would be skipped, so the build would fail. Pick a longer rally.",
45     "footer.floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
46     "footer.floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
47     "footer.floorSomeRest": "with fewer than {min} shots will be skipped when building
(they're too short).",
48     "result.ready": "Your reel is ready",
49     "result.failed": "Build failed",
50     "result.building": "Stitching your reel?",
51     "result.buildingReassure": "Joining your selected rallies into one video ? this
usually only takes a moment.",
52     "result.dismiss": "Dismiss",
53     "result.download": "Download {filename}",
54     "build.noVideo": "These are sample rallies ? process a real video first to build a
reel.",

```

```

55     "ingest.title": "Process a video",
56     "ingest.intro": "Point KhelSutra at a video and it finds the rallies for you ? this
can take a few minutes.",
57     "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58     "ingest.uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine
host",
59     "ingest.hint": "Paste a cloud-storage link (gs://?), or a path to a video on the
machine running KhelSutra.",
60     "ingest.submit": "Process video",
61     "ingest.submitting": "Submitting?",
62     "ingest.cancel": "Cancel",
63     "ingest.working": "Processing your video?",
64     "ingest.progress": "{progress}",
65     "ingest.retry": "Try again",
66     "ingest.reassure": "Safe to wait ? KhelSutra keeps working even if your connection is
slow; a long video can take several minutes.",
67     "ingest.statusFailed": "Couldn't process",
68     "ingest.chooseFile": "Choose a video file",
69     "ingest.uploadAria": "Choose a video file to upload",
70     "ingest.fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
71     "ingest.orLink": "Or use a cloud link",
72     "ingest.uploadingStatus": "Uploading?",
73     "ingest.uploadProgress": "Upload progress",
74     "errors.networkError": "Can't reach KhelSutra. Is it running?",
75     "errors.invalidUri": "Enter a video location first ? a gs:// link or a path on the
machine running KhelSutra.",
76     "errors.emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
77     "errors.timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
78     "errors.engineGeneric": "Something went wrong. Please try again.",
79     "tap.title": "Tap to filter:",
80     "tap.longest": "Longest first",
81     "tap.shortest": "Shortest first",
82     "tap.over10": "Over 10 seconds",
83     "tap.over20": "Over 20 seconds",
84     "tap.top5": "Top 5 longest",
85     "tap.top10": "Top 10 longest",
86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# rally selected} other {# rallies
selected}}",
101    }

```

15. user (2026-06-21T18:36:58.807Z)

```

1      [
2      {
3          "key": "bulk.invert",

```

```

4         "severity": "critical",
5         "problem": "\"?????\" reads as 'rotate/turn around' ? it does not convey 'invert
the selection'. A coach/parent will be confused about what this button does.",
6         "suggestion": "?????"
7     },
8     {
9         "key": "result.dismiss",
10        "severity": "minor",
11        "problem": "\"?????\" is formal/legalistic (used for dismissing an employee or a
case). For closing a result card it sounds stiff and odd.",
12        "suggestion": "?????"
13    },
14    {
15        "key": "footer.floorOne",
16        "severity": "critical",
17        "problem": "\"????? ????? ??????????\" leaks the internal jargon '?????'
(engine), which the English deliberately avoids ('it would be skipped'). Non-technical parents
won't know what 'engine' means.",
18        "suggestion": "<b>???? ???? ????</b> {min} ????? ???? ????????? ?
????? ??????????????, ????????? ???? ???? ??????????. ????? ???? ?????????? ????."
19    },
20    {
21        "key": "footer.floorAll",
22        "severity": "critical",
23        "problem": "Again leaks '?????' (engine) jargon absent from the English ('they'd
all be skipped'). Confusing for the non-technical audience.",
24        "suggestion": "<b>???? ????? ???? {count} ?????????</b> {min} ????? ????
???????? ? ????????? ??????????????, ????????? ???? ???? ??????????. ????? ????
????????? ????."
25    },
26    {
27        "key": "footer.floorSomeRest",
28        "severity": "critical",
29        "problem": "Exposes a raw code token (min_shot_count) and '?????' jargon inside a
<code> tag, while the English simply says '(they're too short)'. This is machine-like and
meaningless to a coach/parent.",
30        "suggestion": "????? {min} ????? ???? ????????????????? ????
???????????????? (??? ???? ??????????)."
31    },
32    {
33        "key": "ingest.intro",
34        "severity": "minor",
35        "problem": "Adds '???? ???? ???? ????????????? ????' (bucket link / file on
engine) which is jargon not present in the English intro; sounds technical and off-putting for
parents/coaches.",
36        "suggestion": "???????????? ???? ????? ???? ? ??? ????? ????
?????????. ????? ???? ????????? ?????????."
37    },
38    {
39        "key": "ingest.reassure",
40        "severity": "minor",
41        "problem": "'???????? ????????????? ???? ?????????????' leaks '?????' jargon;
the English just says 'KhelSutra keeps working'. Sounds techy for the audience.",
42        "suggestion": "???????? ????????? ? ???? ????? ????????????? ????????? ????
????????????????; ???? ????????? ???? ????????? ?????????."
43    },
44    {
45        "key": "errors.networkError",
46        "severity": "minor",
47        "problem": "'????? ?????????????' exposes '?????' to the user; the English says
'Can't reach KhelSutra'. The product name is warmer and clearer than the internal term.",
48        "suggestion": "???????? ??????????????. ??? ??????????????"
49    }
50 ]
51

```

16. user (2026-06-21T18:36:59.951Z)

```
C:/Users/avidu/Projects/khelsutra/locales/en:
total 8
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609 6006 Jun 21 23:55 common.json
```

```
C:/Users/avidu/Projects/khelsutra/locales/kn:
total 12
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609 12059 Jun 21 23:55 common.json
```

17. assistant (2026-06-21T18:37:04.433Z)

The English flat map exists with 100 keys. The `\_tmp\_kn\_flat.json` doesn't exist, but the Kannada source is in `locales/kn/common.json`. The flat map is a flattened version of the nested catalog. The sibling fluency-reviewer evidently read a `\_tmp\_kn\_flat.json` that existed transiently. Let me read the Kannada catalog to reconstruct the same flat map, and confirm whether the flat file might still be findable.

18. user (2026-06-21T18:37:05.426Z)

```
1      {
2        "app": {
3          "badge": "????-???? ???? . ????",
4          "title": "???? ?????????? ?????????? ????",
5          "intro": "<b>????? ????</b>? ?????????? ?????? ? ??? <i>????? ?????? ???
15?</i> ? ??? ???? ?????????????? ?????? ??? ?????????? ??????. ?????? <b>?????????</b>
????????????????; ?????????????? ???? ??????????."
6        },
7        "lang": {
8          "label": "????",
9          "en": "English",
10         "kn": "????",
11         "hi": "?????",
12         "es": "Español",
13         "da": "Dansk",
14         "id": "Bahasa Indonesia"
15       },
16       "bulk": {
17         "selectAll": "????????? ??????????",
18         "clear": "?????????",
19         "invert": "?????????"
20       },
21       "mode": {
22         "demo": "?? ???? ?????????? ? ?????? ?????????? ??? ???? ???? ???? ????
?????????????????",
23         "loading": "????? ?????????????? ?????????????? ??????????????????",
24         "error": "? ?????? ?????????????? ??? ??????????: {error}",
25         "loaded": "????? ?????????????? <b>{count}</b> ?????????? ??????????"
26       },
27       "query": {
28         "placeholder": "???. over 10s · top 15 longest · shortest first",
29         "ariaLabel": "????, ???? ???? ???? ?????????? ?????????????? ?????? ????",
30         "apply": "?????????",
31         "notAvailable": "????? ??????????",
32         "notAvailableTitle": "{token}? ?? {kind} ????? ???? ? ????? ??????????",
33         "notAvailableHelp": "???? ??????, ?????? ???? ???? ???? ?????????? ? ??????
????? ???? ?????????? ?????? ????",
34         "unreadable": "????? ?????????? ? ?over 10s? ??? ?top 15 longest? ??????????",
35         "hint": "10 ?????????????? ???? ?????????????? over 10s ??? ???? ???? ? ????
????????? ?????? ????",
36         "try": "????? ??????????:",
```



```
37      "support": "<b>????? ????</b>? ????????? ?????? ????????? ??????????  
?????????????. ???-???? <x>?????????</x> (????????????????)."  
38    },  
39    "grid": {  
40      "empty": "????? ???? ????? ?????????????.",  
41      "rally": "????? {n}",  
42      "inReel": "????? {n}, ??????????",  
43      "notInReel": "????? {n}, ??????????????",  
44      "start": "?????",  
45      "long": "????",  
46      "shots": "~{count} ?????? . ?????????",  
47      "shotsTitle": "???? ???? ????????????? (????????????) ????  
????????????{conf}. ????? ????? ????? ?????? ????",  
48      "shotsConfidence": " ? ??????: {conf}"  
49    },  
50    "footer": {  
51      "count": "{count, plural, one {# ?????} other {# ?????????}}",  
52      "summaryRest": "????????? . ??? {total}",  
53      "reelName": "??? ????",  
54      "reelNamePlaceholder": "my-highlights",  
55      "build": "??? ???? ({count})",  
56      "building": "?????????????",  
57      "floorOne": "<b>???? ???? ?????????? ?????</b>{min} ????? ????? ??????  
? ????? ????? ?????????????, ?????? ??? ??????????????. ??? ?????????? ????",  
58      "floorAll": "<b>????????? ???? {count} ??????????</b> {min} ????? ????  
????????? ? ????? ????????????? ?????????????, ?????? ??? ??????????????. ???  
???????????? ????",  
59      "floorSomeLead": "{count, plural, one {# ?????} other {# ?????????}}",  
60      "floorSomeRest": "{min} ????? ???? ????????????? ?????? ??????????????  
(????????? <code>min_shot_count</code> ???)."  
61    },  
62    "result": {  
63      "ready": "???? ???? ??????????",  
64      "failed": "??? ??????????",  
65      "building": "???? ???? ??????????????",  
66      "buildingReassure": "??? ?????????? ?????????? ??? ?????? ????????????? ?  
????????? ???? ?????????? ?????????.",  
67      "dismiss": "?????????",  
68      "download": "{filename} ????????? ??"  
69    },  
70    "build": {  
71      "noVideo": "?? ???? ????????? ? ??? ?????? ???? ?????? ?????? ??????????????".  
72    },  
73    "ingest": {  
74      "title": "????? ??????????????",  
75      "intro": "???????????????? ???? ?????? ? ???? ???? ???? ??????????????  
??? ? ???? ????????????? ??????????. ????? ???? ????????? ??????????",  
76      "uriPlaceholder": "gs://your-bucket/match.mp4",  
77      "uriAriaLabel": "????? ???? ? gs:// ???? URL ??? ?????? ?????????????? ??",  
78      "hint": "gs:// ???? ???? , ??? ?????? ????????????? ?????? ?????? ??????  
?????.",  
79      "submit": "????? ??????????????",  
80      "submitting": "?????????????????",  
81      "cancel": "?????????????",  
82      "working": "????? ?????? ??????????????????????",  
83      "progress": "{progress}",  
84      "retry": "????? ??????????",  
85      "reassure": "????????? ?????? ? ???? ?????? ?????????????? ?????????? ??????????  
??? ??????????????; ???? ?????? ???? ?????? ??????????",  
86      "statusFailed": "?????????????????????",  
87      "chooseFile": "????? ??? ??????",  
88      "uploadAria": "????????? ???? ?????? ???? ??????",  
89      "fileHint": "? ?????? .mp4 ??? .mov ???? ? ???? ?????? ??????, ???  
????????? ?????????? ??????????",  
90      "orLink": "??? ?????? ???? ??"
```

```

91     "uploadingStatus": "???????? ??????????",
92     "uploadProgress": "???????? ??????"
93 },
94 "errors": {
95     "networkError": "?????? ??????????????????. ??? ??????????????????",
96     "invalidUri": "?????? ??????? ?????????? ????????? ? gs:// ?????? ????? ??????????????????
??.",
97     "emptyResult": "?????????? ?????????? ????? ? ?????????????? ??????? ??????????? ??????????.
?????????? ?????? ??????????????? ?????????????.",
98     "timeout": "????????????????? ??????? ??? ??????????????????????????. ????? ?????? ?????????????????????
? ??????? ?????????????????? ????????? ?????, ????? ?????? ??????????????",
99     "engineGeneric": "??? ??????????. ?????????? ?????? ?????????????."
100 },
101 "tap": {
102     "title": "????????? ?????? ??????? ?????:",
103     "longest": "??? ?????????? ??????",
104     "shortest": "??? ?????????? ??????",
105     "over10": "10 ?????????????????? ???????",
106     "over20": "20 ?????????????????? ???????",
107     "top5": "??? ?????? 5",
108     "top10": "??? ?????? 10"
109 },
110 "site": {
111     "nav": {
112         "how": "How it works",
113         "why": "Why it's hard",
114         "ownModel": "Own your model",
115         "flyer": "Flyer",
116         "roadmap": "Roadmap",
117         "faq": "FAQ",
118         "requestAccess": "Request access"
119     },
120     "hero": {
121         "eyebrow": "Invite-only alpha · Bengaluru",
122         "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123         "ctaPrimary": "Request alpha access",
124         "ctaHow": "See how it works"
125     },
126     "capture": {
127         "title": "1-page capture checklist",
128         "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels."
129     },
130     "ownModel": {
131         "requestAccess": "Request access ?"
132     }
133 },
134 "selection": {
135     "count": "{count, plural, one {# ?????? ??????????????} other {# ??????????
?????????????}}?"
136 }
137 }
138

```

19. user (2026-06-21T18:37:29.606Z)

```

---status---
?? undefined/
---find any kn flat globally---

```

20. assistant (2026-06-21T18:37:35.327Z)

I have the full Kannada catalog. The `\_tmp\_kn\_flat.json` is meant to be the flattened version of

`locales/kn/common.json`, matching the keys in `\_tmp\_site\_en\_flat.json`. I'll reconstruct it from the catalog so I can review using the exact flat values. Note: the `site.\*` keys in the Kannada catalog are still in English (untranslated) ? that's a meaning-fidelity concern I'll evaluate.

Let me write the flat Kannada file so the review is self-consistent, then review key by key. First let me generate the flat map from the catalog.

21. user (2026-06-21T18:37:39.206Z)

en keys: 99 kn keys: 99
missing in kn: []
extra in kn: []

22. assistant (2026-06-21T18:37:43.839Z)

Wait, the en flat has 100 keys per my earlier read (lines 2-100 = 99 entries actually). Both have 99 keys and they match exactly. Now I have `\_tmp\_kn\_flat.json` written. Let me read it back to confirm the exact flat values I'll review against.

23. user (2026-06-21T18:37:44.015Z)

```
1      {
2        "app.badge": "????-???? ???? · ????",
3        "app.title": "???? ???????? ?????????? ????",
4        "app.intro": "<b>????? ????</b>? ???????? ?????? ???? ? ???. <i>???? ????? ????
15?</i> ? ??? ? ???????????? ?????? ??? ? ?????????? ??????. ?????? <b>?????????</b>
????????????????; ?????????????? ???? ??????????.",
5        "lang.label": "????",
6        "lang.en": "English",
7        "lang.kn": "?????",
8        "lang.hi": "?????",
9        "lang.es": "Español",
10       "lang.da": "Dansk",
11       "lang.id": "Bahasa Indonesia",
12       "bulk.selectAll": "????????? ??????????",
13       "bulk.clear": "????????????",
14       "bulk.invert": "?????????",
15       "mode.demo": "??? ?????? ?????????? ? ?????? ?????????? ???? ?????? ???? ???? ??????
?????????????????",
16       "mode.loading": "????? ???????????? ???????????? ??????????????????",
17       "mode.error": "? ?????? ?????????????? ???? ?????????????: {error}",
18       "mode.loaded": "????? ?????????????? <b>{count}</b> ?????????? ??????????",
19       "query.placeholder": "??? over 10s · top 15 longest · shortest first",
20       "query.ariaLabel": "????, ????? ???? ???? ?????????? ????????????? ?????? ????",
21       "query.apply": "?????????",
22       "query.notAvailable": "????? ??????????",
23       "query.notAvailableTitle": "{token}? {kind} ?????? ???? ? ?????? ??????????",
24       "query.notAvailableHelp": "???? ??????, ?????? ???? ???? ???? ???? ?????????? ? ??????
????? ???? ???? ?????? ?????? ????.",
25       "query.unreadable": "????? ?????????? ? ?over 10s? ???? ?top 15 longest?
?????????????",
26       "query.hint": "10 ?????????????? ?????? ?????????????? over 10s ???? ???? ???? ? ????
????? ?????????? ?????? ????.",
27       "query.try": "????? ??????????????",
28       "query.support": "<b>????? ????</b>? ?????????? ?????? ?????????? ??????????
????????????????? ????-????? <x>????????????</x> (????????????????).",
29       "grid.empty": "????? ???? ???? ??????????????",
30       "grid.rally": "????? {n}",
31       "grid.inReel": "????? {n}, ??????????",
32       "grid.notInReel": "????? {n}, ??????????????",
33       "grid.start": "?????????",
34       "grid.long": "?????",
35       "grid.shots": "~{count} ?????????? · ??????????",
```

```
36      "grid.shotsTitle": "???? ????? ????????????? (????????????) ?????
????????????[conf]. ????? ????? ????? ????????? ?????? ????",
37      "grid.shotsConfidence": " ? ??????: {conf}",
38      "footer.count": "{count, plural, one {# ?????} other {# ?????????}}",
39      "footer.summaryRest": "????????? · ????? {total}",
40      "footer.reelName": "???? ?????",
41      "footer.reelNamePlaceholder": "my-highlights",
42      "footer.build": "???? ????? ({count})",
43      "footer.building": "????????????????",
44      "footer.floorOne": "<b>????? ???? ?????????? ??????</b>????? {min} ?????? ?????
????????? ? ?????? ?????? ?????????????????, ?????????? ??? ? ??????????????. ????? ?????????????
?????.",
45      "footer.floorAll": "<b>????????? ????? {count} ??????????????</b> {min} ?????? ?????
????????? ? ?????? ?????????????? ?????????????????, ?????????? ??? ? ??????????????. ?????
????????????? ?????.",
46      "footer.floorSomeLead": "{count, plural, one {# ?????} other {# ?????????}}",
47      "footer.floorSomeRest": "{min} ?????? ????? ?????????????? ?????????? ?????????????????
(????????? <code>min_shot_count</code> ???).",
48      "result.ready": "????? ??? ? ??????????",
49      "result.failed": "???? ??????????",
50      "result.building": "????? ??? ??????????????????",
51      "result.buildingReassure": "???? ?????????? ?????????????? ??? ????????? ?????????????????
? ?????????? ?????? ?????????? ?????????.",
52      "result.dismiss": "?????????",
53      "result.download": "{filename} ?????????? ????",
54      "build.noVideo": "??? ?????? ?????????? ? ??? ? ?????? ?????? ?????? ??????
?????????????????",
55      "ingest.title": "?????? ??????????????????",
56      "ingest.intro": "????????????????? ??? ?????????? ?????? ? ?????? ?????? ???
????????????????? ??? ? ?? ?????????????? ??????????????. ?????? ?????? ??????????.",
57      "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58      "ingest.uriAriaLabel": "?????? ??? ? gs:// ????? URL ??? ?????? ?????????????????? ??",
59      "ingest.hint": "gs:// ?????? ?????, ??? ?????? ?????????????? ?????? ?????? ??????
??????.",
60      "ingest.submit": "?????? ??????????????????",
61      "ingest.submitting": "????????????????????",
62      "ingest.cancel": "?????????????",
63      "ingest.working": "????? ?????? ?????????????????????????",
64      "ingest.progress": "{progress}",
65      "ingest.retry": "????? ??????????",
66      "ingest.reassure": "????????? ?????????? ? ?????? ?????? ?????????????? ??????????
????????????? ??? ?????????????????; ?????? ?????????? ?????? ?????????? ??????????",
67      "ingest.statusFailed": "????????????????????????",
68      "ingest.chooseFile": "?????? ??? ??????",
69      "ingest.uploadAria": "????????? ?????? ?????? ??? ??????",
70      "ingest.fileHint": "? ????????? .mp4 ??? .mov ?????? ? ?? ????????? ?????????, ???
????????? ?????????????? ??????????????",
71      "ingest.orLink": "???? ?????? ?????? ????",
72      "ingest.uploadingStatus": "????????? ??????????",
73      "ingest.uploadProgress": "????????? ??????",
74      "errors.networkError": "?????? ?????????????????? ?? ??????????????????",
75      "errors.invalidUri": "????? ?????? ?????????? ?????? ? gs:// ?????? ???
????????????????? ??.",
76      "errors.emptyResult": "????????? ?????????? ??? ? ?????????? ?????? ??????????
????????? ?????????? ?????? ?????????????? ??????????????",
77      "errors.timeout": "????????????? ?????? ?? ???????????????????????. ??? ?????
????????????????? ? ?????? ?????????????? ?????????? ???, ??? ?????? ??????????",
78      "errors.engineGeneric": "??? ?????????? ?????????? ?????? ??????????",
79      "tap.title": "????????? ?????? ?????? ???:",
80      "tap.longest": "??? ?????? ??????",
81      "tap.shortest": "??? ?????????? ??????",
82      "tap.over10": "10 ?????????????? ??????",
83      "tap.over20": "20 ?????????????? ??????",
84      "tap.top5": "??? ?????? 5",
85      "tap.top10": "??? ?????? 10",
```

```

86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# ?????? ???????????} other {# ??????????
????????????}}}"
101    }
102

```

24. assistant (2026-06-21T18:38:27.220Z)

Now I have both maps with matching keys. I'll review every key through the MEANING FIDELITY lens only.

Let me work through them systematically:

****Key observations:****

1. *****bulk.invert***** = "?????????" (rotate/turn) ? does not convey "Invert" (the selection). Wrong sense. Meaning altered. Critical.
2. *****footer.floorOne***** ? English: "it would be skipped, so the build would fail." Kannada: "?????? ?????? ??????????????????" = "the engine would skip it." Adds "engine" ? added meaning/jargon not in source. This is a meaning-fidelity issue (added concept). Critical.
3. *****footer.floorAll***** ? same: adds "?????" (engine). Added meaning. Critical.
4. *****footer.floorSomeRest***** ? English: "with fewer than {min} shots will be skipped when building (they're too short)." Kannada: "...???????????????????? (????????? <code>min_shot_count</code> ????)". The parenthetical is entirely different: English says "(they're too short)" ? a plain reason; Kannada says "(the engine's min_shot_count limit)" ? a different, technical statement. Altered meaning. Critical.
5. *****ingest.intro***** ? English: "Point KhelSutra at a video and it finds the rallies for you ? this can take a few minutes." Kannada adds "? ?????? ?????? ??? ? ?????????????????? ??? ?" = "a bucket link or a file on the engine." This is added meaning not in the English. Meaning fidelity (added content). Minor-to-critical; the added concept introduces "engine/bucket" which the English intentionally omits. I'll mark minor since it's additive context, not a wrong promise.
6. *****errors.networkError***** ? English: "Can't reach KhelSutra." Kannada: "?????? ??????????????????" = "Can't reach the engine." The referent is changed from the product name "KhelSutra" to "the engine." Altered term/meaning. This is a real meaning shift (wrong referent). Minor.
7. *****ingest.reassure***** ? English: "KhelSutra keeps working." Kannada: "?????????? ?????????????? ??? ? ??????????????????" = "KhelSutra keeps working on the server." Adds "on the server" ? added meaning. Minor.

Now let me consider the *****site.*** keys which are still in English (untranslated) in the Kannada catalog. Through the MEANING-FIDELITY lens: an untranslated string technically preserves the meaning (it's the identical English). It is not added/dropped/altered meaning or over-promising. The lens here is specifically meaning fidelity, not "must be in Kannada" (that's a

fluency/completeness lens). The sibling fluency reviewer also did not flag these. I'll be conservative and NOT flag untranslated-but-meaning-correct strings under the meaning lens. They preserve meaning exactly.

Now let me check the caveat-bearing keys carefully (the lens explicitly calls out "still sharpening", "alpha", "experimental", "best results today"):

- `app.badge`: "alpha" ? "?????" ? preserved.
- `query.notAvailable`: "not available yet" ? "????? ??????????" ?.
- `query.support`: "experimental (under development)" ? "<x>?????????</x> (????????????????)" ? and "fully supported" ? "???????????? ??????????????" ?.
- `grid.shots`: "experimental" ? "?????????" ?.
- `grid.shotsTitle`: "experimental (under development) and may be inaccurate" ? "???????????????? (????????????????) ????? ??????????????" ?.
- `ingest.reassure`: "Safe to wait" ? "???????? ?????????" ? (the "server" addition is the only issue).
- `result.buildingReassure`: "this usually only takes a moment" ? "???????????? ????? ????????? ?????????" ?.

Badminton terms: "rally"??????? ? consistent; "match"??????? ?; "court" ? English
`site.capture.intro` "full-court" is untranslated (English retained), so no wrong term introduced. No "baseline"/"shuttle" keys present.

`errors.emptyResult`: "Try a clearer match recording" ? "????????? ????? ????????????? ??????????" ? meaning preserved.

`errors.timeout`: "The job may still be running" ? "????? ????? ??????????????????" ?.

`mode.demo` / `build.noVideo`: "sample rallies" ? "????? ??????????" ?.

So my meaning-fidelity issues are: `bulk.invert`, `footer.floorOne`, `footer.floorAll`, `footer.floorSomeRest`, `ingest.intro`, `ingest.reassure`, `errors.networkError`.

These overlap with the fluency reviewer's findings, but here the justification is the meaning lens (added/altered meaning vs English source), which is legitimate and distinct. The "engine" additions are genuine meaning fidelity problems: the English deliberately does not mention an engine/server/bucket, so the Kannada adds meaning. `footer.floorSomeRest` changes "(they're too short)" into "(the engine's min_shot_count limit)" ? that's an altered meaning, the strongest case.

Let me write the issues file with corrected Kannada values preserving `**` , ``` tags and literal tokens like `{min}`, `{count}`.`**

25. assistant (2026-06-21T18:38:57.211Z)

```
[
  {
    "key": "bulk.invert",
    "severity": "critical",
    "problem": "\"\"????????\" means 'rotate / turn around', not 'invert the selection'. The intended sense ? flip selected to unselected and vice-versa ? is lost, so the meaning is wrong.",
    "suggestion": "????? ?????????????? ?????"
  },
  {
    "key": "footer.floorOne",
    "severity": "critical",
    "problem": "Adds the concept '?????' (engine) that is absent from the English ('it would be skipped'). The English deliberately states the consequence without naming any engine; the translation introduces a new actor/meaning.",
    "suggestion": "<b>????? ?????????? ???? ??????</b>????? {min} ?????? ????? ?????????? ? ?????? ??????????????????, ????????? ???? ??????????????. ????? ????????????? ??????"
  },
  {
    "key": "footer.floorAll",
```


files actually live in `C:\Users\avidu\Projects\khelsutra\undefined\`. The English flat map was present; the `\_tmp\_kn\_flat.json` did not exist, so I regenerated it by flattening the Kannada catalog at `C:\Users\avidu\Projects\khelsutra\locales\kn\common.json` (key sets match the English exactly: 99/99, no missing/extra), then reviewed against it.

Findings (7 issues, written to
`C:\Users\avidu\Projects\khelsutra\undefined\\_tmp\_issues\_kn\_meaning.json`):

Critical (4):

- `bulk.invert` ? "???????" means "rotate/turn", not "invert the selection" (wrong sense).
- `footer.floorOne` / `footer.floorAll` ? both add "?????" (engine) as an actor absent from the English ("it/they would be skipped").
- `footer.floorSomeRest` ? alters the parenthetical: English "(they're too short)" became "(the engine's min_shot_count limit)", a different technical claim that also leaks an internal token.

Minor (3):

- `ingest.intro` ? adds "a bucket link or a file on the engine", not in the English intro.
- `ingest.reassure` ? adds "on the server" beyond the English "KhelSutra keeps working".
- `errors.networkError` ? wrong referent: "Can't reach the engine" vs English "Can't reach KhelSutra".

Honest-caveat keys (alpha / experimental / under development / safe to wait / usually only a moment) all preserve meaning correctly, as do the badminton terms (rally???????, match??????). I did not flag the `site.\*` keys: they remain in English (untranslated) but, under the meaning-fidelity lens specifically, an identical-English string does not add/drop/alter meaning or over-promise ? that is a completeness/fluency concern, out of scope here.

30. user (2026-06-21T18:39:16.858Z)

Structured output provided successfully

31. assistant (2026-06-21T18:39:24.624Z)

Review complete. I evaluated all 99 Kannada keys against the English source through the meaning-fidelity lens and wrote 7 issues to
`C:\Users\avidu\Projects\khelsutra\undefined\\_tmp\_issues\_kn\_meaning.json`.

Summary of what was flagged:

- 4 critical: `bulk.invert` (wrong sense ? "rotate" not "invert"), `footer.floorOne` and `footer.floorAll` (added "engine" actor not in source), `footer.floorSomeRest` (altered the reason "(they're too short)" into "(engine's min_shot_count limit)").
- 3 minor: `ingest.intro` (added bucket/engine concepts), `ingest.reassure` (added "on the server"), `errors.networkError` (wrong referent ? "engine" instead of "KhelSutra").

The honest caveats (alpha, experimental, under development, safe-to-wait) and badminton terms (rally???????, match??????) all preserve meaning correctly. The untranslated `site.\*` keys were not flagged under this lens since identical English does not add/drop/alter meaning.

Note: the prompt's literal paths had unfilled `undefined` placeholders; the real files are under `C:\Users\avidu\Projects\khelsutra\undefined\`. The `\_tmp\_kn\_flat.json` was missing, so I regenerated it from `locales/kn/common.json` (keys match English exactly, 99/99).