

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf\_e3715462-63d\agent-a9c35ae0a522c8378.jsonl`
- SHA-256: `a9de8ad06ba66c4f0cc251606cb01f8a4218c1cddef2d6ba1c017f70be1cdd3d`
- Source modified: `2026-06-21T18:38:19+00:00`
- Imported at: `2026-07-05T16:48:21+00:00`
- project: `wf\_e3715462-63d`
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`

Transcript

1. user (2026-06-21T18:34:30.752Z)

You are a strict, native-level Hindi (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json

STEP 2 ? Read the Hindi (?????) translation map (Read tool): undefined/_tmp_hi_flat.json

Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:

NATURAL FLUENCY: a native speaker should find it natural, warm, and instantly clear for a NON-TECHNICAL coach/parent. Flag stiff, over-formal/over-Sanskritized, or machine-like wording and confusing constructions; suggest a smoother everyday phrasing.

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_hi_fluency.json

Each element: {"key": "<dotted key e.g.

record.place.body>", "severity": "critical"|"minor", "problem": "<short English note>", "suggestion": "<the FULL corrected Hindi (?????) value for that key, preserving tags and literal tokens>"}.</p>
</div>
<div data-bbox=

C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\tasks\b2ta1r4xl.output. You will be notified when it completes. To check interim output, use Read on that file path.

7. assistant (2026-06-21T18:36:42.684Z)

Let me search more targeted locations while that runs.

8. user (2026-06-21T18:36:43.387Z)

```
undefined\_tmp_site_en_flat.json
undefined\_tmp_hi_flat.json
```

9. user (2026-06-21T18:36:43.548Z)

```
undefined\_tmp_site_en_flat.json
undefined\_tmp_hi_flat.json
undefined\_tmp_issues_hi_meaning.json
undefined\_tmp_issues_kn_fluency.json
```

10. assistant (2026-06-21T18:36:47.350Z)

There is a literal `undefined` directory in the project. Let me read the files using the relative path resolved to an absolute path.

11. user (2026-06-21T18:36:48.532Z)

```
total 40
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  1319 Jun 22 00:05 _tmp_issues_hi_meaning.json
-rw-r--r-- 1 avidu 197609  4367 Jun 22 00:06 _tmp_issues_kn_fluency.json
-rw-r--r-- 1 avidu 197609   6110 Jun 22 00:05 _tmp_site_en_flat.json
---PWD---
total 40
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:06 .
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  1319 Jun 22 00:05 _tmp_issues_hi_meaning.json
-rw-r--r-- 1 avidu 197609  4367 Jun 22 00:06 _tmp_issues_kn_fluency.json
-rw-r--r-- 1 avidu 197609   6110 Jun 22 00:05 _tmp_site_en_flat.json
```

12. assistant (2026-06-21T18:36:51.634Z)

The files are at `C:/Users/avidu/Projects/khelsutra/undefined/`. Now let me read both source files.

13. user (2026-06-21T18:36:52.566Z)

```
1      {
2        "app.badge": "pick your rallies · alpha",
3        "app.title": "Pick the rallies for your reel",
4        "app.intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then
fine-tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't
want.",
5        "lang.label": "Language",
6        "lang.en": "English",
7        "lang.kn": "?????",
8        "lang.hi": "??????",
9        "lang.es": "Español",
10       "lang.da": "Dansk",
11       "lang.id": "Bahasa Indonesia",
12       "bulk.selectAll": "Select all",
```

```

13     "bulk.clear": "Clear",
14     "bulk.invert": "Invert",
15     "mode.demo": "These are sample rallies ? process a video above to work on a real
match.",
16     "mode.loading": "Finding the rallies in your video?",
17     "mode.error": "Couldn't load this video's rallies: {error}",
18     "mode.loaded": "Found <b>{count}</b> rallies in your video.",
19     "query.placeholder": "e.g. over 10s · top 15 longest · shortest first",
20     "query.ariaLabel": "Filter rallies by length, count or order",
21     "query.apply": "Apply",
22     "query.notAvailable": "not available yet",
23     "query.notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
24     "query.notAvailableHelp": "Shot type, players and score aren't available yet ? filter
by rally length instead.",
25     "query.unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
26     "query.hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample
below.",
27     "query.try": "Sample queries:",
28     "query.support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
29     "grid.empty": "No rallies to show yet.",
30     "grid.rally": "Rally {n}",
31     "grid.inReel": "Rally {n}, in reel",
32     "grid.notInReel": "Rally {n}, not in reel",
33     "grid.start": "start",
34     "grid.long": "long",
35     "grid.shots": "~{count} shots · experimental",
36     "grid.shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
37     "grid.shotsConfidence": " ? confidence: {conf}",
38     "footer.count": "{count, plural, one {# rally} other {# rallies}}",
39     "footer.summaryRest": "selected · {total} total",
40     "footer.reelName": "Reel name",
41     "footer.reelNamePlaceholder": "my-highlights",
42     "footer.build": "Build reel ({count})",
43     "footer.building": "Building?",
44     "footer.floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it
would be skipped, so the build would fail. Pick a longer rally.",
45     "footer.floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
46     "footer.floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
47     "footer.floorSomeRest": "with fewer than {min} shots will be skipped when building
(they're too short).",
48     "result.ready": "Your reel is ready",
49     "result.failed": "Build failed",
50     "result.building": "Stitching your reel?",
51     "result.buildingReassure": "Joining your selected rallies into one video ? this
usually only takes a moment.",
52     "result.dismiss": "Dismiss",
53     "result.download": "Download {filename}",
54     "build.noVideo": "These are sample rallies ? process a real video first to build a
reel.",
55     "ingest.title": "Process a video",
56     "ingest.intro": "Point KhelSutra at a video and it finds the rallies for you ? this
can take a few minutes.",
57     "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58     "ingest.uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine
host",
59     "ingest.hint": "Paste a cloud-storage link (gs://?), or a path to a video on the
machine running KhelSutra.",
60     "ingest.submit": "Process video",
61     "ingest.submitting": "Submitting?",
62     "ingest.cancel": "Cancel",
63     "ingest.working": "Processing your video?",
64     "ingest.progress": "{progress}",

```

```

65     "ingest.retry": "Try again",
66     "ingest.reassure": "Safe to wait ? KhelSutra keeps working even if your connection is
slow; a long video can take several minutes.",
67     "ingest.statusFailed": "Couldn't process",
68     "ingest.chooseFile": "Choose a video file",
69     "ingest.uploadAria": "Choose a video file to upload",
70     "ingest.fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
71     "ingest.orLink": "Or use a cloud link",
72     "ingest.uploadingStatus": "Uploading?",
73     "ingest.uploadProgress": "Upload progress",
74     "errors.networkError": "Can't reach KhelSutra. Is it running?",
75     "errors.invalidUri": "Enter a video location first ? a gs:// link or a path on the
machine running KhelSutra.",
76     "errors.emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
77     "errors.timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
78     "errors.engineGeneric": "Something went wrong. Please try again.",
79     "tap.title": "Tap to filter:",
80     "tap.longest": "Longest first",
81     "tap.shortest": "Shortest first",
82     "tap.over10": "Over 10 seconds",
83     "tap.over20": "Over 20 seconds",
84     "tap.top5": "Top 5 longest",
85     "tap.top10": "Top 10 longest",
86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KhelSutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# rally selected} other {# rallies
selected}}",
101    }

```

14. user (2026-06-21T18:36:52.637Z)

```

1    {
2      "app.badge": "?????-???? ??? · ??????",
3      "app.title": "???? ??? ?? ??? ??????? ??????",
4      "app.intro": "<b>???? ?? ?????</b> ?? ????? ?? ??????? ????? ? ??? <i>????? ????? ???
15?</i> ? ??? ?????? ??? ????? ??????? ?? ?????????? ?????? ?? ??? <b>?????</b> ????? ????? ??; ?? ??
???? ?????? ?????? ??????",
5      "lang.label": "?????",
6      "lang.en": "English",
7      "lang.kn": "?????",
8      "lang.hi": "???????",
9      "lang.es": "Español",
10     "lang.da": "Dansk",
11     "lang.id": "Bahasa Indonesia",
12     "bulk.selectAll": "??? ??????",
13     "bulk.clear": "???? ??????",
14     "bulk.invert": "?????",

```

[illegible]


```
7     },
8     {
9         "key": "ingest.intro",
10        "severity": "minor",
11        "problem": "Adds meaning not in the EN source. EN: 'Point KhelSutra at a video and
it finds the rallies for you ? this can take a few minutes.' HI inserts an extra clause '? ??
???? ???? ?? ???? ?? ???? ?' (a bucket link or a file on the engine) that the source does
not contain.",
12        "suggestion": "???????? ? ? ???? ???? ? ? ???? ? ? ???? ? ? ? ? ? ? ? ? ? ?
???? ? ? ? ? ? ? ? ? ? ?"
13    }
14 ]
15
```

17. user (2026-06-21T18:36:59.317Z)

```
1     [
2     {
3         "key": "bulk.invert",
4         "severity": "critical",
5         "problem": "\"????????\" reads as 'rotate/turn around' ? it does not convey 'invert
the selection'. A coach/parent will be confused about what this button does.",
6         "suggestion": "????? ??????"
7     },
8     {
9         "key": "result.dismiss",
10        "severity": "minor",
11        "problem": "\"????????\" is formal/legalistic (used for dismissing an employee or a
case). For closing a result card it sounds stiff and odd.",
12        "suggestion": "?????"
13    },
14    {
15        "key": "footer.floorOne",
16        "severity": "critical",
17        "problem": "\"?????? ?????? ??????????????\" leaks the internal jargon '?????'
(engine), which the English deliberately avoids ('it would be skipped'). Non-technical parents
won't know what 'engine' means.",
18        "suggestion": "<b>???? ?????? ??? ????</b>???? {min} ?????? ????? ?????????? ?
????? ?????????????????, ????????? ??? ???? ??????????. ?????? ????? ?????????? ?????"
19    },
20    {
21        "key": "footer.floorAll",
22        "severity": "critical",
23        "problem": "Again leaks '?????' (engine) jargon absent from the English ('they'd
all be skipped'). Confusing for the non-technical audience.",
24        "suggestion": "<b>???? ?????? ??? ???? {count} ??????????</b> {min} ?????? ?????
????????? ? ?????????? ?????????????????, ????????? ??? ???? ??????????. ?????? ????
????????????? ?????"
25    },
26    {
27        "key": "footer.floorSomeRest",
28        "severity": "critical",
29        "problem": "Exposes a raw code token (min_shot_count) and '?????' jargon inside a
<code> tag, while the English simply says '(they're too short)'. This is machine-like and
meaningless to a coach/parent.",
30        "suggestion": "????? {min} ?????? ????? ?????????????????? ?????????
???????????????? (?? ???? ??????????)."
31    },
32    {
33        "key": "ingest.intro",
34        "severity": "minor",
35        "problem": "Adds '???? ???? ???? ?????????????? ?' (bucket link / file on
engine) which is jargon not present in the English intro; sounds technical and off-putting for
parents/coaches.",
36        "suggestion": "????????????? ???? ?????? ???? ? ??? ?????? ??????????"

```

```

37     },
38     {
39         "key": "ingest.reassure",
40         "severity": "minor",
41         "problem": "'????????? ?????????? ???? ??????????????' leaks '?????' jargon;
the English just says 'KhelSutra keeps working'. Sounds techy for the audience.",
42         "suggestion": "????????? ?????????? ? ?????? ?????? ?????????????? ?????????? ???
????????????????; ?????? ?????????? ?????? ?????????? ??????????."
43     },
44     {
45         "key": "errors.networkError",
46         "severity": "minor",
47         "problem": "'????? ??????????????' exposes '?????' to the user; the English says
'Can't reach KhelSutra'. The product name is warmer and clearer than the internal term.",
48         "suggestion": "????????? ?????????????????? ??? ??????????????????"
49     }
50 ]
51

```

18. assistant (2026-06-21T18:37:28.246Z)

This gives me strong context. The Kannada fluency review caught the same patterns that exist in the Hindi file: "engine" (????) jargon leak, the `min\_shot\_count` code token, and "server" (????) leak. These are partly meaning issues, but several are genuine fluency/naturalness problems for a non-technical Hindi audience (machine-like, jargon-leaking wording).

I need to be careful about my lens (NATURAL FLUENCY) and not duplicate the meaning-issues file. Let me think through each Hindi value carefully.

Let me analyze the Hindi translations key by key for fluency. Key observations:

1. `app.badge`: "????-???? ???? . ??????" ? EN is "pick your rallies . alpha". "????-???? ??" (per-rally selection) is stiff, technical/compound noun phrasing, not warm like "pick your rallies". A non-tech parent would find "????-???? ??" machine-like. Fluency issue.
2. `app.intro`: "????? ?? ??????? ??" for "fine-tune" ? "???????? ??" is a bit formal but acceptable; "????? ?? ??? ??" would be warmer. Borderline. "?? ??? ????? ??" is slightly awkward calque of "Everything starts selected" ? natural Hindi would be "???? ?? ? ? ? ? ? ? ? ? ? ?". This is a fluency issue (calque/stiff).
3. `grid.shots` / `grid.shotsTitle` / `query.support` / `grid.shotsConfidence`: "?????????" for "experimental" ? this is a stiff, Sanskritized/technical word. A non-tech coach would not naturally say "?????????". More natural everyday phrasing: "?? ???? ? ? ? ? ?" / "???? ??". And "?????????" for "under development" is heavily Sanskritized/officialese ? non-tech audience would find it bookish. More natural: "?? ? ? ? ?". And "?????" for "confidence" (grid.shotsConfidence) is a literal but odd rendering.
4. `footer.floorOne` / `footer.floorAll`: leaks "????" (engine) ? EN avoids it ("it would be skipped"). This is both meaning AND makes it machine-like/confusing ? fluency. The meaning file did NOT flag these for Hindi (only Kannada did). I should flag the jargon leak under fluency lens since it's machine-like and confusing for non-tech audience.
5. `footer.floorSomeRest`: Already flagged in meaning file (min_shot_count). I should NOT re-flag ? it's covered. Skip.
6. `result.dismiss`: "???? ??" for "Dismiss" ? like Kannada, this is formal/legalistic (used for dismissing a case/petition). For closing a result card it's stiff. More natural: "?? ??" / "????". Fluency issue.
7. `ingest.intro` / `ingest.reassure`: Already addressed in meaning file (ingest.intro added clause). For reassure, leaks "?????" (server) ? EN says "KhelSutra keeps working". Fluency/jargon issue, like Kannada flagged. Not in Hindi meaning file. Flag.
8. `errors.networkError`: "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?" ? leaks "????" (engine), EN says

9. `**`errors.invalidUri`** / **`ingest.hint`** / **`ingest.uriAriaLabel`**: leak "?????" ? but these are more technical fields (gs:// path). EN itself says "the machine running KhelSutra". The Hindi says "???? ?? ?? ??" / "???? ??? ??? ????". EN avoids "engine" and uses "the machine running KhelSutra". Using "?????" here is jargon the source avoids ? fluency/confusing. But "?????" (path) is also untranslated English-techy. For non-tech audience these are inherently technical fields. The clearest fluency fix is to mirror EN: "????????? ??? ??? ????". Let me consider flagging the "?????" leaks consistently.`

Let me reconsider each candidate carefully and finalize, preserving tags/tokens.

19. user (2026-06-21T18:37:28.282Z)

20. assistant (2026-06-21T18:37:39.881Z)

My final list:

- For `ingest.intro` I'll avoid re-flagging (meaning file owns it). For `errors.invalidUri`/`ingest.hint`/`ingest.uriAriaLabel`, the "?????" appears but those are inherently technical input-location fields and EN itself references "the machine running KhelSutra"; I'll align the most user-facing ones. I'll be conservative and only flag `errors.networkError` (clearest, matches EN "Can't reach KhelSutra") plus the two floor messages, to stay precise. Actually `ingest.reassure`'s "?????" is a clear leak the EN avoids ? I'll keep it.

21. assistant (2026-06-21T18:38:01.916Z)

```
[
  {
    "key": "app.badge",
```

[illegible]

```

????, ????? ?? ???? ?? ?????? ??? ???? ???? ??????"
},
{
  "key": "footer.floorAll",
  "severity": "critical",
  "problem": "\\???? ?? ?? ?? ???? ???? ??\\" again leaks '????' (engine) absent from the
English ('they'd all be skipped'), making the message sound technical and confusing to the non-
tech audience.",
  "suggestion": "<b>??? {count} ????? ???????</b> ??? {min} ?? ?? ?????? ??? ? ?? ????? ????
???? ?????, ????? ?? ???? ?? ?????? ???? ??????? ??????"
},
{
  "key": "errors.networkError",
  "severity": "minor",
  "problem": "\\???? ?? ???? ????? ?? ??\\" exposes the internal term '????' (engine); the
English says 'Can't reach KhelSutra'. The product name is warmer and clearer for a non-tech user
than the techy 'engine'.",
  "suggestion": "????????? ?? ???? ?????? ?? ???? ???? ?? ?? ???? ??"
},
{
  "key": "ingest.reassure",
  "severity": "minor",
  "problem": "\\????????? ?????? ?? ??? ???? ???? ??\\" leaks the jargon '?????' (server); the
English simply says 'KhelSutra keeps working'. '?????' is techy and off-putting for
coaches/parents.",
  "suggestion": "????????? ???? ?????????? ?? ? ???? ?????????? ???? ???? ?? ?? ?????????? ??? ????
???? ??; ???? ??????? ?? ???? ???? ?? ???? ?????"
}
]

```

22. user (2026-06-21T18:38:01.931Z)

File created successfully at:
C:/Users/avidu/Projects/khelsutra/undefined/_tmp_issues_hi_fluency.json (file state is current
in your context ? no need to Read it back)

23. assistant (2026-06-21T18:38:06.363Z)

I reviewed all keys and wrote 11 fluency issues. Now returning the structured summary.

24. user (2026-06-21T18:38:07.097Z)

Structured output provided successfully

25. assistant (2026-06-21T18:38:19.018Z)

```
Reviewed every key in the Hindi catalog through the natural-fluency lens and wrote 11 issues to
`C:/Users/avidu/Projects/khelsutra/undefined/_tmp_issues_hi_fluency.json`.
```

Findings (2 critical, 9 minor):

- ****Jargon leaks**** (the source deliberately avoids these techy terms): ``footer.floorOne`` and ``footer.floorAll`` leak "?????" (engine) ? critical, machine-like and confusing for parents; ``errors.networkError`` leaks "?????"; ``ingest.reassure`` leaks "?????" (server).
- ****Over-Sanskritized / bookish wording**** unfamiliar to non-tech coaches: "?????????????" (experimental) and "?????????????" (under development) in ``grid.shots``, ``grid.shotsTitle``, ``query.support``; and "?????????" as a literal rendering of "confidence" in ``grid.shotsConfidence``.
- ****Stiff / unnatural phrasing****: ``app.badge`` "?????-???? ??" reads like a machine label vs. the warm "pick your rallies"; ``app.intro`` "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?" is an awkward calque; ``result.dismiss`` "????? ??" is legalistic for closing a card.

Notes on scope and conservatism:

- I deliberately did NOT re-flag `footer.floorSomeRest` and `ingest.intro`, which are already covered in `tmp\_issues\_hi meaning.json`.

- The `site.\*` keys (lines 86?99) and `site.hero.lead` are still untranslated English in the Hindi file. That is a coverage/meaning gap, not a Hindi-fluency problem, so it falls outside this lens and I left it untouched ? flagging it here for awareness.

One environment note: the prompt's `undefined/...` paths resolved to a literal `undefined` directory in the repo root (`C:/Users/avidu/Projects/khelsutra/undefined/`), which is where all the temp files live.