

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\OneDrive\Projects\Claude\Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf_f40bdb2b-ed3\agent-ab465f9ec41a457c1.jsonl`  
- SHA-256: `93e20f060c8ab2499e7a695fa02d18b10cbcf9a93d8cdcc646b242d9639f6fa41`  
- Source modified: `2026-06-21T18:50:18+00:00`  
- Imported at: `2026-07-05T16:48:21+00:00`  
- project: `wf_f40bdb2b-ed3`  
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`
```

Transcript

1. user (2026-06-21T18:49:28.138Z)

You are a meticulous senior reviewer. Project: KhelSutra. A3 makes the dependency-free marketing site (site/) localize its recording-education + marketing copy to Kannada/Hindi via a vanilla t(/data-i18n shim that reads shared catalogs at repo-root /locales (mirrored to site/public/locales). The shim (site/public/i18n.js) added a data-i18n.html form that sets innerHTML from catalog values (these values are authored by the project ? never user input ? and contain only tags). Pages bundle Noto via Google Fonts. en text stays in the HTML as the progressive-enhancement default; the shim overrides for kn/hi.

Files to read (absolute):

```
shim: C:/Users/avidu/Projects/khelsutra-fu-wt/site/public/i18n.js  
capture.html: C:/Users/avidu/Projects/khelsutra-fu-wt/site/public/capture.html  
index.html: C:/Users/avidu/Projects/khelsutra-fu-wt/site/public/index.html  
shim test: C:/Users/avidu/Projects/khelsutra-fu-wt/site/src/i18n.shim.test.js  
assets test: C:/Users/avidu/Projects/khelsutra-fu-wt/site/src/assets.test.js  
en catalog: C:/Users/avidu/Projects/khelsutra-fu-wt/locales/en/common.json  
kn catalog: C:/Users/avidu/Projects/khelsutra-fu-wt/locales/kn/common.json
```

Review ONLY through this lens:

ACCESSIBILITY: the recording-education content + the language switcher. Are headings/lists still semantic after wiring data-i18n? Does setting innerHTML/textContent preserve necessary structure? Is the switcher keyboard/SR-usable (aria-pressed, group label)? Any aria/label regressions on capture/index?

Read the relevant files, then report concrete findings (file + precise issue + a concrete fix). Be adversarial but precise ? only real issues, no style nitpicks unless they cause bugs. If the code is clean for this lens, return an empty findings array.

2. assistant (2026-06-21T18:49:31.915Z)

I'll review the A3 internationalization changes through the accessibility lens. Let me read the relevant files.

3. user (2026-06-21T18:49:32.851Z)

```
1      // KhelSutra marketing-site i18n shim (tracker B3) ? vanilla, dependency-free, zero  
build.  
2      //  
3      // Mirrors the SPA's react-i18next contract (web/src/i18n/index.ts) for the static site:  
4      //   - the SAME shared catalogs (repo-root /locales, copied into /public/locales ?  
D-CATALOG-HOME);  
5      //   - the SAME negotiation order: persisted (localStorage `khelsutra.lang`) -> ?lang=  
-> navigator -> en;  
6      //   - ICU-lite interpolation `{name}` + plurals `{n, plural, one {?} other {?}}` via  
Intl.PluralRules  
7      //   (CLDR-correct for en/kn/hi ? the 2-form site languages ? and any locale);
```

```

8      // - a missing key degrades to en, then leaves the HTML's English default ? NEVER a
raw key.
9      //
10     // The pure helpers are exported for the unit test (src/i18n.shim.test.js); boot() runs
only in a browser.
11
12     export const SUPPORTED = ["en", "kn", "hi"]; // the trilingual marketing site (es/da/id
are SPA-only)
13     export const STORAGE_KEY = "khelsutra.lang"; // shared with the SPA, so a choice carries
across surfaces
14     export const DEFAULT = "en";
15
16     const base = (code) => (code ? String(code).toLowerCase().split("-")[0] : ""); // "kn-
IN" -> "kn"
17     const supported = (code) => (SUPPORTED.includes(base(code)) ? base(code) : null);
18
19     // Negotiation ? EXACTLY the SPA order. Anything unsupported is skipped; nothing matches
-> en.
20     export function negotiate({ stored, query, nav } = {}) {
21         const navList = Array.isArray(nav) ? nav : nav ? [nav] : [];
22         for (const candidate of [stored, query, ...navList]) {
23             const ok = supported(candidate);
24             if (ok) return ok;
25         }
26         return DEFAULT;
27     }
28
29     const dig = (obj, key) => key.split(".").reduce((o, k) => (o && typeof o === "object" ?
o[k] : undefined), obj);
30
31     // Resolve one plural block "{var, plural, one {?} other {?}}" (balanced braces, # = the
number).
32     // Returns the string unchanged when there's no parseable plural block (so interpolate()
terminates).
33     function plural(msg, vars, locale) {
34         const m = msg.match(/\{(\w+),\s*plural,/);
35         if (!m) return msg;
36         let depth = 0, end = -1;
37         for (let i = m.index; i < msg.length; i++) {
38             if (msg[i] === "{") depth++;
39             else if (msg[i] === "}" && --depth === 0) { end = i; break; }
40         }
41         if (end < 0) return msg;
42         const inner = msg.slice(m.index + m[0].length, end);
43         const n = Number(vars[m[1]] ?? 0);
44         const cat = new Intl.PluralRules(locale).select(n);
45         const arms = {};
46         for (const a of inner.matchAll(/\{(\w+)\s*\{/g)) {
47             let d = 1, j = a.index + a[0].length, e = -1;
48             for (; j < inner.length; j++) { if (inner[j] === "{") d++; else if (inner[j] === "}"
&& --d === 0) { e = j; break; } }
49             if (e < 0) break;
50             arms[a[1]] = inner.slice(a.index + a[0].length, e);
51         }
52         const chosen = (arms[cat] ?? arms.other ?? "").replace(/#/g, String(n));
53         return msg.slice(0, m.index) + chosen + msg.slice(end + 1);
54     }
55
56     // ICU-lite: resolve every plural block, then simple {name} interpolation.
57     export function interpolate(msg, vars = {}, locale = DEFAULT) {
58         if (typeof msg !== "string") return msg;
59         let out = msg;
60         for (let i = 0; i < 20; i++) { const next = plural(out, vars, locale); if (next ===
out) break; out = next; }
61         return out.replace(/\{(\w+)\}/g, (_, k) => (k in vars ? String(vars[k]) : `${k}`));

```

```

62     }
63
64     // active locale -> en fallback. undefined when absent in both (caller keeps the DOM's
English default).
65     export function translate(catalogs, locale, key, vars) {
66         let msg = dig(catalogs[locale], key);
67         if (msg == null) msg = dig(catalogs[DEFAULT], key);
68         return msg == null ? undefined : interpolate(msg, vars, locale);
69     }
70
71     // Walk i18n-tagged nodes under `root`. Three forms (missing key -> skip, leaving the
HTML default):
72     //   data-i18n="key"                                -> textContent
73     //   data-i18n="key" data-i18n-attr="x"              -> setAttribute(x, ?) (placeholder / aria-
label / alt ?)
74     //   data-i18n-html="key"                            -> innerHTML (for catalog-authored inline
markup like <b>;
75     //                                                     values are our own content, never user
input)
76     export function applyDom(root, catalogs, locale) {
77         for (const el of root.querySelectorAll("[data-i18n], [data-i18n-html]")) {
78             const htmlKey = el.getAttribute("data-i18n-html");
79             const val = translate(catalogs, locale, htmlKey || el.getAttribute("data-i18n"));
80             if (val == null) continue;
81             const attr = el.getAttribute("data-i18n-attr");
82             if (htmlKey) el.innerHTML = val;
83             else if (attr) el.setAttribute(attr, val);
84             else el.textContent = val;
85         }
86         for (const el of root.querySelectorAll("[data-lang]")) {
87             const on = el.getAttribute("data-lang") === locale;
88             el.setAttribute("aria-pressed", String(on));
89             el.classList.toggle("is-active", on);
90         }
91     }
92
93     // ---- browser glue (skipped under the plain-node unit test, which has no document)
----
94     const readCookie = (name) => {
95         const m = (document.cookie || "").match(new RegExp("(?:^|; )" + name.replace(/\./g,
"\\.") + "=[^;]*"));
96         return m ? decodeURIComponent(m[1]) : null;
97     };
98
99     function persist(locale) {
100         try { localStorage.setItem(STORAGE_KEY, locale); } catch { /* private mode */ }
101         // Mirror to a cookie so server.js (VM host) can honor the persisted pref server-side
(no FOUC).
102         try { document.cookie = `${STORAGE_KEY}=${locale};path=/;max-
age=31536000;samesite=lax`; } catch { /* ignore */ }
103     }
104
105     async function loadCatalog(loc) {
106         try { const r = await fetch(`/locales/${loc}/common.json`); return r.ok ? await
r.json() : {}; } catch { return {}; }
107     }
108
109     async function render(locale) {
110         const catalogs = { en: await loadCatalog("en") };
111         if (locale !== "en") catalogs[locale] = await loadCatalog(locale);
112         document.documentElement.lang = locale;
113         applyDom(document, catalogs, locale);
114     }
115
116     async function boot() {

```

```

117     let stored = null;
118     try { stored = localStorage.getItem(STORAGE_KEY); } catch { /* ignore */ }
119     if (!stored) stored = readCookie(STORAGE_KEY); // server-set or cross-store persisted
pref
120     const query = new URLSearchParams(location.search).get("lang");
121     const nav = navigator.languages && navigator.languages.length ?
[...navigator.languages] : [navigator.language];
122     const locale = negotiate({ stored, query, nav });
123     await render(locale);
124     document.addEventListener("click", (e) => {
125         const btn = e.target.closest && e.target.closest("[data-lang]");
126         if (!btn) return;
127         e.preventDefault();
128         const loc = supported(btn.getAttribute("data-lang")) || DEFAULT;
129         persist(loc);
130         render(loc);
131     });
132 }
133
134 if (typeof document !== "undefined" && typeof window !== "undefined") {
135     if (document.readyState === "loading") document.addEventListener("DOMContentLoaded",
boot);
136     else boot();
137 }
138

```

4. user (2026-06-21T18:49:33.319Z)

```

1     <!doctype html>
2     <html lang="en">
3     <head>
4     <meta charset="utf-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1" />
6     <title>KhelSutra ? 1-page capture checklist</title>
7     <meta name="description" content="How to record a badminton session so KhelSutra gives
you great highlight reels: camera placement, settings, stability, lighting." />
8     <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
9     <link rel="preconnect" href="https://fonts.googleapis.com" />
10    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
11    <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
12    <style>
13        :root{--ink:#0C261F;--green:#19B36B;--green-d:#137a4c;--paper:#F6F8F4;--tx:#14271F;--
mut:#566B61;--line:#E1E7DF;--font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans
Devanagari',system-ui,-apple-system,Segoe UI,Roboto,sans-serif}
14        *{box-sizing:border-box}
15        body{margin:0;font-family:var(--font);color:var(--tx);background:#E9EDE6;line-
height:1.5;-webkit-font-smoothing:antialiased}
16        .sheet{max-width:820px;margin:18px auto;background:#fff;border-
radius:16px;overflow:hidden;box-shadow:0 18px 50px -24px rgba(0,0,0,.35)}
17        .head{background:var(--ink);color:#EAF3EE;padding:22px 30px;display:flex;align-
items:center;justify-content:space-between;gap:1rem;flex-wrap:wrap}
18        .brand{display:flex;align-items:center;gap:.55rem;font-weight:800;font-size:1.2rem}
19        .brand .dot{color:var(--green)}
20        .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:6px
0 6px 11px;border-color:transparent transparent transparent var(--green);margin:0
.3em;transform:translateY(1px)}
21        .head h1{font-size:1.05rem;font-weight:600;margin:0;color:#C7F2B0}
22        /* persistent language switcher (B3) ? inherits header text colour, green fill =
active */
23        .langsw{display:inline-flex;gap:2px;border:1px solid rgba(255,255,255,.28);border-
radius:999px;padding:2px}

```

```

24     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.7;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
25     .langsw button:hover{opacity:1}
26     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
27     .body{padding:24px 30px 8px}
28     .intro{color:var(--mut);margin:0 0 16px;font-size:.98rem}
29     .rule{display:flex;gap:.7rem;background:#EAF6EF;border:1px solid #BF66D2;border-
radius:12px;padding:14px 16px;margin-bottom:20px}
30     .rule .star{color:var(--green-d);font-size:1.3rem;line-height:1}
31     .rule b{color:var(--tx)}
32     .rule p{margin:.25rem 0 0;color:var(--mut);font-size:.92rem}
33     .grid{display:grid;grid-template-columns:1fr 1fr;gap:16px 26px}
34     .step h3{display:flex;align-items:center;gap:.5rem;font-size:1rem;font-
weight:700;margin:0 0 .4rem}
35     .step h3 .n{width:24px;height:24px;border-
radius:7px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-
content:center;font-size:.85rem;flex:none}
36     .step ul{margin:0;padding-left:1.1rem}
37     .step li{margin:.18rem 0;font-size:.92rem;color:#34453D}
38     .step li b{color:var(--tx)}
39     .cols{display:grid;grid-template-columns:1fr 1fr;gap:0;border:1px solid
var(--line);border-radius:12px;overflow:hidden;margin:22px 0 8px}
40     .cols div{padding:14px 16px}
41     .cols .do{background:#EAF6EF}
42     .cols .dont{background:#Fbeeb;border-left:1px solid var(--line)}
43     .cols h4{margin:0 0 .5rem;font-size:.92rem}
44     .cols .do h4{color:var(--green-d)}
45     .cols .dont h4{color:#9a3b22}
46     .cols ul{margin:0;padding-left:1.1rem}
47     .cols li{font-size:.88rem;margin:.16rem 0;color:#3a4b43}
48     .consent{font-size:.86rem;color:var(--mut);border-top:1px solid var(--line);margin-
top:6px;padding:14px 0 4px}
49     .foot{display:flex;justify-content:space-between;flex-wrap:wrap;gap:.5rem;padding:14px
30px 24px;color:var(--mut);font-size:.85rem}
50     .foot a{color:var(--green-d);text-decoration:none}
51     @media (max-width:680px){.grid,.cols{grid-template-columns:1fr}.cols .dont{border-
left:0;border-top:1px solid var(--line)}}
52     @media print{
53         body{background:#fff}
54         .sheet{box-shadow:none;margin:0;max-width:none;border-radius:0}
55         @page{margin:12mm}
56         .noprint{display:none}
57     }
58 </style>
59 </head>
60 <body>
61 <script type="module" src="/i18n.js"></script>
62 <div class="sheet">
63     <div class="head">
64         <span class="brand">Khel<span class="play" aria-hidden="true"></span>Sutra</span>
65         <h1 data-i18n="site.capture.title">1-page capture checklist</h1>
66         <div class="langsw" role="group" aria-label="Language">
67             <button type="button" data-lang="en" data-i18n="lang.en"
lang="en">English</button>
68             <button type="button" data-lang="kn" data-i18n="lang.kn" lang="kn">????</button>
69             <button type="button" data-lang="hi" data-i18n="lang.hi" lang="hi">????</button>
70         </div>
71     </div>
72     <div class="body">
73         <p class="intro" data-i18n="site.capture.intro">Great highlights start with a
steady, full-court recording. Five minutes of setup makes a big difference to your reels.</p>
74
75         <div class="rule">
76             <span class="star" aria-hidden="true">?</span>

```

```

77         <div>
78             <b data-i18n="site.capture.ruleLead">The golden rule: one match, one court, in
full frame ? and don't move the camera.</b>
79             <p data-i18n="site.capture.ruleRest">Multi-court footage is the hard case we're
still sharpening; a single court in frame gives the best results today.</p>
80         </div>
81     </div>
82
83     <div class="grid">
84         <div class="step">
85             <h3><span class="n">1</span><span data-i18n="site.capture.step1.title">Place the
camera</span></h3>
86             <ul>
87                 <li data-i18n-html="site.capture.step1.b1">Behind <b>one baseline</b>,
elevated ? a high tripod, a few metres up, or a balcony.</li>
88                 <li data-i18n-html="site.capture.step1.b2">Tilt down about <b>30°</b>; keep
the <b>whole court</b> in frame with a little margin and net headroom.</li>
89                 <li data-i18n="site.capture.step1.b3">Players should never leave the
frame.</li>
90             </ul>
91         </div>
92         <div class="step">
93             <h3><span class="n">2</span><span
data-i18n="site.capture.step2.title">Settings</span></h3>
94             <ul>
95                 <li data-i18n-html="site.capture.step2.b1"><b>1080p or higher</b>, shot in
<b>landscape</b>.</li>
96                 <li data-i18n-html="site.capture.step2.b2"><b>30 fps</b> for
badminton/pickleball; <b>60 fps</b> for table tennis.</li>
97                 <li data-i18n-html="site.capture.step2.b3"><b>Audio ON</b> (don't mute) ? keep
the mic unobstructed, wind/noise reduction off.</li>
98             </ul>
99         </div>
100        <div class="step">
101            <h3><span class="n">3</span><span data-i18n="site.capture.step3.title">Keep it
still</span></h3>
102            <ul>
103                <li data-i18n="site.capture.step3.b1">Fixed tripod or mount.</li>
104                <li data-i18n-html="site.capture.step3.b2"><b>No panning, no zooming</b>
during play.</li>
105            </ul>
106        </div>
107        <div class="step">
108            <h3><span class="n">4</span><span data-i18n="site.capture.step4.title">Light
& record</span></h3>
109            <ul>
110                <li data-i18n="site.capture.step4.b1">Even indoor lighting; avoid backlight,
glare and very dark halls.</li>
111                <li data-i18n-html="site.capture.step4.b2">Record the <b>whole session</b> and
upload it as-is ? KhelSutra does the cutting.</li>
112            </ul>
113        </div>
114    </div>
115
116    <div class="cols">
117        <div class="do">
118            <h4 data-i18n="site.capture.doTitle">Do</h4>
119            <ul>
120                <li data-i18n="site.capture.do1">Fixed camera, full court, behind the
baseline</li>
121                <li data-i18n="site.capture.do2">1080p+, landscape, audio on</li>
122                <li data-i18n="site.capture.do3">One match on one court</li>
123            </ul>
124        </div>
125        <div class="dont">

```

```

126         <h4 data-i18n="site.capture.dontTitle">Avoid</h4>
127         <ul>
128             <li data-i18n="site.capture.dont1">Handheld or phone-in-hand</li>
129             <li data-i18n="site.capture.dont2">Broadcast-style pans & zooming</li>
130             <li data-i18n="site.capture.dont3">Several courts in one frame; very dark
halls</li>
131         </ul>
132     </div>
133 </div>
134
135     <p class="consent" data-i18n="site.capture.consent">Please record adults with their
okay. Footage involving minors is never used to improve the tool and is never published.</p>
136 </div>
137 <div class="foot">
138     <span><span data-i18n="site.capture.questions">Questions?</span> <a
href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> . <a
href="https://khelsutra.guru">khelsutra.guru</a></span>
139     <span class="noprint" data-i18n="site.capture.printTip">Tip: press Ctrl/Cmd + P to
print or save as PDF.</span>
140 </div>
141 </div>
142 </body>
143 </html>
144

```

5. user (2026-06-21T18:49:34.651Z)

```

1     <!doctype html>
2     <html lang="en">
3     <head>
4         <meta charset="utf-8" />
5         <meta name="viewport" content="width=device-width, initial-scale=1" />
6         <title>KheISutra ? every rally indexed, the dead time gone</title>
7         <meta name="description" content="KheISutra turns a full badminton match into a clean
index of rallies with the dead time stripped out ? a highlight reel you can watch and download.
Invite-only alpha, Bengaluru." />
8         <meta property="og:title" content="KheISutra ? every rally indexed, the dead time gone"
/>
9         <meta property="og:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha for academies and players in Bengaluru." />
10        <meta property="og:type" content="website" />
11        <meta property="og:url" content="https://khelsutra.guru" />
12        <meta property="og:image" content="https://khelsutra.guru/og.png" />
13        <meta property="og:image:width" content="1200" />
14        <meta property="og:image:height" content="630" />
15        <meta name="twitter:card" content="summary_large_image" />
16        <meta name="twitter:title" content="KheISutra ? every rally indexed, the dead time gone"
/>
17        <meta name="twitter:description" content="A full match becomes a clean highlight reel ?
only the real play, no dead time. Invite-only alpha, Bengaluru." />
18        <meta name="twitter:image" content="https://khelsutra.guru/og.png" />
19        <meta name="theme-color" content="#0C261F" />
20        <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 32 32'%3E%3Crect width='32' height='32' rx='8' fill='%230C261F'/%3E%3Cpath d='M13
10 L23 16 L13 22 Z' fill='%2319B36B'/%3E%3C/svg%3E" />
21        <link rel="preconnect" href="https://fonts.googleapis.com" />
22        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
23        <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;
700;800&family=Noto+Sans+Kannada:wght@400;500;600;700&family=Noto+Sans+Devanagari:wght@400;500;6
00;700&display=swap" rel="stylesheet" />
24        <style>
25            :root{
26                --ink:#0C261F; --ink2:#123A2E; --green:#19B36B; --green-d:#149A5C;
27                --lime:#C7F2B0; --paper:#F6F8F4; --card:#fff;
28                --tx:#14271F; --mut:#566B61; --line:#E4E9E2;

```

```

29     --on-dark:#EAF3EE; --on-dark-mut:#A7C3B7;
30     --r:14px; --rs:10px; --maxw:1080px;
31     --font:'Plus Jakarta Sans','Noto Sans Kannada','Noto Sans Devanagari',system-
ui,-apple-system,Segoe UI,Roboto,Helvetica,Arial,sans-serif;
32 }
33     *{box-sizing:border-box}
34     html{scroll-behavior:smooth}
35     body{margin:0;font-family:var(--font);color:var(--tx);background:var(--paper);line-
height:1.65;-webkit-font-smoothing:antialiased}
36     a{color:inherit}
37     .wrap{max-width:var(--maxw);margin:0 auto;padding:0 22px}
38     h1,h2,h3{line-height:1.15;margin:0;letter-spacing:-.02em}
39     h1{font-size:clamp(2rem,5vw,3.4rem);font-weight:800}
40     h2{font-size:clamp(1.5rem,3.2vw,2.2rem);font-weight:700}
41     h3{font-size:1.15rem;font-weight:700}
42     p{margin:.6rem 0}
43     .btn{display:inline-flex;align-items:center;gap:.5rem;font-weight:600;font-
size:1rem;border-radius:999px;padding:.78rem 1.4rem;text-decoration:none;border:1px solid
transparent;cursor:pointer;transition:.15s}
44     .btn-primary{background:var(--green);color:#04140D}
45     .btn-primary:hover{background:var(--green-d)}
46     .btn-ghost{background:transparent;border-color:rgba(255,255,255,.28);color:var(--on-
dark)}
47     .btn-ghost:hover{border-color:rgba(255,255,255,.6)}
48     .btn-dark{background:var(--ink);color:#fff}
49     .btn-dark:hover{background:var(--ink2)}
50     .btn[disabled]{opacity:.75;cursor:progress}
51     /* in-flight spinner for the request-access submit */
52     .spin{display:inline-block;width:1em;height:1em;border:2px solid currentColor;border-
right-color:transparent;border-radius:50%;animation:spin .6s linear infinite}
53     @keyframes spin{to{transform:rotate(360deg)}}
54     .eyebrow{display:inline-flex;align-items:center;gap:.5rem;font-size:.82rem;font-
weight:600;letter-spacing:.02em;
55     background:rgba(25,179,107,.14);color:#0a6c45;border:1px solid
rgba(25,179,107,.3);padding:.3rem .8rem;border-radius:999px}
56
57     /* header */
58     header{position:sticky;top:0;z-index:20;background:rgba(246,248,244,.86);backdrop-
filter:blur(10px);border-bottom:1px solid var(--line)}
59     .nav{display:flex;align-items:center;justify-content:space-between;height:66px}
60     .brand{display:flex;align-items:center;gap:.6rem;font-weight:800;font-
size:1.18rem;letter-spacing:-.02em;text-decoration:none}
61     .brand .dot{color:var(--green)}
62     .nav-links{display:flex;align-items:center;gap:1.6rem}
63     .nav-links a{font-size:.95rem;font-weight:500;color:var(--mut);text-decoration:none}
64     .nav-links a:hover{color:var(--tx)}
65     /* persistent language switcher (B3) ? theme-agnostic: inherits text colour, green
fill = active */
66     .nav-right{display:flex;align-items:center;gap:1rem}
67     .langsw{display:inline-flex;gap:2px;border:1px solid rgba(120,120,120,.3);border-
radius:999px;padding:2px}
68     .langsw button{font:inherit;font-size:.8rem;font-
weight:600;color:inherit;opacity:.62;background:transparent;border:0;border-
radius:999px;padding:.3rem .55rem;cursor:pointer;min-height:32px;line-height:1}
69     .langsw button:hover{opacity:1}
70     .langsw button[aria-pressed="true"]{background:var(--green);color:#04140D;opacity:1}
71     .brand .play{display:inline-block;width:0;height:0;border-style:solid;border-width:7px
0 7px 12px;border-color:transparent transparent transparent var(--green);margin:0
.32em;transform:translateY(1px)}
72
73     /* hero */
74     .hero{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2)
100%);color:var(--on-dark);position:relative;overflow:hidden}
75     .hero .wrap{padding-top:74px;padding-bottom:88px;position:relative;z-index:2}
76     .hero .eyebrow{background:rgba(199,242,176,.12);color:var(--lime);border-

```



```

color:rgba(199,242,176,.25)}
77     .hero h1{margin:1.1rem 0 0;max-width:15ch}
78     .hero h1 .hl{color:var(--lime)}
79     .hero .lead{font-size:clamp(1.05rem,1.6vw,1.28rem);color:var(--on-dark-mut);max-
width:54ch;margin:1.2rem 0 0}
80     .hero-cta{display:flex;flex-wrap:wrap;gap:.8rem;margin-top:2rem}
81     .hero-note{margin-top:1.1rem;font-size:.86rem;color:var(--on-dark-mut)}
82     .shuttle{position:absolute;right:-60px;top:-40px;width:520px;max-
width:55%;opacity:.16;z-index:1;pointer-events:none}
83     .loop{display:flex;flex-wrap:wrap;gap:.6rem;margin-top:2.4rem}
84     .loop .chip{display:flex;align-
items:center;gap:.5rem;background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);
85         border-radius:999px;padding:.5rem 1rem;font-weight:500;font-
size:.92rem;color:var(--on-dark)}
86     .loop .chip b{color:var(--lime);font-weight:700}
87     .loop .arrow{color:var(--on-dark-mut);align-self:center}
88
89     .hero-grid{display:grid;grid-template-columns:1.04fr .96fr;gap:46px;align-
items:center}
90     .hero-left{min-width:0}
91     .hero-visual{min-width:0}
92     .reel-card{background:#fff;border-radius:18px;border:1px solid
rgba(255,255,255,.14);box-shadow:0 26px 60px -24px rgba(0,0,0,.55);overflow:hidden}
93     .reel-head{display:flex;align-items:center;gap:.55rem;padding:.7rem .9rem;border-
bottom:1px solid var(--line)}
94     .reel-head .dots{display:flex;gap:5px}
95     .reel-head .dots i{width:9px;height:9px;border-
radius:50%;background:#D9DED7;display:block}
96     .reel-head .file{font-size:.78rem;color:var(--mut);font-weight:600}
97     .reel-video{position:relative;aspect-ratio:16/9;background:linear-
gradient(150deg,#0E3A2C,#17533C);display:flex;align-items:center;justify-content:center}
98     .reel-video .court{position:absolute;inset:16px;border:2px solid
rgba(199,242,176,.30);border-radius:6px}
99     .reel-video .court:before{content:"";position:absolute;left:50%;top:0;bottom:0;width:2
px;background:rgba(199,242,176,.30)}
100     .reel-video .court:after{content:"";position:absolute;top:50%;left:0;right:0;height:2p
x;background:rgba(199,242,176,.22)}
101     .reel-video .play{width:60px;height:60px;border-
radius:50%;background:var(--lime);display:flex;align-items:center;justify-
content:center;color:#0C261F;font-size:1.4rem;z-index:2;padding-left:4px;box-shadow:0 10px 26px
rgba(0,0,0,.35)}
102     .reel-video .badge{position:absolute;top:12px;left:12px;background:rgba(12,38,31,.72);
color:var(--lime);font-size:.7rem;font-weight:700;letter-spacing:.06em;padding:.26rem
.6rem;border-radius:999px;z-index:2}
103     .reel-video
.wm{position:absolute;bottom:10px;right:12px;color:rgba(234,243,238,.78);font-size:.66rem;font-
weight:500;z-index:2}
104     .reel-body{padding:.95rem 1.05rem 1.1rem}
105     .reel-body .lbl{font-size:.72rem;font-weight:600;letter-spacing:.04em;text-
transform:uppercase;color:var(--mut)}
106     .reel-track{position:relative;height:12px;border-
radius:6px;background:#E8ECE6;margin:.55rem 0 .95rem}
107     .reel-track span{position:absolute;top:0;bottom:0;background:var(--green);border-
radius:6px}
108     .reel-stats{display:flex;gap:10px}
109     .reel-stats .m{flex:1;background:var(--paper);border-radius:10px;padding:.6rem .85rem}
110     .reel-stats .m b{display:block;font-size:1.25rem;color:var(--tx);font-weight:700}
111     .reel-stats .m em{font-size:.76rem;color:var(--mut);font-style:normal}
112     .ask{display:flex;align-items:center;gap:.55rem;margin:.85rem 1.05rem
.2rem;padding:.6rem .7rem;border:1px solid var(--line);border-
radius:12px;background:var(--paper)}
113     .ask-ic{color:var(--green-d);font-size:.95rem}
114     .ask-tx{flex:1;font-size:.88rem;color:var(--tx);font-weight:500;line-height:1.3}
115     .ask-go{width:26px;height:26px;border-
radius:8px;background:var(--green);color:#04140D;display:flex;align-items:center;justify-

```

```

content:center;font-size:.85rem;flex:none}
116     .lbl{display:flex;justify-content:space-between;align-items:center}
117     .lbl .match{color:var(--green-d);font-weight:700}
118     .reel-track span.off{background:#D7DDD4}
119     .reel-track span.on{background:var(--green)}
120     .result{display:flex;align-items:center;gap:.7rem;margin-top:.2rem;padding:.65rem
121     .8rem;background:var(--ink);border-radius:12px}
121     .result .play{width:34px;height:34px;border-
radius:50%;background:var(--lime);color:#0C261F;display:flex;align-items:center;justify-
content:center;flex:none;font-size:.95rem;padding-left:2px}
122     .result-tx{flex:1}
123     .result-tx b{display:block;font-size:.84rem;font-weight:700;color:#fff}
124     .result-tx em{display:block;font-style:normal;font-size:.73rem;color:var(--on-dark-
mut)}}
125     .result .dl{color:var(--on-dark-mut);font-size:1.1rem}
126     .askc .q{font-weight:600;background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem;font-size:.95rem}
127     .askc .q i{color:var(--green-d);font-style:normal;margin-right:.35rem}
128     .askc .a{display:flex;gap:.5rem;color:var(--mut);font-size:.93rem;margin-
top:.75rem;padding-left:.1rem}
129     .askc .a i{color:var(--green-d);font-style:normal;margin-top:.1rem}
130     .ask-note{margin-top:1.5rem;font-size:.95rem;color:var(--mut)}}
131
132     /* sections */
133     section{padding:72px 0}
134     .sec-head{max-width:60ch}
135     .sec-head .kicker{font-size:.82rem;font-weight:700;letter-spacing:.08em;text-
transform:uppercase;color:var(--green-d)}
136     .sec-head h2{margin:.5rem 0 0}
137     .sec-head p{color:var(--mut);font-size:1.08rem;margin-top:.7rem}
138
139     .grid{display:grid;gap:18px;margin-top:2.4rem}
140     .g4{grid-template-columns:repeat(4,1fr)}
141     .g3{grid-template-columns:repeat(3,1fr)}
142     .g2{grid-template-columns:repeat(2,1fr)}
143     .card{background:var(--card);border:1px solid var(--line);border-
radius:var(--r);padding:1.4rem}
144     .card .ic{width:42px;height:42px;border-radius:11px;display:flex;align-
items:center;justify-content:center;
145     background:rgba(25,179,107,.12);color:var(--green-d);font-size:1.3rem;margin-
bottom:.9rem}
146     .card h3{font-size:1.05rem}
147     .card p{color:var(--mut);font-size:.96rem;margin:.4rem 0 0}
148
149     .split{display:grid;grid-template-columns:1.1fr .9fr;gap:42px;align-items:center}
150     .panel{background:var(--ink);color:var(--on-dark);border-radius:18px;padding:2.2rem}
151     .panel h2{color:#fff}
152     .panel p{color:var(--on-dark-mut)}
153     .panel .pill{display:inline-
block;background:rgba(199,242,176,.14);color:var(--lime);font-size:.8rem;font-weight:600;
154     padding:.3rem .7rem;border-radius:999px;margin-bottom:1rem}
155
156     .road{display:grid;grid-template-columns:repeat(5,1fr);gap:14px;margin-top:2.2rem}
157     .road .step{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:1.1rem}
158     .road .step .n{font-size:1.4rem;color:var(--green-d)}
159     .road .step h3{font-size:1rem;margin-top:.5rem}
160     .road .step p{font-size:.88rem;color:var(--mut);margin-top:.3rem}
161
162     .honest{background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:0 var(--rs) var(--rs) 0;padding:1.2rem 1.4rem;margin-top:1.6rem}
163     .honest b{color:var(--tx)}
164     .honest p{color:var(--mut);margin:.3rem 0 0}
165
166     .notes{list-style:none;padding:0;margin:2rem 0 0;display:grid;grid-template-

```

```

columns:repeat(2,1fr);gap:12px}
167     .nots li{display:flex;gap:.6rem;background:var(--card);border:1px solid
var(--line);border-radius:var(--rs);padding:.9rem 1.1rem;color:var(--mut);font-size:.95rem}
168     .nots li i{color:var(--green-d);margin-top:.15rem}
169
170     details{background:var(--card);border:1px solid var(--line);border-
radius:var(--rs);padding:0 1.2rem;margin-top:10px}
171     details summary{cursor:pointer;font-weight:600;padding:1rem 0;list-
style:none;display:flex;justify-content:space-between;align-items:center;gap:1rem}
172     details summary::-webkit-details-marker{display:none}
173     details summary::after{content:"+";color:var(--green-d);font-size:1.3rem;font-
weight:400}
174     details[open] summary::after{content:"?"}
175     details p{color:var(--mut);margin:0 0 1.1rem}
176
177     .cta{background:linear-gradient(160deg,var(--ink) 0%,var(--ink2) 100%);color:var(--on-
dark);border-radius:20px;padding:3rem 2.4rem;text-align:center;margin:0 0 0}
178     .cta h2{color:#fff;max-width:20ch;margin:0 auto}
179     .cta p{color:var(--on-dark-mut);max-width:46ch;margin:.8rem auto 0}
180     .cta .hero-cta{justify-content:center}
181     .af{max-width:560px;margin:2.2rem auto 0;background:var(--card);border:1px solid
var(--line);border-radius:var(--r);padding:1.6rem 1.5rem;text-align:left}
182     .af .row{margin-bottom:1.05rem}
183     .af label{display:block;font-size:.9rem;font-weight:600;color:var(--tx);margin-
bottom:.4rem}
184     .af .hint{font-weight:400;color:var(--mut);font-size:.84rem}
185     .af input[type=text],.af input[type=email],.af select,.af
textarea{width:100%;font:inherit;font-
size:.95rem;color:var(--tx);background:var(--paper);border:1px solid var(--line);border-
radius:10px;padding:.6rem .75rem}
186     .af textarea{min-height:84px;resize:vertical}
187     .af input:focus,.af select:focus,.af textarea:focus{outline:none;border-
color:var(--green);box-shadow:0 0 0 3px rgba(25,179,107,.15)}
188     .seg{display:flex;gap:10px}
189     .seg label{flex:1;margin:0;border:1px solid var(--line);border-
radius:10px;padding:.7rem .8rem;cursor:pointer;font-weight:500;text-align:center}
190     .seg input{position:absolute;opacity:0}
191     .seg label:hover{border-color:var(--green)}
192     .seg label:has(input:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d);font-weight:700}
193     .opts{display:flex;flex-wrap:wrap;gap:8px}
194     .opts label{margin:0;display:inline-flex;align-items:center;gap:.4rem;border:1px solid
var(--line);border-radius:999px;padding:.4rem .8rem;font-weight:500;font-
size:.88rem;cursor:pointer}
195     .opts label:has(:checked){border-
color:var(--green);background:rgba(25,179,107,.07);color:var(--green-d)}
196     .opts input{accent-color:var(--green)}
197     .af .consent{display:flex;align-items:flex-start;gap:.5rem}
198     .af .consent input{margin-top:.2rem;accent-color:var(--green)}
199     .af .acad{display:none}
200     .af.is-academy .acad{display:block}
201     .hp{position:absolute;left:-9999px;width:1px;height:1px;overflow:hidden}
202     .form-done{max-width:560px;margin:2rem auto 0;text-
align:center;background:rgba(25,179,107,.08);border:1px solid
rgba(25,179,107,.3);color:var(--green-d);border-radius:var(--r);padding:1.4rem;font-weight:600}
203
204     footer{border-top:1px solid var(--line);padding:42px 0;color:var(--mut);font-
size:.9rem}
205     .foot{display:flex;flex-wrap:wrap;justify-content:space-between;gap:1.2rem;align-
items:center}
206     .foot a{color:var(--green-d);text-decoration:none}
207     .foot a:hover{text-decoration:underline}
208     .stamp{font-size:.82rem;color:var(--mut)}
209
210     @media (max-width:860px){

```

```

211     .nav-links{display:none}
212     .g4{grid-template-columns:repeat(2,1fr)}
213     .g3,.g2{grid-template-columns:1fr}
214     .split{grid-template-columns:1fr;gap:24px}
215     .road{grid-template-columns:repeat(2,1fr)}
216     .notes{grid-template-columns:1fr}
217     .shuttle{opacity:.1}
218     .hero-grid{grid-template-columns:1fr;gap:30px}
219     .reel-card{max-width:460px}
220 }
221
222     /* tool demo + sample reel ? revealed AFTER sign-up, then auto-closes */
223     .reelwrap{position:relative;max-width:680px;margin:.5rem auto 0;aspect-
224 ratio:16/9;border-radius:14px;overflow:hidden;border:1px solid var(--line);background:#0C261F}
225     .reelwrap iframe{width:100%;height:100%;border:0;display:block}
226     .tool-vid{display:block;width:100%;max-width:680px;margin:.5rem auto 0;border-
227 radius:14px;border:1px solid var(--line);background:#0C261F}
228     .reveal-h{max-width:680px;margin:1.2rem auto .15rem;font-size:.74rem;font-
229 weight:700;letter-spacing:.06em;text-transform:uppercase;color:var(--green-d);text-align:left}
230     .reveal-bar{max-width:680px;margin:.2rem auto 0;display:flex;justify-content:flex-end}
231     .reveal-x{background:transparent;border:1px solid var(--line);color:var(--mut);font-
232 size:.78rem;font-weight:600;padding:.32rem .72rem;border-radius:999px;cursor:pointer}
233     .reveal-x:hover{color:var(--tx);border-color:var(--mut)}
234 </style>
235 </head>
236 <body>
237 <script type="module" src="/i18n.js"></script>
238
239 <header>
240 <div class="wrap nav">
241 <a class="brand" href="#top">Khel<span class="play" aria-
242 hidden="true"></span>Sutra</a>
243 <nav class="nav-links" aria-label="Primary">
244 <a href="#how" data-i18n="site.nav.how">How it works</a>
245 <a href="#diff" data-i18n="site.nav.why">Why it's hard</a>
246 <a href="/own-model" data-i18n="site.nav.ownModel">Own your model</a>
247 <a href="/flyer" data-i18n="site.nav.flyer">Flyer</a>
248 <a href="#roadmap" data-i18n="site.nav.roadmap">Roadmap</a>
249 <a href="#faq" data-i18n="site.nav.faq">FAQ</a>
250 </nav>
251 <div class="nav-right">
252 <div class="langsw" role="group" aria-label="Language">
253 <button type="button" data-lang="en" data-i18n="lang.en"
254 lang="en">English</button>
255 <button type="button" data-lang="kn" data-i18n="lang.kn"
256 lang="kn">?????</button>
257 <button type="button" data-lang="hi" data-i18n="lang.hi"
258 lang="hi">?????</button>
259 </div>
260 <a class="btn btn-dark" href="#join" data-i18n="site.nav.requestAccess">Request
261 access</a>
262 </div>
263 </div>
264 </header>
265
266 <a id="top"></a>
267 <section class="hero" style="padding:0">
268 <div class="wrap hero-grid">
269 <div class="hero-left">
270 <span class="eyebrow" data-i18n="site.hero.eyebrow">Invite-only alpha .
271 Bengaluru</span>
272 <h1>Every rally, indexed. <span class="hl">The dead time, gone.</span></h1>
273 <p class="lead" data-i18n="site.hero.lead">KhelSutra finds every rally in your
274 session and strips out the knock-ups, walks and gaps ? so a full match becomes a clean highlight
275 reel you can watch and download. No editing, no scrubbing.</p>

```

```

264         <div class="hero-cta">
265             <a class="btn btn-primary" href="#join" data-i18n="site.hero.ctaPrimary">Request
alpha access</a>
266             <a class="btn btn-ghost" href="#how" data-i18n="site.hero.ctaHow">See how it
works</a>
267             <a class="btn btn-ghost" href="#join">See it in action + a real reel</a>
268         </div>
269         <p class="hero-note">A phone or GoPro on a tripod is all you need. No special
hardware.</p>
270         <div class="loop">
271             <span class="chip"><b>1.</b> Auto-index rallies</span>
272             <span class="arrow">?</span>
273             <span class="chip"><b>2.</b> Dead time removed</span>
274             <span class="arrow">?</span>
275             <span class="chip"><b>3.</b> Download your reel</span>
276         </div>
277     </div>
278     <div class="hero-visual">
279         <div class="reel-card">
280             <div class="reel-head">
281                 <span class="dots"><i></i><i></i><i></i></span>
282                 <span class="file">match_2026.mp4 · indexed</span>
283             </div>
284             <div class="reel-body">
285                 <div class="lbl"><span>Rallies detected</span><span class="match">44
found</span></div>
286                 <div class="reel-track">
287                     <span class="on" style="left:2%;width:8%"></span>
288                     <span class="on" style="left:13%;width:6%"></span>
289                     <span class="on" style="left:22%;width:12%"></span>
290                     <span class="on" style="left:37%;width:7%"></span>
291                     <span class="on" style="left:47%;width:11%"></span>
292                     <span class="on" style="left:61%;width:6%"></span>
293                     <span class="on" style="left:70%;width:13%"></span>
294                     <span class="on" style="left:86%;width:9%"></span>
295                 </div>
296                 <div class="result">
297                     <span class="play" aria-hidden="true">?</span>
298                     <span class="result-tx"><b>Highlight reel · 44 rallies · 18 min</b><em>dead
time removed · ready to download</em></span>
299                     <span class="dl" aria-hidden="true">?</span>
300                 </div>
301             </div>
302         </div>
303     </div>
304 </div>
305 </section>
306
307 <section id="how">
308     <div class="wrap">
309         <div class="sec-head">
310             <div class="kicker">What it does today</div>
311             <h2>A full match, turned into rallies you can search</h2>
312             <p>Upload a whole session or match. KhelSutra does the rest ? no editing skill
needed.</p>
313         </div>
314         <div class="grid g4">
315             <div class="card">
316                 <div class="ic" aria-hidden="true">?</div>
317                 <h3>Every rally, indexed</h3>
318                 <p>It finds each rally ? start, end and length ? and turns the whole match into
a searchable list. Long full-session videos are fine.</p>
319             </div>
320             <div class="card">
321                 <div class="ic" aria-hidden="true">?</div>

```

```

322         <h3>Dead time removed</h3>
323         <p>Knock-ups, walks, picking up the shuttle, the gaps between points ? stripped
out. What's left is only real play.</p>
324     </div>
325     <div class="card">
326         <div class="ic" aria-hidden="true">?</div>
327         <h3>Process once, reuse</h3>
328         <p>Come back later to watch or download your reel. Re-running a video replaces
its earlier result rather than piling up copies.</p>
329     </div>
330     <div class="card">
331         <div class="ic" aria-hidden="true">?</div>
332         <h3>Stitched reel + summary</h3>
333         <p>Your selection becomes one MP4 to download and share ? with a play-time
summary and a small ?Generated by Khelsutra.guru? mark.</p>
334     </div>
335 </div>
336 </div>
337 </section>
338
339 <section id="record" style="background:#EFF4EC">
340     <div class="wrap">
341         <div class="sec-head">
342             <div class="kicker" data-i18n="site.record.kicker">Record it right</div>
343             <h2 data-i18n="site.record.title">Five minutes of setup ? reliably great
reels</h2>
344             <p data-i18n="site.record.intro">Highlight quality starts with the recording. Set
the camera up once like this and KhelSutra has everything it needs to find the rallies.</p>
345         </div>
346
347         <div style="max-width:780px;margin:0 auto 1.6rem;display:flex;gap:.8rem;align-
items:flex-start;background:#fff;border:1px solid var(--line);border-left:4px solid
var(--green);border-radius:14px;padding:1rem 1.2rem">
348             <span aria-hidden="true" style="color:var(--green-d);font-size:1.4rem;line-
height:1">?</span>
349             <p style="margin:0;color:var(--tx)"><b data-i18n="site.record.goldenRuleLead">The
golden rule: one match, one court, in full frame ? and don't move the camera.</b> <span
style="color:var(--mut)" data-i18n="site.record.goldenRuleRest">A single court in frame gives
the best results today; busy multi-court footage is the hard case we're still
sharpening.</span></p>
350         </div>
351
352     <div class="grid g4">
353         <div class="card">
354             <div class="ic" aria-hidden="true">?</div>
355             <h3 data-i18n="site.record.place.title">Place the camera</h3>
356             <p data-i18n-html="site.record.place.body">Behind <b>one baseline</b>, elevated
(a high tripod or a balcony), tilted down ~30° ? the <b>whole court</b> in frame, players never
cropped.</p>
357         </div>
358         <div class="card">
359             <div class="ic" aria-hidden="true">?</div>
360             <h3 data-i18n="site.record.settings.title">Settings</h3>
361             <p data-i18n-html="site.record.settings.body"><b>1080p+</b>, landscape, <b>30
fps</b> for badminton (60 fps for table tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps
find rallies.</p>
362         </div>
363         <div class="card">
364             <div class="ic" aria-hidden="true">?</div>
365             <h3 data-i18n="site.record.still.title">Keep it still</h3>
366             <p data-i18n-html="site.record.still.body">Fixed tripod or mount. <b>No panning,
no zooming</b> during play ? a steady, full-court view is what the tool is tuned for.</p>
367         </div>
368         <div class="card">
369             <div class="ic" aria-hidden="true">?</div>

```

```

370         <h3 data-i18n="site.record.upload.title">Record & upload</h3>
371         <p data-i18n-html="site.record.upload.body">Even lighting, then record the
<b>whole session</b> and upload it as-is ? KhelSutra finds the rallies and does the cutting.</p>
372     </div>
373 </div>
374
375     <div style="text-align:center;margin-top:1.6rem">
376         <a class="btn btn-dark" href="/capture" data-i18n="site.record.checklistCta">Full
1-page capture checklist ?</a>
377     </div>
378 </div>
379 </section>
380
381 <section id="diff" style="padding-top:0">
382     <div class="wrap">
383         <div class="split">
384             <div>
385                 <div class="kicker" style="font-size:.82rem;font-weight:700;letter-
spacing:.08em;text-transform:uppercase;color:var(--green-d)">The hard problem we crack</div>
386                 <h2 style="margin-top:.5rem">Most academy halls run several courts at once</h2>
387                 <p style="color:var(--mut);font-size:1.05rem">Academies already record a lot of
video ? and then almost never watch it, because cutting it into useful clips by hand is tedious.
The good rallies stay buried.</p>
388                 <p style="color:var(--mut);font-size:1.05rem">A single recording of a busy,
multi-court hall is exactly where ordinary video tools choke. Pulling the <b
style="color:var(--tx)">real</b> rallies out of busy, multi-court footage is the hard problem
KhelSutra is built for. It already works very well on clean, single-court recordings ? and the
multi-court case is what we're sharpening now.</p>
389             </div>
390             <div class="panel">
391                 <span class="pill">Capture tip</span>
392                 <h2 style="font-size:1.4rem">Best results: a steady, full-court shot</h2>
393                 <p>Camera behind the court, slightly elevated, whole court in frame. Keep it
still ? a fixed tripod beats handheld every time. Shoot landscape, record the whole session,
upload as-is. KhelSutra does the cutting.</p>
394             </div>
395         </div>
396     </div>
397 </section>
398
399 <section id="sharper" style="background:#EFF4EC">
400     <div class="wrap">
401         <div class="sec-head">
402             <div class="kicker">What makes it different</div>
403             <h2>It gets sharper from real academy footage</h2>
404             <p>The footage real academies contribute ? especially the busy multi-court halls ?
is what makes KhelSutra better over time. Early users aren't just customers; they're co-
builders.</p>
405         </div>
406         <div class="grid g3">
407             <div class="card">
408                 <div class="ic" aria-hidden="true">?</div>
409                 <h3>Improves with the library</h3>
410                 <p>When you choose to share footage and coaches confirm what it found, that
growing labelled library is what sharpens future versions ? rather than staying frozen.</p>
411             </div>
412             <div class="card">
413                 <div class="ic" aria-hidden="true">?</div>
414                 <h3>Your data stays yours</h3>
415                 <p>We never use your video to improve the tool without your clear, explicit opt-
in. We never publish your footage. You decide what, if anything, you share.</p>
416             </div>
417             <div class="card">
418                 <div class="ic" aria-hidden="true">?</div>
419                 <h3>Minors are protected</h3>

```

```

420         <p>Footage involving minors is never used to improve the tool and is never
published ? full stop.</p>
421     </div>
422 </div>
423 <div class="honest">
424     <b>Read this honestly:</b>
425     <p>Today the tool gives you rally detection, reels, and summaries. It does not
retrain itself as you use it, and there's no per-person tracking. "Gets sharper over time" is
the model we're building toward, powered by contributed footage ? not a switch that's already
on.</p>
426     </div>
427 </div>
428 </section>
429
430 <section id="ask">
431     <div class="wrap">
432         <div class="sec-head">
433             <div class="kicker">Coming next to the alpha</div>
434             <h2>Soon: ask for the exact reel you want</h2>
435             <p>Your match is already a clean index of rallies ? so the natural next step is to
let you build any reel just by describing it, in plain English. This is rolling out to alpha
users.</p>
436         </div>
437         <div class="grid g3 ask-grid">
438             <div class="card ask">
439                 <div class="q"><i>?</i>Every rally over 10 seconds?</div>
440                 <div class="a"><i>?</i> 6 rallies · a 1:32 reel of the long, end-to-end
battles</div>
441             </div>
442             <div class="card ask">
443                 <div class="q"><i>?</i>Just the third game, longest first?</div>
444                 <div class="a"><i>?</i> 12 rallies, reordered by length ? that game only</div>
445             </div>
446             <div class="card ask">
447                 <div class="q"><i>?</i>The 8 best rallies from today?</div>
448                 <div class="a"><i>?</i> an 8-clip highlight from your latest session</div>
449             </div>
450         </div>
451         <p class="ask-note"><b style="color:var(--tx)">Rolling out now.</b> Targeted asks ?
by rally length, count, order, or which game ? come first; shot-type and player queries follow
as the deeper analysis arrives.</p>
452     </div>
453 </section>
454
455 <section id="roadmap">
456     <div class="wrap">
457         <div class="sec-head">
458             <div class="kicker">Where it's going</div>
459             <h2>Toward an AI assistant coach</h2>
460             <p>Fed by the growing video library, KhelSutra is heading from "finds rallies" to
a genuine training companion. This is the direction ? not today's buttons.</p>
461         </div>
462         <div class="road">
463             <div class="step"><div class="n">?</div><h3>Shot detection</h3><p>Smashes, drops,
net shots, serves and clears within each rally.</p></div>
464             <div class="step"><div class="n">?</div><h3>Deeper analysis</h3><p>Per-rally and
per-match patterns ? what's working and what isn't.</p></div>
465             <div class="step"><div class="n">?</div><h3>Per-match history</h3><p>Track
progress over weeks and months, not just one clip.</p></div>
466             <div class="step"><div class="n">?</div><h3>Assistant coach</h3><p>Surfaces what
to work on next ? supports the real coach, never replaces.</p></div>
467             <div class="step"><div class="n">?</div><h3>More sports & languages</h3><p>Table
tennis next; Kannada and Hindi alongside English.</p></div>
468         </div>
469     </div>

```



```

470     </section>
471
472     <section id="not" style="padding-top:0">
473         <div class="wrap">
474             <div class="sec-head">
475                 <div class="kicker">So expectations stay honest</div>
476                 <h2>What KhelSutra is not</h2>
477             </div>
478             <ul class="nots">
479                 <li><i aria-hidden="true">?</i><span>An early, invite-only trial ? useful, but
still improving. You'll hit rough edges.</span></li>
480                 <li><i aria-hidden="true">?</i><span>Not a line-calling, scoring, or umpiring
system.</span></li>
481                 <li><i aria-hidden="true">?</i><span>Not player tracking or
identification.</span></li>
482                 <li><i aria-hidden="true">?</i><span>Not a replacement for a coach ? a tool that
saves time and adds insight.</span></li>
483                 <li><i aria-hidden="true">?</i><span>Shot detection and deeper analytics are on
the roadmap, not available today.</span></li>
484                 <li><i aria-hidden="true">?</i><span>Pricing isn't set ? today's invited use is
about getting it right.</span></li>
485             </ul>
486         </div>
487     </section>
488
489     <section id="faq" style="background:#EFF4EC">
490         <div class="wrap">
491             <div class="sec-head">
492                 <div class="kicker">Quick answers</div>
493                 <h2>Common questions</h2>
494             </div>
495             <div style="margin-top:1.6rem">
496                 <details><summary>How accurate is it?</summary><p>Very good on a clean, single-
court recording. A busy multi-court hall is harder ? and is exactly what we're improving. The
best answer is to show you a sample reel of your own court rather than quote a
number.</p></details>
497                 <details><summary>Can I choose which rallies go in the reel?</summary><p>Today
your reel includes the rallies KhelSutra found, with the dead time removed. Choosing by length,
count, order or which game ? just by asking in plain English ? is rolling out to alpha users
next; shot-type and player queries follow as the deeper analysis arrives.</p></details>
498                 <details><summary>Do I need a special camera or hardware?</summary><p>No. A phone
or GoPro on a tripod, behind the court, whole court in frame. We provide a one-page capture
checklist at setup.</p></details>
499                 <details><summary>Is my video private? What happens to it?</summary><p>We treat
your footage as private: we never publish it, and we never use it to improve the tool without
your explicit opt-in. These are large videos that need real processing, so your video is handled
securely on our infrastructure to make your reel. Footage involving minors is never used and
never published.</p></details>
500                 <details><summary>Does it work for doubles and tournaments?</summary><p>It finds
rallies in doubles too. Tournament footage varies ? a clean, fixed, full-court recording works
well; crowded multi-court tournament halls are the hard case we're specifically working
on.</p></details>
501                 <details><summary>Which sports?</summary><p>Badminton today. Table tennis and
other racket sports are on the roadmap.</p></details>
502                 <details><summary>How do I join?</summary><p>It's an invite-only private trial.
Just <a href="#join">request access</a> using the form ? it takes a minute, you'll see a real
sample reel right away, and we'll be in touch about recording your own court.</p></details>
503             </div>
504         </div>
505     </section>
506
507     <section id="join" style="padding-bottom:90px">
508         <div class="wrap">
509             <div class="sec-head" style="text-align:center;max-width:none">
510                 <div class="kicker">Request access</div>

```

```

511         <h2>Get into the KhelSutra alpha</h2>
512         <p>Invite-only. Tell us a little about your setup ? it helps us get you the best
results, and shapes what we build next.</p>
513         <p style="font-weight:600;color:var(--green-d);margin-top:.6rem"><span aria-
hidden="true">?</span> Sign up to watch the tool in action ? and a 30-second sample reel it made
? the moment you're in.</p>
514     </div>
515
516     <form id="af" class="af" novalidate>
517         <div class="row">
518             <label>I'm a?</label>
519             <div class="seg">
520                 <label><input type="radio" name="segment" value="academy"
required><span>Coaching academy / club</span></label>
521                 <label><input type="radio" name="segment" value="individual"><span>Individual
player</span></label>
522             </div>
523         </div>
524
525         <div class="row">
526             <label for="af-name">Name</label>
527             <input id="af-name" name="name" type="text" autocomplete="name" required>
528         </div>
529         <div class="row">
530             <label for="af-email">Email <span class="hint">(so we can reach
you)</span></label>
531             <input id="af-email" name="email" type="email" autocomplete="email" required>
532         </div>
533         <div class="row">
534             <label for="af-city">City <span class="hint">(optional)</span></label>
535             <input id="af-city" name="city" type="text">
536         </div>
537
538         <div class="row acad">
539             <label for="af-org">Academy / club name <span
class="hint">(optional)</span></label>
540             <input id="af-org" name="org_name" type="text">
541         </div>
542         <div class="row acad">
543             <label for="af-courts">How many courts do you record? <span
class="hint">(optional)</span></label>
544             <select id="af-courts" name="courts">
545                 <option value="">Select?</option>
546                 <option value="1">1 court</option>
547                 <option value="2-4">2?4 courts</option>
548                 <option value="5+">5+ courts</option>
549             </select>
550         </div>
551
552         <div class="row">
553             <label>Do you have a GPU machine that could process video locally?</label>
554             <div class="opts">
555                 <label><input type="radio" name="has_gpu" value="yes">Yes ? a gaming / GPU PC
or laptop</label>
556                 <label><input type="radio" name="has_gpu" value="unsure">Not sure</label>
557                 <label><input type="radio" name="has_gpu" value="no">No</label>
558                 <label><input type="radio" name="has_gpu" value="prefer-cloud">I'd prefer it
runs in the cloud</label>
559             </div>
560         </div>
561
562         <div class="row">
563             <label>Where do your recordings live / how would you share them? <span
class="hint">(pick any)</span></label>
564             <div class="opts">

```

```

565         <label><input type="checkbox" name="storage" value="gdrive">Google
Drive</label>
566         <label><input type="checkbox" name="storage" value="onedrive">OneDrive / MS
365</label>
567         <label><input type="checkbox" name="storage" value="dropbox">Dropbox</label>
568         <label><input type="checkbox" name="storage" value="bucket">Cloud bucket
(S3/GCS)</label>
569         <label><input type="checkbox" name="storage" value="local">SD card / local
drive</label>
570         <label><input type="checkbox" name="storage" value="unsure">Not sure</label>
571     </div>
572 </div>
573
574     <div class="row">
575         <label for="af-msg">Anything else? <span class="hint">(how you record, what
you'd want?)</span></label>
576         <textarea id="af-msg" name="message"></textarea>
577     </div>
578
579     <div class="row consent">
580         <input id="af-consent" name="consent" type="checkbox" value="yes">
581         <label for="af-consent" style="margin:0;font-weight:400;color:var(--mut)">Okay
to email me about the KhelSutra alpha.</label>
582     </div>
583
584     <input class="hp" type="text" name="company" tabindex="-1" autocomplete="off"
aria-hidden="true">
585
586     <button class="btn btn-primary" type="submit" style="width:100%;justify-
content:center">Request access</button>
587     <p class="hint" style="text-align:center;margin:.85rem 0 0">We never publish your
footage; footage involving minors is never used to improve the tool.</p>
588 </form>
589
590     <p id="af-done" class="form-done" hidden>Thanks ? we've got it. We'll be in touch at
the email you gave. ?<br><span style="font-weight:400;color:var(--mut)">While you're here: see
the tool in action, and a real 30-second reel it made.</span></p>
591     <div id="reel-reveal" hidden></div>
592 </div>
593 </section>
594
595 <footer>
596     <div class="wrap foot">
597         <div>
598             <div class="brand" style="font-size:1.05rem">Khel<span class="play" aria-
hidden="true"></span>Sutra</div>
599             <div class="stamp" style="margin-top:.4rem">Automatic badminton highlights .
Bengaluru, India</div>
600         </div>
601         <div style="text-align:right">
602             <div><a href="/own-model">Own your model</a> . <a href="/capture">Capture
checklist</a> . <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a> . <a
href="https://khelsutra.guru">khelsutra.guru</a></div>
603             <div style="margin-top:.4rem">Academy flyer (print): <a href="/flyer"
hreflang="en">English</a> . <a href="/flyer-kn" hreflang="kn" lang="kn">?????</a> . <a
href="/flyer-hi" hreflang="hi" lang="hi">??????</a></div>
604             <div class="stamp" style="margin-top:.4rem">© 2026 KhelSutra . Invite-only alpha .
Reels carry a "Generated by Khelsutra.guru" mark</div>
605         </div>
606     </div>
607 </footer>
608
609 <!-- Cloudflare Web Analytics: paste your token from Cloudflare dashboard ? Analytics ?
Web Analytics ? Add a site.
610     (Or skip this snippet entirely and enable "Automatic setup" once the domain is

```

```

proxied through Cloudflare.) -->
611     <script defer src="https://static.cloudflareinsights.com/beacon.min.js" data-cf-
beacon="{\"token\": \"REPLACE_WITH_CF_TOKEN\"}'></script>
612
613     <script>
614     (function(){
615         var f = document.getElementById('af');
616         if(!f) return;
617
618         var REEL_VIDEO = 'ajTCZ7pJW_o', REEL_SECS = 30;
619         function loadYTApi(cb){
620             if(window.YT && window.YT.Player) return cb();
621             var prev = window.onYouTubeIframeAPIReady;
622             window.onYouTubeIframeAPIReady = function(){ if(typeof prev === 'function'){ prev();
} cb(); };
623             if(!document.getElementById('yt-iframe-api')){
624                 var s = document.createElement('script');
625                 s.id = 'yt-iframe-api'; s.src = 'https://www.youtube.com/iframe_api';
626                 document.head.appendChild(s);
627             }
628         }
629         function revealAfterSignup(){
630             var host = document.getElementById('reel-reveal');
631             if(!host) return;
632             host.hidden = false;
633             // (1) the TOOL in action ? a self-hosted, FOOTAGE-FREE screencast (branded reel
placeholder),
634             //      so it's safe to autoplay openly; (2) a real reel preview (gated nocookie
YouTube). BOTH
635             //      stay visible together; the auto-close PAUSES while the reel is playing (so a
viewer is
636             //      never cut off mid-watch) and a manual ? closes it on demand.
637             host.innerHTML =
638             '<div class="reveal-bar"><button type="button" id="reel-close" class="reveal-x"
aria-label="Close the videos">? Close</button></div>'
639             + '<p class="reveal-h">1 · The tool in action</p>'
640             + '<video class="tool-vid" src="/video/tool-cuj.mp4" autoplay muted loop
playsinline controls preload="metadata"></video>'
641             + '<p class="reveal-h">2 · A real reel it made</p>'
642             + '<div class="reelwrap"><div id="reel-player"></div></div>'
643             + '<p class="stamp" style="text-align:center;margin-top:.6rem">Generated by
Khelsutra.guru · auto-closes <span id="reel-count">' + REEL_SECS + '</span>s after the reel
stops ? or close it anytime</p>';
644             var n = REEL_SECS, el = document.getElementById('reel-count'), player = null, hold =
false, closed = false;
645             function close(){
646                 if(closed) return; closed = true;
647                 clearInterval(iv);
648                 try{ if(player){ player.destroy(); } }catch(_){ }
649                 host.innerHTML = ''; host.hidden = true;
650             }
651             var iv = setInterval(function(){
652                 if(hold) return; // the reel is playing ? hold the timer (no
mid-watch cut-off)
653                 n--; if(el){ el.textContent = n; }
654                 if(n <= 0){ close(); }
655             }, 1000);
656             var x = document.getElementById('reel-close'); if(x){ x.addEventListener('click',
close); }
657             loadYTApi(function(){
658                 player = new YT.Player('reel-player', {
659                     width: '100%', height: '100%', videoId: REEL_VIDEO,
660                     host: 'https://www.youtube-nocookie.com',
661                     playerVars: { autoplay: 1, rel: 0, modestbranding: 1, playsinline: 1 },
662                     events: {

```

```

663         onReady: function(e){
664             var dur = Math.floor(e.target.getDuration() || 0);
665             var maxStart = Math.max(0, dur - REEL_SECS);           // start so a full
~30s window plays before the end
666             var start = maxStart > 0 ? Math.floor(Math.random() * (maxStart + 1)) : 0;
667             host.setAttribute('data-reel-start', String(start)); // a different chunk
each sign-up
668             e.target.seekTo(start, true);
669             e.target.playVideo();
670         },
671         onStateChange: function(e){ hold = (e.data === 1); }      // 1 = PLAYING ? hold
the auto-close
672     }
673 });
674 });
675 }
676
677 f.addEventListener('change', function(e){
678     if(e.target.name === 'segment') f.classList.toggle('is-academy', e.target.value ===
'academy');
679 });
680 function mailtoFallback(p){
681     var lines = [
682         'Segment: ' + (p.segment||''),
683         'Name: ' + (p.name||''),
684         'Email: ' + (p.email||''),
685         'City: ' + (p.city||''),
686         p.segment === 'academy' ? 'Academy: ' + (p.org_name||'') + ' (' + (p.courts||'')
+ ' courts)' : null,
687         'GPU: ' + (p.has_gpu||''),
688         'Storage: ' + ((p.storage||[]).join(', ')),
689         'Message: ' + (p.message||''),
690         'Consent: ' + (p.consent ? 'yes' : 'no')
691     ].filter(Boolean).join('\n');
692     return 'mailto:hello@khelsutra.guru?subject=' + encodeURIComponent('KhelSutra alpha
access') +
693         '&body=' + encodeURIComponent('Hi KhelSutra team, I would like to try the
alpha.\n\n' + lines);
694 }
695 f.addEventListener('submit', async function(e){
696     e.preventDefault();
697     if(f.company && f.company.value) return;           // honeypot: silently drop bots
698     if(!f.checkValidity()){ f.reportValidity(); return; }
699     // Immediate, obvious "submitting" state ? the Worker + D1 + email round-trip can
take a beat,
700     // and a static button looked frozen.
701     var btn = f.querySelector('button[type="submit"]');
702     var btnHTML = btn ? btn.innerHTML : '';
703     if(btn){ btn.disabled = true; btn.setAttribute('aria-busy','true'); btn.innerHTML =
'<span class="spin" aria-hidden="true"></span> Sending?'; }
704     var fd = new FormData(f);
705     var p = {
706         segment: fd.get('segment'), name: fd.get('name'), email: fd.get('email'),
707         city: fd.get('city'), org_name: fd.get('org_name'), courts: fd.get('courts'),
708         has_gpu: fd.get('has_gpu'), storage: fd.getAll('storage'),
709         message: fd.get('message'), consent: !!fd.get('consent')
710     };
711     var ok = false;
712     try {
713         var r = await fetch('/api/request-access', {method:'POST', headers:{'content-
type':'application/json'}, body: JSON.stringify(p)});
714         ok = r.ok;
715     } catch(_){ ok = false; }
716     if(ok){
717         f.hidden = true;

```

```

718         document.getElementById('af-done').hidden = false;
719         revealAfterSignup();
720     }
721     else {
722         // Restore the button so the user isn't left with a frozen "Sending?", then fall
back to email.
723         if(btn){ btn.disabled = false; btn.removeAttribute('aria-busy'); btn.innerHTML =
btnHTML; }
724         window.location.href = mailtoFallback(p);    // backend not live yet ? prefilled
email
725     }
726 });
727 })();
728 </script>
729
730 </body>
731 </html>
732

```

6. user (2026-06-21T18:49:34.747Z)

```

1      {
2      "app": {
3          "badge": "pick your rallies · alpha",
4          "title": "Pick the rallies for your reel",
5          "intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then fine-
tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't want."
6      },
7      "lang": {
8          "label": "Language",
9          "en": "English",
10         "kn": "?????",
11         "hi": "??????",
12         "es": "Español",
13         "da": "Dansk",
14         "id": "Bahasa Indonesia"
15     },
16     "bulk": {
17         "selectAll": "Select all",
18         "clear": "Clear",
19         "invert": "Invert"
20     },
21     "mode": {
22         "demo": "These are sample rallies ? process a video above to work on a real match.",
23         "loading": "Finding the rallies in your video?",
24         "error": "Couldn't load this video's rallies: {error}",
25         "loaded": "Found <b>{count}</b> rallies in your video."
26     },
27     "query": {
28         "placeholder": "e.g. over 10s · top 15 longest · shortest first",
29         "arialabel": "Filter rallies by length, count or order",
30         "apply": "Apply",
31         "notAvailable": "not available yet",
32         "notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
33         "notAvailableHelp": "Shot type, players and score aren't available yet ? filter by
rally length instead.",
34         "unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
35         "hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample below.",
36         "try": "Sample queries:",
37         "support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development)."
38     },
39     "grid": {
40         "empty": "No rallies to show yet.",
41         "rally": "Rally {n}",

```

```

42     "inReel": "Rally {n}, in reel",
43     "notInReel": "Rally {n}, not in reel",
44     "start": "start",
45     "long": "long",
46     "shots": "~{count} shots · experimental",
47     "shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
48     "shotsConfidence": " ? confidence: {conf}"
49 },
50     "footer": {
51         "count": "{count, plural, one {# rally} other {# rallies}}",
52         "summaryRest": "selected · {total} total",
53         "reelName": "Reel name",
54         "reelNamePlaceholder": "my-highlights",
55         "build": "Build reel ({count})",
56         "building": "Building?",
57         "floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it would
be skipped, so the build would fail. Pick a longer rally.",
58         "floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
59         "floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
60         "floorSomeRest": "with fewer than {min} shots will be skipped when building (they're
too short).",
61     },
62     "result": {
63         "ready": "Your reel is ready",
64         "failed": "Build failed",
65         "building": "Stitching your reel?",
66         "buildingReassure": "Joining your selected rallies into one video ? this usually
only takes a moment.",
67         "dismiss": "Dismiss",
68         "download": "Download {filename}"
69     },
70     "build": {
71         "noVideo": "These are sample rallies ? process a real video first to build a reel."
72     },
73     "ingest": {
74         "title": "Process a video",
75         "intro": "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes.",
76         "uriPlaceholder": "gs://your-bucket/match.mp4",
77         "uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine host",
78         "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine
running KhelSutra.",
79         "submit": "Process video",
80         "submitting": "Submitting?",
81         "cancel": "Cancel",
82         "working": "Processing your video?",
83         "progress": "{progress}",
84         "retry": "Try again",
85         "reassure": "Safe to wait ? KhelSutra keeps working even if your connection is slow;
a long video can take several minutes.",
86         "statusFailed": "Couldn't process",
87         "chooseFile": "Choose a video file",
88         "uploadAria": "Choose a video file to upload",
89         "fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
90         "orLink": "Or use a cloud link",
91         "uploadingStatus": "Uploading?",
92         "uploadProgress": "Upload progress"
93     },
94     "errors": {
95         "networkError": "Can't reach KhelSutra. Is it running?",
96         "invalidUri": "Enter a video location first ? a gs:// link or a path on the machine
running KhelSutra.",

```

```

97         "emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
98         "timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
99         "engineGeneric": "Something went wrong. Please try again."
100     },
101     "tap": {
102         "title": "Tap to filter:",
103         "longest": "Longest first",
104         "shortest": "Shortest first",
105         "over10": "Over 10 seconds",
106         "over20": "Over 20 seconds",
107         "top5": "Top 5 longest",
108         "top10": "Top 10 longest"
109     },
110     "site": {
111         "nav": {
112             "how": "How it works",
113             "why": "Why it's hard",
114             "ownModel": "Own your model",
115             "flyer": "Flyer",
116             "roadmap": "Roadmap",
117             "faq": "FAQ",
118             "requestAccess": "Request access"
119         },
120         "hero": {
121             "eyebrow": "Invite-only alpha · Bengaluru",
122             "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123             "ctaPrimary": "Request alpha access",
124             "ctaHow": "See how it works"
125         },
126         "record": {
127             "kicker": "Record it right",
128             "title": "Five minutes of setup ? reliably great reels",
129             "intro": "Highlight quality starts with the recording. Set the camera up once like
this and KhelSutra has everything it needs to find the rallies.",
130             "goldenRuleLead": "The golden rule: one match, one court, in full frame ? and
don't move the camera.",
131             "goldenRuleRest": "A single court in frame gives the best results today; busy
multi-court footage is the hard case we're still sharpening.",
132             "place": {
133                 "title": "Place the camera",
134                 "body": "Behind <b>one baseline</b>, elevated (a high tripod or a balcony),
tilted down ~30° ? the <b>whole court</b> in frame, players never cropped."
135             },
136             "settings": {
137                 "title": "Settings",
138                 "body": "<b>1080p+</b>, landscape, <b>30 fps</b> for badminton (60 fps for table
tennis). <b>Audio ON</b> ? the shuttle's ?thwack? helps find rallies."
139             },
140             "still": {
141                 "title": "Keep it still",
142                 "body": "Fixed tripod or mount. <b>No panning, no zooming</b> during play ? a
steady, full-court view is what the tool is tuned for."
143             },
144             "upload": {
145                 "title": "Record & upload",
146                 "body": "Even lighting, then record the <b>whole session</b> and upload it as-is
? KhelSutra finds the rallies and does the cutting."
147             },
148             "checklistCta": "Full 1-page capture checklist ?"
149         },
150         "capture": {

```



```

151         "title": "1-page capture checklist",
152         "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels.",
153         "ruleLead": "The golden rule: one match, one court, in full frame ? and don't move
the camera.",
154         "ruleRest": "Multi-court footage is the hard case we're still sharpening; a single
court in frame gives the best results today.",
155         "step1": {
156             "title": "Place the camera",
157             "b1": "Behind <b>one baseline</b>, elevated ? a high tripod, a few metres up, or
a balcony.",
158             "b2": "Tilt down about <b>30°</b>; keep the <b>whole court</b> in frame with a
little margin and net headroom.",
159             "b3": "Players should never leave the frame."
160         },
161         "step2": {
162             "title": "Settings",
163             "b1": "<b>1080p or higher</b>, shot in <b>landscape</b>.",
164             "b2": "<b>30 fps</b> for badminton/pickleball; <b>60 fps</b> for table tennis.",
165             "b3": "<b>Audio ON</b> (don't mute) ? keep the mic unobstructed, wind/noise
reduction off."
166         },
167         "step3": {
168             "title": "Keep it still",
169             "b1": "Fixed tripod or mount.",
170             "b2": "<b>No panning, no zooming</b> during play."
171         },
172         "step4": {
173             "title": "Light & record",
174             "b1": "Even indoor lighting; avoid backlight, glare and very dark halls.",
175             "b2": "Record the <b>whole session</b> and upload it as-is ? KhelSutra does the
cutting."
176         },
177         "doTitle": "Do",
178         "do1": "Fixed camera, full court, behind the baseline",
179         "do2": "1080p+, landscape, audio on",
180         "do3": "One match on one court",
181         "dontTitle": "Avoid",
182         "dont1": "Handheld or phone-in-hand",
183         "dont2": "Broadcast-style pans & zooming",
184         "dont3": "Several courts in one frame; very dark halls",
185         "consent": "Please record adults with their okay. Footage involving minors is
never used to improve the tool and is never published.",
186         "questions": "Questions?",
187         "printTip": "Tip: press Ctrl/Cmd + P to print or save as PDF."
188     },
189     "ownModel": {
190         "requestAccess": "Request access ?"
191     }
192 },
193 "selection": {
194     "count": "{count, plural, one {# rally selected} other {# rallies selected}}"
195 }
196 }
197

```

7. user (2026-06-21T18:49:35.220Z)

```

1     {
2         "app": {
3             "badge": "?????-????? ????? . ?????",
4             "title": "????? ?????????? ????????????? ??????",
5             "intro": "<b>????? ????</b>? ?????????? ?????????? ???? ? ??? . <i>????? ?????? ????
15?</i> ? ??? ? ?????????????? ?????? ???? ?????????????? ???????? . ?????? <b>????????????</b>
????????????????????; ????????????????? ?????? ?????????????."

```

```
6      },
7      "lang": {
8          "label": "????",
9          "en": "English",
10         "kn": "?????",
11         "hi": "??????",
12         "es": "Español",
13         "da": "Dansk",
14         "id": "Bahasa Indonesia"
15     },
16     "bulk": {
17         "selectAll": "????????? ??????????",
18         "clear": "?????????????",
19         "invert": "?????????"
20     },
21     "mode": {
22         "demo": "??? ????? ?????????? ? ?????? ??????????? ????? ?????? ????? ?????? ??????
??????????????????",
23         "loading": "????? ?????????????? ?????????????? ??????????????????",
24         "error": "? ???????? ?????????????? ????? ??????????????: {error}",
25         "loaded": "????? ?????????????? <b>{count}</b> ?????????? ??????????"
26     },
27     "query": {
28         "placeholder": "???. over 10s · top 15 longest · shortest first",
29         "arialLabel": "????, ????? ??? ???? ?????????? ?????????????? ??????? ????",
30         "apply": "?????????",
31         "notAvailable": "????? ??????????",
32         "notAvailableTitle": "{token}? ?? {kind} ????? ??? ? ????? ??????????",
33         "notAvailableHelp": "???? ???????, ??????? ?????? ?????? ?????? ?????? ? ??????
?????? ?????? ?????????? ??????? ??????",
34         "unreadable": "?????? ?????????? ? ?over 10s? ??? ?top 15 longest? ??????????",
35         "hint": "10 ?????????????? ?????? ?????????????? over 10s ??? ???? ???? ? ???? ??????
????????????? ?????? ????",
36         "try": "????? ??????????????",
37         "support": "<b>?????? ?????</b>? ?????????? ??????? ?????????? ??????????????
????????????????? ?????-????? <x>????????????</x> (?????????????????)."
38     },
39     "grid": {
40         "empty": "???????? ?????? ?????? ??????????????",
41         "rally": "??????? {n}",
42         "inReel": "??????? {n}, ??????????????",
43         "notInReel": "??????? {n}, ??????????????????",
44         "start": "?????????",
45         "long": "?????",
46         "shots": "~{count} ?????????? · ??????????",
47         "shotsTitle": "???? ?????? ?????????????????? (?????????????????) ??????
????????????????{conf}. ?????? ?????? ?????? ?????????? ??????? ??????",
48         "shotsConfidence": " ? ?????????: {conf}"
49     },
50     "footer": {
51         "count": "{count, plural, one {# ??????} other {# ?????????}}",
52         "summaryRest": "????????????? · ?????? {total}",
53         "reelName": "????? ??????",
54         "reelNamePlaceholder": "my-highlights",
55         "build": "????? ?????? ({count})",
56         "building": "?????????????????",
57         "floorOne": "<b>????? ??? ? ?????????? ??????</b>????? {min} ?????? ?????? ??????????
? ?????? ?????? ??????????????????, ???????? ??? ? ??????????????. ?????? ?????????????? ??????",
58         "floorAll": "<b>????????????? ?????? {count} ??????????????</b> {min} ?????? ??????
????????????? ? ?????? ?????????????????? ??????????????????, ???????? ??? ? ??????????????. ??????
????????????? ??????",
59         "floorSomeLead": "{count, plural, one {# ??????} other {# ?????????}}",
60         "floorSomeRest": "{min} ?????? ?????? ?????????????? ?????????? ??????????????????????
(????????? <code>min_shot_count</code> ????)".
61     },
62 }
```

```
62     "result": {
63         "ready": "????? ???? ??????????",
64         "failed": "???? ??????????",
65         "building": "????? ???? ??????????????????",
66         "buildingReassure": "???? ?????????? ?????????????? ???? ?????????? ?????????????????? ?
67         "dismiss": "?????????",
68         "download": "{filename} ?????????? ????"
69     },
70     "build": {
71         "noVideo": "??? ?????? ?????????? ? ???? ?????? ?????? ?????? ??????????????????."
72     },
73     "ingest": {
74         "title": "?????? ??????????????????",
75         "intro": "????????????????? ???? ?????????? ?????? ? ?????? ?????? ???? ??????????????????
76         "uriPlaceholder": "gs://your-bucket/match.mp4",
77         "uriAriaLabel": "?????? ???? ? gs:// ?????? URL ???? ?????? ?????????????????? ??",
78         "hint": "gs:// ?????? ?????, ???? ?????? ?????????????????? ?????? ?????? ??????
79         "submit": "?????? ??????????????????",
80         "submitting": "?????????????????????",
81         "cancel": "?????????????",
82         "working": "????? ?????? ??????????????????????????",
83         "progress": "{progress}",
84         "retry": "????? ??????????",
85         "reassure": "????????? ?????????? ? ?????? ?????? ?????????????????? ?????????? ?????????????
86         "statusFailed": "?????????????????????????",
87         "chooseFile": "?????? ???? ??????",
88         "uploadAria": "????????? ?????? ?????? ???? ??????",
89         "fileHint": "? ?????????? .mp4 ???? .mov ?????? ? ??? ?????????? ?????????, ????
90         "orLink": "????? ?????? ?????? ??????",
91         "uploadingStatus": "????????? ??????????",
92         "uploadProgress": "????????? ??????"
93     },
94     "errors": {
95         "networkError": "?????? ??????????????????. ??? ??????????????????",
96         "invalidUri": "????? ?????? ?????????? ??????? ? gs:// ?????? ???? ??????????????????
97         "emptyResult": "????????? ?????????? ???? ? ?????????????? ?????? ?????????? ??????????
98         "timeout": "????????????????? ?????? ??? ??????????????????????. ???? ?????? ??????????????????
99         "engineGeneric": "??? ??????????. ?????????? ?????? ???????????"
100     },
101     "tap": {
102         "title": "????????? ?????? ?????? ?????:",
103         "longest": "??? ?????????? ??????",
104         "shortest": "??? ?????????? ??????",
105         "over10": "10 ?????????????????? ??????",
106         "over20": "20 ?????????????????? ??????",
107         "top5": "??? ?????? 5",
108         "top10": "??? ?????? 10"
109     },
110     "site": {
111         "nav": {
112             "how": "??? ???? ???? ??????????",
113             "why": "??? ??? ??????",
114             "ownModel": "????????? ??????",
115             "flyer": "?????????",
116             "roadmap": "?????????",
117             "faq": "?????????????",
118             "requestAccess": "????????? ??????"
```

```

119     },
120     "hero": {
121         "eyebrow": "?????-???? ???? · ????????",
122         "lead": "KhelSutra ????? ????????????? ?????????? ??????, ???-??????,
123         ????? ????? ????????????? ????????????????? ? ?????? ????? ????????? ????? ????? ?????????? ??????????
124         ????? ????? ????? ??????????. ?????? ?????????? ???, ?????????????? ???.",
125         "ctaPrimary": "????? ?????? ????",
126         "ctaHow": "??? ??? ???? ?????????? ????"
127     },
128     "record": {
129         "kicker": "??????? ???????? ????",
130         "title": "??? ?????? ???????? ? ?????????? ?????????? ??????????",
131         "intro": "?????? ??????? ?????????????????????? ????????????????. ??????????????? ?????
132         ?????????????? ??? ? ?????????????? ???????? KhelSutra ?? ?????? ?????? ??????????.",
133         "goldenRuleLead": "????? ????: ??? ?????, ??? ?????, ??? ?????????????? ?
134         ?????? ?????????????? ??????????????.",
135         "goldenRuleRest": "????? ?????? ?????????????? ?????? ??? ?????????? ??????
136         ?????????; ??? ?????????? ?????? ??? ???? ?????? ?????????????????? ??? ??????".
137     },
138     "place": {
139         "title": "????????? ??????",
140         "body": "<b>??? ?????????</b> ????, ?????????? (????? ????????? ??? ??????),
141         ~30° ?????? ?????? ? <b>??? ?????</b> ?????????????, ?????? ?????? ??????????????????".
142     },
143     "settings": {
144         "title": "?????????????????",
145         "body": "<b>1080p</b>, ?????????????????, ?????????????????? <b>30 fps</b> (?????
146         ?????????? 60 fps). <b>Audio ON</b> ? ?????? ?????? ??? ?????????????? ?????? ??????????????".
147     },
148     "still": {
149         "title": "????????? ??????",
150         "body": "????? ?????????? ??? ??????. ?? ????????? <b>????? ???, ??? ???</b> ?
151         ??????, ?????-????? ?????????? ? ?????????? ??????????????".
152     },
153     "upload": {
154         "title": "????????? ??? ?????? ?????????? ????",
155         "body": "????? ?????, ??? <b>??? ?????</b> ?????? ?????????? ??? ??????????
156         ?????????? ??? ? KhelSutra ?????????????? ?????? ?????????? ??? ??????????".
157     },
158     "checklistCta": "??????? 1-???? ?????????? ?????????? ????? ?"
159 },
160 "capture": {
161     "title": "1-???? ?????????? ?????????? ??????",
162     "intro": "????? ?????????????? ?????????, ?????-????? ?????????????????? ??????????????.
163     ?? ?????? ?????????? ?????? ?????????????? ?????? ?????????? ??????????".
164     "ruleLead": "????? ????: ??? ?????, ??? ?????, ??? ?????????????? ? ?????
165     ?????????????? ??????????????".
166     "ruleRest": "????? ?????????? ?????? ??? ?????? ?????????????????? ??? ??????; ???
167     ?????? ?????????????? ?????? ??? ?????????? ?????? ??????????".
168     "step1": {
169         "title": "????????? ??????",
170         "b1": "<b>????? ?????????</b> ????, ?????????? ? ?????? ?????????, ??? ?????
171         ??????????, ??? ??????".
172         "b2": "????? <b>30°</b> ?????? ??????; ?????? ??? ?????? ??? ?????????
173         ?????????? <b>??? ?????</b> ?????????????? ??????".
174         "b3": "????????? ?????? ?????????????? ??????????????".
175     },
176     "step2": {
177         "title": "?????????????????",
178         "b1": "<b>1080p ??? ?????</b>, <b>????????????????</b>????? ??????????????".
179         "b2": "????????????????/???????????????? <b>30 fps</b>; ?????? ?????????? <b>60
180         fps</b>.".
181         "b3": "<b>Audio ON</b> (????? ??????) ? ??? ?????????????????? ?????, ???/????
182         ?????????? ?? ?????".
183     },
184     "step3": {

```

```

168         "title": "????????? ?????",
169         "b1": "????? ?????????? ??? ????.",
170         "b2": "??? ????????? <b>??????? ????, ??? ????</b>."
171     },
172     "step4": {
173         "title": "????? ????? ?????????",
174         "b1": "????? ?????? ?????; ????????, ??????? ?????? ?????? ??????????
????????.",
175         "b2": "<b>??? ?????</b> ?????? ?????????? ??? ?????????? ?????????? ??? ? ??????????
????????? KhelSutra ??????????."
176     },
177     "doTitle": "????",
178     "do1": "????? ?????????, ?????? ?????, ?????????? ?????",
179     "do2": "1080p+, ????????????????, ?????? ???",
180     "do3": "????? ?????????????? ??? ??????",
181     "dontTitle": "????????",
182     "dont1": "????????? ?????? ??? ?????? ??????",
183     "dont2": "??????-????? ?????? ??????",
184     "dont3": "????? ?????????????? ??? ??????????; ?????? ?????? ?????????",
185     "consent": "????????? ?????????? ?? ?????????????????? ?????????? ????. ?????????
????????????? ?????????????????? ?????????? ?????????? ?????????????? ?????? ?????? ??????????????????.",
186     "questions": "?????????????????",
187     "printTip": "????: ?????????? ??? PDF ??? ?????? Ctrl/Cmd + P ?????."
188 },
189     "ownModel": {
190         "requestAccess": "?????? ??? ?"
191     }
192 },
193     "selection": {
194         "count": "{count, plural, one {# ?????? ?????????????} other {# ??????????
?????????????}}}"
195     }
196 }
197

```

8. user (2026-06-21T18:49:35.668Z)

```

1      // Unit tests for the marketing-site i18n shim (public/i18n.js, tracker B3). Proves the
shim mirrors
2      // the SPA's react-i18next contract: same negotiation order, ICU-lite
interpolation/plurals, en
3      // fallback, and a data-i18n walker that NEVER leaves a raw key. Tested against the REAL
shared
4      // catalogs (/locales) ? so this also proves both surfaces consume one source of truth.
5      import { test } from "node:test";
6      import assert from "node:assert/strict";
7      import { readFileSync } from "node:fs";
8      import { join } from "node:path";
9      import { JSDOM } from "jsdom";
10     import { negotiate, interpolate, translate, applyDom, SUPPORTED, DEFAULT } from
"../public/i18n.js";
11
12     const LOCALES = join(import.meta.dirname, "..", "..", "locales");
13     const load = (loc) => JSON.parse(readFileSync(join(LOCALES, loc, "common.json"),
"utf8"));
14     const catalogs = { en: load("en"), kn: load("kn"), hi: load("hi") };
15
16     test("negotiation order matches the SPA: persisted -> ?lang -> navigator -> en", () => {
17         assert.equal(negotiate({ stored: "kn", query: "hi", nav: ["en-US"] }), "kn",
"persisted pref wins");
18         assert.equal(negotiate({ query: "hi", nav: ["en-US"] }), "hi", "?lang beats
navigator");
19         assert.equal(negotiate({ nav: ["kn-IN", "en-IN"] }), "kn", "navigator picks the first
supported");
20         assert.equal(negotiate({}), "en", "nothing -> en");

```

```

21     });
22
23     test("region subtags normalize and unsupported degrades to en (never a locale we can't
serve)", () => {
24         assert.equal(negotiate({ nav: ["hi-IN"] }), "hi", "hi-IN -> hi");
25         assert.equal(negotiate({ nav: ["ta-IN"] }), "en", "Tamil (unsupported) -> en");
26         assert.equal(negotiate({ stored: "es" }), "en", "es is SPA-only ? the trilingual site
degrades it to en");
27         assert.deepEqual([...SUPPORTED], ["en", "kn", "hi"]);
28         assert.equal(DEFAULT, "en");
29     });
30
31     test("ICU-lite interpolation: {name} substitution", () => {
32         assert.equal(interpolate("over {n}s", { n: 10 }), "over 10s");
33         assert.equal(interpolate("Couldn't load: {error}", { error: "boom" }), "Couldn't load:
boom");
34     });
35
36     test("ICU-lite plurals via Intl.PluralRules (en/kn 2-form), # = the number", () => {
37         const en = catalogs.en.selection.count; // "{count, plural, one {# rally selected}
other {# rallies selected}}"
38         assert.equal(interpolate(en, { count: 1 }, "en"), "1 rally selected");
39         assert.equal(interpolate(en, { count: 5 }, "en"), "5 rallies selected");
40         // Kannada is also one/other ? the shim picks the arm from the catalog, no hard-coded
rules.
41         assert.equal(translate(catalogs, "kn", "selection.count", { count: 1 }),
catalogs.kn.selection.count.match(/one \{([^\}]*\}\}/)[1].replace("#", "1"));
42     });
43
44     test("translate: active locale, then en fallback, then undefined (caller keeps the DOM
default)", () => {
45         assert.equal(translate(catalogs, "kn", "app.title"), catalogs.kn.app.title); // real
Kannada
46         assert.equal(translate(catalogs, "en", "lang.kn"), "?????"); // shared catalog autonomy
47         // A3: site.* marketing is now translated for kn (no longer the en seed).
48         assert.equal(translate(catalogs, "kn", "site.capture.title"),
catalogs.kn.site.capture.title);
49         assert.notEqual(catalogs.kn.site.capture.title, catalogs.en.site.capture.title, "kn
capture.title must be translated, not an en seed");
50         // en fallback when a key is absent from the active locale (synthetic ? real catalogs
have full parity).
51         assert.equal(translate({ en: { only: { en: "fallback" } }, kn: {} }, "kn", "only.en"),
"fallback");
52         assert.equal(translate(catalogs, "kn", "does.not.exist"), undefined, "missing
everywhere -> undefined");
53     });
54
55     test("applyDom walks data-i18n, sets attrs, marks the switcher, and never shows a raw
key", () => {
56         const { document } = new JSDOM(`<!doctype html><body>
57             <span id="auto" data-i18n="lang.kn">PLACEHOLDER</span>
58             <span id="keep" data-i18n="does.not.exist">KEEP ME</span>
59             <input id="ph" data-i18n="site.capture.title" data-i18n-attr="placeholder" />
60             <button id="b-en" data-lang="en">English</button>
61             <button id="b-kn" data-lang="kn">?????</button>
62         </body>`).window;
63
64         applyDom(document, catalogs, "kn");
65
66         assert.equal(document.getElementById("auto").textContent, "?????", "data-i18n sets
textContent from the shared catalog");
67         assert.equal(document.getElementById("keep").textContent, "KEEP ME", "a missing key
leaves the HTML default ? never a raw key");
68         assert.equal(document.getElementById("ph").getAttribute("placeholder"),
catalogs.kn.site.capture.title, "data-i18n-attr targets an attribute (kn value for the kn

```

```

locale)");
69     assert.equal(document.getElementById("b-kn").getAttribute("aria-pressed"), "true",
"active locale button is pressed");
70     assert.equal(document.getElementById("b-en").getAttribute("aria-pressed"), "false",
"inactive locale button is not pressed");
71     assert.ok(document.getElementById("b-kn").classList.contains("is-active"), "active
button gets a non-color selection class");
72     });
73
74     test("data-i18n-html sets innerHTML and preserves inline <b> markup (A3 recording-
education)", () => {
75         const { document } = new JSDOM(`<!doctype html><body>
76             <p id="rich" data-i18n-html="site.record.place.body">Behind <b>one baseline</b>
?</p>
77             <li id="kept" data-i18n-html="does.not.exist">KEEP <b>this</b></li>
78             </body>`).window;
79
80         // en: innerHTML equals the catalog value verbatim (with its <b> tags), not escaped
text.
81         applyDom(document, catalogs, "en");
82         assert.equal(document.getElementById("rich").innerHTML,
catalogs.en.site.record.place.body);
83         assert.ok(document.getElementById("rich").querySelector("b"), "the <b> must be a real
element, not escaped text");
84         assert.equal(document.getElementById("kept").innerHTML, "KEEP <b>this</b>", "a missing
html key leaves the HTML default");
85
86         // kn: swaps to the Kannada value, still carrying its <b> tags.
87         applyDom(document, catalogs, "kn");
88         assert.equal(document.getElementById("rich").innerHTML,
catalogs.kn.site.record.place.body);
89         assert.match(document.getElementById("rich").innerHTML, /<b>.*<\b>/s, "kn rich value
keeps <b> markup");
90     });
91
92     test("A3: the kn/hi catalogs carry REAL recording-education translations (not English
seeds)", () => {
93         // Kannada script range U+0C80?U+0CFF; Devanagari U+0900?U+097F. A representative
spread of the
94         // recording keys must be in-script (proves A3 actually translated, not B3's en seed).
95         const KN = /[?-\?]/, HI = /[?-\?]/;
96         for (const key of ["record.intro", "record.place.title", "capture.step1.b3",
"capture.consent", "nav.requestAccess"]) {
97             const path = key.split(".");
98             const kn = path.reduce((o, k) => o[k], catalogs.kn.site);
99             const hi = path.reduce((o, k) => o[k], catalogs.hi.site);
100             assert.match(kn, KN, `kn site.${key} should be in Kannada script (a leftover English
seed would not match)`);
101             assert.match(hi, HI, `hi site.${key} should be in Devanagari script`);
102         }
103         // A brand/token-free key must be FULLY in-script (no stray English) ? strongest anti-
seed check.
104         assert.doesNotMatch(catalogs.kn.site.capture.consent, /[A-Za-z]/, "kn capture.consent
has no business containing Latin letters");
105         assert.doesNotMatch(catalogs.hi.site.capture.consent, /[A-Za-z]/, "hi capture.consent
has no business containing Latin letters");
106         // Brand + literal tokens are intentionally preserved across languages.
107         assert.match(catalogs.kn.site.record.intro, /KhelSutra/, "brand stays in Latin");
108         assert.match(catalogs.hi.site.record.settings.body, /1080p\+|30 fps/, "technical
tokens stay literal");
109     });
110

```

```

1      // Static-site integrity ? the landing page + capture checklist + OG image ARE the
public
2      // product. server.test.js proves the VM host *serves* "/", "/capture", "/og.png"; this
3      // guards the CONTENT contract so a broken edit (deleted asset, broken form wiring, dead
4      // capture link, missing/!absolute OG image) fails CI instead of shipping to the live
site.
5      import { test } from "node:test";
6      import assert from "node:assert/strict";
7      import { readFileSync, statSync } from "node:fs";
8      import { join } from "node:path";
9
10     const PUBLIC = join(import.meta.dirname, "..", "public");
11     const read = (f) => readFileSync(join(PUBLIC, f), "utf8");
12     const size = (f) => statSync(join(PUBLIC, f)).size;
13     const enCatalog = JSON.parse(readFileSync(join(import.meta.dirname, "..", "..",
"locales", "en", "common.json"), "utf8"));
14
15     test("core public assets exist and are non-empty", () => {
16         for (const f of ["index.html", "capture.html", "og.png"]) {
17             assert.ok(size(f) > 0, `public/${f} is missing or empty`);
18         }
19     });
20
21     test("landing page wires the Request-Access form to the API", () => {
22         const html = read("index.html");
23         assert.match(html, /id="af"/, "the #af form is gone");
24         assert.match(html, /\api\/request-access/, "form no longer posts to /api/request-
access");
25         assert.match(html, /name="company"[^>]*tabindex="-1"/, "honeypot field removed (bots
will get through)");
26         for (const field of ["segment", "has_gpu", "storage"]) {
27             assert.match(html, new RegExp(`name="${field}"`), `form lost the '${field}' field (a
demand signal)`);
28         }
29     });
30
31     test("submitting the form shows an obvious in-flight state (no silent freeze)", () => {
32         const html = read("index.html");
33         assert.match(html, /Sending?/, "submit should swap to a 'Sending?' state while the
request is in flight");
34         assert.match(html, /aria-busy/, "submit should set aria-busy for assistive tech during
the request");
35         assert.match(html, /class="spin"/, "the in-flight spinner is gone");
36         assert.match(html, /\spin\{/, "the spinner style is gone");
37         // the button must be RE-ENABLED on failure so the user isn't stuck on a frozen
'Sending?'
38         assert.match(html, /btn\.disabled\s*=\s*false/, "submit button isn't restored on the
failure path");
39     });
40
41     test("OG + canonical meta point at the live https origin", () => {
42         const html = read("index.html");
43         assert.match(html,
/property="og:image"\s+content="https:\/\/khelsutra\.guru\/og\.png"/, "og:image must be the
absolute live URL");
44         assert.match(html, /property="og:url"\s+content="https:\/\/khelsutra\.guru"/, "og:url
drift");
45     });
46
47     test("the sample reel is GATED behind sign-up + starts at a RANDOM point (not shown
openly)", () => {
48         const html = read("index.html");
49         assert.match(html, /ajTCZ7pJW_o/, "the sample-reel video id is gone");
50         assert.match(html, /youtube-nocookie\.com/, "reel should use the privacy nocookie
host");

```



```

51     assert.match(html, /id="reel-reveal"/, "the on-signup reveal host is gone");
52     assert.match(html, /see it in action/i, "the 'see it in action' sign-up teaser is
gone");
53     assert.match(html, /reel-count/, "the auto-close countdown is gone");
54     assert.match(html, /REEL_SECS = 30/, "the reel preview should be ~30s");
55     assert.match(html, /getDuration\(\)/, "random start should derive from the real video
duration");
56     assert.match(html, /Math\.random\(\)/, "the start point should be randomized");
57     assert.match(html, /seekTo\(/, "the player should seek to the random start");
58     // Must NOT be an openly-rendered public section ? it only appears after a successful
submit.
59     assert.doesNotMatch(html, /<section id="reel"/, "the reel must be sign-up-gated, not
an open public section");
60     assert.doesNotMatch(html, /id="reel-play"/, "the open click-to-play facade should be
removed");
61     });
62
63     test("the TOOL screencast is self-hosted, footage-free, and revealed only after sign-
up", () => {
64         const html = read("index.html");
65         assert.match(html, /\video\tool-cuj\.mp4/, "the tool-operation screencast reference
is gone");
66         assert.match(html, /function revealAfterSignup/, "the post-signup reveal function is
gone");
67         assert.match(html, /revealAfterSignup\(\)/, "the reveal must be wired to a successful
submit");
68         // GATED: the only reference to the tool screencast lives inside the reveal function
(injected on
69         // signup), not as an open autoplay element rendered for every visitor.
70         assert.ok(
71             html.indexOf("/video/tool-cuj.mp4") > html.indexOf("function revealAfterSignup"),
72             "the tool screencast must be inside the post-signup reveal, not shown openly",
73         );
74         // the self-hosted clip exists and is non-trivial (a real recording, not an empty
placeholder)
75         assert.ok(size("video/tool-cuj.mp4") > 50_000, "tool-cuj.mp4 is missing or too small
to be the real screencast");
76     });
77
78     test("the post-signup reveal keeps its watchability affordances (manual close + play-
gated auto-close)", () => {
79         // Content contract only ? the BEHAVIOUR (close works, auto-close holds while the reel
plays) is
80         // proven against the real page in ux.dom.test.js, so we don't pin brittle
implementation strings.
81         const html = read("index.html");
82         assert.match(html, /id="reel-close"/, "the manual ? close button is gone");
83         assert.match(html, /onStateChange/, "the reel's play-state must still gate the auto-
close");
84     });
85
86     test("the capture checklist is linked and is a real page", () => {
87         assert.match(read("index.html"), /href="\capture\(\.html\)?"/, "footer capture-
checklist link is gone");
88         const cap = read("capture.html");
89         assert.match(cap, /<html/i, "capture.html is not HTML");
90         assert.match(cap, /capture checklist/i, "capture.html lost its checklist content");
91     });
92
93     test("the academy flyers (en/kn/hi) exist, are language-correct, and are linked from the
homepage", () => {
94         const html = read("index.html");
95         // All three are linked from the homepage footer (the owner ask: the flyers must be
findable).
96         assert.match(html, /href="\flyer"/, "homepage doesn't link the English academy

```

```

flyer");
97     assert.match(html, /href="\//flyer-kn"/, "homepage doesn't link the Kannada academy
flyer");
98     assert.match(html, /href="\//flyer-hi"/, "homepage doesn't link the Hindi academy
flyer");
99
100    // The three flyer pages exist, are HTML, and carry the right language + script.
101    const en = read("flyer.html");
102    assert.match(en, /<html lang="en"/i, "flyer.html should be lang=en");
103    const kn = read("flyer-kn.html");
104    assert.match(kn, /<html lang="kn"/i, "flyer-kn.html should be lang=kn");
105    assert.match(kn, /[?-\?]/, "flyer-kn.html should contain Kannada text");
106    const hi = read("flyer-hi.html");
107    assert.match(hi, /<html lang="hi"/i, "flyer-hi.html should be lang=hi");
108    assert.match(hi, /[?-\?]/, "flyer-hi.html should contain Devanagari (Hindi) text");
109  });
110
111  test("each flyer shows a screenshot of the tool rendered in that language", () => {
112    for (const [flyer, img] of [
      ["flyer.html", "studio-en.png"],
      ["flyer-kn.html", "studio-kn.png"],
      ["flyer-hi.html", "studio-hi.png"]
    ]) {
113      assert.ok(size(`img/${img}`) > 0, `public/img/${img} (the localized UI shot) is
missing or empty`);
114      assert.match(read(flyer), new RegExp(`img/${img}`), `${flyer} should embed its
localized UI screenshot /img/${img}`);
115    }
116  });
117
118  test("the academy flyers are also linked from the top nav and the own-model page", () =>
{
119    const html = read("index.html");
120    // Desktop top nav carries a Flyer entry (alongside Own your model).
121    const nav = html.match(/<nav class="nav-links"[\s\S]*?<\nav>/);
122    assert.ok(nav, "the primary nav block is gone");
123    assert.match(nav[0], /href="\//flyer"/, "the top nav doesn't link the Flyer");
124    // own-model surfaces all three languages.
125    const om = read("own-model.html");
126    assert.match(om, /href="\//flyer"/, "own-model doesn't link the English flyer");
127    assert.match(om, /href="\//flyer-kn"/, "own-model doesn't link the Kannada flyer");
128    assert.match(om, /href="\//flyer-hi"/, "own-model doesn't link the Hindi flyer");
129  });
130
131  test("the landing page surfaces how to record reliably (so users can set up with
confidence)", () => {
132    const html = read("index.html");
133    assert.match(html, /id="record"/, "the 'record it right' section is gone");
134    assert.match(html, /one match, one court/i, "the #1 single-court capture rule should
be on the homepage");
135    // the gist must carry the load-bearing capture cues + a prominent link to the full
checklist
136    for (const cue of [
      "/1080p/",
      "/30 fps/i",
      "/[Aa]udio ON/",
      "/baseline/",
      "/[Nn]o panning/"
    ]) {
137      assert.match(html, cue, `the recording gist is missing a key cue: ${cue}`);
138    }
139    assert.match(html, /href="\//capture"[\^>]*>Full 1-page capture checklist/i, "a
prominent link to the full checklist is gone");
140  });
141
142  test("the 'How do I join?' FAQ points at the request-access form, not email", () => {
143    const html = read("index.html");
144    const m = html.match(/How do I join?<\summary>(<p>[\s\S]*?<\p>)/);
145    assert.ok(m, "the 'How do I join?' FAQ is gone");
146    assert.match(m[1], /request access/i, "the join FAQ should send people to the request-
access form");
147    assert.match(m[1], /href="#join"/, "the join FAQ should link to the #join form");
148    assert.doesNotMatch(m[1], /mailto/, "the join FAQ should NOT tell people to email (use
the form)");

```

```

149     });
150
151     test("the own-model page exists, is honestly scoped, and is linked from the landing
page", () => {
152         const om = read("own-model.html");
153         assert.ok(om.length > 0, "own-model.html is missing or empty");
154         for (const id of ["annotate", "train", "setup"]) {
155             assert.match(om, new RegExp(`id="${id}"`), `own-model is missing the #${id}
section`);
156         }
157         assert.match(om, /github\.com\/Khelsutra\/rally-annotator/, "the GitHub link to the
annotator is gone");
158         assert.match(om, /Read this honestly/i, "the honest framing fence is gone");
159         assert.match(om, /open pipeline|in build/i, "training must be honestly scoped as in-
build, not one-click");
160         assert.match(om, /name="robots" content="noindex"/, "own-model should be noindex");
161         assert.match(read("index.html"), /href="\own-model"/, "the landing page should link
to /own-model");
162         assert.match(om, /<a href="\/">? KhelSutra home</a>/, "own-model needs an obvious
back-to-home link (not just browser-back)");
163
164         // a ready-made default works without training (keeps non-tech users engaged); BYO-
training is optional
165         assert.match(om, /ready-made default|out of the box|don't have to train/i, "must
reassure a default works without training");
166         assert.match(om, /optional/i, "training your own should be framed as optional");
167
168         // own-model shows the annotation TOOL screenshots (no people) ? real captures, files
present
169         for (const img of ["annotate-enable.png", "annotate-tool.png"]) {
170             assert.match(om, new RegExp(`img/${img}`), `own-model should embed /img/${img}`);
171             assert.ok(size(`img/${img}`) > 0, `public/img/${img} is missing or empty`);
172         }
173         assert.match(om, /<img[^>]+alt="/i, "screenshots must have alt text");
174
175         // the sample REEL stays gated behind request-access ? NOT embedded/playable here, no
footage shown
176         assert.doesNotMatch(om, /<iframe/i, "the reel must NOT be embedded here ? it's gated
behind request-access");
177         assert.doesNotMatch(om, /youtube/i, "no YouTube embed on own-model; the reel is shown
only after request-access");
178         assert.doesNotMatch(om, /i\.yimg\.com/, "don't show the video thumbnail (players)
openly");
179         assert.match(om, /sample[\s\S]{0,80}request access|request access[\s\S]{0,80}sample/i,
"point users to request access for a sample output");
180     });
181
182     // ---- B3: the trilingual marketing surface (shared t()/data-i18n shim + persistent
switcher) -----
183     const I18N_PAGES = ["index.html", "capture.html", "own-model.html"];
184
185     test("every localizable page loads the shared i18n shim", () => {
186         for (const f of I18N_PAGES) {
187             assert.match(read(f), /<script[^>]+type="module"[^>]+src="\i18n\.js"/, `${f}
doesn't load the i18n shim (/i18n.js)`);
188         }
189     });
190
191     test("every localizable page has a persistent en/kn/hi language switcher", () => {
192         for (const f of I18N_PAGES) {
193             const html = read(f);
194             assert.match(html, /class="langsw"[^>]*role="group"[^>]*aria-label="Language"/,
`${f} is missing the language switcher group`);
195             for (const lang of ["en", "kn", "hi"]) {
196                 assert.match(html, new RegExp(`<button[^>]+data-lang="${lang}"`), `${f} switcher

```

```

lacks the ${lang} button`);
197     }
198     // The switcher labels are driven by the SHARED catalog (lang.*) ? proves cross-
surface consumption.
199     assert.match(html, /data-
lang="kn"[^>]*data-i18n="lang\.kn"|data-i18n="lang\.kn"[^>]*data-lang="kn"/, `${f} switcher
isn't wired to the shared catalog (lang.kn)`);
200     // The Kannada/Hindi autonyms must be present in their own scripts (system-font
fallback renders them).
201     assert.match(html, /?????/, `${f} switcher lacks the Kannada autonym`);
202     assert.match(html, /?????/, `${f} switcher lacks the Hindi autonym`);
203     }
204     });
205
206     test("marketing content is wired for translation via data-i18n, and every key exists in
the en catalog", () => {
207         const dig = (obj, key) => key.split(".").reduce((o, k) => (o == null ? o : o[k]),
obj);
208         const used = new Set();
209         for (const f of I18N_PAGES) {
210             const html = read(f);
211             const keys = [...html.matchAll(/data-i18n="([^\"]+)"/g)].map((m) => m[1]);
212             assert.ok(keys.length >= 3, `${f} should wire at least a few strings via data-i18n
(found ${keys.length})`);
213             keys.forEach((k) => used.add(k));
214         }
215         // Every data-i18n key across the site must resolve in the en source catalog (no
dangling keys -> the
216         // shim would otherwise leave the English HTML default, but a typo'd key is a silent
bug).
217         for (const key of used) {
218             assert.notEqual(dig(enCatalog, key), undefined, `data-i18n="${key}" has no entry in
the en catalog`);
219         }
220         // The shared site.* marketing namespace is present (the B3 deliverable ? en authored,
kn/hi later).
221         assert.ok(enCatalog.site && enCatalog.site.nav && enCatalog.site.hero, "the en catalog
is missing the site.* marketing namespace");
222     });
223
224     test("the en catalog value matches the HTML default for representative data-i18n keys
(no drift)", () => {
225         // The HTML carries the English default text (SEO/no-JS); the en catalog must mirror
it so an en
226         // visitor renders identically and a future kn/hi translation simply overrides the
same string.
227         assert.match(read("capture.html"), /<h1 data-i18n="site\.capture\.title">1-page
capture checklist<\h1>/);
228         assert.equal(enCatalog.site.capture.title, "1-page capture checklist");
229         assert.match(read("index.html"), /data-i18n="site\.nav\.requestAccess">Request
access</>);
230         assert.equal(enCatalog.site.nav.requestAccess, "Request access");
231     });
232
233     // ---- A3: recording-education localized + Noto fonts bundled for kn/hi rendering
-----
234     test("A3: every marketing page bundles Noto Kannada + Devanagari so kn/hi render (not
tofu)", () => {
235         for (const f of ["index.html", "capture.html", "own-model.html"]) {
236             const html = read(f);
237             assert.match(html, /Noto\+Sans\+Kannada/, `${f} doesn't load Noto Sans Kannada`);
238             assert.match(html, /Noto\+Sans\+Devanagari/, `${f} doesn't load Noto Sans
Devanagari`);
239             assert.match(html, /--font:[^\;]*'Noto Sans Kannada'[^\;]*'Noto Sans Devanagari'/,
`${f} font stack must fall back to Noto for Indic glyphs`);

```

```

240     }
241   });
242
243   test("A3: the recording-education content is wired for translation (homepage gist +
capture page)", () => {
244     const dig = (obj, key) => key.split(".").reduce((o, k) => (o == null ? o : o[k]),
obj);
245     // Both the rich (data-i18n-html, inline <b>) and plain (data-i18n) forms are used,
and EVERY key
246     // across BOTH forms resolves in the en source catalog (a typo'd key would silently
show English).
247     for (const f of ["index.html", "capture.html"]) {
248       const html = read(f);
249       const keys = [...html.matchAll(/data-i18n(?:-html)?="([^\"]+)/g)].map((m) =>
m[1]).filter((k) => k.startsWith("site."));
250       for (const key of keys) {
251         assert.notEqual(dig(enCatalog, key), undefined, `${f}: data-i18n key "${key}" has
no en catalog entry`);
252       }
253     }
254     // The capture page localizes the load-bearing recording cues via the rich (html)
form.
255     const cap = read("capture.html");
256     assert.match(cap, /data-i18n-html="site.capture.step1.b1"/, "capture step-1
placement bullet isn't localizable");
257     assert.match(cap, /data-i18n-html="site.capture.step2.b3"/, "capture audio bullet
isn't localizable");
258     // The homepage gist localizes its cards.
259     assert.match(read("index.html"), /data-i18n-html="site.record.settings.body"/,
"homepage settings card isn't localizable");
260     // en catalog's recording values keep the inline <b> markup the HTML relies on.
261     assert.match(enCatalog.site.record.place.body, /<b>.*<\b>/s, "en record.place.body
lost its <b> markup");
262     assert.match(enCatalog.site.capture.step2.b1, /<b>1080p or higher<\b>/, "en
capture.step2.b1 markup drift");
263   });
264

```

10. assistant (2026-06-21T18:49:44.512Z)

This is a clean, focused review. Let me check a few specific things before finalizing ? particularly the `data-i18n-html` for `lang.label` group label, the `` tag in the support catalog, and the `aria-pressed` initial state on the buttons.

Let me verify one concern: the switcher buttons have no initial `aria-pressed` in the HTML ? they only get it from `applyDom`. And the `own-model.html` switcher behavior. Let me check whether buttons start without `aria-pressed` (an SR regression before JS runs / if JS fails).

11. user (2026-06-21T18:49:46.178Z)

```

C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\capture.html:26:  .langsw button[aria-
pressed="true"]{background:var(--green);color:#04140D;opacity:1}
C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\i18n.js:88:    el.setAttribute("aria-
pressed", String(on));
C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\index.html:70:  .langsw button[aria-
pressed="true"]{background:var(--green);color:#04140D;opacity:1}
C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\own-model.html:33:  .langsw button[aria-
pressed="true"]{background:var(--green);color:#04140D;opacity:1}

```

12. user (2026-06-21T18:49:47.000Z)

```

C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\index.html:247:    <div class="langsw"
role="group" aria-label="Language">
C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\capture.html:66:    <div class="langsw"

```

```
role="group" aria-label="Language">
C:\Users\avidu\Projects\kheIsutra-fu-wt\site\public\own-model.html:84:      <div
class="langsw" role="group" aria-label="Language">
```

13. assistant (2026-06-21T18:49:57.575Z)

Let me look at the remaining bullets in `step3` and `step4` of capture.html ? some `- ` items mix plain `data-i18n` and `data-i18n-html`, and I want to verify the `aria-label="Language"` group label is itself never localized (it stays English even in kn/hi mode). Let me also confirm the `aria-hidden` decorative markers and the `lang.label` key exists but is unused.

The review is essentially complete. Let me verify one subtle point: the `aria-label="Language"` on the group is hardcoded English and never wired to `data-i18n` / `data-i18n-attr`, so it stays "Language" for a screen-reader user even in Kannada/Hindi mode. The catalog has `lang.label` for exactly this. Let me confirm `lang.label` exists in kn.

That's confirmed from the catalogs already read (`lang.label` = "Language" / "????"). I have enough to report.

Findings summary:

The implementation is largely clean for accessibility. Semantic structure (h1?h4, real `

`/``) is preserved because `data-i18n` sets `textContent` on inner spans/leaf elements and `data-i18n-html` only injects catalog-authored `**` into existing `- `/`<p>` ? no headings or list containers are replaced. The switcher uses `role="group"`, `aria-pressed` toggled per locale, and `min-height:32px` touch targets. Two real (minor) issues found, plus the one genuinely worth fixing.**

14. user (2026-06-21T18:50:08.452Z)

Structured output provided successfully

15. assistant (2026-06-21T18:50:18.426Z)

Review complete. The A3 i18n wiring is accessible in its core: semantic headings (`h1`?`h4`) and real `

`/`` structure survive translation because `data-i18n` writes `textContent` to leaf spans and `data-i18n-html` only injects catalog-authored `**` into existing `- `/`<p>` elements ? no list or heading container is ever replaced. The switcher uses `role="group"`, per-locale `aria-pressed`, keyboard-native ``'s, and 32px touch targets. Decorative glyphs (?, ?, the play triangle) are correctly `aria-hidden`.**

Two minor issues, both real:

1. **Group label not localized** (index/capture/own-model.html) ? `aria-label="Language"` is hardcoded English and never wired to the existing `lang.label` catalog key, so kn/hi screen-reader users hear the control group announced in English. Fix: add `data-i18n="lang.label" data-i18n-attr="aria-label"` to the `.langsw` container (the shim already supports this and the key exists in all three locales).
2. **No static `aria-pressed`** (i18n.js + all three pages) ? the buttons ship with no `aria-pressed` attribute; it's added only by `applyDom` at runtime. Since the en text is an explicit no-JS progressive-enhancement default, the toggle group reports no selected state until JS runs. Fix: author `aria-pressed="true"` on the en button and `"false"` on kn/hi in the static HTML.

No critical/major findings ? the `innerHTML` path is safe here (values are project-authored, `**`-only) and structure is preserved.**