

claude-windows / dca1ff63-3aec-42ab-897f-41970003f4e1

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-khelsutra\dca1ff63-3aec-42ab-897f-41970003f4e1\subagents\workflows\wf_e3715462-63d\agent-adezca3c40ba41b40.jsonl`  
- SHA-256: `0918f5072bfaca402b6a4bd267a8f47ef099d2f353925e6fc0465d03e3817d16`  
- Source modified: `2026-06-21T18:36:16+00:00`  
- Imported at: `2026-07-05T16:48:21+00:00`  
- project: `wf_e3715462-63d`  
- session_id: `dca1ff63-3aec-42ab-897f-41970003f4e1`
```

Transcript

1. user (2026-06-21T18:34:30.751Z)

You are a strict, native-level Hindi (?????) reviewer of UI microcopy for KhelSutra ? a friendly automatic badminton-highlights product. Audience: non-tech-savvy coaches, parents and players in India.

STEP 1 ? Read the English source map (Read tool): undefined/_tmp_site_en_flat.json

STEP 2 ? Read the Hindi (?????) translation map (Read tool): undefined/_tmp_hi_flat.json

Both are flat JSON maps with the SAME keys.

STEP 3 ? Review EVERY key, but ONLY through this lens:

MEANING FIDELITY: each translation must preserve the exact meaning including honest caveats ("still sharpening", "alpha", "experimental", "best results today"). Flag added/dropped/altered meaning, over-promising, or a wrong sense (e.g. a wrong term for the badminton "rally", "court", "baseline", "shuttle").

STEP 4 ? Write (Write tool) a JSON array to exactly: undefined/_tmp_issues_hi_meaning.json

Each element: {"key": "<dotted key e.g.

record.place.body>", "severity": "critical"|"minor", "problem": "<short English note>", "suggestion": "<the FULL corrected Hindi (?????) value for that key, preserving tags and literal tokens>"}.
Include ONLY keys with a REAL problem through THIS lens. If there are none, write []. Be precise and conservative ? do not invent problems, and do not re-flag good translations.

STEP 5 ? Return the summary object {flagged: <number of issues you wrote>, wrote: "undefined/_tmp_issues_hi_meaning.json"}.

2. assistant (2026-06-21T18:34:35.202Z)

I'll start by reading the English source and Hindi translation files.

3. user (2026-06-21T18:34:35.540Z)

File does not exist. Note: your current working directory is C:\Users\avidu\Projects\khelsutra.

4. assistant (2026-06-21T18:34:38.536Z)

The file path uses a literal "undefined" prefix. Let me locate the actual files.

5. user (2026-06-21T18:34:40.633Z)

6. user (2026-06-21T18:34:45.905Z)

```
=== undefined dir search ===  
=== any flat json ===
```

7. assistant (2026-06-21T18:34:52.219Z)

The files don't exist yet. The "undefined" is a placeholder that wasn't substituted. Let me look at the project structure to find where the English and Hindi catalogs actually live, so I can produce the flat files myself.

8. user (2026-06-21T18:34:54.311Z)

```
Exit code 2  
?? .claude/  
?? site/access.db  
=== ls root ===  
total 46  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 .  
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:04 ..  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:34 .claude  
drwxr-xr-x 1 avidu 197609    0 Jun 22 00:04 .git  
-rw-r--r-- 1 avidu 197609 297 Jun 20 23:27 .gitattributes  
drwxr-xr-x 1 avidu 197609    0 Jun 20 12:43 .github  
-rw-r--r-- 1 avidu 197609   78 Jun 20 18:40 .gitignore  
-rw-r--r-- 1 avidu 197609 6617 Jun 21 12:12 NEXT_STEPS.md  
-rw-r--r-- 1 avidu 197609 1133 Jun 21 22:17 README.md  
drwxr-xr-x 1 avidu 197609    0 Jun 21 22:17 deploy  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 docs  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 locales  
drwxr-xr-x 1 avidu 197609    0 Jun 21 15:38 node_modules  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 site  
drwxr-xr-x 1 avidu 197609    0 Jun 21 12:31 web  
=== tmp files anywhere on disk (cwd) ===
```

9. assistant (2026-06-21T18:34:57.697Z)

There's a `locales` directory. Let me explore it to find the English and Hindi source catalogs.

10. user (2026-06-21T18:34:58.959Z)

```
=== locales ===  
total 4  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 .  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 ..  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 da  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 en  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 es  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 hi  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 id  
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 kn  
=== site ===  
total 85  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 .  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 ..  
-rw-r--r-- 1 avidu 197609 3953 Jun 21 23:55 README.md  
-rw-r--r-- 1 avidu 197609 12288 Jun 20 20:15 access.db  
-rw-r--r-- 1 avidu 197609 2369 Jun 20 11:30 make_og.py  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:48 node_modules  
-rw-r--r-- 1 avidu 197609 19438 Jun 21 08:20 package-lock.json  
-rw-r--r-- 1 avidu 197609   537 Jun 21 23:55 package.json  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 public  
-rw-r--r-- 1 avidu 197609   849 Jun 20 11:30 schema.sql  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 scripts  
-rw-r--r-- 1 avidu 197609 5918 Jun 21 23:55 server.js  
drwxr-xr-x 1 avidu 197609    0 Jun 21 23:55 src
```

```

-rw-r--r-- 1 avidu 197609 1064 Jun 20 12:52 wrangler.toml
=== web ===
total 195
drwxr-xr-x 1 avidu 197609 0 Jun 21 12:31 .
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609 41 Jun 20 15:25 .gitignore
-rw-r--r-- 1 avidu 197609 1427 Jun 20 15:25 README.md
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:53 dist
-rw-r--r-- 1 avidu 197609 303 Jun 20 15:25 index.html
drwxr-xr-x 1 avidu 197609 0 Jun 21 12:27 node_modules
-rw-r--r-- 1 avidu 197609 127996 Jun 21 12:31 package-lock.json
-rw-r--r-- 1 avidu 197609 1074 Jun 21 12:31 package.json
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 src
-rw-r--r-- 1 avidu 197609 599 Jun 21 12:25 tsconfig.json
-rw-r--r-- 1 avidu 197609 1070 Jun 21 12:12 vite.config.ts

```

11. user (2026-06-21T18:35:02.616Z)

```

=== en ===
total 8
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609 6006 Jun 21 23:55 common.json
=== hi ===
total 12
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 .
drwxr-xr-x 1 avidu 197609 0 Jun 21 23:55 ..
-rw-r--r-- 1 avidu 197609 10669 Jun 21 23:55 common.json

```

12. assistant (2026-06-21T18:35:05.706Z)

The English and Hindi catalogs are nested JSON. The flat files were supposed to be generated by the harness but weren't. I'll read both catalogs, flatten them myself, and review. Let me read both.

13. user (2026-06-21T18:35:06.631Z)

```

1      {
2      "app": {
3          "badge": "pick your rallies · alpha",
4          "title": "Pick the rallies for your reel",
5          "intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then fine-
6          tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't want."
7      },
8      "lang": {
9          "label": "Language",
10         "en": "English",
11         "kn": "?????",
12         "hi": "?????",
13         "es": "Español",
14         "da": "Dansk",
15         "id": "Bahasa Indonesia"
16     },
17     "bulk": {
18         "selectAll": "Select all",
19         "clear": "Clear",
20         "invert": "Invert"
21     },
22     "mode": {
23         "demo": "These are sample rallies ? process a video above to work on a real match.",
24         "loading": "Finding the rallies in your video?",
25         "error": "Couldn't load this video's rallies: {error}",
26         "loaded": "Found <b>{count}</b> rallies in your video."
27     }
28 }

```

```

27     "query": {
28         "placeholder": "e.g. over 10s · top 15 longest · shortest first",
29         "ariaLabel": "Filter rallies by length, count or order",
30         "apply": "Apply",
31         "notAvailable": "not available yet",
32         "notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
33         "notAvailableHelp": "Shot type, players and score aren't available yet ? filter by
rally length instead.",
34         "unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
35         "hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample below.",
36         "try": "Sample queries:",
37         "support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
38     },
39     "grid": {
40         "empty": "No rallies to show yet.",
41         "rally": "Rally {n}",
42         "inReel": "Rally {n}, in reel",
43         "notInReel": "Rally {n}, not in reel",
44         "start": "start",
45         "long": "long",
46         "shots": "~{count} shots · experimental",
47         "shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
48         "shotsConfidence": " ? confidence: {conf}"
49     },
50     "footer": {
51         "count": "{count, plural, one {# rally} other {# rallies}}",
52         "summaryRest": "selected · {total} total",
53         "reelName": "Reel name",
54         "reelNamePlaceholder": "my-highlights",
55         "build": "Build reel ({count})",
56         "building": "Building?",
57         "floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it would
be skipped, so the build would fail. Pick a longer rally.",
58         "floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
59         "floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
60         "floorSomeRest": "with fewer than {min} shots will be skipped when building (they're
too short).",
61     },
62     "result": {
63         "ready": "Your reel is ready",
64         "failed": "Build failed",
65         "building": "Stitching your reel?",
66         "buildingReassure": "Joining your selected rallies into one video ? this usually
only takes a moment.",
67         "dismiss": "Dismiss",
68         "download": "Download {filename}"
69     },
70     "build": {
71         "noVideo": "These are sample rallies ? process a real video first to build a reel."
72     },
73     "ingest": {
74         "title": "Process a video",
75         "intro": "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes.",
76         "uriPlaceholder": "gs://your-bucket/match.mp4",
77         "uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine host",
78         "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine
running KhelSutra.",
79         "submit": "Process video",
80         "submitting": "Submitting?",
81         "cancel": "Cancel",
82         "working": "Processing your video?",

```

```

83     "progress": "{progress}",
84     "retry": "Try again",
85     "reassure": "Safe to wait ? KhelSutra keeps working even if your connection is slow;
a long video can take several minutes.",
86     "statusFailed": "Couldn't process",
87     "chooseFile": "Choose a video file",
88     "uploadAria": "Choose a video file to upload",
89     "fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
90     "orLink": "Or use a cloud link",
91     "uploadingStatus": "Uploading?",
92     "uploadProgress": "Upload progress"
93 },
94     "errors": {
95         "networkError": "Can't reach KhelSutra. Is it running?",
96         "invalidUri": "Enter a video location first ? a gs:// link or a path on the machine
running KhelSutra.",
97         "emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
98         "timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
99         "engineGeneric": "Something went wrong. Please try again."
100     },
101     "tap": {
102         "title": "Tap to filter:",
103         "longest": "Longest first",
104         "shortest": "Shortest first",
105         "over10": "Over 10 seconds",
106         "over20": "Over 20 seconds",
107         "top5": "Top 5 longest",
108         "top10": "Top 10 longest"
109     },
110     "site": {
111         "nav": {
112             "how": "How it works",
113             "why": "Why it's hard",
114             "ownModel": "Own your model",
115             "flyer": "Flyer",
116             "roadmap": "Roadmap",
117             "faq": "FAQ",
118             "requestAccess": "Request access"
119         },
120         "hero": {
121             "eyebrow": "Invite-only alpha · Bengaluru",
122             "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123             "ctaPrimary": "Request alpha access",
124             "ctaHow": "See how it works"
125         },
126         "capture": {
127             "title": "1-page capture checklist",
128             "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels."
129         },
130         "ownModel": {
131             "requestAccess": "Request access ?"
132         }
133     },
134     "selection": {
135         "count": "{count, plural, one {# rally selected} other {# rallies selected}}"
136     }
137 }
138

```

14. user (2026-06-21T18:35:06.715Z)

```

1  {
2    "app": {
3      "badge": "????-??? ?? · ??????",
4      "title": "???? ?? ?? ?? ?????? ??????",
5      "intro": "<b>???? ?? ?????</b> ?? ???? ?? ??????? ???? ? ???? <i>????? ???? ????
15?</i> ? ???? ????? ???? ???? ??????? ?? ????????? ?????? ?? ???? <b>?????</b> ???? ???? ??; ?? ??
???? ?????? ?????? ??????"
6    },
7    "lang": {
8      "label": "????",
9      "en": "English",
10     "kn": "????",
11     "hi": "????",
12     "es": "Español",
13     "da": "Dansk",
14     "id": "Bahasa Indonesia"
15   },
16   "bulk": {
17     "selectAll": "??? ?????",
18     "clear": "???? ?????",
19     "invert": "?????"
20   },
21   "mode": {
22     "demo": "?? ?????? ??????? ???? ? ???? ???? ?? ???? ???? ???? ???? ???? ???? ???? ????
?????",
23     "loading": "???? ?????? ???? ?????? ?????? ?? ??? ????",
24     "error": "?? ?????? ?? ?????? ???? ???? ?? ???? {error}",
25     "loaded": "???? ?????? ???? <b>{count}</b> ?????? ??????"
26   },
27   "query": {
28     "placeholder": "??? over 10s · top 15 longest · shortest first",
29     "ariaLabel": "????, ?????? ?? ???? ?? ???? ?? ?????? ?????? ????",
30     "apply": "???? ????",
31     "notAvailable": "??? ?????? ????",
32     "notAvailableTitle": "?{token}? ?? ??? {kind} ????? ????? ? ??? ?????? ????",
33     "notAvailableHelp": "??? ??????, ?????? ?? ?????? ???? ?????? ???? ???? ? ???? ????
???? ?? ?????? ?? ?????? ??????",
34     "unreadable": "?? ??? ???? ???? ? ?over 10s? ?? ?top 15 longest? ??????",
35     "hint": "10 ????? ???? ?????? ???? ???? over 10s ???? ???? ? ?? ???? ???? ????
??? ??????",
36     "try": "????? ??????",
37     "support": "<b>???? ????</b> ?? ???? ???? ?????? ???? ???? ???? ?????? ????
???-????? <x>????????????</x> ?? (?????????)?"
38   },
39   "grid": {
40     "empty": "????? ?? ??? ???? ???? ???? ???? ????",
41     "rally": "???? {n}",
42     "inReel": "???? {n}, ??? ???",
43     "notInReel": "???? {n}, ??? ??? ????",
44     "start": "????",
45     "long": "????",
46     "shots": "~{count} ????? · ??????????",
47     "shotsTitle": "??? ?????? ?????????? ?? (????????) ?? ??? ?? ???? ??{conf}? ????
???? ???? ???? ???? ???? ????",
48     "shotsConfidence": " ? ??????: {conf}"
49   },
50   "footer": {
51     "count": "{count, plural, one {#} other {#} }",
52     "summaryRest": "???? · ??? {total}",
53     "reelName": "??? ?? ???",
54     "reelNamePlaceholder": "my-highlights",
55     "build": "??? ?????? ({count})",
56     "building": "?? ??? ??"
57   }
58 }

```

[illegible]

```

112     "how": "How it works",
113     "why": "Why it's hard",
114     "ownModel": "Own your model",
115     "flyer": "Flyer",
116     "roadmap": "Roadmap",
117     "faq": "FAQ",
118     "requestAccess": "Request access"
119 },
120 "hero": {
121     "eyebrow": "Invite-only alpha · Bengaluru",
122     "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
123     "ctaPrimary": "Request alpha access",
124     "ctaHow": "See how it works"
125 },
126 "capture": {
127     "title": "1-page capture checklist",
128     "intro": "Great highlights start with a steady, full-court recording. Five minutes
of setup makes a big difference to your reels."
129 },
130 "ownModel": {
131     "requestAccess": "Request access ?"
132 }
133 },
134 "selection": {
135     "count": "{count, plural, one {# ??? ????} other {# ?????? ?????}}"
```

15. assistant (2026-06-21T18:35:24.930Z)

I have both catalogs. The ``undefined`` placeholder paths weren't substituted ? I'll create the flat files in the repo root under the ``undefined`` directory the harness expects, and write the issues there. First, let me reproduce the flat maps and write the input artifacts the harness referenced, then do the review.

Let me note key observations as I review through the MEANING FIDELITY lens:

1. ****`footer.floorOne`**** (key **`footer.floorOne`**): EN says "it would be skipped, so the build would fail" ? no mention of "engine". HI adds "???? ?? ???? ???? " (the engine will skip it). Minor ? adds "engine" not in source but meaning preserved (still-correct caveat). Borderline.
2. ****`footer.floorAll`****: EN "they'd all be skipped" ? HI "???? ?? ?? ?? ???? ???? ??". Same engine addition. Tense slightly different but meaning fine.
3. ****`footer.floorSomeRest`****: EN: "with fewer than {min} shots will be skipped when building (they're too short)." HI: "...????? ???? ??? ???? ?? ?????? (???? ?? `min\_shot\_count` ?????)?" ? The EN parenthetical "(they're too short)" is a plain-language reassurance for non-tech coaches/parents. HI replaced it with "(???? ?? `min\_shot\_count` ?????)" = "(the engine's min_shot_count limit)" ? this ****drops the plain-language meaning and adds a technical token**** not in the source. For non-tech audience, this is an altered meaning. This is a real meaning-fidelity issue.

Let me look more carefully and check `ingest.intro`, `ingest.reassure`, and the engine vs server question.

```
- **`ingest.intro`**: EN "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes." HI: "???????? ?? ?? ????? ?????? ? ?? ???? ???? ?? ???? ?? ????? ????? ?
?? ?? ??????? ????? ????? ?????? ??? ???? ?? ???? ?????" HI **adds** "? a bucket link or a file on
the engine ?" which isn't in the EN source. This is added meaning/detail. It's consistent with
`ingest.hint` though. Minor addition, but it does add info not present. Conservatively, it's
elaboration that matches the next line's hint; meaning of the sentence is preserved. I'll
consider it minor at most ? but the instruction is to flag added meaning. However it's arguably
acceptable contextual expansion. I'll be conservative and not flag unless it over-promises or
distorts. It doesn't distort: I'll leave it.
```

- `***`ingest.reassure`**`: EN "KheISutra keeps working even if your connection is slow" ? HI "???????? ???? ? ? ? ? ? ? ? ?" = "KheISutra keeps working on the server". Adds "on the server" ? accurate clarification, meaning preserved. Fine.

The clearest real issue is ``footer.floorSomeRest``. Let me verify the EN/HI consistency between `floorOne/floorAll` (which use plain "skipped") and `floorSomeRest`.

Now let me write the flat files and the issues file.

16. user (2026-06-21T18:35:28.939Z)

```
flat files written
total 24
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:05 .
drwxr-xr-x 1 avidu 197609      0 Jun 22 00:05 ..
-rw-r--r-- 1 avidu 197609 10773 Jun 22 00:05 _tmp_hi_flat.json
-rw-r--r-- 1 avidu 197609  6110 Jun 22 00:05 _tmp_site_en_flat.json
```

17. assistant (2026-06-21T18:35:32.465Z)

Now I have the flat files. Let me read them to confirm exact values per key for the final review.

18. user (2026-06-21T18:35:32.948Z)

```
1      {
2      "app.badge": "pick your rallies · alpha",
3      "app.title": "Pick the rallies for your reel",
4      "app.intro": "Filter by <b>rally length</b> ? e.g. <i>?top 15 longest?</i> ? then
fine-tune by tapping cards. Everything starts <b>selected</b>; just drop the ones you don't
want.",
5      "lang.label": "Language",
6      "lang.en": "English",
7      "lang.kn": "?????",
8      "lang.hi": "?????",
9      "lang.es": "Español",
10     "lang.da": "Dansk",
11     "lang.id": "Bahasa Indonesia",
12     "bulk.selectAll": "Select all",
13     "bulk.clear": "Clear",
14     "bulk.invert": "Invert",
15     "mode.demo": "These are sample rallies ? process a video above to work on a real
match.",
16     "mode.loading": "Finding the rallies in your video?",
17     "mode.error": "Couldn't load this video's rallies: {error}",
18     "mode.loaded": "Found <b>{count}</b> rallies in your video.",
19     "query.placeholder": "e.g. over 10s · top 15 longest · shortest first",
20     "query.ariaLabel": "Filter rallies by length, count or order",
21     "query.apply": "Apply",
22     "query.notAvailable": "not available yet",
23     "query.notAvailableTitle": "?{token}? needs {kind} detection ? not available yet",
24     "query.notAvailableHelp": "Shot type, players and score aren't available yet ? filter
by rally length instead.",
25     "query.unreadable": "Couldn't read that ? try ?over 10s? or ?top 15 longest?.",
26     "query.hint": "Type over 10s for rallies longer than 10 seconds ? or tap a sample
below.",
27     "query.try": "Sample queries:",
28     "query.support": "Filtering by <b>rally length</b> is fully supported. Shot-count is
<x>experimental</x> (under development).",
29     "grid.empty": "No rallies to show yet.",
30     "grid.rally": "Rally {n}",
31     "grid.inReel": "Rally {n}, in reel",
32     "grid.notInReel": "Rally {n}, not in reel",
33     "grid.start": "start",
```

```

34     "grid.long": "long",
35     "grid.shots": "~{count} shots · experimental",
36     "grid.shotsTitle": "Shot count is experimental (under development) and may be
inaccurate{conf}. Filter by rally length instead.",
37     "grid.shotsConfidence": " ? confidence: {conf}",
38     "footer.count": "{count, plural, one {# rally} other {# rallies}}",
39     "footer.summaryRest": "selected · {total} total",
40     "footer.reelName": "Reel name",
41     "footer.reelNamePlaceholder": "my-highlights",
42     "footer.build": "Build reel ({count})",
43     "footer.building": "Building?",
44     "footer.floorOne": "<b>Your only selected rally</b> has fewer than {min} shots ? it
would be skipped, so the build would fail. Pick a longer rally.",
45     "footer.floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
46     "footer.floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
47     "footer.floorSomeRest": "with fewer than {min} shots will be skipped when building
(they're too short).",
48     "result.ready": "Your reel is ready",
49     "result.failed": "Build failed",
50     "result.building": "Stitching your reel?",
51     "result.buildingReassure": "Joining your selected rallies into one video ? this
usually only takes a moment.",
52     "result.dismiss": "Dismiss",
53     "result.download": "Download {filename}",
54     "build.noVideo": "These are sample rallies ? process a real video first to build a
reel.",
55     "ingest.title": "Process a video",
56     "ingest.intro": "Point KhelSutra at a video and it finds the rallies for you ? this
can take a few minutes.",
57     "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58     "ingest.uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine
host",
59     "ingest.hint": "Paste a cloud-storage link (gs://?), or a path to a video on the
machine running KhelSutra.",
60     "ingest.submit": "Process video",
61     "ingest.submitting": "Submitting?",
62     "ingest.cancel": "Cancel",
63     "ingest.working": "Processing your video?",
64     "ingest.progress": "{progress}",
65     "ingest.retry": "Try again",
66     "ingest.reassure": "Safe to wait ? KhelSutra keeps working even if your connection is
slow; a long video can take several minutes.",
67     "ingest.statusFailed": "Couldn't process",
68     "ingest.chooseFile": "Choose a video file",
69     "ingest.uploadAria": "Choose a video file to upload",
70     "ingest.fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
71     "ingest.orLink": "Or use a cloud link",
72     "ingest.uploadingStatus": "Uploading?",
73     "ingest.uploadProgress": "Upload progress",
74     "errors.networkError": "Can't reach KhelSutra. Is it running?",
75     "errors.invalidUri": "Enter a video location first ? a gs:// link or a path on the
machine running KhelSutra.",
76     "errors.emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
77     "errors.timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
78     "errors.engineGeneric": "Something went wrong. Please try again.",
79     "tap.title": "Tap to filter:",
80     "tap.longest": "Longest first",
81     "tap.shortest": "Shortest first",
82     "tap.over10": "Over 10 seconds",
83     "tap.over20": "Over 20 seconds",
84     "tap.top5": "Top 5 longest",

```

```

85     "tap.top10": "Top 10 longest",
86     "site.nav.how": "How it works",
87     "site.nav.why": "Why it's hard",
88     "site.nav.ownModel": "Own your model",
89     "site.nav.flyer": "Flyer",
90     "site.nav.roadmap": "Roadmap",
91     "site.nav.faq": "FAQ",
92     "site.nav.requestAccess": "Request access",
93     "site.hero.eyebrow": "Invite-only alpha · Bengaluru",
94     "site.hero.lead": "KheISutra finds every rally in your session and strips out the
knock-ups, walks and gaps ? so a full match becomes a clean highlight reel you can watch and
download. No editing, no scrubbing.",
95     "site.hero.ctaPrimary": "Request alpha access",
96     "site.hero.ctaHow": "See how it works",
97     "site.capture.title": "1-page capture checklist",
98     "site.capture.intro": "Great highlights start with a steady, full-court recording.
Five minutes of setup makes a big difference to your reels.",
99     "site.ownModel.requestAccess": "Request access ?",
100    "selection.count": "{count, plural, one {# rally selected} other {# rallies
selected}}}"
101    }

```

19. user (2026-06-21T18:35:33.411Z)

```

1      {
2        "app.badge": "????-???? ??? · ??????",
3        "app.title": "???? ??? ?? ??? ?????? ?????",
4        "app.intro": "<b>???? ?? ?????</b> ?? ????? ?? ?????? ???? ? ???? <i>????? ???? ???
15?</i> ? ??? ????? ??? ???? ?????? ?? ???????? ?????? ?? ??? <b>?????</b> ???? ???? ??; ?? ??
???? ?????? ?????? ??????",
5        "lang.label": "????",
6        "lang.en": "English",
7        "lang.kn": "?????",
8        "lang.hi": "???????",
9        "lang.es": "Español",
10       "lang.da": "Dansk",
11       "lang.id": "Bahasa Indonesia",
12       "bulk.selectAll": "??? ??????",
13       "bulk.clear": "???? ??????",
14       "bulk.invert": "?????",
15       "mode.demo": "?? ?????? ???????? ??? ? ???? ??? ?? ??? ???? ?? ??? ??? ?? ?????? ????????
?????",
16       "mode.loading": "???? ?????? ??? ?????? ?????? ?? ??? ?????",
17       "mode.error": "?? ?????? ?? ?????? ??? ???? ?? ???? {error}",
18       "mode.loaded": "???? ?????? ??? <b>{count}</b> ?????? ??????",
19       "query.placeholder": "??? over 10s · top 15 longest · shortest first",
20       "query.ariaLabel": "????, ?????? ?? ???? ?? ???? ?? ?????? ?????? ??????",
21       "query.apply": "???? ?????",
22       "query.notAvailable": "??? ?????? ?????",
23       "query.notAvailableTitle": "{token}? ?? ??? {kind} ????? ????? ? ??? ?????? ?????",
24       "query.notAvailableHelp": "??? ??????, ?????? ?? ?????? ??? ?????? ???? ??? ? ????
???? ???? ?? ?????? ?? ?????? ??????",
25       "query.unreadable": "?? ??? ???? ??? ? ?over 10s? ?? ?top 15 longest? ????????",
26       "query.hint": "10 ????? ?? ???? ?????? ?? ??? over 10s ???? ???? ? ?? ???? ?? ???
????? ??? ??????",
27       "query.try": "????? ??????",
28       "query.support": "<b>????? ?? ?????</b> ?? ???? ?? ?????? ???? ???? ???? ?????? ????
???-????? <x>????????????</x> ?? (?????????)?",
29       "grid.empty": "????? ?? ??? ?? ???? ???? ???? ??",
30       "grid.rally": "???? {n}",
31       "grid.inReel": "???? {n}, ??? ???",
32       "grid.notInReel": "???? {n}, ??? ??? ????",
33       "grid.start": "????",
34       "grid.long": "????",
35       "grid.shots": "~{count} ????? · ??????????",

```

```

36 "grid.shotsTitle": "??? ????? ?????????? ?? (?????????) ?? ?? ?? ??? {conf}? ???
37 "grid.shotsConfidence": " ? ??????: {conf}",
38 "footer.count": "{count, plural, one {# ???} other {# ?????}}",
39 "footer.summaryRest": "????? · ??? {total}",
40 "footer.reelName": "??? ?? ???",
41 "footer.reelNamePlaceholder": "my-highlights",
42 "footer.build": "??? ????? ({count})",
43 "footer.building": "? ? ? ??",
44 "footer.floorOne": "<b>???? ?????? ?????? ?????</b> ??? {min} ?? ?? ????? ? ? ?
45 "footer.floorAll": "<b>???? {count} ????? ??????</b> ??? {min} ?? ?? ????? ? ? ?
46 "footer.floorSomeLead": "{count, plural, one {# ???} other {# ?????}}",
47 "footer.floorSomeRest": "????? {min} ?? ?? ????? ? ? , ????? ? ? ? ? ? ?
48 "result.ready": "???? ? ? ? ? ? ?",
49 "result.failed": "????? ? ? ?",
50 "result.building": "???? ? ? ? ? ? ? ? ? ? ?",
51 "result.buildingReassure": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
52 "result.dismiss": "????? ? ? ?",
53 "result.download": "{filename} ?????? ? ? ?",
54 "build.noVideo": "? ? ????? ?????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
55 "ingest.title": "????? ? ? ? ? ? ? ? ? ? ?",
56 "ingest.intro": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
57 "ingest.uriPlaceholder": "gs://your-bucket/match.mp4",
58 "ingest.uriAriaLabel": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
59 "ingest.hint": "? ? gs:// ? ? ? ? ? ? , ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
60 "ingest.submit": "????? ? ? ? ? ? ? ? ? ? ?",
61 "ingest.submitting": "???? ? ? ? ? ? ? ? ? ? ?",
62 "ingest.cancel": "???? ? ? ? ? ? ? ? ? ? ?",
63 "ingest.working": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
64 "ingest.progress": "{progress}",
65 "ingest.retry": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
66 "ingest.reassure": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
67 "ingest.statusFailed": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
68 "ingest.chooseFile": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
69 "ingest.uploadAria": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
70 "ingest.fileHint": "? ? ????? ? ? ? ? .mp4 ? ? .mov ? ? ? ? ? ? ? ? ? ? ? ?
71 "ingest.orLink": "? ? ????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
72 "ingest.uploadingStatus": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
73 "ingest.uploadProgress": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
74 "errors.networkError": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
75 "errors.invalidUri": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
76 "errors.emptyResult": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
77 "errors.timeout": "? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
78 "errors.engineGeneric": "??? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
79 "tap.title": "????? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
80 "tap.longest": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
81 "tap.shortest": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
82 "tap.over10": "10 ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
83 "tap.over20": "20 ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
84 "tap.top5": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
85 "tap.top10": "???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
86 "site.nav.how": "How it works",
87 "site.nav.why": "Why it's hard",
88 "site.nav.ownModel": "Own your model",

```


targets.

Now writing the issues file.

21. assistant (2026-06-21T18:35:59.794Z)

```
[
  {
    "key": "footer.floorSomeRest",
    "severity": "minor",
    "problem": "EN's plain-language reason '(they're too short)' is dropped and replaced with a technical token absent from the source: '(???? ?? min_shot_count ????)' = '(the engine's min_shot_count limit)'. Adds jargon and a code token the source never shows to non-tech coaches/parents, and drops the simple 'too short' explanation.",
    "suggestion": "?????? {min} ?? ?? ????? ??, ????? ??? ???? ?? ????? (?? ??? ???? ????)?"
  },
  {
    "key": "ingest.intro",
    "severity": "minor",
    "problem": "Adds meaning not in the EN source. EN: 'Point KhelSutra at a video and it finds the rallies for you ? this can take a few minutes.' HI inserts an extra clause '? ?? ??? ???? ?? ??? ???? ?' (a bucket link or a file on the engine) that the source does not contain.",
    "suggestion": "???????? ?? ?? ????? ?????? ?? ?? ??? ???? ???? ???? ? ???? ???? ???? ?? ???? ?????"
  }
]
```

22. user (2026-06-21T18:35:59.808Z)

File created successfully at:

C:/Users/avidu/Projects/khelsutra/undefined/_tmp_issues_hi_meaning.json (file state is current in your context ? no need to Read it back)

23. assistant (2026-06-21T18:36:02.435Z)

I've completed the review. Let me return the summary.

24. user (2026-06-21T18:36:02.951Z)

Structured output provided successfully

25. assistant (2026-06-21T18:36:16.214Z)

Review complete. The harness left the `undefined/` path placeholder unsubstituted, so the input flat files didn't exist. I located the real catalogs (`locales/en/common.json` and `locales/hi/common.json`), flattened them into the expected `\_tmp\_site\_en\_flat.json` / `\_tmp\_hi\_flat.json`, reviewed all 100 keys through the meaning-fidelity lens, and wrote 2 issues to `C:/Users/avidu/Projects/khelsutra/undefined/\_tmp\_issues\_hi\_meaning.json`.

Findings (both minor):

1. `footer.floorSomeRest` ? EN's plain-language reason "(they're too short)" was replaced with "(???? ?? `min\_shot\_count` ????)" = "(the engine's min_shot_count limit)", injecting a code token absent from the source and dropping the simple explanation aimed at non-tech coaches/parents.
2. `ingest.intro` ? HI adds a source-absent clause "? ?? ??? ???? ?? ??? ???? ?" (a bucket link or a file on the engine) not present in the English.

Notes on what I deliberately did NOT flag:

- The honest caveats translate faithfully: "alpha" ? ?????, "experimental/under development" ? ?????????/????????, "not available yet" ? ??? ?????, "this usually only takes a moment"

? ????? ?? ?? ??? ?? ?? ????? ????. No over-promising.

- The badminton term "rally" is consistently ???; no court/baseline/shuttle mistranslations (those terms only appear inside `site.hero.lead`, which is still untranslated English).
- The `site.\*` block is left in English in the HI catalog. Since identical text carries identical meaning, this is not a meaning-fidelity defect (it's a translation-coverage gap, outside this lens), so I did not flag it.
- `footer.floorOne`/`floorAll` add "???" as the actor for the passive "would be skipped"; this matches the product's existing HI use of ??? and does not alter meaning, so not flagged.

flagged: 2; wrote: `C:/Users/avidu/Projects/khelsutra/undefined/\_tmp\_issues\_hi\_meaning.json`