

claude-windows / accd47af-95a3-46a7-9b51-b3eb5066a777

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\subagents\workflows\wf_4fd1a4ea-6c0\agent-a11ecfe47da96456f.jsonl`  
- SHA-256: `2f780946284b69806f70d7928654de1bf8547aca88956e8f6fe2b49fbd82d76f`  
- Source modified: `2026-07-02T09:32:32+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_4fd1a4ea-6c0`  
- session_id: `accd47af-95a3-46a7-9b51-b3eb5066a777`
```

Transcript

1. user (2026-07-02T09:30:45.755Z)

ADVERSARIAL VERIFIER. A reviewer of the P23 main.py->orchestration.py extraction claims:

TITLE: Seam narrowing vs master: internal cross-calls among the 10 moved members are no longer interceptable by patching backend.main; module docstring overpromises
SEVERITY: minor
DETAIL: Inside orchestration.py, moved functions call other moved functions BARE:
_execute_processing -> _maybe_dispatch_remote (orchestration.py:498), _finalize_reingest (:535),
_report_config_for_input (:579); _maybe_dispatch_remote -> _cloud_available (:216),
_ingest_remote_segments (:299), _finalize_reingest (:311); _execute_compile -> _resolve_compile (:689) / _CompileError (:692). On master all of these resolved through backend.main's module dict, so monkeypatch.setattr(backend.main, <name>, ...) intercepted them; now such a patch only affects main-side call sites (routes/CLI) and the job_worker _main.* entry points, not these internal calls. VERIFIED NOT BROKEN TODAY: an exhaustive grep of tests/ for setattr/patch of all 10 names found patches ONLY for _remote_input_size_bytes (tests/test_api_annotations.py:91, tests/test_api_assets.py:129, tests/test_api_endpoints.py:815,851,868 ? consumed solely by retained main.py routes at backend/main.py:643,872,1017; never called inside orchestration) and _execute_compile/_execute_processing (tests/test_async_jobs.py:503,506 ? consumed via _main.* at backend/api/job_worker.py:114,122, so still intercepted). No test patches the other seven moved names, and no mock.patch("backend.main...") string-form patches exist. This is therefore a latent hazard, not a defect ? but the module docstring's blanket claim that 'monkeypatch.setattr(backend.main, ...) keep working unchanged' (orchestration.py:12-13) is overbroad for these internal cross-calls; suggest qualifying it so a future test author patching e.g. backend.main._finalize_reingest and exercising _execute_processing isn't silently bypassed. EVIDENCE: wt-docs/backend/orchestration.py:216,299,311,498,535,579,689,692 (bare internal calls); wt-docs/backend/orchestration.py:12-13 (docstring claim); exhaustive test patch inventory: tests/test_api_annotations.py:91, tests/test_api_assets.py:129, tests/test_api_endpoints.py:815,851,868, tests/test_async_jobs.py:503,506

REFACTOR UNDER REVIEW (uncommitted, in worktree C:/Users/avidu/AppData/Local/Temp/claude/C--Users-avidu-Projects-badminton-highlight-indexer/accd47af-95a3-46a7-9b51-b3eb5066a777/scratchpad/wt-docs, branch refactor/p23-orchestration-split off origin/master):

```
- NEW backend/orchestration.py (739 lines): 10 members moved VERBATIM from backend/main.py:  
  _finalize_reingest, _report_config_for_input, _ingest_remote_segments, _cloud_available,  
  _maybe_dispatch_remote, _execute_processing, _remote_input_size_bytes, _CompileError,  
  _resolve_compile, _execute_compile.  
- backend/main.py 2360 -> 1703 lines; re-exports all 10 names via "from backend.orchestration  
import (...)" (noqa F401);  
  5 now-unused imports removed (csv, math, Tuple, StitchingConfig, localize_watermark).  
- Enumerated intentional deltas (everything else is AST-identical, machine-verified):  
  (1) _maybe_dispatch_remote: "req: ProcessRequest" -> string forward-ref "ProcessRequest"  
  (TYPE_CHECKING import).  
  (2) _execute_processing: inserted "import backend.main as _main" after docstring;
```

global_config/db_instance/

ProcessRequest resolved via _main.<name> at call time (the job_worker seam convention).

(3) two "# type: ignore[...]" comments (AST-invisible).

- NEW tests/test_main_module_budget.py: line budget 1750, route ceiling 18, re-export identity check.

- Verified already: AST-identity (10 moved + 51 retained members), ruff+format clean, mypy green (142 files),

ratchet test passes. Full suite running separately.

Inspect with: git -C "C:/Users/avidu/AppData/Local/Temp/claude/C--Users-avidu-Projects-badminton-highlight-indexer/accd47af-95a3-46a7-9b51-b3eb5066a777/scratchpad/wt-docs" diff (and git -C "C:/Users/avidu/AppData/Local/Temp/claude/C--Users-avidu-Projects-badminton-highlight-indexer/accd47af-95a3-46a7-9b51-b3eb5066a777/scratchpad/wt-docs" status); the new files are untracked/modified in the worktree.

READ-ONLY: do not modify the worktree, do not checkout/commit.

Independently verify in the worktree (READ-ONLY). Default skeptical: real=true ONLY if you can reproduce the evidence AND the failure scenario is concrete (a test that would fail, a runtime path that breaks, an operational regression). A theoretical concern with no concrete consumer = real=false.

2. user (2026-07-02T09:30:57.662Z)

M backend/main.py

?? backend/orchestration.py

?? tests/test_main_module_budget.py

30736ab docs: make AUDIT_REPORT the umbrella code-audit doc; fold + archive the rest (#430)

3. user (2026-07-02T09:31:04.198Z)

```
1      """Processing / compile orchestration, extracted from ``backend.main`` (P23; re-cut of
#390).
2
3      The full hash -> validate -> segment -> report pipeline (``execute_processing``), the
4      Cloud Run dispatch + ingest path (``maybe_dispatch_remote`` /
``ingest_remote_segments``),
5      and the shared compile resolution + worker handler (``resolve_compile`` /
``execute_compile``).
6      Extracted verbatim from ``backend.main`` to shrink the orchestrator; behavior is
unchanged.
7
8      SEAM DISCIPLINE (same convention as ``backend.api.job_worker``): anything that must
remain
9      monkeypatchable-on-``backend.main`` or that lives in ``backend.main`` (the transitional
10     ``db_instance``/``global_config`` globals and the ``ProcessRequest`` model) is resolved
through
11     the ``backend.main`` module object at call time (``import backend.main as _main``),
never as a
12     bare local. ``backend.main`` re-exports every name below, so
``monkeypatch.setattr(backend.main,
13     ...)`` and ``import backend.main as m; m.execute_processing(...)`` keep working
unchanged.
14     This module must NOT import ``backend.main`` at module level (main imports us for the
re-export).
15     Routed seams (rebind-patched on ``backend.main`` by tests): ``global_config``,
``db_instance``,
16     ``ProcessRequest``, ``compute_video_id``, ``emit_indexer_report``, ``VideoCompiler``.
17     Object-attribute patches (``m.storage.fetch``, ``m.segmenter_registry.get``, ...) hit
the shared
18     objects and need no routing.
19     """
20
21     import csv
22     import json
23     import logging
24     import math
```

```

25     import os
26     import tempfile
27     from typing import TYPE_CHECKING, Any, Dict, List, Optional, Tuple
28     from urllib.parse import quote
29
30     from backend import storage
31     from backend.config import AppConfig, StitchingConfig
32     from backend.pipeline.segmenters.base import segmenter_registry
33     from backend.pipeline.stitcher.watermark_i18n import localize_watermark
34     from backend.pipeline.validators.base import registry
35     from backend.results import Failure
36     from backend.utils.paths import output_base, safe_output_filename
37
38     if (
39         TYPE_CHECKING
40     ): # runtime import would be circular (main imports us for the re-export)
41         from backend.main import ProcessRequest # noqa: F401
42
43     logger = logging.getLogger(__name__)
44
45
46     def _finalize_reingest(db, video_id: str, segments, play_wm: int, cand_wm: int) -> None:
47         """Commit a (re)segmentation with destroy-AFTER-confirm semantics.
48
49         On a non-empty run, drop the PRIOR rows (id <= the pre-run watermark) so only the
50         fresh segments remain. On an empty run, drop the NEW partial rows (id > watermark)
51         and
52         keep the prior good results intact ? a failed/empty re-run never destroys prior
53         data.
54         """
55         if segments:
56             db.prune_segments(video_id, play_upto=play_wm, cand_upto=cand_wm)
57         else:
58             db.prune_segments(video_id, play_after=play_wm, cand_after=cand_wm)
59
60     def _report_config_for_input(config: Any, raw_input: str) -> Any:
61         """Return report config that keeps remote-input reports out of disposable
62         scratch."""

```

4. user (2026-07-02T09:31:15.544Z)

```

        req.compute,
    )
    choice = ""
    if choice == "local":
        return None # explicit "run on my machine" ? in-process regardless of the server's
target
    if choice == "cloud":
        if not _cloud_available(cfg):
            return _failed(
                "cloud-serving was requested but this server isn't configured for it "
                "(no Cloud Run target). Pick 'run on my machine', or configure cloud serving.",
                False,
            )
        if hasattr(storage_cfg, "model_dump")
        else {}
    )
    try:
        _ingest_remote_segments(db, video_id, result.outputs_uri, storage_dict)
    except Exception as e: # noqa: BLE001 ? a missing/partial/corrupt result must not 500 or
leak rows
        logger.error("[API] cloud ingest failed: %s", e, exc_info=True)
        return _failed(
            f"cloud-serving: could not read the result from {result.outputs_uri}: {e}",
            True,

```

```

    )

    # Only the NEW cloud rows (id > the pre-run watermark); _finalize_reingest then drops the
old ones.
    segments = [
        s for s in db.query_play_segments(video_id, {}) if int(s.get("id", 0)) > play_wm
    ]
    _finalize_reingest(db, video_id, segments, play_wm, cand_wm)
    # Compute-path PROVENANCE: the GCP-verifiable proof the cloud path ran. `execution` is the
real
    # Cloud Run execution name (cross-check: gcloud run jobs executions describe <execution>).
    provenance = {
        "path": "cloud_run",
        # Destroy-AFTER-confirm: remember the pre-run rows, then keep new + drop old only
        # if the run yields segments; otherwise drop the new partial rows and keep the old.
        play_wm, cand_wm = db.segment_watermarks(video_id)
        # COMPUTE_DECOUPLED_SERVING M6 ? API: with deployment.compute_target=cloud_run, run the
heavy
        # DETECT on a Cloud Run GPU Job + ingest its rallies HERE so query/compile are
unchanged.
        # DEFAULT-OFF: returns None for every non-cloud target ? the in-process segmenter below
runs
        # byte-identically. (player_pool/max_frames aren't threaded to the worker `infer` CLI
yet, so
        # they're dropped on the cloud path in this slice ? a documented follow-up.)
        remote = _maybe_dispatch_remote(
            config, db, req, video_id, seg_name, val_results, play_wm, cand_wm, notify
        )
    }
    return response

    segments = result.value if hasattr(result, "value") else result
    notify("finalizing")
    _finalize_reingest(db, video_id, segments, play_wm, cand_wm)

    response = {
        "video_id": video_id,
        "status": "success",
        "message": f"Successfully indexed {len(segments)} play segments using '{seg_name}'
segmenter.", # type: ignore[arg-type] # hasattr-unwrap above; Success arm has .value
        # video via os.path.abspath(video_path), and a remote URI (gs://, gcs://, local://)
        # collapses to a literal scheme dir at the repo root (see #397). The source URI is
        # still preserved in DB provenance via db.add_video.
        video_path=local_video,
        config=_report_config_for_input(config, req.video_path),
        val_results=val_results,
        val_context=val_context,
        segmenter_requested=req.segmenter,
        segmenter_actual=segmenter_actual,
        was_reingest=was_reingest,
        segmentation_ran=segmentation_ran,
        locale = params.get("locale")

    notify("resolving")
    try:
        video, kept, out_name = _resolve_compile(
            db, cfg, video_id, segment_ids, params.get("output_filename", "")
        )
    except _CompileError as e:
        return {"status": "failed", "message": e.detail, "video_id": video_id}

    stitching = getattr(cfg, "stitching", None) or StitchingConfig()

```

Internal calls are bare, confirmed. Now the test-patch inventory.

6. user (2026-07-02T09:31:24.651Z)

```
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_annotations.py:91: monkeypatch.setattr(m, "_remote_input_size_bytes", lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:128: """Make backend.compute.get_compute_backend (re-imported inside _maybe_dispatch_remote) build a
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:151: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:170: m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:196: m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:209: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:228: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:269: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:298: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:312: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:353: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:396: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:427: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:445: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:457: def
test_capabilities_reports_cloud_available(cloud_env):
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:602: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:624: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:648: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:676: out = m._execute_processing(
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
```

```

indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_api_cloud_dispatch.py:704: out =
m._execute_processing(m.ProcessRequest(video_path=str(video)))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_assets.py:129:
monkeypatch.setattr(m, "_remote_input_size_bytes", lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:815:
mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:833:
assert m._report_config_for_input(local_cfg, str(tmp_path / "local.mp4")) is local_cfg
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:839:
assert m._report_config_for_input(explicit, "gs://bucket/videos/x.mp4") is explicit
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:851:
mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: 10 * 1024**3)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:868:
mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: None)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:159:
"""Item 5 positive: direct CLI-style path (m._execute_processing) vs job-worker path
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:173:
direct_out = m._execute_processing(m.global_config, m.db_instance, req)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:207:
direct_f = m._execute_processing(m.global_config, m.db_instance, req_f)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:226:
de = m._execute_processing(m.global_config, m.db_instance, req_e)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:489: def
test_worker_dispatches_compile_kind_to_execute_compile(env):
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:490:
"""The claimed-job dispatcher routes kind='compile' to _execute_compile (NOT
_execute_processing),
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:503:
mp.setattr(m, "_execute_compile", _fake_compile)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:506:
_execute_processing",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:507:
lambda *a, **k: pytest.fail("a compile job must not hit _execute_processing"),
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_base.py:135:
Exercise the exact duck-typing patterns used in main.py (both the _execute_processing
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_base.py:181: This
allows the except blocks in main.py (_execute_processing:193-198 and the
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_module_seam.py:6: (`_arm_wake_timer`, `_get_executor`, `_db_instance`,
_execute_processing`)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:13: (`import backend.main as m; m._execute_processing`
and
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-

```

```
docs\tests\test_main_module_budget.py:35:     "_cloud_available",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:36:     "_CompileError",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:37:     "_execute_compile",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:38:     "_execute_processing",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:39:     "_finalize_reingest",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:40:     "_ingest_remote_segments",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:41:     "_maybe_dispatch_remote",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:42:     "_remote_input_size_bytes",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:43:     "_report_config_for_input",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:44:     "_resolve_compile",
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:86:     """The re-export seam is load-bearing: the job
worker resolves `_main._execute_compile`
```

7. user (2026-07-02T09:31:25.954Z)

No matches found

8. user (2026-07-02T09:31:37.158Z)

```
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_api_annotations.py:24:     monkeypatch.setattr(m, "_get_executor", lambda:
_InlineExecutor())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_api_annotations.py:91:     monkeypatch.setattr(m, "_remote_input_size_bytes",
lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:32:
monkeypatch.setattr(m, "_get_executor", lambda: _InlineExecutor())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:93:
mp.setattr(m, "global_config", _FakeConfig())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:305:
mp.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:345:
mp.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:411:
mp.setattr(m, "VideoCompiler", _FakeCompiler)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:455:
mp.setattr(m, "VideoCompiler", _CaptureCompiler)
```

```
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:486: mp.setattr(m, "VideoCompiler", _fake_ok_compiler())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:531: mp.setattr(m, "VideoCompiler", _BoomCompiler)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:575: mp.setattr(m, "VideoCompiler", _FakeCompiler)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:782: mp.setattr(m, "emit_indexer_report", fake_emit)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:815: mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:817: mp.setattr(m, "compute_video_id", fail_hash)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:851: mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: 10 * 1024**3)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:868: mp.setattr(m, "_remote_input_size_bytes", lambda *a, **k: None)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1016: monkeypatch.setattr(m, "load_app_config", lambda *a, **k: cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1017: monkeypatch.setattr(m, "Database", lambda *a, **k: db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1018: monkeypatch.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1020: monkeypatch.setattr(m, "db_instance", db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1066: monkeypatch.setattr(m, "load_app_config", lambda *a, **k: cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1067: monkeypatch.setattr(m, "Database", lambda *a, **k: db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1068: monkeypatch.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_endpoints.py:1070: monkeypatch.setattr(m, "db_instance", db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:102: monkeypatch.setattr(m, "db_instance", db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:103: monkeypatch.setattr(m, "db_instance", db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:112: monkeypatch.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:113: monkeypatch.setattr(m, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_cloud_dispatch.py:114: monkeypatch.setattr(m, "_get_executor", lambda:
```


[illegible]

```

C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_api_assets.py:129:
monkeypatch.setattr(m, "_remote_input_size_bytes", lambda *a, **k: len(payload))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:40:
monkeypatch.setattr(m, "_get_executor", lambda: _InlineExecutor())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:503:
mp.setattr(m, "_execute_compile", _fake_compile)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_async_jobs.py:558:
mp.setattr(m, "_get_executor", lambda: pool)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_config.py:330:
monkeypatch.setattr(main_module, "global_config", cfg)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\tests\test_edge_auth.py:233:
monkeypatch.setattr(m, "_get_executor", lambda: _Noop())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_loop.py:46: monkeypatch.setattr(m, "_get_executor", lambda:
_InlineExecutor())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_loop.py:50: monkeypatch.setattr(m, "_arm_wake_timer", lambda
delay, *a: armed.append(delay))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_module_seam.py:7:THROUGH the `backend.main` module object, so that
`monkeypatch.setattr(m, ...)`
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_module_seam.py:48: monkeypatch.setattr(m, "db_instance", db)
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_module_seam.py:51: monkeypatch.setattr(m, "_arm_wake_timer",
lambda delay, *a: armed.append(delay))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_job_worker_module_seam.py:74: monkeypatch.setattr(m, "_get_executor", lambda:
_RecordingExecutor())
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_main_module_budget.py:14: ``monkeypatch.setattr(backend.main, ...)` are load-
bearing seams ? see
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-
docs\tests\test_provider_gemini.py:264: monkeypatch.setattr(main_mod.provider_registry,
"get", lambda *a, **k: provider)

```

9. user (2026-07-02T09:31:38.467Z)

```

C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\backend\orchestration.py:594: def
_remote_input_size_bytes(input_ref, storage_config) -> Optional[int]:
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\backend\main.py:314:
_remote_input_size_bytes,
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\backend\main.py:643: need
= _remote_input_size_bytes(input_ref, getattr(cfg, "storage", None))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\backend\main.py:872:
need = _remote_input_size_bytes(src_ref, getattr(cfg, "storage", None))
C:\Users\avidu\AppData\Local\Temp\claude\C--Users-avidu-Projects-badminton-highlight-

```

```
indexer\accd47af-95a3-46a7-9b51-b3eb5066a777\scratchpad\wt-docs\backend\main.py:1017:  
need = _remote_input_size_bytes(
```

10. user (2026-07-02T09:31:48.369Z)

```
import backend.main as _main  
  
job_id = job["id"]  
# Dispatch by kind: 'compile' (#329, the async reel stitch) vs 'process' (NULL/default ? the  
# original /api/process pipeline). Both record their terminal state the same way; only  
process  
# jobs feed the M8 cost ledger + M11 flywheel (a compile has no detection usage/segments).  
is_compile = job.get("kind") == "compile"  
try:  
    if is_compile:  
        result = _main._execute_compile(  
            config,  
            db,  
            job,  
            progress=lambda stage: db.set_job_progress(job_id, stage),  
        )  
    else:  
        req = _main._job_to_request(job)  
        result = _main._execute_processing(  
            config,  
            db,  
            req,  
            progress=lambda stage: db.set_job_progress(job_id, stage),  
        )  
    if result.get("video_id"):  
        db.set_job_video_id(job_id, result["video_id"])  
    db.mark_job_done(job_id, result)
```

11. user (2026-07-02T09:32:32.251Z)

Structured output provided successfully