

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a121786ebb71d7ee0.jsonl`  
- SHA-256: `dca50a1342a0a07fae324126e88221d0250e3abb98dd6fb9d88d91ea15d94e54`  
- Source modified: `2026-07-02T02:55:10+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T02:47:11.982Z)

CONTEXT (read carefully):

- You are one auditor in a multi-agent tech-debt/critical-fix audit of the khelsutra-guru multi-repo workspace at C:/Users/avidu/Projects/khelsutra-guru. Today is 2026-07-02. All git repos were just pulled to current origin master/main.
- Repos: badminton-highlight-indexer (the ENGINE, Python, ~1500 tests, org Khelsutra), khelsutra (SPA web/ + marketing site/, TS/React, org avidu), sports-data-collector, rally-annotator, sports-obsreport (small Python repos). Plus two NON-git dirs: "Annotation Setup", khelsutra-screencast.
- HARD RULES: READ-ONLY. Do NOT modify/create/delete any file, do NOT create branches/worktrees, do NOT pip install, do NOT run the full test suite (CI is trusted on master). You MAY run read-only git and gh commands (gh is authenticated), ruff/mypy IF already installed, and fast read-only scripts.
- EVERY claim must cite file:line (or a gh URL). A claim without file:line evidence is a hypothesis - mark it as such or drop it. The codebase drifts between sessions: re-verify anything you believe from docs against actual code.
- OWNER-GATED areas (flag as owner_gated=true, still report): alpha/serving go-live + Cloudflare dashboard work, Studio P10/P11 (corpus promotion + train/reeval), product/strategy/licensing decisions, real GPU/cloud spend, counsel ToS/DPA, repo rename off "badminton".
- Known-open items from project memory (VERIFY current state, don't trust blindly): engine PR #390 (D1 split main.py, open since 06-26) · audit doc docs/CODE_CLEANUP_AUDIT_2026-06-24.md remaining items D1, D13 (ByteTrack->trackers), Phase-3 (B3/B4/B6/B7/B8/D5/D6/D8-D10/03/04) · docs/DECISION_SNAPSHOT_REGRESSION.md next=P1 · docs/GOLDEN_REGRESSION_FIXTURES.md backlog M4/P0-rename/01/02 · engine issues #340 (Gemini re-bill), #332 (NSFW preflight), #349 (CPU-bound decode), #384 (CI single-source) · khelsutra issues #97-#114 UX/alpha backlog · DO droplet RETIRED 2026-06-25 (docs may still reference it; api.khelsutra.guru CNAME/CF-Access cleanup was pending).
- Categorize each finding: critical-fix (latent bug/correctness/data-loss/cost-leak), security, tech-debt (structure/duplication/dead code), test-gap, ci-infra, doc-rot, hygiene.
- Severity: P0 = latent bug or cost/data/security risk reachable in normal use; P1 = high-value debt blocking velocity or a stale-open thread; P2 = worthwhile cleanup; P3 = nice-to-have (report max 3 of these).
- Be selective: max ~12 findings, each genuinely worth acting on. Note tracked_in when an issue/PR/doc already tracks it (tracked is NOT done - still report). Your final message is data for an orchestrator, not prose for a human.

YOUR DIMENSION: the two NON-git directories in the root.

Inspect (read-only): 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup' and 'C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast'. For each: what is it (ls -R depth 2-3, file types/sizes/dates, read key files), does it contain unversioned WORK PRODUCT at risk of loss (docs, scripts, recordings, data), does it duplicate a repo (rally-annotator? the 5 screencasts memory mentions?), and what is the safe disposition (init a repo / move into an existing repo / archive to GCS / leave + document). Total size via du -sh. Do not modify anything.

2. user (2026-07-02T02:47:19.745Z)

```
total 72
drwxr-xr-x 1 avidu 197609 0 Jun 29 20:32 .
drwxr-xr-x 1 avidu 197609 0 Jun 29 20:30 ..
drwxr-xr-x 1 avidu 197609 0 Jun 23 09:53 Annotation Setup
drwxr-xr-x 1 avidu 197609 0 Jul 2 08:13 badminton-highlight-indexer
drwxr-xr-x 1 avidu 197609 0 Jul 2 08:13 khelsutra
drwxr-xr-x 1 avidu 197609 0 Jun 22 23:26 khelsutra-screencast
drwxr-xr-x 1 avidu 197609 0 Jun 22 15:03 rally-annotator
drwxr-xr-x 1 avidu 197609 0 Jun 29 15:27 sports-data-collector
drwxr-xr-x 1 avidu 197609 0 Jun 7 13:13 sports-obsreport
```

3. user (2026-07-02T02:47:29.245Z)

```
4.9G /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup
107M /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast
```

4. user (2026-07-02T02:47:37.209Z)

```
d      0 2026-06-23 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup
d      0 2026-06-23 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive
d      0 2026-06-23 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026
d      0 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Annotation Videos
d      0 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton
d      0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Feedback
f      114515 2026-06-02 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Illustrated Annotation Guide ? Rally Labeling (Supplement).pdf
d      0 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/pickleball
f      80882 2026-06-02 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Roora Annotation Brief ? Rally Golden Set (Format Spec, Scope,
QA).pdf
f      4207 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Roora Pilot Review ? Badminton (2026-06-06).md
f      6213 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Roora Pilot Review ? Pickleball & Table Tennis (2026-06-10).md
d      0 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/tabletennis
d      0 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden Labelled
f      4106 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/Adarsh and Avi.rallies.csv
f      2049 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/gBaaddy20May2026.rallies.csv
f      1413 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/KushagraYashAviFirstVideo.rallies.csv
f      2140 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/LargeTestVideo.rallies.csv
f      1325 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/MahadevpuraSingles.rallies.csv
f      287 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden
Labelled/TestLargeVideo.rallies.csv
f      2508 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/golden_labels_badminton.csv
f      1377 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/rally_review.csv
d      0 2026-06-18 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Trajectories
f      2476375 2026-06-08 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/adarsh_avi_full_traj.csv
f      1114525 2026-06-08 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/adarsh_avi_traj.csv
f      1101363 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation
```

Setup/Trajectories/adarsh_traj.csv
f 1549493 2026-06-17 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/Badminton_BXH_2_june15_traj.csv
f 838358 2026-06-18 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/Boxhill_Doubles_june18_traj.csv
f 1702622 2026-06-08 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/gbaaddy_traj.csv
f 1543847 2026-06-16 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/GX010128_june12_traj.csv
f 797173 2026-06-17 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/GX010137_june17_traj.csv
f 776018 2026-06-17 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/GX010141_june17_traj.csv
f 608149 2026-06-18 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/GX020094_june18_traj.csv
f 701986 2026-06-17 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/GX030094_june15_traj.csv
f 1159102 2026-06-08 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/kushagra_traj.csv
f 693876 2026-06-08 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/largetestvideo_traj.csv
f 459324 2026-06-16 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/mahadevpura1_june12_traj.csv
f 1454557 2026-06-16 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/mahadevpura2_june12_traj.csv
f 418680 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/mahadevpura_traj.csv
f 145287 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/pickleball_traj.csv
d 0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora
f 2007 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.report.json
f 662 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.report.md
f 478 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.summary.md
d 0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/pb
f 454 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/pickleball_rallies.csv
f 419 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/tabletennis_rallies.csv
d 0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/tt
f 600480 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/sample_long_traj.csv
f 96822 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/tabletennis_traj.csv
f 96359 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/testlarge_traj.csv

5. user (2026-07-02T02:47:37.890Z)

d 0 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast
f 411510 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/b-205.png
f 484558 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/b-218.png
f 490788 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/b-228.png
f 75790 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/cuj-1-ingest.png
f 77670 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/cuj-2-uri.png
f 79594 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/cuj-3-processing.png
f 76136 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-

screencast/cuj-4-rallies.png
f 266133 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
ready.png
f 50604038 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
downloaded-reel.mp4
f 3359 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
cast.mjs
f 1942 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
test.mjs
f 2818 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
cast.mjs
d 0 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/eval-after
f 109408 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/capture-desktop-en.png
f 165205 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/capture-desktop-kn.png
f 63479 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/capture-mobile-en.png
f 84752 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/capture-mobile-kn.png
f 332173 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/home-desktop-en.png
f 382655 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/home-desktop-kn.png
f 130392 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/home-mobile-en.png
f 154695 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/home-mobile-kn.png
f 141279 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/own-model-desktop-en.png
f 141867 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/own-model-desktop-kn.png
f 79444 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/own-model-mobile-en.png
f 79788 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
after/own-model-mobile-kn.png
d 0 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/eval-before
f 111222 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/capture-desktop-en.png
f 166734 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/capture-desktop-kn.png
f 60336 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/capture-mobile-en.png
f 89030 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/capture-mobile-kn.png
f 336379 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/home-desktop-en.png
f 369644 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/home-desktop-kn.png
f 136387 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/home-mobile-en.png
f 155938 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/home-mobile-kn.png
f 143613 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/own-model-desktop-en.png
f 144176 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/own-model-desktop-kn.png
f 80689 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/own-model-mobile-en.png
f 80809 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
before/own-model-mobile-kn.png
f 1246 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
shots.mjs
f 471942 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
f-end.png
f 377994 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screen-
f-reveal.png

f 383523 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/flyer-es.png
f 495236 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/frame-
ingest.png
f 438734 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/frame-
rallies.png
f 401624 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/frame-
reel.png
f 27893 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
da.png
f 28123 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
en.png
f 30172 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
es.png
f 30751 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
hi.png
f 28491 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
id.png
f 40774 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-footer-
kn.png
f 89015 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
da.png
f 87313 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
en.png
f 97686 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
es.png
f 93148 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
hi.png
f 95285 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
id.png
f 128509 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/jf-form-
kn.png
f 1659 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/join-footer-
shots.mjs
f 1670821 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/khelsutra-
bucket-cuj-screencast.mp4
f 342162 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/khelsutra-i18n-screencast.mp4
f 1561093 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/khelsutra-
ownmodel-i18n-desktop.webm
f 1712209 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/khelsutra-
site-esdaid-desktop.webm
f 209551 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/khelsutra-
site-header-mobile.mp4
f 482771 2026-06-22 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/khelsutra-
site-i18n-desktop.mp4
d 0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/node_modules
d 0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin
f 383 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright
f 393 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright-core
f 327 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright-core.cmd
f 813 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright-core.ps1
f 322 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright.cmd
f 793 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.bin/playwright.ps1
f 1089 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/.package-lock.json
d 0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright
f 698 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-

```

screencast/node_modules/playwright/cli.js
f      636 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/index.d.ts
f      648 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/index.js
f      704 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/index.mjs
f      942 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/jsx-runtime.js
f      764 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/jsx-runtime.mjs
d       0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/lib
f     11601 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/LICENSE
f      254 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/NOTICE
f     1559 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/package.json
f     11282 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/README.md
f      673 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/test.d.ts
f      806 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/test.js
f     1400 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/test.mjs
f      705 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/ThirdPartyNotices.txt
d       0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright/types
d       0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core
d       0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/bin
f     1939 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/browsers.json
f      839 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/cli.js
f      634 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/index.d.ts
f      697 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/index.js
f     1063 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/index.mjs
d       0 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/lib
f     11601 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/node_modules/playwright-core/LICENSE

```

6. user (2026-07-02T02:47:45.401Z)

(Bash completed with no output)

7. user (2026-07-02T02:47:46.526Z)

```

4.9G   /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive
29K    /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden Labelled
18M    /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Trajectories
4.0K   /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/golden_labels_badminton.csv
4.0K   /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/rally_review.csv
---
4.9G   /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora Pilot Review - 6
June 2026

```

[illegible]

[illegible]


```
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001740.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001770.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001800.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001830.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001860.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001890.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001920.xml
f      1500 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001950.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_001980.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002010.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002040.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002070.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002100.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002130.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002160.xml
f      328 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/badminton/badminton/Annotations/frame_002190.xml
```

9. user (2026-07-02T02:47:55.694Z)

```
f      2007 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.report.json
f      662 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.report.md
f      478 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/annotations.summary.md
d      0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/pb
f      50145 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/pb/annotations.xml
f      454 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/pickleball_rallies.csv
f      419 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/tabletennis_rallies.csv
d      0 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/tt
f      46678 2026-06-09 /c/Users/avidu/Projects/khelsutra-guru/Annotation
Setup/Trajectories/roora/tt/annotations.xml
```

10. user (2026-07-02T02:48:09.958Z)

```
== Feedback ==
  2 pdf
  1 png
size: 3.8M
== badminton ==
  1 json
  5 txt
  711 xml
size: 2.3M
```

```
== pickleball ==
    3 zip
size: 268K
== tabletennis ==
    3 zip
size: 216K
```

11. user (2026-07-02T02:48:10.410Z)

```
3748151 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Feedback/Rally8ShouldBeThis.png
128598 2026-06-06 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Feedback/Roora Pilot Review - Badminton (2026-06-06).pdf
7532 2026-06-10 /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive/Roora
Pilot Review - 6 June 2026/Feedback/Roora Pilot Review - Pickleball and Table Tennis
(2026-06-10).pdf
```

12. user (2026-07-02T02:48:15.682Z)

```
1      # Roora Pilot ? Badminton Review & Conventions for Scale-up
2
3      **Date:** 6 June 2026
4      **Re:** Phase-A calibration pilot ? badminton job (CVAT job id 4075945)
5      **Companion docs:** *Roora Annotation Brief ? Rally Golden Set (v2)*, *Illustrated
Annotation Guide*
6
7      ---
8
9      ## 1. Summary
10
11     Thank you ? the first badminton delivery is a solid calibration round. We've built an
ingestion
12     adapter on our side, so **your CVAT export works for us directly** and the timing/format
mechanics
13     are handled here, not in your workflow. After a full frame-by-frame review, the rally
**timings
14     are generally good**; the items that genuinely need your attention are about
**annotation
15     completeness and rally boundaries** ? and they matter most for the larger batches coming
next.
16
17     ---
18
19     ## 2. Handled on our side ? no change needed from you
20
21     - **Export format.** Keep working in **CVAT**; we ingest your bounding-box export as-is.
No need
22     to produce a CSV.
23     - **Timestamps.** We recompute each rally's time from the box **frame range at the true
fps**
24     (`seconds = frame / fps`), so the CVAT time attributes don't matter, and `mm:ss` vs
decimal is
25     a non-issue ? our ingestion parses both. Minor boundary slack is absorbed by padding
downstream.
26     - **Per-frame label drift.** Where a rally's boxes carried slightly different attribute
values
27     across frames, we collapse to one value per rally automatically.
28
29     ## 3. What needs your attention (for the upcoming larger batches)
30
31     These can't be fixed in code ? they're annotation-quality conventions.
32
33     ### 3.1 Completeness ? don't miss rallies *(most important)*
34     Our review found rallies with **no label**:
35     - **~1:46** ? a 5-shot rally omitted entirely (frame grab attached).
```

```

36 - **3:34?3:43** ? a full rally omitted because it was **absorbed into the previous
rally's box**
37 (the box ran from 3:25 all the way to 3:43, covering two rallies + the dead time
between).
38
39 The brief calls a missed rally "the most serious error." For 30-min videos this is the
#1 thing
40 to get right.
41
42 ### 3.2 One rally = one continuous interval
43 A few boxes spanned **past the shuttle-dead frame** or **across two rallies**:
44
45 | rally | delivered span | true rally | issue |
46 |-----|-----|-----|-----|
47 | 2 | 0:02?0:32 | 0:29?0:32 | box started ~27 s into dead time |
48 | 7 | 1:35?1:51 | 1:35?1:38 | box ran ~13 s past the end |
49 | 16 | 3:25?3:43 | 3:25?3:29 | box covered a **second** rally (see 3.1) |
50
51 Convention: start the box at the **serve-contact** frame, end it at the **shuttle-dead**
frame,
52 and start a **new** box for the next rally ? never let one box bridge a gap.
53
54 ### 3.3 Endings ? `winner` vs an error
55 A `winner` means the opponent made **no legal contact**. A few rallies where the shuttle
landed
56 **out** were marked `winner` (e.g. 6, 7, 9). If the rally ended on a miss, it's a
57 `forced_error`/`unforced_error`, not a winner.
58
59 ### 3.4 New field ? `last_shot_outcome` *(small label-schema add)*
60 We're adding one attribute so the physical outcome is captured alongside the reason:
61
62 | field | values |
63 |-----|-----|
64 | `ending_reason` | winner \| forced_error \| unforced_error \| service_fault \| let \|
other |
65 | `last_shot_outcome` | in \| net \| out \| n_a |
66
67 Just add `last_shot_outcome` to the CVAT label schema (one dropdown). If that's awkward,
tell us
68 and we'll keep it optional.
69
70 ### 3.5 Scope ? pickleball & table tennis
71 The pilot is 1 badminton + 1 pickleball + 1 table tennis; we've received badminton only.
Please
72 confirm status / ETA for the other two.
73
74 ---
75
76 ## 4. Convention checklist (for the next batches)
77
78 - [ ] **Every** served point labeled ? no missed rallies, including back-to-back ones.
79 - [ ] One box per rally: serve-contact ? shuttle-dead; never bridge a gap or two
rallies.
80 - [ ] `ending_reason` ? {winner, forced_error, unforced_error, service_fault, let,
other}.
81 - [ ] `last_shot_outcome` ? {in, net, out, n_a} (one dropdown).
82 - [ ] `shots_count` = total racket contacts (serve = 1).
83 - [ ] CVAT export is fine ? we handle the rest.
84
85 *(Open items on our side to confirm with you: which brief version your team worked from,
and that
86 the per-video fps will be in the manifest going forward.)*
87

```

```

1 rally_number,start_mmss,end_mmss,start_time,end_time,shots_count,ending_reason,last_shot
_outcome,notes,status
2 1,0:03.003,0:21.021,3.003,21.021,15,,net,"Roora put ending_reason=other; net is an
outcome, set forced/unforced",needs_review
3 2,0:29.000,0:32.533,29.000,32.533,2,,,,"start corrected from 0:02 (stray early box); end
0:32 ok -> ~3s rally. Also removes the 1<->2 overlap",CORRECTED-start
4 3,0:44.545,0:51.051,44.545,51.051,5,unforced_error,,,needs_review
5 4,1:02.062,1:07.067,62.062,67.067,4,unforced_error,,,needs_review
6 5,1:12.072,1:16.076,72.072,76.076,4,unforced_error,,,needs_review
7 6,1:23.083,1:29.089,83.083,89.089,4,,out,"was mislabeled winner; shuttle went OUT. set
forced/unforced",CORRECTED-ending
8 7,1:35.596,1:38.000,95.596,98.000,2,,out,"end corrected from 1:51; was winner; OUT. set
forced/unforced",CORRECTED-end+ending
9 7.5,1:46.031,,106.031,,5,,,,"MISSED by Roora; 5-shot rally, start CONFIRMED via
screenshot at 1:46.031. fill end/ending/outcome",MISSED-added
10 8,1:58.118,1:59.620,118.118,119.620,1,service_fault,n_a,confirmed correct,CONFIRMED
11 9,2:06.627,2:11.131,126.627,131.131,4,,out,"was mislabeled winner; OUT. set
forced/unforced",CORRECTED-ending
12 10,2:18.138,2:21.141,138.138,141.141,2,unforced_error,,,needs_review
13 11,2:29.650,2:34.154,149.650,154.154,3,winner,in,,needs_review
14 12,2:43.163,2:45.165,163.163,165.165,1,service_fault,n_a,,needs_review
15 13,2:53.674,2:58.178,173.674,178.178,2,winner,in,,needs_review
16 14,3:03.183,3:06.186,183.183,186.186,3,winner,in,,needs_review
17 15,3:12.693,3:16.196,192.693,196.196,3,forced_error,,,"Roora boxes disagreed within this
rally (forced_error vs other)",needs_review
18 16,3:25.706,3:29.000,205.706,209.000,,,,,"end corrected from 3:43 (the inflated span hid
a whole rally -> next row)",CORRECTED-end
19 16.5,3:34.000,3:43.223,214.000,223.223,,,,,"MISSED by Roora (merged into #16). fill
shots/ending/outcome",MISSED-added
20 17,3:56.236,3:57.738,236.236,237.738,1,winner,in,,needs_review
21 18,4:03.243,4:12.252,243.243,252.252,9,winner,in,,needs_review
22 19,4:22.763,4:25.265,262.763,265.265,2,winner,in,,needs_review
23 20,4:30.771,4:40.781,270.771,280.781,10,,net,"Roora put ending_reason=other; net
outcome. set forced/unforced",needs_review
24 21,4:54.795,4:57.297,294.795,297.297,2,winner,in,,needs_review
25 22,5:08.308,5:12.312,308.308,312.312,4,,net,"Roora put ending_reason=other; net outcome.
set forced/unforced",needs_review
26 23,5:21.321,5:25.325,321.321,325.325,3,winner,in,,needs_review
27 24,5:32.332,5:36.336,332.332,336.336,3,winner,in,,needs_review
28

```

14. user (2026-07-02T02:48:16.801Z)

```

1 rally_number,start_time,end_time,ending_reason,sport
2 1,37.434,72.194,winner,badminton
3 2,79.936,112.954,winner,badminton
4 3,130.193,134.947,winner,badminton
5 4,139.697,144.944,unforced_error,badminton
6 5,152.196,157.198,unforced_error,badminton
7 6,161.694,165.950,unforced_error,badminton
8 7,170.817,176.327,forced_error,badminton
9 8,182.829,186.083,unforced_error,badminton
10 9,193.576,199.831,forced_error,badminton
11 10,205.832,211.828,unforced_error,badminton
12 11,221.082,225.827,forced_error,badminton
13 12,232.832,236.829,forced_error,badminton
14 13,241.828,246.329,forced_error,badminton
15 14,252.329,258.080,unforced_error,badminton
16 15,266.081,271.083,forced_error,badminton
17 16,276.577,283.578,forced_error,badminton
18 17,289.830,293.579,unforced_error,badminton
19 18,300.329,310.079,forced_error,badminton
20 19,316.829,319.585,unforced_error,badminton
21 20,324.576,328.324,unforced_error,badminton
22 21,332.581,336.829,unforced_error,badminton

```

23 22,345.577,348.830,unforced_error,badminton
24 23,356.591,359.826,unforced_error,badminton
25 24,365.578,376.823,unforced_error,badminton
26 25,383.075,384.580,service_fault,badminton
27 26,389.833,396.577,unforced_error,badminton
28 27,402.830,406.581,winner,badminton
29 28,414.578,431.828,winner,badminton
30 29,440.327,443.829,unforced_error,badminton
31 30,453.829,462.828,winner,badminton
32 31,470.829,477.079,unforced_error,badminton
33 32,487.329,497.573,winner,badminton
34 33,503.329,507.577,forced_error,badminton
35 34,519.077,524.579,winner,badminton
36 35,533.580,536.828,winner,badminton
37 36,543.829,547.079,unforced_error,badminton
38 37,554.706,557.964,unforced_error,badminton
39 38,566.462,578.716,unforced_error,badminton
40 39,586.467,589.714,unforced_error,badminton
41 40,599.712,604.962,unforced_error,badminton
42 41,612.010,618.761,unforced_error,badminton
43 42,626.259,635.015,winner,badminton
44 43,641.262,642.259,service_fault,badminton
45 44,648.759,658.258,winner,badminton
46 45,677.259,680.761,service_fault,badminton
47 46,686.259,689.512,winner,badminton
48 47,693.512,702.267,forced_error,badminton
49 48,713.257,718.266,winner,badminton
50 49,725.011,728.011,unforced_error,badminton
51 50,752.153,757.140,forced_error,badminton
52 51,760.908,763.174,service_fault,badminton
53 52,766.416,771.168,winner,badminton
54 53,777.668,779.419,service_fault,badminton
55 54,784.432,787.670,forced_error,badminton
56 55,795.421,803.664,unforced_error,badminton
57 56,810.171,816.170,winner,badminton
58 57,825.180,828.418,forced_error,badminton
59 58,835.480,844.493,winner,badminton
60 59,852.242,858.235,forced_error,badminton
61 60,867.236,869.237,service_fault,badminton
62 61,877.492,882.742,forced_error,badminton
63 62,890.754,896.740,winner,badminton
64 63,906.242,909.489,service_fault,badminton
65 64,917.490,921.242,let,badminton
66 65,926.487,929.492,service_fault,badminton
67 66,933.989,940.239,winner,badminton
68 67,947.743,953.242,forced_error,badminton
69 68,961.741,967.238,winner,badminton
70 69,974.992,986.736,forced_error,badminton
71 70,993.502,1003.005,unforced_error,badminton
72 71,1012.254,1019.992,forced_error,badminton
73 72,1032.737,1036.740,winner,badminton
74 73,1045.996,1049.990,forced_error,badminton
75 74,1057.739,1067.991,unforced_error,badminton
76 75,1077.742,1081.988,winner,badminton
77 76,1097.490,1104.001,unforced_error,badminton
78 77,1110.009,1116.762,forced_error,badminton
79 78,1124.506,1132.263,unforced_error,badminton
80 79,1139.011,1146.009,forced_error,badminton
81 80,1153.513,1159.510,unforced_error,badminton
82 81,1166.315,1172.826,forced_error,badminton
83 82,1184.827,1189.576,winner,badminton
84 83,1196.579,1204.578,forced_error,badminton
85 84,1212.071,1215.580,winner,badminton
86 85,1223.073,1229.330,let,badminton
87 86,1237.077,1242.596,winner,badminton

```

88      87,1271.920,1275.676,let,badminton
89      88,1278.430,1284.428,winner,badminton
90      89,1291.178,1295.429,forced_error,badminton
91      90,1304.933,1309.693,winner,badminton
92      91,1315.932,1326.420,forced_error,badminton
93      92,1348.993,1354.252,unforced_error,badminton
94      93,1359.501,1363.254,winner,badminton
95      94,1370.997,1378.001,unforced_error,badminton
96      95,1385.257,1391.510,forced_error,badminton
97      96,1398.257,1405.757,unforced_error,badminton
98

```

15. user (2026-07-02T02:48:24.598Z)

```

e410136 api: /api/videos surfaces fps + resolution (from the stored ffprobe details) (#413)
backend/eval/fusion_golden.py
backend/eval/golden_fixtures.py
backend/eval/golden_real_fixtures.py
backend/pipeline/segmenters/trajectory_hybrid.py
docs/GOLDEN_REGRESSION_FIXTURES.md
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md
docs/data_pipeline/GOLDEN_DATA_SHARING.md
docs/data_pipeline/GOLDEN_SET_IMPLEMENTATION.md
docs/data_pipeline/GOLDEN_SET_PHASE1_VIDEOS.md
docs/data_pipeline/GOLDEN_VIDEOS.md
eval_baselines/fixtures/clean_single_rally/trajectory.csv
eval_baselines/fixtures/fx_r01/trajectory.csv
eval_baselines/fixtures/fx_r02/trajectory.csv
eval_baselines/fixtures/fx_r03/trajectory.csv
eval_baselines/fixtures/fx_r04/trajectory.csv
eval_baselines/fixtures/fx_r05/trajectory.csv
eval_baselines/fixtures/fx_r06/trajectory.csv
eval_baselines/fixtures/multi_rally_with_deadtime/trajectory.csv
eval_baselines/fixtures/occlusion_break/trajectory.csv
tests/test_fusion_golden_telemetry.py
tests/test_golden_fixtures.py
tests/test_golden_fixtures_split.py
tests/test_golden_real_fixtures.py
tests/test_trajectory_hybrid_equivalence.py

```

16. user (2026-07-02T02:48:26.277Z)

```

docs\data_pipeline\GOLDEN_DATA_SHARING.md:11:Today those artifacts sit in gitignored `output/`
(per-machine) and scattered local folders (`...\Annotation Setup\Collect\Trajectories\`,
`...\Golden Labelled\`). Nothing syncs them between machines, so a CPU session cannot see the
GPU box's extraction. This wires that gap with OneDrive.
docs\DATA_IN_GCS.md:121:| 20 WASB trajectory CSVs | `C:\?\Annotation
Setup\Collect\Trajectories\` | **17.5 MB** | ? none | eval/litmus (cached). *(No `cached` train
source exists ? train synths or detector-extracts.)* |
docs\DATA_IN_GCS.md:123:| original-6 labels | `F:\[Khelsutra]\Training\Golden
Labelled\*.rallies.csv` | ~12 KB | ? | train + eval |
tests\test_fusion_compare.py:316:         _derive_video_path({"labels": "X/Adarsh and
Avi.rallies.csv"})
tests\test_fusion_compare.py:317:         == "X/Adarsh and Avi.MP4"
backend\eval\export_wasb_segments.py:16:         --labels "Annotation
Setup/golden_labels_badminton.csv" --fps 59.94 --frame-width 1920
docs\QUALITY_ITERATIONS.md:723:  **footage-fragile** (multi-court Kushagra 0.16 / gBaaddy 0.28),
the ***contrast** metric** predicts
docs\QUALITY_ITERATIONS.md:739:  0.83 on Kushagra/gBaaddy). **Don't re-derive these dead ends.**
docs\CODE_MAP.md:178:[Omitted long matching line]
docs\CODE_MAP.md:179:[Omitted long matching line]
docs\NEXT_STEPS.md:142:  `output/MahadevpuraSingles_highlights.mp4`). **Field kit COMPLETE
(2026-06-12, owner ratified the
docs\NEXT_STEPS.md:160:  (gitignored) · durable trajectories + Roora files:
`C:\Users\avidu\Projects\Annotation Setup\Collect\Trajectories\` ·

```

docs\NEXT_STEPS.md:161: labels: `...\Collect\Golden Labelled`.

docs\archives\field-pmf\PMF_FIELD_SIGNALS.md:130: (`output/MahadevpuraSingles\_highlights.mp4`, trimmed to ~60s) saved offline on

docs\archives\quality-iterations\README.md:20:[Omitted long matching line]

docs\archives\quality-iterations\2026-06-human-gt-tuning\README.md:17: first human golden CSV: `Annotation Setup\Collect\Adarsh and Avi.rallies.csv`

docs\archives\quality-iterations\2026-06-human-gt-tuning\README.md:123: --labels "?/Adarsh and Avi.rallies.csv" --fps 59.94 --frame-width 1920

docs\archives\quality-iterations\2026-06-human-gt-tuning\README.md:127: --labels "?/Adarsh and Avi.rallies.csv" --fps 59.94 --frame-width 1920

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:18:| **gBaaddy (20 May)** | **train** | **47** | **1080p / 59.94 · multi-court** | `~/clips/gbaaddy\_traj.csv` (52,232 fr) |

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:120:Added **gBaaddy** (47 rallies, 1080p/60) + **TestLargeVideo** (6 rallies, 5.3K/30 ? **too short to be a reliable**

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:121:fold*). Corpus now n=5. Single-video heuristic: gBaaddy **0.277**, TestLarge 0.316 ? both low. gBaaddy is 1080p/60

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:134:| gBaaddy | 0.28 | 78% | **41** | 1.9x | **multi (background games)** |

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:138:intermediate 2.2x ? 0.67 lands exactly on the curve. ?3.6x ? heuristic works; ?1.9x ? fails; ~2x ? borderline.

Academies are multi-court by definition, so Kushagra/gBaaddy are the

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:151:| gBaaddy (multi) | 0.833 | **0.574** | 0.574 | 0.28 |

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:155:- **Recovers BOTH multi-court videos** (Kushagra 0.561, gBaaddy 0.574 vs heuristic 0.16/0.28) ? the learned model's

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:172: 0.751, doubles 0.737, Mahadevpura 0.657, but Kushagra **0.157** / gBaaddy **0.309**).

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:173:- **n=6 added MahadevpuraSingles** (borderline multi-court, contrast 2.2x): held out and trained on the **other 5**, the

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:186:| candidate | multi-court ? (Kushagra/gBaaddy) | clean ? (Adarsh/doubles) | verdict |

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:199:(Kushagra 1.1?1.7x, gBaaddy 1.3?1.9x ? confirming HF-attenuates-with-distance physics) but **AUC stays ~0.6**. **Why it**

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:207:remove)? **Only 12?14% on the multi-court videos** (Kushagra 12%, gBaaddy 14%) ? **86?88% of the dead-time confusion is**

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:208:INSIDE the foreground court region.**A perfect court gate lifts contrast only to ~1.6?2.2x (Kushagra 1.4?1.6, gBaaddy**

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:220:**0.83** on Kushagra/gBaaddy where every hand-crafted heuristic fails. **There is no cheap heuristic shortcut; the learned**

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:240: --labels "?/Adarsh and Avi.rallies.csv" --fps 59.94 --frame-width 1920 # full-match + --sweep

docs\archives\quality-iterations\2026-06-multivideo-lovo\README.md:248: largest-court region), NOT a naive centroid. Would likely fix the heuristic on Kushagra/gBaaddy AND clean the learned

17. user (2026-07-02T02:48:45.316Z)

Vairagi
_p3_scratch
badminton-highlight-indexer
khelsutra-guru
muneem-ai
ls: cannot access '/c/Users/avidu/Projects/Annotation Setup': No such file or directory
/c/Users/avidu/OneDrive

18. user (2026-07-02T02:48:45.868Z)

```
1      # Golden / GPU-Extractor Data Sharing ? GPU box ? dev sessions
2
3      Status: convention + plan (2026-06-15). Tracked in #175.
4      Purpose: a single cloud-synced location for the GPU-extracted golden artifacts
(trajjectory CSVs, `*_golden_features.json`, manifests, baseline snapshots) so the GPU box
```

and **CPU dev/agent sessions** share the same files ? without committing large data to git.

5

6 **## Why this exists**

7 The rally-quality measurement is split across two machines by capability:

8 - **backend/eval/fusion_golden.py** (shuttle+person feature **extraction**) needs the **videos**, the **trajectory CSVs**, the **.rallies.csv** golden labels, and a **GPU/WSL** stack ? only the GPU box can run it.

9 - **backend/eval/fusion_compare.py** / **backend/eval/ablation.py** (the LOVO **litmus**: ?F1, bootstrap CI, paired sign test) are **pure-CPU re-scoring** that read only the small **_golden_features.json** ? any session (incl. a CPU dev container) can run them.

10

11 Today those artifacts sit in gitignored **output/** (per-machine) and scattered local folders (**...\Annotation Setup\Collect\Trajectories**, **...\Golden Labelled**). Nothing syncs them between machines, so a CPU session cannot see the GPU box's extraction. This wires that gap with OneDrive.

12

13 **## Canonical shared folder**

14 **%USERPROFILE%\OneDrive\rally-annotator\golden-data** ?
C:\Users\avidu\OneDrive\rally-annotator\golden-data

15

16 OneDrive is present + signed-in on both the GPU box and the dev machine under the same account, so it auto-syncs. Layout (date/size-tagged so a re-extraction is a new folder, never an overwrite):

17

18 **```**

19 golden-data/
20 README.md
21 features/<corpus-tag>/ *_golden_features.json (small ? the key shared artifact)
22 trajectories/<corpus-tag>/ *_predict.csv / *_wasb.csv (medium ? reusable across runs)
23 manifests/ *_lovo_manifest.json
24 baselines/ leaderboard / regression snapshots (or keep tracked in eval_baselines/)
25 **```**

26

27 **<corpus-tag>** = e.g. **2026-06-15-n6** (date + corpus size). **Do NOT** put raw videos here (tens of GB) ? keep those local to the GPU box.

28

29 **## The GPU ? CPU workflow**

30 1. **GPU box** (videos + CSVs + labels present):

31 **```**

32 python -m backend.eval.fusion_golden --manifest <manifest> \

33 --out-dir "%USERPROFILE%\OneDrive\rally-annotator\golden-data\features\2026-06-15-n6"

34 **```**

35 (or extract to local **output/** then copy the **_golden_features.json** into the shared folder).

36 2. OneDrive syncs the JSONs to the dev machine automatically (small files, seconds).

37 3. **CPU dev/agent session** points the analysis at the shared folder:

38 **```**

39 python -m backend.eval.fusion_compare --features-dir "...golden-data\features\2026-06-15-n6" --record

40 python -m backend.eval.ablation --features-dir "...golden-data\features\2026-06-15-n6" --granularity group

41 **```**

42 ? real person-feature ?F1 / CI / sign test. Copy the JSONs into the repo's **output/** to also light up the **skipif** golden-litmus tests (**tests/test_ablation.py::test_litmus_reproduces_gate_a**, **tests/test_fusion_compare.py**).

43

44 **## Optional code ergonomics (in #175, not required)**

45 - A **RALLY_GOLDEN_DIR** env var (default **output/**) honored by **fusion_golden** / **fusion_compare** / **ablation** so neither machine hardcodes the path. (The CLI **--out-dir** / **--features-dir** flags already make this a convention; the env var is just ergonomics.)

46 - A tiny **scripts/sync_golden.py** to copy **output/*_golden_features.json** ? the shared


```

folder.
47
48     ## Guardrails
49     - The shared folder lives **outside the repo** ? never committed. Keep `output/`
    gitignored and do **not** symlink the shared folder into a tracked path.
50     - The features derive from the **Proprietary** corpus ? keep the OneDrive folder
**private** (no public share links).
51
52     See also: `docs/NEXT_STEPS.md` (the "Next-session pickup" anchor),
    `docs/MULTI_SIGNAL_FUSION_PLAN.md` (P3), `docs/TRACKNET_WSL_SETUP.md` (the GPU/WSL detector
    setup), and **`docs/GOLDEN_REGRESSION_FIXTURES.md`** ? the COMMITTED, de-attributed regression
**subset** (synthetic + owner-cleared) that runs in-repo **without** the videos. This OneDrive
    folder stays the **full private corpus**; the committed subset is the minimized/anonymized,
    shuttle-only public tier (no person/audio, opaque surrogate ids).
53

```

19. user (2026-07-02T02:48:54.397Z)

```

Exit code 1
ls: cannot access '/c/Users/avidu/OneDrive/rally-annotator/golden-data': No such file or
directory
---
---
```

20. user (2026-07-02T02:48:55.453Z)

```

95     # config (no secrets in config; auth via GOOGLE_APPLICATION_CREDENTIALS):
96     #   { "storage": { "backend": "local", "gcs": { "project": "gen-lang-client-0306026826"
    } } }
97
98     # INFERENCE on one cloud video -> outputs/<video_id>/ in the bucket
99     python -m backend.worker infer \
100         --video-uri gcs://khelsutra-rally-corpus/videos/<clip>.mp4 \
101         --out-uri gcs://khelsutra-rally-corpus --segmenter wasb_hybrid --config config.json
102
103     # TRAIN from the bucket (reads labels/ [+ videos/], extracts trajectories, builds
    manifest on-box,
104     # runs training.gen0.harness, pushes weights/<version>/):
105     RALLY_DETECTOR_IMPL=native python -m backend.worker train \
106         --corpus-uri gcs://khelsutra-rally-corpus --out-uri gcs://khelsutra-rally-corpus \
107         --version <v> --trajectory-source detector --segmenter wasb_hybrid --config
    config.json
108     ```
109
110     A bare/relative path resolves under a configured `input_root`/`input_backend`
111     (`backend/storage/ref.py::resolve_input_uri`), so workflows can be written bucket-
    relative.
112
113     ---
114
115     ## 5. The gap ? what's still local-only (why the box is still a blocker)
116
117     All of this is **tiny except the originals** ? the metadata that blocks cloud eval is <
    25 MB total:
118
119     | Data | Where it is now | Size | In bucket? | Needed for |
120     |---|---|---|---|---|
121     | 20 WASB trajectory CSVs | `C:\?\Annotation Setup\Collect\Trajectories\` | **17.5 MB**
    | ? none | eval/litmus (cached). *(No `cached` train source exists ? train synths or detector-
    extracts.)* |
122     | golden manifest | `output/human_lovo_manifest.json` (C:-absolute paths) | 4.5 KB | ? |
    eval corpus definition |
123     | original-6 labels | `F:\[Khelsutra]\Training\Golden Labelled\*.rallies.csv` | ~12 KB
    | ? | train + eval |
124     | 7 new-clip labels | repo `output/*.rallies.csv` (gitignored) **** F: archive (backed

```

```

up 2026-06-22) | ~12 KB | ? partial/inconsistent | train + eval |
125 | source videos / proxies | F: archive + Google Drive golden folder | **100s of GB** | ?
3 only | infer + train (real WASB extraction) |
126
127 > The corpus *metadata* (trajectories + labels + manifest, ~25 MB) is what actually
blocks GPU-free
128 > cloud eval and the served Gate-A litmus ? and it's trivially small to migrate. The
**videos** are the
129 > only large migration, and they already exist on **Google Drive** (the golden-corpus
folder), so they
130 > can go **Drive ? bucket from a cloud box**, keeping the local machine out of the path
entirely.
131
132 ---
133
134 ## 6. Migration plan (close the gap)
135
136 **Phase 1 ? corpus metadata (?25 MB, do first, removes the eval blocker).** Stage all
trajectories,
137 all labels, and a **bucket-relative eval manifest** into `gs://khelsutra-rally-corpus`.
Pending the $7
138 naming decision. Sketch:
139
140 ```bash
141 # trajectories (decision-free; absent today)
142 gcloud storage cp "C:\?\Collect\Trajectories\*.csv" gs://khelsutra-rally-
corpus/trajectories/
143 # labels (after the $7.1 naming decision) -> labels/<canonical-name>.rallies.csv
144 # eval manifest with gs:// (or bucket-relative) paths -> a stable manifest object ($7.3)
145 ```
146
147 **Phase 2 ? videos ? `videos/<name>.mp4`** (bucket name = the eval `name`, consistent
with
148 `trajectories/` + `labels/`). Sources (resolved 2026-06-22 ? see
`scratch/copy_videos_to_gcs.ps1`):
149
150 | Source | Clips | Size |
151 |---|---|---|
152 | Drive golden folder `~/Golden Label Videos Request - June 15/[Done] Video N/`
(**proxies**) | `mahadevpura_1/2`, `GX010128`, `GX020094`, `GX030094`, `Badminton_BXH_2`,
`Boxhill_Doubles` (7) | ~13.5 GB |
153 | F: archive (**full MP4s** ? proxy-first before upload) | `GX010137`, `GX010141`, +
original-6 (`adarsh_avi_singles`, `kushagra_singles`, `largetest_doubles`, `gbaaddy`,
`testlarge_short`, `mahadevpura_singles`) (8) | ~50 GB |
154

```

21. user (2026-07-02T02:49:17.331Z)

```

ls: cannot access '/f/': No such file or directory
---
GOLDEN_SET_VENDORING.md
README.md
ROORA_LABELING_GUIDELINES.md
---
b-205.png
b-218.png
b-228.png
cuj-1-ingest.png
cuj-2-uri.png
cuj-3-processing.png
cuj-4-rallies.png
cuj-5-reel-ready.png
cuj-downloaded-reel.mp4
cuj-screencast.mjs
deep-test.mjs

```

esdaid-screencast.mjs
eval-after
eval-before
eval-shots.mjs
f-end.png
f-reveal.png
flyer-es.png
frame-ingest.png
frame-rallies.png
frame-reel.png
jf-footer-da.png
jf-footer-en.png
jf-footer-es.png
jf-footer-hi.png
jf-footer-id.png
jf-footer-kn.png
jf-form-da.png
jf-form-en.png
jf-form-es.png
jf-form-hi.png
jf-form-id.png
jf-form-kn.png
join-footer-shots.mjs
khelsutra-bucket-cuj-screencast.mp4
khelsutra-i18n-screencast.mp4
khelsutra-ownmodel-i18n-desktop.webm
khelsutra-site-esdaid-desktop.webm
khelsutra-site-header-mobile.mp4
khelsutra-site-i18n-desktop.mp4
ownmodel-en.png
ownmodel-hi-full.png
ownmodel-hi-hero.png
ownmodel-kn-full.png
ownmodel-kn-hero.png
ownmodel-screencast.mjs
package-lock.json
package.json
privacy-es.png
privacy-kn.png
raw-175.png
raw-188.png
raw-241.png
rec
screencast.mjs
shot-1-kn.png
shot-2-hi.png
shot-3-en.png
site-da-home.png
site-da-record.png
site-en-home.png
site-es-capture.png
site-es-home.png
site-es-ownmodel.png
site-es-record.png
site-id-home.png
site-id-record.png
site-screencast.mjs
v2-climax.png
v2-end.png
v2-reveal.png
video
video-cuj

{
 "name": "khelsutra-screencast",

```

"version": "1.0.0",
"description": "",
"main": "index.js",
"scripts": {
  "test": "echo \"Error: no test specified\" && exit 1"
},
"keywords": [],
"author": "",
"license": "ISC",
"type": "commonjs",
"dependencies": {
  "playwright": "^1.61.0"
}
}

```

22. user (2026-07-02T02:49:22.434Z)

```

1      // KhelSutra Studio ? FULL bucket?reel CUJ, driven entirely from the UI (B-P2).
2      // Point at a gs:// bucket video ? engine processes (real Gemini) ? review rallies ?
build ? download.
3      // Records the whole journey. Run against the SPA dev server (proxies /api ? the live
engine on :8000).
4      import { chromium } from "playwright";
5
6      const URL = process.env.URL || "http://localhost:5180";
7      const GS_URI = "gs://kheIsutra-rally-corpus/videos/mahadevpura_smoke_180s.mp4";
8      const PROCESS_TIMEOUT = 300000; // up to 5 min for the real Gemini run + gs:// fetch
9      const HOLD = 1800;
10
11     const browser = await chromium.launch();
12     // Fresh context, English browser ? the SPA negotiates `en` (no persisted pref).
13     const ctx = await browser.newContext({
14       locale: "en-US",
15       viewport: { width: 1280, height: 900 },
16       recordVideo: { dir: "video-cuj", size: { width: 1280, height: 900 } },
17     });
18     const page = await ctx.newPage();
19     page.on("console", (m) => { if (m.type() === "error") console.log(" [page error]",
m.text().slice(0, 160)); });
20
21     await page.goto(URL, { waitUntil: "domcontentloaded" });
22
23     // 1) Land on the ingest screen (no ?video= ? the "Process a video" panel).
24     await page.getByText("Process a video", { exact: true }).waitFor({ timeout: 15000 });
25     console.log("ingest panel rendered; lang =", await page.evaluate(() =>
document.documentElement.lang));
26     await page.waitForTimeout(HOLD);
27     await page.screenshot({ path: "cuj-1-ingest.png" });
28
29     // 2) Paste the bucket URI (typed for the camera) and submit.
30     const input = page.getByLabel(/video location/i);
31     await input.click();
32     await input.pressSequentially(GS_URI, { delay: 28 });
33     await page.waitForTimeout(700);
34     await page.screenshot({ path: "cuj-2-uri.png" });
35     await page.getByRole("button", { name: /process video/i }).click();
36
37     // 3) Live progress while the engine fetches the bucket video + runs Gemini.
38     await page.getByText(/Processing your video/i).waitFor({ timeout: 15000 }).catch(() =>
{});
39     await page.waitForTimeout(HOLD);
40     await page.screenshot({ path: "cuj-3-processing.png" });
41
42     // 4) Rallies load into the existing back-half (the ingest panel hands off video_id ?
?video=).

```

```

43     await page.getByText(/rallies from this session/i).waitFor({ timeout: PROCESS_TIMEOUT
});
44     const loaded = await page.getByText(/rallies from this session/i).textContent();
45     console.log("rallies loaded:", loaded?.trim());
46     await page.waitForTimeout(HOLD);
47     await page.screenshot({ path: "cuj-4-rallies.png" });
48
49     // 5) Build the reel from the (default all-selected) rallies.
50     const buildBtn = page.getByRole("button", { name: /build reel/i });
51     await buildBtn.scrollIntoViewIfNeeded();
52     await buildBtn.click();
53
54     // 6) Reel ready ? preview + download.
55     await page.getByText("Your reel is ready", { exact: true }).waitFor({ timeout: 120000
});
56     await page.getByTestId("compile-result").scrollIntoViewIfNeeded();
57     await page.waitForTimeout(HOLD);
58     await page.screenshot({ path: "cuj-5-reel-ready.png" });
59
60     // 7) Download to the local machine (the real end of the CUJ).
61     const [download] = await Promise.all([
62         page.waitForEvent("download"),
63         page.getByRole("link", { name: /download/i }).click(),
64     ]);
65     await download.saveAs("cuj-downloaded-reel.mp4");
66     console.log("downloaded reel:", download.suggestedFilename());
67     await page.waitForTimeout(1200);
68
69     await ctx.close(); // flushes the video
70     await browser.close();
71     console.log("DONE");
72

```

23. user (2026-07-02T02:49:24.917Z)

```

670053 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-
screencast/video/page@b7dea36bf6835b1b34ca01b4f3997744.webm
17718627 2026-06-21 /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/video-
cuj/page@648c2a87421a5177387fac2c2997ce11.webm
---
18M      /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/node_modules

```

24. user (2026-07-02T02:49:31.064Z)

```

C:\Users\avidu\Projects\khelsutra-guru\khelsutra\NEXT_STEPS.md:33: themed for **serious
enthusiasts**, on the landing page. ? **A real-UI CUJ screencast now exists**
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:7:> +
write?safety); **5 screencasts** (00 baseline · 01 library · 02 current?video · 03 annotate ·
**04 store?in?my?medium**).
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:153:| E2E |
**Screencast / e2e harness** ? single?origin mock engine (`web/e2e/mock-engine.mjs`) +
Playwright CUJ (*.pw.mjs`) recording the tool on a local server ? `khelsutra-screencast/`. The
**checkpoint?as?screencast** mechanism; extended per feature. (`npm run screencast`) | khelsutra
| ? | no | ? | [#122](https://github.com/avidullu/khelsutra/pull/122) |
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:158:[Omitted
long matching line]
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:159:| P6 | **SPA
"my videos" library** ? `VideoLibrary` consumes `GET /api/videos`; reopen a stored video
(reload?survival) across 6 locales (+tests, coverage up); screencast `01`. *(reels?list
`/api/reels` in the SPA ? follow?up)* | khelsutra | ? | no | ? |
[#124](https://github.com/avidullu/khelsutra/pull/124) |
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:161:[Omitted
long matching line]
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:176:- [x] A user
picks a medium (local/S3/GCS/Drive?mount), the video is **stored there** after a **free?space

```

```

check**, and appears in "my videos". *(medium picker P5 + store?into?medium P4 + capabilities P3
+ "my videos" P6; screencast 04.)*
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:182:- [x] Every
meaningful UI checkpoint is proven by a **recorded screencast** (`npm run screencast`); **5
shipped** (00 baseline · 01 library · 02 current?video · 03 annotate · **04
store?in?my?medium**).
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:203:
`ingest.medium.*`/`storage.*` across all 6 locales + site mirror, e2e CUJ + screencast
`04?store?in?my?medium?cuj.mp4`;
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\STUDIO_MEDIA_LIFECYCLE.md:206:[Omitted
long matching line]
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\DRY_RUN_CUJ.md:55:[Omitted long matching
line]
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\DRY_RUN_CUJ.md:66:Screencast/proof: per-
locale screenshots; both reels on the local machine. Screencast of the i18n SPA is at
`gs://kheIsutra-rally-corpus/promo/kheIsutra-i18n-screencast.mp4`.
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\DRY_RUN_CUJ.md:91:4. **Screencast of the
whole CUJ** (Playwright-recorded; the ~3-min Gemini wait fast-forwarded): `gs://kheIsutra-rally-
corpus/promo/kheIsutra-bucket-cuj-screencast.mp4`.
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\DRY_RUN_CUJ.md:94:[Omitted long matching
line]
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\DRY_RUN_CUJ.md:99:- `2026-06-21` ? **$9:
Path-B live e2e DONE** ? the in-UI `gs://`?reel CUJ ran end to end (12 rallies ? reel
downloaded); surfaced + fixed the compile-from-bucket 500 (engine #289); screencast uploaded to
the promo bucket. **DoD $6 box 3 ?.**
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\docs\README.md:6: (local) + Path B/B-P2 (in-UI
`gs://` ingest, [#56]) both live e2e with a screencast ($9); the
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\package.json:15: "screencast": "vite
build && playwright test -c e2e/playwright.config.mjs",
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\package.json:16: "screencast:mp4": "node
e2e/to-mp4.mjs"
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\README.md:25:## Screencast / e2e (any
computer)
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\README.md:30:npm run screencast
# vite build ? record the CUJ ? a .webm in ../kheIsutra-screencast/
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\README.md:31:npm run screencast:mp4
# OPTIONAL: convert the newest .webm to a shareable mp4 (needs ffmpeg)
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\README.md:34:`SCREENCAST_DIR`. Full details
+ how to extend it: **[`e2e/README.md`](e2e/README.md)**
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:149:[Omitted long matching line]
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:161:- [x] **Manual cross-check (owner
machine):** OS/browser set to Kannada and to Hindi each render the respective language on BOTH
surfaces, with Noto fonts displaying. **? Owner-verified on a real Kannada/Hindi device
(2026-06-22).** *(Proxy artifacts retained in `kheIsutra-screencast/`: `kheIsutra-
site-i18n-desktop.mp4` (site, kn) + `kheIsutra-i18n-screencast.mp4` (SPA, `locale: kn-IN`) +
per-page stills.)*
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:183:[Omitted long matching line]
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:189:[Omitted long matching line]
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:191:[Omitted long matching line]
C:\Users\avidu\Projects\kheIsutra-
guru\kheIsutra\docs\archives\FRIENDLY_AND_MULTILINGUAL.md:192:[Omitted long matching line]
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\e2e\to-mp4.mjs:1:// Optional convenience:
convert the newest Playwright screencast .webm to a shareable mp4.
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\web\e2e\to-mp4.mjs:4:// Honors SCREENCAST_DIR
(same override as the Playwright config).

```

[Showing results with pagination = limit: 30]

25. user (2026-07-02T02:49:32.562Z)

```
f9eea14 web: resilient video-summary readers + show fps in the library (#140)
site/scripts/copy-locales.mjs
site/src/a11y.browser.mjs
site/src/layout.browser.mjs
site/src/render.browser.mjs
web/e2e/annotate.pw.mjs
web/e2e/ingest.pw.mjs
web/e2e/mock-engine.mjs
web/e2e/playwright.config.mjs
web/e2e/screencast.pw.mjs
web/e2e/store-medium.pw.mjs
web/e2e/to-mp4.mjs
```

26. user (2026-07-02T02:49:48.084Z)

```
// Playwright config for the Studio screencast / e2e CUJ. Records video of the SPA (served +
API-mocked
// by e2e/mock-engine.mjs on ONE origin) and writes the raw .webm into ../../khelsutra-
screencast/_raw
// (a sibling, non-git artifacts dir); `npm run screencast` then converts it to a shareable
mp4/gif.
// testMatch is `*.pw.mjs` so vitest (which globs src/**/*.test.*) never picks these up.
import { defineConfig } from "@playwright/test";
import path from "node:path";
import { fileURLToPath } from "node:url";

const __dirname = path.dirname(fileURLToPath(import.meta.url));
const PORT = Number(process.env.MOCK_PORT || 8791);
// Where the raw .webm lands. Default = the umbrella layout's sibling `khelsutra-screencast/`
// (e2e -> web -> khelsutra -> khelsutra-guru, then khelsutra-screencast/). Override with the
// SCREENCAST_DIR env var on any other machine/layout ? the harness is otherwise self-contained.
const SCREENCAST_DIR = process.env.SCREENCAST_DIR
  ? path.resolve(process.env.SCREENCAST_DIR)
  : path.resolve(__dirname, "../../khelsutra-screencast");

export default defineConfig({
  testDir: __dirname,
  testMatch: "**/*.pw.mjs",
  timeout: 120_000,
  fullyParallel: false,
  workers: 1,
  reporter: [["list"]],
  outputDir: path.join(SCREENCAST_DIR, "_raw"),
  use: {
    baseURL: `http://127.0.0.1:${PORT}`,
    viewport: { width: 1280, height: 800 },
    video: { mode: "on", size: { width: 1280, height: 800 } },
    launchOptions: { slowMo: 350 }, // a watchable pace for the screencast
  },
  webServer: {
    command: `node ${JSON.stringify(path.join(__dirname, "mock-engine.mjs"))}`,
    url: `http://127.0.0.1:${PORT}/api/health`,
    reuseExistingServer: !process.env.CI,
    timeout: 60_000,
    env: { MOCK_PORT: String(PORT) },
  },
});
===
```

```
9e9df72 feat(web): keep the video name visible after open (persistent current-video label)
(#127)
39c1349 feat(web): P6 ? "Your videos" library (reopen a stored video) (#124)
d0285cd test(e2e): single-origin mock engine + Playwright screencast harness (#122)
2026-07-01 12:32:39 +0530
```

27. user (2026-07-02T02:49:48.946Z)

```

==> screencast.mjs <==
// KhelSutra Studio i18n screencast: a Kannada-DEFAULT browser auto-renders Kannada,
// then the switcher walks kn -> hi -> en. Proves the owner's success criterion.
import { chromium } from "playwright";

const URL = process.env.URL || "http://localhost:5180";
const KN_TITLE = "????? ?????????? ?????????????? ??????";
const HI_TITLE = "????? ??? ?? ??? ?????????? ??????";
const EN_TITLE = "Pick the rallies for your reel";
const HOLD = 2600;

const browser = await chromium.launch();
// A Kannada-configured browser: locale sets navigator.language=kn-IN. Fresh context => no
stored

==> esdaid-screencast.mjs <==
// Records the marketing site reaching parity with the SPA's 6 languages: the home page driven
// through the compact switcher en -> Spanish -> Danish -> Indonesian, plus the capture + own-
model
// pages in Spanish. Captures per-locale stills and asserts the console is clean + the hero copy
// actually changed per language. Run against the worktree site server (URL env, default :8124).
import { chromium } from "playwright";
import { rename } from "node:fs/promises";
import { mkdirSync } from "node:fs";

const URL = process.env.URL || "http://localhost:8124";
const HOLD = 1300;
mkdirSync("rec", { recursive: true });
const browser = await chromium.launch();

==> ownmodel-screencast.mjs <==
// Records the localized own-model ("Annotate your footage / train your own model") page:
// desktop journey en -> Kannada -> scroll annotate/train/setup -> Hindi. Captures per-locale
stills
// and asserts the console is clean + the page actually rendered Indic script (glyph proxy for
the
// owner's real-device eyeball). Run against the worktree site server (URL env, default :8123).
import { chromium } from "playwright";
import { rename } from "node:fs/promises";
import { mkdirSync } from "node:fs";

const URL = process.env.URL || "http://localhost:8123";
const HOLD = 1500;
mkdirSync("rec", { recursive: true });
const browser = await chromium.launch();

==> site-screencast.mjs <==
// Records two screencasts of the localized + decluttered marketing site:
// 1) desktop multilingual journey: home (en) -> compact switcher -> Kannada home -> capture
page
// 2) mobile header: the clean compact switcher reflowing en -> kn -> hi (no overflow)
// Run against the site server (URL env). Outputs .webm into ./ (Playwright records webm
natively).
import { chromium } from "playwright";
import { rename } from "node:fs/promises";
import { mkdirSync } from "node:fs";

const URL = process.env.URL || "http://localhost:8123";
const HOLD = 1600;
mkdirSync("rec", { recursive: true });
const browser = await chromium.launch();

==> eval-shots.mjs <==
// Capture above-the-fold screenshots of the marketing site (headers + hero) across pages,
// viewports and locales ? for the UI/UX header/clutter eval. Run with URL + OUT env.

```



```

import { chromium } from "playwright";
import { mkdirSync } from "node:fs";

const URL = process.env.URL || "http://localhost:8123";
const OUT = process.env.OUT || "eval-before";
mkdirSync(OUT, { recursive: true });

const pages = [
  ["home", "/"],
  ["capture", "/capture"],
  ["own-model", "/own-model"]
];
const views = [
  ["desktop", 1280, 900],
  ["mobile", 390, 844]
];
const locales = ["en", "kn"];

==> join-footer-shots.mjs <==
// Visual evidence for the two newly-localized home-page surfaces (the access form #join + the footer),
// captured per locale. Complements the automated render guard with eyeball-able stills.
import { chromium } from "playwright";
const URL = process.env.URL || "http://localhost:8123";
const browser = await chromium.launch();
const errs = {};
for (const loc of ["en", "kn", "hi", "es", "da", "id"]) {
  const ctx = await browser.newContext({ viewport: { width: 1000, height: 900 } });
  const page = await ctx.newPage();
  const e = [];
  page.on("console", (m) => m.type() === "error" && e.push(m.text()));
  page.on("pageerror", (x) => e.push(String(x)));
  await page.goto(`${URL}/?lang=${loc}`, { waitUntil: "networkidle" });
  await page.waitForFunction((l) => document.querySelector("[data-langsw]")?.value === l, loc, {
    timeout: 6000
  }).catch(() => {});
}

==> deep-test.mjs <==
// Deep layout + rendering test: every page × {desktop,mobile} × {en,kn}. Asserts NO horizontal
// overflow (scrollWidth <= innerWidth), the compact <select> switcher reflects the locale, and
// captures an "after" screenshot for each combo.
import { chromium } from "playwright";
import { mkdirSync } from "node:fs";

const URL = process.env.URL || "http://localhost:8123";
const OUT = process.env.OUT || "eval-after";
mkdirSync(OUT, { recursive: true });

const pages = [
  ["home", "/"],
  ["capture", "/capture"],
  ["own-model", "/own-model"]
];
const views = [
  ["desktop", 1280, 900],
  ["mobile", 390, 844]
];

```

28. user (2026-07-02T02:50:12.808Z)

```

exit=1
total 28
drwxr-xr-x 1 avidu 197609 0 Jun 22 09:03 .
drwxr-xr-x 1 avidu 197609 0 Jun 22 23:26 ..

```

29. user (2026-07-02T02:50:14.933Z)

```

backend/eval/export_wasb_segments.py:16:          --labels "Annotation
Setup/golden_labels_badminton.csv" --fps 59.94 --frame-width 1920
docs/CODE_MAP.md:178:- `@backend/eval/rally_seq_proto.py` ? **PROTOTYPE** learned per-FRAME
rally segmenter = owned-model **Gen-0 seed** (PR #61). 6 features over the WASB trajectory
(`vis_rate, spd_mean, spd_max, cross_rate, x_std, y_std`) -> `classifier.LogisticRegression`,
honest LOVO. ? `build_frame_arrays`/`features` (+`FEAT_NAMES`) are NOT defined here ? they are
**re-exported** (`noqa F401`) from `@backend/features/rally_seq.py` (ADR-008 single-sourcing;
speed per-SECOND + occlusion-gap-guarded since the 2026-06-10 sweep). Locally-owned:
`::labels_for`, `::probs_to_segments` (smooth->threshold->merge/min-dur), `::roc_auc` (rank-
based with **midrank ties**, scipy.stats.rankdata), `::run` (per-video AUC + LOVO-threshold F1 +
oracle-threshold F1). ? DIRECTIONAL only (n=6, linear, threshold-transfer unsolved); held-out
per-frame AUC 0.83±0.02, **beats the heuristic on multi-court footage** (Kushagra/gBaaddy).
**n=6 LOVO: learned 0.626 vs heuristic 0.480** (learned rose from 0.583 after the fps-
normalization fix). Manifest `output/human_lovo_manifest.json` (n=6; trajectory paths now under

```

```
`Annotation Setup/Collect/Trajectories/`) shared w/ calibrate_local.
docs/DATA_IN_GCS.md:121:| 20 WASB trajectory CSVs | `C:\?\Annotation
Setup\Collect\Trajectories\` | **17.5 MB** | ? none | eval/litmus (cached). *(No `cached` train
source exists ? train synths or detector-extracts.)* |
docs/NEXT_STEPS.md:160: (gitignored) · durable trajectories + Roora files:
`C:\Users\avidu\Projects\Annotation Setup\Collect\Trajectories\` ·
docs/archives/quality-iterations/2026-06-human-gt-tuning/README.md:17: first human golden CSV:
`Annotation Setup/Collect/Adarsh and Avi.rallies.csv`
docs/data_pipeline/GOLDEN_DATA_SHARING.md:11:Today those artifacts sit in gitignored `output/`
(per-machine) and scattered local folders (`...\Annotation Setup\Collect\Trajectories\`,
`...\Golden Labelled\`). Nothing syncs them between machines, so a CPU session cannot see the
GPU box's extraction. This wires that gap with OneDrive.
===
```

30. user (2026-07-02T02:50:25.117Z)

Data in GCS ? the corpus source-of-truth map

```
> **Scope:** this map covers the **training corpus only** (`gs://khelsutra-rally-corpus`).
**User-uploaded
> videos are a SEPARATE, already-shipped surface** ? `POST /api/assets` + the per-request
`medium_uri` +
> `GET /api/capabilities.storage` (see `khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`) ? and must
stay physically
> isolated from the corpus bucket (the **D1** compliance boundary: consent / no-minors / not-
training holds at
> the storage layer). The deploy layer's bucket names now live in one place
(`deploy/gcp/buckets.env`).

**Status:** LIVE / in-progress (migration not complete). **Owner-gated** decisions in §7.
**Last inventoried:** 2026-06-22 against `gs://khelsutra-rally-corpus`.
**Goal (owner, 2026-06-22):** run **all** training + inference from the cloud with **all data in
GCS**,
so the local Windows box (and the intermittently-mounted external drive) is **no longer a
blocker**.

> **? Other sessions: this is where the data lives.** Pull from `gs://khelsutra-rally-corpus`,
not
> from anyone's `C:` / `F:` / Google Drive. If something you need isn't in the bucket yet, it's
in the
> **gap table (§5)** ? flag it / migrate it, don't hard-code a local path.
```

This doc is the ****data map****. The ***machine*** runbooks are
[`SETUP\_NEW\_MACHINE.md`](SETUP_NEW_MACHINE.md)
(spin up a box) and [`deploy/gcp/README.md`](../deploy/gcp/README.md) (provision GPU +
train/infer).
The cloud engine itself was built by the (archived) DECOUPLED_COMPUTE project
2026-07-01 21:23:34 +0530 docs: reflect today's storage endpoints + the corpus/user-video
boundary (#411)

31. user (2026-07-02T02:50:30.171Z)

```
gs://khelsutra-rally-corpus/archive/
gs://khelsutra-rally-corpus/highlights/
gs://khelsutra-rally-corpus/labels/
gs://khelsutra-rally-corpus/manifests/
gs://khelsutra-rally-corpus/models/
gs://khelsutra-rally-corpus/outputs/
gs://khelsutra-rally-corpus/promo/
gs://khelsutra-rally-corpus/trajectories/
gs://khelsutra-rally-corpus/videos/
gs://khelsutra-rally-corpus/weights/
```

32. user (2026-07-02T02:50:42.513Z)

```
1549493 2026-06-22T10:03:24Z gs://khelsutra-rally-corpus/trajectories/Badminton_BXH_2.csv
838358 2026-06-22T10:03:58Z gs://khelsutra-rally-corpus/trajectories/Boxhill_Doubles.csv
1543847 2026-06-22T10:02:50Z gs://khelsutra-rally-corpus/trajectories/GX010128.csv
797173 2026-06-22T10:03:47Z gs://khelsutra-rally-corpus/trajectories/GX010137.csv
776018 2026-06-22T10:03:36Z gs://khelsutra-rally-corpus/trajectories/GX010141.csv
608149 2026-06-22T10:04:09Z gs://khelsutra-rally-corpus/trajectories/GX020094.csv
701986 2026-06-22T10:03:12Z gs://khelsutra-rally-corpus/trajectories/GX030094.csv
2476375 2026-06-22T10:01:36Z gs://khelsutra-rally-
corpus/trajectories/adarsh_avi_singles.csv
1702622 2026-06-22T10:02:08Z gs://khelsutra-rally-corpus/trajectories/gbaaddy.csv
1159102 2026-06-22T10:01:46Z gs://khelsutra-rally-corpus/trajectories/kushagra_singles.csv
693876 2026-06-22T10:01:57Z gs://khelsutra-rally-corpus/trajectories/largetest_doubles.csv
459324 2026-06-22T10:03:01Z gs://khelsutra-rally-corpus/trajectories/mahadevpura_1.csv
1454557 2026-06-22T10:02:40Z gs://khelsutra-rally-corpus/trajectories/mahadevpura_2.csv
418680 2026-06-22T10:02:29Z gs://khelsutra-rally-
corpus/trajectories/mahadevpura_singles.csv
96359 2026-06-22T10:02:18Z gs://khelsutra-rally-corpus/trajectories/testlarge_short.csv
TOTAL: 15 objects, 15275919 bytes (14.57MiB)
```

===

```
4106 2026-06-22T10:01:41Z gs://khelsutra-rally-
corpus/labels/2026-06-08_adarsh_avi_singles.rallies.csv
2049 2026-06-22T10:02:13Z gs://khelsutra-rally-
corpus/labels/2026-06-08_gbaaddy.rallies.csv
1413 2026-06-22T10:01:52Z gs://khelsutra-rally-
corpus/labels/2026-06-08_kushagra_singles.rallies.csv
2140 2026-06-22T10:02:02Z gs://khelsutra-rally-
corpus/labels/2026-06-08_largetest_doubles.rallies.csv
287 2026-06-22T10:02:24Z gs://khelsutra-rally-
corpus/labels/2026-06-08_testlarge_short.rallies.csv
1325 2026-06-22T10:02:35Z gs://khelsutra-rally-
corpus/labels/2026-06-09_mahadevpura_singles.rallies.csv
2286 2026-06-22T10:02:56Z gs://khelsutra-rally-
corpus/labels/2026-06-16_GX010128.rallies.csv
1719 2026-06-22T10:02:45Z gs://khelsutra-rally-
corpus/labels/2026-06-16_mahadevpura_2.rallies.csv
1970 2026-06-22T10:03:31Z gs://khelsutra-rally-
corpus/labels/2026-06-17_Badminton_BXH_2.rallies.csv
1800 2026-06-22T10:03:17Z gs://khelsutra-rally-
corpus/labels/2026-06-17_GX030094.rallies.csv
465 2026-06-22T10:03:07Z gs://khelsutra-rally-
corpus/labels/2026-06-17_mahadevpura_1.rallies.csv
1915 2026-06-22T10:04:03Z gs://khelsutra-rally-
corpus/labels/2026-06-18_Boxhill_Doubles.rallies.csv
1489 2026-06-22T10:03:52Z gs://khelsutra-rally-
corpus/labels/2026-06-18_GX010137.rallies.csv
1274 2026-06-22T10:03:41Z gs://khelsutra-rally-
corpus/labels/2026-06-18_GX010141.rallies.csv
1715 2026-06-22T10:04:14Z gs://khelsutra-rally-
corpus/labels/2026-06-18_GX020094.rallies.csv
TOTAL: 15 objects, 25953 bytes (25.34kiB)
```

33. user (2026-07-02T02:51:17.368Z)

```
767766440 2026-06-22T13:42:54Z gs://khelsutra-rally-corpus/videos/GX010142_1080p.mp4
632948235 2026-06-22T13:42:46Z gs://khelsutra-rally-corpus/videos/GX010143_1080p.mp4
659514891 2026-06-22T13:42:48Z gs://khelsutra-rally-corpus/videos/GX010147_1080p.mp4
1429944539 2026-06-20T14:27:35Z gs://khelsutra-rally-corpus/videos/GX030094_proxy.mp4
548827049 2026-06-20T14:26:23Z gs://khelsutra-rally-corpus/videos/mahadevpura-1.MP4
548827049 2026-06-22T10:21:57Z gs://khelsutra-rally-corpus/videos/mahadevpura_1.mp4
90194321 2026-06-20T14:20:32Z gs://khelsutra-rally-corpus/videos/mahadevpura_smoke_180s.mp4
gs://khelsutra-rally-corpus/videos/SHANAN/
TOTAL: 7 objects, 4678022524 bytes (4.36GiB)
```

===

```
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/access.db
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/engine-config.json
```

```

gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/output/highlights-
one.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/output/highlights-
shannon.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/output/highlights.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/output/sports_indexer.db
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/output/sports_indexer.db.lock
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/uploads/ShannanShortClip.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/uploads/SmokeTestBadmintonClip.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/uploads/sample.mp4
===
776632 2026-06-20T18:16:41Z gs://khelsutra-rally-corpus/promo/full_cuj_real.mp4
1670821 2026-06-21T13:28:04Z gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-
screencast.mp4
342162 2026-06-21T07:23:28Z gs://khelsutra-rally-
corpus/promo/khelsutra-i18n-screencast.mp4
4082564 2026-06-20T17:32:49Z gs://khelsutra-rally-corpus/promo/promo_cuj.gif
709229 2026-06-20T17:32:49Z gs://khelsutra-rally-corpus/promo/promo_cuj.mp4
TOTAL: 5 objects, 7581408 bytes (7.23MiB)

```

34. user (2026-07-02T02:52:00.119Z)

```

**Two ways to run it:**
- **Decoupled (preferred ? no local box):** `rclone` on a cloud VM with a Google-Drive remote ?
  `rclone copy gdrive:"<?/[Done] Video N>/<proxy>.mp4" :gcs:khelsutra-rally-
corpus/videos/<name>.mp4`
  (one-time owner step: `rclone config` ? `gdrive` remote OAuth). Or `gdown <file-id>` on the
box for
  the shared folder. This is the path that actually removes the local box.
- **Interim (today, owner box ? streams Drive/F: ? local ? GCS):** `pwsh
scratch/copy_videos_to_gcs.ps1
-Execute` (dry-run without `-Execute`; `-Only <name>` for one; skip-existing). Uses local
bandwidth.

**Priority:** the 7 Drive **proxies** first (already 1080p, sufficient for detection). The 8
large F:
full MP4s should be **proxied to 1080p first** (cheaper storage + faster cloud decode) before
upload.
? Two pre-existing non-canonical video objects (`videos/GX030094_proxy.mp4`,
`videos/mahadevpura-1.MP4`)
are superseded once `videos/GX030094.mp4` / `videos/mahadevpura_1.mp4` land ? verify-dupe-then-
delete
(same as the label cleanup). Track per-clip in §8.

**Phase 3 ? make eval/litmus read GCS (real code, NOT a config flip).** The eval drivers
(`served_gate_a.evaluate_video`, `calibrate_wasb.load_golden_gts`,
`TrackNetRunner.parse_trajectory_csv`)
open `spec["trajectory"]`/`spec["labels"]` with plain `open()` and gate on `os.path.isfile()` ?
they
have **no storage-layer fetch**, so a `gs://` manifest cannot be consumed today. Phase-3 must
thread
`storage.fetch`/`resolve_input_uri` through those paths first. Then: re-probe
`fps`/`frame_width` from
the bucket videos (don't trust the copied values ? a wrong fps silently mis-aligns every label),
and
**re-measure the served Gate-A litmus on the GCS 15-clip set as a [[launch-report-convention]]
event**
(dual-set RAW+golden no-regression, not a silent eval-set swap ? see PR #236).

---
```

7. Decisions

```
1. **`labels/` naming ? LOCKED (owner, 2026-06-22):** `labels/<YYYY-MM-DD>_<name>.rallies.csv`,
where
  `<name>` is the eval/manifest clip name and `<YYYY-MM-DD>` is the label's **authoring date**
=
  the *earliest* mtime across all known copies (C: working copy + F: archive ? robust to copy-
resets;
  a restored C: copy shows today, the F: archive keeps the real date). Fixes the `_proxy`
inconsistency
  and disambiguates recycled GoPro names by date. *(Future, when videos are in the bucket:
optionally
  add a `video_id`/MD5 sidecar for the strongest keying ? deferred, needs hashing each video.)*
2. **Cache `trajectories/` ? YES, done 2026-06-22.** `trajectories/<name>.csv` cached so
cloud/CI eval +
  the served Gate-A litmus run **GPU-free** (training can still regenerate via `--trajectory-
source detector`).
3. **Eval manifest in GCS ? done 2026-06-22.** `gs://khelsutra-rally-
corpus/manifests/golden.json`
  (15 clips, `gs://` trajectory + label paths). The **local** litmus keeps its local-path
manifest;
  flipping the litmus to read the GCS manifest is Phase 3.
4. **Originals migration scope ? OPEN** ? proxies-only vs full 4K, and how much of the 15-clip
golden
  set vs the wider archive. Source = Google Drive ? bucket from a cloud box (not the local
box).
```

> Phase-1 was run via a dry-run planner (resolve every clip's trajectory + label, stamp the label's

> authoring date, build the `gs://` manifest) ? `gcloud storage cp` (planner kept in gitignored

> `scratch/`; promote it to `scripts/` if corpus-sync recurs).

> ? **Cleanup DONE 2026-06-22:** the 7 pre-existing inconsistent label objects

(`\_proxy.rallies.csv`,

> bare `GX010128`/`mahadevpura-1`) were confirmed **byte-identical (MD5)** to the new canonical names

> (content also on C:/F:) and **deleted** ? `labels/` now holds exactly the 15 canonical objects.

> ? **gcloud gotcha (Phase-2):** `gcloud storage cp` treats `[...]` as a glob, so source paths under

> `[Done] Video N/` (Drive) or `[Khelsutra] ?` (F:) fail with "matched no objects." The owner-box

> script (`scratch/copy\_videos\_to\_gcs.ps1`) stages such paths through a bracket-free temp file; the

> `rclone` cloud path has no such issue.

7b. Known blockers ? must-fix before the DoD (2026-06-22 adversarial review)

```
1. **? RESOLVED 2026-06-22 ([#319](https://github.com/Khelsutra/badminton-highlight-
indexer/pull/319))
  ? dated labels broke `worker train --trajectory-source detector`.** *History:* `cmd_train`
derived the
  join key as `fname.replace(".rallies.csv","")` ? `2026-06-22_GX020094`, then looked up
  `video_by_stem.get(name)` against bare video stems (`GX020094`), so every clip was skipped
and train
  aborted with `<2 videos`. **Fix:** the label?clip-name derivation is now the helper
`_label_clip_name()`
  in [backend/worker/__main__.py](../backend/worker/__main__.py), which strips both the
  `.rallies.csv`/`.csv` suffix AND a leading `^\\d{4}-\\d{2}-\\d{2}_` prefix, so a dated label and
a legacy
  bare label both resolve to the bare `videos/<name>` stem (preserves the locked human-readable
naming).
```

Tested: parametrized helper cases + a dated-label?bare-video `cmd\_train` join regression + per-label
skip-branch coverage. *(`synth` train + all eval were unaffected ? they don't join videos.)*
2. **Phase-3 eval-on-GCS is net-new plumbing, not a flag** ? see §6 Phase-3. Eval is local-FS only.
3. **`manifests/golden.json` is consumed by zero code today** (train ignores it; eval can't fetch
`gs://`) ? it's correct-but-dormant until blocker #2 lands. Add a tiny manifest-validator + a CI job
that authenticates to GCS and runs the litmus against it, or the DoD ("CI reads only from
`gs://`")
stays unverifiable.
4. **Gating infra (owner-only, not done):** GPU `GPUS\_ALL\_REGIONS` quota is still **0** (no VM ever
created ? `deploy/gcp/README` §2); cloud-box secrets (SA JSON + rotated `GEMINI\_API\_KEY` + WASB
weights staged from `models/`) aren't set up persistently. No real cloud train/infer runs until these.
5. **Reproducibility:** the migration + copy helpers live in gitignored `scratch/`

35. user (2026-07-02T02:52:02.508Z)

OPEN | Shared cloud container (OneDrive) for GPU-extractor golden data ? sync GPU box ? dev sessions | open

36. user (2026-07-02T02:52:51.714Z)

archives/roora-vendor/ ? Roora annotation-vendor engagement (archived 2026-06-21)

The **Roora data-labeling vendor** engagement docs, isolated from the live data-layer methodology (owner directive, 2026-06-21). The *generic* data-layer docs (recording, golden-set creation, data sharing) live in [`docs/data\_pipeline/`](../data_pipeline/); these are the **vendor-specific** artifacts. Kept for posterity; relative links inside are historical.

Contents:

- `ROORA\_LABELING\_GUIDELINES.md` ? the v8 vendor-facing labeling brief / annotation spec sent to Roora.
- `GOLDEN\_SET\_VENDORING.md` ? the vendor bake-off + Roora selection rationale (ADR-006).

> Note: the labeling guidelines double as annotation methodology; they were archived here (vs the data

> layer) because they're Roora-branded/vendor-facing (owner call, 2026-06-21). The reusable, vendor-neutral

> data methodology lives in `data\_pipeline/`.

===

0

===

gs://khelsutra-rally-corpus/manifests/golden.json

37. user (2026-07-02T02:53:00.720Z)

3d604bc docs: sync READMEs with current state (multi-agent audit fixes) (#25)

.gitattributes

.github/pull_request_template.md

.github/workflows/ci.yml

.github/workflows/web-ci.yml

.gitignore

CHANGELOG.md

CONTRIBUTING.md

LICENSE

README.md

```
docs/CSV_FORMAT.md
docs/ENDING_REASONS.md
docs/LOCALIZATION.md
test/README.md
test/dialog_layout.snapshot
test/dialog_test.lua
vlc/rally_annotator.lua
web/.gitignore
web/DESIGN.md
web/README.md
web/TESTING.md
web/e2e/extension.spec.ts
web/e2e/fixtures/index.html
web/e2e/fixtures/sample.webm
web/e2e/serve.mjs
web/entrypoints/background.ts
web/entrypoints/content.ts
web/package-lock.json
web/package.json
web/playwright.config.ts
web/src/i18n/index.ts
===
53
```

38. user (2026-07-02T02:54:09.136Z)

```
165:? Two pre-existing non-canonical video objects (`videos/GX030094_proxy.mp4`,
`videos/mahadevpura-1.MP4`)
188:2. **Cache `trajectories/` ? YES, done 2026-06-22.** `trajectories/<name>.csv` cached so
cloud/CI eval +
190:3. **Eval manifest in GCS ? done 2026-06-22.** `gs://khelsutra-rally-
corpus/manifests/golden.json`
7:> + write?safety); **5 screencasts** (00 baseline · 01 library · 02 current?video · 03
annotate · **04 store?in?my?medium**).
182:- [X] Every meaningful UI checkpoint is proven by a **recorded screencast** (`npm run
screencast`); **5 shipped** (00 baseline · 01 library · 02 current?video · 03 annotate · **04
store?in?my?medium**).
```

39. user (2026-07-02T02:55:10.858Z)

Structured output provided successfully