

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a19e89960c9d6e49e.jsonl`  
- SHA-256: `1d42e664de3fc6020e2657c9ea76f5fc8675d598713e08a9ad930f63f127df35`  
- Source modified: `2026-07-02T03:00:17+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T02:58:05.142Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.

A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/sports-data-collector:

```
{  
  "title": "Stray nested clone sports-data-collector/sports-data-collector/ pollutes tooling;  
safe to delete",  
  "category": "hygiene",  
  "severity": "P1",  
  "file": "sports-data-collector/sports-data-collector/",  
  "evidence": "Untracked dir is a FULL second clone of the same repo: remote =  
https://github.com/avidullu/sports-data-collector.git (pre-org-move URL; parent origin is  
https://github.com/Khelsutra/sports-data-collector.git). HEAD = 031e410 'feat(annotation):  
richer Roora schema (#29)' (~Jun 19; working-tree files mtime Jun 19 21:38, .git mtime Jun 29  
14:41 from a later fetch that moved its origin/master to a152cf5). Verified zero unique work:  
`git merge-base --is-ancestor 031e410 HEAD` in the parent succeeds, `git status --short` clean,  
`git stash list` empty, only branch is master. Size ~1.7 MB (811 KB .git). It contains its own  
tests/, src/, .github/, and data/sports_metadata.db (tracked at that commit, unmodified).  
Tooling pollution measured: `ruff check .` from repo root reports 39 errors vs 24 when scoped to  
src/tests/cleanup.py ? the extra 15 come from the nested clone; bare `pytest` rootdir collection  
and setuptools package discovery would also pick it up.",  
  "proposed_fix": "Delete the entire nested directory (rm -rf sports-data-collector/sports-data-  
collector/). Nothing in it is unique: HEAD is an ancestor of current master, tree is clean, no  
stashes/branches. Root cause is almost certainly a `git clone` run with cwd already inside the  
repo (~Jun 19); worth adding `sports-data-collector/` to .git/info/exclude only if deletion is  
deferred. READ-ONLY audit ? not deleted; owner or a follow-up session should remove it.",  
  "effort": "S",  
  "tracked_in": ""  
}
```

Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer,
C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-
data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator,
C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field;
non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup',
C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screenshot).

VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited
code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent
commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete
failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it
owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training,
product/strategy/licensing, real cloud spend, counsel ToS/DPA?

HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only

commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you personally saw the defect/debt in current code; if you cannot reproduce the claim from the code, say REFUTED; if a commit fixed it, ALREADY_FIXED.

2. user (2026-07-02T02:58:19.372Z)

```
total 113
drwxr-xr-x 1 avidu 197609    0 Jun 29 15:27 .
drwxr-xr-x 1 avidu 197609    0 Jun 29 20:32 ..
-rw-r--r-- 1 avidu 197609 53248 Jun 10 11:35 .coverage
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:17 .git
-rw-r--r-- 1 avidu 197609   264 May 26 01:26 .gitattributes
drwxr-xr-x 1 avidu 197609    0 Jun 10 13:07 .github
-rw-r--r-- 1 avidu 197609  1292 Jun 10 15:53 .gitignore
drwxr-xr-x 1 avidu 197609    0 May 25 23:59 .pytest_cache
drwxr-xr-x 1 avidu 197609    0 Jun 15 14:57 .ruff_cache
-rw-r--r-- 1 avidu 197609  9583 Jun  2 22:52 README.md
drwxr-xr-x 1 avidu 197609    0 Jun 29 14:48 __pycache__
-rwxr-xr-x 1 avidu 197609  7602 Jun 29 14:55 cleanup.py
drwxr-xr-x 1 avidu 197609    0 Jun 29 14:55 config
drwxr-xr-x 1 avidu 197609    0 Jun 29 14:55 data
drwxr-xr-x 1 avidu 197609    0 Jun 29 14:55 docs
-rw-r--r-- 1 avidu 197609  1451 Jun 29 14:55 pyproject.toml
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 sports-data-collector
drwxr-xr-x 1 avidu 197609    0 Jun  7 13:10 src
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:13 tests
---nested---
total 53
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 .
drwxr-xr-x 1 avidu 197609    0 Jun 29 15:27 ..
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:18 .git
-rw-r--r-- 1 avidu 197609   264 Jun  2 22:13 .gitattributes
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 .github
-rw-r--r-- 1 avidu 197609  1139 Jun 19 21:38 .gitignore
-rw-r--r-- 1 avidu 197609  9583 Jun 19 21:38 README.md
-rwxr-xr-x 1 avidu 197609  6802 Jun 19 21:38 cleanup.py
drwxr-xr-x 1 avidu 197609    0 Jun  2 22:13 config
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 data
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 docs
-rw-r--r-- 1 avidu 197609  1211 Jun 19 21:38 pyproject.toml
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 src
drwxr-xr-x 1 avidu 197609    0 Jun 19 21:38 tests
```

3. user (2026-07-02T02:58:20.752Z)

```
origin https://github.com/Khelsutra/sports-data-collector.git (fetch)
origin https://github.com/Khelsutra/sports-data-collector.git (push)
adcd206 fix(db): set SQLite busy_timeout so concurrent writers wait, not error (P9) (#53)
6f67d65 feat(import): callable import_annotations + a maturity gate (P9) (#52)
c281f82 feat(export): add source file MD5 to the eval/training manifest (P9) (#51)
M .gitignore
?? sports-data-collector/
```

4. assistant (2026-07-02T02:58:29.688Z)

The nested directory exists and is untracked. Now verify the nested clone's remote, HEAD, cleanliness, and whether its HEAD is an ancestor of parent master.

5. user (2026-07-02T02:58:32.157Z)

```
origin https://github.com/avidullu/sports-data-collector.git (fetch)
origin https://github.com/avidullu/sports-data-collector.git (push)
---HEAD---
031e410 feat(annotation): richer Roora schema - court + confidence + capture report + IAA (#29)
```

```

3016618 feat(curate): --encoder nvenc (GPU) option for proxy + batch transcode (#28)
04a3049 feat(curate): preflight gate for prep-annotation-batch (dup/empty/VFR checks) (#27)
---branches---
* master
  remotes/origin/HEAD -> origin/master
  remotes/origin/master
---status---
(status end)
---stash---
(stash end)

```

6. user (2026-07-02T02:58:33.464Z)

```

ANCESTOR: yes
031e410 feat(annotation): richer Roora schema - court + confidence + capture report + IAA (#29)

```

7. user (2026-07-02T02:58:56.149Z)

```

1      [build-system]
2      requires = ["setuptools>=61.0.0"]
3      build-backend = "setuptools.build_meta"
4
5      [project]
6      name = "sports-data-collector"
7      version = "0.1.0"
8      description = "A collector and curator for sports video datasets with sport-specific
schemas and license checks."
9      readme = "README.md"
10     requires-python = ">=3.9"
11     dependencies = [
12         "pydantic>=2.0.0",
13         "pyyaml>=6.0",
14         "tabulate>=0.9.0",
15         # Hardens CVAT XML/zip parsing against entity-expansion / billion-laugh
16         # attacks (see docs/CODE_HEALTH_PLAN.md §7 Tier C). BSD-2-Clause ?
17         # commercially-clean per the project's licensing rule.
18         "defusedxml>=0.7.0",
19     ]
20
21     [project.optional-dependencies]
22     # Video acquisition (`fetch` / crawler). Also requires the external binaries
23     # ffprobe (FFmpeg) and, for YouTube high-res, a JS runtime such as deno ?
24     # neither is pip-installable; see README "External requirements".
25     fetch = [
26         "yt-dlp>=2024.1.0"
27     ]
28     dev = [
29         "pytest>=7.0.0",
30         "pytest-cov>=4.0.0"
31     ]
32     # Per-video observability reports (SOFT dependency: ingestion degrades to a no-op
33     # if absent). Shared, permissively-licensed report toolkit. Pin a tag once the
34     # private repo is published, e.g.:
35     #   obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3
36     # For local development install it editable from a sibling checkout:
37     #   pip install -e ../sports-obsreport --no-build-isolation
38     report = [
39         "obsreport>=0.1.3",
40     ]
41

```

8. user (2026-07-02T02:58:57.962Z)

(no unpushed)

```
1.7M      .
811K      .git
```

9. user (2026-07-02T02:58:59.117Z)

```
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
```

```
diff --git a/.gitignore b/.gitignore
```

```
index 52dac92..ac1420f 100644
```

```
--- a/.gitignore
```

```
+++ b/.gitignore
```

```
@@ -53,3 +53,7 @@ data/temp/
```

```
# Local DB backups (e.g. data/sports_metadata.backup-YYYY-MM-DD.db) ? never commit
data/*.backup-*.db
```

```
+
```

```
+# Model artifact bundles: weights are NEVER committed (private Releases); the
```

```
+# reviewable surface is each bundle's manifest.json (ADR-008).
```

```
+artifacts/
```

```
---current gitignore grep---
```

10. user (2026-07-02T02:59:15.304Z)

```
No files found
```

11. user (2026-07-02T02:59:16.242Z)

```
No files found
```

12. user (2026-07-02T02:59:17.887Z)

```
4      F841      [ ] unused-variable
```

```
3      F541      [*] f-string-missing-placeholders
```

```
2      E402      [ ] module-import-not-at-top-of-file
```

```
Found 39 errors.
```

```
[*] 33 fixable with the `--fix` option (4 hidden fixes can be enabled with the `--unsafe-fixes` option).
```

```
===scoped===
```

```
2      E402      [ ] module-import-not-at-top-of-file
```

```
2      F841      [ ] unused-variable
```

```
1      F541      [*] f-string-missing-placeholders
```

```
Found 24 errors.
```

```
[*] 20 fixable with the `--fix` option (2 hidden fixes can be enabled with the `--unsafe-fixes` option).
```

13. user (2026-07-02T02:59:47.062Z)

```
__pycache__
```

```
test_batch_preflight.py
```

```
test_cleanup.py
```

```
test_cli.py
```

```
test_config.py
```

```
test_crawler_tempfile.py
```

```
test_cvat_parser.py
```

```
test_cvat_robustness.py
```

```
---init?---
```

```
ls: cannot access 'tests/__init__.py': No such file or directory
```

```
ls: cannot access 'sports-data-collector/tests/__init__.py': No such file or directory
```

```
---nested tests---
```

```
test_batch_preflight.py
```

```
test_cli.py
```

```
test_config.py
```

```
test_cvat_parser.py
```

```
test_cvat_robustness.py
```

test_db.py
test_downloader.py
test_import_guard.py

14. assistant (2026-07-02T03:00:04.662Z)

All claims verified. Calling StructuredOutput.

15. user (2026-07-02T03:00:17.738Z)

Structured output provided successfully