

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a7aba5e9bab855c69.jsonl`  
- SHA-256: `70298cfe8380789f7fb446d1077e27c8b1f8ada95c7cbfcf2dba54346a99d045`  
- Source modified: `2026-07-02T03:02:34+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T03:01:04.514Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.

A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer:

```
{  
  "title": "trackers git dependency pinned to a mutable tag (not a commit SHA) and duplicated in 5 files",  
  "category": "security",  
  "severity": "P2",  
  "file": "requirements.txt",  
  "line": 29,  
  "evidence": "requirements.txt:29 `trackers @git+https://github.com/roboflow/trackers.git@2.5.0` ? a movable tag, not a SHA. Identical literal hard-coded in .github/workflows/ci.yml:132, .github/workflows/nightly.yml:135, deploy/cloudrun/Dockerfile:62, deploy/digitalocean/bootstrap.sh:46; requirements.txt:25-28 itself warns these must be edited in lockstep or lanes/boxes silently resolve different versions.",  
  "why_it_matters": "A mutable tag on a third-party repo is a supply-chain injection point straight into CI, the Cloud Run image, and GPU boxes; the 5-way duplication is proven drift fuel the repo's own comments acknowledge.",  
  "proposed_fix": "Pin to the full commit SHA of the 2.5.0 tag (git installs accept `@<sha>`), and single-source the ref (e.g. a constraints file or env consumed by CI, Dockerfile, and bootstrap) ? folds naturally into the #384 CI single-sourcing work. Drop the git dep entirely once roboflow/trackers#474 (broken PyPI wheel) is fixed upstream.",  
  "effort": "S",  
  "tracked_in": "https://github.com/Khelsutra/badminton-highlight-indexer/issues/384 (single-sourcing aspect only)"  
}
```

Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer, C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator, C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field; non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup', C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast).

VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training, product/strategy/licensing, real cloud spend, counsel ToS/DPA?

HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you

personally saw the defect/debt in current code; if you cannot reproduce the claim from the code, say REFUTED; if a commit fixed it, ALREADY_FIXED.

2. user (2026-07-02T03:01:15.285Z)

Already up to date.

e410136 api: /api/videos surfaces fps + resolution (from the stored ffprobe details) (#413)
81a78bf api: /api/videos returns video_id + a friendly match_name (fix disappearing name) (#412)
8b16cf4 docs: reflect today's storage endpoints + the corpus/user-video boundary (#411)

3. user (2026-07-02T03:01:19.745Z)

```
1      fastapi>=0.111.0
2      uvicorn>=0.30.1
3      opencv-python>=4.9.0.80
4      numpy>=1.26.4
5      pydantic>=2.7.1
6      jinja2>=3.1.4
7      python-dotenv>=1.0.0
8      google-genai>=2.4.0
9      # torch/torchvision are listed here but deliberately NOT in pyproject.toml
10     # [project.dependencies]. Their CPU/CUDA wheels need an out-of-band index
11     # (--index-url / --extra-index-url) that PEP 621 cannot express. Install
12     # them separately matching your hardware:
13     #   NVIDIA GPU: pip install torch torchvision --index-url
https://download.pytorch.org/whl/cu124
14     #   CPU only:   pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
15     # CI installs CPU torch on its own line in .github/workflows/ci.yml.
16     torch>=2.12.0
17     torchvision>=0.27.0
18     supervision>=0.21.0
19     # D13/P12: ByteTrack moved out of `supervision` (removed in 0.30.0) to the standalone
20     # `trackers` package. The PyPI wheel is BROKEN (ships metadata only, no source ? see
21     # https://github.com/roboflow/trackers/issues/474), so install from git until fixed:
22     #   pip install "trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
23     # (Apache-2.0; depends on supervision >=0.26.1, so it composes cleanly.)
24     # NOTE: roboflow/trackers uses bare version tags (2.5.0), NOT v-prefixed.
25     # PIN-DUPLICATION (mirrors the torch carve-out): this exact ref is ALSO hard-coded in
26     # .github/workflows/ci.yml + nightly.yml (full-suite lanes) and
deploy/digitalocean/bootstrap.sh
27     # + deploy/cloudrun/Dockerfile ? edit ALL of them in lockstep on a bump, or the
lanes/boxes
28     # silently resolve different versions.
29     trackers @ git+https://github.com/roboflow/trackers.git@2.5.0
30     scipy>=1.10
31
32     # Per-video observability reports (SOFT dependency: the pipeline degrades to a
33     # no-op if absent). Shared, permissively-licensed report toolkit. Pin a tag once
34     # the private repo is published, e.g.:
35     #   obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3
36     # For local development install it editable from a sibling checkout:
37     #   pip install -e ../sports-obsreport --no-build-isolation
38
```

4. user (2026-07-02T03:01:29.268Z)

No matches found

5. user (2026-07-02T03:01:34.576Z)

badminton-highlight-indexer\requirements.txt:21:#
https://github.com/roboflow/trackers/issues/474), so install from git until fixed:
badminton-highlight-indexer\requirements.txt:22:# pip install "trackers @

```

git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\requirements.txt:24:# NOTE: roboflow/trackers uses bare version tags
(2.5.0), NOT v-prefixed.
badminton-highlight-indexer\requirements.txt:29:trackers @
git+https://github.com/roboflow/trackers.git@2.5.0
badminton-highlight-indexer\deploy\cloudrun\Dockerfile:59:# roboflow/trackers#474) so it's NOT
pulled by `pip install .`; install it out-of-band before
badminton-highlight-indexer\deploy\cloudrun\Dockerfile:62:    && python3 -m pip install
"trackers @ git+https://github.com/roboflow/trackers.git@2.5.0" \
badminton-highlight-indexer\.github\workflows\nightly.yml:135:        run: python -m pip install
"trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\.github\workflows\ci.yml:127:        # source ?
roboflow/trackers#474), so it MUST come from git. PEP 621 can't
badminton-highlight-indexer\.github\workflows\ci.yml:131:        # NOTE: roboflow/trackers uses
bare version tags (2.5.0), NOT v-prefixed.
badminton-highlight-indexer\.github\workflows\ci.yml:132:        run: python -m pip install
"trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\deploy\digitalocean\bootstrap.sh:42:# `trackers` package. Git-only
dep (PyPI wheel is metadata-only ? roboflow/trackers#474),
badminton-highlight-indexer\deploy\digitalocean\bootstrap.sh:46: pip install "trackers @
git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\docs\CODE_CLEANUP_AUDIT_2026-06-24.md:282:[Omitted long matching
line]

```

6. assistant (2026-07-02T03:01:44.396Z)

All five cited locations confirmed at the exact lines. Now check whether a recent commit already fixed or changed this, and check issue #384.

7. user (2026-07-02T03:01:46.963Z)

```

af1ccbe chore(#399): launch-PR process hardening ? link-check CI, PR template, doc cross-links
(#402)
ffb1f53 ci: harden the 'System libs' apt step against the runner's Microsoft-repo 403 flake
(#391)
3624a8d feat(D13/P12): migrate ByteTrack to standalone trackers package (#386)
9972057 ci: add Tier-1 nightly quality-regression workflow (#381)
3a34c42 ci: add per-job timeout-minutes to every ci.yml job (hardening) (#382)
627ff68 docs: explain torch split between requirements.txt and pyproject.toml (Q5) (#359)
5fb55e9 fix(cloudrun): install [storage-gcs] so the cloud worker can read/write gs:// (#337)
2c8b3a3 feat(serving): P3a ? micromamba + conda-forge for the Cloud Run WASB env (no Anaconda
ToS) (#334)
5c2eec8 chore(security): P0 (safe scope) ? scrub personal paths from code + add leak-scan CI
guard (#314)
e8bad40 feat(pkg): P0d ? declare scipy (undeclared serving dep) + license-scan & built-wheel CI
lanes (#297)

```

8. user (2026-07-02T03:01:48.410Z)

OPEN | ci: single-source the shared offline guard lanes + coverage floor via a workflow_call reusable

9. assistant (2026-07-02T03:02:07.965Z)

All verification points check out. Let me confirm the Dockerfile and bootstrap contexts are live install paths (not dead code).

10. user (2026-07-02T03:02:09.474Z)

```

55      # gs:// outputs/done-marker through backend.storage (google-cloud-storage is lazy-
imported there).
56      # Without it the job dies at the first gs:// fetch with `ModuleNotFoundError:
google.cloud` ? the
57      # real-Cloud-Run failure the mock-client tests can't see (the bucket I/O is faked in

```

```

tests).
58      # D13/P12: `trackers` (ByteTrack's new home) is a git-only dep (broken PyPI wheel ?
59      # roboflow/trackers#474) so it's NOT pulled by `pip install .`; install it out-of-band
before
60      # the main env, or the person-cue path crashes with ModuleNotFoundError. Bare version
tag (no 'v').
61      RUN python3 -m pip install --upgrade pip \
62      && python3 -m pip install "trackers @
git+https://github.com/roboflow/trackers.git@2.5.0" \
63      && python3 -m pip install ".[storage-gcs]"
64
65      # The native runner finds the WASB env + repo by env (no `conda activate` needed);
weights come in at
66      # runtime (WASB-C3). detector_impl=native = the Linux-native WASB runner; cuda stays the
default.

```

11. user (2026-07-02T03:02:10.321Z)

```

120      # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
121      # need an out-of-band index that PEP 621 can't express. Keep installing
122      # them separately here, before the editable install pulls the rest.
123      run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
124      - name: Install trackers (git-only dep ? PyPI wheel is broken)
125      # D13/P12: ByteTrack moved out of `supervision` (removed in 0.30.0) to the
126      # standalone `trackers` package. Its PyPI wheel ships metadata only (no
127      # source ? roboflow/trackers#474), so it MUST come from git. PEP 621 can't
128      # express a git URL, so it's not in pyproject.toml (same pattern as torch).
129      # Installed here so the two D13/P12 tests in tests/test_person_detector.py
130      # actually run in CI instead of skipping via pytest.importorskip.
131      # NOTE: roboflow/trackers uses bare version tags (2.5.0), NOT v-prefixed.
132      run: python -m pip install "trackers @
git+https://github.com/roboflow/trackers.git@2.5.0"
133      - name: Install package (editable) + dev tooling
134      # Editable PEP 621 install: runtime deps + the `dev` group

```

12. user (2026-07-02T03:02:34.653Z)

Structured output provided successfully