

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a8c9b18493b277ffb.jsonl`  
- SHA-256: `fa33a342262784e54feb86e2b0c1b07b41e498e693d8bcd30d653d3e88d3968f`  
- Source modified: `2026-07-02T03:01:58+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T03:00:39.816Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.

A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer:

```
{  
  "title": "ruff and mypy are unpinned in CI and the dev extra ? a new upstream release can  
redde every PR and the nightly overnight",  
  "category": "ci-infra",  
  "severity": "P2",  
  "file": ".github/workflows/ci.yml",  
  "line": 30,  
  "evidence": "ci.yml:30 'python -m pip install ruff' and ci.yml:79 'python -m pip install mypy  
pydantic ...' install latest-at-run-time; nightly.yml:54 and nightly.yml:86 duplicate this;  
pyproject.toml:50-54 dev extra lists pytest/pytest-cov/ruff/mypy with no version bounds",  
  "why_it_matters": "Ruff minor releases routinely add rules to already-selected categories  
(W/B/I are selected in ruff.toml:13) and mypy releases change inference; either can turn all  
open PRs and the scheduled nightly red without any repo change ? and the nightly would auto-open  
a failure tracking issue (nightly.yml:232-280) for what is really tool drift, eroding trust in  
the red signal.",  
  "proposed_fix": "Pin the tool versions in one place (e.g. ruff==0.15.* and mypy==2.1.* in the  
dev extra, and have CI install via .[dev] instead of bare pip installs) and bump deliberately in  
dedicated PRs; folds naturally into the #384 workflow_call extraction.",  
  "effort": "S",  
  "tracked_in": ""  
}
```

Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer,
C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-
data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator,
C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field;
non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup',
C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast).

VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited
code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent
commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete
failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it
owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training,
product/strategy/licensing, real cloud spend, counsel ToS/DPA?

HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only
commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you
personally saw the defect/debt in current code; if you cannot reproduce the claim from the code,
say REFUTED; if a commit fixed it, ALREADY_FIXED.

2. user (2026-07-02T03:00:46.715Z)

```
1      name: CI
2
3      on:
4          push:
5              branches: [master]
6          pull_request:
7
8      permissions:
9          contents: read
10
11     concurrency:
12         group: ci-${{ github.ref }}
13         cancel-in-progress: true
14
15     jobs:
16         # Lint gate (ruff.toml at repo root): pyflakes/pycodestyle + bugbear.
17         # Also the repo-wide syntax guard ? ruff reports invalid-syntax on every
18         # tracked .py, including scripts/ and training/, which the backend-only
19         # py_compile smoke sweep does not reach.
20         lint:
21             name: Ruff lint
22             runs-on: ubuntu-latest
23             timeout-minutes: 10
24             steps:
25                 - uses: actions/checkout@v6
26                 - uses: actions/setup-python@v6
27                   with:
28                       python-version: "3.13"
29                 - name: Install ruff
30                   run: python -m pip install ruff
31                 - name: Ruff check
32                   run: ruff check . --output-format github
33
34         # PII / attribution leak guard (tools/leak_scan.py): fails on a committed 32-hex MD5
35         # (the video_id shape) or a personal absolute user path in the shipped-code surface
36         # (backend/training/scripts/tools/eval_baselines; tests/ excluded ? legit fixtures).
37         Real
38         guard.
39         # names are scanned only via a gitignored private list locally; CI runs the structural
40         leak-scan:
41             name: Leak scan (PII / attribution guard)
42             runs-on: ubuntu-latest
43             timeout-minutes: 10
44             steps:
45                 - uses: actions/checkout@v6
46                 - uses: actions/setup-python@v6
47                   with:
48                       python-version: "3.13"
49                 - name: Leak scan
50                   run: python -m tools.leak_scan
51
52         # Internal-link guard (tools/check_md_links.py): fails on a broken internal markdown
53         link
54         # (missing file or dead #anchor) in a LIVE doc. docs/archives/** is excluded ? frozen
55         # snapshots whose relative links are historical-by-design (see docs/DOC_STATUS.md §2).
56         link-check:
57             name: Markdown link check (live docs)
58             runs-on: ubuntu-latest
59             timeout-minutes: 10
60             steps:
61                 - uses: actions/checkout@v6
62                 - uses: actions/setup-python@v6
63                   with:
```

```

61         python-version: "3.13"
62     - name: Check internal markdown links
63       run: python -m tools.check_md_links
64
65     # Type gate (mypy.ini at repo root): lenient green baseline with an explicit
66     # per-module quarantine list ? ratchet by removing entries as modules clean
67     # up. Typed core deps are installed so mypy sees their real signatures
68     # (without them ignore_missing_imports would Any-stub half the checks).
69     typecheck:
70       name: Mypy (lenient baseline)
71       runs-on: ubuntu-latest
72       timeout-minutes: 10
73       steps:
74         - uses: actions/checkout@v6
75         - uses: actions/setup-python@v6
76           with:
77             python-version: "3.13"
78         - name: Install mypy + typed core deps
79           run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-
genai numpy
80     - name: Mypy
81       run: mypy backend training
82
83     # Fast guard against the 7fbb0 class of breakage: a SyntaxError or
84     # module-level import error shipping while the suite stays green.
85     # Deliberately does NOT install cv2/torch/numpy ? the smoke tests must hold
86     # on machines without the GPU stack (test_import_smoke stubs what's absent).
87     import-smoke:
88       name: Syntax sweep + import smoke (no GPU stack)
89       runs-on: ubuntu-latest
90       timeout-minutes: 10
91       steps:
92         - uses: actions/checkout@v6
93         - uses: actions/setup-python@v6
94           with:
95             python-version: "3.13"
96         - name: Install minimal deps
97           run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai
98     - name: Run import smoke tests
99       run: python -m pytest tests/test_import_smoke.py -v
100
101     full-suite:
102       name: Full test suite (offline, mocked)
103       runs-on: ubuntu-latest
104       timeout-minutes: 30
105       steps:
106         - uses: actions/checkout@v6
107         - uses: actions/setup-python@v6
108           with:
109             python-version: "3.13"
110             cache: pip
111         - name: System libs for opencv-python
112           run: |
113             # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it
periodically
114             # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing
the
115             # build on an unrelated repo we don't use. libgl1/libgl2.0 are in Ubuntu's
archive.
116             sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
117             sudo apt-get update
118             sudo apt-get install -y libgl1 libgl2.0-0t64 || sudo apt-get install -y
libgl1 libgl2.0-0
119     - name: Install CPU-only torch (no CUDA wheels on a CPU runner)

```

```

120         # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
121         # need an out-of-band index that PEP 621 can't express. Keep installing
122         # them separately here, before the editable install pulls the rest.
123         run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
124     - name: Install trackers (git-only dep ? PyPI wheel is broken)
125       # D13/P12: ByteTrack moved out of `supervision` (removed in 0.30.0) to the
126       # standalone `trackers` package. Its PyPI wheel ships metadata only (no
127       # source ? roboflow/trackers#474), so it MUST come from git. PEP 621 can't
128       # express a git URL, so it's not in pyproject.toml (same pattern as torch).
129       # Installed here so the two D13/P12 tests in tests/test_person_detector.py
130       # actually run in CI instead of skipping via pytest.importorskip.
131       # NOTE: roboflow/trackers uses bare version tags (2.5.0), NOT v-prefixed.
132       run: python -m pip install "trackers @
git+https://github.com/roboflow/trackers.git@2.5.0"
133     - name: Install package (editable) + dev tooling
134       # Editable PEP 621 install: runtime deps + the `dev` group
135       # (pytest, pytest-cov, httpx for the fastapi TestClient, ruff, mypy).
136       run: python -m pip install -e .[dev]
137     # obsreport (private, soft dep) is absent here: reporting tests skip via
138     # pytest.importorskip ? run_all_tests.py prints which. The coverage floor
139     # is therefore calibrated against THIS lane's number (local runs with
140     # obsreport installed measure a little higher).
141     # Floor calibrated 2026-06-11 against this lane's measured 72% (local
142     # with obsreport: 73%). Ratchet it UP as coverage grows; never down
143     # without an owner decision.
144     - name: Run full suite (with coverage floor)
145       run: python run_all_tests.py --cov=backend --cov=training --cov-report=term
--cov-fail-under=70
146
147     # Cross-OS determinism guard for the committed golden regression fixtures
148     # (docs/GOLDEN_REGRESSION_FIXTURES.md). The CONTROL replay path is pure-stdlib
149     # (only numpy, no cv2/torch), so this is a FAST, focused job ? it does NOT run
150     # the full suite x3 OSes. It replays the Windows/Linux/macOS runner against the
151     # committed (parse-compared) snapshots, catching any cross-OS float drift beyond
152     # the 1e-6 tolerance before it can flake a contributor's PR on another machine.
153     golden-crossos:
154       name: Golden fixtures cross-OS (${ matrix.os })
155       strategy:
156         fail-fast: false
157         matrix:
158           os: [ubuntu-latest, windows-latest, macos-latest]
159       runs-on: ${ matrix.os }
160       timeout-minutes: 15
161       steps:
162         - uses: actions/checkout@v6
163         - uses: actions/setup-python@v6
164           with:
165             python-version: "3.13"
166         - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
167           run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai numpy
168         - name: Golden-fixtures characterization (cross-OS determinism guard)
169           # Also runs the freeze-real / time-origin-reset / M2 refusal-gate tests
(synthetic /
170           # tmp_path only ? no GPU/network) so the reset metric-invariance (fix #2) and
the
171           # de-attribution paths get cross-OS coverage and surface any win/mac float
drift.
172           run: |
173             python -m backend.eval.golden_fixtures --check
174             python -m pytest tests/test_golden_fixtures.py
tests/test_golden_real_fixtures.py -q
175
176     # Commercial-clean licensing guardrail (MIT/Apache/BSD only ? PACKAGING_PLAN.md P0d).

```

```

Scans the
177     # RUNTIME dependency closure (`pip install .` ? no torch/dev) and fails on any
copyleft
178     # (GPL/AGPL/LGPL/SSPL). torch (BSD-3) is installed out-of-band and is not in this
closure. This
179     # automates a guardrail that was human-only; the report is printed for review either
way.
180     # D13/P12 carve-out: `trackers` (Apache-2.0; ByteTrack's new home) is also git-only
and thus
181     # absent from this pyproject closure ? UNguarded here, same shape as torch. It's
Apache-2.0 and
182     # depends only on the still-declared `supervision` (MIT), so the closure is clean
today; if
183     # `trackers` ever pulls a new transitive dep, this gate won't catch it ? audit on
bump.
184     license-scan:
185         name: Dependency license scan (no copyleft in runtime deps)
186         runs-on: ubuntu-latest
187         timeout-minutes: 15
188         steps:
189             - uses: actions/checkout@v6
190             - uses: actions/setup-python@v6
191               with:
192                 python-version: "3.13"
193             - name: Install runtime deps + pip-licenses
194               run: |
195                 python -m pip install .
196                 python -m pip install pip-licenses
197             - name: Report dependency licenses
198               run: python -m piplicenses --format=markdown --with-urls --order=license
199             - name: Fail on any copyleft (GPL/AGPL/LGPL/SSPL) in the runtime closure
200               run: |
201                 if python -m piplicenses --format=plain | grep -iE "GPL|SSPL"; then
202                     echo "::error::A runtime dependency carries a copyleft (GPL/AGPL/LGPL/SSPL)
license ? the guardrail is MIT/Apache/BSD only. Review the report above."
203                 exit 1
204             fi
205             echo "OK: no GPL/AGPL/LGPL/SSPL in the runtime dependency closure."
206
207     # Built-wheel smoke (PACKAGING_PLAN.md P0d): build the wheel, install it NON-editable
from a
208     # non-repo cwd, and launch the console script. Catches packaging regressions the
source suite
209     # can't ? namespace-package resolution (backend has no __init__.py), missing data
files, hidden
210     # imports. (Validated locally: a clean-venv wheel install + CPU torch runs `indexer
--help`.)
211     build-artifact:
212         name: Built wheel smoke (install + launch)
213         runs-on: ubuntu-latest
214         timeout-minutes: 30
215         steps:
216             - uses: actions/checkout@v6
217             - uses: actions/setup-python@v6
218               with:
219                 python-version: "3.13"
220             - name: System libs for opencv-python
221               run: |
222                 # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it
periodically
223                 # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing
the
224                 # build on an unrelated repo we don't use. libgl1/libgl2.0 are in Ubuntu's
archive.
225                 sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*

```

```

226         sudo apt-get update
227         sudo apt-get install -y libgl1 libglu1-mesa-dev || sudo apt-get install -y
libgl1 libglu1-mesa-dev
228     - name: Build the wheel
229       run: |
230         python -m pip install build
231         python -m build --wheel
232     - name: Install the built wheel + CPU torch (out-of-band index)
233       run: |
234         python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
235         python -m pip install dist/*.whl
236     - name: Launch the installed console script from a non-repo dir
237       run: |
238         cd /tmp
239         indexer --help
240         python -c "import backend, training, backend.utils.app_home; print('wheel
import OK')"
241

```

3. user (2026-07-02T03:00:47.131Z)

```

1     # PEP 621 packaging for the badminton/sports highlight indexer (DEFERRED #7).
2     #
3     # Build backend: hatchling. `backend/` is an intentional NAMESPACE package
4     # (no `backend/__init__.py`; mypy.ini sets explicit_package_bases for the same
5     # reason), so the wheel target packages are listed EXPLICITLY below ? hatchling's
6     # auto-detection would otherwise miss the un-__init__.d `backend` root.
7     #
8     # torch/torchvision are deliberately NOT listed in [project.dependencies]:
9     # their CPU/CUDA wheels need an out-of-band index (--index-url / --extra-index-url),
10    # which PEP 621 cannot express. Install them separately ? see [project.optional-
dependencies]
11    # `gpu` (documentation only) and the README. CI installs CPU torch on its own line.
12    [build-system]
13    requires = ["hatchling"]
14    build-backend = "hatchling.build"
15
16    [project]
17    name = "badminton-highlight-indexer"
18    version = "0.1.0"
19    description = "AI-assisted rally segmentation and highlight indexing for racket sports."
20    readme = "README.md"
21    requires-python = ">=3.10"
22    license = { text = "MIT" }
23    authors = [{ name = "Avi Dullu", email = "avi.dullu@gmail.com" }]
24    keywords = ["badminton", "sports", "video", "highlights", "rally", "segmentation"]
25
26    # Runtime deps mirror requirements.txt, EXCEPT torch/torchvision (see header).
27    dependencies = [
28        "fastapi>=0.111.0",
29        "uvicorn>=0.30.1",
30        "opencv-python>=4.9.0.80",
31        "numpy>=1.26.4",
32        "pydantic>=2.7.1",
33        "jinja2>=3.1.4",
34        "python-dotenv>=1.0.0",
35        "google-genai>=2.4.0",
36        "supervision>=0.21.0",
37        # Used directly on the serving path (backend/features/rally_seq.py: uniform_filter1d
/
38        # maximum_filter1d); previously present only TRANSITIVELY via supervision, so a
supervision
39        # bump or a pruned-transitive freeze could silently break inference. Declare it.
(BSD-3.)

```

```

40     "scipy>=1.10",
41     # D13/P12: ByteTrack moved to the standalone `trackers` package (Apache-2.0). Its
42     # PyPI wheel is broken (metadata-only), so it MUST be installed from git ? see
43     # requirements.txt. PEP 621 cannot express a git URL, so it's NOT listed here
44     # (same pattern as torch/torchvision). CI installs it on its own line.
45 ]
46
47 [project.optional-dependencies]
48 # Test + lint/type tooling ? matches the CI lanes (.github/workflows/ci.yml).
49 dev = [
50     "pytest",
51     "pytest-cov",
52     "httpx",          # fastapi TestClient transport
53     "ruff",
54     "mypy",
55     "PyJWT[crypto]>=2.8", # M9 edge-auth: Cf-Access JWT verify (RS256) ? tests + CI
56 ]
57
58 # M9 edge-auth (Cloudflare Access). DEFAULT-OFF: only needed when
security.edge_auth_enabled=True.
59 # `jwt` is lazy-imported, so the base runtime works without this; install it for
hosted/multi-tenant.
60 auth = ["PyJWT[crypto]>=2.8"]
61
62 # Per-video observability reports (SOFT dependency: the pipeline degrades to a
63 # no-op if absent). Pinned to its git tag per BACKLOG. The private repo is
64 # fetched over SSH; if you lack access, simply omit this group ? reporting
65 # tests skip via pytest.importorskip. For local dev against a sibling checkout:
66 # pip install -e ../sports-obsreport --no-build-isolation
67 reporting = [
68     "obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3",
69 ]
70
71 # `gpu` is DOCUMENTATION ONLY ? it is intentionally empty. torch/torchvision
72 # CUDA wheels require `--index-url`/`--extra-index-url`, which PEP 621 cannot
73 # express, so they are NOT declarable here. Install them out-of-band instead:
74 # # CUDA 12.4 box:
75 # pip install torch>=2.12.0 torchvision>=0.27.0 --index-url
https://download.pytorch.org/whl/cu124
76 # # CPU-only box (also what CI uses):
77 # pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
78 gpu = []
79
80 # Storage backends (docs/DECOUPLED_COMPUTE/). The default `local` backend needs NONE of
81 # these. Cloud SDKs are imported lazily, so `import backend.storage` works without them;
82 # install the extra for the bucket you use. (boto3's S3 client covers AWS + Cloudflare
R2 +
83 # DO Spaces + MinIO via endpoint_url.) `gdrive://` needs NO extra ? it reads a locally
84 # MOUNTED Google Drive (Google Drive for Desktop) as plain files; see
backend/storage/gdrive.py.
85 storage-s3 = ["boto3>=1.34"]
86 storage-gcs = ["google-cloud-storage>=2.16"]
87
88 [project.scripts]
89 # `indexer --server`, `indexer --help`, etc. -> backend/main.py::main()
90 indexer = "backend.main:main"
91
92 [tool.hatch.metadata]
93 # The `reporting` extra pins obsreport to a git tag (a PEP 508 *direct
94 # reference*); hatchling requires opting in to allow those in metadata.
95 allow-direct-references = true
96
97 [tool.hatch.build.targets.wheel]
98 # `backend` is a namespace package (no __init__.py); list both import roots
99 # explicitly so an editable/wheel install exposes `import backend` and

```

```
100 # `import training` regardless of cwd.
101 packages = ["backend", "training"]
102
```

4. user (2026-07-02T03:00:54.809Z)

```
40     cancel-in-progress: true
41
42     jobs:
43       # Lint gate (ruff.toml at repo root) ? mirrors ci.yml::lint.
44       lint:
45         name: Nightly · Ruff lint
46         runs-on: ubuntu-latest
47         timeout-minutes: 10
48         steps:
49           - uses: actions/checkout@v6
50           - uses: actions/setup-python@v6
51             with:
52               python-version: "3.13"
53           - name: Install ruff
54             run: python -m pip install ruff
55           - name: Ruff check
56             run: ruff check . --output-format github
57
58       # PII / attribution leak guard (tools/leak_scan.py) ? mirrors ci.yml::leak-scan.
59       # A structural-rot guard: fails on a committed 32-hex MD5 (the video_id shape)
60       # or a personal absolute user path in the shipped-code surface.
61       leak-scan:
62         name: Nightly · Leak scan (PII / attribution guard)
63         runs-on: ubuntu-latest
64         timeout-minutes: 10
65         steps:
66           - uses: actions/checkout@v6
67           - uses: actions/setup-python@v6
68             with:
69               python-version: "3.13"
70           - name: Leak scan
71             run: python -m tools.leak_scan
72
73       # Type gate (mypy.ini at repo root) ? mirrors ci.yml::typecheck. Typed core
74       # deps are installed so mypy sees real signatures (without them
75       # ignore_missing_imports would Any-stub half the checks).
76       typecheck:
77         name: Nightly · Mypy (lenient baseline)
78         runs-on: ubuntu-latest
79         timeout-minutes: 10
80         steps:
81           - uses: actions/checkout@v6
82           - uses: actions/setup-python@v6
83             with:
84               python-version: "3.13"
85           - name: Install mypy + typed core deps
86             run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-
87               genai numpy
88           - name: Mypy
89             run: mypy backend training
90
91       # Syntax sweep + import smoke (no GPU stack) ? mirrors ci.yml::import-smoke.
92       # Guards the "SyntaxError / module-level import error shipping while the suite
93       # stays green" class. Deliberately does NOT install cv2/torch/numpy.
94       import-smoke:
95         name: Nightly · Syntax sweep + import smoke (no GPU stack)
96         runs-on: ubuntu-latest
97         timeout-minutes: 10
98         steps:
```



```
98         - uses: actions/checkout@v6
99         - uses: actions/setup-python@v6
```

5. user (2026-07-02T03:00:55.319Z)

```
1      # Lint-only lane (no `ruff format` enforcement ? a whole-repo reformat would
2      # bury blame history for zero behavior value).
3      #
4      # Selected: pyflakes + pycodestyle errors (ruff defaults) + pycodestyle
5      # warnings (W) + bugbear (B) + isort (I ? consistent import ordering).
6      target-version = "py38"
7
8      # scratch/ = throwaway debugging scripts that may hit real APIs; it is also
9      # excluded from pytest collection (see pytest.ini).
10     extend-exclude = ["scratch"]
11
12     [lint]
13     extend-select = ["W", "B", "I"]
14
15     [lint.per-file-ignores]
16     # Entrypoint scripts deliberately run setup (load_dotenv, logging config,
17     # sys.path) before importing backend modules ? import order is load-bearing.
18     "backend/main.py" = ["E402"]
19     "scripts/run_phase3_eval.py" = ["E402"]
20     "scripts/run_process_and_stitch.py" = ["E402"]
21
```

6. user (2026-07-02T03:01:05.259Z)

```
225     # Failure visibility ? a silent nightly is useless. Scheduled runs have no PR
226     # to redden and nobody is watching the Actions tab on a quiet day (the exact
227     # "rot during quiet periods" this workflow exists to catch). On ANY guard
228     # failure, open/refresh a single tracking issue so a human is pinged. Uses the
229     # built-in GITHUB_TOKEN (no secrets); `issues: write` is scoped to THIS job
230     # only ? the guard jobs above keep `contents: read`. Gated on event_name ==
231     # 'schedule': a manual `workflow_dispatch` run is being watched, so no issue.
232     notify-on-failure:
233       name: Nightly · Surface failure (open/refresh tracking issue)
234       needs: [lint, leak-scan, typecheck, import-smoke, full-suite, golden-fixtures,
license-scan, build-artifact]
235       if: failure() && github.event_name == 'schedule'
236       runs-on: ubuntu-latest
237       timeout-minutes: 5
238       permissions:
239         contents: read
240         issues: write
241       steps:
242         - uses: actions/github-script@v7
243           with:
244             script: |
245               const runUrl =
`${context.serverUrl}/${context.repo.owner}/${context.repo.repo}/actions/runs/${context.runId}`;
246               const title = 'Nightly quality regression FAILED';
247               const body = [
248                 'The Tier-1 nightly offline quality guard failed.',
249                 '',
250                 `  - Run: ${runUrl}`,
251                 `  - Date (UTC): ${new Date().toISOString()}`,
252                 '',
253                 'One of ruff / leak-scan / mypy / import-smoke / full-suite (cov>=70) /',
254                 'golden-fixtures / license-scan / build-artifact regressed.',
255                 'Open the run for the failing lane. Close this issue once green.',
256               ].join('\n');
257               // Reuse a single open tracking issue instead of spamming one per night.
258               const existing = await github.rest.issues.listForRepo({
```

```

259         owner: context.repo.owner,
260         repo: context.repo.repo,
261         state: 'open',
262         labels: 'nightly-failure',
263         per_page: 1,
264     });
265     if (existing.data.length > 0) {
266         await github.rest.issues.createComment({
267             owner: context.repo.owner,
268             repo: context.repo.repo,
269             issue_number: existing.data[0].number,
270             body,
271         });
272     } else {
273         await github.rest.issues.create({
274             owner: context.repo.owner,
275             repo: context.repo.repo,
276             title,
277             body,
278             labels: ['nightly-failure'],
279         });
280     }
281

```

7. user (2026-07-02T03:01:06.964Z)

af1ccbe chore(#399): launch-PR process hardening ? link-check CI, PR template, doc cross-links (#402)

ffb1f53 ci: harden the 'System libs' apt step against the runner's Microsoft-repo 403 flake (#391)

3624a8d feat(D13/P12): migrate ByteTrack to standalone trackers package (#386)

9972057 ci: add Tier-1 nightly quality-regression workflow (#381)

3a34c42 ci: add per-job timeout-minutes to every ci.yml job (hardening) (#382)

5c2eec8 chore(security): P0 (safe scope) ? scrub personal paths from code + add leak-scan CI guard (#314)

e8bad40 feat(pkg): P0d ? declare scipy (undeclared serving dep) + license-scan & built-wheel CI lanes (#297)

aac7633 feat(serving): M9-auth ? Cloudflare Access edge-auth + per-tenant owner_id (default-OFF) (#290)

38c2d0f feat(storage): gdrive:// reads a locally MOUNTED Google Drive (no API) (#258)

6878d45 feat(storage): pluggable StorageBackend ? local + S3/GCS first-class buckets (#249)

7d84319 fix(eval): golden-fixtures audit hardening ? close source_note/label leak + 16 confirmed audit fixes (#194)

adb88f4 ci(eval): cross-OS determinism guard for golden fixtures + reconcile project tracker (#191)

c143f40 feat(packaging): PEP 621 pyproject + editable install + entry point (DEFERRED #7)

7717e15 ci: bump checkout and setup-python to Node-24 majors (v6) (#98)

7d007af ci: coverage floor on the full-suite lane (ratchet-only) (#95)

master...origin/master

8. user (2026-07-02T03:01:37.759Z)

384
ci: single-source the shared offline guard lanes + coverage floor via a workflow_call reusable
OPEN

9. assistant (2026-07-02T03:01:43.711Z)

All claims verified against the current working tree (master, level with origin/master).

10. user (2026-07-02T03:01:58.512Z)

Structured output provided successfully