

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-ad133197e18a7e670.jsonl`  
- SHA-256: `8462f7e6cc77e3633e30c4c8e6b7fc069294ab90963131875fbd551df413281c`  
- Source modified: `2026-07-02T03:02:48+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T03:00:39.331Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.

A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer:

```
{  
  "title": "17 obsreport-gated reporting tests never run in any CI lane (count grew from the remembered 12)",  
  "category": "test-gap",  
  "severity": "P2",  
  "file": "tests/test_reporting_harvest.py",  
  "line": 11,  
  "evidence": "Module-level pytest.importorskip('obsreport') at tests/test_reporting_harvest.py:11 (14 test functions), tests/test_reporting_spec_faq.py:14 (2 tests), plus tests/test_api_endpoints.py:889 (1 test) = 17 tests; obsreport is a private git+ssh dep (pyproject.toml:67-69, pinned @v0.1.3) that no CI lane installs ? ci.yml:137-140 explicitly documents the skip; project memory's '12 obsreport skips' is stale",  
  "why_it_matters": "The entire obsreport integration surface (harvest + spec/FAQ + the report-writer endpoint path) is verified only on the owner box. A breaking obsreport tag bump or a regression in backend reporting glue keeps CI fully green, and the skip count is growing unnoticed because CI runs -q with no -ra.",  
  "proposed_fix": "Give one CI lane read access to the private sports-obsreport repo (deploy key or fine-grained PAT as a repo secret) and install the reporting extra in the full-suite job so the 17 tests execute; alternatively add a contract-stub test that fails loudly when the obsreport API shape changes.",  
  "effort": "M",  
  "tracked_in": ""  
}
```

Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer, C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator, C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field; non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup', C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast).

VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training, product/strategy/licensing, real cloud spend, counsel ToS/DPA?

HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you personally saw the defect/debt in current code; if you cannot reproduce the claim from the code,

say REFUTED; if a commit fixed it, ALREADY_FIXED.

2. user (2026-07-02T03:00:51.239Z)

e410136 api: /api/videos surfaces fps + resolution (from the stored ffprobe details) (#413)
81a78bf api: /api/videos returns video_id + a friendly match_name (fix disappearing name) (#412)
8b16cf4 docs: reflect today's storage endpoints + the corpus/user-video boundary (#411)
aa915a7 deploy/gcp: centralize project + bucket names in one sourced buckets.env (#410)
52d97b5 P4: POST /api/assets ? store a video into the user's chosen medium (#409)
master

3. user (2026-07-02T03:00:51.803Z)

```
1      """Tests for the indexer observability harvest + footgun rules.
2
3      These exercise the broken-run scenarios the report is meant to make debuggable.
4      obsreport is a soft dependency; skip cleanly if it isn't installed.
5      """
6
7      import os
8
9      import pytest
10
11     pytest.importorskip("obsreport")
12
13     from backend.pipeline.validators.base import ValidationResult # noqa: E402
14     from backend.reporting import emit_indexer_report, harvest, run_signals # noqa: E402
15
16
17     class _FakeDB:
18         def __init__(self, play=None, candidates=None, existing=False):
19             self._play = play or []
20             self._candidates = candidates or []
21             self._existing = existing
22
23         def query_play_segments(self, video_id, filters):
24             return list(self._play)
25
26         def query_candidate_segments(self, video_id, detector=None, only_unlabeled=False):
27             return list(self._candidates)
28
29         def get_video(self, video_id):
30             return {"id": video_id} if self._existing else None
31
32
33     def _vr(name, passed, message="ok"):
34         return ValidationResult(validator_name=name, passed=passed, message=message)
35
36
37     _FFPROBE_OK = {
38         "streams": [
39             {
40                 "width": 1920,
```

4. user (2026-07-02T03:01:00.162Z)

```
78: def test_healthy_run_is_clean(monkeypatch):
91: def test_silent_provider_noop_fires_when_no_key_and_zero_segments(monkeypatch):
100: def test_ai_empty_warns_when_key_present_but_zero_segments(monkeypatch):
109: def test_oversize_clip_skip_flags_error(monkeypatch):
119: def test_no_oversize_signal_records_zero_and_stays_clean(monkeypatch):
126: def test_emit_consumes_run_signals_and_flags_report(tmp_path, monkeypatch):
153: def test_motion_segmenter_flags_synthetic_metadata(monkeypatch):
166: def test_segmenter_divergence_fires_only_without_explicit_override(monkeypatch):
```

```

177: def test_reingest_info_flag(monkeypatch):
183: def test_validation_failure_halts_and_flags(monkeypatch):
200: def test_fps_fallback_flag_when_no_probe_but_segmented(monkeypatch):
207: def test_emit_writes_files_next_to_video(tmp_path, monkeypatch):
236: def test_emit_accepts_typed_appconfig(tmp_path, monkeypatch):
265: def test_emit_disabled_via_config(tmp_path, monkeypatch):

```

5. user (2026-07-02T03:01:00.927Z)

```

1      """Golden guard: every footgun rule's faq_ref must resolve to a real README heading.
2
3      This is the committed backbone of report debuggability ? if a rule cites README#Qn,
4      that section must exist, so a reader who follows the pointer always lands somewhere.
5      (A fresh-reader eval found a rule citing the wrong-but-existing section; an existence
6      test can't catch *semantic* mismatch, but it locks the floor: no dangling anchors.)
7      """
8
9      import re
10     from pathlib import Path
11
12     import pytest
13
14     pytest.importorskip("obsreport")
15     from obsreport import load_spec # noqa: E402
16
17     ROOT = Path(__file__).resolve().parent.parent
18     SPEC = ROOT / "backend" / "reporting" / "spec.yaml"
19     README = ROOT / "README.md"
20
21
22     def _headings(md: str):
23         return [
24             ln.lstrip("#").strip() for ln in md.splitlines() if ln.lstrip().startswith("#")
25         ]
26
27
28     def _slug(h: str) -> str:
29         s = re.sub(r"^[^w\s-]", "", h.lower())
30         return re.sub(r"\s+", "-", s.strip())
31
32
33     def _anchor_resolves(anchor: str, headings) -> bool:
34         a = anchor.lower()
35         for h in headings:
36             hl = h.lower()
37             if (
38                 hl == a
39                 or hl.startswith(a + ":")
40                 or hl.startswith(a + " ")
41                 or hl.startswith(a + ".")
42             ):
43                 return True # Q-number style: "Q7" -> "### Q7: ..."
44             if _slug(h) == a:
45                 return True # full GitHub slug match
46         return False
47
48
49     def test_every_rule_faq_ref_resolves_to_a_readme_heading():
50         spec = load_spec(SPEC)
51         headings = _headings(README.read_text(encoding="utf-8"))
52         unresolved = []
53         for rule in spec.rules:
54             if not rule.faq_ref:
55                 continue
56             file_part, _, anchor = rule.faq_ref.partition("#")

```

```

57         if file_part in ("README", "README.md"):
58             if not _anchor_resolves(anchor, headings):
59                 unresolved.append((rule.code, rule.faq_ref))
60         elif file_part in (
61             "VIDEO_RECORDING_GUIDELINES",
62             "VIDEO_RECORDING_GUIDELINES.md",
63             "AUDIO_RALLY_DETECTION_PLAN",
64             "AUDIO_RALLY_DETECTION_PLAN.md",
65         ):
66             # These are dedicated guidance docs surfaced from report rules (Input
Quality
67             # extension). The whole document is the destination; no #Q anchor required.
68             pass
69         else:
70             unresolved.append((rule.code, rule.faq_ref))
71     assert not unresolved, (
72         f"faq_ref anchors with no matching README heading: {unresolved}"
73     )
74
75
76 def test_actionable_rules_have_faq_refs():
77     """error/warn findings must cite a FAQ (info may omit). Belt-and-suspenders on top
78     of obsreport's own spec-load validation."""
79     spec = load_spec(SPEC)
80     missing = [
81         r.code for r in spec.rules if r.severity in ("error", "warn") and not r.faq_ref
82     ]
83     assert not missing, f"actionable rules missing faq_ref: {missing}"
84

```

6. user (2026-07-02T03:01:10.345Z)

```

880-     )
881-     assert r.status_code == 404
882-
883-
884-def test_process_uri_input_writes_no_scheme_dir_at_repo_root(env):
885-     """#397 regression: a local://<file> input must NOT leave a literal scheme dir (local://,
gcs://,
886-     gs:/) at the repo root. The report writer (obsreport) does os.path.abspath(video_path);
given a
887-     raw URI that collapses to a './local:/' dir under cwd. emit_indexer_report must receive
the
888-     RESOLVED local path, so no scheme dir is ever created."""
889-     pytest.importorskip("obsreport") # the report writer is a no-op without it
890-     client, db, tmp_path, mp = env
891-     vid = _video(tmp_path, "ls.mp4")
892-     mp.setattr(m.registry, "run_all_with_context", lambda *a, **k: (_pass(), {}))
893-     mp.setattr(m.segmenter_registry, "get", lambda name: _FakeSeg)
894-     before = {s for s in ("local:", "gcs:", "gs:", "s3:", "gdrive:") if os.path.isdir(s)}
895-     uri = "local://" + str(vid).replace("\\", "/")

```

7. user (2026-07-02T03:01:11.131Z)

```

55     "PyJWT[crypto]>=2.8", # M9 edge-auth: Cf-Access JWT verify (RS256) ? tests + CI
56 ]
57
58     # M9 edge-auth (Cloudflare Access). DEFAULT-OFF: only needed when
security.edge_auth_enabled=True.
59     # `jwt` is lazy-imported, so the base runtime works without this; install it for
hosted/multi-tenant.
60     auth = ["PyJWT[crypto]>=2.8"]
61
62     # Per-video observability reports (SOFT dependency: the pipeline degrades to a
63     # no-op if absent). Pinned to its git tag per BACKLOG. The private repo is

```

```

64 # fetched over SSH; if you lack access, simply omit this group ? reporting
65 # tests skip via pytest.importorskip. For local dev against a sibling checkout:
66 # pip install -e ../sports-obsreport --no-build-isolation
67 reporting = [
68     "obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3",
69 ]
70
71 # `gpu` is DOCUMENTATION ONLY ? it is intentionally empty. torch/torchvision
72 # CUDA wheels require `--index-url`/`--extra-index-url`, which PEP 621 cannot
73 # express, so they are NOT declarable here. Install them out-of-band instead:
74 # # CUDA 12.4 box:
75 # pip install torch>=2.12.0 torchvision>=0.27.0 --index-url
https://download.pytorch.org/whl/cu124
76 # # CPU-only box (also what CI uses):
77 # pip install torch torchvision --index-url https://download.pytorch.org/whl/cpu
78 gpu = []
79
80 # Storage backends (docs/DECOUPLED_COMPUTE/). The default `local` backend needs NONE of
81 # these. Cloud SDKs are imported lazily, so `import backend.storage` works without them;
82 # install the extra for the bucket you use. (boto3's S3 client covers AWS + Cloudflare
R2 +
83 # DO Spaces + MinIO via endpoint_url.) `gdrive://` needs NO extra ? it reads a locally
84 # MOUNTED Google Drive (Google Drive for Desktop) as plain files; see
backend/storage/gdrive.py.

```

8. user (2026-07-02T03:01:25.203Z)

badminton-highlight-indexer\.github\workflows\nightly.yml-51-	with:
badminton-highlight-indexer\.github\workflows\nightly.yml-52-	python-version: "3.13"
badminton-highlight-indexer\.github\workflows\nightly.yml-53-	- name: Install ruff
badminton-highlight-indexer\.github\workflows\nightly.yml:54:	run: python -m pip install
ruff	
badminton-highlight-indexer\.github\workflows\nightly.yml-55-	- name: Ruff check
badminton-highlight-indexer\.github\workflows\nightly.yml-56-	run: ruff check . --output-
format github	
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-	
indexer\.github\workflows\nightly.yml-57-	
--	
badminton-highlight-indexer\.github\workflows\nightly.yml-83-	with:
badminton-highlight-indexer\.github\workflows\nightly.yml-84-	python-version: "3.13"
badminton-highlight-indexer\.github\workflows\nightly.yml-85-	- name: Install mypy + typed
core deps	
badminton-highlight-indexer\.github\workflows\nightly.yml:86:	run: python -m pip install
mypy pydantic fastapi uvicorn python-dotenv google-genai numpy	
badminton-highlight-indexer\.github\workflows\nightly.yml-87-	- name: Mypy
badminton-highlight-indexer\.github\workflows\nightly.yml-88-	run: mypy backend training
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-	
indexer\.github\workflows\nightly.yml-89-	
--	
badminton-highlight-indexer\.github\workflows\nightly.yml-100-	with:
badminton-highlight-indexer\.github\workflows\nightly.yml-101-	python-version: "3.13"
badminton-highlight-indexer\.github\workflows\nightly.yml-102-	- name: Install minimal deps
badminton-highlight-indexer\.github\workflows\nightly.yml:103:	run: python -m pip install
pytest fastapi uvicorn pydantic python-dotenv google-genai	
badminton-highlight-indexer\.github\workflows\nightly.yml-104-	- name: Run import smoke
tests	
badminton-highlight-indexer\.github\workflows\nightly.yml:105:	run: python -m pytest
tests/test_import_smoke.py -v	
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-	
indexer\.github\workflows\nightly.yml-106-	
badminton-highlight-indexer\.github\workflows\nightly.yml-107- # Full offline suite + coverage	
floor ? mirrors ci.yml::full-suite. CPU-only	
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-	
indexer\.github\workflows\nightly.yml-108- # torch (no CUDA wheels on a CPU runner), then the	
editable install pulls the	

```

--
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-127-          sudo apt-get update
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-128-          sudo apt-get install -y libgl1
libgl1 2.0-0t64 || sudo apt-get install -y libgl1 libgl1 2.0-0
badminton-highlight-indexer\.github\workflows\nightly.yml-129-          - name: Install CPU-only
torch (no CUDA wheels on a CPU runner)
badminton-highlight-indexer\.github\workflows\nightly.yml:130:          run: python -m pip install
torch torchvision --index-url https://download.pytorch.org/whl/cpu
badminton-highlight-indexer\.github\workflows\nightly.yml-131-          - name: Install trackers
(git-only dep ? PyPI wheel is broken)
badminton-highlight-indexer\.github\workflows\nightly.yml-132-          # D13\P12: ByteTrack moved
to the standalone `trackers` package (git-only;
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-133-          # see ci.yml for the full rationale).
Installed here so the D13/P12 tests
badminton-highlight-indexer\.github\workflows\nightly.yml:134:          # run instead of skipping
via pytest.importorskip. Bare version tag (no 'v').
badminton-highlight-indexer\.github\workflows\nightly.yml:135:          run: python -m pip install
"trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\.github\workflows\nightly.yml-136-          - name: Install package
(editable) + dev tooling
badminton-highlight-indexer\.github\workflows\nightly.yml:137:          run: python -m pip install
-e .[dev]
badminton-highlight-indexer\.github\workflows\nightly.yml-138-          - name: Run full suite (with
coverage floor)
badminton-highlight-indexer\.github\workflows\nightly.yml-139-          run: python
run_all_tests.py --cov=backend --cov=training --cov-report=term --cov-fail-under=70
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-140-
--
badminton-highlight-indexer\.github\workflows\nightly.yml-154-          with:
badminton-highlight-indexer\.github\workflows\nightly.yml-155-          python-version: "3.13"
badminton-highlight-indexer\.github\workflows\nightly.yml-156-          - name: Install minimal deps
(no GPU stack ? the CONTROL replay needs only numpy)
badminton-highlight-indexer\.github\workflows\nightly.yml:157:          run: python -m pip install
pytest fastapi uvicorn pydantic python-dotenv google-genai numpy
badminton-highlight-indexer\.github\workflows\nightly.yml-158-          - name: Golden-fixtures
characterization (offline)
badminton-highlight-indexer\.github\workflows\nightly.yml-159-          run: |
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-160-          python -m backend.eval.golden_fixtures
--check
badminton-highlight-indexer\.github\workflows\nightly.yml:161:          python -m pytest
tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-162-
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-163-          # Commercial-clean licensing guardrail
(MIT/Apache/BSD only) ? mirrors
badminton-highlight-indexer\.github\workflows\nightly.yml-164-          # ci.yml::license-scan. Scans
the RUNTIME dependency closure and fails on any
--
badminton-highlight-indexer\.github\workflows\nightly.yml-176-          python-version: "3.13"
badminton-highlight-indexer\.github\workflows\nightly.yml-177-          - name: Install runtime deps
+ pip-licenses
badminton-highlight-indexer\.github\workflows\nightly.yml-178-          run: |
badminton-highlight-indexer\.github\workflows\nightly.yml:179:          python -m pip install .
badminton-highlight-indexer\.github\workflows\nightly.yml:180:          python -m pip install
pip-licenses
badminton-highlight-indexer\.github\workflows\nightly.yml-181-          - name: Report dependency
licenses
badminton-highlight-indexer\.github\workflows\nightly.yml-182-          run: python -m piplicenses
--format=markdown --with-urls --order=license

```

```

badminton-highlight-indexer\.github\workflows\nightly.yml-183-      - name: Fail on any copyleft
(GPL/AGPL/LGPL/SSPL) in the runtime closure
--
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-210-      sudo apt-get install -y libgl1
libgl1-0-0 || sudo apt-get install -y libgl1 libgl1-0-0
badminton-highlight-indexer\.github\workflows\nightly.yml-211-      - name: Build the wheel
badminton-highlight-indexer\.github\workflows\nightly.yml-212-      run: |
badminton-highlight-indexer\.github\workflows\nightly.yml:213:      python -m pip install
build
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-214-      python -m build --wheel
badminton-highlight-indexer\.github\workflows\nightly.yml-215-      - name: Install the built
wheel + CPU torch (out-of-band index)
badminton-highlight-indexer\.github\workflows\nightly.yml-216-      run: |
badminton-highlight-indexer\.github\workflows\nightly.yml:217:      python -m pip install
torch torchvision --index-url https://download.pytorch.org/whl/cpu
badminton-highlight-indexer\.github\workflows\nightly.yml:218:      python -m pip install
dist/*.whl
badminton-highlight-indexer\.github\workflows\nightly.yml-219-      - name: Launch the installed
console script from a non-repo dir
badminton-highlight-indexer\.github\workflows\nightly.yml-220-      run: |
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\.github\workflows\nightly.yml-221-      cd /tmp
--
badminton-highlight-indexer\.github\workflows\ci.yml-27-      with:
badminton-highlight-indexer\.github\workflows\ci.yml-28-      python-version: "3.13"
badminton-highlight-indexer\.github\workflows\ci.yml-29-      - name: Install ruff
badminton-highlight-indexer\.github\workflows\ci.yml:30:      run: python -m pip install ruff
badminton-highlight-indexer\.github\workflows\ci.yml-31-      - name: Ruff check
badminton-highlight-indexer\.github\workflows\ci.yml-32-      run: ruff check . --output-
format github
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-33-
--
badminton-highlight-indexer\.github\workflows\ci.yml-76-      with:
badminton-highlight-indexer\.github\workflows\ci.yml-77-      python-version: "3.13"
badminton-highlight-indexer\.github\workflows\ci.yml-78-      - name: Install mypy + typed core
deps
badminton-highlight-indexer\.github\workflows\ci.yml:79:      run: python -m pip install mypy
pydantic fastapi uvicorn python-dotenv google-genai numpy
badminton-highlight-indexer\.github\workflows\ci.yml-80-      - name: Mypy
badminton-highlight-indexer\.github\workflows\ci.yml-81-      run: mypy backend training
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-82-
--
badminton-highlight-indexer\.github\workflows\ci.yml-94-      with:
badminton-highlight-indexer\.github\workflows\ci.yml-95-      python-version: "3.13"
badminton-highlight-indexer\.github\workflows\ci.yml-96-      - name: Install minimal deps
badminton-highlight-indexer\.github\workflows\ci.yml:97:      run: python -m pip install
pytest fastapi uvicorn pydantic python-dotenv google-genai
badminton-highlight-indexer\.github\workflows\ci.yml-98-      - name: Run import smoke tests
badminton-highlight-indexer\.github\workflows\ci.yml:99:      run: python -m pytest
tests/test_import_smoke.py -v
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-100-
badminton-highlight-indexer\.github\workflows\ci.yml-101-      full-suite:
badminton-highlight-indexer\.github\workflows\ci.yml-102-      name: Full test suite (offline,
mocked)
--
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-120-
# torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-121-
# need an out-of-band index that PEP 621 can't express. Keep installing
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-122-
# them separately here, before the editable install pulls the rest.
badminton-highlight-indexer\.github\workflows\ci.yml:123:      run: python -m pip install
torch torchvision --index-url https://download.pytorch.org/whl/cpu

```

```

badminton-highlight-indexer\.github\workflows\ci.yml-124-    - name: Install trackers (git-
only dep ? PyPI wheel is broken)
badminton-highlight-indexer\.github\workflows\ci.yml-125-    # D13\P12: ByteTrack moved out
of `supervision` (removed in 0.30.0) to the
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-126-
# standalone `trackers` package. Its PyPI wheel ships metadata only (no
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-127-
# source ? roboflow/trackers#474), so it MUST come from git. PEP 621 can't
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-128-
# express a git URL, so it's not in pyproject.toml (same pattern as torch).
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-129-
# Installed here so the two D13/P12 tests in tests/test_person_detector.py
badminton-highlight-indexer\.github\workflows\ci.yml:130:    # actually run in CI instead of
skipping via pytest.importorskip.
badminton-highlight-indexer\.github\workflows\ci.yml-131-    # NOTE: roboflow/trackers uses
bare version tags (2.5.0), NOT v-prefixed.
badminton-highlight-indexer\.github\workflows\ci.yml:132:    run: python -m pip install
"trackers @ git+https://github.com/roboflow/trackers.git@2.5.0"
badminton-highlight-indexer\.github\workflows\ci.yml-133-    - name: Install package
(editable) + dev tooling
badminton-highlight-indexer\.github\workflows\ci.yml-134-    # Editable PEP 621 install:
runtime deps + the `dev` group
badminton-highlight-indexer\.github\workflows\ci.yml:135:    # (pytest, pytest-cov, httpx
for the fastapi TestClient, ruff, mypy).
badminton-highlight-indexer\.github\workflows\ci.yml:136:    run: python -m pip install -e
.[dev]
badminton-highlight-indexer\.github\workflows\ci.yml:137:    # obsreport (private, soft dep)
is absent here: reporting tests skip via
badminton-highlight-indexer\.github\workflows\ci.yml:138:    # pytest.importorskip ?
run_all_tests.py prints which. The coverage floor
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-139-
# is therefore calibrated against THIS lane's number (local runs with
badminton-highlight-indexer\.github\workflows\ci.yml:140:    # obsreport installed measure a
little higher).
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-141-
# Floor calibrated 2026-06-11 against this lane's measured 72% (local
badminton-highlight-indexer\.github\workflows\ci.yml:142:    # with obsreport: 73%). Ratchet
it UP as coverage grows; never down
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-143-
# without an owner decision.
badminton-highlight-indexer\.github\workflows\ci.yml-144-    - name: Run full suite (with
coverage floor)
badminton-highlight-indexer\.github\workflows\ci.yml-145-    run: python run_all_tests.py
--cov=backend --cov=training --cov-report=term --cov-fail-under=70
--
badminton-highlight-indexer\.github\workflows\ci.yml-164-    with:
badminton-highlight-indexer\.github\workflows\ci.yml-165-        python-version: "3.13"
badminton-highlight-indexer\.github\workflows\ci.yml-166-    - name: Install minimal deps (no
GPU stack ? the CONTROL replay needs only numpy)
badminton-highlight-indexer\.github\workflows\ci.yml:167:    run: python -m pip install
pytest fastapi uvicorn pydantic python-dotenv google-genai numpy
badminton-highlight-indexer\.github\workflows\ci.yml-168-    - name: Golden-fixtures
characterization (cross-OS determinism guard)
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-169-
# Also runs the freeze-real / time-origin-reset / M2 refusal-gate tests (synthetic /
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-170-
# tmp_path only ? no GPU/network) so the reset metric-invariance (fix #2) and the
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-171-
# de-attribution paths get cross-OS coverage and surface any win/mac float drift.
badminton-highlight-indexer\.github\workflows\ci.yml-172-    run: |
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-173-
python -m backend.eval.golden_fixtures --check
badminton-highlight-indexer\.github\workflows\ci.yml:174:    python -m pytest
tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-175-

```



```

C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-176-
# Commercial-clean licensing guardrail (MIT/Apache/BSD only ? PACKAGING_PLAN.md P0d). Scans the
badminton-highlight-indexer\.github\workflows\ci.yml:177: # RUNTIME dependency closure (`pip
install .` ? no torch/dev) and fails on any copyleft
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-178-
# (GPL/AGPL/LGPL/SSPL). torch (BSD-3) is installed out-of-band and is not in this closure. This
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-179-
# automates a guardrail that was human-only; the report is printed for review either way.
badminton-highlight-indexer\.github\workflows\ci.yml-180- # D13\P12 carve-out: `trackers`
(Apache-2.0; ByteTrack's new home) is also git-only and thus
--
badminton-highlight-indexer\.github\workflows\ci.yml-192-         python-version: "3.13"
badminton-highlight-indexer\.github\workflows\ci.yml-193-     - name: Install runtime deps +
pip-licenses
badminton-highlight-indexer\.github\workflows\ci.yml-194-         run: |
badminton-highlight-indexer\.github\workflows\ci.yml:195-             python -m pip install .
badminton-highlight-indexer\.github\workflows\ci.yml:196-             python -m pip install pip-
licenses
badminton-highlight-indexer\.github\workflows\ci.yml-197-     - name: Report dependency
licenses
badminton-highlight-indexer\.github\workflows\ci.yml-198-         run: python -m piplicenses
--format=markdown --with-urls --order=license
badminton-highlight-indexer\.github\workflows\ci.yml-199-     - name: Fail on any copyleft
(GPL/AGPL/LGPL/SSPL) in the runtime closure
--
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-227-
sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1 libglib2.0-0
badminton-highlight-indexer\.github\workflows\ci.yml-228-     - name: Build the wheel
badminton-highlight-indexer\.github\workflows\ci.yml-229-         run: |
badminton-highlight-indexer\.github\workflows\ci.yml:230-             python -m pip install build
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-231-
python -m build --wheel
badminton-highlight-indexer\.github\workflows\ci.yml-232-     - name: Install the built wheel +
CPU torch (out-of-band index)
badminton-highlight-indexer\.github\workflows\ci.yml-233-         run: |
badminton-highlight-indexer\.github\workflows\ci.yml:234-             python -m pip install torch
torchvision --index-url https://download.pytorch.org/whl/cpu
badminton-highlight-indexer\.github\workflows\ci.yml:235-             python -m pip install
dist/*.whl
badminton-highlight-indexer\.github\workflows\ci.yml-236-     - name: Launch the installed
console script from a non-repo dir
badminton-highlight-indexer\.github\workflows\ci.yml-237-         run: |
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-indexer\.github\workflows\ci.yml-238-
cd /tmp

```

9. user (2026-07-02T03:01:37.410Z)

```

1      #!/usr/bin/env python
2      """Run the FULL test suite for the badminton-highlight-indexer.
3
4      A single, discoverable entry point so you (or a reviewer / CI) can verify the
5      whole suite before opening a PR:
6
7          python run_all_tests.py          # full suite, quiet
8          python run_all_tests.py -v       # verbose (passthrough to pytest)
9          python run_all_tests.py -k config # filter by keyword (passthrough)
10         python run_all_tests.py --cov=backend --cov-report=term-missing # coverage
11
12     Anything after the script name is passed straight through to pytest.
13
14     Notes
15     -----
16     - The suite is fully mocked (no GPU, no network, no WSL) and runs offline.
17     - The observability **reporting** tests skip cleanly if the optional ``obsreport``
18       package isn't installed (they use ``pytest.importorskip``). To exercise them too:

```

```

19     pip install -e ../sports-obsreport --no-build-isolation
20 - Exit code is pytest's own, so this is CI / pre-PR friendly (0 = all green).
21 """
22
23 from __future__ import annotations
24
25 import importlib.util
26 import subprocess
27 import sys
28
29
30 def _installed(module: str) -> bool:
31     try:
32         return importlib.util.find_spec(module) is not None
33     except (ImportError, ValueError):
34         return False
35
36
37 def main() -> int:
38     args = list(sys.argv[1:])
39     # Default to quiet unless the caller chose a verbosity.
40     if not any(a in ("-q", "-v", "-vv", "-vvv", "--quiet", "--verbose") for a in args):
41         args = ["-q", *args]
42     cmd = [sys.executable, "-m", "pytest", *args]
43
44     obs = (
45         "available"
46         if _installed("obsreport")
47         else "NOT installed ? reporting tests will SKIP"
48     )
49     bar = "=" * 72
50     print(bar)
51     print(" Full test suite: " + " ".join(cmd))
52     print(f" obsreport (optional reporting dep): {obs}")
53     print(bar, flush=True)
54
55     rc = subprocess.run(cmd).returncode
56
57     print(bar)
58     print(
59         " RESULT: "
60         + ("PASS - all tests green" if rc == 0 else f"FAIL - pytest exit {rc}")
61     )
62     print(bar)
63     return rc
64
65
66 if __name__ == "__main__":
67     raise SystemExit(main())
68

```

10. user (2026-07-02T03:01:38.792Z)

af1ccbe chore(#399): launch-PR process hardening ? link-check CI, PR template, doc cross-links (#402)

ffb1f53 ci: harden the 'System libs' apt step against the runner's Microsoft-repo 403 flake (#391)

b6214e5 chore: ruff format the whole repo (259 files) (#387)

3624a8d feat(D13/P12): migrate ByteTrack to standalone trackers package (#386)

3a34c42 ci: add per-job timeout-minutes to every ci.yml job (hardening) (#382)

f523d3a refactor: enable isort (I) in ruff, auto-fix 143 files (Q6) (#360)

5c2eec8 chore(security): P0 (safe scope) ? scrub personal paths from code + add leak-scan CI guard (#314)

e8bad40 feat(pkg): P0d ? declare scipy (undeclared serving dep) + license-scan & built-wheel CI lanes (#297)

11. user (2026-07-02T03:02:07.402Z)

```
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-
state.md:27:- **? Droplet FULL-install suite GREEN:** pushed master?`root@168.144.126.176:~/bhi-
fulltest`, fresh venv + `pip install -e .[dev,auth,storage-gcs,storage-s3]` + torch CPU +
ffmpeg/cv2 libs ? **1461 passed, 12 skipped** (the skips = the private `obsreport` git+ssh dep,
not installed). Droplet restored (dir removed, 1.6G freed).
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-
state.md:93:[Omitted long matching line]
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-
state.md:123:[Omitted long matching line]
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1125:Suite 325? **336 green** locally (CI runs fewer: reporting tests importorskip
obsreport, absent there BY DESIGN ?
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1193:indexer not pip-installable ? split today = copy-paste = the observed drift
class; obsreport "precedent" never actually
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1255:(`--index-url download.pytorch.org/whl/cpu`) + libgl for opencv ? `python
run_all_tests.py` (obsreport absent ?
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1270: mocked runs anywhere" is false on cv2-free machines (bare `import cv2` at
collection time, only obsreport importorskip).
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1692:CLEAN.** Zero open PRs across all 3 repos (indexer/collector/obsreport); both
repos on `master`, 0 uncommitted, no
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1693:stray branches. Merged this session: indexer **41/#42/#43/#44**, collector
**10/#11/#12**, obsreport on GitHub
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1702:- **Suites:** indexer 231, collector 116, obsreport 74 ? all green. Run via
`python run_all_tests.py`.
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1704: AI-provider timing (via Grok item #7); pin `obsreport` git+ssh tag once SSH/CI
access exists; extend report with
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1710:MERGED to master: obsreport (GitHub private, v0.1.3) . indexer **42** (config
fix) + **41** (observability) .
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1720:fully shipped across both tools + the shared obsreport lib. Optional future:
HTML customer report renderer (obsreport);
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1721:thread real AI-provider timing through the segmenters (currently
'not_captured'); pin obsreport via git+ssh once SSH/CI access is set up.
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1726:pipeline now sound end-to-end (validators run via #42; every run emits report
via #41). obsreport on GitHub (private,
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1741:flagged. Collector observability **PR #11 rebased onto #10** (parser fix merged)
? **113 green**. obsreport **74 green**.
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1749: (observability, green). obsreport on GitHub (private, tags v0.1.0?v0.1.3).
Suggested merge order: **42 ? #41**
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1760:a **new private repo `sports-obsreport`** (pkg `obsreport`) ? a reusable "report
config language."
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1763:- ? **PHASE C DONE ? `sports-obsreport` lib built + LOCAL git tag `v0.1.0`** at
`C:\Users\avidu\Projects\sports-obsreport`
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1772:- ? **obsreport bumped to v0.1.1** (local tag) ? added optional
`customer_message` on flags/rules: customer report
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1776: (soft-import wrapper ? no-op if obsreport absent + never-raises; pure
`harvest.py`; `spec.yaml` footgun rules);
```

```
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1785:- ?? **obsreport bumped to v0.1.3** during B (local tags v0.1.0/.1/.2/.3): added
customer_message (curated customer
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1794:- ? **SYNCED TO REMOTE (2026-06-07):** obsreport ? github.com/avidullu/sports-
obsreport (PRIVATE, main + tags
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1804:- **TODO (HELD for owner OK):** create private GitHub repo `sports-obsreport` +
push (tags v0.1.0/v0.1.1); then
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\current-state-
archive.md:1805: pin obsreport via git+ssh in both repos' deps; then push indexer/collector
branches + open PRs.
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\session-
handoff.md:10:# Session handoff ? badminton-highlight-indexer (rename PENDING) + siblings:
sports-data-collector, rally-annotator, sports-obsreport
c:\Users\avidu\claude\projects\c--Users-avidu-Projects-khelsutra-guru\memory\working-root-
khelsutra-guru.md:22:- **sports-obsreport/** ? OBS report tool
```

12. user (2026-07-02T03:02:48.106Z)

Structured output provided successfully