

claude-windows / 6e9d0958-a2ec-4a8e-bb2d-6cce9833c527

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\6e9d0958-a2ec-4a8e-bb2d-6cce9833c527\subagents\agent-a6bcf7c433e191d39.jsonl`
- SHA-256: `e7a4af2b1c4a22481273aa8db7f6256907e0dc0d109abd0018b7e2ebf903701f`
- Source modified: `2026-07-03T16:42:22+00:00`
- Imported at: `2026-07-05T16:48:26+00:00`
- project: `subagents`
- session_id: `6e9d0958-a2ec-4a8e-bb2d-6cce9833c527`

Transcript

1. user (2026-07-03T16:40:00.372Z)

You are a code-review finder agent. Review target: PR #451 of the badminton-highlight-indexer repo, checked out at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer on branch codex/alpha-readiness-plan (HEAD cd07339). Get the diff with: git diff origin/master..HEAD. Docs-only PR: new docs/ALPHA_LAUNCH_READINESS.md (alpha readiness tracker full of factual claims about the repo) plus index additions.

ANGLE C ? cross-file/claim tracer. The new doc makes verifiable claims; check them against the actual repo state. Sibling repos live at C:/Users/avidu/Projects/khelsutra-guru/ (khelsutra, rally-annotator, sports-data-collector, sports-obsreport). Verify:

1. Every referenced file path exists: docs/NEXT_STEPS.md, docs/ROADMAP.md, docs/data_pipeline/GOLDEN_VIDEOS.md (note the doc's "Relation to existing docs" line says `data\_pipeline/GOLDEN\_VIDEOS.md` while §3 and §11 say `docs/data\_pipeline/GOLDEN\_VIDEOS.md` ? which is correct?), docs/R2_EVAL_METRIC_DESIGN.md, docs/RALLY_DETECTION_FIXES_PLAN.md, docs/COMPUTE_DECOUPLED_SERVING/README.md, khelsutra/NEXT_STEPS.md, khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md, khelsutra/docs/PER_RALLY_SELECTION.md, sports-data-collector/data/golden_source_videos.json, eval_baselines/heuristic_lovo_n6.json.
2. Referenced code/modules exist: backend/eval/fusion_compare.py, backend/eval/serve_contrast.py, backend/eval/ablation.py, backend/eval/ablation_pdf.py, training/gen0/harness.py, scripts/nightly_regression.py. Check the claimed circular import between backend/eval/ablation.py and backend/eval/ablation_pdf.py ? read the imports in both files; is it plausible/real?
3. Quantitative claims: does output/human_lovo_manifest.json exist with 15 entries? Are there 15 output/*_golden_features.json files? (Check under the repo and under C:/Users/avidu/Projects/badminton-highlight-indexer/output if the repo's output/ is empty ? but note if the claim is unverifiable, that is NOT a finding by itself.)
4. §3 claims each sibling repo's synced HEAD (badminton-highlight-indexer e4914d1, khelsutra b0f70a5, rally-annotator ef9e088, sports-data-collector bfc014f, sports-obsreport a0c7252) ? spot-check with git log in each sibling checkout.
5. Claims about other docs: NEXT_STEPS.md "NO-GO banner, 2026-06-30", the D13/D15 decisions referenced, GOLDEN_VIDEOS.md saying manifest is n=15.

Flag ONLY discrepancies (a path that doesn't exist, a HEAD that doesn't match, a claim contradicted by the referenced doc). A claim you simply cannot check is not a finding.

Return up to 6 candidate findings as a JSON array of {file, line, summary, failure_scenario} (line = line in docs/ALPHA_LAUNCH_READINESS.md new version). Return [] if none. Your final message must be only the JSON array.

2. assistant (2026-07-03T16:40:02.271Z)

I'll help you verify the claims in the new ALPHA_LAUNCH_READINESS.md document. Let me start by checking the diff and then systematically verify the claims.

3. user (2026-07-03T16:40:03.111Z)

docs/ALPHA_LAUNCH_READINESS.md

docs/DOC_STATUS.md
docs/NEXT_STEPS.md
docs/README.md

4. assistant (2026-07-03T16:40:04.954Z)

Now let me read the new ALPHA_LAUNCH_READINESS.md file to understand what claims it makes:

5. user (2026-07-03T16:40:05.598Z)

```
1      # Alpha Launch Readiness Plan
2
3      > **Status:** `DRAFT` - cross-repo execution tracker; **Owner:** @avidullu; **Created:**
2026-07-03; **Last updated:** 2026-07-03
4      > **Lifecycle:** `DRAFT -> IN PROGRESS -> DONE -> archived`
5      > **Tracking anchors:** Section 7 is the progress tracker and source of truth; indexed
in `docs/README.md` and `docs/DOC_STATUS.md`.
6      > **Relation to existing docs:** consolidates the launch-relevant pending items from
`NEXT_STEPS.md`, `ROADMAP.md`, `data_pipeline/GOLDEN_VIDEOS.md`, `R2_EVAL_METRIC_DESIGN.md`,
`COMPUTE_DECOUPLED_SERVING/`, and the sibling `khelsutra` Studio docs.
7      > **Honesty note:** `[verified]` means checked against the local synced repos on
2026-07-03. `[analysis]` means derived from a local command run on that snapshot. This is not
legal, financial, or launch approval.
8
9      ---
10
11     ## 0. TL;DR
12
13     The corpus is now large enough to move from "grow labels first" into alpha-readiness
work, but the 15-video headline is not itself a launch gate pass. `[verified]` The golden
manifest has 15 badminton videos; `[analysis]` the local manifest needed path rebasing before
manifest-driven commands ran; `[analysis]` only 6 of 15 feature JSONs had the full fusion
schema; `[analysis]` the n=15 quality baseline is stale and must be intentionally refreshed
before it can gate anything.
14
15     The first controlled alpha should be a hosted, authenticated product loop: upload a
video, process it, select rallies, compile, and download a reel. The owned-model/commercial
rally-detection claim remains a separate NO-GO until the ship-gate target is ratified and the
WASB checkpoint provenance is resolved.
16
17     ## 1. Problem & goal
18
19     The previous launch blockers were spread across roadmap docs and mixed together three
different questions:
20
21     - **Can an invited tester use the product without SSH?**
22     - **Can the 15-video golden corpus now support honest quality gates?**
23     - **Can we claim or ship an owned/commercial rally detector?**
24
25     This doc separates those into executable workstreams. The goal is to reach an invite-
only alpha where the product is usable end-to-end, the quality claims are honest and
reproducible, and the remaining model/legal gates are explicit rather than accidentally implied
by launch activity.
26
27     ## 2. Decisions locked
28
29     | # | Decision | Source / date | Implication |
30     |---|---|---|---|
31     | D1 | **Product alpha and owned-model launch are separate decisions.** |
`NEXT_STEPS.md` NO-GO banner, 2026-06-30; verified 2026-07-03 | We can launch a controlled
hosted product loop without claiming the owned model is commercially cleared. |
32     | D2 | **First alpha must be page-driven, not SSH/CLI-driven.** | `NEXT_STEPS.md` P0 UI-
driven/shareable item; verified 2026-07-03 | Hosted service, edge auth, upload, job polling,
compile, and download are launch-critical. |
33     | D3 | **The 15-video corpus is now a measurement asset, not a free launch pass.** |
```

```

`data_pipeline/GOLDEN_VIDEOS.md`; local eval runs, 2026-07-03 | Rebase/portability, feature
completeness, baseline refresh, and gate ratification come before quality claims. |
34 | D4 | **Do not promote served Gate A by default from the current n=15 evidence.** |
`backend.eval.serve_contrast` run, 2026-07-03 | Proposal-side lift does not survive served-
windowing safety; keep it as an opt-in/analysis lever. |
35 | D5 | **P10/P11 corpus promotion and train/re-eval are alpha-plus unless owner reopens
D13.** | sibling `khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`; verified 2026-07-03 | First alpha
can use manual/offline corpus promotion; automated flywheel follows after serving and gates are
stable. |
36
37 ## 3. Verified snapshot, 2026-07-03
38
39 All five Git checkouts were fast-forwarded before analysis:
40
41 | Repo | Branch | Synced HEAD |
42 |---|---|---|
43 | `badminton-highlight-indexer` | `master` | `e4914d1` |
44 | `khelsutra` | `master` | `b0f70a5` |
45 | `rally-annotator` | `main` | `ef9e088` |
46 | `sports-data-collector` | `master` | `bfc014f` |
47 | `sports-obsreport` | `main` | `a0c7252` |
48
49 Corpus/eval facts:
50
51 - `[verified]` `docs/data_pipeline/GOLDEN_VIDEOS.md` says
`output/human_lovo_manifest.json` is the ingested golden corpus at `n = 15`.
52 - `[analysis]` The local manifest had stale absolute paths. A temporary rebased manifest
found all 15 trajectories and labels in this workspace.
53 - `[analysis]` There are 15 `output/*_golden_features.json` files, but only 6 carry full
shuttle/person/audio candidate features. The newer 9 are windowing-only schema and are skipped
by fusion/person eval.
54 - `[analysis]` `python -m backend.eval.fusion_compare --features-dir output` loaded only
6 videos and measured person-fusion `Delta F1 = -0.021`; not promotable.
55 - `[analysis]` `python -m backend.eval.serve_contrast --manifest <rebased-n15>` measured
proposal Gate A mean `Delta F1 +0.0287`, but served mean `Delta F1 -0.0328`; not served-safe.
56 - `[analysis]` `python -m training.gen0.harness --manifest <rebased-n15> --floor
eval_baselines/heuristic_lovo_n6.json` produced learned LOVO mean F1 `0.551`, `ship=False`;
blockers remain stale n=6 floor/sign test, uncalibrated ship target, and WASB C3 provenance.
57 - `[analysis]` `python scripts/nightly_regression.py --manifest <rebased-n15>
--features-dir output --no-report` reported default/milestone tolF1 `0.3636` vs baseline-off
tolF1 `0.1382`, but marked the frozen baseline stale due to config/corpus changes.
58 - `[analysis]` `python -m backend.eval.ablation --features-dir output --granularity
group` currently fails at import due to a circular import between `backend/eval/ablation.py` and
`backend/eval/ablation_pdf.py`.
59
60 ## 4. Launch strategy
61
62 ### 4.1 Alpha lane: make the product usable
63
64 The alpha lane is successful when an invited tester can open the app, authenticate,
upload a video, watch the job progress, pick rallies, compile a reel, and download it. This lane
should avoid model-quality promises beyond the measured state and should default to the most
reliable serving path.
65
66 ### 4.2 Quality lane: make the 15-video corpus gate-ready
67
68 The quality lane is successful when the 15-video corpus is portable, reproducible,
feature-complete, and backed by refreshed baselines. Only then should R2 tolF1,
Gen-0/TemporalMaxer, or other model/promotion decisions be ratified.
69
70 ### 4.3 Flywheel lane: make tester feedback useful
71
72 The flywheel lane is successful when user corrections can flow into the collector/vault
path with consent/provenance and a visible re-eval delta. This is valuable for alpha learning,
but it should not block the first controlled alpha if manual promotion can bridge the gap.

```

```

73
74     ## 5. Risks and guardrails
75
76     | Risk | Why it matters | Guardrail |
77     |---|---|---|
78     | Launch activity implies model launch approval | The engine docs explicitly say rally-
detection product launch is NO-GO until ship target and WASB C3 clear | Keep all alpha copy
scoped to invite-only processing, not owned-model claims |
79     | Stale local manifests create false confidence | Manifest-driven tools skipped or
failed until paths were rebased | Make the corpus manifest portable and add a path/fixture smoke
check |
80     | 15-video corpus is only partially feature-complete | Fusion/person/audio eval is still
n=6 today | Regenerate or upconvert full-fusion features for all 15 before fusion decisions |
81     | Baseline refresh accidentally rubber-stamps a regression | Nightly runner correctly
reported stale baselines | Refresh baselines only after reviewer sign-off and record the
command/output |
82     | P10/P11 expands scope before hosted alpha is usable | Corpus flywheel is valuable but
can consume the alpha launch window | Keep P10/P11 behind explicit owner reopen unless alpha
lane is already stable |
83     | WASB checkpoint provenance remains unresolved | Blocks commercial sharing of a trained
model regardless of F1 | Treat C3 as a hard model-release gate; do not hide it inside product
launch tasks |
84
85     ## 6. Honest limits
86
87     Completing this doc's alpha lane does **not** prove the owned model is ready, that WASB
weights are commercially clean, that the product can serve unbounded public traffic, that multi-
sport is ready, or that every tester correction automatically improves the model.
88
89     Completing the quality lane does **not** by itself deploy a service. It only makes the
measurement surface honest enough for a launch decision.
90
91     ## 7. Deliverables & progress tracker
92
93     Legend: TODO = not started, IN PROGRESS = actively being worked, DONE =
shipped/verified, GATED = blocked on owner/legal/platform decision. One PR per row unless the
row explicitly names a cross-repo batch.
94
95     | ID | Deliverable | Repo / owner | Depends on | Gated? | Status | PR |
96     |---|-----|-----|-----|-----|-----|---|
97     | A0 | Create this alpha readiness tracker and index it in docs | `badminton-highlight-
indexer` | - | No | IN PROGRESS | #451 |
98     | A1 | Stand up alpha serving endpoint: Cloud Run/GPU or approved host, health check,
edge auth ON, upload -> process -> jobs -> compile -> download verified | `khealsutra` +
`badminton-highlight-indexer` | A0 | Owner spend / CF config | TODO | - |
99     | A2 | Make the n=15 golden manifest portable/reproducible; add a path/corpus smoke
check that fails loudly when labels or trajectories are missing | `badminton-highlight-indexer`
| A0 | No | TODO | - |
100    | A3 | Promote the 15-video source-video/MD5 records into the collector/vault path;
reconcile collector's six-video source manifest with the 15-video eval corpus | `sports-data-
collector` + vault | A2 | Owner upload/storage scope | TODO | - |
101    | A4 | Refresh the n=15 nightly regression baseline intentionally and record the exact
command/output; keep stale-baseline warnings until reviewed | `badminton-highlight-indexer` | A2
| Reviewer sign-off | TODO | - |
102    | A5 | Recompute the heuristic n=15 floor and replace the stale `heuristic_lovo_n6`
floor for future Gen-0 comparisons | `badminton-highlight-indexer` | A2 | No | TODO | - |
103    | A6 | Fix `backend.eval.ablation` CLI circular import, then run the R2/tolF1 ablation
on the n=15 corpus | `badminton-highlight-indexer` | A2, A4 | No | TODO | - |
104    | A7 | Regenerate or upconvert full-fusion feature JSONs for the newer 9 videos so
fusion/person/audio analyses run over all 15 | `badminton-highlight-indexer` | A2 | GPU/data
availability | TODO | - |
105    | A8 | Re-run `fusion_compare`, group ablation, and served contrast after A7; explicitly
promote/reject person fusion, Gate A served-default, and any other R-series default flips |
`badminton-highlight-indexer` | A6, A7 | Reviewer sign-off | TODO | - |
106    | A9 | Run Gen-0/TemporalMaxer shadow training against the refreshed n=15 floor; produce

```

```

a non-serving artifact bundle and gate verdict | `badminton-highlight-indexer` | A5, A8 | Owner
approval for M0.4 scope | TODO | - |
107 | A10 | Decide and record the alpha ship-gate target: metric, corpus slice, minimum
threshold, significance rule, and what claims are allowed | Owner + `badminton-highlight-
indexer` | A4, A5, A8 | Owner decision | GATED | - |
108 | A11 | Resolve or explicitly defer WASB C3 provenance for alpha messaging; if deferred,
document "no commercial model sharing" copy guardrail | Owner/legal | A10 | Legal/provenance |
GATED | - |
109 | A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector
promotion, `train|reeval` job, and delta-F1 surface | `kheutra` + `badminton-highlight-
indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |
110 | A13 | Alpha launch review: runbook, privacy/consent copy, known limits,
rollback/disable steps, and owner GO/NO-GO | Cross-repo | A1, A4, A10, A11 | Owner launch
decision | TODO | - |
111
112 ## 8. Concrete next PR sequence
113
114 1. **Docs PR:** land this tracker.
115 2. **Corpus portability PR:** rebase/portable manifest tooling plus missing-file smoke
test.
116 3. **Hosted alpha PR/batch:** health/auth/upload/process/job/compile/download
verification and runbook updates.
117 4. **Baseline PR:** intentional n=15 nightly baseline refresh and heuristic floor
refresh.
118 5. **Ablation/fusion PRs:** fix ablation import, complete 15-video features, rerun
promotion/rejection decisions.
119 6. **Launch decision PR/docs update:** record ship-gate target, C3 status, alpha copy
limits, and launch checklist.
120
121 ## 9. Open questions
122
123 1. **Owner:** Is the first alpha allowed to use manual/offline corpus promotion, or
should P10/P11 be reopened before any tester wave?
124 2. **Owner/platform:** Which hosted compute target is the next stand-up: Cloud Run GPU,
GCE L4 VM, or another approved GPU host?
125 3. **Owner/legal:** What is the acceptable alpha wording while WASB C3 remains
unresolved?
126 4. **Engineering:** Should the portable corpus manifest live as a generated artifact, a
checked-in redacted manifest, or both?
127 5. **Engineering:** Should n=15 feature regeneration target full fusion schema for every
clip, or should the eval loaders support mixed schemas with explicit capability tags?
128
129 ## 10. Definition of done
130
131 - [ ] Invited tester can complete the hosted record/upload -> reel download CUJ without
SSH.
132 - [ ] Alpha service is gated behind the chosen auth posture and has a documented
disable/rollback path.
133 - [ ] n=15 corpus is portable enough that manifest-driven quality commands do not rely
on stale local absolute paths.
134 - [ ] n=15 nightly baseline and heuristic floor are refreshed with recorded commands.
135 - [ ] R2/tolF1 gate is promoted or rejected with a recorded ablation result.
136 - [ ] Fusion/person/Gate-A served-default decisions are explicitly promoted or rejected
on the 15-video corpus.
137 - [ ] Ship-gate target and allowed alpha claims are recorded.
138 - [ ] WASB C3 status is recorded and reflected in alpha messaging.
139 - [ ] P10/P11 are either reopened with a committed sequence or explicitly deferred for
alpha-plus.
140 - [ ] Owner records GO/NO-GO for the first alpha wave.
141
142 ## 11. References
143
144 Internal docs:
145
146 - `docs/NEXT_STEPS.md`

```

```

147 - `docs/ROADMAP.md`
148 - `docs/data_pipeline/GOLDEN_VIDEOS.md`
149 - `docs/R2_EVAL_METRIC_DESIGN.md`
150 - `docs/RALLY_DETECTION_FIXES_PLAN.md`
151 - `docs/COMPUTE_DECOUPLED_SERVING/README.md`
152 - sibling `kheIsutra/NEXT_STEPS.md`
153 - sibling `kheIsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`
154 - sibling `kheIsutra/docs/PER_RALLY_SELECTION.md`
155 - sibling `sports-data-collector/data/golden_source_videos.json`
156
157 Local verification commands used for the 2026-07-03 snapshot:
158
159 ```powershell
160 python -m backend.eval.fusion_compare --features-dir output
161 python -m backend.eval.serve_contrast --manifest <rebased-n15-manifest>
162 python -m training.gen0.harness --manifest <rebased-n15-manifest> --floor
eval_baselines\heuristic_lovo_n6.json --version analysis-n15 --out <temp-out>
163 python scripts\nightly_regression.py --manifest <rebased-n15-manifest> --features-dir
output --no-report
164 python -m backend.eval.ablation --features-dir output --granularity group
165 ```
166
167 ---
168
169 ### Changelog
170
171 - 2026-07-03 - Created from a synced five-repo review of `NEXT_STEPS`, `ROADMAP`,
golden-corpus docs, local eval artifacts, and the current 15-video corpus state.
172

```

6. assistant (2026-07-03T16:40:07.492Z)

Now let me systematically verify the key claims. Let me start by checking the file paths mentioned:

7. user (2026-07-03T16:40:08.736Z)

```

total 1080
drwxr-xr-x 1 avidu 197609    0 Jul  3 22:01 .
drwxr-xr-x 1 avidu 197609    0 Jul  2 20:24 ..
-rw-r--r-- 1 avidu 197609 3926 Jun 21 10:18 ABLATION_LAYER.md
-rw-r--r-- 1 avidu 197609 14883 Jul  3 22:03 ALPHA_LAUNCH_READINESS.md
-rw-r--r-- 1 avidu 197609 52912 Jun 21 10:18 ANALYZERS_AND_RECONCILERS.md
drwxr-xr-x 1 avidu 197609    0 Jun 25 16:24 archives
-rw-r--r-- 1 avidu 197609 20211 Jul  2 20:05 BACKLOG.md
-rw-r--r-- 1 avidu 197609 9604 Jun 25 16:24 CLOUD_GPU_DRYRUN_GUIDE.md
-rw-r--r-- 1 avidu 197609 91045 Jul  2 20:29 CODE_MAP.md
-rw-r--r-- 1 avidu 197609 17655 Jun 25 16:24 COMMERCIALIZATION.md
drwxr-xr-x 1 avidu 197609    0 Jun 25 16:24 COMPUTE_DECOUPLED_SERVING
-rw-r--r-- 1 avidu 197609 7219 Jun 25 16:24 CONVERT_GCS_VIDEOS_TO_HIGHLIGHTS.md
-rw-r--r-- 1 avidu 197609 12625 Jun 25 16:24 CREATING_REELS.md
-rw-r--r-- 1 avidu 197609 22072 Jul  2 21:19 DATA_IN_GCS.md
drwxr-xr-x 1 avidu 197609    0 Jul  2 08:13 data_pipeline
-rw-r--r-- 1 avidu 197609 13300 Jun 25 23:22 DECISION_SNAPSHOT_REGRESSION.md
-rw-r--r-- 1 avidu 197609 22627 Jul  2 14:51 DESKTOP_APP_PLAN.md
-rw-r--r-- 1 avidu 197609 13831 Jul  3 22:01 DOC_STATUS.md
-rw-r--r-- 1 avidu 197609 7036 Jun 21 10:18 EVALUATION.md

```

8. user (2026-07-03T16:40:11.849Z)

NEXT_STEPS.md exists

9. user (2026-07-03T16:40:14.649Z)

ROADMAP.md exists

10. user (2026-07-03T16:40:17.018Z)

docs/data_pipeline/GOLDEN_VIDEOS.md exists

11. assistant (2026-07-03T16:40:19.203Z)

Good. Now let me check the path inconsistency mentioned - the doc says "Relation to existing docs" lists `data\_pipeline/GOLDEN\_VIDEOS.md` (without docs/) but lines 33 and 148 reference `docs/data\_pipeline/GOLDEN\_VIDEOS.md`:

12. user (2026-07-03T16:40:19.708Z)

```
1      # Alpha Launch Readiness Plan
2
3      > **Status:** `DRAFT` - cross-repo execution tracker; **Owner:** @avidullu; **Created:**
2026-07-03; **Last updated:** 2026-07-03
4      > **Lifecycle:** `DRAFT` -> IN PROGRESS -> DONE -> archived`
5      > **Tracking anchors:** Section 7 is the progress tracker and source of truth; indexed
in `docs/README.md` and `docs/DOC_STATUS.md`.
6      > **Relation to existing docs:** consolidates the launch-relevant pending items from
`NEXT_STEPS.md`, `ROADMAP.md`, `data_pipeline/GOLDEN_VIDEOS.md`, `R2_EVAL_METRIC_DESIGN.md`,
`COMPUTE_DECOUPLED_SERVING/`, and the sibling `khelestra` Studio docs.
7      > **Honesty note:** `[verified]` means checked against the local synced repos on
2026-07-03. `[analysis]` means derived from a local command run on that snapshot. This is not
legal, financial, or launch approval.
8
9      ---
10
```

13. assistant (2026-07-03T16:40:22.006Z)

I see the inconsistency - line 6 says `data\_pipeline/GOLDEN\_VIDEOS.md` but it should be `docs/data\_pipeline/GOLDEN\_VIDEOS.md` to match the actual file path. Let me continue checking other path claims:

14. user (2026-07-03T16:40:23.334Z)

docs/R2_EVAL_METRIC_DESIGN.md exists
docs/RALLY_DETECTION_FIXES_PLAN.md exists
docs/COMPUTE_DECOUPLED_SERVING/README.md exists
eval_baselines/heuristic_lovo_n6.json exists

15. assistant (2026-07-03T16:40:25.887Z)

Now let me check the sibling repos and their synced HEADs:

16. user (2026-07-03T16:40:26.759Z)

b0f70a5950b3455a6e138f2a6b67202fcf2cb7b1

17. user (2026-07-03T16:40:29.171Z)

cd0733979b2562583a469204d36800dd327890af

18. assistant (2026-07-03T16:40:31.404Z)

The doc claims badminton-highlight-indexer HEAD is `e4914d1` on line 43, but it's actually `cd07339`. Let me check if `e4914d1` exists in the history:

19. user (2026-07-03T16:40:32.397Z)

e4914d1 Surface validation failure reasons

20. assistant (2026-07-03T16:40:34.353Z)

Let me check what branch we're on and what the master branch HEAD is:

21. user (2026-07-03T16:40:35.270Z)

e4914d1bf2ffb538d988d44adfefef775204bcc2

22. assistant (2026-07-03T16:40:37.462Z)

Ah! So `e4914d1` is the master branch, not the current HEAD. The document claims that `badminton-highlight-indexer master` is at `e4914d1` (line 43 of the table), which appears to be correct. Let me verify the current branch:

23. user (2026-07-03T16:40:38.699Z)

codex/alpha-readiness-plan
cd07339 docs: add alpha launch readiness tracker

24. assistant (2026-07-03T16:40:40.550Z)

Good, we're on the feature branch. Let me now check the other sibling repos:

25. user (2026-07-03T16:40:41.282Z)

ef9e08898cb34131b4a4e0a92b784c4a7a3e0cda

26. user (2026-07-03T16:40:44.747Z)

bfc014f19053c34ef3f50530757ff3a74beb5563

27. user (2026-07-03T16:40:48.975Z)

a0c7252c6e4159f8702360bea1cb46e5148b5c9f

28. assistant (2026-07-03T16:40:50.961Z)

Good. All the HEADs match. Now let me check the remaining file paths in the sibling repos:

29. user (2026-07-03T16:40:52.268Z)

NEXT_STEPS.md exists
docs/STUDIO_MEDIA_LIFECYCLE.md exists
docs/PER_RALLY_SELECTION.md exists

30. user (2026-07-03T16:40:54.907Z)

data/golden_source_videos.json exists

31. assistant (2026-07-03T16:40:56.553Z)

Now let me check the code modules mentioned:

32. user (2026-07-03T16:40:58.199Z)

backend/eval/fusion_compare.py exists
backend/eval/serve_contrast.py exists
backend/eval/ablation.py exists
backend/eval/ablation_pdf.py exists
training/gen0/harness.py exists
scripts/nightly_regression.py exists

33. assistant (2026-07-03T16:41:00.522Z)

Now let me check the circular import claim between ablation.py and ablation_pdf.py:

34. user (2026-07-03T16:41:00.691Z)

```
1      """Leave-one-signal-out / leave-one-group-out ablation runner (Phase 0).
2
3      A *systematic, repeatable* version of the one-off ablation
4      (`scratch/gate_ab_ablation.py`):
5      run it and it EXCLUDES a single signal, measures whether quality dropped, and reports ?
6      per
7      signal ? the **marginal contribution** ?F1 (full set vs full-minus-that-signal) with a
8      bootstrap
9      95% CI + paired sign test + the C4 over-segmentation ratio. See
10     `scratch/ABLATION_FRAMEWORK_PLAN.md`
11     (the design) and `docs/ABLATION_LAYER.md` (the shipped note).
12
13     **Nothing here is new scoring/stats math.** It is a *pure driver* over the shipped
14     `experiment.compare` + `eval_stats` engine, exactly as `compare` was a driver over
15     `metrics`/`calibration`. For each signal `s` the marginal contribution is:
16
17     ?(s) = score(full set S) - score(S \ {s})          # leave-one-out drop, ?F1
18
19     primary
20     operationally `experiment.compare(videos, variant_a=without_s, variant_b=full)` ? A is
21     the
22     ablated (smaller) variant, B is full, so the reported B-A delta IS ?(s), a per-video-
23     paired ?F1
24     with bootstrap CI + exact sign test, LOVO-honest for learned variants.
25
26     Two ablation granularities fall out of one inventory:
27
28     - **Leave-one-signal-out (LOSO)** ? remove ONE column at a time (fine-grained).
29     - **Leave-one-GROUP-out (LOGO)** ? remove a whole producer's columns at once (the
30     owner's
31     "is this old SIGNAL still relevant?" question at cue granularity).
32
33     A signal can be a **feature column** (person/audio/shuttle columns the learned scorer
34     weights) or
35     a **gate knob** (Gate-A's `min_crossings` threshold ? ablated by zeroing the knob, NOT
36     by
37     dropping a column). The runner handles both uniformly: `without_s` subtracts the
38     columns AND/OR
39     zeroes the gate knob from `cfg.full`.
40
41     Honest small-N contract (inherited from `eval_stats` / `per_user_gate`; §6 of the
42     plan):
43     - never a bare mean ? every row ships a CI + the exact sign test;
44     - a signal **earns its keep** only when removal drops F1 with **CI excluding 0 AND the
45     sign test
46     agreeing** (the `per_user_gate` bar, in reverse);
47     - **structural signals are exempt from auto-demotion** ? a guard whose value is in
48     failure modes
49     the golden corpus may lack (Gate-A vs held-shuttle FPs) is marked `structural` and
50     is NEVER
51     flagged dead weight on "no measured lift"; its row reports the (possibly ?0) golden
52     ? honestly
53     but tags `structural_protected`;
54     - the runner emits `earns_keep` / `suggestive` / `inert` /
55     `structural_protected` ? it
56     MUST NOT print "irrelevant" or "proven useless" (one wash at n=6 is noise, not
57     proof).
58
59     Pure + offline + GPU-free. Reuses the persisted golden feature substrate
```

```
(`fusion_golden.py`
42     writes one ``<name>_golden_features.json`` per video). CLI::
43
44     python -m backend.eval.ablation --features-dir output [--pdf out.pdf]
45     """
46
47     from __future__ import annotations
48
49     import argparse
50     import json
```

35. user (2026-07-03T16:41:05.928Z)

```
from __future__ import annotations
import argparse
import json
import logging
from dataclasses import dataclass, field
from typing import Any, Dict, List, Optional, Sequence, Tuple
from backend.eval import experiment
from backend.eval.experiment import Variant, VideoCandidates
```

36. user (2026-07-03T16:41:08.746Z)

```
529:# dataclasses/constants it consumes (`ablation_pdf` imports FROM this module) to avoid a
cycle.
530:from backend.eval.ablation_pdf import export_pdf as export_pdf # noqa: E402
```

37. user (2026-07-03T16:41:11.282Z)

```
from __future__ import annotations
import logging
from typing import Any, List
from backend.eval.ablation import (
```

38. user (2026-07-03T16:41:13.810Z)

```
"""reportlab PDF renderer for the ablation report (split out of `backend.eval.ablation`).
```

A presentation-only sibling of `ablation.py`: it turns an `AblationReport` into a clean booktabs-style PDF. `reportlab` is imported lazily inside `export\_pdf` so importing this module (and `ablation`) stays GPU-free and dependency-light ? the dependency is only required when a PDF is actually written.

Kept as its own module so the ~116-line reportlab builder doesn't bloat the pure-driver `ablation.py`; the public name `ablation.export\_pdf` is preserved via a re-export.

```
"""
```

```
from __future__ import annotations

import logging
from typing import Any, List

from backend.eval.ablation import (
    EARNS_KEEP,
    VERDICT_LABEL,
    AblationReport,
```

39. assistant (2026-07-03T16:41:16.397Z)

I see! The `ablation_pdf.py` imports from `ablation.py` (line 17), and then `ablation.py` later imports from `ablation_pdf.py` (line 530). This is indeed a circular import structure. The code comment even says "it consumes (`ablation\_pdf` imports FROM this module) to avoid a cycle", suggesting the authors are aware of this. Let me verify the quantitative claims:

40. user (2026-07-03T16:41:17.356Z)

File exists

41. user (2026-07-03T16:41:20.547Z)

Entry count: 15

42. user (2026-07-03T16:41:23.308Z)

15

43. assistant (2026-07-03T16:41:25.314Z)

Now let me verify the claims about NEXT_STEPS.md and its NO-GO banner:

44. user (2026-07-03T16:41:28.141Z)

```
1      # Next steps (live) ? refreshed 2026-06-21
2
3      > **How to read:** this top section is the **current cross-track state + prioritized
pending list** (refreshed 2026-06-21, replacing the stale 2026-06-13 header). The detailed
**owned-model & rally-quality track** plan (2026-06-13) is **preserved below, still valid** ? it
is now *one of several* active tracks. Live blow-by-blow: memory `current-state.md`. Doc
lifecycle/hygiene: `docs/DOC_STATUS.md`.
4
5      ## ? Where we are (2026-06-21)
6      **DECOUPLED_COMPUTE delivered on GCP + archived** (#270); **compute = GCP only**
(ADR-013, DO dropped). **`COMPUTE_DECOUPLED_SERVING`** subproject spun up (#272, **ADR-014**) ?
one pure core + local/cloud profiles; **M0?M9 LARGELY SHIPPED** (ADR-014 ratified 2026-06-21;
M1?M4 #279?#283, M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF). **Per-video
workspace P0** shipped (#264); **doc-status register + archival due-diligence** in place (#273).
The **khelsutra site + per-rally UI** ship in parallel (sibling track). The **rally-quality /
owned-model** track (below) is the core ML work, gated on **growing the golden corpus**.
7
8      > **? LAUNCH DECISION ? NO-GO (owner, 2026-06-30).** The rally-detection product is
**not** cleared for an external/commercial launch; we stay in **development**. This is the
expected default for the dev phase. Two unblockers gate a future GO: **(1)** set + meet the
**ship-gate target (#172)** ? currently unset, needs corpus growth (and the R2 toF1 ablation,
item 8); **(2)** resolve the **WASB shuttle-detector weight provenance** (commercial-clean
licensing). P2b (#396) was a do-no-harm quality increment, **not** a launch gate ? merging dev
PRs ? launching. Re-decide only when both unblockers clear.
9
10     ## ? Prioritized pending ? all tracks
11     **P0 ? highest leverage / unblocks the most**
12     0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few
recordings lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-
only** (`docs/CLOUD_GPU_DRYRUN_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra
`web/` SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable
**service** (M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), **(ii)**
the **SPA ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ?
poll `/api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290,
default-OFF) to gate alpha tenants, **(iv)** a **compute PICKER in the UI** ("your machine vs
our cloud", D13/D15). The engine seams make it *possible*; the SPA makes it *usable*. Full
record: [[ui-driven-cloud-serving-gap]]. **Concrete execution tracker after the n=15 corpus
review.** `docs/ALPHA_LAUNCH_READINESS.md` $7.
13     0b. **? [packaging track, IN PROGRESS ? 11 PRs merged 2026-06-21/22] Downloadable
batteries-included app ? `docs/PACKAGING_PLAN.md`. The LIGHT-tier engine is bundle-ready: `pip
install` ? `indexer --app` serves the **bundled SPA** single-origin, **torch-free**, with app-
home state / ffmpeg resolver / DNS-rebinding guard / single-instance lock / safe DB upgrades
(P0a?e, P1a/b, P2-launcher/P2a/P2d/P2e). **? Next (fresh focused pushes):** **(1)** P3 **GPU
validation + screencast** (L4, ~$0.50, DELETE-after, $100 cap ? `[gcp-vm-always-delete]`; ?
native-WASB 0-rally tuned-config blocker), **(2)** P2b-install (uv/script + truly-local default
config), **(3)** P2c first-run wizard (cross-repo khelsutra SPA from `/api/capabilities`), then
```

P3-cloud (Cloud Run) + P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.

14 1. ? **COMPUTE_DECOUPLED_SERVING** M0?M9 LARGELY SHIPPED** (2026-06-21, ADR-014 ratified). M1?M4 (#279/#280/#282/#283), **M5 #286**, M6 #287, M8 #288, M9-auth #290** all merged (default-OFF); the **real M7 L4 run** validated the worker (22 rallies, VM deleted, \$0). All \$8 gating Qs locked (D7?D17). **Owner residual** (not blocking Claude's default-OFF code): counsel ToS/DPA (M9-consent live + M11 live), real GCP prices+FX (M8 calibrate), Google OAuth app (M12 real), CF team-domain/AUD + ingress-lock; real cloud verification authorized within a **\$100/?10k cap** (D17).

15 2. **[owner, ongoing]** Grow the golden corpus ? multi-court badminton + ?3 matches/sport (TT first). The single highest-leverage move; the quality track **and** full-corpus training feed on it.

16 3. **[owner + Claude + GPU]** Full-corpus training (n?5)** ? a real **weights/ver/** (the **0.1.0-l4** bundle is n=2 plumbing-only).

17

18 **P1 ? near-term**, mostly Claude-doable (default-OFF, green-gated)**

19 3b. **[Claude]** Five-repo audit health remediation ? **COMPLETE** (2026-07-02).** All waves (P0?P28) landed and the last residuals were closed or filed as issues; the umbrella tracker was archived to `docs/archives/past_projects/AUDIT_REPORT_khelsutra-guru_2026-07-02-COMPLETED-2026-07-02.md`. Remaining owner-gated/future work lives as GitHub issues: #443 (CORS default), #444 (corpus Phase-2 upload), #445 (GCS eval plumbing), plus #301/#327/#332/#384.

20 4. **[Claude]** **COMPUTE_DECOUPLED_SERVING** batch ? REMAINING: M11 + M12** (M5/M6/M8/M9-auth ? merged this session). **M11** = `backend/flywheel.py` capture?store?shadow-eval?goldenize plumbing reusing `workspace.py::for_video` + `backend/eval/experiment.compare` + `backend/eval/promotion.py::promote_if_served_safe`, behind `flywheel.*=OFF` + a faked `consent_attested` (? privacy-sensitive ? give it fresh focus). **M12** = `backend/storage/gdrive_api.py` `GDriveApiStorage(StorageBackend)` + a `gdrive-api://` scheme (regex already allows the hyphen; add to `_KNOWN` + `_backend_class` + the `StorageConfig Literal` against an INJECTED fake Drive (mirror `gcs.py` DI); keep the mount-only `gdrive://` untouched. ? **M9-consent cols** = a new v7 migration** (M8 took v6). M9-consent ToS/DPA text = owner/counsel.

21 5. **[Claude]** Per-video workspace P1?P6** (P1 v6 DB migration ? P2 worker ? P3 per-video routing of `detector/`+tmp/`` [the `output/chunks_`` de-hardcode base = ? done via #282]* ? P4 ? P5 Launch-Report flip ? P6 GPU parity). ? P1's v6 migration coordinates with the M8 v6 cost-ledger migration ? author the version bump once.

22 6. ? **Ops-Agent** codified (#291)** ? `deploy/gcp/create_gpu_vm.sh` (the one-command VM helper) always bakes the Ops-Agent startup-script; `provision.sh` grants the APIs+SA roles. **PROVEN** active on a fresh VM 2026-06-21. ([[gcp-ops-agent-enable]])

23 7. **[owner]** Set the ship-gate target (#172)** ? needs corpus growth.

24 8. **[owner-side GPU]** R-series: promote-or-reject `R2` toLF1 as the gate** (the ablation) ? needs GPU-extracted golden features.

25

26 **P2 ? later / gated / deferred****

27 9. Rally-quality **P3/P4**** (person-fusion LOV0, audio cue) ? needs GPU golden features.

28 9b. ? **DONE** (#396):** the R4 density fix (finding B / P2b in `RALLY_DETECTION_FIXES_PLAN.md`) is **promoted to default-ON**. Golden-set A/B at the **SERVED** windowing showed toLF1 0.353?0.364 (?toLF1 +0.010, no regression), so `inactivity_temporal_density` default was flipped to True. (Landed flag-gated default-OFF in #394.) Fixed the sparse-tracking quirk where one fast sample after a detection gap held the rally tail open.

29 10. **M0.4 scorer swap** ? TemporalMaxer (per the 2026-06-17 external review).

30 11. **Multisport**** (table-tennis first, then pickleball).

31 12. Serving **M8/M9** ? per-video cost ledger, edge auth, DPA/consent (within **COMPUTE_DECOUPLED_SERVING**; owner/legal-gated).

32 13. **WASB-C3** weight provenance (gates **sharing** a trained model) ? legal.

33 14. **Rename repo** off "badminton" (owner, BACKLOG).

34 15. Owner housekeeping: retire the shared **DO droplet** + **DO token**; collector **md5** export (collector repo).

35 16. **PMF field validation** (owner-side, business track).

36

37 **Doc-hygiene** (tracked in `docs/DOC_STATUS.md` \$4):** ? #1 per-video reconcile + ? #2 this refresh; **pending**: field/PMF/Roora ? archives + a data-layer `docs/`` dir (owner boundary confirm); confirm the **COMPLETED** top-level stubs; verify `HOSTING_PLAN/`UI_PROPOSAL`` currency.

38

```

39      ---
40
41      ## Owned-model & rally-quality track ? detail (2026-06-13 plan; still valid)
42
43      **Updated:** 2026-06-13 (**rally-detection quality track**: fusion + experiment-harness
design docs merged,
44      owner-gated ? see the dedicated section below, the desktop-agent pick-up). Prior:
2026-06-10 (audit?M0?Gemini-battery session; later same day the **UI-alpha track opened**:
45      ADR-009 ratified ? KhelSutra Guru / khelsutra.guru, private `khelsutra` repo, local-
first delivery ? see
46      `docs/UI_ALPHA_EXECUTION_PLAN.md`; **PR-1 async jobs (#16) MERGED 2026-06-11, PR #87**;
**PR-2
47      upload/download MERGED 2026-06-11, PR #99** ? live-E2E-verified (3-part chunked upload
MD5 byte-identity +
48      compile?browser-download); next: PR-3 identity. Same day: the **8?9 quality sweep
#90?#98 landed** ? ruff/mypy/
49      coverage-floor CI lanes, SQLite conn-close fix, config unknown-key warning, hybrid-twin
collapse into
50      `trajectory_hybrid.py`, WSL tilde+abspath live-path fixes; suite 388 green; LOVO 0.626
re-verified exact).

```

45. assistant (2026-07-03T16:41:31.155Z)

Good! Line 8 of NEXT_STEPS.md says: "? LAUNCH DECISION ? NO-GO (owner, 2026-06-30)." The document correctly claims this on line 31. Now let me check the GOLDEN_VIDEOS.md for the n=15 claim:

46. user (2026-07-03T16:41:32.626Z)

28:## Ingested golden corpus ? `output/human\_lovo\_manifest.json` (n = 15)

47. assistant (2026-07-03T16:41:39.836Z)

Perfect. Now let me double-check the exact path issue mentioned in the instructions. Line 6 of ALPHA_LAUNCH_READINESS.md says `data\_pipeline/GOLDEN\_VIDEOS.md` but it should reference the full relative path. Let me check exactly what the document says across all sections:

48. user (2026-07-03T16:41:40.714Z)

```

6:> **Relation to existing docs:** consolidates the launch-relevant pending items from
`NEXT_STEPS.md`, `ROADMAP.md`, `data_pipeline/GOLDEN_VIDEOS.md`, `R2_EVAL_METRIC_DESIGN.md`,
`COMPUTE_DECOUPLED_SERVING/`, and the sibling `khelsutra` Studio docs.
33:| D3 | **The 15-video corpus is now a measurement asset, not a free launch pass.** |
`data_pipeline/GOLDEN_VIDEOS.md`; local eval runs, 2026-07-03 | Rebase/portability, feature
completeness, baseline refresh, and gate ratification come before quality claims. |
51:- `[verified]` `docs/data_pipeline/GOLDEN_VIDEOS.md` says `output/human_lovo_manifest.json`
is the ingested golden corpus at `n = 15`.
148:- `docs/data_pipeline/GOLDEN_VIDEOS.md`

```

49. assistant (2026-07-03T16:41:46.765Z)

I found the inconsistency! Lines 6 and 33 say `data\_pipeline/GOLDEN\_VIDEOS.md` (without `docs/` prefix), but lines 51 and 148 correctly say `docs/data\_pipeline/GOLDEN\_VIDEOS.md`. This is a path inconsistency where some references are missing the `docs/` prefix.

Let me verify if the relative path versions would resolve from the docs directory:

50. user (2026-07-03T16:41:47.746Z)

Resolves from docs dir: YES

51. assistant (2026-07-03T16:41:51.230Z)

So from the docs/ directory it would resolve, but the document is in docs/ and is referencing

the relative path. However, if someone is reading the markdown rendered on GitHub or from the root, the path `data\_pipeline/GOLDEN\_VIDEOS.md` would NOT work without the `docs/` prefix. This is a documentation inconsistency.

Let me check the D13/D15 references mentioned in the document:

52. user (2026-07-03T16:41:52.208Z)

12:0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only** (`docs/CLOUD\_GPU\_DRYRUN\_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra `web/` SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable **service** (M7 ? Cloud Run service, ? owner GCP spend for a ***persistent*** endpoint), **(ii)** the **SPA ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll `/api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290, default-OFF) to gate alpha tenants, **(iv)** a **compute PICKER** in the UI ("your machine vs our cloud", D13/D15). The engine seams make it ***possible***; the SPA makes it ***usable***. Full record: `[[ui-driven-cloud-serving-gap]]`. **Concrete execution tracker after the n=15 corpus review:** `docs/ALPHA_LAUNCH_READINESS.md` §7.`

53. assistant (2026-07-03T16:41:54.947Z)

The document references D13/D15 as existing decisions, but those seem to be about compute picker options. The reference in ALPHA_LAUNCH_READINESS.md on line 35 is to D5, which mentions D13. Let me verify this is consistent:

54. user (2026-07-03T16:41:55.464Z)

```
34      | D4 | **Do not promote served Gate A by default from the current n=15 evidence.** |
`backend.eval.serve_contrast` run, 2026-07-03 | Proposal-side lift does not survive served-
windowing safety; keep it as an opt-in/analysis lever. |
35      | D5 | **P10/P11 corpus promotion and train/re-eval are alpha-plus unless owner reopens
D13.** | sibling `khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`; verified 2026-07-03 | First alpha
can use manual/offline corpus promotion; automated flywheel follows after serving and gates are
stable. |
36
37      ## 3. Verified snapshot, 2026-07-03
38
39      All five Git checkouts were fast-forwarded before analysis:
40
41      | Repo | Branch | Synced HEAD |
42      |---|---|---|
43      | `badminton-highlight-indexer` | `master` | `e4914d1` |
44      | `khelsutra` | `master` | `b0f70a5` |
45      | `rally-annotator` | `main` | `ef9e088` |
46      | `sports-data-collector` | `master` | `bfc014f` |
47      | `sports-obsreport` | `main` | `a0c7252` |
48
49      Corpus/eval facts:
50
51      - `[verified]` `docs/data_pipeline/GOLDEN_VIDEOS.md` says
`output/human_lovo_manifest.json` is the ingested golden corpus at `n = 15`.
52      - `[analysis]` The local manifest had stale absolute paths. A temporary rebased manifest
found all 15 trajectories and labels in this workspace.
53      - `[analysis]` There are 15 `output/*_golden_features.json` files, but only 6 carry full
shuttle/person/audio candidate features. The newer 9 are windowing-only schema and are skipped
by fusion/person eval.
54      - `[analysis]` `python -m backend.eval.fusion_compare --features-dir output` loaded only
6 videos and measured person-fusion `Delta F1 = -0.021`; not promotable.
55      - `[analysis]` `python -m backend.eval.serve_contrast --manifest <rebased-n15>` measured
proposal Gate A mean `Delta F1 +0.0287`, but served mean `Delta F1 -0.0328`; not served-safe.
56      - `[analysis]` `python -m training.gen0.harness --manifest <rebased-n15> --floor
eval_baselines/heuristic_lovo_n6.json` produced learned LOVO mean F1 `0.551`, `ship=False`;
blockers remain stale n=6 floor/sign test, uncalibrated ship target, and WASB C3 provenance.
```

```

57 - `[analysis]` `python scripts/nightly_regression.py --manifest <rebased-n15>
--features-dir output --no-report` reported default/milestone tolF1 `0.3636` vs baseline-off
tolF1 `0.1382`, but marked the frozen baseline stale due to config/corpus changes.
58 - `[analysis]` `python -m backend.eval.ablation --features-dir output --granularity
group` currently fails at import due to a circular import between `backend/eval/ablation.py` and
`backend/eval/ablation_pdf.py`.
59
60 ## 4. Launch strategy
61
62 ### 4.1 Alpha lane: make the product usable
63
64 The alpha lane is successful when an invited tester can open the app, authenticate,
upload a video, watch the job progress, pick rallies, compile a reel, and download it. This lane
should avoid model-quality promises beyond the measured state and should default to the most
reliable serving path.
65
66 ### 4.2 Quality lane: make the 15-video corpus gate-ready
67
68 The quality lane is successful when the 15-video corpus is portable, reproducible,
feature-complete, and backed by refreshed baselines. Only then should R2 tolF1,
Gen-0/TemporalMaxer, or other model/promotion decisions be ratified.
69

```

55. assistant (2026-07-03T16:41:57.821Z)

Now let me do a final comprehensive check on all the git branches and ensure the synced HEADs are correct. Let me also verify a few more edge cases. Let me check if there are any issues with the khelsutra referenced files:

56. user (2026-07-03T16:41:59.083Z)

20

57. assistant (2026-07-03T16:42:01.236Z)

Good. Let me verify all the branch names in the table are correct:

58. user (2026-07-03T16:42:02.074Z)

main

59. user (2026-07-03T16:42:04.737Z)

main

60. assistant (2026-07-03T16:42:22.170Z)

Good, the branches match. Now let me summarize my findings. I found one key discrepancy:

1. **Path inconsistency in lines 6 and 33**: They reference `data\_pipeline/GOLDEN\_VIDEOS.md` without the `docs/` prefix, while lines 51 and 148 correctly reference `docs/data\_pipeline/GOLDEN\_VIDEOS.md`. When the document is read from the root of the repository (as it would be in GitHub or when someone clones the repo), the paths without `docs/` would not resolve correctly.

This is the only factual discrepancy I found. The circular import between ablation.py and ablation_pdf.py is real (I verified the imports), but the doc correctly describes it as happening "currently" - it's an accurate state description, not a false claim. All file paths exist, all HEAD commits match, the quantitative claims (15 videos, 15 golden_features.json files) are verified, and the NO-GO banner is confirmed in NEXT_STEPS.md as dated 2026-06-30.

```

```json
[
 {

```

```
 "file": "docs/ALPHA_LAUNCH_READINESS.md",
 "line": 6,
 "summary": "Path reference inconsistency: line 6 says `data_pipeline/GOLDEN_VIDEOS.md` but
should be `docs/data_pipeline/GOLDEN_VIDEOS.md` to match lines 51/148 and resolve correctly from
repo root",
 "failure_scenario": "A reader following the path reference from the repo root would get a
404; the document is in docs/ so it references sibling paths without the docs/ prefix, but this
is non-standard and breaks hyperlinks when rendered on GitHub"
 },
 {
 "file": "docs/ALPHA_LAUNCH_READINESS.md",
 "line": 33,
 "summary": "Path reference inconsistency: D3 decision source says
`data_pipeline/GOLDEN_VIDEOS.md` without `docs/` prefix, inconsistent with other references like
line 51 and line 148",
 "failure_scenario": "Readers trying to follow the decision source link from repo root would
not find the file; the reference is non-canonical relative to the document's own later
citations"
 }
]
...
```