

claude-windows / 6e9d0958-a2ec-4a8e-bb2d-6cce9833c527

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\6e9d0958-a2ec-4a8e-bb2d-6cce9833c527\subagents\agent-a8acca8edcd1ec703.jsonl`  
- SHA-256: `1eb7eab6ee99eeb13b573cf4827e6394dc873e1cf3e59bed28cf8623fb14e87b`  
- Source modified: `2026-07-03T16:40:47+00:00`  
- Imported at: `2026-07-05T16:48:26+00:00`  
- project: `subagents`  
- session_id: `6e9d0958-a2ec-4a8e-bb2d-6cce9833c527`
```

Transcript

1. user (2026-07-03T16:39:47.665Z)

You are a code-review finder agent. Review target: PR #451 of the badminton-highlight-indexer repo, checked out at C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer on branch codex/alpha-readiness-plan (HEAD cd07339). Get the diff with: git diff origin/master..HEAD (run in that directory). Docs-only PR: new docs/ALPHA_LAUNCH_READINESS.md plus index additions to docs/README.md, docs/DOC_STATUS.md, docs/NEXT_STEPS.md.

ANGLE B ? removed/replaced content audit. The diff replaces one long line in docs/NEXT_STEPS.md (P0 item 0). Diff the old and new versions of that line character-by-character (e.g., git diff --word-diff origin/master..HEAD -- docs/NEXT_STEPS.md) and confirm the change is purely additive ? nothing was dropped, reworded, or had its meaning changed besides the appended tracker pointer. Also check DOC_STATUS.md and README.md hunks: are they pure insertions, and do they land in the right section (e.g., DOC_STATUS §3a table ordering/format matches sibling rows; README section placement)? Flag any dropped or altered pre-existing content, or an insertion that breaks a stated ordering/format convention of the surrounding list/table.

Return up to 6 candidate findings as a JSON array of {file, line, summary, failure_scenario}. Return [] if none. Your final message must be only the JSON array.

2. assistant (2026-07-03T16:39:49.948Z)

I'll analyze the PR #451 diff, focusing on the removed/replaced content audit per ANGLE B. Let me start by getting the diff.

3. user (2026-07-03T16:39:50.916Z)

```
diff --git a/docs/ALPHA_LAUNCH_READINESS.md b/docs/ALPHA_LAUNCH_READINESS.md  
new file mode 100644  
index 0000000..4b3d49d  
--- /dev/null  
+++ b/docs/ALPHA_LAUNCH_READINESS.md  
@@ -0,0 +1,171 @@  
+# Alpha Launch Readiness Plan  
+  
+> **Status:** `DRAFT` - cross-repo execution tracker; **Owner:** @avidullu; **Created:** 2026-07-03; **Last updated:** 2026-07-03  
+> **Lifecycle:** `DRAFT` -> IN PROGRESS -> DONE -> archived`  
+> **Tracking anchors:** Section 7 is the progress tracker and source of truth; indexed in `docs/README.md` and `docs/DOC_STATUS.md`.  
+> **Relation to existing docs:** consolidates the launch-relevant pending items from `NEXT_STEPS.md`, `ROADMAP.md`, `data_pipeline/GOLDEN_VIDEOS.md`, `R2_EVAL_METRIC_DESIGN.md`, `COMPUTE_DECOUPLED_SERVING/`, and the sibling `khelsutra` Studio docs.  
+> **Honesty note:** `[verified]` means checked against the local synced repos on 2026-07-03. `[analysis]` means derived from a local command run on that snapshot. This is not legal, financial, or launch approval.  
+
```

```

+---
+
+### 0. TL;DR
+
+The corpus is now large enough to move from "grow labels first" into alpha-readiness work, but
the 15-video headline is not itself a launch gate pass. `[verified]` The golden manifest has 15
badminton videos; `[analysis]` the local manifest needed path rebasing before manifest-driven
commands ran; `[analysis]` only 6 of 15 feature JSONs had the full fusion schema; `[analysis]`
the n=15 quality baseline is stale and must be intentionally refreshed before it can gate
anything.
+
+The first controlled alpha should be a hosted, authenticated product loop: upload a video,
process it, select rallies, compile, and download a reel. The owned-model/commercial rally-
detection claim remains a separate NO-GO until the ship-gate target is ratified and the WASB
checkpoint provenance is resolved.
+
+### 1. Problem & goal
+
+The previous launch blockers were spread across roadmap docs and mixed together three different
questions:
+
+- **Can an invited tester use the product without SSH?**
+- **Can the 15-video golden corpus now support honest quality gates?**
+- **Can we claim or ship an owned/commercial rally detector?**
+
+This doc separates those into executable workstreams. The goal is to reach an invite-only alpha
where the product is usable end-to-end, the quality claims are honest and reproducible, and the
remaining model/legal gates are explicit rather than accidentally implied by launch activity.
+
+### 2. Decisions locked
+
+| # | Decision | Source / date | Implication |
+|---|---|---|---|
+| D1 | **Product alpha and owned-model launch are separate decisions.** | `NEXT_STEPS.md` NO-GO
banner, 2026-06-30; verified 2026-07-03 | We can launch a controlled hosted product loop without
claiming the owned model is commercially cleared. |
+| D2 | **First alpha must be page-driven, not SSH/CLI-driven.** | `NEXT_STEPS.md` P0 UI-
driven/shareable item; verified 2026-07-03 | Hosted service, edge auth, upload, job polling,
compile, and download are launch-critical. |
+| D3 | **The 15-video corpus is now a measurement asset, not a free launch pass.** |
`data_pipeline/GOLDEN_VIDEOS.md`; local eval runs, 2026-07-03 | Rebase/portability, feature
completeness, baseline refresh, and gate ratification come before quality claims. |
+| D4 | **Do not promote served Gate A by default from the current n=15 evidence.** |
`backend.eval.serve_contrast` run, 2026-07-03 | Proposal-side lift does not survive served-
windowing safety; keep it as an opt-in/analysis lever. |
+| D5 | **P10/P11 corpus promotion and train/re-eval are alpha-plus unless owner reopens D13.**
| sibling `khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`; verified 2026-07-03 | First alpha can use
manual/offline corpus promotion; automated flywheel follows after serving and gates are stable.
|
+
+### 3. Verified snapshot, 2026-07-03
+
+All five Git checkouts were fast-forwarded before analysis:
+
+| Repo | Branch | Synced HEAD |
+|---|---|---|
+| `badminton-highlight-indexer` | `master` | `e4914d1` |
+| `khelsutra` | `master` | `b0f70a5` |
+| `rally-annotator` | `main` | `ef9e088` |
+| `sports-data-collector` | `master` | `bfc014f` |
+| `sports-obsreport` | `main` | `a0c7252` |
+
+Corpus/eval facts:
+
+- `[verified]` `docs/data_pipeline/GOLDEN_VIDEOS.md` says `output/human_lovo_manifest.json` is

```

```

the ingested golden corpus at `n = 15`.
+- `[analysis]` The local manifest had stale absolute paths. A temporary rebased manifest found
all 15 trajectories and labels in this workspace.
+- `[analysis]` There are 15 `output/*_golden_features.json` files, but only 6 carry full
shuttle/person/audio candidate features. The newer 9 are windowing-only schema and are skipped
by fusion/person eval.
+- `[analysis]` `python -m backend.eval.fusion_compare --features-dir output` loaded only 6
videos and measured person-fusion `Delta F1 = -0.021`; not promotable.
+- `[analysis]` `python -m backend.eval.serve_contrast --manifest <rebased-n15>` measured
proposal Gate A mean `Delta F1 +0.0287`, but served mean `Delta F1 -0.0328`; not served-safe.
+- `[analysis]` `python -m training.gen0.harness --manifest <rebased-n15> --floor
eval_baselines/heuristic_lovo_n6.json` produced learned LOVO mean F1 `0.551`, `ship=False`;
blockers remain stale n=6 floor/sign test, uncalibrated ship target, and WASB C3 provenance.
+- `[analysis]` `python scripts/nightly_regression.py --manifest <rebased-n15> --features-dir
output --no-report` reported default/milestone tolF1 `0.3636` vs baseline-off tolF1 `0.1382`,
but marked the frozen baseline stale due to config/corpus changes.
+- `[analysis]` `python -m backend.eval.ablation --features-dir output --granularity group`
currently fails at import due to a circular import between `backend/eval/ablation.py` and
`backend/eval/ablation_pdf.py`.
+
+### 4. Launch strategy
+
+#### 4.1 Alpha lane: make the product usable
+
+The alpha lane is successful when an invited tester can open the app, authenticate, upload a
video, watch the job progress, pick rallies, compile a reel, and download it. This lane should
avoid model-quality promises beyond the measured state and should default to the most reliable
serving path.
+
+#### 4.2 Quality lane: make the 15-video corpus gate-ready
+
+The quality lane is successful when the 15-video corpus is portable, reproducible, feature-
complete, and backed by refreshed baselines. Only then should R2 tolF1, Gen-0/TemporalMaxer, or
other model/promotion decisions be ratified.
+
+#### 4.3 Flywheel lane: make tester feedback useful
+
+The flywheel lane is successful when user corrections can flow into the collector/vault path
with consent/provenance and a visible re-eval delta. This is valuable for alpha learning, but it
should not block the first controlled alpha if manual promotion can bridge the gap.
+
+## 5. Risks and guardrails
+
+| Risk | Why it matters | Guardrail |
+|---|---|---|
+| Launch activity implies model launch approval | The engine docs explicitly say rally-
detection product launch is NO-GO until ship target and WASB C3 clear | Keep all alpha copy
scoped to invite-only processing, not owned-model claims |
+| Stale local manifests create false confidence | Manifest-driven tools skipped or failed until
paths were rebased | Make the corpus manifest portable and add a path/fixture smoke check |
+| 15-video corpus is only partially feature-complete | Fusion/person/audio eval is still n=6
today | Regenerate or upconvert full-fusion features for all 15 before fusion decisions |
+| Baseline refresh accidentally rubber-stamps a regression | Nightly runner correctly reported
stale baselines | Refresh baselines only after reviewer sign-off and record the command/output |
+| P10/P11 expands scope before hosted alpha is usable | Corpus flywheel is valuable but can
consume the alpha launch window | Keep P10/P11 behind explicit owner reopen unless alpha lane is
already stable |
+| WASB checkpoint provenance remains unresolved | Blocks commercial sharing of a trained model
regardless of F1 | Treat C3 as a hard model-release gate; do not hide it inside product launch
tasks |
+
+## 6. Honest limits
+
+Completing this doc's alpha lane does not prove the owned model is ready, that WASB weights
are commercially clean, that the product can serve unbounded public traffic, that multi-sport is

```

ready, or that every tester correction automatically improves the model.

+

+Completing the quality lane does ****not**** by itself deploy a service. It only makes the measurement surface honest enough for a launch decision.

+

7. Deliverables & progress tracker

+

+Legend: TODO = not started, IN PROGRESS = actively being worked, DONE = shipped/verified, GATED = blocked on owner/legal/platform decision. One PR per row unless the row explicitly names a cross-repo batch.

+

ID	Deliverable	Repo / owner	Depends on	Gated?	Status	PR
A0	Create this alpha readiness tracker and index it in docs	`badminton-highlight-indexer`	-	No	IN PROGRESS	#451
A1	Stand up alpha serving endpoint: Cloud Run/GPU or approved host, health check, edge auth ON, upload -> process -> jobs -> compile -> download verified	`khealsutra` + `badminton-highlight-indexer`	A0	Owner spend / CF config	TODO	-
A2	Make the n=15 golden manifest portable/reproducible; add a path/corpus smoke check that fails loudly when labels or trajectories are missing	`badminton-highlight-indexer`	A0	No	TODO	-
A3	Promote the 15-video source-video/MD5 records into the collector/vault path; reconcile collector's six-video source manifest with the 15-video eval corpus	`sports-data-collector` + vault	A2	Owner upload/storage scope	TODO	-
A4	Refresh the n=15 nightly regression baseline intentionally and record the exact command/output; keep stale-baseline warnings until reviewed	`badminton-highlight-indexer`	A2	Reviewer sign-off	TODO	-
A5	Recompute the heuristic n=15 floor and replace the stale `heuristic_lovo_n6` floor for future Gen-0 comparisons	`badminton-highlight-indexer`	A2	No	TODO	-
A6	Fix `backend.eval.ablation` CLI circular import, then run the R2/tolF1 ablation on the n=15 corpus	`badminton-highlight-indexer`	A2, A4	No	TODO	-
A7	Regenerate or upconvert full-fusion feature JSONs for the newer 9 videos so fusion/person/audio analyses run over all 15	`badminton-highlight-indexer`	A2	GPU/data availability	TODO	-
A8	Re-run `fusion_compare`, group ablation, and served contrast after A7; explicitly promote/reject person fusion, Gate A served-default, and any other R-series default flips	`badminton-highlight-indexer`	A6, A7	Reviewer sign-off	TODO	-
A9	Run Gen-0/TemporalMaxer shadow training against the refreshed n=15 floor; produce a non-serving artifact bundle and gate verdict	`badminton-highlight-indexer`	A5, A8	Owner approval for M0.4 scope	TODO	-
A10	Decide and record the alpha ship-gate target: metric, corpus slice, minimum threshold, significance rule, and what claims are allowed	Owner + `badminton-highlight-indexer`	A4, A5, A8	Owner decision	GATED	-
A11	Resolve or explicitly defer WASB C3 provenance for alpha messaging; if deferred, document "no commercial model sharing" copy guardrail	Owner/legal	A10	Legal/provenance	GATED	-
A12	Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train reeval` job, and delta-F1 surface	`khealsutra` + `badminton-highlight-indexer` + collector	A1, A3	Owner D13 reopen	GATED	-
A13	Alpha launch review: runbook, privacy/consent copy, known limits, rollback/disable steps, and owner GO/NO-GO	Cross-repo	A1, A4, A10, A11	Owner launch decision	TODO	-

+

8. Concrete next PR sequence

+

1. ****Docs PR:**** land this tracker.
2. ****Corpus portability PR:**** rebase/portable manifest tooling plus missing-file smoke test.
3. ****Hosted alpha PR/batch:**** health/auth/upload/process/job/compile/download verification and runbook updates.
4. ****Baseline PR:**** intentional n=15 nightly baseline refresh and heuristic floor refresh.
5. ****Ablation/fusion PRs:**** fix ablation import, complete 15-video features, rerun promotion/rejection decisions.
6. ****Launch decision PR/docs update:**** record ship-gate target, C3 status, alpha copy limits, and launch checklist.

+

9. Open questions

```

+
+1. **Owner:** Is the first alpha allowed to use manual/offline corpus promotion, or should
P10/P11 be reopened before any tester wave?
+2. **Owner/platform:** Which hosted compute target is the next stand-up: Cloud Run GPU, GCE L4
VM, or another approved GPU host?
+3. **Owner/legal:** What is the acceptable alpha wording while WASB C3 remains unresolved?
+4. **Engineering:** Should the portable corpus manifest live as a generated artifact, a
checked-in redacted manifest, or both?
+5. **Engineering:** Should n=15 feature regeneration target full fusion schema for every clip,
or should the eval loaders support mixed schemas with explicit capability tags?
+
+## 10. Definition of done
+
+- [ ] Invited tester can complete the hosted record/upload -> reel download CUJ without SSH.
+- [ ] Alpha service is gated behind the chosen auth posture and has a documented
disable/rollback path.
+- [ ] n=15 corpus is portable enough that manifest-driven quality commands do not rely on stale
local absolute paths.
+- [ ] n=15 nightly baseline and heuristic floor are refreshed with recorded commands.
+- [ ] R2/tolF1 gate is promoted or rejected with a recorded ablation result.
+- [ ] Fusion/person/Gate-A served-default decisions are explicitly promoted or rejected on the
15-video corpus.
+- [ ] Ship-gate target and allowed alpha claims are recorded.
+- [ ] WASB C3 status is recorded and reflected in alpha messaging.
+- [ ] P10/P11 are either reopened with a committed sequence or explicitly deferred for alpha-
plus.
+- [ ] Owner records GO/NO-GO for the first alpha wave.
+
+## 11. References
+
+Internal docs:
+
+- `docs/NEXT_STEPS.md`
+- `docs/ROADMAP.md`
+- `docs/data_pipeline/GOLDEN_VIDEOS.md`
+- `docs/R2_EVAL_METRIC_DESIGN.md`
+- `docs/RALLY_DETECTION_FIXES_PLAN.md`
+- `docs/COMPUTE_DECOUPLED_SERVING/README.md`
+- sibling `khelsutra/NEXT_STEPS.md`
+- sibling `khelsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`
+- sibling `khelsutra/docs/PER_RALLY_SELECTION.md`
+- sibling `sports-data-collector/data/golden_source_videos.json`
+
+Local verification commands used for the 2026-07-03 snapshot:
+
+```powershell
+python -m backend.eval.fusion_compare --features-dir output
+python -m backend.eval.serve_contrast --manifest <rebased-n15-manifest>
+python -m training.gen0.harness --manifest <rebased-n15-manifest> --floor
eval_baselines\heuristic_lovo_n6.json --version analysis-n15 --out <temp-out>
+python scripts\nightly_regression.py --manifest <rebased-n15-manifest> --features-dir output
--no-report
+python -m backend.eval.ablation --features-dir output --granularity group
+```
+
+----
+
+#### Changelog
+
+
+- 2026-07-03 - Created from a synced five-repo review of `NEXT_STEPS`, `ROADMAP`, golden-corpus
docs, local eval artifacts, and the current 15-video corpus state.
diff --git a/docs/DOC_STATUS.md b/docs/DOC_STATUS.md
index 34411fd..2541672 100644
--- a/docs/DOC_STATUS.md
+++ b/docs/DOC_STATUS.md

```

```

@@ -30,6 +30,7 @@ Before a foundational/tracked doc moves to `docs/archives/`:
### 3a. Tracked projects ? lifecycle docs (archive when DONE; each doc's $7 is the completeness
source-of-truth)
| Doc | Status | Archive-ready? | Next action |
|---|---|---|---|
+| `ALPHA_LAUNCH_READINESS.md` | **DRAFT** ? cross-repo alpha readiness tracker created
2026-07-03 after the golden corpus reached n=15; separates hosted product-alpha work from owned-
model/commercial rally-detection gates | No | Execute $7 in order: corpus portability + n=15
baselines, hosted alpha serving, ablation/fusion reruns, then launch G0/N0-G0 |
| `COMPUTE_DECOUPLED_SERVING/` | **IN PROGRESS** ? M0 approved + **M1?M9 LARGELY SHIPPED**
(#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights
pushed (`weights/0.1.0-l4/`) | No | M11 flywheel + M12 gdrive-api (owner residual:
counsel/prices/OAuth/real-run within the D17 cap) |
| `RALLY_QUALITY_RESEARCH.md` | Foundation, **tracked & ACTIVE** ($7) | No | Drives the
R-series; complete when $7.1 single quality number is attributed |
| `R2_EVAL_METRIC_DESIGN.md` | IMPLEMENTED (augmenting) | No (gates R4 + dual-eval; ablation
pending) | Promote-or-reject toF1 as the gate (ablation) ? then archive with the R-cluster |
diff --git a/docs/NEXT_STEPS.md b/docs/NEXT_STEPS.md
index f186ff9..a9f35a8 100644
--- a/docs/NEXT_STEPS.md
+++ b/docs/NEXT_STEPS.md
@@ -9,7 +9,7 @@

```

```

## ? Prioritized pending ? all tracks
**P0 ? highest leverage / unblocks the most**
-0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings
lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only**
(`docs/CLOUD_GPU_DRYRUN_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra `web/`
SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable **service**
(M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), **(ii)** the **SPA
ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll
`/api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290, default-
OFF) to gate alpha tenants, **(iv)** a **compute PICKER in the UI** ("your machine vs our
cloud", D13/D15). The engine seams make it *possible*; the SPA makes it *usable*. Full record:
[[ui-driven-cloud-serving-gap]].
+0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings
lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only**
(`docs/CLOUD_GPU_DRYRUN_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra `web/`
SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable **service**
(M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), **(ii)** the **SPA
ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll
`/api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290, default-
OFF) to gate alpha tenants, **(iv)** a **compute PICKER in the UI** ("your machine vs our
cloud", D13/D15). The engine seams make it *possible*; the SPA makes it *usable*. Full record:
[[ui-driven-cloud-serving-gap]]. **Concrete execution tracker after the n=15 corpus review:**
`docs/ALPHA_LAUNCH_READINESS.md` $7.
0b. **? [packaging track, IN PROGRESS ? 11 PRs merged 2026-06-21/22] Downloadable batteries-
included app ? `docs/PACKAGING_PLAN.md`.** The LIGHT-tier engine is bundle-ready: `pip install`
? `indexer --app` serves the **bundled SPA** single-origin, **torch-free**, with app-home state
/ ffmpeg resolver / DNS-rebinding guard / single-instance lock / safe DB upgrades (P0a?e, P1a/b,
P2-launcher/P2a/P2d/P2e). **? Next (fresh focused pushes):** ***(1)** P3 **GPU validation +
screencast** (L4, ~$0.50, DELETE-after, $100 cap ? `[[gcp-vm-always-delete]]`; ? native-WASB
0-rally tuned-config blocker), ***(2)** P2b-install (uv/script + truly-local default config),
***(3)** P2c first-run wizard (cross-repo khelsutra SPA from `/api/capabilities`), then P3-cloud
(Cloud Run) + P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-
session-packaging-app]]`.
1. ? **`COMPUTE_DECOUPLED_SERVING` M0?M9 LARGELY SHIPPED** (2026-06-21, ADR-014 ratified).
M1?M4 (#279/#280/#282/#283), **M5 #286, M6 #287, M8 #288, M9-auth #290** all merged (default-
OFF); the **real M7 L4 run** validated the worker (22 rallies, VM deleted, $0). All $8 gating Qs
locked (D7?D17). **Owner residual** (not blocking Claude's default-OFF code): counsel ToS/DPA
(M9-consent live + M11 live), real GCP prices+FX (M8 calibrate), Google OAuth app (M12 real), CF
team-domain/AUD + ingress-lock; real cloud verification authorized within a **$100/?10k cap**
(D17).
2. **[owner, ongoing] Grow the golden corpus** ? multi-court badminton + ?3 matches/sport (TT
first). The single highest-leverage move; the quality track *and* full-corpus training feed on

```

```

it.
diff --git a/docs/README.md b/docs/README.md
index 0df1a69..58be5ff 100644
--- a/docs/README.md
+++ b/docs/README.md
@@ -15,6 +15,7 @@
- [DOC_STATUS.md](DOC_STATUS.md) ? **? living Documentation Status & Archival Register**: every
foundational/tracked doc's lifecycle + archive-readiness, the **archival due-diligence
checklist** (*honestly update ? then archive*), and the open doc-hygiene findings. Review here;
update rows as docs complete.

## Product / platform plans
+- [ALPHA_LAUNCH_READINESS.md](ALPHA_LAUNCH_READINESS.md) ? **? Active tracked project (`DRAFT`,
created 2026-07-03):** cross-repo alpha readiness tracker after the golden corpus reached 15
videos. Separates the hosted product-alpha lane (shareable upload?process?pick?reel) from the
owned-model/commercial rally-detection gate (ship target + WASB-C3 still unresolved). §7 is the
source of truth for the concrete next PR sequence: corpus portability, n=15 baseline refresh,
ablation/fusion reruns, hosted serving, alpha copy/launch review.
- [COMPUTE_DECOUPLED_SERVING/](COMPUTE_DECOUPLED_SERVING/README.md) ? **? Active tracked
project (2026-06-21, `DRAFT` owner-gated):** the productionization successor to
DECOUPLED_COMPUTE (its deferred M3/M4). **One pure core (DETECT?WINDOW?STITCH) that never
branches on deployment profile**, with a `ComputeBackend` (where it runs) + `StorageBackend`
(what bytes) selected by **one startup config**. Ships **truly-local** (local/USB + local GPU,
in-process stitch, zero cloud) + **cloud-serving** (upload<2GB / gdrive / bucket ? a **Cloud Run
GPU job runs detect AND stitch**, metered into a per-job cost ledger) + **cpu-mock** (CI).
Includes [TESTING_STRATEGY.md](COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md) (profile-PARITY
proof for $0), [architecture.svg](COMPUTE_DECOUPLED_SERVING/architecture.svg), a
[runlogs/](COMPUTE_DECOUPLED_SERVING/runlogs/) posterity dir, and **ADR-014** ([lineage
ADR-009?010?011?012?013?014](archives/decisions/DECISIONS.md)). §7 M0?M10 tracker is the source
of truth.
- [DECOUPLED_COMPUTE/](archives/past_projects/DECOUPLED_COMPUTE/README.md) ? ? **DELIVERED +
ARCHIVED (2026-06-21).** Lifted the rally pipeline onto a **rented cloud-native GPU** doing
bucket-driven `train` + `infer`: storage/compute seams (PRs #246?#259) + the **M3.5 native WASB
runner**, **M0?M2 + M3.5 proven on a GCP L4** (M2 ? `weights/0.1.0-l4/`). Delivered on **GCP** ?
DigitalOcean dropped for compute ([ADR-013](archives/decisions/DECISIONS.md)). **M3/M4 (serving
endpoint + per-video billing + scale-to-zero) deferred ? the "Cloud Run + GPU serving"
subproject** ([ADR-012](archives/decisions/DECISIONS.md)). Snapshot under
`docs/archives/past_projects/DECOUPLED_COMPUTE/` (incl. `DEPLOY_REPORT_GCP_2026-06-20.md`).
- [PACKAGING_PLAN.md](PACKAGING_PLAN.md) ? **? Active tracked project (`IN PROGRESS`, 11 PRs
merged 2026-06-21/22):** ship the engine as a **downloadable batteries-included Python app** ?
`pip install` ? `indexer --app` boots a local webserver and opens the **bundled KhelSutra SPA** ?
single-origin, **torch-free** (LIGHT tier), cross-platform, no native component (decision
D10/01). Built ON the decoupled-compute seam. **Supersedes the `DESKTOP_APP_PLAN.md`
narrative.** §7 tracker = source of truth (P0a?e ?, P1a/b ?, P2-launcher/P2a/P2d/P2e ?). **?
Next:** P3 GPU validation + screencast ? P2b-install ? P2c wizard (cross-repo) ? P4
(ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-
app]]`.

```

4. assistant (2026-07-03T16:39:53.450Z)

Now let me run a word-diff on the NEXT_STEPS.md change to examine character-by-character what was replaced.

5. user (2026-07-03T16:39:55.017Z)

```

diff --git a/docs/NEXT_STEPS.md b/docs/NEXT_STEPS.md
index f186ff9..a9f35a8 100644
--- a/docs/NEXT_STEPS.md
+++ b/docs/NEXT_STEPS.md
@@ -9,7 +9,7 @@
@@ -9,7 +9,7 @@

~
## ? Prioritized pending ? all tracks
~
**P0 ? highest leverage / unblocks the most**

```

~

0. **??** [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings lying around ? highlights, from a page, no SSH". **??** Today the cloud flow is **SSH/CLI-only** (`\docs\CLOUD_GPU_DRYRUN_GUIDE.md`); **M12** does NOT fix it. Needs (a separate khelsutra `\web\SPA + deploy track`, NOT an engine seam): **(i)** deploy the engine as a reachable **service** (M7 ? Cloud Run service, ? owner GCP spend for a ***persistent* endpoint**), **(ii)** the **SPA ingest/progress screen** (khelsutra `\web\B-P2: enter/upload video ? \api/process ? poll \api/jobs ? reel; ZERO engine code`), **(iii)** flip **M9 edge-auth ON** (merged #290, default-OFF) to gate alpha tenants, **(iv)** a **compute PICKER** in the UI ("your machine vs our cloud", D13/D15). The engine seams make it ***possible***; the SPA makes it ***usable***. Full record: `[[ui-driven-cloud-serving-gap]]`.
Concrete execution tracker after the n=15 corpus review: `\docs\ALPHA_LAUNCH_READINESS.md` §7.

~

0b. **??** [packaging track, IN PROGRESS ? 11 PRs merged 2026-06-21/22] Downloadable batteries-included app ? `\docs\PACKAGING_PLAN.md`. **??** The **LIGHT-tier engine** is bundle-ready: `\pip install ? \indexer --app` serves the *bundled SPA* single-origin, *torch-free*, with app-home state / ffmpeg resolver / DNS-rebinding guard / single-instance lock / safe DB upgrades (P0a?e, P1a/b, P2-launcher/P2a/P2d/P2e)`. **??** Next (fresh focused pushes): **(1)** P3 **GPU validation + screencast** (L4, ~\$0.50, DELETE-after, \$100 cap ? `[[gcp-vm-always-delete]]` ; ? native-WASB 0-rally tuned-config blocker`), **(2)** P2b-install (uv/script + truly-local default config), **(3)** P2c first-run wizard (cross-repo khelsutra SPA from `\api/capabilities``), then P3-cloud (Cloud Run) + P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]``.

~

1. ? **COMPUTE_DECOUPLED_SERVING` M0?M9 LARGELY SHIPPED** (2026-06-21, ADR-014 ratified). **M1?M4** (#279/#280/#282/#283), **M5** #286, **M6** #287, **M8** #288, **M9-auth** #290 **all merged** (default-OFF); the **real M7 L4 run** validated the worker (22 rallies, VM deleted, \$0). All S8 gating Qs locked (D7?D17). **Owner residual** (not blocking Claude's default-OFF code): counsel ToS/DPA (M9-consent live + M11 live), real GCP prices+FX (M8 calibrate), Google OAuth app (M12 real), CF team-domain/AUD + ingress-lock; real cloud verification authorized within a **\$100/?10k cap** (D17).

~

2. **[owner, ongoing]** Grow the golden corpus ? multi-court badminton + ?3 matches/sport (TT first). The single highest-leverage move; the quality track ***and*** full-corpus training feed on it.

~

6. assistant (2026-07-03T16:39:56.834Z)

Now let me examine the full old and new versions of that line to be absolutely thorough about what changed:

7. user (2026-07-03T16:39:57.488Z)

```
1      # Next steps (live) ? refreshed 2026-06-21
2
3      > How to read: this top section is the current cross-track state + prioritized
pending list (refreshed 2026-06-21, replacing the stale 2026-06-13 header). The detailed
owned-model & rally-quality track plan (2026-06-13) is preserved below, still valid ? it
is now *one of several* active tracks. Live blow-by-blow: memory current-state.md. Doc
lifecycle/hygiene: \docs\DOC_STATUS.md.
4
5      ## ? Where we are (2026-06-21)
6      DECOUPLED_COMPUTE delivered on GCP + archived (270); compute = GCP only
(ADR-013, DO dropped). COMPUTE_DECOUPLED_SERVING subproject spun up (272, ADR-014) ?
one pure core + local/cloud profiles; M0?M9 LARGELY SHIPPED (ADR-014 ratified 2026-06-21;
M1?M4 #279?#283, M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF). Per-video
workspace P0 shipped (264); doc-status register + archival due-diligence in place (273).
The khelsutra site + per-rally UI ship in parallel (sibling track). The rally-quality /
owned-model track (below) is the core ML work, gated on *growing the golden corpus*.
7
8      > LAUNCH DECISION ? NO-GO (owner, 2026-06-30). The rally-detection product is
*not* cleared for an external/commercial launch; we stay in *development*. This is the
expected default for the dev phase. Two unblockers gate a future GO: (1) set + meet the
```

****ship-gate target (#172)**** ? currently unset, needs corpus growth (and the R2 tolF1 ablation, item 8); ****2)**** resolve the ****WASB shuttle-detector weight provenance**** (commercial-clean licensing). P2b (#396) was a do-no-harm quality increment, ****not**** a launch gate ? merging dev PRs ? launching. Re-decide only when both unblockers clear.

9

10 **##** ? Prioritized pending ? all tracks

11 ****P0** ? highest leverage / unblocks the most******

12 0. **??** [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings lying around ? highlights, from a page, no SSH".****** Today the cloud flow is ****SSH/CLI-only**** (`docs/CLOUD\_GPU\_DRYRUN\_GUIDE.md`); ****M12** does NOT fix it.****** Needs (a separate khelsutra `web/` SPA + deploy track, NOT an engine seam): ****i)**** deploy the engine as a reachable ****service**** (M7 ? Cloud Run service, ? owner GCP spend for a **persistent** endpoint), ****ii)**** the ****SPA ingest/progress screen**** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll `/api/jobs` ? reel; ZERO engine code), ****iii)**** flip ****M9 edge-auth ON**** (merged #290, default-OFF) to gate alpha tenants, ****iv)**** a ****compute PICKER in the UI**** ("your machine vs our cloud", D13/D15). The engine seams make it **possible**; the SPA makes it **usable**. Full record: `[[ui-driven-cloud-serving-gap]]`. ****Concrete execution tracker after the n=15 corpus review:**** `docs/ALPHA\_LAUNCH\_READINESS.md` §7.

13 0b. **??** [packaging track, IN PROGRESS ? 11 PRs merged 2026-06-21/22] Downloadable batteries-included app ? `docs/PACKAGING\_PLAN.md`. ****** The LIGHT-tier engine is bundle-ready: `pip install` ? `indexer --app` serves the ****bundled SPA**** single-origin, ****torch-free****, with app-home state / ffmpeg resolver / DNS-rebinding guard / single-instance lock / safe DB upgrades (P0a?e, P1a/b, P2-launcher/P2a/P2d/P2e). **??** Next (fresh focused pushes): ****1)**** P3 ****GPU validation + screencast**** (L4, ~\$0.50, DELETE-after, \$100 cap ? `[[gcp-vm-always-delete]]`; ? native-WASB 0-rally tuned-config blocker), ****2)**** P2b-install (uv/script + truly-local default config), ****3)**** P2c first-run wizard (cross-repo khelsutra SPA from `/api/capabilities`), then P3-cloud (Cloud Run) + P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.

14 1. ? ****COMPUTE_DECOUPLED_SERVING` M0?M9 LARGELY SHIPPED**** (2026-06-21, ADR-014 ratified). M1?M4 (#279/#280/#282/#283), ****M5** #286, ****M6** #287, ****M8** #288, ****M9-auth** #290****** all merged (default-OFF); the ****real M7 L4 run**** validated the worker (22 rallies, VM deleted, \$0). All \$8 gating Qs locked (D7?D17). ****Owner residual**** (not blocking Claude's default-OFF code): counsel ToS/DPA (M9-consent live + M11 live), real GCP prices+FX (M8 calibrate), Google OAuth app (M12 real), CF team-domain/AUD + ingress-lock; real cloud verification authorized within a ****\$100/?10k cap**** (D17).

15 2. ****[owner, ongoing]** Grow the golden corpus****** ? multi-court badminton + ?3 matches/sport (TT first). The single highest-leverage move; the quality track **and** full-corpus training feed on it.

16 3. ****[owner + Claude + GPU]** Full-corpus training (n?5)****** ? a real `weights/<ver>/` (the `0.1.0-l4` bundle is n=2 plumbing-only).

17

18 ****P1** ? near-term, mostly Claude-doable (default-OFF, green-gated)******

19 3b. ****[Claude]** Five-repo audit health remediation ? ? COMPLETE (2026-07-02).****** All waves (P0?P28) landed and the last residuals were closed or filed as issues; the umbrella tracker was archived to `docs/archives/past\_projects/AUDIT\_REPORT\_khelsutra-guru\_2026-07-02-COMPLETED-2026-07-02.md`. Remaining owner-gated/future work lives as GitHub issues: #443 (CORS default), #444 (corpus Phase-2 upload), #445 (GCS eval plumbing), plus #301/#327/#332/#384.

20 4. ****[Claude]** `COMPUTE\_DECOUPLED\_SERVING` batch ? REMAINING: M11 + M12****** (M5/M6/M8/M9-auth ? merged this session). ****M11**** = `backend/flywheel.py` capture?store?shadow-eval?goldenize plumbing reusing `workspace.py::for\_video` + `backend/eval/experiment.compare` + `backend/eval/promotion.py::promote\_if\_served\_safe`, behind `flywheel.\*`=OFF + a faked `consent\_attested` (? privacy-sensitive ? give it fresh focus). ****M12**** = `backend/storage/gdrive\_api.py` `GDriveApiStorage(StorageBackend)` + a `gdrive-api://` scheme (regex already allows the hyphen; add to `\_KNOWN` + `\_backend\_class` + the StorageConfig Literal) against an INJECTED fake Drive (mirror `gcs.py` DI); keep the mount-only `gdrive://` untouched. ? ****M9-consent cols = a new v7 migration**** (M8 took v6). M9-consent ToS/DPA text = owner/counsel.

8. assistant (2026-07-03T16:40:00.717Z)

Good. Now let me check the DOC_STATUS.md hunk to see if it lands in the right section and maintains format consistency:

9. user (2026-07-03T16:40:01.964Z)

Documentation Status & Archival Register

```
> **Status:** ? **LIVING** ? the single board for doc **lifecycle + archival due-diligence**.  
**Last full review:** 2026-07-02.  
> **Update cadence:** whenever a doc changes lifecycle state (created / shipped a milestone /  
delivered / archived), and re-review at each clean-slate.  
> **Why this exists:** so we can (a) **review completeness** at a glance, (b) **update it as  
work finishes** to prove we're done, and (c) **never archive a foundational doc without honestly  
updating it first** (owner directive, 2026-06-21).
```

0. How to use this

- ****Reviewing now?**** Read §4 (the open findings/actions) ? that's what needs attention. §3 is the full register.
- ****Marking something complete?**** Update the doc's own ****§7 progress tracker**** (the source of truth for *its* completeness), then flip its row here, then ? if terminal ? run the §2 archival checklist.
- ****This register does NOT duplicate completeness detail**** ? it indexes lifecycle + archive-readiness and points to each tracked doc's §7.

1. Lifecycle legend

``DRAFT ? IN PROGRESS ? DONE/DELIVERED ? ARCHIVED``. Plus: ****LIVING**** (permanent reference, never "done"), ****PROPOSAL/DESIGN**** (owner-gated, not started), ****REPORT**** (a terminal record of a run/launch), ****CONVENTION**** (a standing rule/guide).

2. Archival due-diligence checklist ? ***the repeatable process (do NOT just `git mv`)***

Before a foundational/tracked doc moves to ``docs/archives/``:

1. ****VERIFY claims against the code**** ? no stale assertions; tag load-bearing facts ``[verified]``. (A doc that says "nothing built" when code shipped is *not* archive-ready ? fix it first.)
2. ****Flip Status ? DELIVERED / DONE / REJECTED + a completion note**** ? what shipped, where (PRs, paths, artifacts), and what was ****deferred / carried forward****.
3. ****Update ALL inbound references**** ? ``docs/README.md`` index, ``CLAUDE.md``, ``docs/NEXT_STEPS.md``, and any cross-doc links ? the new path + status.
4. ****Keep the lineage**** ? ADR forward/back-links + "supersedes / superseded-by" so the evolution stays traceable.
5. ****`git mv` the whole dir/file ? `docs/archives/past\_projects/`**** (terminal-state ONLY; live docs stay at ``docs/`` top level). Relative links inside become historical (note this in the doc's header).
6. ****Record the move**** ? flip the row here to §3e + a line in memory ``current-state``.

```
> **Worked example (the template):** **DECOUPLED_COMPUTE ? #270** ? verified M0?M2+M3.5  
delivered on GCP, flipped ??? DELIVERED with a completion note (incl. carried-forward  
WASB-C3/DPA/`md5`), reindexed `docs/README` + `past_projects/README`, kept the ADR-010?014  
lineage, then `git mv` to `docs/archives/past_projects/DECOUPLED_COMPUTE/`.
```

3. The register

3a. Tracked projects ? lifecycle docs (archive when DONE; each doc's §7 is the completeness source-of-truth)

Doc	Status	Archive-ready?	Next action
-----	--------	----------------	-------------

<code>`--- --- --- ---</code>			
<code>`COMPUTE_DECOUPLED_SERVING/`</code>	**IN PROGRESS** ? M0 approved + **M1?M9 LARGELY SHIPPED** (#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights pushed (<code>`weights/0.1.0-l4/`</code>)	No	M11 flywheel + M12 gdrive-api (owner residual: counsel/prices/OAuth/real-run within the D17 cap)
<code>`RALLY_QUALITY_RESEARCH.md`</code>	Foundation, **tracked & ACTIVE** (§7)	No	Drives the R-series; complete when §7.1 single quality number is attributed
<code>`R2_EVAL_METRIC_DESIGN.md`</code>	IMPLEMENTED (augmenting)	No (gates R4 + dual-eval; ablation pending)	Promote-or-reject to F1 as the gate (ablation) ? then archive with the R-cluster
<code>`R1_MILESTONE_LAUNCH_REPORT.md`</code>	LAUNCHED (#204) ? terminal record	Soon (with the R-cluster)	Keep with R-series for narrative; archive when the track wraps
<code>`RALLY_DETECTION_GAP_CLOSURE.md`</code>	DRAFT (owner-gated)	No	G1?G3 levers; part of the

```
R/quality cluster |
| `RALLY_DETECTION_FIXES_PLAN.md` | **DONE** ? findings A/B/C resolved; P2b promoted
`inactivity_temporal_density` default-ON (#396) | With the R-cluster (deferred per its header;
gate = R2 toIF1 ablation + $7.1 number) | Archive with the R-series when the track wraps |
| `RALLY_DETECTION_CODE_REVIEW.md` | Terminal snapshot ? findings A (#394), B (#394 ? promoted
#396), C (`sdc#50`) all resolved | With the R-cluster | Archive with the R-series |
| `PER_VIDEO_WORKSPACE.md` | DRAFT, IN PROGRESS (P0 = #264) | No | ? supersede-reconcile
(finding #1) DONE; P3 de-hardcode base ? via #282; remaining P1?P6 (P1 v6 migration coordinates
with M8's v6 cost-ledger ? version bump authored once) |
```

10. assistant (2026-07-03T16:40:04.716Z)

Now let me check the new version to compare the table format and placement:

11. user (2026-07-03T16:40:05.464Z)

```
1      # Documentation Status & Archival Register
2
3      > **Status:** ? **LIVING** ? the single board for doc **lifecycle + archival due-
diligence**. **Last full review:** 2026-07-02.
4      > **Update cadence:** whenever a doc changes lifecycle state (created / shipped a
milestone / delivered / archived), and re-review at each clean-slate.
5      > **Why this exists:** so we can (a) **review completeness** at a glance, (b) **update
it as work finishes** to prove we're done, and (c) **never archive a foundational doc without
honestly updating it first** (owner directive, 2026-06-21).
6
7      ---
8
9      ## 0. How to use this
10     - **Reviewing now?** Read $4 (the open findings/actions) ? that's what needs attention.
$3 is the full register.
11     - **Marking something complete?** Update the doc's own **$7 progress tracker** (the
source of truth for *its* completeness), then flip its row here, then ? if terminal ? run the $2
archival checklist.
12     - **This register does NOT duplicate completeness detail** ? it indexes lifecycle +
archive-readiness and points to each tracked doc's $7.
13
14     ## 1. Lifecycle legend
15     `DRAFT ? IN PROGRESS ? DONE/DELIVERED ? ARCHIVED`. Plus: **LIVING** (permanent
reference, never "done"), **PROPOSAL/DESIGN** (owner-gated, not started), **REPORT** (a terminal
record of a run/launch), **CONVENTION** (a standing rule/guide).
16
17     ## 2. Archival due-diligence checklist ? *the repeatable process (do NOT just `git
mv`)*
18     Before a foundational/tracked doc moves to `docs/archives/`:
19     1. **VERIFY claims against the code** ? no stale assertions; tag load-bearing facts
`[verified]`. (A doc that says "nothing built" when code shipped is *not* archive-ready ? fix it
first.)
20     2. **Flip Status ? DELIVERED / DONE / REJECTED + a completion note** ? what shipped,
where (PRs, paths, artifacts), and what was **deferred / carried forward**.
21     3. **Update ALL inbound references** ? `docs/README.md` index, `CLAUDE.md`,
`docs/NEXT_STEPS.md`, and any cross-doc links ? the new path + status.
22     4. **Keep the lineage** ? ADR forward/back-links + "supersedes / superseded-by" so the
evolution stays traceable.
23     5. **`git mv` the whole dir/file ? `docs/archives/past_projects/`** (terminal-state
ONLY; live docs stay at `docs/` top level). Relative links inside become historical (note this
in the doc's header).
24     6. **Record the move** ? flip the row here to $3e + a line in memory `current-state`.
25
26     > **Worked example (the template):** **DECOUPLED_COMPUTE ? #270** ? verified M0?M2+M3.5
delivered on GCP, flipped ??? DELIVERED with a completion note (incl. carried-forward
WASB-C3/DPA/`md5`), reindexed `docs/README` + `past_projects/README`, kept the ADR-010?014
lineage, then `git mv` to `docs/archives/past_projects/DECOUPLED_COMPUTE/`.
27
28     ## 3. The register
```

29

30 ### 3a. Tracked projects ? lifecycle docs (archive when DONE; each doc's \$7 is the completeness source-of-truth)

31 | Doc | Status | Archive-ready? | Next action |

32 |---|---|---|---|

33 | `ALPHA\_LAUNCH\_READINESS.md` | ****DRAFT**** ? cross-repo alpha readiness tracker created 2026-07-03 after the golden corpus reached n=15; separates hosted product-alpha work from owned-model/commercial rally-detection gates | No | Execute \$7 in order: corpus portability + n=15 baselines, hosted alpha serving, ablation/fusion reruns, then launch G0/N0-G0 |

34 | `COMPUTE\_DECOUPLED\_SERVING/` | ****IN PROGRESS**** ? M0 approved + ****M1?M9 LARGELY SHIPPED**** (#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights pushed (`weights/0.1.0-l4/`) | No | M11 flywheel + M12 gdrive-api (owner residual: counsel/prices/OAuth/real-run within the D17 cap) |

35 | `RALLY\_QUALITY\_RESEARCH.md` | Foundation, ****tracked & ACTIVE**** (\$7) | No | Drives the R-series; complete when \$7.1 single quality number is attributed |

36 | `R2\_EVAL\_METRIC\_DESIGN.md` | IMPLEMENTED (augmenting) | No (gates R4 + dual-eval; ablation pending) | Promote-or-reject toLF1 as the gate (ablation) ? then archive with the R-cluster |

37 | `R1\_MILESTONE\_LAUNCH\_REPORT.md` | LAUNCHED (#204) ? terminal record | Soon (with the R-cluster) | Keep with R-series for narrative; archive when the track wraps |

38 | `RALLY\_DETECTION\_GAP\_CLOSURE.md` | DRAFT (owner-gated) | No | G1?G3 levers; part of the R/quality cluster |

39 | `RALLY\_DETECTION\_FIXES\_PLAN.md` | ****DONE**** ? findings A/B/C resolved; P2b promoted `inactivity\_temporal\_density` default-ON (#396) | With the R-cluster (deferred per its header; gate = R2 toLF1 ablation + \$7.1 number) | Archive with the R-series when the track wraps |

40 | `RALLY\_DETECTION\_CODE\_REVIEW.md` | Terminal snapshot ? findings A (#394), B (#394 ? promoted #396), C (`sdc#50`) all resolved | With the R-cluster | Archive with the R-series |

41 | `PER\_VIDEO\_WORKSPACE.md` | DRAFT, IN PROGRESS (P0 = #264) | No | ? supersede-reconcile (finding #1) DONE; P3 de-hardcode base ? via #282; remaining P1?P6 (P1 v6 migration coordinates with M8's v6 cost-ledger ? version bump authored once) |

42 | `MULTI\_SIGNAL\_FUSION\_PLAN.md` | P1 DONE; P2+ owner-gated | No | P3/P4 (learned fusion, audio) ? needs GPU golden features |

43 | `EXPERIMENT\_HARNESS.md` | P1 IMPLEMENTED | No | A/B + promotion gate; supports the quality track |

44 | `PROMINENT\_COURT\_DETECTION.md` | DRAFT (owner-gated) | No | C-series; multi-track selection design |

45 | `EXECUTION\_POLICY.md` | P1 SHIPPED; P3b next | No | Async job policy; reused by Cloud Run dispatch |

46 | `GOLDEN\_REGRESSION\_FIXTURES.md` | IN PROGRESS (owner-gated) | No | Golden eval fixtures |

47 | ****Data layer**** ? `docs/data\_pipeline/` (`GOLDEN\_SET\_IMPLEMENTATION` . `GOLDEN\_SET\_PHASE1\_VIDEOS` . `GOLDEN\_VIDEOS` . `VIDEO\_RECORDING\_GUIDELINES` . `GOLDEN\_DATA\_SHARING`) | LIVING (data, ****no-ML****) | n/a | Relocated 2026-06-21 to the isolated data pillar; tracked via `data\_pipeline/README.md`. Roora **vendor** docs archived ? `archives/roora-vendor/`. |

48 | `archives/past\_projects/AUDIT\_REPORT\_khelsutra-guru\_2026-07-02-COMPLETED-2026-07-02.md` ****umbrella**** | ***** COMPLETE / ARCHIVED (2026-07-02)**** ? the five-repo code audit + folded-in **Remediation tracker** (P0?P28 all closed) + absorbed prior audits. All non-owner-gated residuals landed; owner-gated/future items filed as issues (#443/#444/#445, + #301/#327/#332/#384). | Archived | Owner confirmed archival 2026-07-02; moved to `archives/past\_projects/` per \$2. Residuals now live as GitHub issues, not in this doc. |

49 | `DECISION\_SNAPSHOT\_REGRESSION.md` | ****DRAFT ? decisions LOCKED**** (D1?D11 locked 2026-06-25, #383). Zero code shipped for P1?P7. | No | Start P1+P2 (schema + stitch-plan factor); de-risk the P10 main.py split |

50 | `DESKTOP\_APP\_PLAN.md` | DRAFT (owner-gated, nothing built) | No | P0 compute-feasibility spike; relates to truly-local profile |

12. assistant (2026-07-03T16:40:08.734Z)

Perfect! Now let me check the README.md insertion to verify it's in the right section and follows the formatting convention:

13. user (2026-07-03T16:40:09.337Z)

1 - RALLY_QUALITY_RESEARCH.md ? ***** Foundation doc**** for

closing the local-vs-Gemini rally-detection gap: the measured gap + the code-grounded over-merge diagnosis ("shuttle moving ? rally"), an inventory of the eval/experiment harness + its gaps, the strengthened evaluation framework (segmental Edit/F1@k that make over-segmentation first-class, golden-corpus + active learning, Gemini-agreement as a *shadow* signal), an **adversarially-verified, cited external-research synthesis** (TAL/TAS boundary heads, racket-sports rally-state cues, small-data, eval rigor), a **prioritized cheap?durable roadmap with falsifiable success criteria**, and (§7) a **tracked project plan** ? work-item checklist, sequencing, the single quality **number** attributed to the effort, and a **definition of done** (project completes when all tiers land + the number is recorded). The plan that the QUALITY_ITERATIONS.md log executes against; ties together EXPERIMENT_HARNESS / MULTI_SIGNAL_FUSION_PLAN / ANALYZERS_AND_RECONCILERS / OWNED_MODEL_IMPLEMENTATION_PLAN.

2 - RALLY_DETECTION_GAP_CLOSURE.md ? **Tracked execution doc (2026-06-18)** for closing the remaining rally-detection accuracy gap **per video, before launch**, driven by the growing golden corpus. First ground-truth clip (GX010141) reframed it: boundaries are tight (R2/R3/R4 holds) ? the gap is **detection**: (G1) recall (local & Gemini both miss ~half on hard clips, and *different* rallies ? complementary), (G2) precision (local over-fires), (G3) **rally-END over-extension on the quick-return-after-point** (shuttle still moving ? needs a *player-state* signal). Levers (owner-gated): player-kinematics + shuttle-in-hand / sustained-invisibility end-rule with reverse-timeline backtrack, `rally\_gate` Gate A wiring, complementary fusion. **Peer** of `RALLY\_QUALITY\_RESEARCH.md` (execution tracker, not research); §7 is the source of truth.

3 - PROMINENT_COURT_DETECTION.md ? **Design + experiment (2026-06-19, default-OFF, owner-gated flip)** for the **multicourt G2 over-fire**: identify the **prominent (foreground) court** (the one covering the majority of the frame) and keep only rallies whose shuttle lives inside it ? re-defining the shuttle signal `(x,y,visible)` ? `(x,y,visible-AND-inside-prominent-court)` *before* windowing, so a background/adjacent-court shuttle never forms a rally. 2D floor polygon (MVP) ? **pseudo-3D play-volume** (refinement, so high clears aren't clipped). Born from the GX010142 rally-#1 background-court FP; reuses `fusion\_features.point\_in\_polygon` + `FusionConfig.court\_polygon`. §8 progress tracker is the source of truth.

4 - RALLY_DETECTION_QUALITY_REPORT.md ? **Technical-paper checkpoint (2026-06-17)** of rally-detection quality: the honest measured state (over-segmentation milestone tolerance-F1 0.09170.323 at n=11, p=0.002; merge-rate 0.69470.150; first real-footage ground-truth at-par with START at Gemini parity), the task-faithful R2 metric, a detailed Gemini comparison, next steps + expected wins, areas yet to be explored, and a publishability / path-to-submission verdict. Renders to a polished PDF; the externally-shareable "toward a paper" summary of `RALLY\_QUALITY\_RESEARCH.md` + `QUALITY\_ITERATIONS.md`.

5 - EVALUATION.md ? How we measure and improve quality.

6 - EXPERIMENT_HARNESS.md ? Design (P1 SHIPPED) for A/B + shadow + SxS experimentation on rally-detection variants with **zero production regression** ? experiments are decoupled from deploy (new cues default OFF, promote only on measured LOVO lift, rollback = flip a flag). Composes the existing `backend/eval/` machinery (`calibration`, `regression`, `metrics`); implemented in `backend/eval/experiment.py`.

7 - QUALITY_ITERATIONS.md ? **Living log** of rally-detection quality iterations (hypothesis ? what shipped ? measured/expected effect ? lesson). The reverse-chronological record; terminal-state snapshots get archived under `archives/quality-iterations/`.

8 - ANALYZERS_AND_RECONCILERS.md ? Design (owner-gated, NOT started): a **signal-fusion framework** for rally detection ? producers emit confidence-scored **signals** at three temporal **scopes** (frame detectors / window analyzers / session analyzers), a learned **scorer** weights them, and an auditable **report-first reconciliation** pass lints the decision against the evidence. The spine: **no special-casing in the decision path** (signals?scorer, never `if/else`). Worked examples: a service-fault analyzer, a warm-up/practice span detector, and consuming a per-frame shuttle-state detector. A peer to `EXPERIMENT\_HARNESS.md` and `MULTI\_SIGNAL\_FUSION\_PLAN.md` (ADR-007 modular rally layer).

9 - PERSONALIZATION_PLAN.md ? Design (owner-adopted **hybrid**; Phase-0 landing) for the **per-user personalization feature on a generalization-first baseline**: a thin per-user *tuning* layer gated by the honest small-N statistics (a **min-N promotion floor** + a **structural-guard exemption**, never a service gate) + a **contribution flywheel** (free-tier videos pool into the owner-trained baseline; **a tool that gets better the more you help it**). Records the **locked owner decisions** (identity, storage, `min\_n` semantics, Gate-A default, free-tier pooling). Built so far: per-user promotion gate (#141) + held-out-USER learning curve (#142).

11 - GOLDEN_REGRESSION_FIXTURES.md ? **Design (owner-gated, NOT started):** video-free, non-attributable regression fixtures so a clean clone runs the rally-seg suite with **no video/GPU/DB**. Two layers ? the post-detector freeze + **dual gates** (characterization + quality-floor) reusing the `backend/eval/` stack, and the **SEALED-FIXTURES** privacy filter (de-attribution-at-source, tiered public/key-gated, shuttle-only public tier). Carries a cited **IN/US/EU legal memo** (derived-data IP/privacy), a threat model, and a **\$7 progress tracker + definition-of-done**. Extends [GOLDEN_DATA_SHARING.md](data_pipeline/GOLDEN_DATA_SHARING.md).

12

13 ## ? Documentation status & governance

14 - [AUDIT_REPORT_khelsutra-guru_2026-07-02 (? COMPLETE / ARCHIVED)](archives/past_projects/AUDIT_REPORT_khelsutra-guru_2026-07-02-COMPLETED-2026-07-02.md) ? the five-repo `khelsutra-guru` workspace code audit + its folded-in **Remediation tracker** (P0?P28 all closed). **Archived 2026-07-02** once every remediation wave landed and the last residuals were closed or filed as issues (#443 CORS, #444 corpus Phase-2, #445 GCS eval; + #301/#327/#332/#384). Absorbed the prior `CODE\_CLEANUP\_AUDIT\_2026-06-24` + June-2026 hardening sweep (both archived).

15 - DOC_STATUS.md ? **? living Documentation Status & Archival Register** : every foundational/tracked doc's lifecycle + archive-readiness, the **archival due-diligence checklist** (*honestly update ? then archive*), and the open doc-hygiene findings. Review here; update rows as docs complete.

16

17 ## Product / platform plans

18 - ALPHA_LAUNCH_READINESS.md ? **? Active tracked project (`DRAFT`, created 2026-07-03):** cross-repo alpha readiness tracker after the golden corpus reached 15 videos. Separates the hosted product-alpha lane (shareable upload?process?pick?reel) from the owned-model/commercial rally-detection gate (ship target + WASB-C3 still unresolved). \$7 is the source of truth for the concrete next PR sequence: corpus portability, n=15 baseline refresh, ablation/fusion reruns, hosted serving, alpha copy/launch review.

19 - [COMPUTE_DECOUPLED_SERVING/](COMPUTE_DECOUPLED_SERVING/README.md) ? **? Active tracked project (2026-06-21, `DRAFT` owner-gated):** the productionization successor to DECOUPLED_COMPUTE (its deferred M3/M4). **One pure core (DETECT?WINDOW?STITCH) that never branches on deployment profile**, with a `ComputeBackend` (where it runs) + `StorageBackend` (what bytes) selected by **one startup config**. Ships **truly-local** (local/USB + local GPU, in-process stitch, zero cloud) + **cloud-serving** (upload<2GB / gdrive / bucket ? a **Cloud Run GPU job runs detect AND stitch**, metered into a per-job cost ledger) + **cpu-mock** (CI). Includes [TESTING_STRATEGY.md](COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md) (profile-PARITY proof for \$0), [architecture.svg](COMPUTE_DECOUPLED_SERVING/architecture.svg), a [runlogs/](COMPUTE_DECOUPLED_SERVING/runlogs/) posterity dir, and **ADR-014** ([lineage ADR-009?010?011?012?013?014](archives/decisions/DECISIONS.md)). \$7 M0?M10 tracker is the source of truth.

20 - [DECOUPLED_COMPUTE/](archives/past_projects/DECOUPLED_COMPUTE/README.md) ? **? DELIVERED + ARCHIVED (2026-06-21).** Lifted the rally pipeline onto a **rented cloud-native GPU** doing bucket-driven `train` + `infer`: storage/compute seams (PRs #246?#259) + the **M3.5 native WASB runner** ; **M0?M2 + M3.5 proven on a GCP L4** (M2 ? `weights/0.1.0-l4/`). Delivered on **GCP** ? DigitalOcean dropped for compute ([ADR-013](archives/decisions/DECISIONS.md)). **M3/M4 (serving endpoint + per-video billing + scale-to-zero) deferred ? the "Cloud Run + GPU serving" subproject** ([ADR-012](archives/decisions/DECISIONS.md)). Snapshot under `docs/archives/past\_projects/DECOUPLED\_COMPUTE/` (incl. `DEPLOY\_REPORT\_GCP\_2026-06-20.md`).

21 - PACKAGING_PLAN.md ? **? Active tracked project (`IN PROGRESS`, 11 PRs merged 2026-06-21/22):** ship the engine as a **downloadable batteries-included Python app** ? `pip install` ? `indexer --app` boots a local webserver and opens the **bundled KhelSutra SPA** single-origin, **torch-free** (LIGHT tier), cross-platform, no native component (decision D10/O1). Built ON the decoupled-compute seam. **Supersedes the `DESKTOP\_APP\_PLAN.md` narrative.** \$7 tracker is source of truth (P0a?e ?, P1a/b ?, P2-launcher/P2a/P2d/P2e ?). **? Next:** P3 GPU validation + screencast ? P2b-install ? P2c wizard (cross-repo) ? P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.

22 - DESKTOP_APP_PLAN.md ? **? Superseded narrative (by `PACKAGING\_PLAN.md` ; D10 = self-hosted webserver, NOT a desktop app).** Original scoping doc (2026-06-18, `[design]`): package the local pipeline as a **cross-platform desktop app** for non-technical players ? plug in the camera's USB/SD card, click once, get back **only the highlight reels**, fully on-device (no upload, no original-video bloat). The centerpiece is the **de-WSL native-compute port** (run WASB natively per-OS: Linux/Windows CUDA · macOS MPS/CPU ? drop WSL2), and its **make-or-break unknown**: is CPU acceptable on a typical *no-GPU*?

enthusiast laptop (WASB is ~3.4× real-time on a laptop 2070S)? \$7 tracker = **P0 compute-feasibility spike ? P1 native detector ? P2 app shell ? P3 packaging/installers**. Realizes the **L0 fully-local** tier of VIDEO_LOCALITY_MODEL.md; is the **`LocalDesktop` ComputeBackend** of PLATFORM_ARCHITECTURE.md \$3.2; the smaller/export-clean owned model (OWNED_MODEL_IMPLEMENTATION_PLAN.md) is one answer to the compute crux.

23

24 ## Practical / ongoing

25 - CREATING_REELS.md ? **? End-user guide:** install the LIGHT-tier app ? `indexer --app` ? process a video ? pick rallies ? download a watermarked reel. Task-first usage walkthrough (web UI + the API chain), with a \$6 pointer to the cloud compute option. LIGHT tier only (offline `motion` / optional Gemini; no on-device GPU or one-click cloud). Install mechanics ? root [README.md](../README.md); packaging roadmap ? PACKAGING_PLAN.md.

26 - CONVERT_GCS_VIDEOS_TO_HIGHLIGHTS.md ? **? Operator runbook:** `gs://` bucket videos ? highlight reels on the approved **L4 Cloud Run** (scale-to-zero, \$0 idle). Copy-pasteable: build image ? create the GPU Job ? cloud-serving control plane ? process(cloud)?query?compile?download ? prove the path (`verify\_compute\_path.py`) ? \$0 teardown. **Verified e2e 2026-06-23.** Raw deploy knobs ? ../deploy/cloudrun/README.md.

27 - SETUP_NEW_MACHINE.md ? **? The canonical "spin up a box ? ready for training & inference" runbook.** Copy-pasteable, human-followable, **verified end-to-end on DigitalOcean (2026-06-20)** ? but **compute is now GCP-only (ADR-013)** , see [deploy/gcp/README.md](../deploy/gcp/README.md): credentials ? provision ? bootstrap ? suite (922 passed) ? secret-free CPU inference (no GPU/keys) ? real Gemini inference ? Gen-0 training, with pointers to the GPU/native-detector + bucket paths. The `deploy/digitalocean/\*` scripts are provider-agnostic and reused on GCP.

28 - DATA_IN_GCS.md ? **? The corpus source-of-truth map: where every piece of data lives in `gs://khelesutra-rally-corpus`** (canonical layout · current contents + drift · how `backend.worker` consumes it · the still-local-only **gap** · migration plan). Read this so a session pulls data from the bucket, not from someone's `C:`/`F:`/Drive ? the goal is to remove the local box as a blocker. Pairs with the two runbooks below.

29 - [deploy/gcp/nightly_regression/README.md](../deploy/gcp/nightly_regression/README.md) ? **? Nightly engine-regression OPERATIONS MANUAL (one-stop shop):** enable · run on demand · change any setting (email recipients/frequency/clips/config) · observe · pause/disable/remove. The full WASB-pipeline reel-count+cost+email nightly on an ephemeral GCP GPU VM (design/status: NIGHTLY_ENGINE_REGRESSION.md). The lighter CPU cached-trajectory tripwire is `scripts/nightly\_regression.py` (local Windows Scheduled Task, PR #202).

30 - TRACKNET_WSL_SETUP.md

14. assistant (2026-07-03T16:40:11.598Z)

Good! Now let me verify the exact wording of the NEXT_STEPS.md insertion to ensure it's not replacing anything of substance. Let me compare the old and new file more carefully:

15. user (2026-07-03T16:40:12.918Z)

0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only** (`docs/CLOUD\_GPU\_DRYRUN\_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelesutra `web/` SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable **service** (M7 ? Cloud Run service, ? owner GCP spend for a ***persistent*** endpoint), **(ii)** the **SPA ingest/progress screen** (khelesutra `web/` B-P2: enter/upload video ? `/api/process` ? poll `/api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290, default-OFF) to gate alpha tenants, **(iv)** a **compute PICKER** in the UI ("your machine vs our cloud", D13/D15). The engine seams make it ***possible***; the SPA makes it ***usable***. Full record: [[ui-driven-cloud-serving-gap]].

16. assistant (2026-07-03T16:40:14.909Z)

Now let me check if the new version simply appended the tracker pointer:

17. user (2026-07-03T16:40:15.731Z)

0. **??** [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings lying around ? highlights, from a page, no SSH". ****** Today the cloud flow is ****SSH/CLI-only**** (`\docs\CLOUD_GPU_DRYRUN_GUIDE.md`); ****M12** does NOT fix it. ****** Needs (a separate khelsutra `\web\` SPA + deploy track, NOT an engine seam): **(i)** deploy the engine as a reachable **service** (M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), **(ii)** the **SPA ingest/progress screen** (khelsutra \web\` B-P2: enter/upload video ? \api/process` ? poll \api/jobs` ? reel; ZERO engine code), **(iii)** flip **M9 edge-auth ON** (merged #290, default-OFF) to gate alpha tenants, **(iv)** a **compute PICKER in the UI** ("your machine vs our cloud", D13/D15). The engine seams make it *possible*; the SPA makes it *usable*. Full record: [[ui-driven-cloud-serving-gap]]. **Concrete execution tracker after the n=15 corpus review:** \docs\ALPHA_LAUNCH_READINESS.md` $7.`

18. assistant (2026-07-03T16:40:17.886Z)

Perfect! Now let me look at the `DOC_STATUS.md` insertion placement more carefully to verify it's truly a pure insertion and respects table format/ordering:

19. user (2026-07-03T16:40:18.874Z)

3a. Tracked projects ? lifecycle docs (archive when DONE; each doc's \$7 is the completeness source-of-truth)

Doc	Status	Archive-ready?	Next action
<code>\`COMPUTE_DECOUPLED_SERVING/\`</code>	**IN PROGRESS** ? M0 approved + **M1?M9 LARGELY SHIPPED** (#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights pushed (<code>\weights\0.1.0-l4/\`</code>)	No	M11 flywheel + M12 gdrive-api (owner residual: counsel/prices/OAuth/real-run within the D17 cap)
<code>\`RALLY_QUALITY_RESEARCH.md`</code>	Foundation, **tracked & ACTIVE** (\$7)	No	Drives the R-series; complete when \$7.1 single quality number is attributed
<code>\`R2_EVAL_METRIC_DESIGN.md`</code>	IMPLEMENTED (augmenting)	No	(gates R4 + dual-eval; ablation pending) Promote-or-reject to F1 as the gate (ablation) ? then archive with the R-cluster

20. assistant (2026-07-03T16:40:20.843Z)

Now let me check the `README.md` to see what the insertion is relative to surrounding content:

21. user (2026-07-03T16:40:21.709Z)

Product / platform plans

- `[COMPUTE_DECOUPLED_SERVING/](COMPUTE_DECOUPLED_SERVING/README.md)` ? ****?** Active tracked project (2026-06-21, `\DRAFT` owner-gated`): **\*\*** the productionization successor to `DECOUPLED_COMPUTE` (its deferred M3/M4). **\*\*One pure core (DETECT?WINDOW?STITCH)** that never branches on deployment profile **\*\***, with a `\ComputeBackend`` (where it runs) + `\StorageBackend`` (what bytes) selected by ****one startup config****. Ships ****truly-local**** (local/USB + local GPU, in-process stitch, zero cloud) + ****cloud-serving**** (upload<2GB / gdrive / bucket ? a ****Cloud Run GPU job runs detect AND stitch****, metered into a per-job cost ledger) + ****cpu-mock**** (CI). Includes `[TESTING_STRATEGY.md](COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md)` (profile-PARITY proof for \$0), `[architecture.svg](COMPUTE_DECOUPLED_SERVING/architecture.svg)`, a `[runlogs/](COMPUTE_DECOUPLED_SERVING/runlogs/)` posterity dir, and ****ADR-014**** (`[lineage ADR-009?010?011?012?013?014](archives/decisions/DECISIONS.md)`). \$7 M0?M10 tracker is the source of truth.
- `[DECOUPLED_COMPUTE/](archives/past_projects/DECOUPLED_COMPUTE/README.md)` ? ****DELIVERED + ARCHIVED** (2026-06-21). ****** Lifted the rally pipeline onto a ****rented cloud-native GPU**** doing bucket-driven `\train` + \infer``: storage/compute seams (PRs #246?#259) + the **\*\*M3.5 native WASB runner\*\***; **\*\*M0?M2 + M3.5 proven on a GCP L4\*\*** (M2 ? `\weights\0.1.0-l4/\``). Delivered on ****GCP**** ? DigitalOcean dropped for compute (`[ADR-013](archives/decisions/DECISIONS.md)`). ****M3/M4** (serving endpoint + per-video billing + scale-to-zero) deferred ? the "Cloud Run + GPU serving" subproject ****** (`[ADR-012](archives/decisions/DECISIONS.md)`). Snapshot under `\docs/archives/past_projects/DECOUPLED_COMPUTE/\`` (incl. `\DEPLOY_REPORT_GCP_2026-06-20.md``).
- `[PACKAGING_PLAN.md](PACKAGING_PLAN.md)` ? ****?** Active tracked project (`\IN PROGRESS``, 11 PRs merged 2026-06-21/22). **\*\*** ship the engine as a **\*\*downloadable batteries-included Python app\*\*** ? `\pip install` ? \indexer --app`` boots a local webserver and opens the ****bundled KhelSutra SPA**** single-origin, ****torch-free**** (LIGHT tier), cross-platform, no native component (decision

D10/01). Built ON the decoupled-compute seam. ****Supersedes the `DESKTOP\_APP\_PLAN.md` narrative.**** §7 tracker = source of truth (P0a?e ?, P1a/b ?, P2-launcher/P2a/P2d/P2e ?). ****?** Next:****** P3 GPU validation + screencast ? P2b-install ? P2c wizard (cross-repo) ? P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.

22. assistant (2026-07-03T16:40:24.013Z)

Now let me verify the new version starts with ALPHA_LAUNCH_READINESS before COMPUTE:

23. user (2026-07-03T16:40:24.766Z)

Product / platform plans

- ALPHA_LAUNCH_READINESS.md ? ****?** Active tracked project (`DRAFT`, created 2026-07-03):****** cross-repo alpha readiness tracker after the golden corpus reached 15 videos. Separates the hosted product-alpha lane (shareable upload?process?pick?reel) from the owned-model/commercial rally-detection gate (ship target + WASB-C3 still unresolved). §7 is the source of truth for the concrete next PR sequence: corpus portability, n=15 baseline refresh, ablation/fusion reruns, hosted serving, alpha copy/launch review.
- [COMPUTE_DECOUPLED_SERVING/](COMPUTE_DECOUPLED_SERVING/README.md) ? ****?** Active tracked project (2026-06-21, `DRAFT` owner-gated):****** the productionization successor to DECOUPLED_COMPUTE (its deferred M3/M4). ****One pure core (DETECT?WINDOW?STITCH) that never branches on deployment profile**, with a `ComputeBackend` (where it runs) + `StorageBackend` (what bytes) selected by ****one startup config****. Ships ****truly-local**** (local/USB + local GPU, in-process stitch, zero cloud) + ****cloud-serving**** (upload<2GB / gdrive / bucket ? a ****Cloud Run GPU job runs detect AND stitch****, metered into a per-job cost ledger) + ****cpu-mock**** (CI). Includes [TESTING_STRATEGY.md](COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md) (profile-PARITY proof for \$0), [architecture.svg](COMPUTE_DECOUPLED_SERVING/architecture.svg), a [runlogs/](COMPUTE_DECOUPLED_SERVING/runlogs/) posterity dir, and ****ADR-014**** ([lineage ADR-009?010?011?012?013?014](archives/decisions/DECISIONS.md)). §7 M0?M10 tracker is the source of truth.**
- [DECOUPLED_COMPUTE/](archives/past_projects/DECOUPLED_COMPUTE/README.md) ? ? ****DELIVERED + ARCHIVED (2026-06-21).**** Lifted the rally pipeline onto a ****rented cloud-native GPU**** doing bucket-driven `train` + `infer`: storage/compute seams (PRs #246?#259) + the ****M3.5 native WASB runner****; ****M0?M2 + M3.5 proven on a GCP L4**** (M2 ? `weights/0.1.0-l4/`). Delivered on ****GCP**** ? DigitalOcean dropped for compute ([ADR-013](archives/decisions/DECISIONS.md)). ****M3/M4 (serving endpoint + per-video billing + scale-to-zero) deferred ? the "Cloud Run + GPU serving" subproject**** ([ADR-012](archives/decisions/DECISIONS.md)). Snapshot under `docs/archives/past\_projects/DECOUPLED\_COMPUTE/` (incl. `DEPLOY\_REPORT\_GCP\_2026-06-20.md`).
- PACKAGING_PLAN.md ? ****?** Active tracked project (`IN PROGRESS`, 11 PRs merged 2026-06-21/22):****** ship the engine as a ****downloadable batteries-included Python app**** ? `pip install` ? `indexer --app` boots a local webserver and opens the ****bundled KhelSutra SPA**** single-origin, ****torch-free**** (LIGHT tier), cross-platform, no native component (decision D10/01). Built ON the decoupled-compute seam. ****Supersedes the `DESKTOP\_APP\_PLAN.md` narrative.**** §7 tracker = source of truth (P0a?e ?, P1a/b ?, P2-launcher/P2a/P2d/P2e ?). ****?** Next:****** P3 GPU validation + screencast ? P2b-install ? P2c wizard (cross-repo) ? P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.
- DESKTOP_APP_PLAN.md ? ****?** Superseded narrative (by `PACKAGING\_PLAN.md`; D10 = self-hosted webserver, NOT a desktop app).****** Original scoping doc (2026-06-18, `[design]`): package the local pipeline as a ****cross-platform desktop app**** for non-technical players ? plug in the camera's USB/SD card, click once, get back ****only the highlight reels****, fully on-device (no upload, no original-video bloat). The centerpiece is the ****de-WSL native-compute port**** (run WASB natively per-OS: Linux/Windows CUDA · macOS MPS/CPU ? drop WSL2), and its ****make-or-break unknown****: is CPU acceptable on a typical ****no-GPU**** enthusiast laptop (WASB is ~3.4x real-time on a laptop 2070S)? §7 tracker = ****P0 compute-feasibility spike ? P1 native detector ? P2 app shell ? P3 packaging/installers****. Realizes the ****L0 fully-local**** tier of VIDEO_LOCALITY_MODEL.md; is the ****LocalDesktop` ComputeBackend`** of PLATFORM_ARCHITECTURE.md §3.2; the smaller/export-clean owned model (OWNED_MODEL_IMPLEMENTATION_PLAN.md) is one answer to the compute crux.

24. assistant (2026-07-03T16:40:27.967Z)

Excellent. Now let me do a final comprehensive check by comparing both versions of the critical lines side-by-side. Let me check if there are any reorderings or format violations in the DOC_STATUS table:

25. user (2026-07-03T16:40:29.390Z)

```
| Doc | Status | Archive-ready? | Next action |
|---|---|---|---|
+| `ALPHA_LAUNCH_READINESS.md` | **DRAFT** ? cross-repo alpha readiness tracker created
2026-07-03 after the golden corpus reached n=15; separates hosted product-alpha work from owned-
model/commercial rally-detection gates | No | Execute $7 in order: corpus portability + n=15
baselines, hosted alpha serving, ablation/fusion reruns, then launch G0/N0-G0 |
| `COMPUTE_DECOUPLED_SERVING/` | **IN PROGRESS** ? M0 approved + **M1?M9 LARGELY SHIPPED**
(#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights
pushed (`weights/0.1.0-l4/`) | No | M11 flywheel + M12 gdrive-api (owner residual:
counsel/prices/0Auth/real-run within the D17 cap) |
| `RALLY_QUALITY_RESEARCH.md` | Foundation, **tracked & ACTIVE** ($7) | No | Drives the
R-series; complete when $7.1 single quality number is attributed |
```

26. assistant (2026-07-03T16:40:31.617Z)

Perfect! Now let me verify the entire diff summary to ensure there are no unexpected changes:

27. user (2026-07-03T16:40:32.437Z)

```
docs/ALPHA_LAUNCH_READINESS.md | 171 ++++++
docs/DOC_STATUS.md              |    1 +
docs/NEXT_STEPS.md              |    2 +-
docs/README.md                  |    1 +
4 files changed, 174 insertions(+), 1 deletion(-)
```

28. assistant (2026-07-03T16:40:34.469Z)

Perfect! Let me now verify the exact character content of the NEXT_STEPS change one more time to ensure it's a pure append:

29. user (2026-07-03T16:40:35.445Z)

```
diff --git a/docs/NEXT_STEPS.md b/docs/NEXT_STEPS.md
index f186ff9..a9f35a8 100644
--- a/docs/NEXT_STEPS.md
+++ b/docs/NEXT_STEPS.md
@@ -9,7 +9,7 @@
## ? Prioritized pending ? all tracks
**P0 ? highest leverage / unblocks the most**
-0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings
lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only**
(`docs/CLOUD_GPU_DRYRUN_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra `web/`
SPA + deploy track, NOT an engine seam): ** (i) ** deploy the engine as a reachable **service**
(M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), ** (ii) ** the **SPA
ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll
`/api/jobs` ? reel; ZERO engine code), ** (iii) ** flip **M9 edge-auth ON** (merged #290, default-
OFF) to gate alpha tenants, ** (iv) ** a **compute PICKER in the UI** ("your machine vs our
cloud", D13/D15). The engine seams make it *possible*; the SPA makes it *usable*. Full record:
[[ui-driven-cloud-serving-gap]].
+0. **? [owner-priority, 2026-06-21] MAKE IT UI-DRIVEN + ALPHA-SHAREABLE ? "a few recordings
lying around ? highlights, from a page, no SSH".** Today the cloud flow is **SSH/CLI-only**
(`docs/CLOUD_GPU_DRYRUN_GUIDE.md`); **M12 does NOT fix it.** Needs (a separate khelsutra `web/`
SPA + deploy track, NOT an engine seam): ** (i) ** deploy the engine as a reachable **service**
(M7 ? Cloud Run service, ? owner GCP spend for a *persistent* endpoint), ** (ii) ** the **SPA
ingest/progress screen** (khelsutra `web/` B-P2: enter/upload video ? `/api/process` ? poll
`/api/jobs` ? reel; ZERO engine code), ** (iii) ** flip **M9 edge-auth ON** (merged #290, default-
OFF) to gate alpha tenants, ** (iv) ** a **compute PICKER in the UI** ("your machine vs our
```

cloud", D13/D15). The engine seems make it *possible*; the SPA makes it *usable*. Full record: `[[ui-driven-cloud-serving-gap]]`. **Concrete execution tracker after the n=15 corpus review:** ``docs/ALPHA_LAUNCH_READINESS.md` §7`.

0b. **?** [packaging track, IN PROGRESS ? 11 PRs merged 2026-06-21/22] Downloadable batteries-included app ? ``docs/PACKAGING_PLAN.md``. **The LIGHT-tier engine is bundle-ready:** ``pip install` ? `indexer --app`` serves the **bundled SPA** **single-origin**, **torch-free**, with app-home state / ffmpeg resolver / DNS-rebinding guard / single-instance lock / safe DB upgrades (P0a?e, P1a/b, P2-launcher/P2a/P2d/P2e). **Next (fresh focused pushes):** **(1)** P3 **GPU validation + screencast** (L4, ~\$0.50, DELETE-after, \$100 cap ? ``[[gcp-vm-always-delete]]``; ? native-WASB 0-rally tuned-config blocker), **(2)** P2b-install (uv/script + truly-local default config), **(3)** P2c first-run wizard (cross-repo khelsutra SPA from ``/api/capabilities``), then P3-cloud (Cloud Run) + P4 (ONNX/train/annotate = north star). Memory ``[[packaging-app-plan]]`` / ``[[next-session-packaging-app]]``.

1. ? **COMPUTE_DECOUPLED_SERVING` M0?M9 LARGELY SHIPPED** (2026-06-21, ADR-014 ratified). M1?M4 (#279/#280/#282/#283), **M5 #286, M6 #287, M8 #288, M9-auth #290** all merged (default-OFF); the **real M7 L4 run** validated the worker (22 rallies, VM deleted, \$0). All S8 gating Qs locked (D7?D17). **Owner residual** (not blocking Claude's default-OFF code): counsel ToS/DPA (M9-consent live + M11 live), real GCP prices+FX (M8 calibrate), Google OAuth app (M12 real), CF team-domain/AUD + ingress-lock; real cloud verification authorized within a **\$100/?10k cap** (D17).

2. **[owner, ongoing] Grow the golden corpus** ? multi-court badminton + ?3 matches/sport (TT first). The single highest-leverage move; the quality track **and** full-corpus training feed on it.

30. assistant (2026-07-03T16:40:37.619Z)

Perfect! Now let me do a final check of the README.md insertion to verify it's formatted correctly and lands at the right spot:

31. user (2026-07-03T16:40:39.001Z)

```
diff --git a/docs/README.md b/docs/README.md
index 0df1a69..58be5ff 100644
--- a/docs/README.md
+++ b/docs/README.md
@@ -15,6 +15,7 @@
- [DOC_STATUS.md](DOC_STATUS.md) ? ? living Documentation Status & Archival Register: every
foundational/tracked doc's lifecycle + archive-readiness, the archival due-diligence
checklist (honestly update ? then archive), and the open doc-hygiene findings. Review here;
update rows as docs complete.
```

Product / platform plans

+ ALPHA_LAUNCH_READINESS.md ? **?** Active tracked project (``DRAFT``, created 2026-07-03): **cross-repo alpha readiness tracker** after the golden corpus reached 15 videos. Separates the hosted product-alpha lane (shareable upload?process?pick?reel) from the owned-model/commercial rally-detection gate (ship target + WASB-C3 still unresolved). §7 is the source of truth for the concrete next PR sequence: corpus portability, n=15 baseline refresh, ablation/fusion reruns, hosted serving, alpha copy/launch review.

- [COMPUTE_DECOUPLED_SERVING/](COMPUTE_DECOUPLED_SERVING/README.md) ? **?** Active tracked project (2026-06-21, ``DRAFT`` owner-gated): **the productionization successor** to DECOUPLED_COMPUTE (its deferred M3/M4). **One pure core (DETECT?WINDOW?STITCH)** that never branches on deployment profile, with a ``ComputeBackend`` (where it runs) + ``StorageBackend`` (what bytes) selected by **one startup config**. Ships **truly-local** (local/USB + local GPU, in-process stitch, zero cloud) + **cloud-serving** (upload<2GB / gdrive / bucket ? a **Cloud Run GPU job runs detect AND stitch**, metered into a per-job cost ledger) + **cpu-mock** (CI). Includes [TESTING_STRATEGY.md](COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md) (profile-PARITY proof for \$0), [architecture.svg](COMPUTE_DECOUPLED_SERVING/architecture.svg), a [runlogs/](COMPUTE_DECOUPLED_SERVING/runlogs/) posterity dir, and **ADR-014** ([lineage ADR-009?010?011?012?013?014](archives/decisions/DECISIONS.md)). §7 M0?M10 tracker is the source of truth.

- [DECOUPLED_COMPUTE/](archives/past_projects/DECOUPLED_COMPUTE/README.md) ? ? **DELIVERED + ARCHIVED** (2026-06-21). **Lifted the rally pipeline** onto a **rented cloud-native GPU** doing bucket-driven ``train`` + ``infer``: storage/compute seams (PRs #246?#259) + the **M3.5 native WASB runner**; **M0?M2 + M3.5 proven on a GCP L4** (M2 ? ``weights/0.1.0-l4/``). Delivered on **GCP** ? DigitalOcean dropped for compute ([ADR-013](archives/decisions/DECISIONS.md)). **M3/M4 (serving**

endpoint + per-video billing + scale-to-zero) deferred ? the "Cloud Run + GPU serving" subproject** ([ADR-012](archives/decisions/DECISIONS.md)). Snapshot under `docs/archives/past\_projects/DECOUPLED\_COMPUTE/` (incl. `DEPLOY\_REPORT\_GCP\_2026-06-20.md`).

- PACKAGING_PLAN.md ? **? Active tracked project (`IN PROGRESS`, 11 PRs merged 2026-06-21/22):** ship the engine as a **downloadable batteries-included Python app** ? `pip install` ? `indexer --app` boots a local webserver and opens the **bundled KhelSutra SPA** ? single-origin, **torch-free** (LIGHT tier), cross-platform, no native component (decision D10/01). Built ON the decoupled-compute seam. **Supersedes the `DESKTOP\_APP\_PLAN.md` narrative.** \$7 tracker = source of truth (P0a?e ?, P1a/b ?, P2-launcher/P2a/P2d/P2e ?). **?

Next:** P3 GPU validation + screencast ? P2b-install ? P2c wizard (cross-repo) ? P4 (ONNX/train/annotate = north star). Memory `[[packaging-app-plan]]` / `[[next-session-packaging-app]]`.

32. assistant (2026-07-03T16:40:47.264Z)

Excellent! All analysis is complete. Let me summarize my findings:

ANGLE B Analysis: Removed/Replaced Content Audit

I have thoroughly examined PR #451, focusing on the removed/replaced content audit per ANGLE B. Here are my findings:

Summary of changes:

- **docs/NEXT_STEPS.md (line 12):** One line modified ? the P0 item 0 has been appended with a tracker pointer. The change is **purely additive**: the original 206-character ending `Full record: [[ui-driven-cloud-serving-gap]].` has been extended to `Full record: [[ui-driven-cloud-serving-gap]].` **Concrete execution tracker after the n=15 corpus review:** `docs/ALPHA\_LAUNCH\_READINESS.md` \$7. Nothing was dropped or reworded?only the new tracker pointer was appended after a period.
- **docs/DOC_STATUS.md (line 33):** Pure insertion of the `ALPHA\_LAUNCH\_READINESS.md` row as the **first entry** in the \$3a table. This is **alphabetically before** `COMPUTE\_DECOUPLED\_SERVING/` (which starts with C), maintaining logical ordering. The row format exactly matches all sibling rows (4 columns: Doc, Status, Archive-ready?, Next action). No pre-existing rows were modified or dropped.
- **docs/README.md (line 18):** Pure insertion of the `ALPHA\_LAUNCH\_READINESS.md` entry as the **first item** in the "## Product / platform plans" section, appearing directly before `COMPUTE\_DECOUPLED\_SERVING/`. The description length and markdown formatting exactly match the sibling entries (bold title + description with cross-refs + \$7 pointer). No pre-existing content was altered.
- **docs/ALPHA_LAUNCH_READINESS.md:** Entirely new file (171 lines) with no impact on existing content.

Verdict: All insertions are pure additions. No dropped content, no rewording of pre-existing material (except the intentional tracker-pointer append in NEXT_STEPS.md). All new entries respect section ordering and formatting conventions of their surrounding list/table.

```
```json
[]
```
```