

claude-windows / 6e9d0958-a2ec-4a8e-bb2d-6cce9833c527

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\6e9d0958-a2ec-4a8e-bb2d-6cce9833c527\subagents\agent-afb6aefe3afaa6df7.jsonl`
- SHA-256: `9cebca2bf50bb99ea7b3a1411b07ece8077076eddc8f25dead4019230e7fbbb2`
- Source modified: `2026-07-03T16:45:17+00:00`
- Imported at: `2026-07-05T16:48:26+00:00`
- project: `subagents`
- session_id: `6e9d0958-a2ec-4a8e-bb2d-6cce9833c527`

Transcript

1. user (2026-07-03T16:44:29.013Z)

You are a code-review VERIFIER. Repo: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer, branch codex/alpha-readiness-plan.

CANDIDATE: docs/ALPHA_LAUNCH_READINESS.md line ~109 (\$7 tracker table, row A12) contains a code span with a raw pipe: `train|reeval`. Claim: in GitHub Flavored Markdown, the table row is split into cells on `|` BEFORE inline code spans are parsed, so a raw pipe inside backticks still splits the cell ? the A12 row renders with an extra column and misaligned cells. GFM requires escaping it as `\\|` inside tables.

Verify: (1) Read the exact raw line in the file (grep -n "train|reeval" docs/ALPHA_LAUNCH_READINESS.md and read surrounding lines). Count the pipes in that row vs the header row of the same table. (2) Confirm the GFM rule from your knowledge of the spec (tables extension: "The pipes that form the cell boundaries are parsed first; include a literal | with \"). (3) Check whether any OTHER added table row in this diff has the same problem (grep for backtick spans containing | in the new doc and in the added lines of docs/README.md, docs/DOC_STATUS.md, docs/NEXT_STEPS.md ? note NEXT_STEPS/README lines are bullet lists not tables, where raw pipes are harmless).

Return exactly one verdict: CONFIRMED (quote the line, state cell count mismatch), PLAUSIBLE (mechanism real, trigger uncertain ? say what would confirm), or REFUTED (quote the line proving it's fine, e.g. the pipe is already escaped). Final message: verdict word, then 2-4 sentences of evidence, then if CONFIRMED the exact suggested fix (the escaped replacement text).

2. assistant (2026-07-03T16:44:30.928Z)

I'll verify this GFM markdown table parsing issue systematically.

3. user (2026-07-03T16:44:31.690Z)

109:| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |

4. assistant (2026-07-03T16:44:33.621Z)

Now let me read the surrounding context to see the table structure:

5. user (2026-07-03T16:44:34.435Z)

95	ID Deliverable Repo / owner Depends on Gated? Status PR
96	---- ----- ----- ----- ----- ----- ----
97	A0 Create this alpha readiness tracker and index it in docs `badminton-highlight-indexer` - No IN PROGRESS #451
98	A1 Stand up alpha serving endpoint: Cloud Run/GPU or approved host, health check,

```

edge auth ON, upload -> process -> jobs -> compile -> download verified | `khelsutra` +
`badminton-highlight-indexer` | A0 | Owner spend / CF config | TODO | - |
99      | A2 | Make the n=15 golden manifest portable/reproducible; add a path/corpus smoke
check that fails loudly when labels or trajectories are missing | `badminton-highlight-indexer`
| A0 | No | TODO | - |
100     | A3 | Promote the 15-video source-video/MD5 records into the collector/vault path;
reconcile collector's six-video source manifest with the 15-video eval corpus | `sports-data-
collector` + vault | A2 | Owner upload/storage scope | TODO | - |
101     | A4 | Refresh the n=15 nightly regression baseline intentionally and record the exact
command/output; keep stale-baseline warnings until reviewed | `badminton-highlight-indexer` | A2
| Reviewer sign-off | TODO | - |
102     | A5 | Recompute the heuristic n=15 floor and replace the stale `heuristic_lovo_n6`
floor for future Gen-0 comparisons | `badminton-highlight-indexer` | A2 | No | TODO | - |
103     | A6 | Fix `backend.eval.ablation` CLI circular import, then run the R2/tolF1 ablation
on the n=15 corpus | `badminton-highlight-indexer` | A2, A4 | No | TODO | - |
104     | A7 | Regenerate or upconvert full-fusion feature JSONs for the newer 9 videos so
fusion/person/audio analyses run over all 15 | `badminton-highlight-indexer` | A2 | GPU/data
availability | TODO | - |
105     | A8 | Re-run `fusion_compare`, group ablation, and served contrast after A7; explicitly
promote/reject person fusion, Gate A served-default, and any other R-series default flips |
`badminton-highlight-indexer` | A6, A7 | Reviewer sign-off | TODO | - |
106     | A9 | Run Gen-0/TemporalMaxer shadow training against the refreshed n=15 floor; produce
a non-serving artifact bundle and gate verdict | `badminton-highlight-indexer` | A5, A8 | Owner
approval for M0.4 scope | TODO | - |
107     | A10 | Decide and record the alpha ship-gate target: metric, corpus slice, minimum
threshold, significance rule, and what claims are allowed | Owner + `badminton-highlight-
indexer` | A4, A5, A8 | Owner decision | GATED | - |
108     | A11 | Resolve or explicitly defer WASB C3 provenance for alpha messaging; if deferred,
document "no commercial model sharing" copy guardrail | Owner/legal | A10 | Legal/provenance |
GATED | - |
109     | A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector
promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-
indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |
110     | A13 | Alpha launch review: runbook, privacy/consent copy, known limits,
rollback/disable steps, and owner GO/NO-GO | Cross-repo | A1, A4, A10, A11 | Owner launch
decision | TODO | - |
111
112     ## 8. Concrete next PR sequence
113
114     1. **Docs PR:** land this tracker.
115     2. **Corpus portability PR:** rebase/portable manifest tooling plus missing-file smoke
test.
116     3. **Hosted alpha PR/batch:** health/auth/upload/process/job/compile/download
verification and runbook updates.
117     4. **Baseline PR:** intentional n=15 nightly baseline refresh and heuristic floor
refresh.
118     5. **Ablation/fusion PRs:** fix ablation import, complete 15-video features, rerun
promotion/rejection decisions.
119     6. **Launch decision PR/docs update:** record ship-gate target, C3 status, alpha copy
limits, and launch checklist.

```

6. assistant (2026-07-03T16:44:37.716Z)

Now let me count the pipe characters in the header row and in row A12:

7. user (2026-07-03T16:44:39.498Z)

```

8
8
9

```

8. assistant (2026-07-03T16:44:41.618Z)

Critical finding. Let me verify the exact line structure more carefully:

9. user (2026-07-03T16:44:42.461Z)

| ID | Deliverable | Repo / owner | Depends on | Gated? | Status | PR |\$

10. user (2026-07-03T16:44:44.929Z)

| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |\$

11. assistant (2026-07-03T16:44:46.860Z)

Let me manually count the field cells in each row by splitting on pipe:

12. user (2026-07-03T16:44:49.714Z)

HEADER (line 95):

'| ID | Deliverable | Repo / owner | Depends on | Gated? | Status | PR |'

Pipes: 8

Cells (count=9): ['', 'ID', 'Deliverable', 'Repo / owner', 'Depends on', 'Gated?', 'Status', 'PR', '']

A12 ROW (line 109):

'| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |'

Pipes: 9

Cells (count=10): ['', 'A12', 'Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train`, `reeval` job, and delta-F1 surface', '`khelsutra` + `badminton-highlight-indexer` + collector', 'A1, A3', 'Owner D13 reopen', 'GATED', '-', '']

Detailed analysis of A12:

Cell 2: 'Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train`'

13. assistant (2026-07-03T16:44:52.208Z)

Perfect. Now let me check if there are similar issues in other added tables in the diff:

14. user (2026-07-03T16:44:53.426Z)

docs/ALPHA_LAUNCH_READINESS.md:| `badminton-highlight-indexer` | `master` | `e4914d1` |
docs/ALPHA_LAUNCH_READINESS.md:| `khelsutra` | `master` | `b0f70a5` |
docs/ALPHA_LAUNCH_READINESS.md:| `rally-annotator` | `main` | `ef9e088` |
docs/ALPHA_LAUNCH_READINESS.md:| `sports-data-collector` | `master` | `bfc014f` |
docs/ALPHA_LAUNCH_READINESS.md:| `sports-obsreport` | `main` | `a0c7252` |
docs/ALPHA_LAUNCH_READINESS.md:| A5 | Recompute the heuristic n=15 floor and replace the stale `heuristic\_lovo\_n6` floor for future Gen-0 comparisons | `badminton-highlight-indexer` | A2 | No | TODO | - |
docs/ALPHA_LAUNCH_READINESS.md:| A6 | Fix `backend.eval.ablation` CLI circular import, then run the R2/tolF1 ablation on the n=15 corpus | `badminton-highlight-indexer` | A2, A4 | No | TODO | - |
docs/ALPHA_LAUNCH_READINESS.md:| A8 | Re-run `fusion\_compare`, group ablation, and served contrast after A7; explicitly promote/reject person fusion, Gate A served-default, and any other R-series default flips | `badminton-highlight-indexer` | A6, A7 | Reviewer sign-off | TODO | - |
docs/ALPHA_LAUNCH_READINESS.md:| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |
docs/DOC_STATUS.md:| `COMPUTE\_DECOUPLED\_SERVING/` | **IN PROGRESS** ? M0 approved + **M1?M9 LARGELY SHIPPED** (#279?#290; M5 #286, M6 #287, M8 #288, M9-auth #290 all merged, default-OFF); Gen-0 weights pushed (`weights/0.1.0-l4/`) | No | M11 flywheel + M12 gdrive-api (owner residual: counsel/prices/OAuth/real-run within the D17 cap) |
docs/DOC_STATUS.md:| `RALLY\_DETECTION\_FIXES\_PLAN.md` | **DONE** ? findings A/B/C resolved; P2b

promoted `inactivity\_temporal\_density` default-ON (#396) | With the R-cluster (deferred per its header; gate = R2 tolf1 ablation + \$7.1 number) | Archive with the R-series when the track wraps |

docs/DOC_STATUS.md:| `RALLY\_DETECTION\_CODE\_REVIEW.md` | Terminal snapshot ? findings A (#394), B (#394 ? promoted #396), C (`sdc#50`) all resolved | With the R-cluster | Archive with the R-series |

docs/DOC_STATUS.md:| ****Data layer**** ? `docs/data\_pipeline/` (`GOLDEN\_SET\_IMPLEMENTATION` . `GOLDEN\_SET\_PHASE1\_VIDEOS` . `GOLDEN\_VIDEOS` . `VIDEO\_RECORDING\_GUIDELINES` . `GOLDEN\_DATA\_SHARING`) | LIVING (data, ****no-ML****) | n/a | Relocated 2026-06-21 to the isolated data pillar; tracked via `data\_pipeline/README.md`. Roora ***vendor*** docs archived ? `archives/roora-vendor/`. |

docs/DOC_STATUS.md:| `archives/past\_projects/AUDIT\_REPORT\_khelsutra-guru\_2026-07-02-COMPLETED-2026-07-02.md` ****(umbrella)**** | ***** COMPLETE / ARCHIVED (2026-07-02)**** ? the five-repo code audit + folded-in ***Remediation tracker*** (P0?P28 all closed) + absorbed prior audits. All non-owner-gated residuals landed; owner-gated/future items filed as issues (#443/#444/#445, + #301/#327/#332/#384). | Archived | Owner confirmed archival 2026-07-02; moved to `archives/past\_projects/` per §2. Residuals now live as GitHub issues, not in this doc. |

docs/DOC_STATUS.md:| `I18N\_PLAN.md` | Design (P0); ****in implementation**** (adapted) | No | Executed in `khelsutra/docs/FRIENDLY\_AND\_MULTILINGUAL.md` (P1?site/, P3?web/); P2 backend stays here, owner-gated |

docs/DOC_STATUS.md:| `PLATFORM\_ARCHITECTURE.md` | Strategy/research | The `ComputeBackend`/`StorageBackend` registries ? realized by COMPUTE_DECOUPLED_SERVING |

docs/DOC_STATUS.md:| `UI\_PROPOSAL.md` | PROPOSAL (partly shipped) | UX half ****in implementation**** ? `khelsutra/docs/FRIENDLY\_AND\_MULTILINGUAL.md`; currency banner added (finding #5 ? for this doc) |

docs/DOC_STATUS.md:| `CODE\_AUDIT\_AND\_TEST\_HARDENING` . `HARDENING\_LOOP\_HANDOFF` . `DEFERRED\_HARDENING\_PLAN` | COMPLETED ? ****finish-archived 2026-07-02**** (top-level stubs removed; absorbed into the umbrella's ***Prior audits***) | ? Full copies under `docs/archives/\*-COMPLETED-2026-06-14.md`; inbound links repointed (finding #4 resolved) |

15. assistant (2026-07-03T16:44:56.212Z)

Excellent. I found the pipe-in-backticks issue. Now let me verify that this is the only occurrence in a table (the grep result shows it's in A12, which is a table row). Let me check if there are any other pipes inside backticks in tables across the added docs:

16. user (2026-07-03T16:44:59.667Z)

docs/ALPHA_LAUNCH_READINESS.md:109: PIPE IN BACKTICKS

Line: | A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |

Code span: `train|reeval`

17. assistant (2026-07-03T16:45:01.585Z)

Perfect. Now let me confirm the GFM parsing rule by checking what the header row has:

18. user (2026-07-03T16:45:02.519Z)

ID	Deliverable	Repo / owner	Depends on	Gated?	Status	PR
----	-----	-----	-----	-----	-----	----

19. assistant (2026-07-03T16:45:04.518Z)

Now let me generate the exact fix by escaping the pipe:

20. user (2026-07-03T16:45:07.077Z)

ORIGINAL (line 109):

| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen | GATED | - |

=====

FIXED:

```
| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion,
`train\|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` +
collector | A1, A3 | Owner D13 reopen | GATED | - |
```

=====

Verify pipe count after fix:

Pipes in fixed: 9

Cell count: 10

Cells: ['', 'A12', 'Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion, `train\\`, `reeval` job, and delta-F1 surface', '`khelsutra` + `badminton-highlight-indexer` + collector', 'A1, A3', 'Owner D13 reopen', 'GATED', '-', '']

21. assistant (2026-07-03T16:45:09.082Z)

Wait?the backslash is also being treated as a literal character. Let me verify what GFM actually expects. Let me check the exact GFM spec behavior:

22. user (2026-07-03T16:45:12.304Z)

GFM Table Parsing Rule (from GFM spec section on Tables):

"The pipes that form cell boundaries are parsed first; inline code is NOT an exception to this rule."

This means:

1. The parser looks for | characters first to determine cell boundaries
2. Code spans (backticks) are parsed AFTER cell boundaries are established
3. Therefore, a | inside backticks still splits cells

The escape sequence in GFM tables is to use \| for a literal pipe within a cell. When rendered by GFM, the \| appears as a literal | in the rendered output.

Example:

Code	Output
----- -----	
`foo\ bar`	foo\ bar or foo bar depending on renderer

However, in markdown within code spans, the backslash doesn't itself need escaping? it's just a raw escape sequence that GFM recognizes in table cell parsing.

23. assistant (2026-07-03T16:45:17.474Z)

Perfect. Now I have all the evidence. Let me prepare the final verdict:

****CONFIRMED****

The raw line 109 contains `train|reeval` (unescaped pipe inside backticks). The header row (line 95) has 8 pipes forming 7 content cells (plus leading/trailing empty), while row A12 has 9 pipes forming 8 content cells?the unescaped pipe inside backticks causes the cell to split. GFM parses table boundaries BEFORE parsing inline code, so backticks do not protect pipes. The suggested fix: escape the pipe as `train\|reeval`. The corrected line 109 should be:

```
`| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion,
`train\|reeval` job, and delta-F1 surface | `khelsutra` + `badminton-highlight-indexer` +
collector | A1, A3 | Owner D13 reopen | GATED | - |`
```