

claude-windows / d4cf3fd6-b5bd-4ed1-9b57-88eea69333cd

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\d4cf3fd6-b5bd-4ed1-9b57-88eea69333cd\subagents\workflows\wf\_d2c10282-601\agent-afc8517f62c5cd0c9.jsonl`
- SHA-256: `90585c539988cc5d56bcf5333feea7c6e035469ae002ff180e49699590f68bec`
- Source modified: `2026-07-04T11:54:11+00:00`
- Imported at: `2026-07-05T16:48:23+00:00`
- project: `wf\_d2c10282-601`
- session_id: `d4cf3fd6-b5bd-4ed1-9b57-88eea69333cd`

Transcript

1. user (2026-07-04T11:48:25.937Z)

You are drafting ONE section of the A13 "alpha launch review" for the KhelSutra badminton-highlight alpha
(repo Khelsutra/badminton-highlight-indexer, engine checkout at
C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer; SPA/site repo at
C:/Users/avidu/Projects/khelsutra-guru/khelsutra).

Context: the A1 serving stack is LIVE on Cloud Run asia-southeast1 ? control plane service
'rally-control-plane' (rev 00007, edge-auth ON via Cloudflare Access at api.khelsutra.guru,
4-email
allowlist, maxScale=1, per-instance ephemeral SQLite state), L4 GPU Job 'rally-worker' (WASB-
only alpha:
indexing.skip_ai_handoff=true ? no Gemini in the serving config), storage gs://khelsutra-rally-
serving.

Deploy tooling: deploy/cloudrun/gen_service_yaml.py + README.md + Dockerfile; e2e evidence:
docs/COMPUTE_DECOUPLED_SERVING/runlogs/DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md (READ
IT).

Tracker: docs/ALPHA_LAUNCH_READINESS.md (\$7 rows; A10/A11 ship-gate + WASB-C3 provenance are
OWNER-GATED
and still open ? factor that into anything launch-facing).

READ-ONLY: do not modify any file, do not run git writes, do not touch GCP. Windows box,
PowerShell tool.

Ground EVERY claim in a file:line or issue number you actually opened ? no invented provenance.
If you
can't verify something, mark it [unverified]. Your output is a MARKDOWN SECTION consumed by an
orchestrator
assembling the review doc ? return it via the schema, self-contained, concise, evidence-cited.

SECTION: ****Privacy & consent copy audit****. Inventory what the product ACTUALLY tells users today
vs what
the alpha does:

- SPA copy: search the khelsutra repo (C:/Users/avidu/Projects/khelsutra-guru/khelsutra) for
upload/consent/privacy/retention strings in the
web app (src/, i18n/locale files ? it is localized in 6 languages); quote what exists, note
what's absent.
- Engine reality to disclose: uploads staged to gs://khelsutra-rally-serving (region asia-
southeast1),
reels mirrored to the same bucket, per-instance SQLite (state lost on redeploy), NO retention
automation
yet (#301), data-flywheel capture is HARD-DENIED (flywheel consent_attested returns False ?
verify in
backend/flywheel.py or wherever; cite), Gemini/AI handoff DISABLED in the alpha config
(skip_ai_handoff),
CF Access allowlist = who can even reach it.
- NSFW/content-safety litmus is OPEN (#332) ? no pre-flight screening today.

- Produce: (1) a "what we must tell testers" checklist, (2) draft consent/disclosure copy (short, plain-English, one paragraph + bullets) suitable for the alpha landing page, (3) gaps ranked.

2. user (2026-07-04T11:48:43.436Z)

```
1      # A1 alpha serving ? post-merge e2e deploy test (cloud-serving)
2
3      **Date:** 2026-07-04 . **Region:** asia-southeast1 . **Project:** gen-lang-
client-0306026826
4      **Scope:** A1 (ALPHA_LAUNCH_READINESS §7) closure ? prove the merged serving fixes
5      (#465 input jail, #467 upload staging, #468 drain concurrency, #469 signed-URL download,
6      #470 auth-in-base-image) plus the committed manifest generator (#474) on a REAL deployed
build,
7      then restore the live edge-auth posture.
8
9      > Companion to `DEPLOY_REPORT_cloud-serving_a1-cuj_2026-07-04.md` (PR #464): that report
stood the
10     > stack up and FILED #461/#463/#466; THIS report proves their fixes end-to-end on merged
master and
11     > records the one new bug the run surfaced (#475, fixed by #476 mid-run).
12
13     ## 1. What was deployed
14
15     | Resource | Value |
16     |---|---|
17     | Source | merged `master` ? `195932f` (first build) ? **`3c97117`** (final build, incl.
#476) |
18     | Worker image | `?/rally/rally-worker:latest` ? build 1 `sha256:ed2fe448` (195932f),
build 2 **`sha256:31475f27`** (3c97117); the Job re-pinned via `gcloud run jobs update` after
each build |
19     | L4 worker **Job** | `rally-worker` ? unchanged shape (nvidia-l4, 8 vCPU/32Gi, FUSE
`khelsutra-rally-serving`/gcs) |
20     | Control-plane **Service** | `rally-control-plane` ? rev **00005** (auth-off, build 1)
? rev **00006** (auth-off, final digest) ? rev **00007** (auth-ON restore, final digest).
Deployed FROM THE BASE IMAGE directly ? no derived PyJWT overlay (**#470 proven**); `maxScale=1`
(#471 option 1) |
21     | Manifest | generated by the **committed** `deploy/cloudrun/gen_service_yaml.py` (#474)
? `--edge-auth off` for the test window, `--edge-auth on` to restore. The scratchpad-artifact
gap (#473) is closed: this deploy used only repo-committed tooling |
22
23     ## 2. Boot / health (rev 00005+, identity-token auth)
24
25     - `GET /api/health` ? `200 {"status":"ok",?}`; `GET /api/capabilities` ? `wasb_hybrid`
present,
26     `gemini_key_present=false` (skip_ai_handoff honored), ffmpeg/ffprobe present.
27     - Before-state captured on the outgoing rev 00004: `/api/process` without a CF JWT ?
**401**
28     `edge auth: missing Cf-Access-Jwt-Assertion header` ? the M9 posture was live as
documented.
29
30     ## 3. CUJ on the FINAL image (rev 00006, digest `31475f27`) ? all green
31
32     1. **gs:// process** ? `POST /api/process {gs://?/MahadevpuraSingles.MP4, wasb_hybrid,
33     compute=cloud}` ? 202 ? `validating ? dispatching (cloud_run) ? done` ? **48 play
segments**
34     (same count as the #464 run; job `18dc6502`?).
35     2. **#461 upload staging** ? chunked upload (`init ? part/0 ? complete`) of a
105,345-byte 720p
36     clip ? `POST /api/process` with the returned **local** path + `compute=cloud` ? the
job staged
37     it to `gs://khelsutra-rally-serving/videos/d8335f51?/upload-e2e-720p.mp4` (byte-exact
size
38     verified in the bucket) and dispatched to the L4 ? **success** (0 segments ? correct
for a
```

```

39     synthetic test pattern). NOT the pre-fix "cloud-serving needs a cloud input" hard-
fail.
40     Verified on BOTH builds (`ed2fe448?` and the final `31475f27?`).
41     - ? Upload validation floor: a 640x360 test clip is rejected (`resolution_fps_check`,
42         min 1280x720) ? the first attempt failed on this; alpha docs should mention the
floor.
43     3. **#468 drain concurrency, observed live** ? the upload job staged + dispatched
**while** the
44         48-segment reel compile was stitching on the CP: remote dispatch overlapped the local
compile
45         lane exactly as designed (no serialization, no false-empty stall). On rev 00006 the
two process
46         jobs (gs:// + upload) also ran the drain concurrently.
47     4. **compile** ? `POST /api/compile {video_id, segment_ids:[1..48], "e2e.mp4"}` ? 202 ?
done;
48         measured stitch wall on rev 00005: created 10:39:32 ? finished 10:44:26 (**~4m54s**,
incl. the
49         gs:// source re-fetch); rev 00006 re-run equally green. Reel **mirrored to
50         `gs://khelsutra-rally-serving/highlights/915473?/e2e.mp4` ? 174,046,228 bytes (~166
MiB)**.
51     5. **#463 signed-URL download ? VERIFIED**:
52         - `GET /api/highlights/915473?/e2e.mp4` ? **`307`** ?
53         `https://storage.googleapis.com/khelsutra-rally-
serving/highlights/?/e2e.mp4?X-Goog-Algorithm=G00G4-RSA-SHA256&X-Goog-
Credential=492532266377-compute@?&X-Goog-Expires=3600&X-Goog-Signature=?`
54         (v4, signed AS the runtime SA via keyless signBlob ? no key file anywhere).
55         - `curl -L` through the redirect: **full 174,046,228 bytes in 8.1s** (single GET ? no
32 MiB
56         edge-500, no Range workaround), and the file **ffprobes valid**: H.264 1920x1080 @
29.97 fps
57         + AAC, duration 244.29s (the 48-rally reel).
58
59     ## 4. Bug surfaced mid-run: #475 ? fixed by #476 (merged, redeployed)
60
61     On the FIRST attempt (rev 00005, build `ed2fe448?` = pre-#476), the #463 check
**failed**:
62     `GET /api/highlights/...` ? **500**; log:
63     `[highlights] signed-url path failed ? : you need a private key to sign credentials`.
64
65     - The reel WAS mirrored correctly; the **keyless signBlob path** failed and the handler
fell back
66     to serving the 166 MiB file locally ? Cloud Run's ~32 MiB cap ? edge-500 (the original
#463
67     symptom, resurrected by a different root cause).
68     - **Root cause (verified live):** `GCSStorage.signed_url()` reused the storage client's
own token
69     for `iamcredentials.signBlob`; `google.cloud.storage.Client.SCOPE` is **devstorage-
only**, which
70     signBlob rejects (`ACCESS_TOKEN_SCOPE_INSUFFICIENT`) ? and the branch's bare `except:
pass`
71     swallowed the real error, so the fallback raised the misleading private-key
message.
72     Environment was clean: the SA holds self-`serviceAccountTokenCreator` and
73     `iamcredentials.googleapis.com` is enabled ? code bug, not config.
74     - **Why tests never saw it:** the fakes carry no `_credentials`; this was the FIRST run
of #469's
75     path on real compute credentials. Filed **#475** ? fixed by **#476**
(`_signblob_identity`)
76     mints a fresh `cloud-platform`-scoped ADC credential; failures now LOGGED before
falling back;
77     regression tests reproduce the credential shape). Suite 1659? / cov 85.46% / ruff+mypy
clean;
78     merged on green CI per the standing agreement; rebuilt (`31475f27?`) and redeployed
(rev 00006);
79     $3.5 is the pass on the fixed build.

```

```

80
81     ## 5. Notes / observations (rough edges captured)
82
83     - **`services replace` with an unchanged manifest is a NO-OP** ? it does not re-resolve
      `:latest`
84     after a rebuild. Force a new revision (`gcloud run services update --image ? :latest`)
      or stamp a
85     revision suffix. Follow-up candidate: `--revision-suffix` in `gen_service_yaml.py`.
86     - **A redeploy wipes the per-instance SQLite state** ? `/api/highlights` then 404s on
      the DB
87     record check (`backend/main.py:1052`) even though the reel mirror exists in gs://.
      Known, filed
88     as **471** ; the CUJ was re-run on rev 00006 to regenerate state. Alpha-operator
      implication: a
89     deploy invalidates in-flight jobs and past download URLs (re-process regenerates
      them).
90     - Upload validation floor (?1280x720) ? §3.2.
91     - 422-before-401 quirk: a **malformed-JSON** body gets FastAPI's 422 before the edge-
      auth
92     dependency runs; any well-formed request without a CF JWT still 401s. No exposure;
      noted so a
93     422 in edge-auth triage isn't misread.
94
95     ## 6. Edge-auth restore + live posture (rev 00007, digest `31475f27?`)
96
97     - Redeployed with the generator's `--edge-auth on` manifest ? rev **00007**.
98     - `GET /api/health` ? **200** (deliberately exempt).
99     - `POST /api/process` (valid JSON, no CF JWT) ? **401**
100    `edge auth: missing Cf-Access-Jwt-Assertion header`.
101    - `https://api.khelsutra.guru/api/health` (no CF session) ? **302** ?
102    `https://khelsutra.cloudflareaccess.com/cdn-cgi/access/login/api.khelsutra.guru??`
      with the
103    Access-app aud `c980da67?082b` in the login meta ? the exact pre-test posture,
      restored.
104
105     ## 7. A1 DoD checklist
106
107     | DoD item | Status |
108     |---|---|
109     | Serving endpoint deployed + healthy | ? rev 00007, final digest `31475f27?` |
110     | Upload ? process ? jobs ? compile ? download CUJ | ? end-to-end on the final image |
111     | Edge-auth (M9) restored + verified | ? 401 sans JWT; api.khelsutra.guru ? CF login 302
      |
112     | >32 MiB download via signed URL (#463) | ? 307 + full 174 MB single-GET + ffprobe-
      valid |
113     | Browser-upload staging to gs:// (#461) | ? staged byte-exact + dispatched + success |
114     | Parallel drain (#466/#468) observed live | ? dispatch overlapped compile; 2 process
      jobs drained concurrently |
115
116     **A1 ? DONE** (flipped in `docs/ALPHA_LAUNCH_READINESS.md` §7 in this PR).
117

```

3. user (2026-07-04T11:48:43.824Z)

```

__pycache__
artifacts
backend
backend.db
CLAUDE.md
config.json
deploy
docs
eval_baselines
indexer.db
mypy.ini

```

output
pyproject.toml
pytest.ini
rally_index.db
README.md
requirements.txt
requirements-trackers.txt
ruff.toml
run_all_tests.py
run_eval.py
run_regression.py
scratch
scripts
SESSION_HANDOFF.md
tests
tools
training

deploy
docs
locales
NEXT_STEPS.md
node_modules
README.md
site
web

4. user (2026-07-04T11:48:54.914Z)

```
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\config\models.py:487:
captures **nothing**, because ``flywheel.consent_attested`` currently returns ``False`` for
every
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\backend\api\job_worker.py:243:    (``flywheel.consent_attested`` returns False for every
job until counsel + the consent schema
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\flywheel.py:9:  2.
:func:`consent_attested` is a **FAKED hard-deny** (returns ``False`` for every job) until the
real
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\flywheel.py:44:def
consent_attested(job: Dict[str, Any], config: Any = None) -> bool:
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\flywheel.py:139:
``config.flywheel.enabled`` AND :func:`consent_attested` ? so today it never captures (consent
is
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\flywheel.py:146:
if not consent_attested(job, config):
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\NEXT_STEPS.md:20:[Omitted long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\COMPUTE_DECOUPLED_SERVING\README.md:171:[Omitted long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\tests\test_flywheel.py:4:**faked consent hard-deny** (``consent_attested`` returns False
for every job ? nothing is captured
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:38:
"""The privacy guardrail: consent_attested denies EVERY job until counsel + the schema land."""
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:39:
assert flywheel.consent_attested({"id": 1}, _cfg(enabled=True)) is False
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:40:
assert flywheel.consent_attested({"id": 2, "owner_id": "u@x"}, None) is False
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:43:def
test_consent_attested_ignores_any_claimed_consent_field():
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:50:
"consent_attested": True,
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:55:
assert flywheel.consent_attested(tempting, _cfg(enabled=True)) is False
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:75:
```

```
monkeypatch.setattr(flywheel, "consent_attested", lambda job, config=None: True)
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tests\test_flywheel.py:91:
monkeypatch.setattr(flywheel, "consent_attested", lambda job, config=None: True)
```

5. user (2026-07-04T11:48:56.716Z)

C:/Users/avidu/Projects/khehsutra-guru/khehsutra/locales:

da
en
es
hi
id
kn

C:/Users/avidu/Projects/khehsutra-guru/khehsutra/site:

access.db
make_og.py
node_modules
package.json
package-lock.json
public
README.md
schema.sql
scripts
server.js
src
wrangler.toml

C:/Users/avidu/Projects/khehsutra-guru/khehsutra/web:

dist
e2e
e2e-results
index.html
node_modules
package.json
package-lock.json
README.md
src
tsconfig.json
vite.config.ts

6. user (2026-07-04T11:49:09.091Z)

```
1      """Data-flywheel harness (COMPUTE_DECOUPLED_SERVING M11, D12) ? capture ? shadow-eval ?
promote.
2
3      The consent?capture?eval?goldenize loop: on a **consented adult** job, durably
**capture** the source
4      + rally output into the per-video workspace ? **shadow-eval** the owned model vs Gemini
? **propose
5      promotion** of good ones into the golden TRAINING set, so the owned model climbs to the
D11 ship floor.
6
7      ? **DEFAULT-OFF + INERT ? two independent guards keep this from doing ANYTHING in
production today:**
8      1. ``config.flywheel.enabled`` defaults ``False`` ? the job-completion hook is a
strict no-op.
9      2. :func:`consent_attested` is a **FAKED hard-deny** (returns ``False`` for every job)
until the real
10     consent schema lands (counsel-reviewed ToS/DPA ? consent columns ? wiring). So even
11     ``enabled=True`` captures **nothing**. This is the privacy guardrail ? D10 + the
CLAUDE.md rule:
12     adults-only, explicit opt-in, train-on-derived + auto-delete-raw; **minors
excluded** ; per-user
13     training is a *separate* opt-in; paid tier never trains.
```

```

14
15     This module is the PLUMBING ? it REUSES the real ``workspace`` / ``eval.experiment`` /
16     ``eval.promotion`` / ``storage`` code so the loop works the day consent + the owned
model + golden
17     labels are wired. It ships **no live behavior change**. Pairs with M9-consent (the
consent columns).
18     """
19
20     from __future__ import annotations
21
22     import json
23     import logging
24     import os
25     import tempfile
26     from typing import Any, Dict, Optional, Sequence
27
28     from backend import storage as _storage
29     from backend.utils import workspace as _workspace
30
31     logger = logging.getLogger(__name__)
32
33
34     def _sc(storage_config: Any) -> Optional[Dict[str, Any]]:
35         """Normalize an ``AppConfig.storage`` (pydantic model / dict / None) to the dict
36         ``backend.storage`` expects."""
37         if storage_config is None:
38             return None
39         if hasattr(storage_config, "model_dump"):
40             return storage_config.model_dump()
41         return storage_config if isinstance(storage_config, dict) else None
42
43
44     def consent_attested(job: Dict[str, Any], config: Any = None) -> bool:
45         """The flywheel's consent gate ? currently a **FAKED hard-deny** (always ``False``).
46
47         The flywheel may capture a user's footage into the training pool ONLY with attested,
**adults-only**
48         consent (D10 / the CLAUDE.md guardrail: minors excluded; per-user training is a
separate explicit
49         opt-in; paid tier never trains). The REAL gate ? reading counsel-defined consent
columns + an
50         adults-only attestation + a retention class ? lands with **M9-consent**; until then
this denies
51         every job so the harness captures nothing. **Do not relax without counsel sign-
off.**"""
52         return False
53
54
55     def capture_job(
56         workspace: "_workspace.VideoWorkspace",
57         *,
58         rally_output: Dict[str, Any],
59         source_path: Optional[str] = None,
60         storage_config: Any = None,
61     ) -> Dict[str, str]:
62         """Durably persist a consented job's artifacts into its per-video ``workspace`` (the
raw material a
63         human later labels ? the golden training set). Always writes a small
``capture.json`` manifest
64         (``video_id`` + rally output + provenance); when a local ``source_path`` is given,
also stores the
65         source video. Returns the written URIs. Reuses :func:`backend.storage.put` + the
``VideoWorkspace``
66         layout, so it honours whatever ``storage.backend`` the deploy uses (local / gcs /
s3)."""

```

```

67     written: Dict[str, str] = {}
68     cfg = _sc(storage_config)
69     fd, manifest_local = tempfile.mkstemp(suffix=".json")
70     try:
71         with os.fdopen(fd, "w", encoding="utf-8") as fh:
72             json.dump(
73                 {"video_id": workspace.video_id, "rally_output": rally_output},
74                 fh,
75                 indent=2,
76             )
77         manifest_uri = _workspace.join_uri(workspace.outputs, "capture.json")
78         written["manifest_uri"] = _storage.put(manifest_local, manifest_uri, config=cfg)
79         if source_path and os.path.exists(source_path):
80             source_uri = _workspace.join_uri(
81                 workspace.source, os.path.basename(source_path)
82             )
83             written["source_uri"] = _storage.put(source_path, source_uri, config=cfg)
84     finally:
85         try:
86             os.unlink(manifest_local)
87         except OSError:
88             pass
89     return written
90
91
92     def shadow_eval(
93         candidates: Sequence[Any],
94         owned_variant: Any,
95         gemini_variant: Any,
96         *,
97         labeled: bool = False,
98         iou: float = 0.5,
99     ) -> Dict[str, Any]:
100         """Owned-vs-Gemini shadow comparison (the D11 climb signal). Delegates to the
experiment harness:
101         a labeled golden corpus ? :func:`backend.eval.experiment.compare` (B?A deltas +
honest CIs); an
102         unlabeled single video ? :func:`backend.eval.experiment.compare_unlabeled`
(agreement). The owned
103         model + a golden corpus are owner/GPU-side, so this only *runs* once they exist; the
wrapper makes
104         the call site real today (and is exercised via tests with stub variants)."""
105         from backend.eval import experiment
106
107         if labeled:
108             return experiment.compare(candidates, owned_variant, gemini_variant, iou=iou)
109         if len(candidates) != 1:
110             raise ValueError("unlabeled shadow_eval compares exactly one video at a time")
111         return experiment.compare_unlabeled(
112             candidates[0], owned_variant, gemini_variant, agree_iou=iou
113         )
114
115
116     def propose_promotion(
117         served_owned: Sequence[float],
118         served_gemini: Sequence[float],
119         *,
120         min_n: int = 5,
121     ) -> Any:
122         """Whether the owned model is **served-safe** to promote toward default ? wraps
123         :func:`backend.eval.promotion.promote_if_served_safe` (the foundational *no-
regression-at-served-
124         windowing* gate). ``served_`` are per-video served F1s on the same corpus; Gemini
is the control
125         (A), the owned model the proposal (B)."""

```

```

126         from backend.eval.promotion import promote_if_served_safe
127
128         return promote_if_served_safe(served_gemini, served_owned, min_n=min_n)
129
130     def run_for_job(
131         job: Dict[str, Any],
132         result: Dict[str, Any],
133         config: Any,
134         *,
135         source_path: Optional[str] = None,
136     ) -> Optional[Dict[str, Any]]:
137         """The gated orchestrator called at job completion. Returns ``None`` (a no-op)
138         unless **both**
139         ``config.flywheel.enabled`` AND :func:`consent_attested` ? so today it never
140         captures (consent is
141         faked-deny). On a consented job it captures the artifacts into the per-video
142         workspace; shadow-eval
143         + promotion are wired but stay inert until the owned model + golden labels exist.
144         Best-effort: the
145         caller wraps this so a bookkeeping hiccup never wedges a completed job."""
146         fw = getattr(config, "flywheel", None)
147         if not fw or not getattr(fw, "enabled", False):
148             return None
149         if not consent_attested(job, config):
150             logger.info(
151                 "[FLYWHEEL] job %s not captured ? no attested consent (faked-deny).",
152                 job.get("id"),
153             )
154             return None
155
156         video_id = (result or {}).get("video_id")
157         if not video_id:
158             logger.info(
159                 "[FLYWHEEL] job %s has no video_id ? nothing to capture.", job.get("id")
160             )
161             return None
162
163         storage_cfg = getattr(config, "storage", None)
164         output_dir = getattr(getattr(config, "output", None), "output_dir", "output")
165         root = _workspace.resolve_workspace_root(
166             getattr(storage_cfg, "workspace_root", "") or "",
167             getattr(storage_cfg, "output_root", "") or "",
168             output_dir,
169         )
170         ws = _workspace.for_video(root, video_id, prefix=fw.workspace_prefix)
171         written = capture_job(
172             ws,
173             rally_output={"play_segments": (result or {}).get("play_segments", [])},
174             source_path=source_path,
175             storage_config=storage_cfg,
176         )
177         logger.info(
178             "[FLYWHEEL] captured job %s (video %s) ? %s", job.get("id"), video_id, written
179         )
180         return {"captured": written, "video_id": video_id}
181

```

7. user (2026-07-04T11:49:10.879Z)

```

common.json
---
annotator
api
App.ingest.test.tsx

```

App.tsx
components
hooks
i18n
index.css
lib
main.tsx
test
vite-env.d.ts

8. user (2026-07-04T11:49:18.288Z)

```
86:   "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine running
KhelSutra.",
116:     "destAria": "Storage destination ? a bucket URL or a Google Drive folder",
152:     "storageLabel": "Where do your match videos live? How would you share them?",
153:     "storageHint": "(pick any)",
154:     "storageGdrive": "Google Drive",
155:     "storageOnedrive": "OneDrive / Microsoft 365",
156:     "storageDropbox": "Dropbox",
157:     "storageBucket": "A cloud storage bucket ? advanced (e.g. Amazon S3, Google Cloud)",
158:     "storageLocal": "SD card or the device itself",
159:     "storageUnsure": "Not sure",
180:     "consent": "Okay to email me about the KhelSutra alpha.",
181:     "note": "We never publish your footage; footage involving minors is never used to
improve the tool. See our <a href=\"/privacy\">Privacy Policy</a>.",
280:     "consent": "Please record adults with their okay. Footage involving minors is never
used to improve the tool and is never published.",
287:     "heroLead": "You can't train Gemini or GPT on your court footage. KhelSutra's
direction is the inverse ? a small, <b style=\"color:#EAF3EE\">owned</b> rally model where the
moat is your consented dataset, on a commercially-clean, inspectable stack you control.",
306:     "step4": "Fix anything with <b>Edit / Delete / Undo</b>; re-open the same video
later to continue.",
318:     "ownBody": "A model and dataset that are yours to keep and improve ? not rented
inference.",
321:     "privateTitle": "Private & consented",
327:[Omitted long matching line]
393:     "data": {
394:       "title": "Your data stays yours",
486:       "privacy": "Privacy",
491:       "privacy": {
493:         "title": "Privacy Policy",
502:         "sharing": "Who else touches your data",
504:         "retention": "How long we keep it",
515:         "li3": "<b>Basic technical data</b> ? like your approximate country and browser
type, handled by our hosting and edge-security provider (Cloudflare) to keep the site working
and safe.",
516:         "note": "We do <b>not</b> ask for, or want, sensitive personal data, and we don't
run intrusive cross-site advertising trackers."
520:         "li1": "To <b>contact you about the alpha</b> ? but only if you ticked the consent
box on the form.",
523:         "note": "We do <b>not</b> sell, rent, or trade your personal data. We do <b>not</b>
use your footage to train or improve our models <b>unless you give us clear, explicit, opt-in
permission</b> ? and even then, never footage involving minors."
536:         "h": "4. Who else touches your data",
538:         "li1": "<b>Cloudflare</b> ? hosts the website, secures it at the edge, and provides
privacy-friendly analytics.",
541:         "note": "These providers act on our behalf to deliver the service. We don't give
anyone your data to use for their own marketing."
547:         "li2": "We use <b>privacy-first analytics</b> (Cloudflare Web Analytics) to count
visits and see which pages are useful. It does not use tracking cookies and does not build a
profile of you across other sites."
549:         "retention": {
551:           "body": "We keep your information and footage only as long as we need it to run the
alpha and provide the service, and then delete or anonymise it. You can ask us to delete your
```

uploaded videos and your account details at any time ? see your rights below."

```

556:      "li1": "See what personal data we hold about you;",
558:      "li3": "Delete your data and uploaded footage;",
559:      "li4": "Withdraw your consent to be emailed (every email we send also has an easy
opt-out).",
564:      "body": "We take footage involving minors seriously. Footage involving minors is
<b>never</b> used to improve the tool and is <b>never</b> published ? full stop. If you believe
a minor's personal data has been shared with us inappropriately, contact us and we'll remove
it."
568:      "body": "The site is served only over <b>HTTPS</b> with an auto-renewing TLS
certificate, so your connection is encrypted. The alpha app itself is gated behind an
authenticated, invite-only sign-in, and access to the processing system is restricted. No system
is perfectly secure, but we take reasonable, layered measures to protect your data."
572:      "body": "This policy reflects our current alpha practices and may change as the
product evolves; we'll update the \"last updated\" date above when it does. For any privacy
question or request, email <a href=\"mailto:hello@khelsutra.guru\">hello@khelsutra.guru</a>."
588:      "privacy": {
589:        "title": "Privacy Policy ? KhelSutra"
662:      "storage": {

```

9. user (2026-07-04T11:49:19.580Z)

C:/Users/avidu/Projects/khelsutra-guru/khelsutra/web/src/components:

```

a4.touch.test.tsx
a8.status.test.tsx
AnnotatePanel.test.tsx
AnnotatePanel.tsx
build-error.test.tsx
CompileResult.tsx
FfmpegBanner.test.tsx
FfmpegBanner.tsx
IngestPanel.test.tsx
IngestPanel.tsx
LanguageSwitcher.tsx
QueryBar.examples.test.ts
QueryBar.test.tsx
QueryBar.tsx
RallyGrid.tsx
SelectionFooter.test.tsx
SelectionFooter.tsx
SetupWizard.test.tsx
SetupWizard.tsx
StatusChip.tsx
TapFilters.test.tsx
TapFilters.tsx
upload.test.tsx
VideoLibrary.test.tsx
VideoLibrary.tsx

```

C:/Users/avidu/Projects/khelsutra-guru/khelsutra/web/src/i18n:

```

catalog-invariants.test.ts
hygiene.test.ts
i18n.test.ts
index.ts

```

10. user (2026-07-04T11:49:29.651Z)

```

480      "a": "It's an invite-only private trial. Just <a href=\"#join\">request
access</a> using the form ? it takes a minute, you'll see a real sample reel right away, and
we'll be in touch about recording your own court."
481    }
482  },
483  "footer": {
484    "tagline": "Automatic badminton highlights · Bengaluru, India",
485    "capture": "Capture checklist",

```

```

486         "privacy": "Privacy",
487         "flyer": "Academy flyer (print):",
488         "trust": "? Served securely over HTTPS · ? Run from Bengaluru, India · Reels carry
a \"Generated by Khelsutra.guru\" mark",
489         "copyright": "© 2026 KhelSutra · Invite-only alpha"
490     },
491     "privacy": {
492         "back": "? Back to KhelSutra",
493         "title": "Privacy Policy",
494         "sub": "How KhelSutra handles your information and your match videos ? and the
choices you have.",
495         "updated": "Last updated: 22 June 2026",
496         "lead": "KhelSutra (\"we\", \"us\") turns a full badminton match into a clean
highlight reel. We're an invite-only alpha run from Bengaluru, India. This page explains, in
plain language, what information we collect, how we use it, who else touches it, and how you
stay in control. Questions? Email <a
href=\"mailto:hello@khelsutra.guru\">hello@khelsutra.guru</a>.",
497         "tocHeading": "On this page",
498         "toc": {
499             "collect": "What we collect",
500             "use": "How we use it",
501             "video": "Your videos & how they're processed",
502             "sharing": "Who else touches your data",
503             "cookies": "Cookies & analytics",
504             "retention": "How long we keep it",
505             "rights": "Your choices & rights",
506             "minors": "Minors",
507             "security": "Security",
508             "changes": "Changes & contact"
509         },
510         "collect": {
511             "h": "1. What we collect",
512             "intro": "We only collect what we need to run the alpha and produce your
reels:",
513             "li1": "<b>Request-access details</b> ? when you fill in the access form: your
name and email, and optionally your city, academy/club name, how many courts you record, whether
you have a powerful (GPU) computer, where your videos live, and any message you send us.",
514             "li2": "<b>Match videos you choose to give us</b> ? the footage you upload or
share so we can index the rallies and build your reel.",
515             "li3": "<b>Basic technical data</b> ? like your approximate country and browser
type, handled by our hosting and edge-security provider (Cloudflare) to keep the site working
and safe.",
516             "note": "We do <b>not</b> ask for, or want, sensitive personal data, and we
don't run intrusive cross-site advertising trackers."
517         },
518         "use": {
519             "h": "2. How we use it",
520             "li1": "To <b>contact you about the alpha</b> ? but only if you ticked the
consent box on the form.",
521             "li2": "To <b>provide the service</b> ? to index your match, strip the dead
time, and generate the reel you download.",
522             "li3": "To <b>understand demand and improve the product experience</b> in
aggregate (e.g. how many academies vs. individuals are interested).",
523             "note": "We do <b>not</b> sell, rent, or trade your personal data. We do
<b>not</b> use your footage to train or improve our models <b>unless you give us clear,
explicit, opt-in permission</b> ? and even then, never footage involving minors."
524         },
525         "video": {
526             "h": "3. Your videos & how they're processed",
527             "intro": "Your match videos are large files that need real computing to analyse,
so here's exactly what happens to them:",
528             "li1": "We process your video on our own infrastructure to find the rallies and
build your reel.",
529             "li2": "As part of the analysis we may use <b>trusted third-party AI and cloud
services</b> (for example, Google's Gemini API) to detect rallies. When we do, we send only the

```

```

footage needed for that step.",
530         "li3": "We <b>never publish</b> your footage, and we never make it public.",
531         "li4": "We never use your footage to improve the tool without your explicit opt-
in (see above).",
532         "boxTitle": "If you run your own model:",
533         "boxBody": "The \"own your model\" path lets advanced users process footage on
their own hardware. In that case your video stays on your machine and is not sent to us or to
third-party AI services."
534     },
535     "sharing": {
536         "h": "4. Who else touches your data",
537         "intro": "We keep the list of processors small and name them honestly:",
538         "li1": "<b>Cloudflare</b> ? hosts the website, secures it at the edge, and
provides privacy-friendly analytics.",
539         "li2": "<b>Google (Gemini API)</b> ? used, when applicable, to analyse footage
and detect rallies.",
540         "li3": "<b>Email delivery</b> ? to send the messages you asked us to send about
the alpha.",
541         "note": "These providers act on our behalf to deliver the service. We don't give
anyone your data to use for their own marketing."
542     },
543     "cookies": {
544         "h": "5. Cookies & analytics",
545         "intro": "We keep this light:",
546         "li1": "We store a single <b>language preference</b> in your browser so the site
remembers the language you picked. That's a functional preference, not a tracking cookie.",
547         "li2": "We use <b>privacy-first analytics</b> (Cloudflare Web Analytics) to
count visits and see which pages are useful. It does not use tracking cookies and does not build
a profile of you across other sites."
548     },
549     "retention": {
550         "h": "6. How long we keep it",
551         "body": "We keep your information and footage only as long as we need it to run
the alpha and provide the service, and then delete or anonymise it. You can ask us to delete
your uploaded videos and your account details at any time ? see your rights below."
552     },
553     "rights": {
554         "h": "7. Your choices & rights",
555         "intro": "You're in control. At any time you can ask us to:",
556         "li1": "See what personal data we hold about you;",
557         "li2": "Correct anything that's wrong;",
558         "li3": "Delete your data and uploaded footage;",
559         "li4": "Withdraw your consent to be emailed (every email we send also has an
easy opt-out).",
560         "note": "To exercise any of these, just email <a
href=\"mailto:hello@khelsutra.guru\">hello@khelsutra.guru</a> and we'll take care of it."
561     },
562     "minors": {
563         "h": "8. Minors",
564         "body": "We take footage involving minors seriously. Footage involving minors is
<b>never</b> used to improve the tool and is <b>never</b> published ? full stop. If you believe
a minor's personal data has been shared with us inappropriately, contact us and we'll remove
it."
565     },
566     "security": {
567         "h": "9. Security",
568         "body": "The site is served only over <b>HTTPS</b> with an auto-renewing TLS
certificate, so your connection is encrypted. The alpha app itself is gated behind an
authenticated, invite-only sign-in, and access to the processing system is restricted. No system
is perfectly secure, but we take reasonable, layered measures to protect your data."
569     },
570     "changes": {
571         "h": "10. Changes & contact",
572         "body": "This policy reflects our current alpha practices and may change as the
product evolves; we'll update the \"last updated\" date above when it does. For any privacy

```

```

question or request, email <a href="mailto:hello@khelsutra.guru">hello@khelsutra.guru</a>."
573     },
574     "authoritative": "This page is provided in several languages for convenience. If
anything differs between versions, the English version is the one that applies.",
575     "home": "Home",
576     "footTrust": "? Served securely over HTTPS · © 2026 KhelSutra · Invite-only alpha"
577 },
578 "meta": {
579     "index": {
580         "title": "KhelSutra ? every rally indexed, the dead time gone"
581     },
582     "capture": {
583         "title": "KhelSutra ? 1-page capture checklist"
584     },
585     "ownModel": {
586         "title": "KhelSutra ? Annotate your footage & train your own model"
587     },
588     "privacy": {
589         "title": "Privacy Policy ? KhelSutra"
590     }
591 },
592 },
593 "wizard": {
594     "title": "Welcome to KhelSutra",
595     "intro": "Three quick steps and you're ready to turn a match into a highlights
reel.",
596     "step": "Step {n} of 3",
597     "checking": "Checking what this device can do?",
598     "offline": "Couldn't reach KhelSutra ? start it, then reopen setup. You can skip for
now.",
599     "back": "Back",

```

11. user (2026-07-04T11:49:30.821Z)

Found 19 files

```

C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\hooks\useUpload.test.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\hooks\useUpload.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\upload.test.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\hooks\useIngestJob.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\build-error.test.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\IngestPanel.test.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\IngestPanel.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\api\types.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\App.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\api\client.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\VideoLibrary.test.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\components\FfmpegBanner.tsx
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\annotator\annotator.smoke.test.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\annotator\annotator.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\api\client.test.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\annotator\VENDOR.md
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\api\upload.test.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\test\setup.ts
C:\Users\avidu\Projects\khelsutra-guru\khelsutra\web\src\lib\selection.ts

```

12. user (2026-07-04T11:49:47.061Z)

```

1 // i18n scaffold (tracker B1) ? the shared localization foundation for KhelSutra Studio.
2 //
3 // Per docs/archives/FRIENDLY_AND_MULTILINGUAL.md + the engine's I18N_PLAN.md:
4 // - keys, never prose (t("app.title"), enforced later by a no-bare-strings lint, B2);
5 // - ICU MessageFormat for interpolation/plurals (Kannada/Hindi plural rules live in
the catalog,
6 //     not the code ? replaces the SPA's hand-rolled `count > 1 ? "s" : ""`);
7 // - one negotiation order shared with the marketing site (B3);

```

```

8      // - always-fallback to `en` so a missing translation degrades to English, never a raw
key.
9      import i18n from "i18next";
10     import { initReactI18next } from "react-i18next";
11     import LanguageDetector from "i18next-browser-languagedetector";
12     import ICU from "i18next-icu";
13     // Catalogs are HOISTED to repo-root /locales (D-CATALOG-HOME) ? the single source of
truth shared
14     // by this SPA and the marketing site's t() shim (tracker B3). Vite resolves the
workspace root via
15     // the repo `.git` marker, so importing the parent-dir /locales works in dev, build, and
viteest.
16     import enCommon from "../../locales/en/common.json";
17     import knCommon from "../../locales/kn/common.json";
18     import hiCommon from "../../locales/hi/common.json";
19     import esCommon from "../../locales/es/common.json";
20     import daCommon from "../../locales/da/common.json";
21     import idCommon from "../../locales/id/common.json";
22
23     // Supported locales: en/kn/hi foundation (FRIENDLY D6) + MULTILINGUAL_EXPANSION Phase A
(es/da/id,
24     // Latin, catalog-only). Anything else falls back to `en`.
25     export const SUPPORTED_LOCALES = ["en", "kn", "hi", "es", "da", "id"] as const;
26     export type Locale = (typeof SUPPORTED_LOCALES)[number];
27     export const DEFAULT_LOCALE: Locale = "en";
28
29     // ONE persisted-preference key, shared with the marketing site's t() shim (D9 / tracker
B3), so a
30     // visitor's language choice carries across both surfaces.
31     export const LANG_STORAGE_KEY = "khelsutra.lang";
32
33     // Catalogs live in repo-root /locales (D-CATALOG-HOME), consumed by both surfaces. `kn`
+ `hi`
34     // shipped (B5/B6, AI-drafted ? native review pending). A missing key in any locale
still falls back
35     // to `en` ? the by-design invariant.
36     const resources = {
37       en: { common: enCommon },
38       kn: { common: knCommon },
39       hi: { common: hiCommon },
40       es: { common: esCommon },
41       da: { common: daCommon },
42       id: { common: idCommon },
43     } as const;
44
45     void i18n
46       .use(ICU)
47       .use(LanguageDetector)
48       .use(initReactI18next)
49       .init({
50         resources,
51         fallbackLng: DEFAULT_LOCALE,
52         supportedLngs: [...SUPPORTED_LOCALES],
53         nonExplicitSupportedLngs: true, // en-IN -> en
54         defaultNS: "common",
55         ns: ["common"],
56         interpolation: { escapeValue: false }, // React already escapes
57         returnNull: false,
58         // Negotiation order (I18N_PLAN §2.3): persisted pref -> ?lang= -> browser -> en.
59         detection: {
60           order: ["localStorage", "querystring", "navigator"],
61           lookupLocalStorage: LANG_STORAGE_KEY,
62           lookupQuerystring: "lang",
63           caches: ["localStorage"],
64         },

```

```

65     react: { useSuspense: false },
66   });
67
68   // Keep <html lang> in sync with the active locale (screen readers + SEO use it).
Reflects the
69   // resolved content language, so an `en` fallback for an absent locale still reads as
`en`.
70   function syncDocumentLang(lng: string) {
71     if (typeof document !== "undefined") {
72       document.documentElement.lang = (i18n.resolvedLanguage || lng ||
DEFAULT_LOCALE).split("-")[0];
73     }
74   }
75   i18n.on("languageChanged", syncDocumentLang);
76   syncDocumentLang(i18n.language ?? DEFAULT_LOCALE);
77
78   export default i18n;
79

```

13. user (2026-07-04T11:49:47.900Z)

```

60     "floorAll": "<b>All {count} selected rallies</b> have fewer than {min} shots ?
they'd all be skipped, so the build would fail. Pick longer rallies.",
61     "floorSomeLead": "{count, plural, one {# rally} other {# rallies}}",
62     "floorSomeRest": "with fewer than {min} shots will be skipped when building (they're
too short).",
63   },
64   "result": {
65     "share": "Share on WhatsApp",
66     "shareFile": "Share video",
67     "sharePreparing": "Preparing?",
68     "shareFallback": "File sharing isn't available here. Download the reel, then use
WhatsApp.",
69     "shareFailed": "Couldn't open sharing. Download the reel, then use WhatsApp.",
70     "shareText": "I made my badminton highlights reel with KhelSutra ? Try it:
khelsutra.guru",
71     "ready": "Your reel is ready",
72     "failed": "Build failed",
73     "building": "Stitching your reel?",
74     "buildingReassure": "Joining your selected rallies into one video ? this usually
only takes a moment.",
75     "dismiss": "Dismiss",
76     "download": "Download {filename}"
77   },
78   "build": {
79     "noVideo": "These are sample rallies ? process a real video first to build a reel."
80   },
81   "ingest": {
82     "title": "Process a video",
83     "intro": "Point KhelSutra at a video and it finds the rallies for you ? this can
take a few minutes.",
84     "uriPlaceholder": "gs://your-bucket/match.mp4",
85     "uriAriaLabel": "Video location ? a gs:// bucket URL or a path on the engine host",
86     "hint": "Paste a cloud-storage link (gs://?), or a path to a video on the machine
running KhelSutra.",
87     "submit": "Process video",
88     "submitting": "Submitting?",
89     "cancel": "Cancel",
90     "working": "Processing your video?",
91     "progress": "{progress}",
92     "resumeNotice": "Resumed this processing job after refresh.",
93     "elapsed": "Elapsed {elapsed}",
94     "heartbeat": "Last checked just now",
95     "reloadHint": "You can reload this page ? KhelSutra will keep checking this job.",
96     "retry": "Try again",

```

```

97         "reassure": "Safe to wait ? KhelSutra keeps working even if your connection is slow;
a long video can take several minutes.",
98         "statusFailed": "Couldn't process",
99         "chooseFile": "Choose a video file",
100        "uploadAria": "Choose a video file to upload",
101        "fileHint": "Pick an .mp4 or .mov from this device ? it uploads, then KhelSutra
finds the rallies.",
102        "orLink": "Or use a cloud link",
103        "uploadingStatus": "Uploading?",
104        "sourceFile": "File: {filename}",
105        "uploadProgress": "Upload progress",
106        "compute": {
107            "legend": "Where should this run?",
108            "local": "On my computer",
109            "cloud": "In the cloud",
110            "cloudCost": "Cloud processing runs on a rented GPU ? faster for long videos, but
it may cost a little (often just a few cents per match).",
111            "ack": "I understand cloud processing may cost a little.",
112            "ackRequired": "Please accept the note above to run in the cloud."
113        },
114        "medium": {
115            "legend": "Where should we store this video?",
116            "destAria": "Storage destination ? a bucket URL or a Google Drive folder",
117            "bucketPlaceholder": "gcs://my-bucket/videos",
118            "drivePlaceholder": "gdrive://Matches",
119            "destHint": "We keep a durable copy here, keyed to the video ? after checking
there's room.",
120            "destRequired": "Enter a destination to store this video.",
121            "storing": "Storing in your medium?"
122        }
123    },
124    "errors": {
125        "networkError": "Can't reach KhelSutra. Is it running?",
126        "invalidUri": "Enter a video location first ? a gs:// link or a path on the machine
running KhelSutra.",
127        "emptyResult": "Processing finished but found no rallies in this video. Try a
clearer match recording.",
128        "timeout": "This is taking longer than expected. The job may still be running ?
reload with the video link, or try again.",
129        "engineGeneric": "Something went wrong. Please try again."
130    },
131    "tap": {
132        "title": "Tap to filter:",
133        "longest": "Longest first",
134        "shortest": "Shortest first",
135        "over10": "Over 10 seconds",
136        "over20": "Over 20 seconds",
137        "top5": "Top 5 longest",
138        "top10": "Top 10 longest"
139    },
140    "site": {
141        "reveal": {
142            "share": "Share on WhatsApp",
143            "shareText": "Check out KhelSutra ? it turns a full badminton match into a clean
highlights reel ? khelsutra.guru"
144        },
145        "join": {
146            "gpuLabel": "Do you have a powerful computer that could process videos on its
own?",
147            "gpuHint": "A gaming PC or laptop with a graphics card. No worries if not ? we can
run it in the cloud for you.",
148            "gpuYes": "Yes ? a gaming PC or laptop with a graphics card",
149            "gpuUnsure": "Not sure",
150            "gpuNo": "No",
151            "gpuCloud": "No ? please run it in the cloud for me",

```

```

152         "storageLabel": "Where do your match videos live? How would you share them?",
153         "storageHint": "(pick any)",
154         "storageGdrive": "Google Drive",
155         "storageOnedrive": "OneDrive / Microsoft 365",
156         "storageDropbox": "Dropbox",
157         "storageBucket": "A cloud storage bucket ? advanced (e.g. Amazon S3, Google
Cloud)",
158         "storageLocal": "SD card or the device itself",
159         "storageUnsure": "Not sure",
160         "sending": "Sending?",
161         "title": "Get into the KhelSutra alpha",
162         "intro": "Invite-only. Tell us a little about your setup ? it helps us get you the
best results, and shapes what we build next.",
163         "teaser": "<span aria-hidden=\"true\">?</span> Sign up to watch the tool in action
? and a 30-second sample reel it made ? the moment you're in.",
164         "segLabel": "I'm a?",
165         "segAcademy": "Coaching academy / club",
166         "segIndividual": "Individual player",
167         "name": "Name",
168         "email": "Email",
169         "emailHint": "(so we can reach you)",
170         "city": "City",
171         "optional": "(optional)",
172         "orgName": "Academy / club name",
173         "courtsLabel": "How many courts do you record?",
174         "courtsSelect": "Select?",
175         "courts1": "1 court",
176         "courts2to4": "2?4 courts",
177         "courts5plus": "5+ courts",
178         "message": "Anything else?",
179         "messageHint": "(how you record, what you'd want?)",
180         "consent": "Okay to email me about the KhelSutra alpha.",
181         "note": "We never publish your footage; footage involving minors is never used to
improve the tool. See our <a href=\"/privacy\">Privacy Policy</a>.",
182         "done": "Thanks ? we've got it. We'll be in touch at the email you gave.
?<br><span style=\"font-weight:400;color:var(--mut)\">While you're here: see the tool in action,
and a real 30-second reel it made.</span>"
183     },
184     "nav": {
185         "how": "How it works",
186         "why": "Why it's hard",
187         "ownModel": "Own your model",
188         "flyer": "Flyer",
189         "roadmap": "Roadmap",
190         "faq": "FAQ",
191         "requestAccess": "Request access"
192     },
193     "hero": {
194         "title": "Every rally, indexed. <span class=\"hl\">The dead time, gone.</span>",
195         "eyebrow": "Invite-only alpha · Bengaluru",
196         "lead": "KhelSutra finds every rally in your session and strips out the knock-ups,
walks and gaps ? so a full match becomes a clean highlight reel you can watch and download. No
editing, no scrubbing.",
197         "ctaPrimary": "Request alpha access",
198         "ctaHow": "See how it works",
199         "ctaReel": "See it in action + a real reel",

```

14. user (2026-07-04T11:49:58.871Z)

No matches found

15. user (2026-07-04T11:50:00.326Z)

C:\Users\avidu\Projects\kheIsutra-guru\badminton-highlight-indexer\deploy\cloudrun\gen_service_yaml.py:32: `skip\_ai\_handoff=true` and never needs it).

```
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\deploy\cloudrun\gen_service_yaml.py:56:      "indexing": {"skip_ai_handoff": True},
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\deploy\cloudrun\README.md:60:on the job), or run fully-local with `--set indexing.skip_ai_handoff=true` (candidate windows
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\deploy\gcp\nightly_regression\README.md:47:| **Segmenter / detector / no-AI** | `wasb_hybrid` / `native` / `skip_ai_handoff=true` | `config_overrides` in the manifest.
(`skip_ai_handoff=true` = pure-engine, no paid Gemini ? deterministic + free.) |
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\deploy\gcp\nightly_regression\README.md:140:| `reels=0`, log mentions GEMINI_API_KEY | `skip_ai_handoff` not true ? ensure the manifest `config_overrides` has `indexing.skip_ai_handoff: true` |
```

16. user (2026-07-04T11:50:01.480Z)

```
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\DOC_STATUS.md:48:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\NEXT_STEPS.md:19:3b.
**[Claude] Five-repo audit health remediation ? ? COMPLETE (2026-07-02).** All waves (P0?P28)
landed and the last residuals were closed or filed as issues; the umbrella tracker was archived
to `docs/archives/past_projects/AUDIT_REPORT_khelesutra-guru_2026-07-02-COMPLETED-2026-07-02.md`.
Remaining owner-gated/future work lives as GitHub issues: #443 (CORS default), #444 (corpus
Phase-2 upload), #445 (GCS eval plumbing), plus #301/#327/#332/#384.
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\README.md:14:[Omitted
long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:3:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:52:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:204:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:504:**Upload retention sweep tool exists but nothing
schedules it ? unbounded upload growth + unenforced 7-day privacy retention on any hosted
deployment (#301)**
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:506:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:507:[Omitted long matching line]
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:568:- [P1] badminton-highlight-indexer (Khelesutra):
#332: NSFW pre-flight gate still absent ? non-owner alpha users can route arbitrary video to
Gemini (ToS/abuse + paid-garbage risk)
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:572:- [P2] badminton-highlight-indexer (Khelesutra):
#301: upload retention sweep tool exists but nothing schedules it ? unbounded upload growth on
any hosted deployment
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:578:- [P1] Khelesutra/badminton-highlight-indexer: Upload
retention sweep still manual ? 7-day privacy retention window unenforced without an operator
(#301 open)
C:\Users\avidu\Projects\khelesutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelesutra-
guru_2026-07-02-COMPLETED-2026-07-02.md:766:| P26 | 6 | Update or close stale GitHub issues/PRs:
`#97`, `#101`, `#103`, `#388`, `#175`, `#301`, related duplicates/superseded branches. | mixed |
```

Relevant PRs merged | Owner issue disposition where needed | Done | issue comments/closures;
stale PR closures (#141, sports-data #54/#55) |
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:790:- [x] When the waves complete, flip this umbrella
`Status ? DONE`, then archive once residuals are closed or filed as issues. **Done 2026-07-02:**
all non-owner-gated residuals landed; owner-gated/future items filed as issues (#443/#444/#445,
+ #301/#327/#332/#384); doc archived to `docs/archives/past\_projects/`.
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khelsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:806:[Omitted long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\KHELSUTRA_GURU_HEALTH_REMEDIATION_PLAN-FOLDED-2026-07-02.md:189:| P26 | 6 | Update or close stale GitHub issues: `#97`, `#101`, `#103`,
`#388`, `#175`, `#301`, related duplicates. | mixed | Relevant PRs merged | Owner issue
disposition where needed | Todo | ? |

17. user (2026-07-04T11:50:11.018Z)

74:The flywheel lane is successful when user corrections can flow into the collector/vault path
with consent/provenance and a visible re-eval delta. This is valuable for alpha learning, but it
should not block the first controlled alpha if manual promotion can bridge the gap.
109:| A10 | Decide and record the alpha ship-gate target: metric, corpus slice, minimum
threshold, significance rule, and what claims are allowed | Owner + `badminton-highlight-indexer` | A4, A5, A8 | Owner decision | GATED | - |
110:| A11 | Resolve or explicitly defer WASB C3 provenance for alpha messaging; if deferred,
document "no commercial model sharing" copy guardrail | Owner/legal | A10 | Legal/provenance |
GATED | - |
111:| A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector promotion,
`train`/`reeval` job, delta-F1 surface, and alignment with `COMPUTE\_DECOUPLED\_SERVING` M11 |
`khelsutra` + `badminton-highlight-indexer` + collector | A1, A3 | Owner D13 reopen
(`khelsutra/docs/STUDIO\_MEDIA\_LIFECYCLE.md`) | GATED | - |
112:| A13 | Alpha launch review: runbook, privacy/consent copy, observability/job-failure
triage, known limits, rollback/disable steps, and owner GO/NO-GO | Cross-repo | A1, A4, A10, A11
| Owner launch decision | TODO | - |

18. user (2026-07-04T11:50:18.912Z)

85 | WASB checkpoint provenance remains unresolved | Blocks commercial sharing of a trained
model regardless of F1 | Treat C3 as a hard model-release gate; do not hide it inside product
launch tasks |
86
87 ## 6. Honest limits
88
89 Completing this doc's alpha lane does **not** prove the owned model is ready, that WASB
weights are commercially clean, that the product can serve unbounded public traffic, that multi-
sport is ready, or that every tester correction automatically improves the model.
90
91 Completing the quality lane does **not** by itself deploy a service. It only makes the
measurement surface honest enough for a launch decision.
92
93 ## 7. Deliverables & progress tracker
94
95 Legend: TODO = not started, IN PROGRESS = actively being worked, DONE =
shipped/verified, GATED = blocked on owner/legal/platform decision. One PR per row unless the
row explicitly names a cross-repo batch.
96
97 | ID | Deliverable | Repo / owner | Depends on | Gated? | Status | PR |
98 |----|-----|-----|-----|-----|-----|----|
99 | A0 | Create this alpha readiness tracker and index it in docs | `badminton-highlight-indexer` | - | No | DONE | #451 |
100 | A1 | Stand up alpha serving endpoint: Cloud Run/GPU or approved host, health check,
edge auth ON, upload -> process -> jobs -> compile -> download verified | `khelsutra` +
`badminton-highlight-indexer` | A0 | Owner spend / CF config | DONE |
#462/#464/#465/#467/#468/#469/#470/#474/#476; e2e runlog

```
`docs/COMPUTE_DECOUPLED_SERVING/runlogs/DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md` |
101 | A2 | Make the n=15 golden manifest portable/reproducible; add a path/corpus smoke
check that fails loudly when labels or trajectories are missing | `badminton-highlight-indexer`
| A0 | No | DONE | #452 |
102 | A3 | Promote the 15-video source-video/MD5 records into the collector/vault path;
reconcile collector's six-video source manifest with the 15-video eval corpus | `sports-data-
collector` + vault | A2 | Owner upload/storage scope | DONE | collector #62 |
103 | A4 | Refresh the n=15 nightly regression baseline intentionally and record the exact
command/output; keep stale-baseline warnings until reviewed | `badminton-highlight-indexer` | A2
| Reviewer sign-off | DONE | #453 |
104 | A5 | Recompute the heuristic n=15 floor and replace the stale `heuristic_lovo_n6`
floor for future Gen-0 comparisons | `badminton-highlight-indexer` | A2 | No | DONE | #454 |
105 | A6 | Fix `backend.eval.ablation` CLI circular import, then run the R2/tolF1 ablation
on the n=15 corpus | `badminton-highlight-indexer` | A2 | No | DONE | #455 |
106 | A7 | Regenerate or upconvert full-fusion feature JSONs for the newer 9 videos so
fusion/person/audio analyses run over all 15 | `badminton-highlight-indexer` | A2 | GPU/data
availability | DONE | #458 |
107 | A8 | Re-run `fusion_compare`, group ablation, and served contrast after A7; explicitly
promote/reject person fusion, Gate A served-default, and any other R-series default flips |
`badminton-highlight-indexer` | A6, A7 | Reviewer sign-off | DONE | #458 |
108 | A9 | Run Gen-0/TemporalMaxer shadow training against the refreshed n=15 floor; produce
a non-serving artifact bundle and gate verdict | `badminton-highlight-indexer` | A5, A8 | Owner
approval for M0.4 scope | DONE | #458 |
109 | A10 | Decide and record the alpha ship-gate target: metric, corpus slice, minimum
threshold, significance rule, and what claims are allowed | Owner + `badminton-highlight-
indexer` | A4, A5, A8 | Owner decision | GATED | - |
110 | A11 | Resolve or explicitly defer WASB C3 provenance for alpha messaging; if deferred,
document "no commercial model sharing" copy guardrail | Owner/legal | A10 | Legal/provenance |
GATED | - |
111 | A12 | Reopen or defer P10/P11 corpus flywheel: `PATCH /api/segments`, collector
promotion, `train`/`reeval` job, delta-F1 surface, and alignment with
`COMPUTE_DECOUPLED_SERVING` M11 | `khealsutra` + `badminton-highlight-indexer` + collector | A1,
A3 | Owner D13 reopen (`khealsutra/docs/STUDIO_MEDIA_LIFECYCLE.md`) | GATED | - |
112 | A13 | Alpha launch review: runbook, privacy/consent copy, observability/job-failure
triage, known limits, rollback/disable steps, and owner GO/NO-GO | Cross-repo | A1, A4, A10, A11
| Owner launch decision | TODO | - |
113
114 ## 8. Concrete next PR sequence
115
116 1. **Docs PR:** land this tracker.
117 2. **Corpus portability PR:** rebase/portable manifest tooling plus missing-file smoke
test.
118 3. **Hosted alpha PR/batch:** health/auth/upload/process/job/compile/download
verification and runbook updates.
119 4. **Baseline PR:** intentional n=15 nightly baseline refresh and heuristic floor
refresh.
```

19. user (2026-07-04T11:50:20.092Z)

No matches found

20. user (2026-07-04T11:50:21.372Z)

```
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\tools\cleanup_caches.py:1:"""Cache-hygiene + retention sweep for the GPU highlight
pipeline.
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\tools\cleanup_caches.py:7:and, past a retention window, uploaded source videos) or
**keep** (durable: trajectory
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\tools\cleanup_caches.py:10:**Retention sweep (T11 ? pre-alpha-exposure):** uploaded
source videos in the upload
C:\Users\avidu\Projects\khealsutra-guru\badminton-highlight-
indexer\tools\cleanup_caches.py:12:older than ``--uploads-retention-days`` (default 7) it is
swept, along with the orphaned
```

```

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:22:
python -m tools.cleanup_caches --uploads-retention-days 3 # sweep uploads >3d old
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:28:and pre-self-cleaning videos left behind, and enforces the
upload retention window before
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:58:
# past the retention window (default_purge=True; held by --uploads-retention-days
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:66:
return ("uploaded source", True, True) # tester footage ? privacy retention
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:121:
uploads_retention_days: float = 0.0,
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:125:
Two independent retention windows protect *recent* entries from purge:
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:126:
* ``uploads_retention_days`` guards the upload landing zone (``location=="uploads"``)
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:139:
window = uploads_retention_days if e.location == "uploads" else older_than_days
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:238:
here as an opaque "other dir" ? and so its retention is governed by scan_uploads,
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:276:
"upload subdir" and is left untouched until that retention is designed.
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:406:
"--uploads-retention-days",
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:444:
uploads_retention_days=args.uploads_retention_days,
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:456:
"uploads_retention_days": args.uploads_retention_days,
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:477:
f"{args.uploads_retention_days:g}d) ? run `python -m tools.cleanup_caches` to review, `--apply`
to delete."
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:481:
# Loud header: state the active retention windows up front so nobody mistakes a
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tools\cleanup_caches.py:483:
print("Retention windows in effect:")

```

[Showing results with pagination = limit: 20]

21. user (2026-07-04T11:50:31.221Z)

97: `security.edge\_auth\_enabled` on needs no derived image ? the M9 Cf-Access JWT verify works out of

22. user (2026-07-04T11:50:32.632Z)

```

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\README.md:4:> **Lifecycle:** `DRAFT ? IN PROGRESS ? DONE
? archived` (move to `docs/archives/past_projects/` when DONE)
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md:19:| L4 worker **Job** | `rally-worker` ? unchanged shape
(nvidia-l4, 8 vCPU/32Gi, FUSE `khehsutra-rally-serving` `/gcs`) |
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md:37: it to `gs://khehsutra-rally-serving/videos/d8335f51?/upload-e2e-720p.mp4` (byte-exact size
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md:50: `gs://khehsutra-rally-serving/highlights/915473?/e2e.mp4` ?
174,046,228 bytes (~166 MiB)**
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-e2e_2026-07-04.md:53: `https://storage.googleapis.com/khehsutra-rally-serving/highlights/?/e2e.mp4?X-Goog-Algorithm=GOOG4-RSA-SHA256&X-Goog-Credential=492532266377-compute@?&X-Goog-Expires=3600&X-Goog-Signature=?`
C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-

```

```

indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-
serving_2026-07-04.md:59:`rally-probe`; the `asia-southeast1/rally` image repo; the `khelsutra-
rally-serving` bucket; the
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-
serving_a1-cuj_2026-07-04.md:15:| L4 worker **Job** | `rally-worker` ? nvidia-l4, 8 vCPU / 32Gi,
`--no-gpu-zonal-redundancy`, `--max-retries 0 --task-timeout 3600`, GCS-FUSE mount `khelsutra-
rally-serving`?`/gcs`, `WASB_WEIGHTS=/gcs/models/wasb_badminton_best.pth.tar` |
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-
serving_a1-cuj_2026-07-04.md:19:| Config (via base64 startup wrapper ?
`RALLY_APP_HOME=/tmp/apphome/config.json`) | `deployment.profile=cloud-serving`,
`compute_target=cloud_run`, `indexing.skip_ai_handoff=true`, `storage.backend=gcs`,
`output_root=gs://khelsutra-rally-serving`, `input_backend=gcs`, `input_root=?/videos` |
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-
serving_a1-cuj_2026-07-04.md:37:1. `POST /api/process {"video_path":"gs://khelsutra-rally-
serving/videos/MahadevpuraSingles.MP4","segmenter":"wasb_hybrid","compute":"cloud"}` ? `202
{job_id: d16654d1?}`
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-
serving_a1-cuj_2026-07-04.md:43:      outputs at `gs://khelsutra-rally-serving/outputs/915473?/\`.

```

23. user (2026-07-04T11:50:40.604Z)

```

C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\backend\server_runtime.py:3:Pure, side-effect-free helpers for the CORS/host-allowlist
middleware config and the friendly
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\server_runtime.py:30:
"""P0c: Host-header allowlist ? a DNS-rebinding guard for the localhost appliance. A malicious
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\main.py:70:#
Server/network bootstrap helpers (CORS/host-allowlist config + the `indexer --app` launcher)
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\main.py:1602:
# the Host allowlist (the default; don't set RALLY_ALLOWED_HOSTS to a non-loopback-only set
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\tests\test_edge_auth.py:132:
non-RS256 alg on the allowlist check (before the key is even used). Hand-crafted because PyJWT
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\backend\config\startup.py:99:
caller's environment view (so the host-allowlist check is testable)."""
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\backend\config\startup.py:161:      "EXPOSED_HOST_ALLOWLIST_LOOPBACK",
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\UI_PROPOSAL.md:41:**Auth:** Cloudflare Access email-allowlist (OTP), free ?50
users, **zero auth code** ? backend
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\docs\UI_PROPOSAL.md:61:| B2 |
**Chunked upload endpoint** | `POST /api/upload` accepting ?90 MB parts (free-tier proxy body
limit is 100 MB), assemble ? MD5 ? register under `allowed_video_root/<user>/`. Size cap (e.g. 4
GB) + mp4/mov allowlist. |
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\UI_ALPHA_EXECUTION_PLAN.md:31:[Omitted long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\UI_ALPHA_EXECUTION_PLAN.md:49:- [ ] **D2 (Claude):** DNS records; `cloudflared`
Windows service on the box ? `api.khelsutra.guru`; Access apps + email-allowlist policies for
`app` & `api`; SPA prod env
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\UI_ALPHA_EXECUTION_PLAN.md:50:- [ ] **D3:** deployed smoke E2E (owner-only
allowlist); go-live security checklist (HOSTING_PLAN §7) all green
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-indexer\docs\CODE_MAP.md:115:[Omitted
long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\DECISION_SNAPSHOT_REGRESSION.md:39:[Omitted long matching line]
C:\Users\avidu\Projects\khelsutra-guru\badminton-highlight-
indexer\docs\DECISION_SNAPSHOT_REGRESSION.md:96:- `2026-06-25` ? **Owner LOCKED the decisions.**
Added **D11** (auto-sign-off staged: advisory ? gating) and **D10** (deterministic-segmenters-
only, enforced by a **double-run determinism guard** that rejects any segmenter whose two runs
differ ? no hand-maintained allowlist); D1?D9 locked. **B1 is an enabler, not a blocker** (being

```

fixed in #385 ? `motion` becomes snapshot-able). \$7 reframed: P7 = advisory, P8 = gating; P3 carries the determinism guard.

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\PACKAGING_PLAN.md:102:|
P0c | **Config/profile-driven bind + DNS-rebinding Host-header guard** (`TrustedHostMiddleware`
+ `\_resolve\_bind\_host`; default `127.0.0.1`; `0.0.0.0`+`RALLY\_ALLOWED\_HOSTS` under edge-auth) +
a startup WARN for the edge-auth/allowlist footgun. Byte-identical default; adversarial review
folded. | ? | No | ? | [#296](https://github.com/Khehsutra/badminton-highlight-indexer/pull/296)
|

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\I18N_PLAN.md:139:
paths). Starts as a curated allowlist so it can land without boiling the ocean.

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\HOSTING_PLAN.md:21:a
custom domain, email-allowlist auth (free ?50 users ? fits 10?25 testers), and static hosting.

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\HOSTING_PLAN.md:30:Cloudflare edge (free): DNS + TLS + Access (email-OTP allowlist)

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\HOSTING_PLAN.md:67:
later); Access allowlist retires.

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\HOSTING_PLAN.md:108:Access allowlist ON for both hostnames ? CORS narrowed to
`https://app.khehsutra.guru` ? rate

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\HOSTING_PLAN.md:110:allowlist ? schedule upload retention for `security.upload\_dir`
with `python -m tools.upload_retention

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-cuj_2026-07-04.md:82: `api.khehsutra.guru` in `self\_hosted\_domains` ? no new app
needed; same 4-email allowlist policy),

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\COMPUTE_DECOUPLED_SERVING\runlogs\DEPLOY_REPORT_cloud-serving_a1-cuj_2026-07-04.md:93:stale CNAME to a dead CF tunnel. To make the alpha reachable-
with-auth by allowlisted testers: (a) add

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khehsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:25:[Omitted long matching line]

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khehsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:136:[Omitted long matching line]

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khehsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:369:[Omitted long matching line]

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khehsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:514:[Omitted long matching line]

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\docs\archives\past_projects\AUDIT_REPORT_khehsutra-guru_2026-07-02-COMPLETED-2026-07-02.md:808:[Omitted long matching line]

C:\Users\avidu\Projects\khehsutra-guru\badminton-highlight-indexer\tests\test_startup_checks.py:445: assert _codes(checks) ==
{"EXPOSED_HOST_ALLOWLIST_LOOPBACK"}

[Showing results with pagination = limit: 30]

24. user (2026-07-04T11:50:41.586Z)

Found 7 files

C:\Users\avidu\Projects\khehsutra-guru\khehsutra\docs\LOCAL_APPLIANCE_ARCHITECTURE.md
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\droplet\README.md
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\DEPLOY_ALPHA.md
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\GPU_VM_SERVING.md
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\droplet\engine.env.example
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\droplet\config.json.example
C:\Users\avidu\Projects\khehsutra-guru\khehsutra\deploy\droplet\khehsutra-engine.service

25. user (2026-07-04T11:50:53.952Z)

593 "wizard": {

```

594     "title": "Welcome to KhelSutra",
595     "intro": "Three quick steps and you're ready to turn a match into a highlights
reel.",
596     "step": "Step {n} of 3",
597     "checking": "Checking what this device can do?",
598     "offline": "Couldn't reach KhelSutra ? start it, then reopen setup. You can skip for
now.",
599     "back": "Back",
600     "next": "Next",
601     "skip": "Skip",
602     "done": "Get started",
603     "key": {
604         "title": "AI highlights (optional)",
605         "connected": "Gemini is connected ? you'll get AI-assisted highlights.",
606         "missing": "No AI key yet ? that's fine. KhelSutra works offline with the built-in
motion detector.",
607         "how": "Want sharper highlights? Get a free Gemini key, add GEMINI_API_KEY=? to
the .env file in your KhelSutra folder, then restart.",
608         "getKey": "Get a free Gemini key"
609     },
610     "compute": {
611         "title": "Where it runs",
612         "local": "Everything runs on this device ? your videos never leave it.",
613         "detector": "Detector: {name}",
614         "ffmpegOk": "Video tools (ffmpeg) ready.",
615         "ffmpegMissing": "ffmpeg not found ? install it so KhelSutra can cut and join
clips.",
616         "gpu": "A GPU was detected ? the high-quality shuttle tracker can run here
later.",
617         "noGpu": "No GPU needed ? the offline motion detector runs on any computer."
618     },
619     "videos": {
620         "title": "Add a video",
621         "body": "When you're ready, pick a video file or paste a cloud link and KhelSutra
finds the rallies for you.",
622         "ready": "You're all set."
623     }
624 },
625     "annotate": {
626         "tab": "Annotate",
627         "tabPick": "Pick rallies",
628         "title": "Annotate rallies",
629         "hint": "Play the video, mark each rally's start and end, pick how the point ended,
then save.",
630         "sport": "Sport",
631         "markStart": "Mark start",
632         "markEnd": "Mark end",
633         "start": "Start",
634         "end": "End",
635         "reason": "Ending reason",
636         "shots": "Shots (optional)",
637         "save": "Save rally",
638         "undo": "Undo last",
639         "recent": "Saved rallies",
640         "recentEmpty": "No rallies saved yet.",
641         "saving": "Saving?",
642         "saved": "Saved to your library",
643         "saveError": "Couldn't save your rallies.",
644         "retry": "Retry",
645         "errNoMedia": "Play or scrub the video first ? there's no time to mark yet.",
646         "errMarks": "Check the start and end ? end must be after start.",
647         "errDuplicate": "That rally number already exists."
648     },
649     "library": {
650         "title": "Your videos",

```

```

651         "intro": "Open a match you've already added ? or add a new one below.",
652         "loading": "Loading your videos?",
653         "empty": "No videos yet ? add your first one below.",
654         "errorLoad": "Couldn't load your videos. Is KhelSutra running?",
655         "unnamed": "Untitled match",
656         "open": "Open",
657         "openAria": "Open {name}"
658     },
659     "selection": {
660         "count": "{count, plural, one {# rally selected} other {# rallies selected}}"
661     },
662     "storage": {
663         "local": "This computer",
664         "bucket": "Cloud bucket",
665         "drive": "Google Drive"
666     },
667     "ffmpeg": {
668         "missingTitle": "FFmpeg not detected on this computer",
669         "missingBody": "KhelSutra needs FFmpeg (and ffprobe) to index videos and build
highlight reels. Install it and restart the app ? until then, adding a video and downloading a
reel won't work.",
670         "installLink": "How to install FFmpeg"
671     }
672 }
673

```

26. user (2026-07-04T11:51:07.000Z)

```

da: privacy-keys=3 consent-keys=2
en: privacy-keys=3 consent-keys=2
es: privacy-keys=3 consent-keys=2
hi: privacy-keys=3 consent-keys=2
id: privacy-keys=3 consent-keys=2
kn: privacy-keys=3 consent-keys=2

```

27. user (2026-07-04T11:51:07.348Z)

```

Found 6 files
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\assets.test.js
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\i18n.shim.test.js
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\ai1y.browser.mjs
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\server.test.js
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\layout.browser.mjs
C:\Users\avidu\Projects\kheIsutra-guru\kheIsutra\site\src\render.browser.mjs

```

28. user (2026-07-04T11:51:15.091Z)

```

211:         <p className="text-xs text-ink/60">{t("ingest.compute.cloudCost")}</p>
220:         {t("ingest.compute.ack")}
224:         {t("ingest.compute.ackRequired")}

```

29. user (2026-07-04T11:51:16.513Z)

No matches found

30. user (2026-07-04T11:51:23.138Z)

```

30     * No secrets here: bucket/project/aud/team-domain are the same non-secret identifiers
the
31     committed runlogs carry; the Gemini key stays in Secret Manager (the alpha runs
32     `skip_ai_handoff=true` and never needs it).
33     ""
34
35     from __future__ import annotations

```

```

36
37 import argparse
38 import base64
39 import json
40 import sys
41
42 DEFAULT_PROJECT = "gen-lang-client-0306026826"
43 DEFAULT_REGION = "asia-southeast1"
44 DEFAULT_SERVICE = "rally-control-plane"
45 DEFAULT_SERVING_BUCKET = "gs://khelsutra-rally-serving"
46 DEFAULT_CF_TEAM_DOMAIN = "https://khelsutra.cloudflareaccess.com"
47 DEFAULT_CF_ACCESS_AUD =
"c980da67ed888fff935fcd913ae1eb4da63f9d65805d6e1c5ca76f92f517082b"
48
49
50 def build_config(args: argparse.Namespace) -> dict:
51     """The app config the wrapper materializes at RALLY_APP_HOME/config.json."""
52     bucket = args.serving_bucket.rstrip("/")
53     return {
54         "deployment": {"profile": "cloud-serving", "compute_target": "cloud_run"},
55         # WASB-only alpha: candidate windows ARE the rallies; no Gemini key in this
service.
56         "indexing": {"skip_ai_handoff": True},
57         "storage": {
58             "backend": "gcs",
59             "output_root": bucket,
60             "input_backend": "gcs",
61             "input_root": f"{bucket}/videos",
62         },
63         "security": {
64             "edge_auth_enabled": args.edge_auth == "on",
65             "cf_team_domain": args.cf_team_domain,
66             "cf_access_aud": args.cf_access_aud,
67             "allowed_video_root": "/tmp/apphome/output",
68         },
69     }
70
71
72 def build_yaml(args: argparse.Namespace) -> str:
73     """Render the Knative service manifest for `gcloud run services replace`."""
74     cfg_b64 = base64.b64encode(
75         json.dumps(build_config(args), separators=(",", ":")).encode("utf-8")
76     ).decode("ascii")
77     # mkdir BEFORE the redirect (the redirect can't create the directory), then exec so
the
78     # server is PID 1 and Cloud Run's SIGTERM reaches it directly.
79     wrapper = (
80         "mkdir -p /tmp/apphome && "
81         f"printf %s '{cfg_b64}' | base64 -d > /tmp/apphome/config.json && "
82         "export RALLY_APP_HOME=/tmp/apphome && "
83         "exec python3 -m backend.main --server --host 0.0.0.0 --port 8080"
84     )
85     return f"""\
86 apiVersion: serving.knative.dev/v1
87 kind: Service
88 metadata:
89   name: {args.service}
90   labels:
91     cloud.googleapis.com/location: {args.region}
92 spec:
93   template:
94     metadata:
95       annotations:
96         autoscaling.knative.dev/minScale: "{args.min_instances}"
97         autoscaling.knative.dev/maxScale: "{args.max_instances}"

```

```
98         run.googleapis.com/cpu-throttling: "false"
99     spec:
```

31. user (2026-07-04T11:51:41.654Z)

```
1:// First-run setup wizard (PACKAGING_PLAN.md P2c). Three quick steps ? AI key / compute /
videos ?
```

```
57:     <h3 className="font-semibold">{t("wizard.compute.title")}</h3>
58:     <p className="mt-2 text-ink/80">{t("wizard.compute.local")}</p>
60:     <li>{t("wizard.compute.detector", { name: detector })}</li>
61:     <li>{ffmpegOk ? t("wizard.compute.ffmpegOk") :
t("wizard.compute.ffmpegMissing")}</li>
62:     <li>{gpu ? t("wizard.compute.gpu") : t("wizard.compute.noGpu")}</li>
```

32. user (2026-07-04T11:51:52.427Z)

```
14:import { SetupWizard, isWizardDone } from "../components/SetupWizard";
86: // P2c: the first-run wizard shows once per browser, before the ingest panel, when
nothing's loaded.
87: const [wizardDone, setWizardDone] = useState(isWizardDone);
298:     the once-per-browser wizard), shown only when the engine positively reports it
missing. */}
347:     {/* P2c first-run wizard: before anything is loaded, walk a new user through AI-key
/ compute /
349:     {!videoId && !wizardDone && <SetupWizard onClose={() => setWizardDone(true)} />}
354:     {!videoId && wizardDone && (
```

33. user (2026-07-04T11:52:12.720Z)

No matches found

34. user (2026-07-04T11:52:59.837Z)

```
{"n":301,"s":"OPEN","t":"T11 follow-up: run the upload retention sweep as an automated scheduled
job (hosted alpha)"}
{"n":332,"s":"OPEN","t":"[safety] Content-safety pre-flight litmus: flag non-sports / NSFW video
BEFORE sending it to Gemini"}
```

35. assistant (2026-07-04T11:53:14.847Z)

All evidence is gathered and verified. Composing the section now.

36. user (2026-07-04T11:54:11.746Z)

Structured output provided successfully