

claude-windows / eb810dce-e371-45a8-acc6-50316bd4cc39

Metadata

```
- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\eb810dce-e371-45a8-acc6-50316bd4cc39.jsonl`
- SHA-256: `34e9a3fefe5d8c8a68d4cc5b9d6db38c547f1022e290b2c515d30a2fa81bdc42`
- Source modified: `2026-07-04T03:03:43+00:00`
- Imported at: `2026-07-05T16:48:19+00:00`
- project: `C--Users-avidu-Projects-badminton-highlight-indexer`
- session_id: `eb810dce-e371-45a8-acc6-50316bd4cc39`
```

Transcript

1. user (2026-06-25T17:13:11.527Z)

In the badminton-highlight-indexer repo, `.github/workflows/ci.yml` defines 7 jobs (lint, leak-scan, typecheck, import-smoke, full-suite, golden-crossos, build-artifact) and NONE of them set `timeout-minutes`. They therefore inherit GitHub Actions' default 6-hour job timeout, so a hung step (pip resolver stall, apt hang, a deadlocked test) can burn up to 6 hours of runner minutes before being killed.

Add a sensible per-job `timeout-minutes` to each job in `ci.yml` (e.g. 10 for lint/leak-scan/typecheck/import-smoke, 30 for full-suite/golden-crossos/build-artifact ? tune to observed run durations). This is a small hardening-only change; do not alter any job's steps or logic. Branch off origin/master, one PR. Note: a sibling PR (#381, `nightly.yml`) is adding the same timeout hardening to the nightly workflow ? keep the values consistent between the two files.

2. assistant (2026-06-25T17:13:17.546Z)

I'll start by getting the repo up to date and examining the CI workflow file. Let me follow the branching-safety protocol and read the file in parallel.

3. user (2026-06-25T17:13:22.601Z)

```
From https://github.com/Khelsutra/badminton-highlight-indexer
 f00b71e..e813c29  o1-p11/gemini-remote-file-gc -> origin/o1-p11/gemini-remote-file-gc
 M .github/workflows/nightly.yml
 ---BRANCH---
 chore/nightly-quality-regression
 ---HEAD---
 1a400c0 ci: add Tier-1 nightly quality-regression workflow
```

4. user (2026-06-25T17:13:22.652Z)

```
1      name: CI
2
3      on:
4        push:
5          branches: [master]
6        pull_request:
7
8      permissions:
9        contents: read
10
11     concurrency:
12       group: ci-`${{ github.ref }}
13       cancel-in-progress: true
14
15     jobs:
16       # Lint gate (ruff.toml at repo root): pyflakes/pycodestyle + bugbear.
```

```

17 # Also the repo-wide syntax guard ? ruff reports invalid-syntax on every
18 # tracked .py, including scripts/ and training/, which the backend-only
19 # py_compile smoke sweep does not reach.
20 lint:
21   name: Ruff lint
22   runs-on: ubuntu-latest
23   steps:
24     - uses: actions/checkout@v6
25     - uses: actions/setup-python@v6
26       with:
27         python-version: "3.13"
28     - name: Install ruff
29       run: python -m pip install ruff
30     - name: Ruff check
31       run: ruff check . --output-format github
32
33 # PII / attribution leak guard (tools/leak_scan.py): fails on a committed 32-hex MD5
34 # (the video_id shape) or a personal absolute user path in the shipped-code surface
35 # (backend/training/scripts/tools/eval_baselines; tests/ excluded ? legit fixtures).
Real
36 # names are scanned only via a gitignored private list locally; CI runs the structural
guard.
37 leak-scan:
38   name: Leak scan (PII / attribution guard)
39   runs-on: ubuntu-latest
40   steps:
41     - uses: actions/checkout@v6
42     - uses: actions/setup-python@v6
43       with:
44         python-version: "3.13"
45     - name: Leak scan
46       run: python -m tools.leak_scan
47
48 # Type gate (mypy.ini at repo root): lenient green baseline with an explicit
49 # per-module quarantine list ? ratchet by removing entries as modules clean
50 # up. Typed core deps are installed so mypy sees their real signatures
51 # (without them ignore_missing_imports would Any-stub half the checks).
52 typecheck:
53   name: Mypy (lenient baseline)
54   runs-on: ubuntu-latest
55   steps:
56     - uses: actions/checkout@v6
57     - uses: actions/setup-python@v6
58       with:
59         python-version: "3.13"
60     - name: Install mypy + typed core deps
61       run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-
genai numpy
62     - name: Mypy
63       run: mypy backend training
64
65 # Fast guard against the 7fbb0 class of breakage: a SyntaxError or
66 # module-level import error shipping while the suite stays green.
67 # Deliberately does NOT install cv2/torch/numpy ? the smoke tests must hold
68 # on machines without the GPU stack (test_import_smoke stubs what's absent).
69 import-smoke:
70   name: Syntax sweep + import smoke (no GPU stack)
71   runs-on: ubuntu-latest
72   steps:
73     - uses: actions/checkout@v6
74     - uses: actions/setup-python@v6
75       with:
76         python-version: "3.13"
77     - name: Install minimal deps
78       run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-

```

```

genai
79     - name: Run import smoke tests
80       run: python -m pytest tests/test_import_smoke.py -v
81
82   full-suite:
83     name: Full test suite (offline, mocked)
84     runs-on: ubuntu-latest
85     steps:
86       - uses: actions/checkout@v6
87       - uses: actions/setup-python@v6
88         with:
89           python-version: "3.13"
90           cache: pip
91       - name: System libs for opencv-python
92         run: |
93           sudo apt-get update
94           sudo apt-get install -y libgl1 libglu1-mesa-dev || sudo apt-get install -y
libgl1 libglu1-mesa-dev
95       - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
96         # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
97         # need an out-of-band index that PEP 621 can't express. Keep installing
98         # them separately here, before the editable install pulls the rest.
99         run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
100      - name: Install package (editable) + dev tooling
101        # Editable PEP 621 install: runtime deps + the `dev` group
102        # (pytest, pytest-cov, httpx for the fastapi TestClient, ruff, mypy).
103        run: python -m pip install -e .[dev]
104        # obsreport (private, soft dep) is absent here: reporting tests skip via
105        # pytest.importorskip ? run_all_tests.py prints which. The coverage floor
106        # is therefore calibrated against THIS lane's number (local runs with
107        # obsreport installed measure a little higher).
108        # Floor calibrated 2026-06-11 against this lane's measured 72% (local
109        # with obsreport: 73%). Ratchet it UP as coverage grows; never down
110        # without an owner decision.
111      - name: Run full suite (with coverage floor)
112        run: python run_all_tests.py --cov=backend --cov=training --cov-report=term
--cov-fail-under=70
113
114      # Cross-OS determinism guard for the committed golden regression fixtures
115      # (docs/GOLDEN_REGRESSION_FIXTURES.md). The CONTROL replay path is pure-stdlib
116      # (only numpy, no cv2/torch), so this is a FAST, focused job ? it does NOT run
117      # the full suite x3 OSes. It replays the Windows/Linux/macOS runner against the
118      # committed (parse-compared) snapshots, catching any cross-OS float drift beyond
119      # the 1e-6 tolerance before it can flake a contributor's PR on another machine.
120      golden-crossos:
121        name: Golden fixtures cross-OS (${{ matrix.os }})
122        strategy:
123          fail-fast: false
124          matrix:
125            os: [ubuntu-latest, windows-latest, macos-latest]
126        runs-on: ${{ matrix.os }}
127        steps:
128          - uses: actions/checkout@v6
129          - uses: actions/setup-python@v6
130            with:
131              python-version: "3.13"
132          - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
133            run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai numpy
134          - name: Golden-fixtures characterization (cross-OS determinism guard)
135            # Also runs the freeze-real / time-origin-reset / M2 refusal-gate tests
(synthetic /
136            # tmp_path only ? no GPU/network) so the reset metric-invariance (fix #2) and
the

```

```

137         # de-attribution paths get cross-OS coverage and surface any win/mac float
drift.
138         run: |
139             python -m backend.eval.golden_fixtures --check
140             python -m pytest tests/test_golden_fixtures.py
tests/test_golden_real_fixtures.py -q
141
142     # Commercial-clean licensing guardrail (MIT/Apache/BSD only ? PACKAGING_PLAN.md P0d).
Scans the
143     # RUNTIME dependency closure (`pip install .` ? no torch/dev) and fails on any
copyleft
144     # (GPL/AGPL/LGPL/SSPL). torch (BSD-3) is installed out-of-band and is not in this
closure. This
145     # automates a guardrail that was human-only; the report is printed for review either
way.
146     license-scan:
147         name: Dependency license scan (no copyleft in runtime deps)
148         runs-on: ubuntu-latest
149         steps:
150             - uses: actions/checkout@v6
151             - uses: actions/setup-python@v6
152               with:
153                 python-version: "3.13"
154             - name: Install runtime deps + pip-licenses
155               run: |
156                 python -m pip install .
157                 python -m pip install pip-licenses
158             - name: Report dependency licenses
159               run: python -m piplicenses --format=markdown --with-urls --order=license
160             - name: Fail on any copyleft (GPL/AGPL/LGPL/SSPL) in the runtime closure
161               run: |
162                 if python -m piplicenses --format=plain | grep -iE "GPL|SSPL"; then
163                     echo "::error::A runtime dependency carries a copyleft (GPL/AGPL/LGPL/SSPL)
license ? the guardrail is MIT/Apache/BSD only. Review the report above."
164                 exit 1
165             fi
166             echo "OK: no GPL/AGPL/LGPL/SSPL in the runtime dependency closure."
167
168     # Built-wheel smoke (PACKAGING_PLAN.md P0d): build the wheel, install it NON-editable
from a
169     # non-repo cwd, and launch the console script. Catches packaging regressions the
source suite
170     # can't ? namespace-package resolution (backend has no __init__.py), missing data
files, hidden
171     # imports. (Validated locally: a clean-venv wheel install + CPU torch runs `indexer
--help`.)
172     build-artifact:
173         name: Built wheel smoke (install + launch)
174         runs-on: ubuntu-latest
175         steps:
176             - uses: actions/checkout@v6
177             - uses: actions/setup-python@v6
178               with:
179                 python-version: "3.13"
180             - name: System libs for opencv-python
181               run: |
182                 sudo apt-get update
183                 sudo apt-get install -y libgl1 libglu1 libglu1-dev || sudo apt-get install -y
libgl1 libglu1 libglu1-dev
184             - name: Build the wheel
185               run: |
186                 python -m pip install build
187                 python -m build --wheel
188             - name: Install the built wheel + CPU torch (out-of-band index)
189               run: |

```

```

190         python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
191         python -m pip install dist/*.whl
192     - name: Launch the installed console script from a non-repo dir
193       run: |
194         cd /tmp
195         indexer --help
196         python -c "import backend, training, backend.utils.app_home; print('wheel
import OK')"
197

```

5. assistant (2026-06-25T17:13:42.304Z)

The file actually has **8 jobs** ? the task description missed ``license-scan`` (line 146). I'll add timeouts to all 8 for complete hardening. Note ``nightly.yml`` is modified in the working tree (unrelated WIP from this branch) ? I'll branch cleanly off ``origin/master`` and stage only ``ci.yml``.

Let me check the sibling PR #381 to keep timeout values consistent.

6. user (2026-06-25T17:13:46.248Z)

```

{"files":[{"path":".github/workflows/nightly.yml","additions":105,"deletions":0,"changeType":"ADDED"}],{"headRefName":"chore/nightly-quality-regression","state":"OPEN","title":"ci: add Tier-1 nightly quality-regression workflow"}
===DIFF===
diff --git a/.github/workflows/nightly.yml b/.github/workflows/nightly.yml
new file mode 100644
index 0000000..290725b
--- /dev/null
+++ b/.github/workflows/nightly.yml
@@ -0,0 +1,105 @@
+name: Nightly quality regression (Tier-1, offline)
+
+## Tier-1 nightly quality guard. Per-PR `ci.yml` only fires on push/pull_request;
+## this runs the SAME offline guards on a schedule so we also catch what per-PR CI
+## can't: dependency / transitive-dep drift, flakiness over time, and rot during
+## quiet periods when nothing is pushed.
+##
+## Tier-1 == OFFLINE ONLY: no GPU, no real video, no `run_regression.py` on the
+## real corpus (that's Tier-2 ? owner-gated, needs a self-hosted GPU runner +
+## the gitignored golden corpus). The lanes here mirror `ci.yml`'s offline jobs
+## verbatim (same Python pin, same per-lane pip installs) so modules collect/run
+## instead of silently skipping for a missing dep.
+##
+## NOTE: scheduled workflows only fire from the repo's DEFAULT branch, so this
+## won't actually run on a cadence until it lands on `master`. Use the
+## `workflow_dispatch` trigger to run it on demand for validation after merge.
+
+on:
+  schedule:
+    # 03:00 UTC daily.
+    - cron: "0 3 * * *"
+  workflow_dispatch:
+
+permissions:
+  contents: read
+
+concurrency:
+  group: nightly-${{ github.ref }}
+  cancel-in-progress: true
+
+jobs:
+  # Lint gate (ruff.toml at repo root) ? mirrors ci.yml::lint.
+  lint:

```

```

+   name: Ruff lint
+   runs-on: ubuntu-latest
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
+       with:
+         python-version: "3.13"
+     - name: Install ruff
+       run: python -m pip install ruff
+     - name: Ruff check
+       run: ruff check . --output-format github
+
+ # Type gate (mypy.ini at repo root) ? mirrors ci.yml::typecheck. Typed core
+ # deps are installed so mypy sees real signatures (without them
+ # ignore_missing_imports would Any-stub half the checks).
+ typecheck:
+   name: Mypy (lenient baseline)
+   runs-on: ubuntu-latest
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
+       with:
+         python-version: "3.13"
+     - name: Install mypy + typed core deps
+       run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-genai
+ numpy
+   - name: Mypy
+     run: mypy backend training
+
+ # Full offline suite + coverage floor ? mirrors ci.yml::full-suite. CPU-only
+ # torch (no CUDA wheels on a CPU runner), then the editable install pulls the
+ # rest. Floor stays at the ci.yml value (70); never lower it without an owner
+ # decision.
+ full-suite:
+   name: Full test suite (offline, mocked)
+   runs-on: ubuntu-latest
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
+       with:
+         python-version: "3.13"
+         cache: pip
+     - name: System libs for opencv-python
+       run: |
+         sudo apt-get update
+         sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1
+ libglib2.0-0
+     - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
+       run: python -m pip install torch torchvision --index-url
+ https://download.pytorch.org/whl/cpu
+     - name: Install package (editable) + dev tooling
+       run: python -m pip install -e .[dev]
+     - name: Run full suite (with coverage floor)
+       run: python run_all_tests.py --cov=backend --cov=training --cov-report=term --cov-fail-
+ under=70
+
+ # Offline quality guard: the committed golden regression fixtures
+ # (docs/GOLDEN_REGRESSION_FIXTURES.md) ? synthetic + de-attributed real
+ # trajectory fixtures, NO video / GPU / DB. Mirrors the offline replay in
+ # ci.yml::golden-crossos (single-OS here; ci.yml already covers cross-OS on
+ # every PR ? nightly is about drift-over-time on the default branch). The
+ # CONTROL replay needs only numpy.
+ golden-fixtures:
+   name: Golden fixtures regression (offline quality guard)
+   runs-on: ubuntu-latest

```

```

+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
+       with:
+         python-version: "3.13"
+     - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
+       run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-genai
numpy
+     - name: Golden-fixtures characterization (offline)
+       run: |
+         python -m backend.eval.golden_fixtures --check
+         python -m pytest tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q

```

7. assistant (2026-06-25T17:13:53.336Z)

The PR #381 diff doesn't yet show timeouts ? but `nightly.yml` is modified in my working tree (this branch is `chore/nightly-quality-regression`, the same headRef as #381). That local modification is likely the timeout hardening about to be pushed to #381. Let me check it to match values.

8. user (2026-06-25T17:13:54.317Z)

```

diff --git a/.github/workflows/nightly.yml b/.github/workflows/nightly.yml
index 290725b..56ec9ec 100644
--- a/.github/workflows/nightly.yml
+++ b/.github/workflows/nightly.yml
@@ -33,6 +33,7 @@ jobs:
   lint:
     name: Ruff lint
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -49,6 +50,7 @@ jobs:
   typecheck:
     name: Mypy (lenient baseline)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -66,6 +68,7 @@ jobs:
   full-suite:
     name: Full test suite (offline, mocked)
     runs-on: ubuntu-latest
+   timeout-minutes: 30
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -92,6 +95,7 @@ jobs:
   golden-fixtures:
     name: Golden fixtures regression (offline quality guard)
     runs-on: ubuntu-latest
+   timeout-minutes: 15
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -103,3 +107,58 @@ jobs:
     run: |
       python -m backend.eval.golden_fixtures --check
       python -m pytest tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q
+
+ # Failure visibility ? a silent nightly is useless. Scheduled runs have no PR
+ # to redden and nobody is watching the Actions tab on a quiet day (the exact

```

```

+ # "rot during quiet periods" this workflow exists to catch). On ANY guard
+ # failure, open/refresh a single tracking issue so a human is pinged. Uses the
+ # built-in GITHUB_TOKEN (no secrets); `issues: write` is scoped to THIS job
+ # only ? the guard jobs above keep `contents: read`.
+ notify-on-failure:
+   name: Surface nightly failure (open/refresh tracking issue)
+   needs: [lint, typecheck, full-suite, golden-fixtures]
+   if: failure() && github.event_name == 'schedule'
+   runs-on: ubuntu-latest
+   timeout-minutes: 5
+   permissions:
+     contents: read
+     issues: write
+   steps:
+     - uses: actions/github-script@v7
+       with:
+         script: |
+           const runUrl =
`${context.serverUrl}/${context.repo.owner}/${context.repo.repo}/actions/runs/${context.runId}`;
+           const title = 'Nightly quality regression FAILED';
+           const body = [
+             'The Tier-1 nightly offline quality guard failed.',
+             '',
+             `Run: ${runUrl}`,
+             `Date (UTC): ${new Date().toISOString()}`,
+             '',
+             'One of ruff / mypy / full-suite (cov>=70) / golden-fixtures regressed.',
+             'Open the run for the failing lane. Close this issue once green.',
+           ].join('\n');
+           // Reuse a single open tracking issue instead of spamming one per night.
+           const existing = await github.rest.issues.listForRepo({
+             owner: context.repo.owner,
+             repo: context.repo.repo,
+             state: 'open',
+             labels: 'nightly-failure',
+             per_page: 1,
+           });
+           if (existing.data.length > 0) {
+             await github.rest.issues.createComment({
+               owner: context.repo.owner,
+               repo: context.repo.repo,
+               issue_number: existing.data[0].number,
+               body,
+             });
+           } else {
+             await github.rest.issues.create({
+               owner: context.repo.owner,
+               repo: context.repo.repo,
+               title,
+               body,
+               labels: ['nightly-failure'],
+             });
+           }
+         }

```

9. assistant (2026-06-25T17:14:53.258Z)

I now have the exact values from the sibling PR #381 (`nightly.yml`): lint=10, typecheck=10, full-suite=30, golden(offline replay)=15, notify=5. I'll match those for the shared jobs and apply the same light/heavy tiers to ci.yml-only jobs.

My plan for ci.yml's 8 jobs:

```

- **lint, leak-scan, typecheck, import-smoke** ? `10` (light tier, matches nightly's
lint/typecheck=10)
- **full-suite, build-artifact** ? `30` (heavy: torch/wheel/apt, matches nightly's full-
suite=30)

```



```
- **golden-crossos** ? `15` (same numpy-only replay nightly calls `golden-fixtures`=15;
nightly's comment explicitly says it mirrors this job ? keeping consistent)
- **license-scan** ? `15` (full runtime-closure `pip install .` ? exactly the pip-resolver-stall
case; moderate tier)
```

Let me create the branch off `origin/master` and apply the edits.

10. user (2026-06-25T17:14:56.360Z)

```
No local changes to save
branch 'chore/ci-job-timeouts' set up to track 'origin/master'.
Switched to a new branch 'chore/ci-job-timeouts'
---NEW BRANCH---
chore/ci-job-timeouts
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---stash list---
```

11. assistant (2026-06-25T17:15:12.182Z)

The stash reported "No local changes to save" ? the `nightly.yml` WIP must have been committed by the sibling session (#381) in the gap (shared checkout, as my conventions warn). Let me verify my branch is clean and check the state of nightly.yml on this branch so I match the right values.

12. user (2026-06-25T17:15:15.216Z)

```
---STATUS---
---log vs origin/master---
---nightly.yml timeout lines on THIS branch---
---ci.yml timeout lines (expect none)---
none in ci.yml (expected)
```

13. assistant (2026-06-25T17:15:28.280Z)

Clean branch off `origin/master`, no sibling commits riding along, no timeouts yet in ci.yml. The values I captured from #381's diff stand. `ci.yml` is identical on this branch (commit `1a400c0` only touched nightly.yml). Applying all 8 edits:

14. user (2026-06-25T17:15:29.846Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

15. user (2026-06-25T17:15:31.817Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

16. user (2026-06-25T17:15:33.680Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

17. user (2026-06-25T17:15:35.950Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

18. user (2026-06-25T17:15:37.601Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

19. user (2026-06-25T17:15:38.851Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

20. user (2026-06-25T17:15:40.658Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

21. user (2026-06-25T17:15:42.424Z)

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

22. assistant (2026-06-25T17:15:45.613Z)

Now let me verify the diff is correct ? 8 insertions, all `timeout-minutes` lines correctly placed, and validate the YAML parses.

23. user (2026-06-25T17:15:47.048Z)

```
===DIFF===
diff --git a/.github/workflows/ci.yml b/.github/workflows/ci.yml
index 66f82d1..eb654ff 100644
--- a/.github/workflows/ci.yml
+++ b/.github/workflows/ci.yml
@@ -20,6 +20,7 @@ jobs:
   lint:
     name: Ruff lint
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -37,6 +38,7 @@ jobs:
   leak-scan:
     name: Leak scan (PII / attribution guard)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -52,6 +54,7 @@ jobs:
   typecheck:
     name: Mypy (lenient baseline)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -69,6 +72,7 @@ jobs:
   import-smoke:
     name: Syntax sweep + import smoke (no GPU stack)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -82,6 +86,7 @@ jobs:
   full-suite:
     name: Full test suite (offline, mocked)
     runs-on: ubuntu-latest
+   timeout-minutes: 30
```

```

      steps:
        - uses: actions/checkout@v6
        - uses: actions/setup-python@v6
@@ -124,6 +129,7 @@ jobs:
    matrix:
      os: [ubuntu-latest, windows-latest, macos-latest]
      runs-on: ${ matrix.os }
+   timeout-minutes: 15
      steps:
        - uses: actions/checkout@v6
        - uses: actions/setup-python@v6
@@ -146,6 +152,7 @@ jobs:
    license-scan:
      name: Dependency license scan (no copyleft in runtime deps)
      runs-on: ubuntu-latest
+   timeout-minutes: 15
      steps:
        - uses: actions/checkout@v6
        - uses: actions/setup-python@v6
@@ -172,6 +179,7 @@ jobs:
    build-artifact:
      name: Built wheel smoke (install + launch)
      runs-on: ubuntu-latest
+   timeout-minutes: 30
      steps:
        - uses: actions/checkout@v6
        - uses: actions/setup-python@v6
===STAT===
.github/workflows/ci.yml | 8 ++++++++
1 file changed, 8 insertions(+)

```

24. user (2026-06-25T17:15:48.924Z)

```

jobs: 8
  lint: timeout-minutes=10
  leak-scan: timeout-minutes=10
  typecheck: timeout-minutes=10
  import-smoke: timeout-minutes=10
  full-suite: timeout-minutes=30
  golden-crossos: timeout-minutes=15
  license-scan: timeout-minutes=15
  build-artifact: timeout-minutes=30

```

25. assistant (2026-06-25T17:15:56.731Z)

Clean: 8 insertions, one per job, all placed after `runs-on:`/before `steps:`, YAML parses, every job now has a timeout. No steps or logic touched. Let me re-verify branch safety, then commit and push.

26. user (2026-06-25T17:15:58.827Z)

```

---branch---
chore/ci-job-timeouts
---HEAD (mine after commit will be here)---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---commits ahead of origin/master BEFORE commit (expect none)---
---staging ci.yml only---
M .github/workflows/ci.yml

```

27. assistant (2026-06-25T17:16:02.680Z)

Branch is clean (no sibling commits ahead, only `ci.yml` staged). Committing and pushing:

28. user (2026-06-25T17:16:07.522Z)

Exit code 2

```
error: pathspec '8' did not match any file(s) known to git
error: pathspec 'jobs' did not match any file(s) known to git
error: pathspec 'set' did not match any file(s) known to git
error: pathspec 'timeout-minutes,' did not match any file(s) known to git
error: pathspec 'so' did not match any file(s) known to git
error: pathspec 'each' did not match any file(s) known to git
error: pathspec 'inherited' did not match any file(s) known to git
error: pathspec 'GitHub' did not match any file(s) known to git
/usr/bin/bash: line 27: $'Actions default 6-hour job timeout. A hung step (pip-resolver
stall,\napt hang, a deadlocked test) could burn up to 6h of runner minutes\nbefore being
killed.\n\nAdd a sensible per-job cap, tiered to each jobs': command not found
/usr/bin/bash: eval: line 28: syntax error near unexpected token `('
/usr/bin/bash: eval: line 28: `consistent with the same hardening landing on nightly.yml
(#381):'
```

29. assistant (2026-06-25T17:16:12.653Z)

That was PowerShell here-string syntax in the Bash tool. Let me use a proper heredoc:

30. user (2026-06-25T17:16:15.464Z)

```
[master 26b02fe] ci: add per-job timeout-minutes to every ci.yml job (hardening)
1 file changed, 8 insertions(+)
```

31. assistant (2026-06-25T17:16:21.728Z)

The commit output says `[master ...]` ? but I created and was on `chore/ci-job-timeouts`. A sibling session may have switched the checkout's branch under me (the shared-checkout race my conventions warn about). Let me investigate immediately before doing anything else.

32. user (2026-06-25T17:16:24.406Z)

```
---current branch---
master
---HEAD---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
b72ac85 fix(B2/P17): surface Gemini provider failures in all callers (#378)
---where is my commit 26b02fe---
* master
---chore/ci-job-timeouts tip---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---origin/master tip---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---all local branches---
b2-p17/surface-provider-failures bcd661f [origin/b2-p17/surface-provider-failures]
fix(B2/P17): surface Gemini provider failures in all callers
chore/ci-job-timeouts 86705c1 [origin/master] chore: ruff format
gemini_refine.py + trajectory_hybrid.py (#379)
chore/nightly-quality-regression 1a400c0 [origin/chore/nightly-quality-regression] ci: add
Tier-1 nightly quality-regression workflow
+ docs/decision-snapshot-regression 86705c1 (C:/Users/avidu/Projects/bhi-wt-snapshot-doc)
[origin/master] chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
docs/reconcile-audit-phase2-tracker 3105d9f [origin/docs/reconcile-audit-phase2-tracker]
docs(audit): reconcile $8.1 pick-up list with the $6 tracker
+ feat/w1-hard-cap-fallback 614325d (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/hardchop) [origin/feat/w1-hard-cap-fallback: gone] feat(eval): Tier 1
(w1.5) ? hard-cap fallback enforces the window cap on continuously-active trajectories
+ feat/w2-never-empty-safeguard 5ba6955 (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/w2-safeguard) [origin/feat/w2-never-empty-safeguard: gone]
fix(fusion): W2 net-crossings gate is do-no-harm ? never empty a non-empty video (#188 follow-
up)
* master 26b02fe [origin/master: ahead 1] ci: add per-job timeout-
```

```
minutes to every ci.yml job (hardening)
  o1-p11/gemini-remote-file-gc      f00b71e [origin/o1-p11/gemini-remote-file-gc: behind 1]
feat(01/P11): Gemini remote-file GC ? startup orphan sweep
+ run/boxhill17-highlights          8736e2d (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/boxhill17) [origin/master: behind 162] fix(runner): honor stitching
watermark/padding + add --detect-from for hi-res reels (#205)
```

33. assistant (2026-06-25T17:16:53.557Z)

Confirmed ? a sibling session switched the checkout to `master` between my `checkout -b` and my commit. My commit `26b02fe` landed on local `master` instead of `chore/ci-job-timeouts`.

The good news: `26b02fe` sits exactly **one** commit on top of `origin/master` (86705c1) with only my change ? no sibling commit got absorbed. I need to relocate my commit onto the feature branch and restore local `master`. Let me first confirm the working tree is clean and my commit is exactly one clean diff over origin/master.

34. user (2026-06-25T17:16:55.496Z)

```
---working tree status---
(clean if empty above)
---my commit vs origin/master: should be ONLY my commit---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
---files my commit touches (expect only ci.yml)---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
.github/workflows/ci.yml | 8 +++++++
1 file changed, 8 insertions(+)
```

35. assistant (2026-06-25T17:17:05.445Z)

Working tree clean, my commit is a single clean 8-line ci.yml diff over origin/master. Now I'll relocate it onto the feature branch and restore local `master` ? using ref moves (no `reset --hard`, no working-tree disruption to any sibling session):

36. user (2026-06-25T17:17:09.358Z)

```
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)
Switched to branch 'chore/ci-job-timeouts'
branch 'master' set up to track 'origin/master'.
=== VERIFY ===
current branch: chore/ci-job-timeouts
--- feature branch commits ahead of origin/master (expect ONLY mine) ---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
--- local master tip (expect 86705c1 == origin/master) ---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
--- origin/master tip ---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
```

37. assistant (2026-06-25T17:17:16.086Z)

All clean: I'm on `chore/ci-job-timeouts` with exactly my one commit ahead of origin/master, and local `master` is restored to `86705c1`. Now I'll push using an **explicit refs spec** (immune to a concurrent branch switch) and open the PR.

38. user (2026-06-25T17:17:19.094Z)

```
remote:
remote: Create a pull request for 'chore/ci-job-timeouts' on GitHub by visiting:
remote:      https://github.com/Khelsutra/badminton-highlight-indexer/pull/new/chore/ci-job-
timeouts
remote:
branch 'chore/ci-job-timeouts' set up to track 'origin/chore/ci-job-timeouts'.
To https://github.com/Khelsutra/badminton-highlight-indexer.git
```

```
* [new branch]      chore/ci-job-timeouts -> chore/ci-job-timeouts
```

39. assistant (2026-06-25T17:17:21.760Z)

Pushed. Now opening the PR against `master`:

40. user (2026-06-25T17:17:32.921Z)

<https://github.com/Khelsutra/badminton-highlight-indexer/pull/382>

41. assistant (2026-06-25T17:17:36.827Z)

PR opened: [#382](<https://github.com/Khelsutra/badminton-highlight-indexer/pull/382>). Let me confirm it contains exactly my one commit with the right diff.

42. user (2026-06-25T17:17:42.189Z)

```
---PR commits (expect ONLY mine)---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
---PR files (expect only ci.yml)---
.github/workflows/ci.yml  +8 -0
---PR state/base---
base=master head=chore/ci-job-timeouts state=OPEN
```

43. assistant (2026-06-25T17:17:54.005Z)

Done. PR [#382](<https://github.com/Khelsutra/badminton-highlight-indexer/pull/382>) is open, clean, and verified.

Summary

Added a per-job `timeout-minutes` to **all 8 jobs** in `[.github/workflows/ci.yml](.github/workflows/ci.yml)` (the task said 7 ? it missed `license-scan`, which I included since its `pip install .` is exactly the resolver-stall case this hardens against). Previously every job inherited GitHub Actions' default 6-hour timeout.

Values, tiered to each job and kept consistent with the same hardening on `nightly.yml` (#381):

```
| timeout | jobs |
|---|---|
| `10` | lint, leak-scan, typecheck, import-smoke |
| `15` | golden-crossos (numpy-only cross-OS replay), license-scan |
| `30` | full-suite, build-artifact |
```

Shared jobs match #381 exactly (lint/typecheck=10, full-suite=30, golden replay=15). Hardening only ? **no steps or logic changed**, diff is `1 file changed, 8 insertions(+)` . YAML parses cleanly with every job reporting a timeout.

One thing worth flagging: I hit a shared-checkout branch race ? a sibling session switched the working checkout from my new branch to `master` between my `git checkout -b` and my `git commit`, so the commit initially landed on local `master`. I caught it from the `[master 26b02fe]` commit output, verified my commit was a single clean diff over `origin/master` with **no sibling work absorbed**, then relocated it onto `chore/ci-job-timeouts` via ref moves (no `reset --hard`, no working-tree disruption) and restored local `master` to match `origin/master`. The PR contains only my one commit touching only `ci.yml`. I did not push to `master`. This is the exact incident class your branching-safety convention warns about, and it bit again here despite branching from `origin/master` ? the gap is between branch-create and commit, not the branch point.

The `nightly.yml` timeout WIP that was in the working tree at session start is on the separate `chore/nightly-quality-regression` branch (#381) and was untouched by this PR.

44. user (2026-06-25T17:25:35.550Z)

can you check if the state is good now?

45. assistant (2026-06-25T17:25:46.776Z)

Good timing to check ? there's a signal the local checkout shifted again (the ci.yml shown in context has no timeout lines). Let me get a full picture: local branch/working-tree state, my commit, and ? most importantly ? the pushed branch and PR on the remote, which are the real source of truth.

46. user (2026-06-25T17:25:54.111Z)

```
From https://github.com/Khelsutra/badminton-highlight-indexer
 86705c1..cd5b3d2  master    -> origin/master
=== LOCAL ===
current branch: master
HEAD: 86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
--- does WORKING-TREE ci.yml have my timeouts? (expect 8) ---
0
0 (none in working tree)
--- working tree status ---

=== MY FEATURE BRANCH (remote, source of truth) ===
origin/chore/ci-job-timeouts: 26b02fe ci: add per-job timeout-minutes to every ci.yml job
(hardening)
--- timeouts in ci.yml at the remote branch tip (expect 8) ---
fatal: ambiguous argument 'origin\chore\ci-job-timeouts;.github\workflows\ci.yml': unknown
revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
0
--- commits that branch is ahead of origin/master (expect ONLY mine) ---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)

=== local master sanity (expect == origin/master 86705c1) ===
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
cd5b3d2 feat(01/P11): Gemini remote-file GC ? startup orphan sweep (#380)
```

47. assistant (2026-06-25T17:26:12.173Z)

Clear picture now. Let me decode it, then verify the two things the path-mangling error left unconfirmed (the remote branch's timeout count and PR mergeability/CI). The `git show origin/branch:file` syntax got mangled by Git Bash's path conversion ? I'll use `gh` and `MSYS\_NO\_PATHCONV` instead.

48. user (2026-06-25T17:26:18.527Z)

```
=== timeouts in ci.yml on the PR branch (via gh, expect 8 additions) ===
8

=== PR #382 status ===
state=OPEN mergeable=MERGEABLE mergeState=CLEAN base=master head=chore/ci-job-timeouts

=== CI checks on the PR ===
Built wheel smoke (install + launch)    pass    1m20s  https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450729
Dependency license scan (no copleft in runtime deps)  pass    35s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494451049
Full test suite (offline, mocked)       pass    2m42s  https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450717
Golden fixtures cross-OS (macos-latest) pass    18s   https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494451027
```

```

Golden fixtures cross-OS (ubuntu-latest)      pass    23s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450761
Golden fixtures cross-OS (windows-latest)     pass    1m5s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450757
Leak scan (PII / attribution guard)          pass    6s      https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450711
Mypy (lenient baseline) pass    32s      https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450845
Ruff lint      pass    9s      https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450714
Syntax sweep + import smoke (no GPU stack)    pass    29s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450736

```

49. assistant (2026-06-25T17:26:39.245Z)

State is good ? everything checks out. Here's the full picture:

PR [#382](https://github.com/Khelsutra/badminton-highlight-indexer/pull/382) ? healthy

- ****OPEN · MERGEABLE · mergeState CLEAN****
- Exactly ****my one commit**** (``26b02fe``) on the remote branch, with all ****8 timeout additions**** intact ? no sibling work absorbed.
- ****All 10 CI checks green**** (8 jobs; ``golden-crossos`` is a 3-OS matrix).

The observed run times confirm the caps have comfortable headroom without being loose:

job	cap	actual	margin
--- --- --- ---			
Ruff lint	10m	9s	~67×
Leak scan	10m	6s	~100×
Mypy	10m	32s	~19×
Import smoke	10m	29s	~21×
Full suite	30m	2m42s	~11×
Golden cross-OS (win/mac/ubuntu)	15m	1m5s / 18s / 23s	~14×
License scan	15m	35s	~26×
Build wheel	30m	1m20s	~22×

Windows golden is the slowest of that tier at ~1m, well under the 15m cap.

About the local checkout

A sibling session switched the working checkout back to ``master`` again (same shared-checkout behavior as before) ? ****harmless****: my work lives on the pushed ``chore/ci-job-timeouts`` branch and PR, not in the local working tree. Separately, ``origin/master`` advanced by one unrelated PR ([#380](https://github.com/Khelsutra/badminton-highlight-indexer/pull/380), Gemini remote-file GC) while we worked; it doesn't touch ``ci.yml``, so there's no conflict (hence `mergeState CLEAN`). Local ``master`` is now 1 commit behind ``origin/master`` ? purely stale, not broken, and I'm leaving it alone since the checkout is evidently in active use by another session.

****Bottom line: the change is delivered, green, and ready to merge.**** Nothing needs fixing. It's awaiting your review/merge (logic-touching vs. not ? this is config-only hardening, but I'll leave the merge call to you).