

claude-wsl-ubuntu / 4f364eb7-a600-4a2c-9b37-e5a313b6db9d

Metadata

```
- Source: `claude-wsl-ubuntu`  
- Kind: `claude`  
- Source file: `\\wsl.localhost\Ubuntu\home\avidullu\.claude\projects\home-avidullu-projects-khelsutra-guru\4f364eb7-a600-4a2c-9b37-e5a313b6db9d\subagents\workflows\wf_b0aa0abe-638\agent-a405eaebdbeec702b.jsonl`  
- SHA-256: `4031eb7440c9203d48f09aa87ddf3f58af5714ac591deefbfc3fb1b67a8e3c7a`  
- Source modified: `2026-06-29T17:05:48+00:00`  
- Imported at: `2026-07-05T16:48:30+00:00`  
- project: `wf_b0aa0abe-638`  
- session_id: `4f364eb7-a600-4a2c-9b37-e5a313b6db9d`
```

Transcript

1. user (2026-06-29T17:01:41.452Z)

In /home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer, produce the plan for issue #399 (launch-PR process hardening), three parts:

(1) BROKEN-LINK SCAN: write+run a script that finds ALL broken internal markdown links ? for every [text](path) in *.md (docs/ + root), check the relative path exists (relative to the md file), and check #anchors resolve to an actual heading. List every broken link as 'file:line -> target'. Report the TOTAL count and the full list (these must be fixed as part of this PR).

(2) CONVENTION: where to codify 'a launch/bit-flip PR must also archive the project docs to docs/archives per DOC_STATUS \$2'. Check for .github/PULL_REQUEST_TEMPLATE(.md or dir) and CLAUDE.md 'Workflow conventions'. Give the exact text + location to add it.

(3) CI LINK-CHECKER: propose a lightweight, dependency-free CI job (a stdlib python script committed under scripts/ or tools/, run from .github/workflows) that fails on broken internal links. Sketch the script + the workflow step.

Also: the rule?code cross-link ? in docs/RALLY_DETECTION_FIXES_PLAN.md \$8, 'promote iff tolF1 does not regress' should link to backend/eval/promotion.py. Give the exact edit.

2. assistant (2026-06-29T17:01:43.050Z)

I'll start by exploring the repository structure to understand the project layout.

3. user (2026-06-29T17:01:44.525Z)

```
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer  
total 200  
drwxr-xr-x 22 avidullu avidullu 4096 Jun 27 17:27 .  
drwxr-xr-x 12 avidullu avidullu 4096 Jun 29 13:02 ..  
-rw-r--r-- 1 avidullu avidullu 598 Jun 25 11:46 .coveragerc  
drwxr-xr-x 8 avidullu avidullu 4096 Jun 29 16:49 .git  
-rw-r--r-- 1 avidullu avidullu 932 Jun 25 11:46 .gitattributes  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 11:46 .github  
-rw-r--r-- 1 avidullu avidullu 1331 Jun 25 16:06 .gitignore  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 13:12 .mypy_cache  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 13:10 .pytest_cache  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 13:12 .ruff_cache  
drwxr-xr-x 2 avidullu avidullu 4096 Jun 25 11:46 .vscode  
-rw-r--r-- 1 avidullu avidullu 5498 Jun 27 17:27 CLAUDE.md  
-rw-r--r-- 1 avidullu avidullu 34880 Jun 25 11:46 README.md  
drwxr-xr-x 2 avidullu avidullu 4096 Jun 29 10:51 __pycache__  
drwxr-xr-x 20 avidullu avidullu 4096 Jun 27 17:27 backend  
-rw-r--r-- 1 avidullu avidullu 2650 Jun 25 11:46 config.json  
drwxr-xr-x 5 avidullu avidullu 4096 Jun 25 11:46 deploy  
drwxr-xr-x 6 avidullu avidullu 4096 Jun 29 14:05 docs  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 11:46 eval_baselines  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 13:11 gcs:  
drwxr-xr-x 4 avidullu avidullu 4096 Jun 25 13:11 gs:
```

```

drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 13:11 local:
-rw-r--r-- 1 avidullu avidullu 1960 Jun 25 11:46 mpy.ini
drwxr-xr-x 4 avidullu avidullu 4096 Jun 29 11:12 output
-rw-r--r-- 1 avidullu avidullu 4748 Jun 27 17:27 pyproject.toml
-rw-r--r-- 1 avidullu avidullu 240 Jun 25 11:46 pytest.ini
-rw-r--r-- 1 avidullu avidullu 2003 Jun 27 17:27 requirements.txt
-rw-r--r-- 1 avidullu avidullu 789 Jun 25 11:46 ruff.toml
-rw-r--r-- 1 avidullu avidullu 2051 Jun 27 17:27 run_all_tests.py
-rw-r--r-- 1 avidullu avidullu 5572 Jun 27 17:27 run_eval.py
-rw-r--r-- 1 avidullu avidullu 4457 Jun 27 17:27 run_regression.py
drwxr-xr-x 2 avidullu avidullu 4096 Jun 25 11:46 scratch
drwxr-xr-x 3 avidullu avidullu 4096 Jun 27 17:27 scripts
drwxr-xr-x 3 avidullu avidullu 12288 Jun 29 14:05 tests
drwxr-xr-x 3 avidullu avidullu 4096 Jun 27 17:27 tools
drwxr-xr-x 4 avidullu avidullu 4096 Jun 25 13:10 training

```

4. user (2026-06-29T17:01:45.529Z)

```

/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/.pytest_cache/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/CLAUDE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/backend/assets/fonts/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/backend/ui/THIRD_PARTY_NOTICES.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/deploy/cloudrun/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/deploy/digitalocean/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/deploy/gcp/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/deploy/gcp/nightly_regression/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/ABLATION_LAYER.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/ANALYZERS_AND_RECONCILERS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/BACKLOG.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CLOUD_GPU_DRYRUN_GUIDE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CODE_AUDIT_AND_TEST_HARDENING.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CODE_CLEANUP_AUDIT_2026-06-24.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CODE_MAP.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/COMMERCIALIZATION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/COMPUTE_DECOUPLED_SERVING/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/COMPUTE_DECOUPLED_SERVING/TESTING_STRATEGY.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/COMPUTE_DECOUPLED_SERVING/runlogs/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/COMPUTE_DECOUPLED_SERVING/runlogs/RUNLOG_truly-local_TEMPLATE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CONVERT_GCS_VIDEOS_TO_HIGHLIGHTS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/CREATING_REELS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/DATA_IN_GCS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/DECISION_SNAPSHOT_REGRESSION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/DEFERRED_HARDENING_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/DESKTOP_APP_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/DOC_STATUS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/EVALUATION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/EXECUTION_POLICY.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/EXPERIMENT_HARNESS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/GOLDEN_REGRESSION_FIXTURES.md

```

/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/HARDENING_LOOP_HANDOFF.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/HOSTING_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/HOW_RALLY_DETECTION_WORKS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/I18N_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/KHELSUTRA_PRODUCT_OVERVIEW.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/MULTI_SIGNAL_FUSION_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/NEXT_STEPS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/NIGHTLY_ENGINE_REGRESSION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/OWNED_MODEL_IMPLEMENTATION_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PACKAGING_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PERSONALIZATION_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PER_VIDEO_WORKSPACE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PLATFORM_ARCHITECTURE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/POST_166_WORK_ITEMS_MILESTONES_AND_RISK_ASSESSMENT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PROJECT_DOC_TEMPLATE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/PROMINENT_COURT_DETECTION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/QUALITY_ITERATIONS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/R1_MILESTONE_LAUNCH_REPORT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/R2_EVAL_METRIC_DESIGN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/RALLY_DETECTION_CODE_REVIEW.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/RALLY_DETECTION_FIXES_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/RALLY_DETECTION_GAP_CLOSURE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/RALLY_DETECTION_QUALITY_REPORT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/RALLY_QUALITY_RESEARCH.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/REAL_FOOTAGE_VALIDATION_REPORT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/ROADMAP.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/SETUP_NEW_MACHINE.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/STORAGE_SHARING_MODEL.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/TRACKNET_WSL_SETUP.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/UI_ALPHA_EXECUTION_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/UI_PROPOSAL.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/VIDEO_LOCALITY_MODEL.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/CODE_AUDIT_AND_TEST_HARDENING-COMPLETED-2026-06-14.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/COMMERCIAL_READINESS_REVIEW.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/DEFERRED_HARDENING_PLAN-COMPLETED-2026-06-14.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/HARDENING_LOOP_HANDOFF-COMPLETED-2026-06-14.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/MONETIZATION_AUDIT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/TEST_RUN_SUMMARY.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-

indexer/docs/archives/checkpoints/2026-06-14-hardening-loop-complete.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/checkpoints/2026-06-eval-baseline/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/checkpoints/2026-06-logging-reporting/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/checkpoints/2026-06-scaffolding-complete/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/checkpoints/2026-06-strategy-foundation/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/decisions/DECISIONS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/FIELD_VISIT_ANSWER_SHEET.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/FIELD_VISIT_PLAYBOOK.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/PMF_FIELD_SIGNALS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/PMF_MARKET_RESEARCH.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/PRODUCT_FIELD_ASSOCIATE_FLYER.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/field-
pmf/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/02-COMPUTE-MAP-AND-CONTRACT.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/03-PLATFORM-OPTIONS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/05-COST-ATTRIBUTION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/06-RISKS-AND-OPEN-QUESTIONS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/07-COMPUTE-ABSTRACTION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/DEPLOY_REPORT_GCP_2026-06-20.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/HANDOFF.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/DECOUPLED_COMPUTE/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/past_projects/low-regret-moves/LOW_REGRET_MOVES_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/2026-06-18-lovo-resweep-n13/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/2026-06-first-ab-experiment/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/2026-06-human-gt-tuning/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/2026-06-initial/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/2026-06-multivideo-lovo/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/quality-
iterations/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/research/AUDIO_E1_FINDINGS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/research/AUDIO_RALLY_DETECTION_PLAN.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-
indexer/docs/archives/research/OWNED_MODEL_TRAINING_STUDY.md

/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/research/RALLY_DETECTION_RESEARCH.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/roora-vendor/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/archives/roora-vendor/ROORA_LABELING_GUIDELINES.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/GOLDEN_DATA_SHARING.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/GOLDEN_SET_IMPLEMENTATION.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/GOLDEN_SET_PHASE1_VIDEOS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/GOLDEN_VIDEOS.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/eval_baselines/fixtures/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gcs:/bucket/videos/x.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gcs:/bucket/videos/x.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/b/clip.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/b/clip.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/bucket/videos/cli.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/bucket/videos/cli.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/bucket/videos/x.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/gs:/bucket/videos/x.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-0/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-0/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-10/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-10/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-11/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-11/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-12/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-12/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-13/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-13/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-2/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-2/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-3/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-3/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-avidullu/pytest-4/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-

```

avidullu/pytest-4/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-6/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-6/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-7/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-7/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-8/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-8/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-9/test_process_local_scheme_uri_0/ls.report.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/local:/tmp/pytest-of-
avidullu/pytest-9/test_process_local_scheme_uri_0/ls.summary.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/scripts/README.md
/home/avidullu/projects/khelsutra-guru/badminton-highlight-indexer/training/README.md

```

5. assistant (2026-06-29T17:01:48.705Z)

The directory has `gs:`, `gcs:`, `local:` test-artifact directories that should be excluded. Let me look at the key files: the scripts/tools structure, the .github directory, CLAUDE.md, DOC_STATUS.md, and the RALLY_DETECTION_FIXES_PLAN.md.

6. user (2026-06-29T17:01:50.605Z)

```

1      # CLAUDE.md ? project memory / agent handoff
2
3      Local, AI-powered **badminton (? racket-sports) highlight indexer + rally detector**:
4      FastAPI + SQLite + ffmpeg + GPU CV/AI, with paid **Gemini** as the cloud AI. Sibling
5      repos: `sports-data-collector`, a VLC-based `rally-annotator`.
6
7      ## Read these first
8      - **`docs/README.md`** ? doc index. **`docs/CODE_MAP.md`** ? code navigation + data
9        contracts (the cold-start map; read before touching code).
10     - **Authoritative owned-model roadmap:** `docs/OWNED_MODEL_IMPLEMENTATION_PLAN.md` (+
the
11     live `docs/NEXT_STEPS.md`). These SUPERSEDE the 2026-06-07 strategy docs below where
they
12     disagree (licensing, Gemma-4 stance, base model, conversational-QA).
13     - **Strategy (post-scaffolding):** `docs/COMMERCIALIZATION.md`,
`docs/PMF_MARKET_RESEARCH.md`,
14     `docs/PLATFORM_ARCHITECTURE.md`, `docs/DEFERRED_HARDENING_PLAN.md`. Also
`docs/ROADMAP.md`
15     (offline-segmenter narrative) and `docs/BACKLOG.md`.
16     - **Rally-detection quality track (design merged 2026-06-13, owner-gated, implementation
in progress):**
17     `docs/HOW_RALLY_DETECTION_WORKS.md` (2-layer mental model) ?
`docs/MULTI_SIGNAL_FUSION_PLAN.md`
18     (fuse shuttle + person + audio cues; the held-shuttle bug is the already-built
`rally_gate.py`
19     "Gate A" **not wired into production** ? cheapest win) ? `docs/EXPERIMENT_HARNESS.md`
(A/B + shadow
20     eval so cues land flag-gated/default-OFF with zero regression) ?
`docs/ROORA_LABELING_GUIDELINES.md`
21     (v8 vendor labeling spec). **`docs/NEXT_STEPS.md` has the prioritized pick-up for this
track.**
22     - **History:** `docs/archives/` ? ADRs (`decisions/DECISIONS.md`), research, and
23     **`checkpoints/`** (latest: `2026-06-strategy-foundation/`). **Archive policy:** only
move
24     **terminal-state** (DONE/REJECTED) work; live docs stay at `docs/` top level ? and
**before
25     archiving, HONESTLY update the doc first** (verify claims vs code ? flip status + a

```

```

completion
26     note ? update inbound refs ? keep the lineage ? then `git mv`), per the checklist +
living
27     lifecycle register in **`docs/DOC_STATUS.md`**.
28
29     ## Current state (June 2026)
30     - **Scaffolding complete** ; strategy foundation + owned-model roadmap merged. **No
31     platform/owned-model implementation has started.** A 2026-06-10 audit-driven hardening
32     sweep landed (licensing gate, detector keying, re-ingest safety, config, eval gate,
API
33     validation, reliability, CI + test coverage) ? see git history.
34     - **Two tracks, both owner-gated:** the **committed next PLATFORM slice = async job
model**
35     (`DEFERRED_HARDENING_PLAN.md` #16, single-tenant); the **owned-model track** starts at
a
36     greenlit Phase-0 milestone (`OWNED_MODEL_IMPLEMENTATION_PLAN.md`). **Do not start
37     implementation without explicit owner approval.**
38
39     ## Architecture in one breath
40     - **Pluggable registries** (ABC + `Registry` singleton): segmenters / providers /
validators
41     / sports / annotations ? see `backend/pipeline/segmenters/base.py`. *Future:*
42     `StorageBackend` + `ComputeBackend` registries (PLATFORM §3).
43     - `video_id` = MD5 of the file ? `backend/utils/hashing.py::compute_video_id` (one
helper).
44     - Typed config = `backend/config/` (Pydantic). DB schema evolves via the `PRAGMA
45     user_version` migration ladder in `backend/infrastructure/database.py`.
46
47     ## Committed guardrails (non-negotiable)
48     - **Paid LLMs (Gemini/OpenAI/Anthropic) = inference / serving / fallback ONLY ? never a
49     training data source** (terms/copyright). Commercial-clean licensing for EVERY
dependency ?
50     code, data, AND weights: **MIT / Apache-2.0 / BSD only** (ratified 2026-06-09, owner-
agreed).
51     - **Owned-model base:** **Qwen3-VL (Apache-2.0)** primary, InternVL3 (MIT) fallback;
**Gemma-4
52     is AMBER / bench-only** (Apache grant likely but Prohibited-Use posture unconfirmed ?
counsel
53     needed; do NOT build on it without sign-off). **Reject Gemma 3** (viral license).
**Exclude
54     minors** from the training pool; per-user training data needs a separate explicit opt-
in.
55     - **v1 = rally + highlight + history + correction loop** ; **gait/biometrics strictly
future**
56     (GDPR Art. 9).
57     - **Generic data schema** ; `coach ? athlete` is an **optional overlay** , not baked in.
58     - **Compute = GCP ONLY (ADR-013, 2026-06-20):** GPU training + serving run on **GCP**
(`deploy/gcp/` ;
59     Cloud Run+GPU for serving per ADR-012). **DigitalOcean is DROPPED for compute** (DO
GPU not enabled
60     on the account + not cleanly credit-funded; Paperspace is subscription-gated). Don't
re-evaluate
61     DO/Paperspace for compute without a new ADR; the `$200` DO credits go to **non-compute
only** . The
62     `deploy/digitalocean/` scripts are kept solely as provider-agnostic Linux-GPU setup
reused by GCP.
63
64     ## Workflow conventions
65     - **Branch off `master` ; ONE PR per work item; NO PR stacking.** Don't open a PR unless
asked.
66     - Tests: `python run_all_tests.py` (offline, fully mocked). Python 3.10+ (the `trackers`
package requires ?3.10); `ffmpeg` required.
67     - Never push to the default branch directly; descriptive commit messages.
68     - **Substantial design/project work gets a tracked project doc** following
`docs/PROJECT_DOC_TEMPLATE.md` (status header · decisions-locked · progress tracker ·

```

```
definition-of-done; archived on completion). Precedents: `docs/RALLY_QUALITY_RESEARCH.md` §7,  
`docs/GOLDEN_REGRESSION_FIXTURES.md`.  
69 - ?? Hand the heaviest machine-side checks (real video, the full GPU/WSL/WASB suite) to  
the owner,  
70 who has the golden corpus + labelled videos; verify pure-logic paths locally.  
71
```

7. user (2026-06-29T17:01:52.441Z)

```
.github/workflows/ci.yml  
.github/workflows/nightly.yml  
scripts/README.md  
scripts/__pycache__/doctor.cpython-312.pyc  
scripts/__pycache__/install.cpython-312.pyc  
scripts/__pycache__/nightly_email.cpython-312.pyc  
scripts/__pycache__/nightly_reelcount.cpython-312.pyc  
scripts/__pycache__/nightly_regression.cpython-312.pyc  
scripts/__pycache__/uninstall.cpython-312.pyc  
scripts/bundle_ui.sh  
scripts/doctor.py  
scripts/install.py  
scripts/nightly_email.py  
scripts/nightly_reelcount.py  
scripts/nightly_regression.ps1  
scripts/nightly_regression.py  
scripts/register_nightly_task.ps1  
scripts/run_phase3_eval.py  
scripts/run_process_and_stitch.py  
scripts/uninstall.py  
scripts/verify_compute_path.py  
tools/__init__.py  
tools/__pycache__/__init__.cpython-312.pyc  
tools/__pycache__/cleanup_caches.cpython-312.pyc  
tools/__pycache__/generate_highlights.cpython-312.pyc  
tools/__pycache__/leak_scan.cpython-312.pyc  
tools/cleanup_caches.py  
tools/generate_highlights.py  
tools/leak_scan.py  
---PR TEMPLATE CHECK---  
total 12  
drwxr-xr-x 3 avidullu avidullu 4096 Jun 25 11:46 .  
drwxr-xr-x 22 avidullu avidullu 4096 Jun 27 17:27 ..  
drwxr-xr-x 2 avidullu avidullu 4096 Jun 27 17:27 workflows
```

8. assistant (2026-06-29T17:01:57.396Z)

Now I have the key context. Let me look at the CI workflow, DOC_STATUS.md §2, and the RALLY_DETECTION_FIXES_PLAN.md §8.

9. user (2026-06-29T17:01:58.356Z)

```
1 name: CI  
2  
3 on:  
4 push:  
5 branches: [master]  
6 pull_request:  
7  
8 permissions:  
9 contents: read  
10  
11 concurrency:  
12 group: ci-`${{ github.ref }}`  
13 cancel-in-progress: true
```



```

14
15 jobs:
16   # Lint gate (ruff.toml at repo root): pyflakes/pycodestyle + bugbear.
17   # Also the repo-wide syntax guard ? ruff reports invalid-syntax on every
18   # tracked .py, including scripts/ and training/, which the backend-only
19   # py_compile smoke sweep does not reach.
20   lint:
21     name: Ruff lint
22     runs-on: ubuntu-latest
23     timeout-minutes: 10
24     steps:
25       - uses: actions/checkout@v6
26       - uses: actions/setup-python@v6
27         with:
28           python-version: "3.13"
29       - name: Install ruff
30         run: python -m pip install ruff
31       - name: Ruff check
32         run: ruff check . --output-format github
33
34   # PII / attribution leak guard (tools/leak_scan.py): fails on a committed 32-hex MD5
35   # (the video_id shape) or a personal absolute user path in the shipped-code surface
36   # (backend/training/scripts/tools/eval_baselines; tests/ excluded ? legit fixtures).
Real
37   # names are scanned only via a gitignored private list locally; CI runs the structural
guard.
38   leak-scan:
39     name: Leak scan (PII / attribution guard)
40     runs-on: ubuntu-latest
41     timeout-minutes: 10
42     steps:
43       - uses: actions/checkout@v6
44       - uses: actions/setup-python@v6
45         with:
46           python-version: "3.13"
47       - name: Leak scan
48         run: python -m tools.leak_scan
49
50   # Type gate (mypy.ini at repo root): lenient green baseline with an explicit
51   # per-module quarantine list ? ratchet by removing entries as modules clean
52   # up. Typed core deps are installed so mypy sees their real signatures
53   # (without them ignore_missing_imports would Any-stub half the checks).
54   typecheck:
55     name: Mypy (lenient baseline)
56     runs-on: ubuntu-latest
57     timeout-minutes: 10
58     steps:
59       - uses: actions/checkout@v6
60       - uses: actions/setup-python@v6
61         with:
62           python-version: "3.13"
63       - name: Install mypy + typed core deps
64         run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-
genai numpy
65       - name: Mypy
66         run: mypy backend training
67
68   # Fast guard against the 7fbb0 class of breakage: a SyntaxError or
69   # module-level import error shipping while the suite stays green.
70   # Deliberately does NOT install cv2/torch/numpy ? the smoke tests must hold
71   # on machines without the GPU stack (test_import_smoke stubs what's absent).
72   import-smoke:
73     name: Syntax sweep + import smoke (no GPU stack)
74     runs-on: ubuntu-latest
75     timeout-minutes: 10

```

```

76     steps:
77         - uses: actions/checkout@v6
78         - uses: actions/setup-python@v6
79         with:
80             python-version: "3.13"
81         - name: Install minimal deps
82           run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai
83         - name: Run import smoke tests
84           run: python -m pytest tests/test_import_smoke.py -v
85
86     full-suite:
87         name: Full test suite (offline, mocked)
88         runs-on: ubuntu-latest
89         timeout-minutes: 30
90         steps:
91             - uses: actions/checkout@v6
92             - uses: actions/setup-python@v6
93             with:
94                 python-version: "3.13"
95                 cache: pip
96             - name: System libs for opencv-python
97               run: |
98                 # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it
periodically
99                 # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing
the
100                 # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's
archive.
101                 sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
102                 sudo apt-get update
103                 sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y
libgl1 libglib2.0-0
104             - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
105               # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
106               # need an out-of-band index that PEP 621 can't express. Keep installing
107               # them separately here, before the editable install pulls the rest.
108               run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
109             - name: Install trackers (git-only dep ? PyPI wheel is broken)
110               # D13/P12: ByteTrack moved out of `supervision` (removed in 0.30.0) to the
111               # standalone `trackers` package. Its PyPI wheel ships metadata only (no
112               # source ? roboflow/trackers#474), so it MUST come from git. PEP 621 can't
113               # express a git URL, so it's not in pyproject.toml (same pattern as torch).
114               # Installed here so the two D13/P12 tests in tests/test_person_detector.py
115               # actually run in CI instead of skipping via pytest.importorskip.
116               # NOTE: roboflow/trackers uses bare version tags (2.5.0), NOT v-prefixed.
117               run: python -m pip install "trackers @
git+https://github.com/roboflow/trackers.git@2.5.0"
118             - name: Install package (editable) + dev tooling
119               # Editable PEP 621 install: runtime deps + the `dev` group
120               # (pytest, pytest-cov, httpx for the fastapi TestClient, ruff, mypy).
121               run: python -m pip install -e .[dev]
122             # obsreport (private, soft dep) is absent here: reporting tests skip via
123             # pytest.importorskip ? run_all_tests.py prints which. The coverage floor
124             # is therefore calibrated against THIS lane's number (local runs with
125             # obsreport installed measure a little higher).
126             # Floor calibrated 2026-06-11 against this lane's measured 72% (local
127             # with obsreport: 73%). Ratchet it UP as coverage grows; never down
128             # without an owner decision.
129             - name: Run full suite (with coverage floor)
130               run: python run_all_tests.py --cov=backend --cov=training --cov-report=term
--cov-fail-under=70
131
132         # Cross-OS determinism guard for the committed golden regression fixtures

```

```

133 # (docs/GOLDEN_REGRESSION_FIXTURES.md). The CONTROL replay path is pure-stdlib
134 # (only numpy, no cv2/torch), so this is a FAST, focused job ? it does NOT run
135 # the full suite x3 OSes. It replays the Windows/Linux/macOS runner against the
136 # committed (parse-compared) snapshots, catching any cross-OS float drift beyond
137 # the 1e-6 tolerance before it can flake a contributor's PR on another machine.
138 golden-crossos:
139     name: Golden fixtures cross-OS (${ matrix.os })
140     strategy:
141         fail-fast: false
142         matrix:
143             os: [ubuntu-latest, windows-latest, macos-latest]
144     runs-on: ${ matrix.os }
145     timeout-minutes: 15
146     steps:
147         - uses: actions/checkout@v6
148         - uses: actions/setup-python@v6
149           with:
150             python-version: "3.13"
151         - name: Install minimal deps (no GPU stack ? the CONTROL replay needs only numpy)
152           run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai numpy
153         - name: Golden-fixtures characterization (cross-OS determinism guard)
154           # Also runs the freeze-real / time-origin-reset / M2 refusal-gate tests
(synthetic /
155           # tmp_path only ? no GPU/network) so the reset metric-invariance (fix #2) and
the
156           # de-attribution paths get cross-OS coverage and surface any win/mac float
drift.
157           run: |
158             python -m backend.eval.golden_fixtures --check
159             python -m pytest tests/test_golden_fixtures.py
tests/test_golden_real_fixtures.py -q
160
161 # Commercial-clean licensing guardrail (MIT/Apache/BSD only ? PACKAGING_PLAN.md P0d).
Scans the
162 # RUNTIME dependency closure (`pip install .` ? no torch/dev) and fails on any
copyleft
163 # (GPL/AGPL/LGPL/SSPL). torch (BSD-3) is installed out-of-band and is not in this
closure. This
164 # automates a guardrail that was human-only; the report is printed for review either
way.
165 # D13/P12 carve-out: `trackers` (Apache-2.0; ByteTrack's new home) is also git-only
and thus
166 # absent from this pyproject closure ? UNguarded here, same shape as torch. It's
Apache-2.0 and
167 # depends only on the still-declared `supervision` (MIT), so the closure is clean
today; if
168 # `trackers` ever pulls a new transitive dep, this gate won't catch it ? audit on
bump.
169 license-scan:
170     name: Dependency license scan (no copyleft in runtime deps)
171     runs-on: ubuntu-latest
172     timeout-minutes: 15
173     steps:
174         - uses: actions/checkout@v6
175         - uses: actions/setup-python@v6
176           with:
177             python-version: "3.13"
178         - name: Install runtime deps + pip-licenses
179           run: |
180             python -m pip install .
181             python -m pip install pip-licenses
182         - name: Report dependency licenses
183           run: python -m piplicenses --format=markdown --with-urls --order=license
184         - name: Fail on any copyleft (GPL/AGPL/LGPL/SSPL) in the runtime closure

```

```

185         run: |
186             if python -m piplicenses --format=plain | grep -iE "GPL|SSPL"; then
187                 echo "::error::A runtime dependency carries a copyleft (GPL/AGPL/LGPL/SSPL)
license ? the guardrail is MIT/Apache/BSD only. Review the report above."
188             exit 1
189         fi
190         echo "OK: no GPL/AGPL/LGPL/SSPL in the runtime dependency closure."
191
192     # Built-wheel smoke (PACKAGING_PLAN.md P0d): build the wheel, install it NON-editable
from a
193     # non-repo cwd, and launch the console script. Catches packaging regressions the
source suite
194     # can't ? namespace-package resolution (backend has no __init__.py), missing data
files, hidden
195     # imports. (Validated locally: a clean-venv wheel install + CPU torch runs `indexer
--help`.)
196     build-artifact:
197         name: Built wheel smoke (install + launch)
198         runs-on: ubuntu-latest
199         timeout-minutes: 30
200         steps:
201             - uses: actions/checkout@v6
202             - uses: actions/setup-python@v6
203               with:
204                 python-version: "3.13"
205             - name: System libs for opencv-python
206               run: |
207                 # Drop the runner's pre-installed Microsoft apt repo (azure-cli): it
periodically
208                 # 403s on InRelease and aborts `apt-get update` under the `-e` shell, failing
the
209                 # build on an unrelated repo we don't use. libgl1/libglib2.0 are in Ubuntu's
archive.
210                 sudo rm -f /etc/apt/sources.list.d/*microsoft* /etc/apt/sources.list.d/*azure*
211                 sudo apt-get update
212                 sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y
libgl1 libglib2.0-0
213             - name: Build the wheel
214               run: |
215                 python -m pip install build
216                 python -m build --wheel
217             - name: Install the built wheel + CPU torch (out-of-band index)
218               run: |
219                 python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
220                 python -m pip install dist/*.whl
221             - name: Launch the installed console script from a non-repo dir
222               run: |
223                 cd /tmp
224                 indexer --help
225                 python -c "import backend, training, backend.utils.app_home; print('wheel
import OK')"
226

```

10. user (2026-06-29T17:01:58.882Z)

```

1     # Documentation Status & Archival Register
2
3     > **Status:** ? **LIVING** ? the single board for doc **lifecycle + archival due-
diligence**. **Last full review:** 2026-06-21.
4     > **Update cadence:** whenever a doc changes lifecycle state (created / shipped a
milestone / delivered / archived), and re-review at each clean-slate.
5     > **Why this exists:** so we can (a) **review completeness** at a glance, (b) **update
it as work finishes** to prove we're done, and (c) **never archive a foundational doc without
honestly updating it first** (owner directive, 2026-06-21).

```

```

6
7      ---
8
9      ## 0. How to use this
10     - **Reviewing now?** Read §4 (the open findings/actions) ? that's what needs attention.
11     - **Marking something complete?** Update the doc's own **§7 progress tracker** (the
12     source of truth for *its* completeness), then flip its row here, then ? if terminal ? run the §2
13     archival checklist.
14     - **This register does NOT duplicate completeness detail** ? it indexes lifecycle +
15     archive-readiness and points to each tracked doc's §7.
16
17     ## 1. Lifecycle legend
18     `DRAFT ? IN PROGRESS ? DONE/DELIVERED ? ARCHIVED`. Plus: **LIVING** (permanent
19     reference, never "done"), **PROPOSAL/DESIGN** (owner-gated, not started), **REPORT** (a terminal
20     record of a run/launch), **CONVENTION** (a standing rule/guide).
21
22     ## 2. Archival due-diligence checklist ? *the repeatable process (do NOT just `git
23     mv`)*
24     Before a foundational/tracked doc moves to `docs/archives/`:
25     1. **VERIFY claims against the code** ? no stale assertions; tag load-bearing facts
26     `[verified]`. (A doc that says "nothing built" when code shipped is *not* archive-ready ? fix it
27     first.)
28     2. **Flip Status ? DELIVERED / DONE / REJECTED + a completion note** ? what shipped,
29     where (PRs, paths, artifacts), and what was **deferred / carried forward**.
30     3. **Update ALL inbound references** ? `docs/README.md` index, `CLAUDE.md`,
31     `docs/NEXT_STEPS.md`, and any cross-doc links ? the new path + status.
32     4. **Keep the lineage** ? ADR forward/back-links + "supersedes / superseded-by" so the
33     evolution stays traceable.
34     5. **`git mv` the whole dir/file ? `docs/archives/past_projects/`** (terminal-state
35     ONLY; live docs stay at `docs/` top level). Relative links inside become historical (note this
36     in the doc's header).
37     6. **Record the move** ? flip the row here to §3e + a line in memory `current-state`.
38
39     > **Worked example (the template):** **DECOUPLED_COMPUTE ? #270** ? verified M0?M2+M3.5
40     delivered on GCP, flipped ??? DELIVERED with a completion note (incl. carried-forward
41     WASB-C3/DPA/`md5`), reindexed `docs/README` + `past_projects/README`, kept the ADR-010?014
42     lineage, then `git mv` to `docs/archives/past_projects/DECOUPLED_COMPUTE/`.
43
44     ## 3. The register
45
46     ### 3a. Tracked projects ? lifecycle docs (archive when DONE; each doc's §7 is the
47     completeness source-of-truth)
48     | Doc | Status | Archive-ready? | Next action |
49     |---|---|---|---|
50     | `COMPUTE_DECOUPLED_SERVING/` | **IN PROGRESS** ? M0 approved + **M1?M4 SHIPPED**
51     (#279/#280/#282/#283); M5+ default-OFF code batch authorized (2026-06-21) | No | M5 truly-local
52     ? M6 Cloud Run ? M8 ledger ? M9-auth ? M11 flywheel ? M12 gdrive-api (owner residual:
53     counsel/prices/OAuth/real-run within the D17 cap) |
54     | `RALLY_QUALITY_RESEARCH.md` | Foundation, **tracked & ACTIVE** (§7) | No | Drives the
55     R-series; complete when §7.1 single quality number is attributed |
56     | `R2_EVAL_METRIC_DESIGN.md` | IMPLEMENTED (augmenting) | No (gates R4 + dual-eval;
57     ablation pending) | Promote-or-reject tolF1 as the gate (ablation) ? then archive with the
58     R-cluster |
59     | `R1_MILESTONE_LAUNCH_REPORT.md` | LAUNCHED (#204) ? terminal record | Soon (with the
60     R-cluster) | Keep with R-series for narrative; archive when the track wraps |
61     | `RALLY_DETECTION_GAP_CLOSURE.md` | DRAFT (owner-gated) | No | G1?G3 levers; part of
62     the R/quality cluster |
63     | `PER_VIDEO_WORKSPACE.md` | DRAFT, IN PROGRESS (P0 = #264) | No | ? supersede-reconcile
64     (finding #1) DONE; P3 de-hardcode base ? via #282; remaining P1?P6 (P1 v6 migration coordinates
65     with M8's v6 cost-ledger ? version bump authored once) |
66     | `MULTI_SIGNAL_FUSION_PLAN.md` | P1 DONE; P2+ owner-gated | No | P3/P4 (learned fusion,
67     audio) ? needs GPU golden features |
68     | `EXPERIMENT_HARNESS.md` | P1 IMPLEMENTED | No | A/B + promotion gate; supports the
69     quality track |

```

41 | `PROMINENT\_COURT\_DETECTION.md` | DRAFT (owner-gated) | No | C-series; multi-track
selection design |

42 | `EXECUTION\_POLICY.md` | P1 SHIPPED; P3b next | No | Async job policy; reused by Cloud
Run dispatch |

43 | `GOLDEN\_REGRESSION\_FIXTURES.md` | IN PROGRESS (owner-gated) | No | Golden eval
fixtures |

44 | ****Data layer**** ? `docs/data\_pipeline/` (`GOLDEN\_SET\_IMPLEMENTATION` ·
`GOLDEN\_SET\_PHASE1\_VIDEOS` · `GOLDEN\_VIDEOS` · `VIDEO\_RECORDING\_GUIDELINES` ·
`GOLDEN\_DATA\_SHARING`) | LIVING (data, ****no-ML****) | n/a | Relocated 2026-06-21 to the isolated
data pillar; tracked via `data\_pipeline/README.md`. Roora **vendor** docs archived ?
`archives/roora-vendor/`. |

45 | `CODE\_CLEANUP\_AUDIT\_2026-06-24.md` | ****IN PROGRESS**** ? Phase 1: P0/P1/P4/P6a shipped
(#352/#355/#354/#356). Quick wins (Q4/Q5/Q6/Q8) next. | No | Q4?Q5?Q6?Q8 ? P6b ? P2 (segmenters)
? P3 (extra=forbid) ? P5 (app-factory) ? P7 verify |

46 | `DESKTOP\_APP\_PLAN.md` | DRAFT (owner-gated, nothing built) | No | P0 compute-
feasibility spike; relates to truly-local profile |

47 | `OWNED\_MODEL\_IMPLEMENTATION\_PLAN.md` | PLAN/roadmap (owner-gated) | No (authoritative
roadmap) | Gen-0?Gen-2; the owned-model track |

48 | `PERSONALIZATION\_PLAN.md` | DESIGN ? owner-adopted; Phase-0 | No | Per-user models (DB
v5 store landed) |

49 | `UI\_ALPHA\_EXECUTION\_PLAN.md` | ACTIVE | No | khelsutra UI alpha track |

50 | `I18N\_PLAN.md` | Design (P0); ****in implementation**** (adapted) | No | Executed in
`khelsutra/docs/FRIENDLY\_AND\_MULTILINGUAL.md` (P1?site/, P3?web/); P2 backend stays here, owner-
gated |

51 | `POST\_166...RISK\_ASSESSMENT.md` | Plan for owner review | No | Milestones/risk doc |

52

53 **### 3b. Foundational / strategy references (LIVING ? archive only if ****superseded****, not
when "done")**

54 | Doc | Status | Note |

55 | ---|---|---|

56 | `PLATFORM\_ARCHITECTURE.md` | Strategy/research | The `ComputeBackend`/`StorageBackend`
registries ? realized by COMPUTE_DECOUPLED_SERVING |

57 | `COMMERCIALIZATION.md` | ? LIVING | Strategy; carries WASB-C3 |

58 | `VIDEO\_LOCALITY\_MODEL.md` | THINKING DOC | L0 fully-local = the truly-local profile |

59 | `HOSTING\_PLAN.md` | PROPOSAL | ****?** partly overtaken by ADR-013 + the shipped site ?
verify (finding #5)****** |

60 | `UI\_PROPOSAL.md` | PROPOSAL (partly shipped) | UX half ****in implementation**** ?
`khelsutra/docs/FRIENDLY\_AND\_MULTILINGUAL.md`; currency banner added (finding #5 ? for this doc)
|

61 | `STORAGE\_SHARING\_MODEL.md` | DRAFT (co-design pending) | ? |

62 | `ANALYZERS\_AND\_RECONCILERS.md` | DESIGN (owner-gated) | ? |

63 | `ROADMAP.md` / `CODE\_MAP.md` / `HOW\_RALLY\_DETECTION\_WORKS.md` /
`KHELSUTRA\_PRODUCT\_OVERVIEW.md` | LIVING references | Keep current; not archive targets |

64

65 **### 3c. Reports & terminal records (archive candidates once their track wraps)**

66 | Doc | Status | Note |

67 | ---|---|---|

68 | `REAL\_FOOTAGE\_VALIDATION\_REPORT.md` | validation complete | Motivates R2; archive with
the R-cluster |

69 | `RALLY\_DETECTION\_QUALITY\_REPORT.md` | report | Quality snapshot; part of R-cluster |

70 | `QUALITY\_ITERATIONS.md` | LIVING empirical log | ****Keep**** ? the paper-backbone
ablation log ([[paper-coauthor-aim]]) |

71 | `CODE\_AUDIT\_AND\_TEST\_HARDENING.md` · `HARDENING\_LOOP\_HANDOFF.md` ·
`DEFERRED\_HARDENING\_PLAN.md` | COMPLETED ? ****top-level pointer stubs**** (archived copies exist) |
****?** confirm intentional stubs (per #165) vs finish-archiving (finding #4)****** |

72

73 **### 3d. Conventions / guidelines / templates / runbooks (permanent ? do not archive)**

74 | `PROJECT\_DOC\_TEMPLATE.md` · `NEXT\_STEPS.md` (? refreshed 2026-06-21) · `BACKLOG.md` ·
`EVALUATION.md` · `ABLATION\_LAYER.md` · `SETUP\_NEW\_MACHINE.md` · ****`CREATING\_REELS.md`**** (? end-
user usage guide ? install ? process ? pick ? reel; LIGHT tier; added 2026-06-23) ·
****`CONVERT\_GCS\_VIDEOS\_TO\_HIGHLIGHTS.md`**** (? operator runbook ? `gs://` videos ? reels on L4
Cloud Run; verified e2e 2026-06-23) · `TRACKNET\_WSL\_SETUP.md` · `README.md`. *(2026-06-21
relocation: the data-layer guides moved ? `data\_pipeline/`; the field-ops + Roora docs ?
`archives/{field-pmf,roora-vendor}/`.)*

75

```

76     ### 3e. Already archived (`docs/archives/`)
77     `past_projects/DECOUPLED_COMPUTE/` (? 2026-06-21, #270) · `past_projects/low-regret-
moves/` · **`field-pmf/`** (field-ops + customer-feedback, 2026-06-21) · **`roora-vendor/`**
(annotation-vendor engagement, 2026-06-21) · `PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md`
· `CODE_AUDIT_AND_TEST_HARDENING-COMPLETED-2026-06-14.md` · `DEFERRED_HARDENING_PLAN-
COMPLETED-2026-06-14.md` · `HARDENING_LOOP_HANDOFF-COMPLETED-2026-06-14.md` ·
`COMMERCIAL_READINESS_REVIEW.md` · `MONETIZATION_AUDIT.md` · `TEST_RUN_SUMMARY.md` · `research/`
· `checkpoints/` · `quality-iterations/`.
78
79     ### 3f. ADR log ? `docs/archives/decisions/DECISIONS.md`
80     **ADR-001 ? ADR-014** (14, all ratified). The compute/serving lineage: **ADR-005 ? 008 ?
009 ? 010 ? 011 ? 012 ? 013 ? 014**. ADR-014 was **RATIFIED 2026-06-21** (owner M0 sign-off for
COMPUTE_DECOUPLED_SERVING).
81
82     ## 4. Open due-diligence findings / actions (2026-06-21 review)
83
84     > **? Doc-restructuring done (2026-06-21, owner-directed):** field-ops/customer-feedback
? `archives/field-pmf/`, Roora annotation-vendor ? `archives/roora-vendor/`, and a no-ML **data
layer** carved into `docs/data_pipeline/`. Inbound + outbound links rewired; three dir READMEs
added (the `data_pipeline` one sets the "no segmentation/stitching" boundary).
85     1. **? RESOLVED (2026-06-21) ? `PER_VIDEO_WORKSPACE.md` supersedes
`PER_VIDEO_OUTPUT_LAYOUT.md`.** Folded forward the `video_slug` naming option (workspace §8.5) +
the `output/GX010125_run/` manual-prototype precedent; predecessor archived ?
`docs/archives/PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md`; `CODE_MAP.md` repointed.
86     2. **? RESOLVED (2026-06-21) ? `NEXT_STEPS.md` refreshed** with a current 2026-06-21
state + a **cross-track prioritized pending list**;; the 2026-06-13 owned-model/quality body is
kept (clearly marked) as that track's detail.
87     3. **R-series / quality cluster is ACTIVE** (`R1`,`R2`,`RALLY_DETECTION_GAP_CLOSURE`,`RA
LLY_QUALITY_RESEARCH`,`QUALITY_ITERATIONS`,`REAL_FOOTAGE_VALIDATION_REPORT`,`RALLY_DETECTION_QUA
LITY_REPORT`). **Do NOT archive yet** ? archive as a *cluster* once R2 is promoted-or-rejected
as the gate + §7.1's single number is attributed. (Owner already confirmed "leave as is",
2026-06-21.)
88     4. **Confirm the COMPLETED top-level stubs** (`CODE_AUDIT_AND_TEST_HARDENING`,
`HARDENING_LOOP_HANDOFF`, `DEFERRED_HARDENING_PLAN`) are intentional pointer-stubs (per #165) ?
or finish-archive them so there's one copy.
89     5. **`HOSTING_PLAN.md` / `UI_PROPOSAL.md` are PROPOSAL but partly overtaken** by ADR-013
(DO dropped) + the shipped khelsutra site. **? `UI_PROPOSAL.md` banner added (2026-06-21)** ?
its UX half is now tracked in `khelsutra/docs/FRIENDLY_AND_MULTILINGUAL.md`; the `I18N_PLAN.md`
localization track is likewise in implementation there. **`HOSTING_PLAN.md` banner still
pending** (ADR-013 already noted in it).
90     6. **? RESOLVED (2026-06-21) ? `COMPUTE_DECOUPLED_SERVING` M0 approved + M1?M4 SHIPPED**
(#279/#280/#282/#283); all §8 gating Qs locked (D7?D17); M5+ default-OFF code batch authorized
(owner residual: counsel ToS/DPA, real GCP prices, OAuth app, real cloud run within the D17
$100/?10k cap).
91
92     ## 5. Maintenance
93     Update a row when its doc changes lifecycle; run §2 before any archive; re-review §4 at
each clean-slate. This register + the §2 checklist are the operational form of the `CLAUDE.md`
archive policy and [[working-agreement-tracked-project-docs]].
94

```

11. assistant (2026-06-29T17:02:01.918Z)

Now I have a complete understanding of DOC_STATUS §2 and the workflow conventions. Let me look at the RALLY_DETECTION_FIXES_PLAN.md §8 and the promotion.py file.

12. user (2026-06-29T17:02:04.988Z)

```

17:> in prod) so it lands behind a **default-OFF** `inactivity_temporal_density` flag, promoted
only
21:> **2026-06-29 ? P2b CLOSED (promoted); plan DONE.** The golden-set A/B ran at the SERVED
operating
24:> **tolF1 0.353 ? 0.364 (?tolF1 +0.010, 95% CI [?0.014,+0.034], sign 10W/4L, p=0.18 ?
neutral-to-
25:> positive, NO regression)** , |?end| 2.97?2.72 s, seg_count_ratio ?0.103 (p=0.006),

```

```

split_rate ?0.010
26:> (p=0.016), R1 over-seg guard PASS. `served_regresses(eps=0.0)=False` ?
27:> `promote_if_served_safe(structural)=promote`. Per the §8 Q2 rule (promote iff tolF1 does
not regress)
28:> the flag was **promoted to default-ON** (`IndexingConfig.inactivity_temporal_density =
True`). All
34:## 0. TL;DR
37:## 1. Problem & goal
45:## 4. Design / architecture
57: **default-ON in production** (`window_inactivity_end = 1.5`, promoted at the R1 milestone ?
an
60: config ? `trajectory_hybrid` ? eval `WindowingPreset`), to be promoted only after a golden-
set
66:## 6. Honest limits ? what this does NOT do
69:## 7. Deliverables & progress tracker ? **source of truth**
78:| P2b | **Promote P0b**: golden-set A/B at SERVED windowing ? flip flag default-ON (no
regression) | P2a | owner? | ? | #396 |
80:## 8. Open questions ? owner / external
87: **zero-regression no-op in production**. The A/B is a single command (P2a wired the toggle
96: (base = SERVED with the flag OFF, candidate = SERVED with it ON; diffs tolF1 at the
**SERVED**
99: (a one-line PR) **only if tolF1 does not regress**. This step is owner-only: it needs the
golden
106: `load_gt_intervals`). Result at SERVED: **tolF1 0.353 ? 0.364** (?tolF1 **+0.010**, 95%
CI
107: [?0.014, +0.034], sign **10W/4L**, p=0.18 ? neutral-to-positive, **does not regress**);
|?end|
109: over-seg guard PASS** (net 0.397?0.378). Formal gate: `served_regresses(eps=0.0)=False`,
110: `promote_if_served_safe(structural=True) ? promote`. Per the rule (promote iff tolF1 does
not
111: regress) ? **PROMOTED** to default-ON. The stricter honest-LIFT bar reports "no
significant lift"
112: (CI spans 0) but **no regression** ? i.e. a do-no-harm correctness fix, not a measured
win.
114:## 9. Definition of done
118:- [x] **P2 promotion**: golden-set A/B at SERVED windowing, flag flipped default-ON ? no
regression
119: (?tolF1 +0.010, 10W/4L; seg_ratio ?0.103 p=0.006; over-seg guard PASS). *(2026-06-29,
PR #396 ? see §8 Q2)*
121:- [x] Tests updated and passing *(offline suite; golden-corpus regression is owner-gated ?
see Q2)*.
123:## 10. References

```

13. user (2026-06-29T17:02:07.581Z)

```

total 496
drwxr-xr-x  4 avidullu avidullu  4096 Jun 29 10:44 .
drwxr-xr-x 20 avidullu avidullu  4096 Jun 27 17:27 ..
-rw-r--r--  1 avidullu avidullu   455 Jun 25 11:46 __init__.py
drwxr-xr-x  2 avidullu avidullu  4096 Jun 29 11:11 __pycache__
-rw-r--r--  1 avidullu avidullu 24039 Jun 27 17:27 ablation.py
-rw-r--r--  1 avidullu avidullu  8187 Jun 27 17:27 ablation_pdf.py
-rw-r--r--  1 avidullu avidullu  2278 Jun 27 17:27 annotations.py
drwxr-xr-x  3 avidullu avidullu  4096 Jun 27 17:27 audio
-rw-r--r--  1 avidullu avidullu  4790 Jun 27 17:27 batch.py
-rw-r--r--  1 avidullu avidullu  6349 Jun 27 17:27 calibrate_local.py
-rw-r--r--  1 avidullu avidullu  5140 Jun 27 17:27 calibrate_wasb.py
-rw-r--r--  1 avidullu avidullu  8078 Jun 27 17:27 calibration.py
-rw-r--r--  1 avidullu avidullu  4639 Jun 27 17:27 classifier.py
-rw-r--r--  1 avidullu avidullu  8724 Jun 27 17:27 distill_local.py
-rw-r--r--  1 avidullu avidullu 11745 Jun 27 17:27 eval_partial_labels.py
-rw-r--r--  1 avidullu avidullu  6735 Jun 27 17:27 eval_stats.py
-rw-r--r--  1 avidullu avidullu 32996 Jun 27 17:27 experiment.py
-rw-r--r--  1 avidullu avidullu 11576 Jun 27 17:27 export_wasb_segments.py
-rw-r--r--  1 avidullu avidullu  6779 Jun 27 17:27 fusion_audio.py

```



```

-rw-r--r-- 1 avidullu avidullu 5045 Jun 27 17:27 fusion_compare.py
-rw-r--r-- 1 avidullu avidullu 10637 Jun 27 17:27 fusion_golden.py
-rw-r--r-- 1 avidullu avidullu 13549 Jun 25 16:26 gemini_refine.py
-rw-r--r-- 1 avidullu avidullu 43331 Jun 27 17:27 golden_fixtures.py
-rw-r--r-- 1 avidullu avidullu 19863 Jun 27 17:27 golden_real_fixtures.py
-rw-r--r-- 1 avidullu avidullu 4663 Jun 27 17:27 gt_loader.py
-rw-r--r-- 1 avidullu avidullu 5482 Jun 27 17:27 harness.py
-rw-r--r-- 1 avidullu avidullu 5811 Jun 27 17:27 metrics.py
-rw-r--r-- 1 avidullu avidullu 7945 Jun 27 17:27 per_user_eval.py
-rw-r--r-- 1 avidullu avidullu 9048 Jun 27 17:27 per_user_gate.py
-rw-r--r-- 1 avidullu avidullu 13828 Jun 27 17:27 per_user_regression.py
-rw-r--r-- 1 avidullu avidullu 10135 Jun 27 17:27 promotion.py
-rw-r--r-- 1 avidullu avidullu 35315 Jun 29 10:44 rally_seg_eval.py
-rw-r--r-- 1 avidullu avidullu 7701 Jun 27 17:27 rally_seq_proto.py
-rw-r--r-- 1 avidullu avidullu 9106 Jun 27 17:27 regression.py
-rw-r--r-- 1 avidullu avidullu 6551 Jun 27 17:27 score_calibration.py
-rw-r--r-- 1 avidullu avidullu 10449 Jun 27 17:27 segmentation_metrics.py
-rw-r--r-- 1 avidullu avidullu 8434 Jun 27 17:27 serve_contrast.py
-rw-r--r-- 1 avidullu avidullu 9046 Jun 27 17:27 served_gate_a.py
-rw-r--r-- 1 avidullu avidullu 3658 Jun 27 17:27 splits.py
-rw-r--r-- 1 avidullu avidullu 14920 Jun 27 17:27 tolerance_metrics.py
-rw-r--r-- 1 avidullu avidullu 3694 Jun 27 17:27 training.py
-rw-r--r-- 1 avidullu avidullu 12378 Jun 29 10:44 windowing.py
---promotion.py exists?---
YES exists

```

14. assistant (2026-06-29T17:02:10.223Z)

`backend/eval/promotion.py` exists. Let me read the §8 of RALLY_DETECTION_FIXES_PLAN.md in full to get the exact text, and check promotion.py's relevant symbols.

15. user (2026-06-29T17:02:12.097Z)

```

80      ## 8. Open questions ? owner / external
81      1. ~~Do we want `_trim_inactive_tail` to fall back to the existing behavior if there are
very few
82          frames, or strictly enforce a minimum temporal density?~~ **Resolved (#393):** strict
temporal
83          density. Because `group` carries only active frames, the temporal denominator equals
the
84          sample-count denominator under dense tracking, so this is behaviour-preserving for
well-tracked
85          clips and only corrects the sparse case ? no separate few-frames fallback needed.
86      2. **Owner promotion gate (P2b) ? DONE 2026-06-29.** P0b shipped flag-OFF, so the merge
was a
87          **zero-regression no-op in production**. The A/B is a single command (P2a wired the
toggle
88          into `rally_seg_eval`):
89          ...
90          python -m backend.eval.rally_seg_eval \
91              --manifest <golden_manifest.json> --features-dir <golden_features_dir> \
92              --preset served --vs served --vs-inactivity-temporal-density
93          ...
94
95
96      (base = SERVED with the flag OFF, candidate = SERVED with it ON; diffs tolF1 at the
**SERVED**
97      operating point ? R4 is default-ON in prod, so this measures B's real end-boundary
effect on
98      sparse footage.) **Promote** by flipping `IndexingConfig.inactivity_temporal_density`
to `True`
99      (a one-line PR) **only if tolF1 does not regress**. This step is owner-only: it needs
the golden
100      corpus + GPU/WSL-extracted trajectory features, which don't exist offline. Note
finding B is a

```

```

101      **no-op under dense tracking**, so the A/B only shows signal on clips where the
shuttle tracker
102      actually drops out ? which is exactly why it can't be measured on synthetic/offline
fixtures.
103
104      **Measured 2026-06-29 (PR #396).** Ran exactly the command above on the 15-clip
golden set
105      (trajectories + labels from `gs://khelsutra-rally-corpus`; GTs via the repo's own
106      `load_gt_intervals`). Result at SERVED: **tolF1 0.353 ? 0.364** (?tolF1 **+0.010**,
95% CI
107      [?0.014, +0.034], sign **10W/4L**, p=0.18 ? neutral-to-positive, **does not
regress**); |?end|
108      **2.97 ? 2.72 s**; seg_count_ratio **?0.103** (p=0.006), split_rate **?0.010**
(p=0.016); **R1
109      over-seg guard PASS** (net 0.397?0.378). Formal gate:
`served_regresses(eps=0.0)=False`,
110      `promote_if_served_safe(structural=True) ? promote`. Per the rule (promote iff tolF1
does not
111      regress) ? **PROMOTED** to default-ON. The stricter honest-LIFT bar reports "no
significant lift"
112      (CI spans 0) but **no regression** ? i.e. a do-no-harm correctness fix, not a
measured win.
113
114      ## 9. Definition of done

```

16. user (2026-06-29T17:02:13.139Z)

```

24:paths are untouched until a caller routes its A/B through :func:`promote_if_served_safe`.
35:__all__ = ["ServedGateResult", "promote_if_served_safe", "served_regresses"]
38:def served_regresses(
91:     *promotion-grade* scores (served by default ? see :func:`promote_if_served_safe`).
105:     def as_dict(self) -> Dict[str, Any]:
117:def promote_if_served_safe(
163:     served = served_regresses(
171:         proposal = served_regresses(

```

17. assistant (2026-06-29T17:02:16.240Z)

I have everything I need for the cross-link edit. The §8 Q2 text contains the exact phrase "promote iff tolF1 does not regress" (line 27 references it, line 110 has "promote iff tolF1 does not regress" ? actually line 110 says "Per the rule (promote iff tolF1 does not regress)"). Let me check the exact wording of both candidate lines.

18. user (2026-06-29T17:02:18.911Z)

```

27:> `promote_if_served_safe(structural)=promote`. Per the §8 Q2 rule (promote iff tolF1 does
not regress)
99: (a one-line PR) **only if tolF1 does not regress**. This step is owner-only: it needs the
golden
110: `promote_if_served_safe(structural=True) ? promote`. Per the rule (promote iff tolF1 does
not

```

19. assistant (2026-06-29T17:02:24.381Z)

The exact phrase "promote iff tolF1 does not regress" appears on line 27 (the TL;DR banner) and line 110. The literal "promote iff" wording the issue quotes is on lines 27 and 110. The actual rule statement with "only if tolF1 does not regress" is on line 99 (the prescriptive rule in §8 Q2). The best cross-link target is line 110 within §8 where it states the rule and already references `promote\_if\_served\_safe`. Let me now write and run the broken-link scanner. First, let me look at the README.md heading structure to understand anchor conventions and check how docs reference each other.

20. user (2026-06-29T17:02:24.880Z)

```

1      # scripts/
2
3      **Standalone run-drivers / one-off entry CLIs** ? scripts with a `__main__` that you
`run`, not
4      *import*. Run as `python scripts/<name>.py`.
5
6      What belongs here (vs. elsewhere ? see `docs/CODE_MAP.md` §0 for the full table):
7      - ? a CLI that orchestrates a pipeline/eval run end-to-end (e.g. `run_phase3_eval.py`,
`run_process_and_stitch.py`)
8      - ? **importable eval library** (metrics, calibration, a scorer) ? `backend/eval/`
9      - ? an **ops/maintenance tool** run as `python -m tools.x` ? `tools/`
10     - ? a **throwaway repro / debug** script ? `scratch/` (gitignored)
11     - ? anything imported by app code ? it's library, put it under `backend/`
12
13     If a script needs `load_dotenv()` / `sys.path` setup before importing `backend`, add
14     `scripts/<name>.py" = ["E402"]` to `ruff.toml` (import-order is load-bearing there).
15
16     Grandfathered at the repo root (referenced by CI/packaging/tests ? left in place):
17     `run_all_tests.py`, `run_regression.py`, `run_eval.py`. **New** run-drivers go here, not
the root.
18
19     `doctor.py` here is the diagnostics/bootstrap script (FFmpeg + CUDA checks, default-
config
20     init, `pip install -r requirements.txt`). It was formerly the root `setup.py`; it was
renamed
21     and moved here so it no longer shadows the PEP 517 build system now that
`pyproject.toml` exists.
22     Run it as `python scripts/doctor.py` or `indexer --setup`.
23

```

21. assistant (2026-06-29T17:02:27.877Z)

Now let me write the broken-link scanner. I'll write it to the scratchpad first, run it to produce the report, then I'll know exactly what to put in the proposed committed CI script.

22. assistant (2026-06-29T17:02:52.533Z)

```

#!/usr/bin/env python3
"""Broken internal markdown link scanner (stdlib only).

For every [text](target) link in tracked *.md files (root + docs/), verify:
* relative file paths resolve (relative to the md file's directory),
* #anchors resolve to an actual GitHub-slugified heading in the target file.

External (http/https/mailto), absolute (/...), and pure-anchor-to-self links to
non-existent headings are all checked. Prints `file:line -> target` for each
broken link plus a TOTAL count. Exit 1 if any broken link is found.
"""
from __future__ import annotations

import os
import re
import sys
from pathlib import Path


```

Inline-link regex: [text](target). Skips image-only refs are still links here.

```

LINK_RE = re.compile(r"(?<!\!)\[([^\]]*)\]\(((\[^\]]+\)|))")
ATX_HEADING_RE = re.compile(r"^#{0,3}#{1,6}\s+(..*?)\s*#\s*$")

```

Roots to scan. Repo root *.md (top level only) + everything under docs/.

```

ROOT = Path(__file__).resolve().parent # overridden by argv[1]

```

```

def slugify(heading: str) -> str:
    """GitHub-flavoured heading -> anchor slug (good-enough subset)."""
    # strip inline code/formatting markers and links, keep text
    text = re.sub(r"`+", "", heading)
    text = re.sub(r"\\([\\^\\])\\([\\^\\])", r"\\1", text) # [t](u) -> t
    text = re.sub(r"[*_~]", "", text)
    text = text.strip().lower()
    # drop anything that's not word char, space or hyphen
    text = re.sub(r"[^\\w\\s-]", "", text, flags=re.UNICODE)
    text = text.replace(" ", "-")
    return text

def collect_anchors(md_path: Path) -> set[str]:
    anchors: set[str] = set()
    try:
        lines = md_path.read_text(encoding="utf-8", errors="replace").splitlines()
    except OSError:
        return anchors
    in_fence = False
    seen: dict[str, int] = {}
    for line in lines:
        stripped = line.strip()
        if stripped.startswith("```") or stripped.startswith("~~~"):
            in_fence = not in_fence
            continue
        if in_fence:
            continue
        m = ATX_HEADING_RE.match(line)
        if m:
            slug = slugify(m.group(2))
            if not slug:
                continue
            # GitHub disambiguates duplicate slugs with -1, -2, ...
            n = seen.get(slug, 0)
            anchors.add(slug if n == 0 else f"{slug}-{n}")
            seen[slug] = n + 1
        # explicit <a name="..."> / id="..." anchors
        for am in re.finditer(r'<a\\s+(?:name|id)="([\\"]+)"', line):
            anchors.add(am.group(1))
    return anchors

def iter_links(md_path: Path):
    lines = md_path.read_text(encoding="utf-8", errors="replace").splitlines()
    in_fence = False
    for i, line in enumerate(lines, start=1):
        stripped = line.strip()
        if stripped.startswith("```") or stripped.startswith("~~~"):
            in_fence = not in_fence
            continue
        if in_fence:
            continue
        for m in LINK_RE.finditer(line):
            yield i, m.group(1).strip()

def is_external(target: str) -> bool:
    return bool(re.match(r"^[a-zA-Z][a-zA-Z0-9+.-]*://", target)) or target.startswith(
        ("mailto:", "tel:", "##? ")
    ) or target.startswith("mailto:")

def main() -> int:
    repo = Path(sys.argv[1]).resolve() if len(sys.argv) > 1 else Path.cwd()

```

```

md_files: list[Path] = []
# top-level *.md only (root)
md_files += sorted(p for p in repo.glob("*.md") if p.is_file())
# all docs/**/*.md
docs = repo / "docs"
if docs.is_dir():
    md_files += sorted(docs.rglob("*.md"))

anchor_cache: dict[Path, set[str]] = {}

def anchors_for(p: Path) -> set[str]:
    if p not in anchor_cache:
        anchor_cache[p] = collect_anchors(p)
    return anchor_cache[p]

broken: list[tuple[str, int, str, str]] = [] # file, line, target, reason

for md in md_files:
    for lineno, target in iter_links(md):
        if not target or target.startswith("<"):
            continue
        if is_external(target):
            continue
        # split path#anchor
        path_part, _, anchor = target.partition("#")
        # pure in-page anchor
        if path_part == "":
            if anchor and anchor not in anchors_for(md):
                broken.append(
                    (str(md.relative_to(repo)), lineno, target, "missing anchor (same
file)")
                )
            continue
        # strip query string if any
        path_part = path_part.split("?", 1)[0]
        if path_part.startswith("/"):
            resolved = (repo / path_part.lstrip("/")).resolve()
        else:
            resolved = (md.parent / path_part).resolve()
        if not resolved.exists():
            broken.append((str(md.relative_to(repo)), lineno, target, "missing path"))
            continue
        if anchor:
            if resolved.is_dir():
                broken.append(
                    (str(md.relative_to(repo)), lineno, target, "anchor on a directory")
                )
            elif resolved.suffix.lower() == ".md":
                if anchor not in anchors_for(resolved):
                    broken.append(
                        (str(md.relative_to(repo)), lineno, target, "missing anchor")
                    )

    broken.sort(key=lambda b: (b[0], b[1]))
    for f, ln, tgt, reason in broken:
        print(f"{f}:{ln} -> {tgt}    [{reason}]")
    print(f"\nTOTAL broken internal links: {len(broken)}")
    print(f"(scanned {len(md_files)} markdown files)")
    return 1 if broken else 0

if __name__ == "__main__":
    raise SystemExit(main())

```

File created successfully at: /tmp/claude-1000/-home-avidullu-projects-khelsutra-guru/4f364eb7-a600-4a2c-9b37-e5a313b6db9d/scratchpad/check_md_links.py (file state is current in your context ? no need to Read it back)

24. user (2026-06-29T17:02:59.198Z)

Exit code 1

```
docs/I18N_PLAN.md:4 -> #open-decisions-for-the-owner [missing anchor (same file)]
docs/QUALITY_ITERATIONS.md:621 -> PER_VIDEO_OUTPUT_LAYOUT.md [missing path]
docs/archives/COMMERCIAL_READINESS_REVIEW.md:12 -> BACKLOG.md [missing path]
docs/archives/field-pmf/PMF_MARKET_RESEARCH.md:6 -> COMMERCIALIZATION.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:16 ->
../PLATFORM_ARCHITECTURE.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:30 ->
../HOSTING_PLAN.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:38 ->
../NEXT_STEPS.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:42 -> ../BACKLOG.md
[missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:46 -> ../ROADMAP.md
[missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:57 ->
../OWNED_MODEL_IMPLEMENTATION_PLAN.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:60 ->
../training/README.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:77 ->
../GOLDEN_DATA_SHARING.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:86 ->
../backend/pipeline/detectors/base.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:88 ->
../backend/main.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:89 ->
../backend/pipeline/segmenters/trajectory_hybrid.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/01-EXISTING-PLANS-AND-GAP.md:94 ->
../sports-data-collector [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/02-COMPUTE-MAP-AND-CONTRACT.md:15 ->
../backend/pipeline/detectors/base.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/02-COMPUTE-MAP-AND-CONTRACT.md:16 ->
../training/gen0/harness.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/02-COMPUTE-MAP-AND-CONTRACT.md:28 ->
../backend/pipeline/segmenters/trajectory_hybrid.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/02-COMPUTE-MAP-AND-CONTRACT.md:30 ->
../backend/main.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/03-PLATFORM-OPTIONS.md:17 ->
../PLATFORM_ARCHITECTURE.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:30 ->
../PLATFORM_ARCHITECTURE.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:42 ->
../backend/eval/regression.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:83 ->
../backend/eval/golden_fixtures.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:107 ->
../backend/pipeline/detectors/base.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:116 ->
../DESKTOP_APP_PLAN.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/04-BUILD-AND-TEST-PLAN.md:141 ->
../backend/pipeline/segmenters/trajectory_hybrid.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/05-COST-ATTRIBUTION.md:7 ->
../backend/infrastructure/database.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/05-COST-ATTRIBUTION.md:68 ->
../PLATFORM_ARCHITECTURE.md [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/06-RISKS-AND-OPEN-QUESTIONS.md:16 ->
../backend/pipeline/detectors/base.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/07-COMPUTE-ABSTRACTION.md:14 ->
../backend/config/models.py [missing path]
```

```

docs/archives/past_projects/DECOUPLED_COMPUTE/07-COMPUTE-ABSTRACTION.md:15 ->
../backend/pipeline/detectors/person_detector.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/07-COMPUTE-ABSTRACTION.md:18 ->
../backend/pipeline/detectors/base.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/07-COMPUTE-ABSTRACTION.md:20 ->
../backend/utlis/run_telemetry.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:41 -> ../PLATFORM_ARCHITECTURE.md
[missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:43 -> ../HOSTING_PLAN.md [missing
path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:60 ->
../backend/eval/golden_fixtures.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:113 ->
../backend/infrastructure/database.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:113 -> ../backend/api/job_worker.py
[missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:115 -> ../training/gen0/harness.py
[missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:116 ->
../backend/eval/golden_fixtures.py [missing path]
docs/archives/past_projects/DECOUPLED_COMPUTE/README.md:117 ->
../backend/pipeline/segmenters/trajectory_hybrid.py [missing path]
docs/archives/quality-iterations/2026-06-18-lovo-resweep-n13/README.md:8 ->
../../../../GOLDEN_VIDEOS.md [missing path]
docs/archives/quality-iterations/2026-06-18-lovo-resweep-n13/README.md:74 ->
../../../../GOLDEN_VIDEOS.md [missing path]
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md:8 -> EVALUATION.md [missing path]
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md:8 -> archives/decisions/DECISIONS.md
[missing path]
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md:8 -> VIDEO_RECORDING_GUIDELINES.md
[missing path]
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md:8 -> EXPERIMENT_HARNESS.md [missing path]
docs/archives/roora-vendor/GOLDEN_SET_VENDORING.md:10 -> GOLDEN_SET_IMPLEMENTATION.md
[missing path]
docs/archives/roora-vendor/ROORA_LABELING_GUIDELINES.md:11 -> MULTI_SIGNAL_FUSION_PLAN.md
[missing path]
docs/archives/roora-vendor/ROORA_LABELING_GUIDELINES.md:136 -> MULTI_SIGNAL_FUSION_PLAN.md
[missing path]
docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md:10 ->
archives/research/AUDIO_RALLY_DETECTION_PLAN.md [missing path]

```

TOTAL broken internal links: 52
(scanned 109 markdown files)

25. assistant (2026-06-29T17:03:05.785Z)

The scan produced 52 hits, but many are inside `docs/archives/` ? and DOC_STATUS §2 step 5 explicitly says: "Relative links inside become historical (note this in the doc's header)." So archived-doc relative links are *expected* to be historical/broken and should NOT be in scope for "must fix in this PR." The issue says "ALL broken internal markdown links" for "docs/ + root". Let me separate the live (non-archive) breakages from the archived ones, since these have different remediation semantics. Let me re-run distinguishing the two buckets, and verify the live ones carefully.

26. user (2026-06-29T17:03:13.026Z)

```

docs/I18N_PLAN.md:4 -> #open-decisions-for-the-owner [missing anchor (same file)]
docs/QUALITY_ITERATIONS.md:621 -> PER_VIDEO_OUTPUT_LAYOUT.md [missing path]
docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md:10 ->
archives/research/AUDIO_RALLY_DETECTION_PLAN.md [missing path]

```

27. assistant (2026-06-29T17:03:15.244Z)

Only 3 breakages are in LIVE (non-archived) docs. Let me verify each of these 3 carefully ?

they're the ones that genuinely must be fixed in this PR. Let me inspect each.

28. user (2026-06-29T17:03:17.166Z)

```
=== I18N_PLAN.md line 4 + its headings ===
**Owner decision required** before any code lands ? see [Open decisions](#open-decisions-for-the-owner).
--- headings ---
1:# Internationalization (i18n) ? Kannada-first, by design
15:## 1. Context ? why this, why now
49:## 2. Core architecture
51:### 2.1 The "by design" invariant ? no hardcoded user-facing strings
65:### 2.2 One canonical English source catalog, per-locale siblings
83:### 2.3 Locale-negotiation contract (shared frontend ? backend)
98:### 2.4 Backend text ? keys + params, not prose
116:### 2.5 Indic font strategy ? (open decision ? see §4)
129:### 2.6 CI enforcement (the guardrail that keeps it "by design")
141:### 2.7 Translation pipeline
158:## 3. Phased execution (owner-gated; ONE PR per slice, off `master`)
177:## 4. Open decisions (for the owner)
196:## 5. Key files / seams
211:## 6. Verification
227:## Guardrail alignment
```

29. user (2026-06-29T17:03:20.043Z)

```
=== QUALITY_ITERATIONS.md line 621 ===
([PER_VIDEO_OUTPUT_LAYOUT.md](PER_VIDEO_OUTPUT_LAYOUT.md)) so each video's artifacts are self-contained.
```

```
=== where does PER_VIDEO_OUTPUT_LAYOUT live now? ===
PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md
```

```
=== VIDEO_RECORDING_GUIDELINES.md line 10 ===
> **Update (2026-06-07):** **AUDIO is now a first-class capture requirement** (new row below),
per ADR-007 ? we will use the shuttle "thwack" as a rally cue (audio+visual fusion lifts recall). This is a hard "record with audio on, mic unobstructed" ask, not a placeholder;
efficacy on real GoPro audio is being validated (experiment E1 in
[AUDIO_RALLY_DETECTION_PLAN.md](archives/research/AUDIO_RALLY_DETECTION_PLAN.md)).
```

```
=== does archives/research/AUDIO_RALLY_DETECTION_PLAN.md exist relative to repo? ===
docs/archives/research/AUDIO_RALLY_DETECTION_PLAN.md
```

30. assistant (2026-06-29T17:03:27.991Z)

All three live breakages confirmed and I now understand each fix:

1. `**`docs/I18N_PLAN.md:4`** ? `#open-decisions-for-the-owner``. The actual heading is ``## 4. Open decisions (for the owner)`` (line 177), which GitHub slugifies to ``#4-open-decisions-for-the-owner`` (the leading ``4.`` becomes ``4-``). The link drops the ``4-``. Fix: ``#4-open-decisions-for-the-owner``.
2. `**`docs/QUALITY_ITERATIONS.md:621`** ? `PER_VIDEO_OUTPUT_LAYOUT.md``. That doc was archived+renamed on 2026-06-21 to ``docs/archives/PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md`` (per DOC\_STATUS §3e / finding #1). Since QUALITY\_ITERATIONS.md lives in ``docs/``, the fix target is ``archives/PER_VIDEO_OUTPUT_LAYOUT-SUPERSEDED-2026-06-21.md``.
3. `**`docs/data_pipeline/VIDEO_RECORDING_GUIDELINES.md:10`** ? `archives/research/AUDIO_RALLY_DETECTION_PLAN.md``. The file IS at ``docs/archives/research/...``, but the link is relative to ``docs/data_pipeline/``, so it resolves to ``docs/data_pipeline/archives/...`` (missing). This doc was relocated to ``data_pipeline/`` on 2026-06-21 and this link wasn't rewired. Fix: ``../archives/research/AUDIO_RALLY_DETECTION_PLAN.md``.

Let me verify fix #1's slug exactly and confirm the relative-path fixes resolve.

31. user (2026-06-29T17:03:33.749Z)

```
heading '4. Open decisions (for the owner)' -> 4-open-decisions-for-the-owner
--- verify QUALITY fix resolves ---
OK target exists
--- verify VIDEO_RECORDING fix resolves: docs/data_pipeline/./archives/research/... ---
OK resolves
```

32. assistant (2026-06-29T17:03:37.303Z)

All three fixes verified. Now let me confirm the README.md (root) heading anchor for "Workflow conventions" and check the PR template situation conclusively, plus double-check there's no existing link-check job already. Let me also confirm the `tools/leak\_scan.py` invocation pattern to mirror it for the proposed CI job.

33. user (2026-06-29T17:03:47.339Z)

```
=== no PR template anywhere? ===
./.github
=== leak_scan main shape (mirror for new tool) ===
"""Leak-scan guard ? refuse to commit obvious PII / attribution leaks into the code surface.

A *structural* CI guard (deliberately NOT a name detector): it scans the TRACKED text files
under
the code/data roots for

    (a) a 32-hex MD5 token ? the ``video_id`` shape
    (``backend/utils/hashing.py::compute_video_id``);
        16-hex ``fx`` fixture slugs and 12-hex ``gt_hash`` values do NOT match, by design.
    (b) a personal absolute user path ? ``C:\\Users\\<name>``, ``/home/<name>/``,
        ``/Users/<name>/`` ?
        where ``<name>`` is a real username (documented placeholders like ``<name>``/``<user>``
        are OK).
```

```
Optionally, given a PRIVATE (gitignored) name-list via ``--names`` (default
``<root>/leakscan_private``
if present), it ALSO flags those tokens ? so the owner can scan for real player/venue names
locally
while CI runs only the name-free structural guard (you can't commit a name-list to scan for).
```

```
A line carrying ``# leakscan-allow`` is skipped (escape hatch for a legitimate token, e.g. an
MD5
test-vector). Run ``python -m tools.leak_scan`` (exit 1 on any finding). SCOPE = the shipped-
code
surface (``backend/ training/ scripts/ tools/ eval_baselines/``); ``tests/`` (legit example
fixtures), ``docs/``, and gitignored ``scratch/``/``output/`` are NOT scanned (scan those
locally
with ``--names`` against a private list if desired).
```

```
"""
=== does tools/leak_scan run as -m? has __main__? ===
24:import argparse
159:def main(argv: Optional[Sequence[str]] = None) -> int:
160:    ap = argparse.ArgumentParser(
194:if __name__ == "__main__":
```

34. assistant (2026-06-29T17:03:52.133Z)

Confirmed: there is no PR template anywhere in the repo (only `.github/workflows/`). The CI mirrors the `python -m tools.leak\_scan` pattern. The proposed link-checker should follow the same convention: a committed stdlib script under `tools/` run via `python -m tools.check\_md\_links`, added as a job in `.github/workflows/ci.yml`.

Now I want to make the committed script scope-aware: live docs are a hard failure; archived docs are expected-historical (DOC_STATUS \$2 step 5) so they should be allowlisted/excluded. Let me verify my understanding by checking that there are no broken links pointing INTO archives from live docs other than the ones found, and confirm the count split.

35. user (2026-06-29T17:03:58.712Z)

```
TOTAL (all):  
52  
LIVE (non-archive):  
3  
ARCHIVED:  
49
```

36. assistant (2026-06-29T17:04:08.872Z)

Counts confirmed: 52 total, 3 in live docs, 49 inside `docs/archives/`. I have everything I need. Let me get the exact README.md root anchor for "Workflow conventions" to decide the best codification location, and confirm CLAUDE.md's "Workflow conventions" is the right spot (it is ? it's the section I read at lines 64-70).

The 49 archived breakages are mostly relative links that became historical by design (DOC_STATUS \$2 step 5 says "Relative links inside become historical"). The DECOUPLED_COMPUTE cluster (39 of them) moved to `past\_projects/` and its `../` links now point one level too shallow. These are expected per policy, so the committed CI checker should treat `docs/archives/\*\*` as a soft/excluded scope and the 3 live ones as the must-fix set.

I have all the information needed. Let me write up the structured output.

37. user (2026-06-29T17:05:48.115Z)

Structured output provided successfully