

codex-windows / 019f2174-39ee-7ab0-9495-1769fdfec0fe

Metadata

```
- Source: `codex-windows`  
- Kind: `codex`  
- Source file: `C:\Users\avidu\.codex\sessions\2026\07\02\rollout-2026-07-02T11-41-32-019f2174-39ee-7ab0-9495-1769fdfec0fe.jsonl`  
- SHA-256: `6ee0b2e84815ab701407d3996dc6407b9dc7d8ba0120bfe14a240db227e0bd5e`  
- Source modified: `2026-07-02T06:11:32+00:00`  
- Imported at: `2026-07-05T16:48:15+00:00`  
- cli_version: `0.142.5`  
- cwd: `c:\Users\avidu\Projects\badminton-highlight-indexer`  
- model_provider: `openai`  
- session_id: `019f2174-39ee-7ab0-9495-1769fdfec0fe`  
- source: `vscode`
```

Transcript

1. user (2026-07-02T06:11:32.975Z)

```
<command-name>/model</command-name>  
  <command-message>model</command-message>  
  <command-args>default</command-args>
```

2. user (2026-07-02T06:11:32.975Z)

```
<local-command-stdout>Set model to claude-opus-4-8[1m]</local-command-stdout>
```

3. user (2026-07-02T06:11:32.975Z)

hello - can you check whether there are any open files or pending or lingering items/files in this repo?

4. assistant (2026-07-02T06:11:32.975Z)

I'll check the repo state. First, let me follow the repo-freshness convention and look at the working tree.

5. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_call: PowerShell]  
description: Fetch and show git status  
command: git fetch origin 2>&1 | Select-Object -First 5; echo "---STATUS---"; git status; echo "  
---BEHIND/AHEAD---"; git rev-list --left-right --count origin/master...HEAD  
[/external_agent_tool_call]
```

6. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_result]  
---STATUS---  
On branch master  
Your branch is up to date with 'origin/master'.  
  
nothing to commit, working tree clean  
---BEHIND/AHEAD---  
0          0  
[/external_agent_tool_result]
```

7. assistant (2026-07-02T06:11:32.975Z)

Working tree is clean and synced with `origin/master`. Let me check for other lingering items ?

stashes, stray branches, and scratch/temp artifacts.

8. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_call: PowerShell]
description: Check stashes, branches, ignored files
command: echo "=== STASHES ==="; git stash list; echo "=== LOCAL BRANCHES ==="; git branch -vv;
echo "=== UNTRACKED+IGNORED (top level) ==="; git status --ignored --short | Select-Object
-First 40
[/external_agent_tool_call]
```

9. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_result]
=== STASHES ===
=== LOCAL BRANCHES ===
* master 43578a7 [origin/master] chore(gcp): teardown.sh accepts RALLY_VM_NAME (align with
create_gpu_vm.sh) (#392)
=== UNTRACKED+IGNORED (top level) ===
!! .claude/
!! .coverage
!! .env
!! .mypy_cache/
!! .pytest_cache/
!! .ruff_cache/
!! __pycache__/
!! artifacts/
!! backend.db
!! backend/__pycache__/
!! backend/annotations/__pycache__/
!! backend/api/__pycache__/
!! backend/audio/
!! backend/compute/__pycache__/
!! backend/config/__pycache__/
!! backend/detectors/
!! backend/eval/__pycache__/
!! backend/eval/audio/__pycache__/
!! backend/features/__pycache__/
!! backend/infrastructure/__pycache__/
!! backend/pipeline/audio/__pycache__/
!! backend/pipeline/detectors/__pycache__/
!! backend/pipeline/personalization/__pycache__/
!! backend/pipeline/segmenters/__pycache__/
!! backend/pipeline/stitcher/__pycache__/
!! backend/pipeline/validators/__pycache__/
!! backend/providers/__pycache__/
!! backend/reporting/__pycache__/
!! backend/sports/__pycache__/
!! backend/stitcher/
!! backend/storage/__pycache__/
!! backend/tools/__pycache__/
!! backend/utils/__pycache__/
!! backend/worker/__pycache__/
!! indexer.db
!! output/
!! rally_index.db
!! scratch/ABLATION_FRAMEWORK_PLAN.md
!! scratch/GATE_AB_NUMBERS_AND_IMPLICATIONS.md
!! scratch/HIGH_RISK_REMEDIATION_PLAN.md
[/external_agent_tool_result]
```

10. assistant (2026-07-02T06:11:32.975Z)

Clean working tree, no stashes, only `master`. The untracked items are all gitignored (caches,

DBs, artifacts, scratch). Let me check open PRs and what's lingering in scratch/.

11. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_call: PowerShell]
description: List open PRs and scratch contents
command: echo "=== OPEN PRs ==="; gh pr list --state open --limit 30 2>&1; echo "=== SCRATCH DIR
==="; Get-ChildItem scratch -ErrorAction SilentlyContinue | Select-Object
Mode,LastWriteTime,Name | Format-Table -AutoSize
[/external_agent_tool_call]
```

12. assistant (2026-07-02T06:11:32.975Z)

```
[external_agent_tool_result]
=== OPEN PRs ===
390 refactor(D1/P10): extract orchestration.py from main.py (god-module split, step 1)
refactor/p10-split-main OPEN 2026-06-26T14:28:06Z
389 docs(nightly): add person-cue Stage-1 stats lane to the engine-regression plan (design)
docs/nightly-person-cue-lane OPEN 2026-06-26T13:45:39Z
=== SCRATCH DIR ===
```

Mode	LastWriteTime	Name
----	-----	----
d----	6/20/2026 1:12:10 AM	__pycache__
d----	6/15/2026 10:44:31 PM	boxhill_highlights_stage
d----	6/20/2026 3:28:52 PM	gpu_validate
d----	6/20/2026 9:57:14 PM	m2_deploy
d----	6/20/2026 8:42:17 PM	segs
d----	6/20/2026 7:53:50 PM	stage
d----	6/21/2026 7:15:12 PM	stitch_validate
-a---	6/14/2026 12:36:47 PM	_final_p1.png
-a---	6/14/2026 12:36:47 PM	_final_p4.png
-a---	6/14/2026 12:34:05 PM	_fusion_ablation_chart.png
-a---	6/15/2026 8:54:07 PM	_pov_final_p2.png
-a---	6/15/2026 8:39:20 PM	_pov_p1.png
-a---	6/15/2026 8:39:20 PM	_pov_p2.png
-a---	6/14/2026 12:35:12 PM	_rev_p1.png
-a---	6/14/2026 12:35:12 PM	_rev_p2.png
-a---	6/14/2026 12:35:12 PM	_rev_p3.png
-a---	6/14/2026 12:35:12 PM	_rev_p4.png
-a---	6/14/2026 12:35:12 PM	_rev_p5.png
-a---	6/14/2026 12:35:12 PM	_rev_p6.png
-a---	6/14/2026 12:35:12 PM	_rev_p7.png
-a---	6/14/2026 12:35:33 PM	_zoom_chart.png
-a---	6/14/2026 12:35:34 PM	_zoom_tbl1.png
-a---	6/14/2026 8:36:13 AM	ab_eval_demo.py
-a---	6/14/2026 9:18:39 AM	ab_n6_lovo.py
-a---	6/14/2026 3:22:50 PM	ABLATION_FRAMEWORK_PLAN.md
-a---	6/14/2026 4:03:10 PM	ablation_report.pdf
-a---	6/19/2026 2:24:30 PM	analyze_19june.py
-a---	5/30/2026 2:08:12 PM	analyze_motion.py
-a---	6/19/2026 10:13:04 PM	analyze_multishuttle_142.py
-a---	5/27/2026 11:08:14 AM	arial.ttf
-a---	6/16/2026 7:48:51 PM	at_par.py
-a---	6/14/2026 2:49:07 AM	ci_commit_msg.txt
-a---	5/30/2026 2:08:12 PM	clean_state.py
-a---	6/19/2026 6:36:53 PM	compare_19june_report.py
-a---	6/16/2026 8:48:54 AM	compare_local_vs_gemini.py
-a---	6/22/2026 3:51:14 PM	copy_videos_to_gcs.ps1
-a---	6/13/2026 8:52:18 PM	debug_wsl.py
-a---	5/30/2026 2:08:12 PM	diagnose_rally.py
-a---	6/19/2026 11:05:01 PM	eval_multitrack_19june.py
-a---	6/20/2026 1:14:47 AM	eval_multitrack_gx128_golden.py
-a---	6/19/2026 4:04:33 PM	extract_19june.py
-a---	6/19/2026 10:20:06 PM	extract_multishuttle_frames_142.py

```
-a--- 6/17/2026 1:54:06 PM extract_newclips_until_done.ps1
-a--- 6/19/2026 9:42:07 PM extract_person_19june.py
-a--- 6/14/2026 10:58:54 AM extract_until_done.ps1
-a--- 6/16/2026 6:02:05 PM extract_val_until_done.ps1
-a--- 6/14/2026 1:35:11 PM extract_wrapper.log
-a--- 6/14/2026 3:21:57 PM gate_ab_ablation_result.json
-a--- 6/14/2026 3:21:39 PM gate_ab_ablation.py
-a--- 6/14/2026 3:22:21 PM gate_ab_detail.py
-a--- 6/14/2026 3:24:16 PM GATE_AB_NUMBERS_AND_IMPLICATIONS.md
-a--- 6/19/2026 6:35:54 PM gemini_detect_19june.py
-a--- 6/18/2026 1:47:19 PM gemini_long_detect.py
-a--- 5/30/2026 2:08:13 PM gemini_video_debugger.py
-a--- 6/22/2026 3:30:59 PM golden.gcs.json
-a--- 6/10/2026 11:50:47 AM HIGH_RISK_REMEDIATION_PLAN.md
-a--- 6/20/2026 8:42:17 PM highlight_smoke_l4.mp4
-a--- 6/20/2026 8:50:16 PM hl_contact.png
-a--- 6/13/2026 1:57:32 PM keep_awake.ps1
-a--- 6/20/2026 12:12:56 AM keepawake.py
-a--- 6/20/2026 8:41:57 PM l4_intervals.csv
-a--- 5/30/2026 2:08:13 PM list_models.py
-a--- 6/15/2026 10:38:46 PM make_boxhill_highlights.py
-a--- 6/22/2026 3:27:11 PM make_cloud_manifest.py
-a--- 6/20/2026 8:39:32 PM make_highlight.py
-a--- 6/15/2026 8:53:52 PM make_product_overview_pdf.py
-a--- 6/22/2026 6:03:40 PM measure_gate_a.py
-a--- 6/22/2026 6:11:26 PM measure_served_gate_a_15clip.py
-a--- 6/22/2026 3:30:55 PM migrate_golden_to_gcs.py
-a--- 6/19/2026 10:49:20 PM multitrack_select.py
-a--- 6/20/2026 8:25:20 PM native_smoke_l4.csv
-a--- 6/14/2026 2:15:34 AM obs_commit_msg.txt
-a--- 6/20/2026 8:13:28 PM opsagent.sh
-a--- 6/19/2026 10:22:...
[/external_agent_tool_result]
```

13. assistant (2026-07-02T06:11:32.975Z)

Here's the full picture ? the repo is in a ****clean state****, nothing is actually pending in git.

Working tree

- ****Clean & synced**** ? `master` is up to date with `origin/master` (0 ahead / 0 behind), no modified or staged files.
- ****No stashes****, and only one local branch (`master`) ? no stray feature branches lingering.

Open PRs on GitHub (2)

These are the only "open items" in the project ? both are recent and not yours from this session:

- ****#390**** ? `refactor(D1/P10): extract orchestration.py from main.py (god-module split, step 1)` (branch `refactor/p10-split-main`, opened 2026-06-26)
- ****#389**** ? `docs(nightly): add person-cue Stage-1 stats lane to the engine-regression plan (design)` (branch `docs/nightly-person-cue-lane`, opened 2026-06-26)

"Lingering" files ? all gitignored, nothing untracked-but-meant-to-be-committed

Everything outside git is expected per the repo's ignore rules:

- Caches/DBs/build artifacts: `.coverage`, `.mypy\_cache/`, `.pytest\_cache/`, `\_\_pycache\_\_`, `\*.db`, `artifacts/`, `output/`
- ****`scratch/`**** ? ~100 experimental scripts, logs, PNGs, draft `.md` plans, and a `rally.tgz`. This directory is ****gitignored by design**** (per your file-placement convention) and is just accumulated experiment debris from past sessions (mostly mid-June). None of it is tracked or at risk of riding into a commit.

Bottom line

Nothing is half-committed, stashed, or stranded on an orphan branch. The only genuinely "open" items are the ****two open PRs (#389, #390)****.

- Want me to:
- 1. **Review/triage** the two open PRs** (#389 docs, #390 refactor)?
 - 2. **Tidy** `scratch/`** ? it's a few hundred MB of stale experiment files (e.g. `rally.tgz`, old PNGs/PDFs, `\*\_wrapper.log`)? I'd do a dry-run listing first before deleting anything.
 - 3. Leave everything as-is?

14. user (2026-07-02T06:11:32.975Z)

please tidy up the scratch/1

15. assistant (2026-07-02T06:11:32.976Z)

Let me look before I delete anything ? sizes and breakdown first.

16. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: Measure scratch dir sizes
command: $s = "scratch"
$total = (Get-ChildItem $s -Recurse -File -ErrorAction SilentlyContinue | Measure-Object Length
-Sum).Sum
"TOTAL scratch/: {0:N1} MB" -f ($total/1MB)
"n=== Top-level subdirs (size) ==="
Get-ChildItem $s -Directory | ForEach-Object {
    $sz = (Get-ChildItem $_.FullName -Recurse -File -EA SilentlyContinue | Measure-Object Length
-Sum).Sum
    [PSCustomObject]@{ Name=$_.Name; MB=[math]::Round($sz/1MB,1); LastWrite=$_.LastWriteTime }
} | Sort-Object MB -Descending | Format-Table -AutoSize
"n=== Largest files ==="
Get-ChildItem $s -File | Sort-Object Length -Descending | Select-Object -First 15
@{n='MB';e={[math]::Round($_.Length/1MB,2)}}, LastWriteTime, Name | Format-Table -AutoSize
[/external_agent_tool_call]
```

17. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
TOTAL scratch/: 3,528.0 MB
```

=== Top-level subdirs (size) ===

Name	MB	LastWrite
----	--	-----
stage	1892.90	6/20/2026 7:53:50 PM
boxhill_highlights_stage	1379.50	6/15/2026 10:44:31 PM
stitch_validate	167.30	6/21/2026 7:15:12 PM
segs	30.30	6/20/2026 8:42:17 PM
gpu_validate	19.70	6/20/2026 3:28:52 PM
m2_deploy	1.10	6/20/2026 9:57:14 PM
__pycache__	0.10	6/20/2026 1:12:10 AM

=== Largest files ===

MB	LastWriteTime	Name
--	-----	----
30.28	6/20/2026 8:42:17 PM	highlight_smoke_l4.mp4
1.14	6/20/2026 8:02:12 PM	rally.tgz
1.00	5/27/2026 11:08:14 AM	arial.ttf
0.40	6/14/2026 12:35:12 PM	_rev_p2.png
0.37	6/14/2026 12:35:12 PM	_rev_p6.png
0.33	6/14/2026 12:35:12 PM	_rev_p1.png
0.30	6/20/2026 8:50:16 PM	hl_contact.png
0.30	6/14/2026 12:35:12 PM	_rev_p5.png
0.29	6/14/2026 12:35:12 PM	_rev_p4.png

```
0.27 6/15/2026 8:39:20 PM _pov_p2.png
0.27 6/14/2026 12:36:47 PM _final_p1.png
0.26 6/15/2026 8:54:07 PM _pov_final_p2.png
0.24 6/14/2026 12:34:05 PM Rally_Detection_Quality_Report.pdf
0.23 6/14/2026 12:36:47 PM _final_p4.png
0.23 6/15/2026 8:39:20 PM _pov_p1.png
[/external_agent_tool_result]
```

18. assistant (2026-07-02T06:11:32.976Z)

3.5 GB total ? and **~3.4 GB of it is regenerable staged data** in subdirs (extracted frames, intermediate outputs, validation runs). The loose scripts/docs/reports are tiny (<6 MB combined). Let me peek inside the big subdirs to confirm they're regenerable before purging.

19. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: Peek into heavy scratch subdirs
command: foreach ($d in
"stage", "boxhill_highlights_stage", "stitch_validate", "segs", "gpu_validate", "m2_deploy") {
    "=== scratch/$d ==="
    Get-ChildItem "scratch/$d" -EA SilentlyContinue | Select-Object -First 6 Mode, Name | Format-
Table -AutoSize
}
[/external_agent_tool_call]
```

20. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
=== scratch/stage ===

Mode Name
----
-a--- Badminton BXH 2_proxy.rallies.csv
-a--- Boxhill Doubles_proxy.rallies.csv
-a--- GX010128.rallies.csv
-a--- GX020094_proxy.rallies.csv
-a--- GX030094_proxy.mp4
-a--- GX030094_proxy.rallies.csv

=== scratch/boxhill_highlights_stage ===

Mode Name
----
-a--- Adarsh v Vasant.MP4

=== scratch/stitch_validate ===

Mode Name
----
-a--- clip.mp4
-a--- highlights_dryrun.mp4
-a--- intervals.csv

=== scratch/segs ===

Mode Name
----
-a--- list.txt
-a--- seg_000.mp4
-a--- seg_001.mp4
-a--- seg_002.mp4
-a--- seg_003.mp4
-a--- seg_004.mp4
```

```
=== scratch/gpu_validate ===
```

```
Mode  Name
----  ----
d---- bucket
d---- bucket_auto
d---- cache1
d---- cache2
d---- out
d---- out_auto
```

```
=== scratch/m2_deploy ===
```

```
Mode  Name
----  ----
-a--- box_setup.sh
-a--- rally.tgz
-a--- run_m2.sh
[/external_agent_tool_result]
```

21. assistant (2026-07-02T06:11:32.976Z)

Confirmed ? these are all regenerable experiment intermediates (proxy videos, extracted segments, validation reels, caches). One item gives me pause: `boxhill\_highlights\_stage/Adarsh v Vasant.MP4` looks like a ****source video copy**** (1.4 GB), not a pipeline output. Let me check the video files to separate originals from regenerable proxies/outputs.

22. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: List all video files in scratch with sizes
command: Get-ChildItem scratch -Recurse -File -Include *.mp4,*.MP4 -EA SilentlyContinue |
  Sort-Object Length -Descending |
  Select-Object @{n='MB';e={[math]::Round($_.Length/1MB,1)}},
@{n='Path';e={$_.FullName.Replace((Resolve-Path scratch).Path,'scratch')}} |
  Format-Table -AutoSize
[/external_agent_tool_call]
```

23. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
  MB Path
--  ----
1379.50 scratch\boxhill_highlights_stage\Adarsh v Vasant.MP4
1363.70 scratch\stage\GX030094_proxy.mp4
 523.40 scratch\stage\mahadevpura-1.MP4
  86.00 scratch\stitch_validate\clip.mp4
 81.30 scratch\stitch_validate\highlights_dryrun.mp4
 30.30 scratch\highlight_smoke_l4.mp4
  9.40 scratch\gpu_validate\out_auto\in.mp4
  9.40 scratch\gpu_validate\clip20.mp4
  2.20 scratch\segs\seg_013.mp4
  2.20 scratch\segs\seg_016.mp4
  1.80 scratch\segs\seg_003.mp4
  1.70 scratch\segs\seg_009.mp4
  1.70 scratch\segs\seg_015.mp4
  1.70 scratch\segs\seg_008.mp4
  1.70 scratch\segs\seg_010.mp4
  1.60 scratch\segs\seg_004.mp4
  1.50 scratch\segs\seg_018.mp4
  1.50 scratch\segs\seg_006.mp4
  1.50 scratch\segs\seg_012.mp4
  1.50 scratch\segs\seg_002.mp4
  1.30 scratch\segs\seg_020.mp4
```

```
1.30 scratch\segs\seg_011.mp4
1.30 scratch\segs\seg_000.mp4
1.00 scratch\segs\seg_017.mp4
0.80 scratch\segs\seg_001.mp4
0.80 scratch\segs\seg_005.mp4
0.80 scratch\segs\seg_021.mp4
0.80 scratch\segs\seg_014.mp4
0.80 scratch\segs\seg_019.mp4
0.70 scratch\segs\seg_007.mp4
0.20 scratch\gpu_validate\out\in.mp4
0.20 scratch\gpu_validate\sample.mp4
[/external_agent_tool_result]
```

24. assistant (2026-07-02T06:11:32.976Z)

Now I have a clear picture. Two files look like **original source match videos** (not pipeline outputs): `Adarsh v Vasant.MP4` (1.4 GB) and `mahadevpura-1.MP4` (523 MB) ? named like real matches, not `\_proxy`/`seg`/`clip`. Let me check the remaining contents of those two dirs so I don't delete an only-copy original alongside the regenerable stuff.

25. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: Full listing of the two dirs with originals
command: "=== boxhill_highlights_stage (full) ==="
Get-ChildItem scratch/boxhill_highlights_stage -Recurse -File | Select-Object
@{n='MB';e={[math]::Round($_.Length/1MB,2)}}, Name | Format-Table -AutoSize
"=== stage (full) ==="
Get-ChildItem scratch/stage -Recurse -File | Select-Object
@{n='MB';e={[math]::Round($_.Length/1MB,2)}}, Name | Format-Table -AutoSize
[/external_agent_tool_call]
```

26. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
=== boxhill_highlights_stage (full) ===

    MB Name
    -- ----
1379.47 Adarsh v Vasant.MP4

=== stage (full) ===

    MB Name
    -- ----
0.00 Badminton BXH 2_proxy.rallies.csv
0.00 Boxhill Doubles_proxy.rallies.csv
0.00 GX010128.rallies.csv
0.00 GX020094_proxy.rallies.csv
1363.70 GX030094_proxy.mp4
0.00 GX030094_proxy.rallies.csv
523.40 mahadevpura-1.MP4
0.00 mahadevpura-1.rallies.csv
0.00 mahadevpura-2_proxy.rallies.csv
5.82 wasb_badminton_best.pth.tar
[/external_agent_tool_result]
```

27. assistant (2026-07-02T06:11:32.976Z)

Now everything's clear. Important finds before I touch anything:

- **stage/wasb_badminton_best.pth.tar** (5.8 MB) ? that's the **WASB shuttle-detector model weights**. Not regenerable trivially ? I'll keep it.
- **Adarsh v Vasant.MP4** (1.4 GB) and **mahadevpura-1.MP4** (523 MB) ? **original source**

match videos**, not pipeline outputs. I'll hold these for your call.

- Tiny ``.rallies.csv`` files (KB each) ? rally outputs, keeping.

I'll delete the ****regenerable bulk**** (~1.8 GB) now and preserve everything above.

28. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: Delete regenerable scratch bulk
command: $before = (Get-ChildItem scratch -Recurse -File -EA SilentlyContinue | Measure-Object
Length -Sum).Sum
$targets = @(
    "scratch/stage/GX030094_proxy.mp4",    # regenerable downsampled proxy
    "scratch/stitch_validate",             # validation reels
    "scratch/secs",                        # extracted segments
    "scratch/gpu_validate",                # caches / bucket mirrors / outputs
    "scratch/m2_deploy",                   # deploy scripts + rally.tgz copy
    "scratch/highlight_smoke_l4.mp4",     # smoke-test output reel
    "scratch/rally.tgz",                   # build tarball
    "scratch/__pycache__"
)
foreach ($t in $targets) {
    if (Test-Path $t) { Remove-Item $t -Recurse -Force; "deleted: $t" }
    else { "skip (absent): $t" }
}
$after = (Get-ChildItem scratch -Recurse -File -EA SilentlyContinue | Measure-Object Length
-Sum).Sum
"$nFreed: {0:N1} MB    |    scratch/ now: {1:N1} MB" -f (($before-$after)/1MB), ($after/1MB)
[/external_agent_tool_call]
```

29. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
deleted: scratch/stage/GX030094_proxy.mp4
deleted: scratch/stitch_validate
deleted: scratch/secs
deleted: scratch/gpu_validate
deleted: scratch/m2_deploy
deleted: scratch/highlight_smoke_l4.mp4
deleted: scratch/rally.tgz
deleted: scratch/__pycache__

Freed: 1,613.8 MB    |    scratch/ now: 1,914.3 MB
[/external_agent_tool_result]
```

30. assistant (2026-07-02T06:11:32.976Z)

Freed ****1.6 GB****. The remaining 1.9 GB is almost entirely the two source originals plus the model weights and tiny files.

What I removed (1.6 GB, all regenerable)

- ``.stage/GX030094_proxy.mp4`` (1.36 GB downsampled proxy)
- ``.stitch_validate/`` (167 MB validation reels) · ``.secs/`` (30 MB segments) · ``.gpu_validate/`` (20 MB caches/outputs)
- ``.highlight_smoke_l4.mp4`` (30 MB smoke reel) · ``.m2_deploy/`` + ``.rally.tgz`` (deploy/build tarballs) · ``.__pycache__/``

What I kept

- ? ****`stage/wasb\_badminton\_best.pth.tar`**** ? WASB model weights (not trivially regenerable)
- ? All loose ****scripts/docs**** (``.trim_video.py``, ``.at_par.py``, plan ``.md`s`, etc. ? several are referenced as reusable tools)
- ? Tiny ``.rallies.csv`` outputs

Needs your call ? two source originals (~1.9 GB)

These are real match videos, not pipeline outputs, so I didn't auto-delete:

- `scratch/boxhill\_highlights\_stage/Adarsh v Vasant.MP4` ? **1.4 GB**
- `scratch/stage/mahadevpura-1.MP4` ? **523 MB**

Your memory notes that **GCS (`gs://khelsutra-rally-corpus`) is the corpus source of truth**. If these are already in the bucket/Drive, they're safe to delete here (recovers the full 1.9 GB).

Want me to:

31. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: AskUserQuestion]
input: {"questions":[{"question":"How should I handle the two source match videos in scratch/ (~1.9 GB)?","header":"Source videos","multiSelect":false,"options":[{"label":"Delete both","description":"Remove Adarsh v Vasant.MP4 + mahadevpura-1.MP4. Choose only if they're already in GCS/Drive ? recovers the full 1.9 GB."},{label":"Keep both","description":"Leave them in scratch/ as-is. Nothing more deleted."},{label":"Verify in GCS first","description":"I'll check gs://khelsutra-rally-corpus for these filenames, then delete only the ones confirmed backed up."}]]}
[/external_agent_tool_call]
```

32. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_result]
Your questions have been answered: "How should I handle the two source match videos in scratch/ (~1.9 GB)?"="Verify in GCS first". You can now continue with these answers in mind.
[/external_agent_tool_result]
```

33. assistant (2026-07-02T06:11:32.976Z)

I'll check the GCS corpus bucket for these two filenames before deleting anything.

34. assistant (2026-07-02T06:11:32.976Z)

```
[external_agent_tool_call: PowerShell]
description: Search GCS corpus for the two source videos
command: $ok = $true
try { gcloud --version *$null } catch { $ok = $false }
if (-not $ok) { "gcloud not available on PATH" }
"=== gsutil ls recursive, filtering for the two names ==="
gsutil ls -r "gs://khelsutra-rally-corpus/**" 2>&1 | Select-String -Pattern
"Adarsh|Vasant|mahadevpura" -SimpleMatch
[/external_agent_tool_call]
```

35. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_result]
=== gsutil ls recursive, filtering for the two names ===
[/external_agent_tool_result]
```

36. assistant (2026-07-02T06:11:32.977Z)

No matches ? but I need to confirm the bucket is actually reachable (empty result could mean auth/bucket error, not "absent"). Let me verify.

37. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_call: PowerShell]
description: Verify bucket reachable and list videos
command: "=== bucket reachable? top-level ==="
gsutil ls "gs://khelsutra-rally-corpus/" 2>&1 | Select-Object -First 20
"=== count of video objects in bucket ==="
```

```
$vids = gsutil ls -r "gs://khelsutra-rally-corpus/**" 2>&1 | Select-String -Pattern
"\.(mp4|MP4|MOV|mov)$"
"video objects found: " + ($vids | Measure-Object).Count
$vids | Select-Object -First 40
[/external_agent_tool_call]
```

38. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_result]
=== bucket reachable? top-level ===
gs://khelsutra-rally-corpus/archive/
gs://khelsutra-rally-corpus/highlights/
gs://khelsutra-rally-corpus/labels/
gs://khelsutra-rally-corpus/manifests/
gs://khelsutra-rally-corpus/models/
gs://khelsutra-rally-corpus/outputs/
gs://khelsutra-rally-corpus/promo/
gs://khelsutra-rally-corpus/trajectories/
gs://khelsutra-rally-corpus/videos/
gs://khelsutra-rally-corpus/weights/
=== count of video objects in bucket ===
video objects found: 23

gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/output/highlights-
one.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-test-20260625/output/highlights-
shannon.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/output/highlights.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/uploads/ShannanShortClip.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/uploads/SmokeTestBadmintonClip.mp4
gs://khelsutra-rally-corpus/archive/droplet-claude-do-rally-
test-20260625/uploads/sample.mp4
gs://khelsutra-rally-corpus/highlights/curated_top10_longest.mp4
gs://khelsutra-rally-corpus/highlights/p3_packaging_highlights.mp4
gs://khelsutra-rally-
corpus/outputs/05e0e577029daafc425ca70c0c4f0a3/highlight_smoke_l4.mp4
gs://khelsutra-rally-corpus/promo/full_cuj_real.mp4
gs://khelsutra-rally-corpus/promo/khelsutra-bucket-cuj-screencast.mp4
gs://khelsutra-rally-corpus/promo/khelsutra-i18n-screencast.mp4
gs://khelsutra-rally-corpus/promo/promo_cuj.mp4
gs://khelsutra-rally-corpus/videos/GX010142_1080p.mp4
gs://khelsutra-rally-corpus/videos/GX010143_1080p.mp4
gs://khelsutra-rally-corpus/videos/GX010147_1080p.mp4
gs://khelsutra-rally-corpus/videos/GX030094_proxy.mp4
gs://khelsutra-rally-corpus/videos/SHANAN/VID_1.mp4
gs://khelsutra-rally-corpus/videos/SHANAN/VID_2.mp4
gs://khelsutra-rally-corpus/videos/SHANAN/VID_3.mp4
gs://khelsutra-rally-corpus/videos/mahadevpura-1.MP4
gs://khelsutra-rally-corpus/videos/mahadevpura_1.mp4
gs://khelsutra-rally-corpus/videos/mahadevpura_smoke_180s.mp4
[/external_agent_tool_result]
```

39. assistant (2026-07-02T06:11:32.977Z)

Bucket reachable (23 videos). Results:

```
- **`mahadevpura-1.MP4`** ? ? **present** at `gs://khelsutra-rally-
corpus/videos/mahadevpura-1.MP4`
- **`Adarsh v Vasant.MP4`** ? ? **NOT in the bucket** (no "Adarsh"/"Vasant" anywhere) ? this
appears to be the **only copy**
```

Let me confirm the GCS `mahadevpura-1.MP4` size matches the local file before deleting it (size

mismatch = different file, don't delete).

40. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_call: PowerShell]
description: Compare local vs GCS size for mahadevpura-1
command: $local = (Get-Item "scratch/stage/mahadevpura-1.MP4").Length
"local bytes: $local"
$remote = (gsutil stat "gs://khehsutra-rally-corpus/videos/mahadevpura-1.MP4" 2>&1 | Select-String "Content-Length:").ToString().Trim()
"remote $remote"
[/external_agent_tool_call]
```

41. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_result]
local bytes: 548827049
remote Content-Length: 548827049
[/external_agent_tool_result]
```

42. assistant (2026-07-02T06:11:32.977Z)

Exact byte match (548,827,049) ? confirmed identical. Deleting the local `mahadevpura-1.MP4`; keeping `Adarsh v Vasant.MP4` since it's the only copy.

43. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_call: PowerShell]
description: Delete backed-up video and report final state
command: Remove-Item "scratch/stage/mahadevpura-1.MP4" -Force
"deleted: scratch/stage/mahadevpura-1.MP4 (backed up in GCS)"
$total = (Get-ChildItem scratch -Recurse -File -EA SilentlyContinue | Measure-Object Length -Sum).Sum
"`nscratch/ now: {0:N1} MB (was 3,528 MB)" -f ($total/1MB)
"`n=== what remains (subdirs) ==="
Get-ChildItem scratch -Directory | ForEach-Object {
    $sz=(Get-ChildItem $_.FullName -Recurse -File -EA SilentlyContinue|Measure-Object Length -Sum).Sum
    [PSCustomObject]@{Name=$_.Name;MB=[math]::Round($sz/1MB,1)}
} | Format-Table -AutoSize
"loose files: " + (Get-ChildItem scratch -File).Count + " (scripts/docs/csv/png + 1.4GB Adarsh source + weights)"
[/external_agent_tool_call]
```

44. assistant (2026-07-02T06:11:32.977Z)

```
[external_agent_tool_result]
deleted: scratch/stage/mahadevpura-1.MP4 (backed up in GCS)

scratch/ now: 1,390.8 MB (was 3,528 MB)

=== what remains (subdirs) ===

Name                               MB
----                               --
boxhill_highlights_stage 1379.50
stage                       5.80

loose files: 111 (scripts/docs/csv/png + 1.4GB Adarsh source + weights)
[/external_agent_tool_result]
```

45. assistant (2026-07-02T06:11:32.977Z)

Done. `scratch/` went from **3,528 MB ? 1,391 MB** (freed **~2.1 GB**).

Summary

****Deleted (all regenerable or backed-up):****

- 1.6 GB regenerable intermediates ? proxy video, validation reels, segments, GPU caches, smoke reel, deploy/build tarballs, `\_\_pycache\_\_`
- `mahadevpura-1.MP4` (523 MB) ? verified ****byte-identical**** to `gs://khelsutra-rally-corpus/videos/mahadevpura-1.MP4` before deleting

****Kept:****

- ?? ****`boxhill\_highlights\_stage/Adarsh v Vasant.MP4` (1.4 GB)**** ? ****not found in GCS; appears to be the only copy****, so I left it. This is now 99% of what's left in scratch/. If you have it backed up elsewhere (or want to push it to the bucket), I can delete it to reclaim the last 1.4 GB.
- `stage/wasb\_badminton\_best.pth.tar` (5.8 MB) ? WASB model weights
- 111 loose files ? reusable scripts (`trim\_video.py`, `at\_par.py`, ?), plan docs, tiny
`.rallies.csv` outputs, screenshots/PDFs

Nothing tracked by git was touched ? `scratch/` is gitignored, working tree is still clean.

One flag worth your attention: ****`Adarsh v Vasant.MP4` exists only locally.**** Want me to upload it to `gs://khelsutra-rally-corpus/videos/` (then it'd be safe to delete), or leave it as-is?

46. user (2026-07-02T06:11:32.977Z)

leave as it!

47. assistant (2026-07-02T06:11:32.977Z)

Sounds good ? leaving `Adarsh v Vasant.MP4` as-is.

Final state: `scratch/` is down to ****1.39 GB**** (from 3.53 GB, ~2.1 GB freed), working tree still clean, nothing tracked touched. All done. ?