

codex-windows / 019f2174-3a0d-70c1-95bd-8b9f870a11a1

Metadata

```
- Source: `codex-windows`  
- Kind: `codex`  
- Source file: `C:\Users\avidu\.codex\sessions\2026\07\02\rollout-2026-07-02T11-41-33-019f2174-3a0d-70c1-95bd-8b9f870a11a1.jsonl`  
- SHA-256: `c53ce180c080ad90c1148345f3573f32c210ea7b27ba90b10342ca091d069d54`  
- Source modified: `2026-07-02T06:11:33+00:00`  
- Imported at: `2026-07-05T16:48:16+00:00`  
- cli_version: `0.142.5`  
- cwd: `C:\Users\avidu\Projects\badminton-highlight-indexer`  
- model_provider: `openai`  
- session_id: `019f2174-3a0d-70c1-95bd-8b9f870a11a1`  
- source: `vscode`
```

Transcript

1. user (2026-07-02T06:11:33.006Z)

In sports-data-collector, `src/parsers/cvat/rally\_cvat.py::load\_canonical\_csv` (~lines 442-444) drops any rally whose start_time is exactly 0.0. The bug is the falsy-zero `or`:

```
start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))  
end   = _parse_secs(row.get("end_time"))   or _parse_secs(row.get("end_mmss"))  
if start is None or end is None:  
    continue
```

When `start\_time` parses to 0.0, `0.0 or \_parse\_secs(start\_mmss)` evaluates to the second operand (None if there's no start_mmss column), so the row is skipped. A rally that legitimately starts at 0.0s is silently lost (confirmed: a 3-row canonical CSV with row 1 at start_time=0 loads only 2 records).

Fix: prefer the decimal column, falling back to mm:ss only when the decimal is None, e.g.:

```
start = _parse_secs(row.get("start_time"))  
if start is None:  
    start = _parse_secs(row.get("start_mmss"))  
end = _parse_secs(row.get("end_time"))  
if end is None:  
    end = _parse_secs(row.get("end_mmss"))
```

Add a regression test in tests/ (e.g. test_cvat_parser.py or a new test) that a canonical CSV whose first rally has start_time=0.0 (no start_mmss column) loads all rows. Run `python -m pytest -q` to confirm green.

2. assistant (2026-07-02T06:11:33.006Z)

I'll start by locating the `sports-data-collector` repo, since the bug is in a different project than my current working directory.

3. assistant (2026-07-02T06:11:33.006Z)

```
[external_agent_tool_call: PowerShell]  
description: List project directories  
command: Get-ChildItem -Path "C:\Users\avidu\Projects" -Directory | Select-Object Name  
[/external_agent_tool_call]
```

4. assistant (2026-07-02T06:11:33.006Z)

```
[external_agent_tool_result]  
Name
```

```

----
.NET
.NET Aspire
Annotation Setup
badminton-highlight-indexer
badminton-highlight-indexer-khelacharya
CODE WITH ERIC
Email-Mining
gtest
muneem
rally-annotator
sports-data-collector
sports-obsreport
Verifiers
[/external_agent_tool_result]

```

5. assistant (2026-07-02T06:11:33.006Z)

```

[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\sports-data-collector\src\parsers\cvat\rally_cvat.py
[/external_agent_tool_call]

```

6. assistant (2026-07-02T06:11:33.007Z)

```

[external_agent_tool_result]
410         if ":" in s:
411             try:
412                 total = 0.0
413                 for part in s.split(":"):
414                     total = total * 60 + float(part)
415                 return total
416             except ValueError:
417                 return None
418         try:
419             return float(s)
420         except ValueError:
421             return None
422
423
424     def load_canonical_csv(csv_path: str) -> List[RallyRecord]:
425         """Load a canonical per-rally CSV into RallyRecords, so a *CSV* delivery (not
426         just a CVAT export) can be validated. Decimal start/end preferred, mm:ss
427         fallback; rows with no usable start/end are skipped. (frame_* are -1 here, as a
428         CSV carries no frame info ? only the frame-derived checks become inapplicable.)
429         """
430         import csv as _csv
431         if not os.path.exists(csv_path):
432             raise FileNotFoundError(f"CSV not found: {csv_path}")
433         records: List[RallyRecord] = []
434         with open(csv_path, newline="", encoding="utf-8") as f:
435             reader = _csv.DictReader(f)
436             reader.fieldnames = [(n or "").strip().lower() for n in (reader.fieldnames or
437 [])]
438             for raw in reader:
439                 row = {(k or "").strip().lower(): v for k, v in raw.items()}
440                 rn = safe_int(row.get("rally_number"), None)
441                 if rn is None:
442                     continue
443                 start = _parse_secs(row.get("start_time")) or
444 _parse_secs(row.get("start_mmss"))
445                 end = _parse_secs(row.get("end_time")) or _parse_secs(row.get("end_mmss"))
446                 if start is None or end is None:
447                     continue
448                 records.append(RallyRecord(
449                     rally_number=rn, start_time=start, end_time=end,

```

```

448             shots_count=safe_int(row.get("shots_count"), None),
449             ending_reason=(row.get("ending_reason") or "").strip() or None,
450             last_shot_outcome=(row.get("last_shot_outcome") or "").strip() or None,
451             score_before=(row.get("score_before") or "").strip() or None,
452             score_after=(row.get("score_after") or "").strip() or None,
453             notes=(row.get("notes") or "").strip() or None,
454             frame_min=-1, frame_max=-1, n_boxes=0,
455         ))
456     return records
457
458
459     def build_summary(records: List[RallyRecord], issues: List[Issue],
460                       source: str = "", fps: Optional[float] = None) -> Dict[str, Any]:
461         """Machine-readable validation summary (JSON / CI)."""
462         by_sev = {s: [i for i in issues if i.severity == s]
463                  for s in ("blocker", "high", "medium", "low")}
464         flagged = sorted({i.rally_number for i in issues if i.rally_number is not None})
465         return {
466             "source": source,
467             "fps": fps,
468             "n_rallies": len(records),
469             "n_issues": len(issues),
470             "counts_by_severity": {s: len(v) for s, v in by_sev.items()},
471             "n_blockers": len(by_sev["blocker"]),
472             "passed": len(by_sev["blocker"]) == 0,
473             "flagged_rallies": flagged,
474             "issues": [{ "severity": i.severity, "code": i.code,
475                          "rally_number": i.rally_number, "message": i.message } for i in
476             issues],
477         }
478
479     def render_validation_md(records: List[RallyRecord], issues: List[Issue], source: str)
-> str:
[/external_agent_tool_result]

```

7. assistant (2026-07-02T06:11:33.007Z)

Confirmed the bug at lines 442-443. Now let me apply the fix.

8. assistant (2026-07-02T06:11:33.007Z)

```

[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\sports-data-collector\src\parsers\cvat\rally_cvat.py
[/external_agent_tool_call]

```

9. assistant (2026-07-02T06:11:33.007Z)

```

[external_agent_tool_result]
The file C:\Users\avidu\Projects\sports-data-collector\src\parsers\cvat\rally_cvat.py has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]

```

10. assistant (2026-07-02T06:11:33.007Z)

Now let me find the test directory and any existing CVAT parser tests.

11. assistant (2026-07-02T06:11:33.007Z)

```

[external_agent_tool_call: Glob]
input: {"pattern": "**/tests/**/*cvat*", "path": "C:\\Users\\avidu\\Projects\\sports-data-
collector"}
[/external_agent_tool_call]

```

12. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_result]
C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py
C:\Users\avidu\Projects\sports-data-collector\tests\__pycache__\test_cvat_parser.cpython-313-pytest-9.0.3.pyc
[/external_agent_tool_result]
```

13. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_call: Glob]
input: {"pattern":"**/test*.py", "path":"C:\\Users\\avidu\\Projects\\sports-data-collector"}
[/external_agent_tool_call]
```

14. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_result]
C:\Users\avidu\Projects\sports-data-collector\tests\test_downloader.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_local_import.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_schemas.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_validator.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_cli.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_config.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_parser.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_parsing.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_db.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py
C:\Users\avidu\Projects\sports-data-collector\tests\test_reporting.py
[/external_agent_tool_result]
```

15. assistant (2026-07-02T06:11:33.007Z)

There's an existing `test\_cvat\_parser.py`. Let me read it to match style and find the right place for a regression test.

16. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py
[/external_agent_tool_call]
```

17. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_result]
1      """Tests for the CVAT rally adapter (src/parsers/cvat/rally_cvat.py).
2
3      The adapter's whole reason for existing is to (a) recompute rally time from the
4      box FRAME RANGE at the true fps ? ignoring the vendor's wrong start/end_time
5      attributes ? and (b) report content defects rather than silently fixing them.
6      These tests pin both behaviours, plus the end-to-end hand-off to import-local.
7      """
8      import csv as _csv
9
10     from src.parsers.cvat.rally_cvat import (
11         RallyRecord, parse_cvat_boxes, build_records, detect_issues, convert,
12         write_canonical_csv, load_canonical_csv, build_summary, render_validation_md,
13         write_review_csv,
14     )
15     from src.cli.curate import SportsDataCLI
16
17
18     # --- helpers -----
19
20     def _img_box(frame, attrs):
```

```

21     rows = "".join(f'<attribute name="{k}">{v}</attribute>' for k, v in attrs.items())
22     return (f'<image id="{frame}" name="frame_{frame:06d}" width="1920" height="1080">'
23           f'<box label="rally" xtl="1" ytl="1" xbr="2" ybr="2">{rows}</box></image>')
24
25
26 def _write_cvat(path, images, step=30, stop_frame=1000):
27     body = "".join(images)
28     xml = (
29         '<?xml version="1.0" encoding="utf-8"?><annotations><version>1.1</version>'
30         f'<meta><job><stop_frame>{stop_frame}</stop_frame>'
31         f'<frame_filter>step={step}</frame_filter></job></meta>'
32         f'{body}</annotations>'
33     )
34     path.write_text(xml, encoding="utf-8")
35     return str(path)
36
37
38 def _rec(rn, start, end, shots=5, reason="winner", fmin=None, fmax=None, n=3,
outcome=None):
39     return RallyRecord(
40         rally_number=rn, start_time=start, end_time=end, shots_count=shots,
41         ending_reason=reason, last_shot_outcome=outcome,
42         score_before=None, score_after=None, notes=None,
43         frame_min=fmin if fmin is not None else int(start * 60),
44         frame_max=fmax if fmax is not None else int(end * 60), n_boxes=n)
45
46
47 # --- the core fix: time from frames, vendor times ignored -----
48
49 def test_time_recomputed_from_frames_not_attributes(tmp_path):
50     # rally 1 spans source frames 60..120; the vendor's start/end attributes are
51     # deliberately wrong (the frame/900 bug). At 60 fps the truth is 1.0..2.0s.
52     xml = _write_cvat(tmp_path / "j.xml", [
53         _img_box(60, {"rally_number": "1.0", "start_time": "0.2", "end_time": "1.4",
54                     "shots_count": "6.0", "ending_reason": "winner",
55                     "score_before (A-B)": "0-0", "notes": "clean"}),
56         _img_box(90, {"rally_number": "1.0", "start_time": "0.2", "end_time": "1.4"}),
57         _img_box(120, {"rally_number": "1.0", "start_time": "0.2", "end_time": "1.4"}),
58     ])
59     res = convert(xml, fps=60.0)
60     assert len(res.records) == 1
61     r = res.records[0]
62     assert r.start_time == 1.0 and r.end_time == 2.0           # frames/fps, not 0.2/1.4
63     assert r.vendor_start_time == "0.2"                       # preserved for transparency
64     assert r.shots_count == 6
65     assert r.ending_reason == "winner"
66     assert r.score_before == "0-0"                             # "(A-B)" alias resolved
67     assert r.notes == "clean"
68
69
70 def test_step_and_fps_read_from_meta_and_arg(tmp_path):
71     xml = _write_cvat(tmp_path / "j.xml", [
72         _img_box(0, {"rally_number": "1", "shots_count": "3"}),
73         _img_box(30, {"rally_number": "1"}),
74     ], step=30)
75     res = convert(xml, fps=60.0)
76     assert res.step == 30
77     assert res.fps == 60.0
78
79
80 def test_fps_required_when_unavailable(tmp_path):
81     xml = _write_cvat(tmp_path / "j.xml", [_img_box(0, {"rally_number": "1"})])
82     try:
83         convert(xml) # no fps, no video_path
84     except ValueError as e:

```

```
85         assert "fps" in str(e).lower()
86     else:
87         raise AssertionError("expected ValueError when fps cannot ...
[/external_agent_tool_result]
```

18. assistant (2026-07-02T06:11:33.007Z)

The existing test file has a perfect spot ? right after
`test\_load\_canonical\_csv\_decimal\_and\_mmss`. Let me add the regression test that pins the zero-start bug.

19. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py
[/external_agent_tool_call]
```

20. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

21. assistant (2026-07-02T06:11:33.007Z)

Now let me run the test suite in the `sports-data-collector` repo to confirm green.

22. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_call: PowerShell]
description: Run pytest in sports-data-collector
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try { python -m pytest
-q } finally { Pop-Location }
[/external_agent_tool_call]
```

23. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_result]
..... [ 63%]
..... [100%]
113 passed in 1.76s
[/external_agent_tool_result]
```

24. assistant (2026-07-02T06:11:33.007Z)

All 113 pass. Let me confirm the new regression test is meaningful ? that it actually fails
against the old buggy logic ? by running just that test against a temporary revert.

25. assistant (2026-07-02T06:11:33.007Z)

```
[external_agent_tool_call: PowerShell]
description: Run new test and demonstrate old logic would drop the row
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    python -m pytest -q
tests/test_cvat_parser.py::test_load_canonical_csv_keeps_rally_starting_at_zero
    # Sanity-check the regression guard: would the OLD falsy-or logic still pass?
    python -c @'
def _parse_secs(s):
    if s is None: return None
    s = str(s).strip()
    if not s: return None
    try: return float(s)
```

```

    except ValueError: return None
row = {"start_time": "0.0", "start_mmss": None}
old = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
print("OLD start for start_time=0.0:", old, "-> row dropped" if old is None else "-> kept")
'@
} finally { Pop-Location }
[/external_agent_tool_call]

```

26. assistant (2026-07-02T06:11:33.007Z)

```

[external_agent_tool_result]
. [100%]
1 passed in 0.18s
OLD start for start_time=0.0: None -> row dropped
[/external_agent_tool_result]

```

27. assistant (2026-07-02T06:11:33.008Z)

The fix is complete and verified. Here's a summary:

What was wrong

```

In [rally_cvat.py:442](C:\Users\avidu\Projects\sports-data-
collector\src\parsers\cvat\rally_cvat.py:442), `load_canonical_csv` used a falsy-`or` fallback:
```python
start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
```

```

When `start\_time` parsed to `0.0`, `0.0 or ?` is falsy, so Python returned the second operand (`None` when there's no `start\_mmss` column), tripping `if start is None: continue` ? silently dropping any rally that legitimately starts at `0.0s`. The demo above confirms it: `OLD start for start\_time=0.0: None -> row dropped`.

The fix

Replaced both `or` fallbacks with explicit `is None` checks, so the decimal column is preferred and mm:ss is used only when the decimal is genuinely absent:

28. assistant (2026-07-02T06:11:33.008Z)

```

[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\sports-data-collector\src\parsers\cvat\rally_cvat.py
[/external_agent_tool_call]

```

29. assistant (2026-07-02T06:11:33.008Z)

```

[external_agent_tool_result]
442         start = _parse_secs(row.get("start_time"))
443         if start is None:
444             start = _parse_secs(row.get("start_mmss"))
445         end = _parse_secs(row.get("end_time"))
446         if end is None:
447             end = _parse_secs(row.get("end_mmss"))
448         if start is None or end is None:
449             continue
[/external_agent_tool_result]

```

30. assistant (2026-07-02T06:11:33.008Z)

Regression test

Added `test\_load\_canonical\_csv\_keeps\_rally\_starting\_at\_zero` in [tests/test_cvat_parser.py](C:\Users\avidu\Projects\sports-data-collector\tests\test_cvat_parser.py) ? a 3-row canonical CSV (no `start\_mmss` column) whose first rally has `start\_time=0.0`, asserting all 3 rows load and `recs[0].start\_time == 0.0`.

Verification

- `python -m pytest -q` ? **113 passed** (was 112 + the new test).
- Confirmed the new test is a genuine guard: the old falsy-`or` logic returns `None` for `start\_time=0.0`, which would have dropped the row and failed the `len(recs) == 3` assertion.

These are edits to the **`sports-data-collector`** repo (a sibling of your current `badminton-highlight-indexer` working dir), not committed ? let me know if you'd like me to branch and commit there.

31. user (2026-07-02T06:11:33.008Z)

please branch and commit and make sure its a part of the PR

32. assistant (2026-07-02T06:11:33.008Z)

Let me check the git state of the `sports-data-collector` repo ? its current branch, status, and any open PRs ? to understand what "part of the PR" means here.

33. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_call: PowerShell]
description: Inspect sports-data-collector git + PR state
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== current branch ==="
  git branch --show-current
  Write-Output "=== status ==="
  git status --short
  Write-Output "=== recent commits ==="
  git log --oneline -8
  Write-Output "=== open PRs ==="
  gh pr list --state open 2>&1
  Write-Output "=== PR for current branch (if any) ==="
  gh pr status 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

34. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_result]
=== current branch ===
feat/observability-reports
=== status ===
=== recent commits ===
de5c0ff feat(reporting): per-video observability report (collector)
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
2882a03 feat(ingest): validate-delivery ? per-video QA gate + structured report
23f2ed0 Merge pull request #8 from avidullu/feat/last-shot-outcome
810541e feat(schema): add last_shot_outcome (in/net/out/n_a) alongside ending_reason
30d1d73 Merge pull request #7 from avidullu/refactor/ending-reason-forced-unforced
fe764d6 Merge pull request #6 from avidullu/feat/cvat-rally-adapter
aae93c0 fix(ingest): drop coarse_sampling issue from CVAT adapter
=== open PRs ===
=== PR for current branch (if any) ===
```

Relevant pull requests in avidullu/sports-data-collector

Current branch

There is no pull request associated with [feat/observability-reports]

Created by you

You have no open pull requests

Requesting a code review from you

You have no pull requests to review


```
[/external_agent_tool_result]
```

35. assistant (2026-07-02T06:11:33.008Z)

The working tree shows clean, but I edited two files there ? let me double-check git is seeing the right tree and where the repo root is.

36. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_call: PowerShell]
description: Verify repo root, full status, ignore rules
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== git rev-parse --show-toplevel ==="
  git rev-parse --show-toplevel
  Write-Output "=== git status (full) ==="
  git status
  Write-Output "=== diff stat ==="
  git diff --stat
  Write-Output "=== check-ignore on the two files ==="
  git check-ignore -v src/parsers/cvat/rally_cvat.py tests/test_cvat_parser.py 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

37. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_result: error]
Exit code 1
=== git rev-parse --show-toplevel ===
C:/Users/avidu/Projects/sports-data-collector
=== git status (full) ===
On branch feat/observability-reports
nothing to commit, working tree clean
=== diff stat ===
=== check-ignore on the two files ===
[/external_agent_tool_result]
```

38. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\sports-data-collector\src\parsers\cvat\rally_cvat.py
[/external_agent_tool_call]
```

39. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_result]
437         for raw in reader:
438             row = {(k or "").strip().lower(): v for k, v in raw.items()}
439             rn = safe_int(row.get("rally_number"), None)
440             if rn is None:
441                 continue
442             start = _parse_secs(row.get("start_time"))
443             if start is None:
444                 start = _parse_secs(row.get("start_mmss"))
445             end = _parse_secs(row.get("end_time"))
446             if end is None:
447                 end = _parse_secs(row.get("end_mmss"))
448             if start is None or end is None:
449                 continue
450             records.append(RallyRecord(
451                 rally_number=rn, start_time=start, end_time=end,
[/external_agent_tool_result]
```

40. assistant (2026-07-02T06:11:33.008Z)

The file on disk has my fix, yet git reports a clean tree ? meaning HEAD already contains this exact content. Let me check what HEAD has for these lines and the file's commit history.

41. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_call: PowerShell]
description: Compare HEAD content and inspect recent history/reflog
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== HEAD version of the fix region ==="
    git show HEAD:src/parsers/cvat/rally_cvat.py | Select-Object -Skip 441 -First 8
    Write-Output "=== HEAD version of the new test (grep) ==="
    git show HEAD:tests/test_cvat_parser.py | Select-String -Pattern
"keeps_rally_starting_at_zero"
    Write-Output "=== last commits touching these files ==="
    git log --oneline -5 -- src/parsers/cvat/rally_cvat.py tests/test_cvat_parser.py
    Write-Output "=== reflog (last 5) ==="
    git reflog -5
} finally { Pop-Location }
[/external_agent_tool_call]
```

42. assistant (2026-07-02T06:11:33.008Z)

```
[external_agent_tool_result]
=== HEAD version of the fix region ===
        start = _parse_secs(row.get("start_time"))
        if start is None:
            start = _parse_secs(row.get("start_mmss"))
        end = _parse_secs(row.get("end_time"))
        if end is None:
            end = _parse_secs(row.get("end_mmss"))
        if start is None or end is None:
            continue
=== HEAD version of the new test (grep) ===

def test_load_canonical_csv_keeps_rally_starting_at_zero(tmp_path):
=== last commits touching these files ===
de5c0ff feat(reporting): per-video observability report (collector)
2882a03 feat(ingest): validate-delivery ? per-video QA gate + structured report
810541e feat(schema): add last_shot_outcome (in/net/out/n_a) alongside ending_reason
aae93c0 fix(ingest): drop coarse_sampling issue from CVAT adapter
be75d80 feat(ingest): CVAT rally export -> canonical CSV adapter
=== reflog (last 5) ===
de5c0ff HEAD@{0}: commit: feat(reporting): per-video observability report (collector)
d68c5da HEAD@{1}: checkout: moving from master to feat/observability-reports
d68c5da HEAD@{2}: pull --ff-only: Fast-forward
23f2ed0 HEAD@{3}: checkout: moving from feat/validate-delivery to master
2882a03 HEAD@{4}: commit: feat(ingest): validate-delivery ? per-video QA gate + structured
report
[/external_agent_tool_result]
```

43. assistant (2026-07-02T06:11:33.008Z)

Both my fix ****and**** my new test are already inside commit `de5c0ff` ("feat(reporting): per-video observability report"). That's unexpected ? in my last turn I told you the edits were uncommitted. I need to understand exactly what happened before I branch, so I don't fabricate a story. Let me inspect that commit.

44. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_call: PowerShell]
description: Inspect de5c0ff commit metadata and diff
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== de5c0ff metadata ==="
    git show -s --format="hash=%H%author=%an%ndate=%ci%nsuject=%s" de5c0ff
```

```

Write-Output "=== files changed in de5c0ff ==="
git show --stat --format="" de5c0ff
Write-Output "=== does de5c0ff touch rally_cvat.py / test_cvat_parser.py? (diff excerpt) ==="
git show de5c0ff -- src/parsers/cvat/rally_cvat.py tests/test_cvat_parser.py | Select-Object
-First 60
} finally { Pop-Location }
[/external_agent_tool_call]

```

45. assistant (2026-07-02T06:11:33.009Z)

```

[external_agent_tool_result]
=== de5c0ff metadata ===
hash=de5c0ff12c93556b1dca88bffb45767bdec0fb11
author=Avi Dullu
date=2026-06-07 13:18:41 +0530
subject=feat(reporting): per-video observability report (collector)
=== files changed in de5c0ff ===
data/roora_badminton_canonical.csv      | 25 ++++
data/roora_badminton_issues.txt         | 16 +++
data/sports_metadata.db                 | Bin 184320 -> 200704 bytes
data/validation/pilot_badminton_01_report.json | 45 ++++++++
data/validation/pilot_badminton_01_report.md | 16 +++
data/validation/pilot_badminton_01_review.csv | 25 ++++
docs/INGESTION_PIPELINE.md              | 22 ++++
nonexistent.report.json                 | 89 ++++++++
nonexistent.report.md                   | 42 ++++++
nonexistent.summary.md                  | 28 +++++
pyproject.toml                         | 11 +-
src/cli/curate.py                       | 38 ++++++
src/parsers/cvat/rally_cvat.py          | 8 +-
src/reporting/__init__.py               | 68 ++++++++
src/reporting/adapters.py               | 151 ++++++++
src/reporting/spec.yaml                 | 47 ++++++
tests/test_cvat_parser.py               | 15 +++
tests/test_reporting.py                 | 120 ++++++++
18 files changed, 763 insertions(+), 3 deletions(-)
=== does de5c0ff touch rally_cvat.py / test_cvat_parser.py? (diff excerpt) ===
commit de5c0ff12c93556b1dca88bffb45767bdec0fb11
Author: Avi Dullu <avi.dullu@gmail.com>
Date: Sun Jun 7 13:18:41 2026 +0530

```

feat(reporting): per-video observability report (collector)

Emits <id>.report.json/.report.md (technical) + <id>.summary.md (customer/vendor delivery summary) via the shared obsreport library (SOFT dependency; never raises).

- src/reporting/: soft-import wrapper + adapter (rally_cvat Issue -> Flag; delivery + import recorders reusing existing records/issues) + spec.yaml (sections, customer_verdict, license_noncommercial + missing_fps rules).
- curate.py: wire validate-delivery (alongside existing _report.* artifacts), convert-cvat (next to canonical CSV), import-local (next to video). Each cites docs/INGESTION_PIPELINE.md; vendor-facing summary shows plain issue text only.
- docs/INGESTION_PIPELINE.md: FAQ for the report + non-commercial-export note.
- Fix build-backend typo (setuptools.build_meta) so pip install -e works.
- 9 new tests. Suite 113 green; verified end-to-end via validate-delivery CLI smoke.

Co-Authored-By: Claude Opus 4.8 <noreply@anthropic.com>

```

diff --git a/src/parsers/cvat/rally_cvat.py b/src/parsers/cvat/rally_cvat.py
index 6b9c595..6b18266 100644
--- a/src/parsers/cvat/rally_cvat.py
+++ b/src/parsers/cvat/rally_cvat.py
@@ -439,8 +439,12 @@ def load_canonical_csv(csv_path: str) -> List[RallyRecord]:
     rn = safe_int(row.get("rally_number"), None)
     if rn is None:

```

```

        continue
-       start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
-       end = _parse_secs(row.get("end_time")) or _parse_secs(row.get("end_mmss"))
+       start = _parse_secs(row.get("start_time"))
+       if start is None:
+           start = _parse_secs(row.get("start_mmss"))
+       end = _parse_secs(row.get("end_time"))
+       if end is None:
+           end = _parse_secs(row.get("end_mmss"))
+       if start is None or end is None:
+           continue
        records.append(RallyRecord(
diff --git a/tests/test_cvat_parser.py b/tests/test_cvat_parser.py
index 4c241f8..11fb310 100644
--- a/tests/test_cvat_parser.py
+++ b/tests/test_cvat_parser.py
@@ -204,6 +204,21 @@ def test_load_canonical_csv_decimal_and_mmss(tmp_path):
    assert recs[1].start_time == 29.0 and recs[1].end_time == 32.0    # mm:ss fallba...
[/external_agent_tool_result]

```

46. assistant (2026-07-02T06:11:33.009Z)

Now I have the full picture. Let me verify the push/remote state so I can present accurate options.

47. assistant (2026-07-02T06:11:33.009Z)

```

[external_agent_tool_call: PowerShell]
description: Check remote tracking and whether commit is pushed
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== branches (local + remote) ==="
    git branch -a
    Write-Output "=== upstream tracking for current branch ==="
    git rev-parse --abbrev-ref --symbolic-full-name @{u} 2>&1
    Write-Output "=== commits on feat/observability-reports not on master ==="
    git log --oneline master..feat/observability-reports 2>&1
    Write-Output "=== is de5c0ff on origin anywhere? ==="
    git branch -r --contains de5c0ff 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]

```

48. assistant (2026-07-02T06:11:33.009Z)

```

[external_agent_tool_result]
=== branches (local + remote) ===
* feat/observability-reports
  master
  remotes/origin/feat/cvat-rally-adapter
  remotes/origin/feat/last-shot-outcome
  remotes/origin/feat/validate-delivery
  remotes/origin/master
  remotes/origin/refactor/ending-reason-forced-unforced
=== upstream tracking for current branch ===
fatal: no upstream configured for branch 'feat/observability-reports'
=== commits on feat/observability-reports not on master ===
d4f9c15 feat(reporting): per-video observability report (collector)
=== is de5c0ff on origin anywhere? ===
[/external_agent_tool_result]

```

49. assistant (2026-07-02T06:11:33.009Z)

The commit hash changed (`de5c0ff` ? `d4f9c15`) between my last two checks ? the repo is being modified concurrently (likely you, or a parallel session). Let me re-read the current state before doing anything.

50. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_call: PowerShell]
description: Re-read current HEAD, status, and confirm fix presence
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== current HEAD ==="
  git log --oneline -1
  Write-Output "=== working tree status ==="
  git status --short
  Write-Output "=== is my fix in current HEAD? ==="
  git show HEAD:src/parsers/cvat/rally_cvat.py | Select-Object -Skip 441 -First 3
  Write-Output "=== is my test in current HEAD? ==="
  git show HEAD:tests/test_cvat_parser.py | Select-String -Pattern
"keeps_rally_starting_at_zero"
  Write-Output "=== reflog 3 ==="
  git reflog -3
} finally { Pop-Location }
[/external_agent_tool_call]
```

51. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_result]
=== current HEAD ===
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
=== working tree status ===
  M .gitignore
  M data/sports_metadata.db
  M docs/INGESTION_PIPELINE.md
  M pyproject.toml
  M src/cli/curate.py
  M src/parsers/cvat/rally_cvat.py
  M tests/test_cvat_parser.py
?? data/roora_badminton_canonical.csv
?? data/roora_badminton_issues.txt
?? data/validation/
?? src/reporting/
?? tests/test_reporting.py
=== is my fix in current HEAD? ===
      start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
      end = _parse_secs(row.get("end_time")) or _parse_secs(row.get("end_mmss"))
      if start is None or end is None:
=== is my test in current HEAD? ===
=== reflog 3 ===
d68c5da HEAD@{0}: reset: moving to HEAD~1
d4f9c15 HEAD@{1}: commit (amend): feat(reporting): per-video observability report (collector)
de5c0ff HEAD@{2}: commit: feat(reporting): per-video observability report (collector)
[/external_agent_tool_result]
```

52. assistant (2026-07-02T06:11:33.009Z)

The reflog now tells the full story:

- `de5c0ff` ? original reporting commit (which had swept up my fix)
- `d4f9c15` ? that commit **amended**
- `d68c5da` ? then **git reset HEAD~1** undid it

So someone (you, or a parallel session) just un-committed the reporting work. HEAD is back at the master tip (`d68c5da`), and everything ? the reporting feature **and** my zero-start fix ? is now sitting uncommitted in the working tree again. Let me confirm exactly what's in the working tree for my two fix files.

53. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_call: PowerShell]
```

```

description: Confirm working-tree content of the two fix files
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== working-tree diff: rally_cvat.py (my fix) ==="
  git diff -- src/parsers/cvat/rally_cvat.py
  Write-Output "=== working-tree diff: test_cvat_parser.py (my test) ==="
  git diff -- tests/test_cvat_parser.py
} finally { Pop-Location }
[/external_agent_tool_call]

```

54. assistant (2026-07-02T06:11:33.009Z)

```

[external_agent_tool_result]
=== working-tree diff: rally_cvat.py (my fix) ===
diff --git a/src/parsers/cvat/rally_cvat.py b/src/parsers/cvat/rally_cvat.py
index 6b9c595..6b18266 100644
--- a/src/parsers/cvat/rally_cvat.py
+++ b/src/parsers/cvat/rally_cvat.py
@@ -439,8 +439,12 @@ def load_canonical_csv(csv_path: str) -> List[RallyRecord]:
     rn = safe_int(row.get("rally_number"), None)
     if rn is None:
         continue
-
-     start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
-     end = _parse_secs(row.get("end_time")) or _parse_secs(row.get("end_mmss"))
+     start = _parse_secs(row.get("start_time"))
+     if start is None:
+         start = _parse_secs(row.get("start_mmss"))
+     end = _parse_secs(row.get("end_time"))
+     if end is None:
+         end = _parse_secs(row.get("end_mmss"))
     if start is None or end is None:
         continue
     records.append(RallyRecord(
=== working-tree diff: test_cvat_parser.py (my test) ===
diff --git a/tests/test_cvat_parser.py b/tests/test_cvat_parser.py
index 4c241f8..11fb310 100644
--- a/tests/test_cvat_parser.py
+++ b/tests/test_cvat_parser.py
@@ -204,6 +204,21 @@ def test_load_canonical_csv_decimal_and_mmss(tmp_path):
     assert recs[1].start_time == 29.0 and recs[1].end_time == 32.0 # mm:ss fallback

+def test_load_canonical_csv_keeps_rally_starting_at_zero(tmp_path):
+    # Regression: a rally that legitimately starts at 0.0s must not be dropped.
+    # The old `start_time or start_mmss` fallback treated the falsy 0.0 as "missing"
+    # and skipped the row when there was no start_mmss column to fall back to.
+    p = tmp_path / "c.csv"
+    p.write_text(
+        "rally_number,start_time,end_time,shots_count,ending_reason,last_shot_outcome\n"
+        "1,0.0,4.0,8,winner,in\n"
+        "2,10.0,14.0,6,forced_error,out\n"
+        "3,20.0,24.0,5,unforced_error,out\n", encoding="utf-8")
+    recs = load_canonical_csv(str(p))
+    assert len(recs) == 3 # the zero-start row 1 is not lost
+    assert recs[0].start_time == 0.0 and recs[0].end_time == 4.0
+
+def test_validation_artifacts(tmp_path):
+    recs = [_rec(1, 1.0, 5.0), _rec(2, 4.0, 8.0, reason="into_net")] # overlap + bad vocab
+    issues = detect_issues(recs)
[/external_agent_tool_result]

```

55. assistant (2026-07-02T06:11:33.009Z)

The working tree cleanly isolates my fix to exactly two files (`rally\_cvat.py` + `test\_cvat\_parser.py`), separate from the reporting feature files. So I can commit it cleanly.

Two things I want to confirm before I touch git, because the situation has changed since your instruction:

1. ****The repo is being actively rewritten**** ? within the last few minutes the reporting commit was created, amended, then undone with `git reset HEAD~1`. If a parallel session or you are mid-operation, my branching could collide.
2. *****The PR is ambiguous now.**** There is no open PR in `sports-data-collector` yet, and the reporting work is currently uncommitted alongside my fix.

Given the bug fix is logically independent of the reporting feature, I want to confirm where it should land.

56. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_call: AskUserQuestion]
input: {"questions":[{"question":"Where should the canonical-CSV zero-start fix land?","header":"Fix placement","multiSelect":false,"options":[{"label":"Own branch + PR","description":"Create fix/canonical-csv-zero-start off master, commit ONLY the 2 fix files (rally_cvat.py + test_cvat_parser.py), push, and open a dedicated PR. Leaves the reporting work untouched in the working tree."}, {"label":"Fold into reporting PR","description":"Commit the fix together with the feat/observability-reports reporting work so it ships inside that one PR. Couples the bug fix to the larger reporting feature."}]]}
[/external_agent_tool_call]
```

57. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_result]
The user did not answer the questions.
[/external_agent_tool_result]
```

58. assistant (2026-07-02T06:11:33.009Z)

I'll proceed with the recommended approach ? a dedicated branch + its own PR for the fix (the cleanest reading of "branch and commit and make it part of the PR," and it leaves the in-progress reporting work untouched). Let me first re-verify the repo state is stable (no rebase/merge mid-flight) before I touch git.

59. assistant (2026-07-02T06:11:33.009Z)

```
[external_agent_tool_call: PowerShell]
description: Verify no rebase/merge in progress and confirm remote
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== HEAD now ==="
  git log --oneline -1
  Write-Output "=== master ref ==="
  git rev-parse --short master
  Write-Output "=== in-progress op? (rebase/merge dirs) ==="
  $gd = git rev-parse --git-dir
  foreach ($f in @("rebase-merge","rebase-apply","MERGE_HEAD","CHERRY_PICK_HEAD")) {
    if (Test-Path (Join-Path $gd $f)) { Write-Output "IN PROGRESS: $f" }
  }
  Write-Output "(none above = clean)"
  Write-Output "=== remote ==="
  git remote -v
} finally { Pop-Location }
[/external_agent_tool_call]
```

60. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_result]
=== HEAD now ===
028937b fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
=== master ref ===
d68c5da
```

```
=== in-progress op? (rebase/merge dirs) ===
(none above = clean)
=== remote ===
origin https://github.com/avidullu/sports-data-collector.git (fetch)
origin https://github.com/avidullu/sports-data-collector.git (push)
[/external_agent_tool_result]
```

61. assistant (2026-07-02T06:11:33.010Z)

HEAD changed again ? there's now a commit `**`028937b fix(parser): keep a rally that starts at 0.0s in load_canonical_csv`**`. The fix is being committed concurrently (this is almost certainly you working in parallel, which is why the question went unanswered). I'll stop mutating and just read the current state so I don't create a duplicate.

62. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_call: PowerShell]
description: Read current state after concurrent commit
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== current branch ==="
  git branch --show-current
  Write-Output "=== log -4 ==="
  git log --oneline -4
  Write-Output "=== 028937b files ==="
  git show --stat --format="" 028937b
  Write-Output "=== working tree ==="
  git status --short
  Write-Output "=== local + remote branches ==="
  git branch -a
  Write-Output "=== which remote branches contain 028937b ==="
  git branch -r --contains 028937b 2>&1
  Write-Output "=== open PRs ==="
  gh pr list --state open 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

63. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_result]
=== current branch ===
feat/observability-reports
=== log -4 ===
028937b fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
bb2b5be feat(reporting): per-video observability report (collector)
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
2882a03 feat(ingest): validate-delivery ? per-video QA gate + structured report
=== 028937b files ===
src/parsers/cvat/rally_cvat.py | 8 ++++++--
tests/test_cvat_parser.py      | 15 ++++++
2 files changed, 21 insertions(+), 2 deletions(-)
=== working tree ===
M data/sports_metadata.db
?? data/roora_badminton_canonical.csv
?? data/roora_badminton_issues.txt
?? data/validation/
=== local + remote branches ===
* feat/observability-reports
  master
  remotes/origin/feat/cvat-rally-adapter
  remotes/origin/feat/last-shot-outcome
  remotes/origin/feat/validate-delivery
  remotes/origin/master
  remotes/origin/refactor/ending-reason-forced-unforced
=== which remote branches contain 028937b ===
```



```
=== open PRs ===
[/external_agent_tool_result]
```

64. assistant (2026-07-02T06:11:33.010Z)

The repo has stabilized, and the concurrent work (you, in parallel) has already produced exactly the clean structure I was aiming for. Here's the **current, verified state** of `sports-data-collector``:

```
Branch `feat/observability-reports` (local only ? not pushed, no PR yet):
...
028937b  fix(parser): keep a rally that starts at 0.0s in load_canonical_csv    ? the fix
bb2b5be  feat(reporting): per-video observability report (collector)             ? reporting
feature
d68c5da  Merge pull request #9 ...                                              ? master tip
...

- The zero-start fix is now its own clean commit (028937b`), touching only the two files ?
`src/parsers/cvat/rally_cvat.py` (+the `is None` fix) and `tests/test_cvat_parser.py` (+the
regression test). Diff is byte-identical to what I verified earlier at 113 tests green.
- It's been cleanly separated from the reporting feature (bb2b5be`).
- Working tree now only has data artifacts (sports_metadata.db`, untracked data/...` outputs)
? no code changes outstanding.
```

So "branch and commit" is effectively **done**. The only remaining piece is "make it part of the PR" ? and there's **no PR yet** and the branch isn't pushed.

I didn't push/open a PR on my own because (a) it's an outward-facing action and (b) the branch currently bundles the reporting commit too, so a PR for this branch would contain **both** commits. How would you like to finish it?

65. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_call: AskUserQuestion]
input: {"questions":[{"question":"How should I get the fix into a PR? (Branch
feat/observability-reports has both the fix commit and the reporting commit, not yet
pushed.)","header":"Open PR","multiSelect":false,"options":[{"label":"Push branch + open
combined PR","description":"Push feat/observability-reports and open one PR containing both the
reporting feature (bb2b5be) and the zero-start fix (028937b)."}, {"label":"Fix on its own branch
+ PR","description":"Cherry-pick 028937b onto a new fix/canonical-csv-zero-start branch off
master, push it, and open a standalone PR for just the fix."}, {"label":"You're handling the
push/PR","description":"Leave git as-is; you'll push and open the PR yourself. I'll stop
here."}]}]}
[/external_agent_tool_call]
```

66. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_result]
Your questions have been answered: "How should I get the fix into a PR? (Branch
feat/observability-reports has both the fix commit and the reporting commit, not yet
pushed.)"="Fix on its own branch + PR". You can now continue with these answers in mind.
[/external_agent_tool_result]
```

67. assistant (2026-07-02T06:11:33.010Z)

You chose **fix on its own branch + PR**. Let me execute: re-verify state, create `fix/canonical-csv-zero-start`` off master, and cherry-pick the fix commit onto it.

68. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_call: PowerShell]
description: Create fix branch off master and cherry-pick fix commit
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== re-verify HEAD + that bb2b5be does NOT touch the fix files ==="
```

```

git log --oneline -1
git show --stat --format="" bb2b5be -- src/parsers/cvat/rally_cvat.py
tests/test_cvat_parser.py
Write-Output "(empty above = reporting commit doesn't touch the fix files -> clean cherry-
pick)"
Write-Output "=== create fix branch off master ==="
git switch -c fix/canonical-csv-zero-start master
Write-Output "=== cherry-pick the fix commit ==="
git cherry-pick 028937b
Write-Output "=== verify ==="
git log --oneline -2
git status --short
} finally { Pop-Location }
[/external_agent_tool_call]

```

69. assistant (2026-07-02T06:11:33.010Z)

```

[external_agent_tool_result]
=== re-verify HEAD + that bb2b5be does NOT touch the fix files ===
028937b fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
(empty above = reporting commit doesn't touch the fix files -> clean cherry-pick)
=== create fix branch off master ===
M      data/sports_metadata.db
Switched to a new branch 'fix/canonical-csv-zero-start'
=== cherry-pick the fix commit ===
[fix/canonical-csv-zero-start f7cab11] fix(parser): keep a rally that starts at 0.0s in
load_canonical_csv
Date: Sun Jun 7 13:22:53 2026 +0530
2 files changed, 21 insertions(+), 2 deletions(-)
=== verify ===
f7cab11 fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
M data/sports_metadata.db
?? data/roora_badminton_canonical.csv
?? data/roora_badminton_issues.txt
?? data/validation/
[/external_agent_tool_result]

```

70. assistant (2026-07-02T06:11:33.010Z)

Clean standalone branch created: `fix/canonical-csv-zero-start` = master + the single fix commit (`f7cab11`). Let me run the test suite on this isolated branch to confirm green before pushing.

71. assistant (2026-07-02T06:11:33.010Z)

```

[external_agent_tool_call: PowerShell]
description: Run pytest on the isolated fix branch
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try { python -m pytest
-q } finally { Pop-Location }
[/external_agent_tool_call]

```

72. assistant (2026-07-02T06:11:33.010Z)

```

[external_agent_tool_result]
..... [ 68%]
..... [100%]
105 passed in 1.65s
[/external_agent_tool_result]

```

73. assistant (2026-07-02T06:11:33.010Z)

105 passed (the 8-test difference is just the reporting tests, which live on the other branch). The fix + regression test are green in isolation. Now I'll push the branch and open the PR against master.

74. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_call: PowerShell]
description: Push fix branch to origin
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== push ==="
    git push -u origin fix/canonical-csv-zero-start 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

75. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_result]
=== push ===
branch 'fix/canonical-csv-zero-start' set up to track 'origin/fix/canonical-csv-zero-start'.
remote:
remote: Create a pull request for 'fix/canonical-csv-zero-start' on GitHub by visiting:

remote:      https://github.com/avidullu/sports-data-collector/pull/new/fix/canonical-
csv-zero-start
remote:
To https://github.com/avidullu/sports-data-collector.git
 * [new branch]      fix/canonical-csv-zero-start -> fix/canonical-csv-zero-start
[/external_agent_tool_result]
```

76. assistant (2026-07-02T06:11:33.010Z)

Branch pushed. Now I'll open the PR against master.

77. assistant (2026-07-02T06:11:33.010Z)

```
[external_agent_tool_call: PowerShell]
description: Open PR for the fix against master
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    gh pr create --base master --head fix/canonical-csv-zero-start `
        --title "fix(parser): keep a rally that starts at 0.0s in load_canonical_csv" `
        --body @'

```

Problem

`load\_canonical\_csv` (`src/parsers/cvat/rally\_cvat.py`) silently dropped any rally whose `start\_time` parses to exactly `0.0`. The cause was a falsy-zero `or` fallback:

```
```python
start = _parse_secs(row.get("start_time")) or _parse_secs(row.get("start_mmss"))
end = _parse_secs(row.get("end_time")) or _parse_secs(row.get("end_mmss"))
```
```

When `start\_time` parses to `0.0`, `0.0 or \_parse\_secs(start\_mmss)` evaluates to the second operand (`None` when there is no `start\_mmss` column), so the row trips `if start is None: continue` and is skipped. A rally that legitimately starts at `0.0s` is lost ? confirmed: a 3-row canonical CSV with row 1 at `start\_time=0` loaded only 2 records.

Fix

Prefer the decimal column, falling back to mm:ss only when the decimal is genuinely `None`:

```
```python
start = _parse_secs(row.get("start_time"))
if start is None:
 start = _parse_secs(row.get("start_mmss"))
end = _parse_secs(row.get("end_time"))
if end is None:
 end = _parse_secs(row.get("end_mmss"))
```
```

Test

Adds `test\_load\_canonical\_csv\_keeps\_rally\_starting\_at\_zero` in `tests/test\_cvat\_parser.py`: a 3-row canonical CSV whose first rally has `start\_time=0.0` (no `start\_mmss` column) now loads all 3 rows. Verified the old falsy-`or` logic returns `None` for `start\_time=0.0`, so the test is a genuine regression guard.

`python -m pytest -q` ? all green.

? Generated with [Claude Code](https://claude.com/claude-code)

```
'@ 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

78. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_result]
https://github.com/avidullu/sports-data-collector/pull/10
[/external_agent_tool_result]
```

79. assistant (2026-07-02T06:11:33.011Z)

PR opened: `**[sports-data-collector#10](https://github.com/avidullu/sports-data-collector/pull/10)**`. Now let me switch the working tree back to `feat/observability-reports` so you're left where you were, and confirm the final state.

80. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_call: PowerShell]
description: Restore branch and confirm final state
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  git switch feat/observability-reports 2>&1
  Write-Output "=== final: current branch + log ==="
  git branch --show-current
  git log --oneline -3
  Write-Output "=== fix branch tracking ==="
  git log --oneline -2 fix/canonical-csv-zero-start
  Write-Output "=== PR ==="
  gh pr view 10 --json number,title,headRefName,baseRefName,state,url 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]
```

81. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_result]
M      data/sports_metadata.db
Switched to branch 'feat/observability-reports'
=== final: current branch + log ===
feat/observability-reports
028937b fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
bb2b5be feat(reporting): per-video observability report (collector)
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
=== fix branch tracking ===
f7cab11 fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
d68c5da Merge pull request #9 from avidullu/feat/validate-delivery
=== PR ===
{"baseRefName":"master","headRefName":"fix/canonical-csv-zero-start","number":10,"state":"OPEN","title":"fix(parser): keep a rally that starts at 0.0s in load_canonical_csv","url":"https://github.com/avidullu/sports-data-collector/pull/10"}
[/external_agent_tool_result]
```

82. assistant (2026-07-02T06:11:33.011Z)

Done. The zero-start fix now lives on its own branch with a standalone PR.

Summary

```
 **[sports-data-collector#10](https://github.com/avidullu/sports-data-collector/pull/10)** ?  
 `fix(parser): keep a rally that starts at 0.0s in load_canonical_csv` (OPEN, `fix/canonical-csv-  
 zero-start` ? `master`)
```

```
- **Branch:** `fix/canonical-csv-zero-start` = `master` + one commit (`f7cab11`), pushed and  
 tracking origin.  
- **Contents:** only the two fix files ? the `is None` fallback fix in  
 `src/parsers/cvat/rally_cvat.py` and the `test_load_canonical_csv_keeps_rally_starting_at_zero`  
 regression test. No reporting work bundled in.  
- **Verified:** `python -m pytest -q` ? **105 passed** on the isolated branch.
```

A note on what happened mid-task

While I was deliberating, the repo was being rewritten in parallel (the reporting commit got created, amended, reset, then re-split into two clean commits ? `bb2b5be` reporting + `028937b` the fix). I cherry-picked that fix commit onto the new branch rather than re-committing my working-tree edits, so the PR matches the commit you'd already made.

I left the working tree back on **`feat/observability-reports`**, exactly where you were. That branch still has both commits locally (the reporting feature `bb2b5be` and the fix `028937b`) and is **not pushed / has no PR** ? untouched, for you to handle separately. The only working-tree changes are unrelated data artifacts (`data/sports\_metadata.db` and untracked `data/...` outputs), which I did not commit.

83. user (2026-07-02T06:11:33.011Z)

PR is merged.

84. assistant (2026-07-02T06:11:33.011Z)

PR merged ? that's a checkpoint. Let me verify the merge, do the post-merge cleanup, and update the session memory. First, gather state (git/PR) and read the checkpoint files in parallel.

85. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_call: PowerShell]  
description: Check PR merge state and branch cleanup status  
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {  
  Write-Output "=== PR #10 merge state ==="  
  gh pr view 10 --json number,state,mergedAt,mergeCommit,mergedBy,headRefName,baseRefName 2>&1  
  Write-Output "=== fetch + prune ==="  
  git fetch origin --prune 2>&1  
  Write-Output "=== remote branches matching fix/ ==="  
  git branch -r 2>&1 | Select-String "fix/canonical"  
  Write-Output "=== local branches ==="  
  git branch 2>&1  
  Write-Output "=== current branch + working tree ==="  
  git branch --show-current  
  git status --short  
} finally { Pop-Location }  
[/external_agent_tool_call]
```

86. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_result]  
=== PR #10 merge state ===  
{  
  "baseRefName": "master",  
  "headRefName": "fix/canonical-csv-zero-start",  
  "mergeCommit": {  
    "oid": "99dfa22cbab1a40aa63a154105219b7adad562f8"  
  },  
  "mergedAt": "2026-06-07T08:08:51Z",  
  "mergedBy": {  
    "id": "MDQ6VXNlcjE2NzQ4Nzc=",  
    "is_bot": false,  
    "login": "avidullu",  
    "name": "Avi"  
  },  
  "number": 10,  
  "state": "MERGED"  
}  
=== fetch + prune ===  
From https://github.com/avidullu/sports-data-collector
```

```

- [deleted]          (none)      -> origin/feat/cvat-rally-adapter
- [deleted]          (none)      -> origin/feat/last-shot-outcome
- [deleted]          (none)      -> origin/feat/validate-delivery
- [deleted]          (none)      -> origin/fix/canonical-csv-zero-start
- [deleted]          (none)      -> origin/refactor/ending-reason-forced-unforced
d68c5da..99dfa22  master      -> origin/master
=== remote branches matching fix/ ===
=== local branches ===
* feat/observability-reports
  fix/canonical-csv-zero-start
  master
=== current branch + working tree ===
feat/observability-reports
?? data/roora_badminton_canonical.csv
?? data/roora_badminton_issues.txt
?? data/validation/
[/external_agent_tool_result]

```

87. assistant (2026-07-02T06:11:33.011Z)

PR #10 is **MERGED** (merge commit `99dfa22`, merged by avidullu), and GitHub auto-deleted the remote `fix/canonical-csv-zero-start` branch (the fetch also pruned several other already-merged branches). Let me sync local master, clean up the local fix branch, and read the checkpoint files to update them.

88. assistant (2026-07-02T06:11:33.011Z)

```

[external_agent_tool_call: PowerShell]
description: Sync master, delete merged fix branch, confirm fix in master
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== fast-forward local master to origin/master (not checked out) ==="
  git fetch origin master:master 2>&1
  Write-Output "=== is the fix commit f7cab11 an ancestor of master? (0 = yes, safe to -d) ==="
  git merge-base --is-ancestor f7cab11 master; Write-Output "exit=$LASTEXITCODE"
  Write-Output "=== delete merged local fix branch ==="
  git branch -d fix/canonical-csv-zero-start 2>&1
  Write-Output "=== confirm fix is in master ==="
  git show master:src/parsers/cvat/rally_cvat.py | Select-Object -Skip 441 -First 3
  Write-Output "=== final local branches ==="
  git branch -vv 2>&1
} finally { Pop-Location }
[/external_agent_tool_call]

```

89. assistant (2026-07-02T06:11:33.011Z)

```

[external_agent_tool_result]
=== fast-forward local master to origin/master (not checked out) ===
From https://github.com/avidullu/sports-data-collector
d68c5da..99dfa22  master      -> master
=== is the fix commit f7cab11 an ancestor of master? (0 = yes, safe to -d) ===
exit=0
=== delete merged local fix branch ===
error: the branch 'fix/canonical-csv-zero-start' is not fully merged
hint: If you are sure you want to delete it, run 'git branch -D fix/canonical-csv-zero-start'
hint: Disable this message with "git config advice.forceDeleteBranch false"
=== confirm fix is in master ===
      start = _parse_secs(row.get("start_time"))
      if start is None:
          start = _parse_secs(row.get("start_mmss"))
=== final local branches ===
* feat/observability-reports  bb2b5be [origin/feat/observability-reports] feat(reporting): per-
video observability report (collector)
  fix/canonical-csv-zero-start f7cab11 [origin/fix/canonical-csv-zero-start: gone] fix(parser):

```

```
keep a rally that starts at 0.0s in load_canonical_csv
master          99dfa22 [origin/master] Merge pull request #10 from
avidullu/fix/canonical-csv-zero-start
[/external_agent_tool_result]
```

90. assistant (2026-07-02T06:11:33.011Z)

The fix is confirmed in master (merge commit `99dfa22` = "Merge pull request #10", and `f7cab11` is an ancestor of master ? `is-ancestor` exit 0). The `-d` refusal is just because `git` checks against the current branch (`feat/observability-reports`), which holds the cherry-pick *source* `028937b`, not `f7cab11` ? the patch is definitely in master, so `-D` is safe. I also notice `feat/observability-reports` now has an upstream (`origin/feat/observability-reports`) ? you've pushed the reporting branch too.

Let me delete the merged local fix branch and read the checkpoint files to update them.

91. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_call: PowerShell]
description: Delete merged fix branch and check reporting branch dedup status
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  git branch -D fix/canonical-csv-zero-start 2>&1
  Write-Output "=== remaining branches ==="
  git branch -vv 2>&1
  Write-Output "=== is the reporting branch's fix commit (028937b) going to dedupe vs master on
rebase? check patch-id presence ==="
  git merge-base --is-ancestor 028937b master; Write-Output "028937b in master?
exit=$LASTEXITCODE (1=no, will dedupe by patch on rebase)"
} finally { Pop-Location }
[/external_agent_tool_call]
```

92. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_result: error]
Exit code 1
Deleted branch fix/canonical-csv-zero-start (was f7cab11).
=== remaining branches ===
* feat/observability-reports bb2b5be [origin/feat/observability-reports] feat(reporting): per-
video observability report (collector)
  master          99dfa22 [origin/master] Merge pull request #10 from
avidullu/fix/canonical-csv-zero-start
=== is the reporting branch's fix commit (028937b) going to dedupe vs master on rebase? check
patch-id presence ===
028937b in master? exit=1 (1=no, will dedupe by patch on rebase)
[/external_agent_tool_result]
```

93. assistant (2026-07-02T06:11:33.011Z)

Branch cleanup done. Final git state is clean:

- **master** = `99dfa22` ? includes the zero-start fix (PR #10).
- **feat/observability-reports** = `bb2b5be` (reporting only, now pushed to `origin/feat/observability-reports`) ? note the redundant `028937b` fix commit has been dropped from this branch (by your concurrent cleanup), so the reporting branch no longer duplicates what's in master.

Now the checkpoint update. PR-merged is a trigger per my working agreement ? let me read the live checkpoint files to update them minimally (without duplicating git history).

94. assistant (2026-07-02T06:11:33.011Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]
```

95. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_result]
1      ---
2      name: current-state
3      description: "Live micro-checkpoint state for Claude ? updated every checkpoint (not
4      metadata:
5          node_type: memory
6          type: project
7          originSessionId: b13673cc-f087-43b1-9527-35dc0b67b301
8      ---
9
10     # Current state ? updated continuously (see [[working-agreement-checkpoints]])
11
12     **Checkpoint:** 2026-06-07 (later) . ? **NEW FEATURE IN PROGRESS ? per-video
OBSERVABILITY REPORTS** across
13     BOTH tools (indexer + collector) + a NEW shared lib. Approved plan:
14     `C:\Users\avidu\claude\plans\drifting-snuggling-squirrel.md` (READ IT to resume).
Decisions: always-on,
15     reports written NEXT TO THE VIDEO by default (override via `report.output_dir`); BOTH
tools emit a technical
16     report (debuggable by a README+FAQ reader) AND a customer-friendly summary (strip
internals); shared schema via
17     a **new private repo `sports-obsreport`** (pkg `obsreport`) ? a reusable "report config
language."
18     **Research:** Soda/SodaCL = ELv2 (disqualified, not OSS);
GE/Evidently/ydata/Frictionless license-safe but
19     wrong shape ? built a small lib on permissive primitives (pydantic/Jinja2/PyYAML).
20     - ? **PHASE C DONE ? `sports-obsreport` lib built + LOCAL git tag `v0.1.0`** at
`C:\Users\avidu\Projects\sports-obsreport\`
21     (NOT on GitHub yet ? local only; editable-installed into Python 3.13 via `pip install
-e . --no-build-isolation`).
22     71 tests green. Modules: `envelope.py` (typed ReportEnvelope = single source of
truth), `spec.py` (YAML config
23     language: sections + rules), `rules.py` (sub-Turing clause engine, no eval),
`render/{json_render,markdown}.py`
24     (technical + customer views from same envelope), `io.py` (next-to-video paths, atomic,
NEVER raises),
25     `recorder.py` (RunRecorder: in-flight stage capture, finalize?rules?verdict, write),
`diff.py` (stable_json for
26     cross-run diffs), `schema/report_envelope.schema.json` (contract + drift test).
specs/example.yaml ships
27     silent_provider_noop + fps_fallback_used. **Footgun caught:** correct build-backend is
`setuptools.build_meta`
28     (underscore) ? collector's pyproject has the hyphen typo `setuptools.build-meta` =
latent `pip install -e` break (flag/fix).
29     - ? **obsreport bumped to v0.1.1** (local tag) ? added optional `customer_message` on
flags/rules: customer report
30     shows ONLY curated flags (no technical leakage); technical always uses `message`.
Schema still 1.0 (additive).
31     - ? **PHASE A DONE (indexer)** on branch `feat/observability-reports` (NOT pushed;
commit 9dbc764). 222 tests green
32     (209 baseline + 13). Added `run_all_with_context` (backward-compat; run_all
unchanged); `backend/reporting/`
33     (soft-import wrapper ? no-op if obsreport absent + never-raises; pure `harvest.py`;
`spec.yaml` footgun rules);
34     wired `main.py` CLI + API in finally blocks; README FAQ Q10-Q13; requirements.txt
commented git+ssh dep. Verified
35     end-to-end via CLI smoke (report files appear next to video; customer summary clean;
technical findings cite FAQ).
36     - ? **PHASE B DONE (collector)** on branch `feat/observability-reports` (NOT pushed).
113 tests green. `src/reporting/`
37     (soft-import wrapper ? never raises; `adapter.py` Issue?Flag + delivery/import
recorders reusing rally_cvat;
```



```

38     `spec.yaml` sections + customer_verdict + item_noun=rally +
license_noncommercial/missing_fps rules). Wired
39     curate.py validate-delivery / convert-cvat / import-local; import report falls back to
annotations dir when video
40     absent (not cwd). docs/INGESTION_PIPELINE.md FAQ added. Fixed build-backend typo.
.gitignore ignores
41     *.report.json/.report.md/.summary.md. Verified via validate-delivery CLI smoke.
42     - ?? **obsreport bumped to v0.1.3** during B (local tags v0.1.0/.1/.2/.3): added
customer_message (curated customer
43     flags), customer_verdict (per-tool verdict phrasing), item_noun
(rally/point/highlight). 74 lib tests green.
44     - ?? **DUP RISK:***...
[/external_agent_tool_result]

```

96. assistant (2026-07-02T06:11:33.012Z)

```

[external_agent_tool_call: Read]
file: C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\session-handoff.md
[/external_agent_tool_call]

```

97. assistant (2026-07-02T06:11:33.012Z)

```

[external_agent_tool_result]
1      ---
2      name: session-handoff
3      description: "Living \"you are here\" handoff for this project ? current state, next
steps, open decisions, ramp-up kit. AUTO-REFRESHED at meaningful checkpoints (PR merged, key
decision/ADR, phase shift, session wrap); \"update the handoff\" forces an immediate full
rewrite."
4      metadata:
5          node_type: memory
6          type: project
7          originSessionId: eb4b7b53-2f77-4c4d-83e1-4fa5e77f3e3f
8      ---
9
10     # Session handoff ? badminton-highlight-indexer (+ siblings: sports-data-collector,
rally-annotator)
11
12     **Last updated:** 2026-06-07 . **Refresh policy: AUTO-refresh at meaningful
checkpoints** ? PR merged,
13     key decision/ADR, phase shift, session wrap-up (NOT on-request-only). "update the
handoff" forces an
14     immediate full rewrite. **Staleness tripwire:** if ?3 substantive [[current-state]]
checkpoints ? or any
15     PR-merge / new ADR / phase shift ? have landed since the "Last updated" date above,
refresh this handoff now.
16     Pointer, not a duplicate. **For the freshest blow-by-blow state, read [[current-state]]
first**
17     (updated every micro-checkpoint); this handoff is the slower ~1-page orientation.
18
19     ## You are here (2026-06-07)
20     - **Rally-detection stack matured & all merged.** WASB shuttle-trajectory substrate is
**resumable/
21     checkpointed** (md5-ish cache, incremental detector flush, tracker re-run). On top: a
rally layer =
22     windowing thresholds + a **net-crossing "gate A"** + a **distilled classifier**
(`distill_local`).
23     Eval harness: `calibrate_wasb` / `calibration.py` (LOV0) / `metrics.py`.
24     - **Honest core finding:** WASB-only threshold tuning **ceilings ~F1 0.44** and the
learned distilled
25     model **underperforms the baseline at n=2 videos**. The blocker is **golden data +
WASB candidate
26     recall**, not the method. (Gemini-as-teacher gave us the first real measurement.)
27     - **Strategy decided (ADR-007):** Gemini = **offline teacher only**; **AUDIO** hit-

```

```

detection is the next
28     local cue, **fused in our rally layer** (WASB stays a frozen black box) ? Option A.
**Pose/stance =
29     parked #2. **Option B = the eventual end-state**: one OWNED end-to-end multimodal
model
30     (frames+audio+pose?rallies) fine-tuned on our data, dropping WASB-weight dependence +
the recall ceiling.
31     - **Golden data path:** owner **self-rates** clips with the new **standalone VLC
annotator repo**
32     (github.com/avidullu/rally-annotator, MIT, multi-sport) ? CSV ? in-repo `--labels`
loaders / collector
33     `import-local`. Human labels > the Gemini silver labels the model was starving on.
34     - **? SESSION SUNSET (2026-06-07).** Indexer PRs **#25?#35 merged**, master green (**209
tests**), tree clean
35     (only `feat/khelacharya-shot-intelligence` retained; **no open PRs**). Annotator repo
public/clean. **Audio E1
36     ran ? classical onset = ~2.2x discrimination ceiling, NOT adopted for fusion**
(detector kept; quantitative
37     gains/losses + reusable lessons in [[audio-e1-findings]]). Modeling **PARKED** pending
golden labels.
38     ? PR #36 (`docs/AUDIO_E1_FINDINGS.md`) MERGED to master (2026-06-07); record also in
[[audio-e1-findings]] + plan $10.
39
40     ## Next steps / open threads
41     1. **Owner:** rate a few clips in VLC (annotator v1.2 ? needs a live multi-sport smoke
test), and/or merge
42     nothing pending (none open).
43     2. **Audio E1 ? DONE ? PR #35. Verdict: classical-onset audio is too weak (~2.2x
ceiling). ** Built
44     `backend/audio/hit_detector.py` + `audio_e1_probe.py` (numpy/ffmpeg, no scipy, 209
tests). On existing GoPro
45     audio vs Gemini silver: audio fires in 100% of rallies + recovers 100% of WASB-missed
rallies (real recall
46     signal), BUT discrimination only ~2.2x and audio-only F1 < WASB. **Band-pass (Option
A) tried ? does NOT help**
47     (HF bands worse; ceiling holds; NOT a warm-up artifact ? between-point
tosses/footwork/talk fool a classical
48     onset detector). **Next (user decides):** E2 learned TIMBRE classifier (needs
label...
[/external_agent_tool_result]

```

98. assistant (2026-07-02T06:11:33.012Z)

I now have the broader context. The memory shows this parser fix was a known ****"DUP RISK"***** (current-state.md lines 44?47) ? there were concerns about it being fixed twice. The merged PR #10 resolves that. Let me verify the PR numbers and confirm there's no double-merge before updating the memory accurately.

99. assistant (2026-07-02T06:11:33.012Z)

```

[external_agent_tool_call: PowerShell]
description: Reconcile PR numbers and confirm no double-merge
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
    Write-Output "=== all PRs (collector) ==="
    gh pr list --state all --limit 15 --json number,title,state,headRefName,baseRefName,mergedAt
2>&1
    Write-Output "=== does master's history show the parser fix exactly once? (search merge
commits) ==="
    git log --oneline master | Select-String "canonical|zero-start|fix\(\parser\)"
    Write-Output "=== count commits touching the fix lines in master ==="
    git log --oneline master -- src/parsers/cvat/rally_cvat.py | Select-Object -First 6
} finally { Pop-Location }
[/external_agent_tool_call]

```

100. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_result]
=== all PRs (collector) ===
[{"baseRefName":"master","headRefName":"feat/observability-
reports","mergedAt":null,"number":11,"state":"OPEN","title":"feat: per-video observability
reports (collector)"}, {"baseRefName":"master","headRefName":"fix/canonical-csv-zero-
start","mergedAt":"2026-06-07T08:08:51Z","number":10,"state":"MERGED","title":"fix(parser): keep
a rally that starts at 0.0s in
load_canonical_csv"}, {"baseRefName":"master","headRefName":"feat/validate-
delivery","mergedAt":"2026-06-06T10:19:27Z","number":9,"state":"MERGED","title":"feat(ingest):
validate-delivery ? per-video QA gate + structured report +
FAQ"}, {"baseRefName":"master","headRefName":"feat/last-shot-
outcome","mergedAt":"2026-06-06T10:07:06Z","number":8,"state":"MERGED","title":"feat(schema):
add last_shot_outcome (in/net/out/n_a) alongside
ending_reason"}, {"baseRefName":"master","headRefName":"refactor/ending-reason-forced-unforced","
mergedAt":"2026-06-06T08:48:59Z","number":7,"state":"MERGED","title":"refactor(annotation):
adopt forced_error/unforced_error ending_reason
vocabulary"}, {"baseRefName":"master","headRefName":"feat/cvat-rally-
adapter","mergedAt":"2026-06-06T08:48:45Z","number":6,"state":"MERGED","title":"feat(ingest):
CVAT rally export -> canonical CSV
adapter"}, {"baseRefName":"master","headRefName":"docs/annotation-
warmup","mergedAt":"2026-06-04T04:40:17Z","number":5,"state":"MERGED","title":"docs(annotation):
warm-up/knock-up exclusion + how-to-spot-it
tip"}, {"baseRefName":"master","headRefName":"docs/sync-after-
multisport","mergedAt":"2026-06-02T17:22:16Z","number":4,"state":"MERGED","title":"docs: sync
README + PIPELINE_ROLE after multi-sport +
cleanup"}, {"baseRefName":"master","headRefName":"chore/tech-debt-
cleanup","mergedAt":"2026-06-02T17:06:22Z","number":3,"state":"MERGED","title":"chore: tech-debt
cleanup (config loader, parsing utils, deps,
fixes)"}, {"baseRefName":"master","headRefName":"docs/annotation-templates","mergedAt":"2026-06-
02T16:38:26Z","number":2,"state":"MERGED","title":"docs(annotation): intake manifest + NDA
templates + TODO markers"}, {"baseRefName":"master","headRefName":"feat/pickleball-tabletennis-
ingestion","mergedAt":"2026-06-02T16:27:49Z","number":1,"state":"MERGED","title":"Add pickleball
& table-tennis rally ingestion + annotation docs + test coverage"}]
=== does master's history show the parser fix exactly once? (search merge commits) ===
```

```
99dfa22 Merge pull request #10 from avidullu/fix/canonical-csv-zero-start
f7cab11 fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
be75d80 feat(ingest): CVAT rally export -> canonical CSV adapter
=== count commits touching the fix lines in master ===
f7cab11 fix(parser): keep a rally that starts at 0.0s in load_canonical_csv
2882a03 feat(ingest): validate-delivery ? per-video QA gate + structured report
810541e feat(schema): add last_shot_outcome (in/net/out/n_a) alongside ending_reason
aae93c0 fix(ingest): drop coarse_sampling issue from CVAT adapter
be75d80 feat(ingest): CVAT rally export -> canonical CSV adapter
[/external_agent_tool_result]
```

101. assistant (2026-07-02T06:11:33.012Z)

Facts confirmed and clean:

- **PR #10** (`fix(parser)?`, branch `fix/canonical-csv-zero-start`) ? **MERGED** to master (`99dfa22`).
- **PR #11** (`feat: per-video observability reports (collector)`) ? still **OPEN**, observability-only.
- master history shows the parser fix **exactly once** (`f7cab11`) ? **no double-merge**. PR #11 doesn't touch `rally_cvat.py`, so it'll still merge cleanly.

This resolves the **"DUP RISK"** the memory was tracking. Let me update the checkpoint files. First, the two now-stale bullets in `current-state.md`:

102. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_call: Edit]
```

```
file: C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]
```

103. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md has been updated successfully. (file state is current in your
context ? no need to Read it back)
[/external_agent_tool_result]
```

104. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]
```

105. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md has been updated successfully. (file state is current in your
context ? no need to Read it back)
[/external_agent_tool_result]
```

106. assistant (2026-07-02T06:11:33.012Z)

Now refresh `session-handoff.md` ? it's badly stale (still describes a pre-observability "session sunset" with "no open PRs / 209 tests"), while a major feature is mid-flight and a PR just merged. The staleness tripwire (PR-merge + many checkpoints since "Last updated") calls for a refresh. I'll base it strictly on the authoritative `current-state.md`.

107. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_call: Write]
file: C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\session-handoff.md
[/external_agent_tool_call]
```

108. assistant (2026-07-02T06:11:33.012Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\session-handoff.md has been updated successfully. (file state is current in your
context ? no need to Read it back)
[/external_agent_tool_result]
```

109. assistant (2026-07-02T06:11:33.012Z)

Done. PR #10 is merged and everything's reconciled and recorded.

Post-merge wrap-up ? `sports-data-collector`

```
**Verified merged:**
- **[#10 `fix(parser): keep a rally that starts at 0.0s in
load_canonical_csv`](https://github.com/avidullu/sports-data-collector/pull/10)** ? MERGED to
`master` (merge commit `99dfa22`, by avidullu).
- master history shows the parser fix **exactly once** (`f7cab11`) ? **no double-merge**.

**Cleanup done:**
- Local `master` synced to `99dfa22` (fast-forwarded without disturbing your working tree).
```

- Merged local branch `fix/canonical-csv-zero-start` deleted; remote branch was auto-deleted by GitHub on merge (the fetch also pruned several other already-merged branches).
- Your working tree is left on `feat/observability-reports` (only unrelated untracked `data/` artifacts remain).

****Resolved the "DUP RISK" the memory was tracking:**** the zero-start bug was at risk of being fixed twice (a duplicate `fix(parser)` commit lived on the observability branch + this dedicated branch). The dedicated branch won via PR #10; the duplicate was dropped, so the still-open ****[#11 per-video observability reports](https://github.com/avidullu/sports-data-collector/pull/11)**** carries no parser fix and doesn't touch `rally\_cvat.py` ? it'll merge cleanly.

****Memory checkpoint updated**** (PR-merge trigger, per your working agreement):
- [current-state.md](C:\Users\avidu\claudes\projects\C--Users-avidu-Projects-badminton-highlight-indexer\memory\current-state.md) ? flipped the DUP RISK bullet to ? RESOLVED and recorded PR #10 merged.
- [session-handoff.md](C:\Users\avidu\claudes\projects\C--Users-avidu-Projects-badminton-highlight-indexer\memory\session-handoff.md) ? refreshed (it was stale at a pre-observability "session sunset"); now reflects the in-flight observability-reports phase with PRs #41/#11 open and #10 merged.

I did ****not**** create a memory file for the fix itself ? it lives in git history, which your memory convention says not to duplicate.

The one open item in this repo is ****PR #11 (observability)****, which is the other session's work ? I've left it untouched.

110. user (2026-07-02T06:11:33.012Z)

Is there a clean way of running all the tests in the repo?
Can you see if <https://github.com/avidullu/badminton-highlight-indexer/pull/41> conflicts can be resolved and resynced to the new directory structure?

111. assistant (2026-07-02T06:11:33.012Z)

Two tasks here, both in the ****indexer**** repo (current working dir). Let me scout the current state before doing anything ? test setup, PR #41's conflict status, and what the "new directory structure" actually is.

112. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_call: PowerShell]
description: Scout indexer git + PR #41 state
command: Write-Output "=== current branch + status ==="
git branch --show-current
git status --short
Write-Output "=== PR #41 mergeable state ==="
gh pr view 41 --json number,title,state,headRefName,baseRefName,mergeable,mergeStateStatus,additions,deletions,changedFiles 2>&1
Write-Output "=== local vs origin/master ==="
git fetch origin --prune 2>&1 | Select-Object -First 5
git log --oneline origin/master -3 2>&1
Write-Output "=== merge-base of HEAD and origin/master ==="
git merge-base HEAD origin/master 2>&1
git log --oneline -3 2>&1
[/external_agent_tool_call]
```

113. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_call: Glob]
input: {"pattern":{"pytest.ini,setup.cfg,pyproject.toml,tox.ini,conftest.py,Makefile,noxfile.py,requirements*.txt,*.cfg"}}
[/external_agent_tool_call]
```

114. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_call: Glob]
input: {"pattern":".github/workflows/*"}
[/external_agent_tool_call]
```

115. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
=== current branch + status ===
feat/observability-reports
=== PR #41 mergeable state ===
{"additions":783,"baseRefName":"master","changedFiles":9,"deletions":69,"headRefName":"feat/observability-reports","mergeStateStatus":"DIRTY","mergeable":"CONFLICTING","number":41,"state":"OPEN","title":"feat: per-video observability reports (indexer) + shared obsreport lib"}
=== local vs origin/master ===
From https://github.com/avidullu/badminton-highlight-indexer
- [deleted]          (none)      -> origin/docs/audio-e1-findings
  ce6a0e9..0355417  master      -> origin/master
0355417 Merge pull request #40 from avidullu/refactor/approved-directory-structure
1e96e07 test: fix mock patch targets after structure refactor and config test assertions
8615534 refactor: adopt approved layered directory structure
=== merge-base of HEAD and origin/master ===
ce6a0e9188385b79a3e59a049b3a001f70fb288c
fa60efa test(reporting): cover typed AppConfig normalization in emit (post-#39 rebase)
02aa99a chore(reporting): per-tool customer_verdict + bump obsreport pin to v0.1.3
f1839b8 feat(reporting): always-on per-video observability report (indexer)
[/external_agent_tool_result]
```

116. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
pytest.ini
requirements.txt
[/external_agent_tool_result]
```

117. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
No files found
[/external_agent_tool_result]
```

118. assistant (2026-07-02T06:11:33.013Z)

Important finding: PR #41 is **CONFLICTING**. The "new directory structure" is **PR #40** (``refactor/approved-directory-structure``), which just merged to master (``0355417``) ? it adopted a "layered directory structure" *after* the observability branch diverged (merge-base is the old master ``ce6a0e9``). So the branch needs resyncing onto the restructured tree.

Let me understand the test setup, the branch's commits, and exactly what the refactor moved.

119. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\pytest.ini
[/external_agent_tool_call]
```

120. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
1      [pytest]
2      # When `pytest` is invoked without an explicit path, only collect from tests/.
3      # scratch/ holds debugging scripts that hit real APIs (Gemini upload, etc.)
4      # and should never run as part of the regular test suite.
```

```
5      testpaths = tests
6
[/external_agent_tool_result]
```

121. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_call: PowerShell]
description: Read pytest.ini and analyze branch commits + restructure
command: Write-Output "=== commits on branch beyond old-master merge-base (ce6a0e9..HEAD) ==="
git log --oneline ce6a0e9..HEAD 2>&1
Write-Output "=== local HEAD vs origin/feat/observability-reports ==="
git rev-parse HEAD
git rev-parse origin/feat/observability-reports 2>&1
Write-Output "=== files changed by the branch (vs merge-base) ==="
git diff --stat ce6a0e9..HEAD 2>&1
Write-Output "=== what PR #40 restructure moved (rename detection) ==="
git show 8615534 --stat --format="" -M 2>&1 | Select-Object -First 80
[/external_agent_tool_call]
```

122. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
=== commits on branch beyond old-master merge-base (ce6a0e9..HEAD) ===
fa60efa test(reporting): cover typed AppConfig normalization in emit (post-#39 rebase)
02aa99a chore(reporting): per-tool customer_verdict + bump obsreport pin to v0.1.3
f1839b8 feat(reporting): always-on per-video observability report (indexer)
=== local HEAD vs origin/feat/observability-reports ===
fa60efaf0050abc431e01293edce103d9ee836ce
fa60efaf0050abc431e01293edce103d9ee836ce
=== files changed by the branch (vs merge-base) ===
 README.md | 17 ++++
 backend/main.py | 168 ++++++-----
 backend/reporting/__init__.py | 71 ++++++
 backend/reporting/harvest.py | 195 ++++++
 backend/reporting/spec.yaml | 117 ++++++
 backend/validators/base.py | 15 +++-
 requirements.txt | 7 ++
 tests/test_reporting_harvest.py | 190 ++++++
 tests/test_validators_base.py | 72 ++++++
 9 files changed, 783 insertions(+), 69 deletions(-)
=== what PR #40 restructure moved (rename detection) ===
 backend/{ => api}/static/app.js | 0
 backend/{ => api}/static/index.html | 0
 backend/{ => api}/static/style.css | 0
 backend/eval/audio/e1_probe.py | 2 +-
 backend/eval/calibrate_local.py | 4 +-
 backend/eval/calibrate_wasb.py | 2 +-
 backend/eval/distill_local.py | 4 +-
 backend/eval/export_wasb_segments.py | 4 +-
 backend/eval/harness.py | 2 +-
 backend/eval/regression.py | 2 +-
 backend/indexer/__init__.py | 16 ----
 backend/{ => infrastructure}/database.py | 0
 backend/main.py | 18 +---
 backend/{ => pipeline}/audio/__init__.py | 0
 backend/{ => pipeline}/audio/hit_detector.py | 0
 backend/{ => pipeline}/detectors/__init__.py | 0
 backend/{ => pipeline}/detectors/rally_gate.py | 0
 .../{ => pipeline}/detectors/tracknet_runner.py | 0
 backend/{ => pipeline}/detectors/wasb_infer.py | 0
 backend/{ => pipeline}/detectors/wasb_runner.py | 2 +-
 backend/pipeline/segmenters/__init__.py | 16 ++++
 backend/{indexer => pipeline/segmenters}/base.py | 2 +-
 backend/{indexer => pipeline/segmenters}/gemini.py | 4 +-
 backend/{indexer => pipeline/segmenters}/motion.py | 4 +-

```

```

.../segmenters}/tracknet_hybrid.py | 4 +-
.../segmenters}/wasb_hybrid.py | 4 +-
.../segmenters}/yolo_hybrid.py | 2 +-
backend/{ => pipeline}/stitcher/compiler.py | 0
backend/pipeline/validators/__init__.py | 17 +++++
backend/{ => pipeline}/validators/base.py | 0
backend/{ => pipeline}/validators/blur.py | 2 +-
backend/{ => pipeline}/validators/format.py | 2 +-
.../{ => pipeline}/validators/pts_continuity.py | 2 +-
backend/{ => pipeline}/validators/relevance.py | 2 +-
.../{ => pipeline}/validators/resolution_fps.py | 2 +-
backend/{ => pipeline}/validators/scene_cut.py | 2 +-
backend/validators/__init__.py | 17 ----
docs/CODE_MAP.md | 90 ++++++++-----
run_eval.py | 2 +-
run_phase3_eval.py | 4 +-
run_process_and_stitch.py | 8 +-
run_regression.py | 2 +-
scratch/test_ai_segmenter.py | 4 +-
tests/test_automated_provider.py | 2 +-
tests/test_base.py | 2 +-
tests/test_database.py | 2 +-
tests/test_eval_harness.py ...
[/external_agent_tool_result]

```

123. assistant (2026-07-02T06:11:33.013Z)

Now I understand the resync scope. **PR #40's restructure** moved everything into a layered tree:

```

Old path	New path
`backend/indexer/`	`backend/pipeline/segmenters/` (renamed)
`backend/validators/`	`backend/pipeline/validators/`
`backend/detectors/`, `audio/`, `stitcher/`	`backend/pipeline/*`
`backend/database.py`	`backend/infrastructure/database.py`
`backend/static/`	`backend/api/static/`

```

The observability branch (3 commits) touches `backend/main.py` (heavy ? conflicts with restructure's import rewrites), `backend/validators/base.py` (+15 ? file was *moved* on master), and adds `backend/reporting/` + 2 test files (whose imports will reference old paths). Let me inspect the specifics before touching git.

124. assistant (2026-07-02T06:11:33.013Z)

```

[external_agent_tool_call: PowerShell]
description: Inspect uncommitted change and master's new structure
command: Write-Output "=== uncommitted spec.yaml change ==="
git diff backend/reporting/spec.yaml 2>&1
Write-Output "=== master's new structure: key __init__ re-exports ==="
Write-Output "--- backend/pipeline/segmenters/__init__.py ---"
git show origin/master:backend/pipeline/segmenters/__init__.py 2>&1
Write-Output "--- backend/pipeline/validators/__init__.py ---"
git show origin/master:backend/pipeline/validators/__init__.py 2>&1
Write-Output "=== does master have a backend/reporting dir already? ==="
git ls-tree origin/master:backend 2>&1
[/external_agent_tool_call]

```

125. assistant (2026-07-02T06:11:33.013Z)

```

[external_agent_tool_call: Grep]
input: {"pattern":"(from backend|import backend|backend\\. (indexer|validators|detectors|audio|stitcher|database))","path":"C:\\Users\\avidu\\Projects\\badminton-highlight-indexer\\backend\\reporting","output_mode":"content","-n":true}

```



```
[/external_agent_tool_call]
```

126. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
=== uncommitted spec.yaml change ===
=== master's new structure: key __init__ re-exports ===
--- backend/pipeline/segmenters/__init__.py ---
from backend.pipeline.segmenters.base import segmenter_registry, BasePlaySegmenter
from backend.pipeline.segmenters.motion import MotionPlaySegmenter
from backend.pipeline.segmenters.gemini import GeminiPlaySegmenter
from backend.pipeline.segmenters.yolo_hybrid import HybridYoloSegmenter
from backend.pipeline.segmenters.tracknet_hybrid import TrackNetHybridSegmenter
from backend.pipeline.segmenters.wasb_hybrid import WasbHybridSegmenter

__all__ = [
    "segmenter_registry",
    "BasePlaySegmenter",
    "MotionPlaySegmenter",
    "GeminiPlaySegmenter",
    "HybridYoloSegmenter",
    "TrackNetHybridSegmenter",
    "WasbHybridSegmenter",
]
--- backend/pipeline/validators/__init__.py ---
from backend.pipeline.validators.base import registry, VideoValidator, ValidationResult
from backend.pipeline.validators.format import FormatValidator
from backend.pipeline.validators.resolution_fps import ResolutionFPSValidator
from backend.pipeline.validators.pts_continuity import PTSContinuityValidator
from backend.pipeline.validators.scene_cut import SceneCutDensityValidator
from backend.pipeline.validators.blur import BlurValidator
from backend.pipeline.validators.relevance import RelevanceValidator
```

Register all default validators in sequence (dependencies first)

```
registry.register(FormatValidator())
registry.register(ResolutionFPSValidator())
registry.register(PTSContinuityValidator())
registry.register(SceneCutDensityValidator())
registry.register(BlurValidator())
registry.register(RelevanceValidator())

__all__ = ["registry", "VideoValidator", "ValidationResult"]
=== does master have a backend/reporting dir already? ===
040000 tree f89f4c5b9b365cd233ec535a109037a725be5255 annotations
040000 tree a86fd3f88950fb82573ebc8dfc9749a362cea53a api
040000 tree d6e1a9438edea9bffa3e619433b4bb4144344b60 config
040000 tree 5ca4fe2ff6158fc5750ee73c85a98d5d33a97793 eval
040000 tree 367d21c458299d514db535d274c37a887df6d2b5 infrastructure
100644 blob 3f946867d995bb8880fced81ef3770b4d289a331 main.py
040000 tree 96fed0899af7433afca009e6524d8263b459c9fe pipeline
040000 tree 14ccc92556160549d814a02146bebd59b5f1bd1a providers
040000 tree 24349187eac419ddb2e8a2aa47b749caf1d71 sports
040000 tree 768dc192374573e9c1159541a4101716d3a40f64 tools
040000 tree 6bbab47d929826c1674a56cae2e446d6d7a1f37a utils
[/external_agent_tool_result]
```

127. assistant (2026-07-02T06:11:33.013Z)

```
[external_agent_tool_result]
No matches found
[/external_agent_tool_result]
```

128. assistant (2026-07-02T06:11:33.013Z)

Good ? and `git diff` on spec.yaml is now empty, so the working tree is clean (the session-start "M spec.yaml" snapshot was stale). Key facts:

- `backend/reporting/` has **no** `backend.` imports ? it can stay put as a top-level sibling; no internal import rewrites needed.
- master's `backend/` layers are: `api, config, eval, infrastructure, pipeline, providers, sports, tools, utils, annotations` ? **no** `reporting/` yet, so adding it as a sibling is clean.
- The real work is: (1) `backend/main.py` content conflict, (2) re-apply the validators/base.py `+15` at the **moved** path `backend/pipeline/validators/base.py`, (3) fix imports in the 2 new test files.

Let me confirm working-tree cleanliness and inspect the test imports, harvest imports, the validators/base change, and the main.py divergence.

129. assistant (2026-07-02T06:11:33.014Z)

```
[external_agent_tool_call: PowerShell]
description: Confirm clean tree, inspect validators change and new-file imports
command: Write-Output "=== working tree clean? ==="
git status --short 2>&1
Write-Output "=== branch's change to validators/base.py (the +15 to re-apply at new path) ==="
git show fa60efa -- backend/validators/base.py 2>&1 | Select-Object -Skip 4 -First 60
Write-Output "=== imports in the two new test files (branch/disk version) ==="
Write-Output "--- test_validators_base.py ---"
Select-String -Path tests/test_validators_base.py -Pattern "^(from|import) " 2>&1 | ForEach-Object { $_.Line }
Write-Output "--- test_reporting_harvest.py ---"
Select-String -Path tests/test_reporting_harvest.py -Pattern "^(from|import) " 2>&1 | ForEach-Object { $_.Line }
Write-Output "--- harvest.py imports ---"
Select-String -Path backend/reporting/harvest.py -Pattern "^(from|import) " 2>&1 | ForEach-Object { $_.Line }
[/external_agent_tool_call]
```

130. assistant (2026-07-02T06:11:33.014Z)

```
[external_agent_tool_result]
=== working tree clean? ===
M tests/test_reporting_harvest.py
M tests/test_validators_base.py
=== branch's change to validators/base.py (the +15 to re-apply at new path) ===
=== imports in the two new test files (branch/disk version) ===
--- test_validators_base.py ---
from backend.pipeline.validators.base import ValidationRegistry, ValidationResult,
VideoValidator
--- test_reporting_harvest.py ---
import os
import pytest
from backend.reporting import emit_indexer_report, harvest # noqa: E402
from backend.pipeline.validators.base import ValidationResult # noqa: E402
--- harvest.py imports ---
import obsreport freely.
from __future__ import annotations
import os
from pathlib import Path
from typing import Any, Dict, List, Optional
import obsreport
--- reporting/__init__.py imports ---
from __future__ import annotations
import os
from typing import Any, Dict, List, Optional
```

[/external_agent_tool_result]

131. user (2026-07-02T06:11:33.014Z)

[Request interrupted by user]

132. assistant (2026-07-02T06:11:33.014Z)

No response requested.

133. user (2026-07-02T06:11:33.014Z)

@ "C:\Users\avidu\Projects\antigravity_analysis_results.md"

I got this feedback (attached as md file) for this project. Can you take a very detailed look at this and provide a detailed report on this? Feel free to push back, provide an updated view (this feedback is a bit stale) and delve into research to validate any concrete and rational critic from the feedback.

134. user (2026-07-02T06:11:33.014Z)

[Request interrupted by user]

135. assistant (2026-07-02T06:11:33.014Z)

No response requested.

136. user (2026-07-02T06:11:33.014Z)

run scratch/PR88_FIX.md

137. assistant (2026-07-02T06:11:33.014Z)

Let me read that file to see what it asks for.

138. user (2026-07-02T06:11:33.014Z)

[Request interrupted by user]

139. user (2026-07-02T06:11:33.014Z)

Please run scratch/PR88_FIX.mdv only and help me merge the PR

140. assistant (2026-07-02T06:11:33.014Z)

[external_agent_tool_call: Read]

file: C:\Users\avidu\Projects\badminton-highlight-indexer\scratch\PR88_FIX.md

[/external_agent_tool_call]

141. assistant (2026-07-02T06:11:33.014Z)

[external_agent_tool_result]

```
1      # Fix for PR #88 (docs PR merge conflict) ? instructions for Claude Code
2
3      **Context:** PR #88 (`docs/khelsutra-ui-alpha-plan`) conflicts with master because the
branch was
4      cut from `feat/async-job-model` (pre-squash-merge of #87) and overlaps #87 on two files
5      (`docs/CODE_MAP.md`, `docs/DEFERRED_HARDENING_PLAN.md`). Fix by recreating the branch
off
6      master and **dropping those two files from this PR** (their status-sync edits will ride
with
7      PR-2 instead).
8
9      Steps (PowerShell-safe, one per line):
```

```

10
11     ``
12     git checkout master
13     git pull
14     git checkout -b docs/khelsutra-plan-2
15     git checkout docs/khelsutra-ui-alpha-plan -- docs/UI_PROPOSAL.md docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md docs/mockups docs/archives/decisions/DECISIONS.md
docs/NEXT_STEPS.md
16     git commit -m "docs: KhelSutra UI alpha - proposal, hosting plan, execution plan,
ADR-009"
17     git push -u origin docs/khelsutra-plan-2
18     gh pr create --fill
19     gh pr close 88 --comment "Superseded by the recreated branch (conflict-free off
master)." --delete-branch
20     ``
21
22     Note: working-tree copies of `docs/CODE_MAP.md` / `docs/DEFERRED_HARDENING_PLAN.md` /
23     `docs/UI_ALPHA_EXECUTION_PLAN.md` may show further uncommitted "#87 merged" status edits
?
24     leave them; they get committed with PR-2.
25
[/external_agent_tool_result]

```

142. assistant (2026-07-02T06:11:33.014Z)

```

[external_agent_tool_call: mcp_ccd_session__mark_chapter]
input: {"title":"PR #88 conflict fix + merge","summary":"Recreate docs/khelsutra-ui-alpha-plan
off master per scratch/PR88_FIX.md, open replacement PR, close #88, merge when green."}
[/external_agent_tool_call]

```

143. assistant (2026-07-02T06:11:33.014Z)

```

[external_agent_tool_result]
Chapter marked: "PR #88 conflict fix + merge". Continue your current work.
[/external_agent_tool_result]

```

144. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_call: PowerShell]
description: Verify fresh git/PR state before running fix steps
command: Write-Output "=== branch + fresh status ==="
git branch --show-current
git status --short
Write-Output "=== PR #88 state ==="
gh pr view 88 --json number,title,state,headRefName,baseRefName,mergeable,mergeStateStatus 2>&1
Write-Output "=== fetch ==="
git fetch origin --prune 2>&1
Write-Output "=== origin/master tip ==="
git log --oneline origin/master -3
Write-Output "=== the branch's own commit (0653584) file list ==="
git show 0653584 --stat --format="subject=%s"
Write-Output "=== branch vs master two-dot diff (what differs at tips) ==="
git diff origin/master..HEAD --stat
[/external_agent_tool_call]

```

145. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_result]
=== branch + fresh status ===
docs/khelsutra-ui-alpha-plan
M docs/UI_ALPHA_EXECUTION_PLAN.md
?? artifacts/
?? scratch/HIGH_RISK_REMEDIATION_PLAN.md
?? scratch/PR1_BODY.md

```

```

?? scratch/PR1_HANDOFF.md
?? scratch/PR88_FIX.md
=== PR #88 state ===
{"baseRefName":"master","headRefName":"docs/khelsutra-ui-alpha-plan","mergeStateStatus":"DIRTY",
"mergeable":"CONFLICTING","number":88,"state":"OPEN","title":"docs/khelsutra ui alpha plan"}
=== fetch ===
From https://github.com/avidullu/badminton-highlight-indexer
- [deleted]          (none)      -> origin/chore/gemini-flash-latest-alias
- [deleted]          (none)      -> origin/chore/grok-handoff-codemap-runner
- [deleted]          (none)      -> origin/docs/adr-008-model-topology
- [deleted]          (none)      -> origin/docs/commercial-readiness-review-and-plan
- [deleted]          (none)      -> origin/docs/field-research-flyer
- [deleted]          (none)      -> origin/docs/next-steps-refresh
- [deleted]          (none)      -> origin/docs/next-steps-session-wrap
- [deleted]          (none)      -> origin/docs/truth-sync-audit
- [deleted]          (none)      -> origin/eval/gemini-wrapper-baseline
- [deleted]          (none)      -> origin/feat/canonical-gt-loader
- [deleted]          (none)      -> origin/feat/config-pydtantic-package
- [deleted]          (none)      -> origin/feat/eval-human-labels
- [deleted]          (none)      -> origin/feat/featurizer-promotion-import-wall
- [deleted]          (none)      -> origin/feat/gen0-tal-harness
- [deleted]          (none)      -> origin/feat/report-debuggability-refinements
- [deleted]          (none)      -> origin/fix/api-path-validation
- [deleted]          (none)      -> origin/fix/appconfig-nested-get
- [deleted]          (none)      -> origin/fix/compiler-fstring-syntax
- [deleted]          (none)      -> origin/fix/detector-keying-video-id
- [deleted]          (none)      -> origin/fix/eval-gate-and-metric-footguns
- [deleted]          (none)      -> origin/fix/gemini-serial-workers
- [deleted]          (none)      -> origin/fix/gen-retry-backoff
- [deleted]          (none)      -> origin/fix/nested-config-wasb
- [deleted]          (none)      -> origin/fix/purity-test-skip-without-numpy
- [deleted]          (none)      -> origin/fix/reingest-destroy-after-confirm
- [deleted]          (none)      -> origin/fix/reliability-hardening
- [deleted]          (none)      -> origin/refactor/approved-directory-structure
- [deleted]          (none)      -> origin/test/close-coverage-inversion
- [deleted]          (none)      -> origin/test/oversize-channel-ci-coverage
- [deleted]          (none)      -> origin/test/oversize-channel-pin
05bf49e..3c18cb9 master -> origin/master
=== origin/master tip ===
3c18cb9 feat(api): async job model (#16) - 202+job_id, jobs table, worker, crash sweep (#87)
05bf49e docs: field-research recruiter flyer (C13 interviews + Phase-2 recording rules) (#86)
747a7ad docs: NEXT_STEPS session wrap ? quality table, ship-target 0.66, corpus-growth
priorities (#85)
=== the branch's own commit (0653584) file list ===
subject=docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009 + PR-1 status
sync

docs/DEFERRED_HARDENING_PLAN.md | 4 +-
docs/HOSTING_PLAN.md            | 119 +++++
docs/NEXT_STEPS.md              | 8 +-
docs/UI_ALPHA_EXECUTION_PLAN.md | 72 +++++
docs/UI_PROPOSAL.md             | 106 +++++
docs/archives/decisions/DECISIONS.md | 40 +++++
docs/mockups/ui_alpha_mockup.html | 180 +++++
7 files changed, 525 ins...
[/external_agent_tool_result]

```

146. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_call: PowerShell]
description: Show the PR-2 edits to preserve and the dropped hunk
command: Write-Output "=== uncommitted PR-2 edits (to preserve via stash) ==="
git diff docs/UI_ALPHA_EXECUTION_PLAN.md
Write-Output "=== the DEFERRED_HARDENING hunk being DROPPED from this PR (rides with PR-2) ==="
git diff origin/master..HEAD -- docs/DEFERRED_HARDENING_PLAN.md

```

[/external_agent_tool_call]

147. assistant (2026-07-02T06:11:33.015Z)

[external_agent_tool_result]

```
=== uncommitted PR-2 edits (to preserve via stash) ===
warning: in the working copy of 'docs/UI_ALPHA_EXECUTION_PLAN.md', LF will be replaced by CRLF
the next time Git touches it
diff --git a/docs/UI_ALPHA_EXECUTION_PLAN.md b/docs/UI_ALPHA_EXECUTION_PLAN.md
index 238a18d..8939a8c 100644
--- a/docs/UI_ALPHA_EXECUTION_PLAN.md
+++ b/docs/UI_ALPHA_EXECUTION_PLAN.md
@@ -56,9 +56,12 @@ deployment (DNS/tunnel/Pages/Access) starts only after the local end-to-end
gate
- Metrics: matches/week · % rallies corrected · median turnaround · verdict mix · week-2 tester
retention
```

```
## Working agreement
-Claude codes + runs the offline suite (this dev container has no GPU/torch/cv2 ? pure-logic
only;
-machine-side verification = owner). Branch off `master`; one PR per item; no stacking; never
push
-to master; owner reviews/merges each PR. Windows CRLF: stage only intended files.
+Claude (Cowork) designs, codes, writes tests + docs, and leaves a `scratch/PRn_HANDOFF.md` per
+work item. **Claude Code executes all git/PR mechanics** (branch, commit, push, PR, conflict
+fixes, merges after owner review) by reading that handoff ? the owner never copy-pastes
+commands (ratified 2026-06-11 after PR-1/#88 friction; supersedes the command-block pattern).
+Cowork's sandbox cannot run git on mounts (ADR-009) and CI runs the offline suite on every PR.
+One PR per item; no stacking; never push to master directly. PowerShell note: no `&&`.
```

```
## Risks & mitigations
Box uptime (offline banner, alpha-acceptable) · Gemini 429 burst-throttle (serial workers,
=== the DEFERRED_HARDENING hunk being DROPPED from this PR (rides with PR-2) ===
diff --git a/docs/DEFERRED_HARDENING_PLAN.md b/docs/DEFERRED_HARDENING_PLAN.md
index 5a937ca..910de2c 100644
--- a/docs/DEFERRED_HARDENING_PLAN.md
+++ b/docs/DEFERRED_HARDENING_PLAN.md
@@ -89,8 +89,8 @@ story rests on (? in BACKLOG).
```

```
## 3. Async job model (debt #16)
```

```
-> **Status (2026-06-10): IMPLEMENTED ? PR-1 of the UI alpha plan
(`docs/UI_ALPHA_EXECUTION_PLAN.md`),
-> awaiting owner review/merge.** Shipped exactly as specified below: 202+`job_id`, `GET
/api/jobs/{id}`,
+> **Status: DONE ? MERGED 2026-06-11 (PR #87**, PR-1 of the UI alpha plan,
+> `docs/UI_ALPHA_EXECUTION_PLAN.md`). Shipped exactly as specified below: 202+`job_id`, `GET
/api/jobs/{id}`,
> `jobs` table at `user_version` 2, ThreadPoolExecutor(1), startup sweep for orphaned jobs,
static UI
> polls. See `scratch/PR1_HANDOFF.md` for the review bundle.
[/external_agent_tool_result]
```

148. assistant (2026-07-02T06:11:33.015Z)

[external_agent_tool_call: PowerShell]

```
description: Stash PR-2 edit, save dropped hunk, rebuild branch off master
command: Write-Output "=== 1. save dropped DEFERRED_HARDENING hunk for PR-2 ==="
git diff origin/master..HEAD -- docs/DEFERRED_HARDENING_PLAN.md | Out-File -Encoding utf8
scratch/PR2_deferred_hardenening_status.patch
Write-Output "saved scratch/PR2_deferred_hardenening_status.patch"
Write-Output "=== 2. stash uncommitted PR-2 edit ==="
git stash push -m "PR-2: working-agreement + status edits (UI_ALPHA_EXECUTION_PLAN)" --
docs/UI_ALPHA_EXECUTION_PLAN.md
Write-Output "=== 3. master + pull ==="
```

```

git checkout master 2>&1
git pull --ff-only 2>&1
git log --oneline -1
Write-Output "=== 4. new branch ==="
git checkout -b docs/khelsutra-plan-2 2>&1
Write-Output "=== 5. checkout kept paths from old branch ==="
git checkout docs/khelsutra-ui-alpha-plan -- docs/UI_PROPOSAL.md docs/HOSTING_PLAN.md
docs/UI_ALPHA_EXECUTION_PLAN.md docs/mockups docs/archives/decisions/DECISIONS.md
docs/NEXT_STEPS.md
Write-Output "=== 6. verify staged ==="
git status --short
git diff --cached --stat
[/external_agent_tool_call]

```

149. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_result]
=== 1. save dropped DEFERRED hunk for PR-2 ===
saved scratch/PR2_deferred_hardening_status.patch
=== 2. stash uncommitted PR-2 edit ===
warning: in the working copy of 'docs/UI_ALPHA_EXECUTION_PLAN.md', LF will be replaced by CRLF
the next time Git touches it
Saved working directory and index state On docs/khelsutra-ui-alpha-plan: PR-2: working-agreement
+ status edits (UI_ALPHA_EXECUTION_PLAN)
warning: in the working copy of 'docs/UI_ALPHA_EXECUTION_PLAN.md', LF will be replaced by CRLF
the next time Git touches it
=== 3. master + pull ===
Your branch is behind 'origin/master' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)
Switched to branch 'master'
Updating 05bf49e..3c18cb9
Fast-forward
 backend/api/static/app.js          | 33 +++++
 backend/infrastructure/database.py | 141 ++++++
 backend/main.py                    | 153 ++++++
 docs/CODE_MAP.md                   | 6 +-
 docs/DEFERRED_HARDENING_PLAN.md    | 5 +
 tests/test_api_endpoints.py        | 24 +---
 tests/test_async_jobs.py           | 272 ++++++
 tests/test_database.py              | 6 +-
 8 files changed, 607 insertions(+), 33 deletions(-)
 create mode 100644 tests/test_async_jobs.py
3c18cb9 feat(api): async job model (#16) - 202+job_id, jobs table, worker, crash sweep (#87)
=== 4. new branch ===
Switched to a new branch 'docs/khelsutra-plan-2'
=== 5. checkout kept paths from old branch ===
=== 6. verify staged ===
A docs/HOSTING_PLAN.md
M docs/NEXT_STEPS.md
A docs/UI_ALPHA_EXECUTION_PLAN.md
A docs/UI_PROPOSAL.md
M docs/archives/decisions/DECISIONS.md
A docs/mockups/ui_alpha_mockup.html
?? artifacts/
?? scratch/HIGH_RISK_REMEDIATION_PLAN.md
?? scratch/PR1_BODY.md
?? scratch/PR1_HANDOFF.md
?? scratch/PR2_deferred_hardening_status.patch
?? scratch/PR88_FIX.md
 docs/HOSTING_PLAN.md          | 119 ++++++
 docs/NEXT_STEPS.md            | 8 +-
 docs/UI_ALPHA_EXECUTION_PLAN.md | 72 ++++++
 docs/UI_PROPOSAL.md           | 106 ++++++
 docs/archives/decisions/DECISIONS.md | 40 ++++++
 docs/mockups/ui_alpha_mockup.html | 180 ++++++

```

6 files changed, 523 insertions(+), 2 deletions(-)
[/external_agent_tool_result]

150. assistant (2026-07-02T06:11:33.015Z)

[external_agent_tool_call: PowerShell]
description: Inspect staged hunks of the two modified docs
command: git diff --cached -- docs/NEXT_STEPS.md docs/archives/decisions/DECISIONS.md
[/external_agent_tool_call]

151. assistant (2026-07-02T06:11:33.015Z)

[external_agent_tool_result]
diff --git a/docs/NEXT_STEPS.md b/docs/NEXT_STEPS.md
index 8d437c2..b087251 100644
--- a/docs/NEXT_STEPS.md
+++ b/docs/NEXT_STEPS.md
@@ -1,6 +1,9 @@
Next steps (live) ? owned-model + multisport

-**Updated:** 2026-06-10 (end of the audit?M0?Gemini-battery session). **Authoritative
roadmap:**
+**Updated:** 2026-06-10 (audit?M0?Gemini-battery session; later same day the **UI-alpha track
opened**:
+ADR-009 ratified ? KhelSutra Guru / khelsutra.guru, private `khelsutra` repo, local-first
delivery ? see
+`docs/UI\_ALPHA\_EXECUTION\_PLAN.md`; **PR-1 async jobs (#16) MERGED 2026-06-11, PR #87** ? next:
PR-2
+upload/download). **Authoritative roadmap:**
`docs/OWNED\_MODEL\_IMPLEMENTATION\_PLAN.md` (+ ADR-008 for topology). **Latest blow-by-blow:**
memory
`current-state.md` / `session-handoff.md`. This file = the prioritized "what to do next,"
refreshed each session.

@@ -51,7 +54,8 @@ Baselines tracked in `eval\_baselines/` (heuristic_lovo_n6.json,
gemini_wrapper_2
(consent at capture; demo served via the Gemini path or human-polish ? the reel pattern
exists:
`output/MahadevpuraSingles\_highlights.mp4`). **Recruiter hand-out ready:
`docs/FIELD\_RESEARCH\_ASSOCIATE\_FLYER.md`**
(script, ground rules, Phase-2 consent rules; owner fills ?/contact placeholders).
-6. **Housekeeping:** rotate the Gemini API key (was shared in chat); **rename repo off
"badminton" (owner action,
+6. **Housekeeping:** ~~rotate the Gemini API key~~ **DONE 2026-06-10** (owner-verified working;
confirm old-key
+ deletion in AI Studio); **rename repo off "badminton" (owner action,
in BACKLOG); collector=SoR confirmation; off-peak niceties: none pending ? the battery
completed.

Pointers / artifacts
diff --git a/docs/archives/decisions/DECISIONS.md b/docs/archives/decisions/DECISIONS.md
index 171475f..1429035 100644
--- a/docs/archives/decisions/DECISIONS.md
+++ b/docs/archives/decisions/DECISIONS.md
@@ -467,3 +467,43 @@ round-trip test against the collector's `curate export` format. Every ship-
gate

Panel artifacts: workflow `wf\_471a9cdd-d1d` (3 grounded position papers + cross-examination),
2026-06-10.
+
+### ADR-009: KhelSutra Guru ? product identity, web-UI repo topology, local-first delivery
+
+**Date:** 2026-06-10 . **Status:** RATIFIED (owner, in-session)
+
+### Decision


```

+
+1. **Product name: KhelSutra Guru**; domain **khelsutra.guru** (GoDaddy receipt: 3-yr
+ registration + Full Domain Protection, renews 2029-06). Earlier "khelstura" spellings were
+ typos.
+2. **The web product lives in a separate private repo `khelsutra`** ("the heart and brain"):
+ `web/` SPA (alpha), `control-plane/` at beta, product docs migrating in over time. The
+ backend
+ enablers (async jobs #16, chunked upload/download, identity scoping, correction endpoints)
+ stay in the indexer repo ? they are engine API features.
+3. **Local-first delivery:** every alpha feature is built and end-to-end-tested against
+ localhost before any cloud/DNS/deployment work starts (gates GL ? GD in
+ `docs/UI_ALPHA_EXECUTION_PLAN.md`).
+4. Alpha topology per `docs/HOSTING_PLAN.md`: free edge (Cloudflare Pages/Access/Tunnel) + the
+ owner's GPU box; GCP credits reserved for the beta control plane (Cloud Run/GCS).
+
+### Rationale
+
+- Repo split: the npm/UI dependency tree stays outside the indexer's MIT/Apache/BSD licensing
+ gate; Pages auto-deploy wants a repo boundary; the engine repo's pending rename stops
+ blocking
+ product work. Named `khelsutra` (not `khelsutra-ui`) so the beta control plane doesn't force
+ a
+ third repo.
+- Local-first (owner-requested): removes cloud variables while the new job/upload surface
+ stabilizes; deployment becomes a configuration exercise against a proven build.
+- Planning docs stay canonical in the engine repo for now (single decision ledger; the copy-
+ drift
+ failure mode is documented in ADR-008's rationale) with pointer READMEs in `khelsutra`.
+
+### Consequences
+
+- The UI alpha greenlights DEFERRED_HARDENING_PLAN **...
+ [/external_agent_tool_result]

```

152. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_call: PowerShell]
description: Commit recreated docs branch and push
command: git commit -m '@'
docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009

```

Recreated from docs/khelsutra-ui-alpha-plan (PR #88) off post-#87 master.
Drops the docs/CODE_MAP.md + docs/DEFERRED_HARDENING_PLAN.md status-sync
edits (they ride with PR-2), which removes the #87 squash-merge conflicts.

```

Co-Authored-By: Claude Fable 5 <noreply@anthropic.com>
'@
git log --oneline -2
git push -u origin docs/khelsutra-plan-2 2>&1 | Select-Object -Last 3
[/external_agent_tool_call]

```

153. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_result]
[docs/khelsutra-plan-2 6194f50] docs: KhelSutra UI alpha - proposal, hosting plan, execution
plan, ADR-009
6 files changed, 523 insertions(+), 2 deletions(-)
create mode 100644 docs/HOSTING_PLAN.md
create mode 100644 docs/UI_ALPHA_EXECUTION_PLAN.md
create mode 100644 docs/UI_PROPOSAL.md
create mode 100644 docs/mockups/ui_alpha_mockup.html
6194f50 docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009
3c18cb9 feat(api): async job model (#16) - 202+job_id, jobs table, worker, crash sweep (#87)
branch 'docs/khelsutra-plan-2' set up to track 'origin/docs/khelsutra-plan-2'.
To https://github.com/avidullu/badminton-highlight-indexer.git

```

```
* [new branch]      docs/khelsutra-plan-2 -> docs/khelsutra-plan-2
[/external_agent_tool_result]
```

154. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_call: PowerShell]
description: Open replacement PR for the docs bundle
command: gh pr create --base master --head docs/khelsutra-plan-2 `
  --title "docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009" `
  --body @'
Supersedes #88 (same content, recreated conflict-free off post-#87 master).
```

What

The KhelSutra UI alpha planning bundle:

- `docs/UI\_PROPOSAL.md` ? product proposal
- `docs/HOSTING\_PLAN.md` ? alpha topology (free edge + GPU box; GCP credits reserved for beta)
- `docs/UI\_ALPHA\_EXECUTION\_PLAN.md` ? PR-by-PR execution plan (PR-1 async jobs already merged as #87)
- `docs/mockups/ui\_alpha\_mockup.html` ? UI mockup
- `docs/archives/decisions/DECISIONS.md` ? **ADR-009** (KhelSutra Guru identity, `khelsutra` repo topology, local-first delivery)
- `docs/NEXT\_STEPS.md` ? status sync (UI-alpha track opened; key rotation done)

Why the recreate

#88 was cut from `feat/async-job-model` pre-squash, so it conflicted with master after the #87 squash-merge. This branch is the same docs checked out onto current master; the `docs/CODE\_MAP.md` / `docs/DEFERRED\_HARDENING\_PLAN.md` status-sync edits are dropped here and ride with PR-2 instead.

```
? Generated with [Claude Code](https://claude.com/claude-code)
'@ 2>&1
[/external_agent_tool_call]
```

155. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_result]
https://github.com/avidullu/badminton-highlight-indexer/pull/89
[/external_agent_tool_result]
```

156. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_call: PowerShell]
description: Close PR 88, delete old branch, check PR 89 CI state
command: Write-Output "=== close #88 + delete old branch ==="
gh pr close 88 --comment "Superseded by the recreated branch (conflict-free off master) - see #89." --delete-branch 2>&1
Write-Output "=== branches after ==="
git branch
Write-Output "=== #89 checks (initial) ==="
gh pr view 89 --json statusCheckRollup,mergeable,mergeStateStatus 2>&1
[/external_agent_tool_call]
```

157. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_result]
=== close #88 + delete old branch ===
? Closed pull request avidullu/badminton-highlight-indexer#88 (docs/khelsutra ui alpha plan)
? Deleted branch docs/khelsutra-ui-alpha-plan
=== branches after ===
  chore/gemini-flash-latest-alias
  docs/adr-008-model-topology
  docs/field-research-flyer
```

```

* docs/khelsutra-plan-2
docs/next-steps-multisport
docs/next-steps-refresh
docs/next-steps-session-wrap
docs/truth-sync-audit
eval/gemini-wrapper-baseline
feat/async-job-model
feat/canonical-gt-loader
feat/featurizer-promotion-import-wall
feat/gen0-tal-harness
fix/api-path-validation
fix/detector-keying-video-id
fix/eval-gate-and-metric-footguns
fix/gemini-serial-workers
fix/gen-retry-backoff
fix/nested-config-wasb
fix/purity-test-skip-without-numpy
fix/reingest-destroy-after-confirm
fix/reliability-hardening
master
test/close-coverage-inversion
test/oversize-channel-pin
=== #89 checks (initial) ===
{"mergeStateStatus":"UNSTABLE","mergeable":"MERGEABLE","statusCheckRollup":[{"__typename":"CheckRun","completedAt":"0001-01-01T00:00:00Z","conclusion":"","detailsUrl":"https://github.com/avidullu/badminton-highlight-indexer/actions/runs/27299399399/job/80640731684","name":"Syntax sweep + import smoke (no GPU stack)","startedAt":"2026-06-10T19:03:47Z","status":"IN_PROGRESS","workflowName":"CI"}, {"__typename":"CheckRun","completedAt":"0001-01-01T00:00:00Z","conclusion":"","detailsUrl":"https://github.com/avidullu/badminton-highlight-indexer/actions/runs/27299399399/job/80640731719","name":"Full test suite (offline, mocked)","startedAt":"2026-06-10T19:03:47Z","status":"IN_PROGRESS","workflowName":"CI"}]}
[/external_agent_tool_result]

```

158. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_call: PowerShell]
description: Poll PR 89 CI checks until completed
command: $deadline = (Get-Date).AddMinutes(8)
do {
    $json = gh pr view 89 --json statusCheckRollup,mergeStateStatus | ConvertFrom-Json
    $checks = $json.statusCheckRollup
    $pending = @($checks | Where-Object { $_.status -ne "COMPLETED" })
    $summary = ($checks | ForEach-Object { "$($_.name)=$($_.status)/$($_.conclusion)" }) -join "
"

    Write-Output "[$(Get-Date -Format HH:mm:ss)] $summary (mergeState=$( $json.mergeStateStatus))"
    if ($pending.Count -eq 0) { break }
    Start-Sleep -Seconds 25
} while ((Get-Date) -lt $deadline)
$bad = @($checks | Where-Object { $_.conclusion -ne "SUCCESS" })
if ($bad.Count -eq 0) { Write-Output "ALL CHECKS SUCCESS" } else { Write-Output "NOT GREEN:";
$bad | ForEach-Object { Write-Output "  $($_.name): $($_.status)/$($_.conclusion)" } }
[/external_agent_tool_call]

```

159. assistant (2026-07-02T06:11:33.015Z)

```

[external_agent_tool_result]
[00:34:11] Syntax sweep + import smoke (no GPU stack)=COMPLETED/SUCCESS; Full test suite (offline, mocked)=IN_PROGRESS/ (mergeState=UNSTABLE)
[00:34:36] Syntax sweep + import smoke (no GPU stack)=COMPLETED/SUCCESS; Full test suite (offline, mocked)=IN_PROGRESS/ (mergeState=UNSTABLE)
[00:35:02] Syntax sweep + import smoke (no GPU stack)=COMPLETED/SUCCESS; Full test suite (offline, mocked)=IN_PROGRESS/ (mergeState=UNSTABLE)
[00:35:28] Syntax sweep + import smoke (no GPU stack)=COMPLETED/SUCCESS; Full test suite (offline, mocked)=COMPLETED/SUCCESS (mergeState=CLEAN)

```

ALL CHECKS SUCCESS
[/external_agent_tool_result]

160. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_call: PowerShell]
description: Squash-merge PR 89, sync master, restore PR-2 edits
command: Write-Output "=== merge #89 ==="
gh pr merge 89 --squash --delete-branch 2>&1
Write-Output "=== sync master ==="
git checkout master 2>&1
git pull --ff-only 2>&1 | Select-Object -Last 2
git log --oneline -2
Write-Output "=== restore PR-2 working-tree edits: stash pop ==="
git stash pop 2>&1
Write-Output "=== re-apply dropped DEFERRED hunk for PR-2 ==="
git apply scratch/PR2_deferred_hardening_status.patch 2>&1
Write-Output "=== final status ==="
git branch --show-current
git status --short
[/external_agent_tool_call]
```

161. assistant (2026-07-02T06:11:33.015Z)

```
[external_agent_tool_result]
=== merge #89 ===
Updating 3c18cb9..34cf26c
Fast-forward
From https://github.com/avidullu/badminton-highlight-indexer
 * branch                master      -> FETCH_HEAD
   3c18cb9..34cf26c      master      -> origin/master
docs/HOSTING_PLAN.md      | 119 ++++++
docs/NEXT_STEPS.md        |   8 +-
docs/UI_ALPHA_EXECUTION_PLAN.md |  72 ++++++
docs/UI_PROPOSAL.md       | 106 ++++++
docs/archives/decisions/DECISIONS.md |  40 ++++++
docs/mockups/ui_alpha_mockup.html | 180 ++++++
6 files changed, 523 insertions(+), 2 deletions(-)
create mode 100644 docs/HOSTING_PLAN.md
create mode 100644 docs/UI_ALPHA_EXECUTION_PLAN.md
create mode 100644 docs/UI_PROPOSAL.md
create mode 100644 docs/mockups/ui_alpha_mockup.html
=== sync master ===
Your branch is up to date with 'origin/master'.
Already on 'master'
Already up to date.
34cf26c docs: KheISutra UI alpha - proposal, hosting plan, execution plan, ADR-009 (#89)
3c18cb9 feat(api): async job model (#16) - 202+job_id, jobs table, worker, crash sweep (#87)
=== restore PR-2 working-tree edits: stash pop ===
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   docs/UI_ALPHA_EXECUTION_PLAN.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    artifacts/
    scratch/HIGH_RISK_REMEDIATION_PLAN.md
    scratch/PR1_BODY.md
    scratch/PR1_HANDOFF.md
    scratch/PR2_deferred_hardening_status.patch
    scratch/PR88_FIX.md
```

```
no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} (d82778316dd7876e05c8ea51edcc761866b71d28)
=== re-apply dropped DEFERRED hunk for PR-2 ===
=== final status ===
master
  M docs/DEFERRED_HARDENING_PLAN.md
  M docs/UI_ALPHA_EXECUTION_PLAN.md
?? artifacts/
?? scratch/HIGH_RISK_REMEDIATION_PLAN.md
?? scratch/PR1_BODY.md
?? scratch/PR1_HANDOFF.md
?? scratch/PR2_deferred_hardening_status.patch
?? scratch/PR88_FIX.md
[/external_agent_tool_result]
```

162. assistant (2026-07-02T06:11:33.016Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]
```

163. assistant (2026-07-02T06:11:33.016Z)

```
[external_agent_tool_result]
1      ---
2      name: current-state
3      description: "Live micro-checkpoint state for Claude ? updated every checkpoint (not
only on request). What just landed, what's next, open decisions."
4      metadata:
5        node_type: memory
6        type: project
7        originSessionId: b13673cc-f087-43b1-9527-35dc0b67b301
8      ---
9
10     # Current state ? updated continuously (see [[working-agreement-checkpoints]])
11
12     **Checkpoint:** 2026-06-10 (GEMINI BATTERY COMPLETE ? full coverage; owner's billing was
fine, postpay active; ALL
13     failures were burst/capacity artifacts). Merged this stretch: **#80** (chunker re-
encode/downscale, from the chip
14     session ? reviewed+merged), **#81** (rescued the chip branch's orphaned run_signals test
via cherry-pick), **#83**
15     (provider: 6 generate attempts exponential backoff+jitter ? saved chunks live), **#84**
(tracked
16     `eval_baselines/gemini_wrapper_2026-06-10.json`). Suite 336 green.
17     - **FINAL QUALITY TABLE (IoU .5 vs human golden labels):**
18     - **Mahadevpura** (clean-ish, 31 rallies): heuristic 0.657 · Gen-0 0.744 · **two-stage
WASB+Gemini refine 0.83**
19     (P .81 R .84, 32 preds) · **full-video wrapper 0.93** (P 1.0 R .87).
20     - **Kushagra** (multi-court, 32 rallies, FULL 7/7 coverage + audio): heuristic 0.157 ·
Gen-0 0.561 ·
21     **wrapper 0.66** (P .69 R .62, ±1.2s; FPs = background-game pickups + one 53s dead-
time merge ? exactly the
22     contrast-metric confound).
23     - **STRATEGY (refined):** clean footage commoditized (0.93 cheap); **multi-court drops
the wrapper to 0.66 = the
24     owned model's ship target** (Gen-0 is 0.10 behind at n=6 ? within corpus-growth
reach). Two-stage refine quality
25     (0.83) < full wrapper on short videos; its value = COST on long academy tapes (only
candidate clips uploaded).
26     Wrapper reliability is genuinely flaky (503 waves all session) ? provider-fallback
architecture is load-bearing.
27     - Artifacts: `output/mahadevpura_gemini_refined.csv`,
`output/MahadevpuraSingles_highlights.mp4` (demo reel),
```

```

28      Kushagra preds under the ORIGINAL corpus MD5 now. Total Gemini spend today: ~$1-2.
29      - PENDING/owner: rotate the chat-pasted key; ship-gate F1@tIoU decision (multi-court
target now has a number: 0.66);
30      C13 interviews + camera pilot; repo rename.
31
32      **Checkpoint:** 2026-06-10 (GEMINI BASELINE LANDED ? owner's "gradual ramp-up" theory
CORRECT). New key in gitignored
33      `.env` (rotate later ? pasted in chat). The "credits depleted" 429 was a BURST-THROTTLE
artifact: text ping + serial
34      upload worked ? **PR #79 merged**: gemini segmenter now honors `indexing.ai_max_workers`
(was hardcoded 5; config ships
35      1=serial ? at 5 workers the same video 429'd, at 1 it worked).
36      - ? **WRAPPER BASELINE (gemini-flash-latest, ~$0.2-0.5 total): Mahadevpura F1 0.93** (P
1.00 R 0.87, mIoU 0.80, ±0.7s;
37      3 of 4 misses = short rallies Gemini FOUND but our min_segment_duration=3.0 rejected)
vs Gen-0 learned 0.744 vs
38      heuristic 0.657. **Clean footage = commoditized.**
39      - ?? **MOAT TEST (Kushagra multi-court, windowed n=12 GT): wrapper F1 0.56** (P .54 R
.58 mIoU .69) ? Gen-0 learned
40      0.561, both >> heuristic 0.157. **The multi-court confound hurts Gemini too ? the
wedge survives on the target
[/external_agent_tool_result]

```

164. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_call: Edit]
file: C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]

```

165. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_result]
The file C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md has been updated successfully. (file state is current in your
context ? no need to Read it back)
[/external_agent_tool_result]

```

166. assistant (2026-07-02T06:11:33.016Z)

Done ? **[#89](https://github.com/avidullu/badminton-highlight-indexer/pull/89) is merged to master** (`34cf26c`), replacing the conflicted #88.

What I ran (per scratch/PR88_FIX.md)

1. **Verified the diagnosis first**: #88 was `CONFLICTING` because its branch carried #87's pre-squash commits; the fast-forward of master confirmed #87 touched exactly `CODE\_MAP.md` + `DEFERRED\_HARDENING\_PLAN.md` ? the two files the doc drops. The kept paths differed from new master *only* by the KhelSutra edits, so the recreate was safe.
2. Recreated `docs/khelsutra-plan-2` off post-#87 master, checked out the 6 kept paths, verified the staged diff was purely additive (ADR-009 append + NEXT_STEPS status sync, no #87 reversions), committed, pushed.
3. Opened **#89** (body notes it supersedes #88 and why), closed **#88** with the prescribed comment + deleted its branch (local and remote).
4. **Merge**: waited for CI per your merge discipline (`statusCheckRollup`, not a piped watch) ? both checks (`Syntax sweep`, `Full test suite`) completed **SUCCESS**, `mergeState=CLEAN` ? then squash-merged with branch delete and synced local master.

One deviation from the doc's literal steps, for safety

`docs/UI\_ALPHA\_EXECUTION\_PLAN.md` had **uncommitted** edits (the new working-agreement text) which the doc says must ride with PR-2 ? but the literal `git checkout master` would have refused on them and step 4's checkout would have clobbered them. So I stashed before the dance

and popped after the merge.

End state ? preserved for PR-2 (intentionally uncommitted on master)

- `docs/UI\_ALPHA\_EXECUTION\_PLAN.md` ? the working-agreement rewrite (Cowork designs + handoffs; Claude Code runs git/PR mechanics).
- `docs/DEFERRED\_HARDENING\_PLAN.md` ? the "#16 DONE ? MERGED (PR #87)" status hunk that was dropped from #89; also saved as scratch/PR2_deferred_hardenening_status.patch as insurance.

Don't `checkout --` those two away ? they're PR-2's payload. Checkpoint recorded in memory. Next UI-alpha slice per the execution plan is ****PR-2 (upload/download)**** whenever you give the go.

167. user (2026-07-02T06:11:33.016Z)

can you merge the PR as well for me and make sure its clean slate now?

168. assistant (2026-07-02T06:11:33.016Z)

#89 was already merged in my last turn ? let me re-verify that, check for any other open PRs (both repos), and then do the clean-slate sweep. Note the fetch earlier showed ~24 stale local branches whose remotes were deleted; I'll map each to its PR state before pruning anything.

169. assistant (2026-07-02T06:11:33.016Z)

```
[external_agent_tool_call: PowerShell]
description: Verify merge state, open PRs, fresh branch list
command: Write-Output "=== #89 state ==="
gh pr view 89 --json number,state,mergedAt,mergeCommit 2>&1
Write-Output "=== open PRs (indexer) ==="
gh pr list --state open 2>&1
Write-Output "=== fresh status + master sync ==="
git branch --show-current
git status --short
git fetch origin --prune 2>&1
git log --oneline -1 origin/master
git log --oneline -1 master
Write-Output "=== local branches now ==="
git branch --format "%(refname:short)"
[/external_agent_tool_call]
```

170. assistant (2026-07-02T06:11:33.016Z)

```
[external_agent_tool_call: PowerShell]
description: Check collector repo open PRs and status
command: Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try {
  Write-Output "=== open PRs (collector) ==="
  gh pr list --state open 2>&1
  Write-Output "=== collector branch/status ==="
  git branch --show-current
  git status --short
} finally { Pop-Location }
[/external_agent_tool_call]
```

171. assistant (2026-07-02T06:11:33.016Z)

```
[external_agent_tool_result]
=== #89 state ===
{"mergeCommit":{"oid":"34cf26c6f80f9a6e9e6be11e7cbc0c2f8219761f"},"mergedAt":"2026-06-10T19:05:43Z","number":89,"state":"MERGED"}
=== open PRs (indexer) ===
=== fresh status + master sync ===
master
```

```

M docs/DEFERRED_HARDENING_PLAN.md
M docs/UI_ALPHA_EXECUTION_PLAN.md
?? artifacts/
?? scratch/HIGH_RISK_REMEDIATION_PLAN.md
?? scratch/PR1_BODY.md
?? scratch/PR1_HANDOFF.md
?? scratch/PR2_deferred_hardening_status.patch
?? scratch/PR88_FIX.md
From https://github.com/avidullu/badminton-highlight-indexer
- [deleted]          (none)      -> origin/docs/khelsutra-plan-2
- [deleted]          (none)      -> origin/docs/khelsutra-ui-alpha-plan
34cf26c docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009 (#89)
34cf26c docs: KhelSutra UI alpha - proposal, hosting plan, execution plan, ADR-009 (#89)
=== local branches now ===
chore/gemini-flash-latest-alias
docs/adr-008-model-topology
docs/field-research-flyer
docs/next-steps-multisport
docs/next-steps-refresh
docs/next-steps-session-wrap
docs/truth-sync-audit
eval/gemini-wrapper-baseline
feat/async-job-model
feat/canonical-gt-loader
feat/featurizer-promotion-import-wall
feat/gen0-tal-harness
fix/api-path-validation
fix/detector-keying-video-id
fix/eval-gate-and-metric-footguns
fix/gemini-serial-workers
fix/gen-retry-backoff
fix/nested-config-wasb
fix/purity-test-skip-without-numpy
fix/reingest-destroy-after-confirm
fix/reliability-hardening
master
test/close-coverage-inversion
test/oversize-channel-pin
[/external_agent_tool_result]

```

172. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_result]
=== open PRs (collector) ===
=== collector branch/status ===
master
M .gitignore
[/external_agent_tool_result]

```

173. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_call: PowerShell]
description: Prune local branches whose PRs are merged, flag the rest
command: $prs = gh pr list --state all --limit 100 --json number,state,headRefName |
ConvertFrom-Json
$byHead = @{}
foreach ($p in $prs) { if (-not $byHead[$p.headRefName] -or $p.state -eq "MERGED") {
$byHead[$p.headRefName] = $p } }
$branches = git branch --format "%(refname:short)" | Where-Object { $_ -ne "master" }
$deleted = @(); $kept = @()
foreach ($b in $branches) {
$pr = $byHead[$b]
if ($pr -and $pr.state -eq "MERGED") {
git branch -D $b *> $null
$deleted += "$b (PR #$(($pr.number) MERGED)"

```



```

    } else {
        $state = if ($pr) { "PR #$( $pr.number) $( $pr.state)" } else { "NO PR FOUND" }
        $kept += "$b ($state)"
    }
}
Write-Output "=== DELETED $($deleted.Count) ==="
$deleted | ForEach-Object { Write-Output " $_" }
Write-Output "=== KEPT / FLAGGED $($kept.Count) ==="
$kept | ForEach-Object { Write-Output " $_" }
Write-Output "=== remaining branches ==="
git branch
[/external_agent_tool_call]

```

174. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_result]
=== DELETED (23) ===
chore/gemini-flash-latest-alias (PR #78 MERGED)
docs/adr-008-model-topology (PR #73 MERGED)
docs/field-research-flyer (PR #86 MERGED)
docs/next-steps-multisport (PR #62 MERGED)
docs/next-steps-refresh (PR #72 MERGED)
docs/next-steps-session-wrap (PR #85 MERGED)
docs/truth-sync-audit (PR #71 MERGED)
eval/gemini-wrapper-baseline (PR #84 MERGED)
feat/async-job-model (PR #87 MERGED)
feat/canonical-gt-loader (PR #74 MERGED)
feat/featurizer-promotion-import-wall (PR #75 MERGED)
feat/gen0-tal-harness (PR #77 MERGED)
fix/api-path-validation (PR #68 MERGED)
fix/detector-keying-video-id (PR #64 MERGED)
fix/eval-gate-and-metric-footguns (PR #67 MERGED)
fix/gemini-serial-workers (PR #79 MERGED)
fix/gen-retry-backoff (PR #83 MERGED)
fix/nested-config-wasb (PR #66 MERGED)
fix/purity-test-skip-without-numpy (PR #76 MERGED)
fix/reingest-destroy-after-confirm (PR #65 MERGED)
fix/reliability-hardening (PR #69 MERGED)
test/close-coverage-inversion (PR #70 MERGED)
test/oversize-channel-pin (PR #81 MERGED)
=== KEPT / FLAGGED (0) ===
=== remaining branches ===
* master
[/external_agent_tool_result]

```

175. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_call: PowerShell]
description: Inspect untracked artifacts dir and collector gitignore diff
command: Write-Output "=== artifacts/ contents (indexer) ==="
Get-ChildItem -Recurse artifacts | Select-Object -First 15 | ForEach-Object { Write-Output "
$( $_.FullName.Replace($PWD.Path + '\', '')) ($( [math]::Round($_.Length/1KB,1))KB)" }
Write-Output "=== collector .gitignore diff ==="
Push-Location "C:\Users\avidu\Projects\sports-data-collector"; try { git diff .gitignore }
finally { Pop-Location }
[/external_agent_tool_call]

```

176. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_result]
=== artifacts/ contents (indexer) ===
artifacts\rally_tal_gen0 (0KB)
artifacts\rally_tal_gen0\0.1.0 (0KB)
artifacts\rally_tal_gen0\0.1.0\manifest.json (6.4KB)

```

```

artifacts\rally_tal_gen0\0.1.0\weights.json (0.9KB)
=== collector .gitignore diff ===
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git
touches it
diff --git a/.gitignore b/.gitignore
index 52dac92..ac1420f 100644
--- a/.gitignore
+++ b/.gitignore
@@ -53,3 +53,7 @@ data/temp/

# Local DB backups (e.g. data/sports_metadata.backup-YYYY-MM-DD.db) ? never commit
data/*.backup-*.db
+
+# Model artifact bundles: weights are NEVER committed (private Releases); the
+# reviewable surface is each bundle's manifest.json (ADR-008).
+artifacts/
[/external_agent_tool_result]

```

177. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_call: Edit]
file: C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md
[/external_agent_tool_call]

```

178. assistant (2026-07-02T06:11:33.016Z)

```

[external_agent_tool_result]
The file C:\Users\avidu\claude\projects\C--Users-avidu-Projects-badminton-highlight-
indexer\memory\current-state.md has been updated successfully. (file state is current in your
context ? no need to Read it back)
[/external_agent_tool_result]

```

179. assistant (2026-07-02T06:11:33.016Z)

The PR was already merged in my previous turn ? re-confirmed now:
****[#89](https://github.com/avidullu/badminton-highlight-indexer/pull/89) is MERGED**** (squash commit `34cf26c` on master). What this turn added is the clean-slate sweep:

Slate status ? indexer

- ****No open PRs.**** Local `master` == `origin/master` at `34cf26c` (the #89 squash).
- ****All 23 stale local branches pruned.**** Before deleting each one, I mapped it to its PR and confirmed the PR state was MERGED (#62?#87 ? the audit/hardening/M0/Gemini mega-session leftovers, plus #87 async jobs). Nothing was force-deleted without a merged PR backing it; only `master` remains.
- ****Remote is equally clean**** ? the merge auto-deleted both khelsutra branches, and the prune confirmed no stale remote refs.

What remains in the tree ? intentional, do not clean

- `docs/DEFERRED\_HARDENING\_PLAN.md` + `docs/UI\_ALPHA\_EXECUTION\_PLAN.md` (modified) ? the ****PR-2 payload**** preserved per [PR88_FIX.md](scratch/PR88_FIX.md) (also backed up as [PR2_deferred_hardening_status.patch](scratch/PR2_deferred_hardening_status.patch)).
- `scratch/` handoff files (untracked by convention) and `artifacts/rally\_tal\_gen0/0.1.0/` ? the Gen-0 model bundle (manifest + weights), intentional ADR-008 local state.

One flag ? collector repo

The collector is also clean (no open PRs, on master) ****except**** one stray uncommitted `.gitignore` edit: it adds an `artifacts/` ignore rule with an ADR-008 comment ("weights never committed; manifest is the reviewable surface"). It looks like a forgotten leftover from the mega-session ? sensible content, just never committed. I left it untouched since opening

unrequested PRs is against the repo convention. Say the word and I'll turn it into a micro-PR, or it can ride with the next collector change.

Memory checkpoint updated. Next up whenever you're ready: **PR-2 (upload/download)** from the execution plan.

180. user (2026-07-02T06:11:33.017Z)

Go for PR2 and if you complete it then goo ahead and merge it and keep the docs updated!

181. assistant (2026-07-02T06:11:33.017Z)

PR-2 it is. The working agreement says implementation rides from the execution plan, so let me first read the plan and the PR-1 handoff to know exactly what PR-2 specifies.

182. assistant (2026-07-02T06:11:33.017Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\docs\UI_ALPHA_EXECUTION_PLAN.md
[/external_agent_tool_call]
```

183. assistant (2026-07-02T06:11:33.017Z)

```
[external_agent_tool_result]
1      # UI Alpha Execution Plan ? KhelSutra Guru
2
3      **Status:** ACTIVE · updated 2026-06-10 · **Linked:** `UI_PROPOSAL.md` ·
`HOSTING_PLAN.md` ·
4      `mockups/ui_alpha_mockup.html` · ADR-009 (`archives/decisions/DECISIONS.md`).
5      **Sequencing principle (owner-requested):** build and test **everything locally first**;
```

| Date | Decision |
|------------|---|
| 2026-06-10 | Product name **KhelSutra Guru** · domain **khelsutra.guru** (GoDaddy, 3-yr + protection) |
| 2026-06-10 | Separate **private repo `khelsutra`** ("heart and brain"): `web/` SPA now, control plane at beta; backend enablers stay in the indexer repo |
| 2026-06-10 | **Local-first delivery** (this plan's phase structure) |
| open | Final "go" on PR-1 coding start (= #16 greenlight) · training opt-in default OFF · invite list · stack (React+Vite+TS+Tailwind stands unless owner objects) |

```
16
17      ## Master checklist
18
19      ### G0 ? Setup (now)
20      - [x] Name/domain/repo-split ratified; spelling confirmed via GoDaddy receipt
21      - [x] `khelsutra` repo **scaffolded** at `C:\Users\avidu\Projects\khelsutra` (README,
.gitignore, web/, docs/)
22      - [x] **Owner:** git-init + private GitHub push ? done 2026-06-10:
23      `https://github.com/avidullu/khelsutra` (private; git runs Windows-side per ADR-009)
24      - [x] **Owner:** explicit "go" for PR-1 ? given 2026-06-10
25      - [x] **Owner:** Gemini API key rotated ? 2026-06-10, owner-verified (confirm old-key
deletion in AI Studio)
26
27      ### Phase L ? build & test locally (no cloud; ?6?7 sessions)
28
29      **L1 ? backend enablers** (indexer repo · branch off master · ONE PR each, no stacking ·
offline tests in every PR · GPU/real-video checks = owner):
30      - [x] **PR-1 · B1 async job model (#16):** `jobs` table (user_version 1?), `POST
/api/process` ? 202 + `job_id`, `GET /api/jobs/{job_id}`, ThreadPoolExecutor worker,
restart/crash state handling ? **MERGED 2026-06-11, PR #87** (CI green: 333 passed; machine-side
real-video checks fold into L3)
```

```

31      - [ ] **PR-2 · B2+B3 upload & download:** chunked `POST /api/upload` (?90 MB parts ?
assemble ? MD5 ? register under `allowed_video_root`/`<user>/`; size cap + mp4/mov allowlist) +
streaming `GET /api/highlights/{video_id}/{name}`
32      - [ ] **PR-3 · B4+B7 identity & exposure:** `owner_email` column + scoping on every
query; Access-JWT/header read with `DEV_USER_EMAIL` env fallback for local dev; CORS narrowed;
rate limit; per-user quota
33      - [ ] **PR-4 · B6 correction loop:** `PATCH /api/segments/{id}` accept/reject/boundary-
nudge ? `candidate_segments.human_label`/`notes` + provenance (who/when); retire
`backend/api/static` (B5)
34
35      **L2 ? SPA** (khelsutra repo, `web/`; dev server proxies to `http://localhost:8000`):
36      - [ ] **M1 scaffold:** Vite + React + TS + Tailwind, router, typed API client, branding
(KhelSutra Guru)
37      - [ ] **M2:** A2 Upload (chunked, guidelines checklist) + A3 Job Progress (poll)
38      - [ ] **M3:** A1 Matches + A4 Rally Review (player seek, accept/reject/nudge wired to
PR-4)
39      - [ ] **M4:** A5 Highlights (compile + download) + A6 Report + engine-offline banner
40      - [ ] Unit tests for API client + review-state logic; `npm run build` clean
41
42      **L3 ? local end-to-end (owner's box, real match videos):**
43      - [ ] Full UI flow on localhost: upload ? job ? review/correct ? compile ? download
44      - [ ] `python run_all_tests.py` green; UI polling vs SQLite WAL sanity; WASB/CLI paths
untouched
45      - [ ] **GATE GL:** owner signs off local E2E ? only then deployment work begins
46
47      ### Phase D ? deployment (?2 sessions + ~1 hr owner)
48      - [ ] **D1 (owner):** Cloudflare account ? add khelsutra.guru ? GoDaddy nameserver
switch (HOSTING_PLAN $5) ? scoped API token ($6) ? Pages project connected to GitHub `khelsutra`
(build root `web/`)
49      - [ ] **D2 (Claude):** DNS records; `cloudflared` Windows service on the box ?
`api.khelsutra.guru`; Access apps + emai...
[/external_agent_tool_result]

```

184. assistant (2026-07-02T06:11:33.017Z)

```

[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\scratch\PR1_HANDOFF.md
[/external_agent_tool_call]

```

185. assistant (2026-07-02T06:11:33.017Z)

```

[external_agent_tool_result]
1      # PR-1 handoff ? async job model (#16) · code complete, awaiting your review
2
3      **Date:** 2026-06-10 (overnight build, per your "go") · **Spec:**
`docs/DEFERRED_HARDENING_PLAN.md` §3
4      · **Plan:** `docs/UI_ALPHA_EXECUTION_PLAN.md` Phase L ? PR-1 · **Built by:** Claude
(Cowork session)
5
6      ## ?? One thing before review: run the suite
7
8      The Cowork sandbox's Linux bridge failed mid-session (a bad WSL-path mount wedged it ?
every
9      shell call now errors), so the test suite is **written but was NOT executed by me**.
First step
10     on your machine (or hand to Claude Code):
11
12     ```
13     python run_all_tests.py                                # full offline suite
14     python -m pytest tests/test_async_jobs.py -v          # just the new contract tests (11 tests)
15     ```
16
17     If anything is red, don't debug at midnight ? leave it and I'll fix in the next session.
18
19     ## What changed (PR-1 file list ? exactly these 7 for the branch)

```

```

20
21 | File | Change |
22 |---|---|
23 | `backend/infrastructure/database.py` | Migration `user_version` 1?2: `jobs` table +
`idx_jobs_status`; job store methods (`create_job`, `mark_job_running`, `set_job_progress`,
`set_job_video_id`, `mark_job_done`, `mark_job_failed`, `get_job`, `fail_stale_jobs`) |
24 | `backend/main.py` | `POST /api/process` ? fast-fail 4xx then **202 + job_id**; new
`GET /api/jobs/{job_id}`; `_execute_processing` (former sync body, behavior-preserving) +
`_run_job` worker + lazy `ThreadPoolExecutor(max_workers=1)`; startup sweep `fail_stale_jobs()`
in `main()` |
25 | `backend/api/static/app.js` | Submit handler polls `/api/jobs/{id}` every 3 s with
stage display (also fixes the pre-existing `data.rallies` ? `data.play_segments` field bug) |
26 | `tests/test_async_jobs.py` | **New** ? 11 tests: migration (fresh v2 + v1?v2 upgrade),
submit 202, fast-fail 400/404, full lifecycle, pipeline-verdict-vs-job-status, crash restore,
progress stages, unknown job 404, stale sweep, real-executor cross-thread run |
27 | `tests/test_api_endpoints.py` | Process tests updated to the 202+poll contract (inline
executor; query/compile/config untouched) |
28 | `docs/DEFERRED_HARDENING_PLAN.md` | §3 status banner: implemented, awaiting review |
29 | `docs/CODE_MAP.md` | §2.0 main.py (async surface), §2.7 DB (v2 + job store), §3 jobs-
row contract |
30
31 ## Design decisions you're reviewing
32
33 1. **Job `status` = EXECUTION state** (`queued|running|done|failed`). A video that fails
34 *validation* is a job that finished fine: `status="done"`,
`result["status"]="failed"`.
35 `failed` means the worker crashed/raised. (Keeps "did the machinery work" separable
from
36 "what did the pipeline conclude" ? the UI report screen needs both.)
37 2. **`max_workers=1`** ? single GPU box serializes work, and the Gemini provider is
38 rate-fragile under parallel uploads (your 2026-06-10 ops learning). Segmenters still
39 parallelize AI handoff internally. Knob can move to config later if ever needed.
40 3. **Fast-fail at submit** ? bad path / missing file / unknown segmenter still 4xx
41 immediately; everything slow (including MD5 hashing, which is minutes on 4 GB files)
42 moved into the worker.
43 4. **Raise-path now restores pre-run rows** ? previously a *raising* (vs
`Failure`-returning)
44 segmenter could leave half-written rows; the worker path wraps it with the same
45 destroy-AFTER-confirm prune the `Failure` branch uses. Tested.
46 5. **CLI mode untouched** ? `python backend/main.py --video-path ...` still runs
synchronously
47 (it's not the API; blocking is correct UX there).
48 6. **Report contract preserved** ? `emit_indexer_report` still runs in `finally:`, paths
still
49 grafted into the response, which now lives in `result` (the report is the job's
artifact,
50 per the plan).
51
52 ## Branch & commit (Windows-side, since git can't run through my mount)
53
54 ...
55 cd C:\Users\avidu\Projects\badminton-highlight-indexer
56 git checkout -b feat/async-job-model
57 git ...
[/external_agent_tool_result]

```

186. user (2026-07-02T06:11:33.017Z)

[Request interrupted by user]