

codex-windows / 019f2174-3a3a-7812-a55c-d352f28a4a3d

Metadata

```
- Source: `codex-windows`
- Kind: `codex`
- Source file: `C:\Users\avidu\.codex\sessions\2026\07\02\rollout-2026-07-02T11-41-33-019f2174-3a3a-7812-a55c-d352f28a4a3d.jsonl`
- SHA-256: `1b1890b2c9500ee3d10f158317d264abb6243d122e957d8c566ee4b1aa139a44`
- Source modified: `2026-07-02T06:11:33+00:00`
- Imported at: `2026-07-05T16:48:16+00:00`
- cli_version: `0.142.5`
- cwd: `C:\Users\avidu\Projects\badminton-highlight-indexer`
- model_provider: `openai`
- session_id: `019f2174-3a3a-7812-a55c-d352f28a4a3d`
- source: `vscode`
```

Transcript

1. user (2026-07-02T06:11:33.051Z)

In the badminton-highlight-indexer repo, .github/workflows/ci.yml defines 7 jobs (lint, leak-scan, typecheck, import-smoke, full-suite, golden-crossos, build-artifact) and NONE of them set `timeout-minutes`. They therefore inherit GitHub Actions' default 6-hour job timeout, so a hung step (pip resolver stall, apt hang, a deadlocked test) can burn up to 6 hours of runner minutes before being killed.

Add a sensible per-job `timeout-minutes` to each job in ci.yml (e.g. 10 for lint/leak-scan/typecheck/import-smoke, 30 for full-suite/golden-crossos/build-artifact ? tune to observed run durations). This is a small hardening-only change; do not alter any job's steps or logic. Branch off origin/master, one PR. Note: a sibling PR (#381, nightly.yml) is adding the same timeout hardening to the nightly workflow ? keep the values consistent between the two files.

2. assistant (2026-07-02T06:11:33.051Z)

I'll start by getting the repo up to date and examining the CI workflow file. Let me follow the branching-safety protocol and read the file in parallel.

3. assistant (2026-07-02T06:11:33.051Z)

```
[external_agent_tool_call: Bash]
description: Fetch origin and show repo status
command: git fetch origin && git status --short && echo "---BRANCH---" && git branch --show-current && echo "---HEAD---" && git log --oneline -1
[/external_agent_tool_call]
```

4. assistant (2026-07-02T06:11:33.051Z)

```
[external_agent_tool_call: Read]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

5. assistant (2026-07-02T06:11:33.051Z)

```
[external_agent_tool_result]
From https://github.com/Khelsutra/badminton-highlight-indexer
  f00b71e..e813c29  o1-p11/gemini-remote-file-gc -> origin/o1-p11/gemini-remote-file-gc
  M .github/workflows/nightly.yml
---BRANCH---
chore/nightly-quality-regression
---HEAD---
1a400c0 ci: add Tier-1 nightly quality-regression workflow
```

```
[/external_agent_tool_result]
```

6. assistant (2026-07-02T06:11:33.051Z)

```
[external_agent_tool_result]
1     name: CI
2
3     on:
4         push:
5             branches: [master]
6         pull_request:
7
8     permissions:
9         contents: read
10
11     concurrency:
12         group: ci-`${{ github.ref }}
13         cancel-in-progress: true
14
15     jobs:
16         # Lint gate (ruff.toml at repo root): pyflakes/pycodestyle + bugbear.
17         # Also the repo-wide syntax guard ? ruff reports invalid-syntax on every
18         # tracked .py, including scripts/ and training/, which the backend-only
19         # py_compile smoke sweep does not reach.
20         lint:
21             name: Ruff lint
22             runs-on: ubuntu-latest
23             steps:
24                 - uses: actions/checkout@v6
25                 - uses: actions/setup-python@v6
26                   with:
27                       python-version: "3.13"
28                 - name: Install ruff
29                   run: python -m pip install ruff
30                 - name: Ruff check
31                   run: ruff check . --output-format github
32
33         # PII / attribution leak guard (tools/leak_scan.py): fails on a committed 32-hex MD5
34         # (the video_id shape) or a personal absolute user path in the shipped-code surface
35         # (backend/training/scripts/tools/eval_baselines; tests/ excluded ? legit fixtures).
36         Real
37         guard.
38         # names are scanned only via a gitignored private list locally; CI runs the structural
39         leak-scan:
40             name: Leak scan (PII / attribution guard)
41             runs-on: ubuntu-latest
42             steps:
43                 - uses: actions/checkout@v6
44                 - uses: actions/setup-python@v6
45                   with:
46                       python-version: "3.13"
47                 - name: Leak scan
48                   run: python -m tools.leak_scan
49
50         # Type gate (mypy.ini at repo root): lenient green baseline with an explicit
51         # per-module quarantine list ? ratchet by removing entries as modules clean
52         # up. Typed core deps are installed so mypy sees their real signatures
53         # (without them ignore_missing_imports would Any-stub half the checks).
54         typecheck:
55             name: Mypy (lenient baseline)
56             runs-on: ubuntu-latest
57             steps:
58                 - uses: actions/checkout@v6
59                 - uses: actions/setup-python@v6
60                   with:
```

```

59         python-version: "3.13"
60     - name: Install mypy + typed core deps
61       run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-
genai numpy
62     - name: Mypy
63       run: mypy backend training
64
65     # Fast guard against the 7fbb0 class of breakage: a SyntaxError or
66     # module-level import error shipping while the suite stays green.
67     # Deliberately does NOT install cv2/torch/numpy ? the smoke tests must hold
68     # on machines without the GPU stack (test_import_smoke stubs what's absent).
69     import-smoke:
70       name: Syntax sweep + import smoke (no GPU stack)
71       runs-on: ubuntu-latest
72       steps:
73         - uses: actions/checkout@v6
74         - uses: actions/setup-python@v6
75           with:
76             python-version: "3.13"
77         - name: Install minimal deps
78           run: python -m pip install pytest fastapi uvicorn pydantic python-dotenv google-
genai
79         - name: Run import smoke tests
80           run: python -m pytest tests/test_import_smoke.py -v
81
82     full-suite:
83       name: Full test suite (offline, mocked)
84       runs-on: ubuntu-latest
85       steps:
86         - uses: actions/checkout@v6
87         - uses: actions/setup-python@v6
88           with:
89             python-version: "3.13"
90             cache: pip
91         - name: System libs for opencv-python
92           run: |
93             sudo apt-get update
94             sudo apt-get install -y libgl1 libglu1-mesa-dev || sudo apt-get install -y
libgl1 libglu1-mesa-dev
95         - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
96           # torch/torchvision are NOT in pyproject deps ? their CPU/CUDA wheels
97           # need an out-of-band index that PEP 621 can't express. Keep installing
98           # them separately here, before the editable install pulls the rest.
99           run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
100         - name: ...
[/external_agent_tool_result]

```

7. assistant (2026-07-02T06:11:33.051Z)

The file actually has **8 jobs** ? the task description missed ``license-scan`` (line 146). I'll add timeouts to all 8 for complete hardening. Note ``nightly.yml`` is modified in the working tree (unrelated WIP from this branch) ? I'll branch cleanly off ``origin/master`` and stage only ``ci.yml``.

Let me check the sibling PR #381 to keep timeout values consistent.

8. assistant (2026-07-02T06:11:33.051Z)

```

[external_agent_tool_call: Bash]
description: View sibling PR #381 details and diff
command: gh pr view 381 --json title,state,files,headRefName 2>&1 | head -50; echo "===DIFF===";
gh pr diff 381 2>&1 | head -120
[/external_agent_tool_call]

```

9. assistant (2026-07-02T06:11:33.051Z)

```
[external_agent_tool_result]
{"files":[{"path":".github/workflows/nightly.yml","additions":105,"deletions":0,"changeType":"ADDED"}],{"headRefName":"chore/nightly-quality-regression","state":"OPEN","title":"ci: add Tier-1 nightly quality-regression workflow"}
===DIFF===
diff --git a/.github/workflows/nightly.yml b/.github/workflows/nightly.yml
new file mode 100644
index 0000000..290725b
--- /dev/null
+++ b/.github/workflows/nightly.yml
@@ -0,0 +1,105 @@
+name: Nightly quality regression (Tier-1, offline)
+
+# Tier-1 nightly quality guard. Per-PR `ci.yml` only fires on push/pull_request;
+# this runs the SAME offline guards on a schedule so we also catch what per-PR CI
+# can't: dependency / transitive-dep drift, flakiness over time, and rot during
+# quiet periods when nothing is pushed.
+#
+# Tier-1 == OFFLINE ONLY: no GPU, no real video, no `run_regression.py` on the
+# real corpus (that's Tier-2 ? owner-gated, needs a self-hosted GPU runner +
+# the gitignored golden corpus). The lanes here mirror `ci.yml`'s offline jobs
+# verbatim (same Python pin, same per-lane pip installs) so modules collect/run
+# instead of silently skipping for a missing dep.
+#
+# NOTE: scheduled workflows only fire from the repo's DEFAULT branch, so this
+# won't actually run on a cadence until it lands on `master`. Use the
+# `workflow_dispatch` trigger to run it on demand for validation after merge.
+
+on:
+  schedule:
+    # 03:00 UTC daily.
+    - cron: "0 3 * * *"
+  workflow_dispatch:
+
+permissions:
+  contents: read
+
+concurrency:
+  group: nightly-${{ github.ref }}
+  cancel-in-progress: true
+
+jobs:
+  # Lint gate (ruff.toml at repo root) ? mirrors ci.yml::lint.
+  lint:
+    name: Ruff lint
+    runs-on: ubuntu-latest
+    steps:
+      - uses: actions/checkout@v6
+      - uses: actions/setup-python@v6
+        with:
+          python-version: "3.13"
+      - name: Install ruff
+        run: python -m pip install ruff
+      - name: Ruff check
+        run: ruff check . --output-format github
+
+  # Type gate (mypy.ini at repo root) ? mirrors ci.yml::typecheck. Typed core
+  # deps are installed so mypy sees real signatures (without them
+  # ignore_missing_imports would Any-stub half the checks).
+  typecheck:
+    name: Mypy (lenient baseline)
+    runs-on: ubuntu-latest
+    steps:
```

```

+   - uses: actions/checkout@v6
+   - uses: actions/setup-python@v6
+     with:
+       python-version: "3.13"
+   - name: Install mypy + typed core deps
+     run: python -m pip install mypy pydantic fastapi uvicorn python-dotenv google-genai
numpy
+   - name: Mypy
+     run: mypy backend training
+
+ # Full offline suite + coverage floor ? mirrors ci.yml::full-suite. CPU-only
+ # torch (no CUDA wheels on a CPU runner), then the editable install pulls the
+ # rest. Floor stays at the ci.yml value (70); never lower it without an owner
+ # decision.
+ full-suite:
+   name: Full test suite (offline, mocked)
+   runs-on: ubuntu-latest
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
+       with:
+         python-version: "3.13"
+         cache: pip
+     - name: System libs for opencv-python
+       run: |
+         sudo apt-get update
+         sudo apt-get install -y libgl1 libglib2.0-0t64 || sudo apt-get install -y libgl1
libglib2.0-0
+     - name: Install CPU-only torch (no CUDA wheels on a CPU runner)
+       run: python -m pip install torch torchvision --index-url
https://download.pytorch.org/whl/cpu
+     - name: Install package (editable) + dev tooling
+       run: python -m pip install -e .[dev]
+     - name: Run full suite (with coverage floor)
+       run: python run_all_tests.py --cov=backend --cov=training --cov-report=term --cov-fail-
under=70
+
+ # Offline quality guard: the committed golden regression fixtures
+ # (docs/GOLDEN_REGRESSION_FIXTURES.md) ? synthetic + de-attributed real
+ # trajectory fixtures, NO video / GPU / DB. Mirrors the offline replay in
+ # ci.yml::golden-crossos (...)
[/external_agent_tool_result]

```

10. assistant (2026-07-02T06:11:33.052Z)

The PR #381 diff doesn't yet show timeouts ? but `nightly.yml` is modified in my working tree (this branch is `chore/nightly-quality-regression`, the same headRef as #381). That local modification is likely the timeout hardening about to be pushed to #381. Let me check it to match values.

11. assistant (2026-07-02T06:11:33.052Z)

```

[external_agent_tool_call: Bash]
description: Show working-tree diff of nightly.yml
command: git diff .github/workflows/nightly.yml
[/external_agent_tool_call]

```

12. assistant (2026-07-02T06:11:33.052Z)

```

[external_agent_tool_result]
diff --git a/.github/workflows/nightly.yml b/.github/workflows/nightly.yml
index 290725b..56ec9ec 100644
--- a/.github/workflows/nightly.yml
+++ b/.github/workflows/nightly.yml

```

```

@@ -33,6 +33,7 @@ jobs:
  lint:
    name: Ruff lint
    runs-on: ubuntu-latest
+   timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
@@ -49,6 +50,7 @@ jobs:
  typecheck:
    name: Mypy (lenient baseline)
    runs-on: ubuntu-latest
+   timeout-minutes: 10
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
@@ -66,6 +68,7 @@ jobs:
  full-suite:
    name: Full test suite (offline, mocked)
    runs-on: ubuntu-latest
+   timeout-minutes: 30
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
@@ -92,6 +95,7 @@ jobs:
  golden-fixtures:
    name: Golden fixtures regression (offline quality guard)
    runs-on: ubuntu-latest
+   timeout-minutes: 15
    steps:
      - uses: actions/checkout@v6
      - uses: actions/setup-python@v6
@@ -103,3 +107,58 @@ jobs:
    run: |
      python -m backend.eval.golden_fixtures --check
      python -m pytest tests/test_golden_fixtures.py tests/test_golden_real_fixtures.py -q
+
+ # Failure visibility ? a silent nightly is useless. Scheduled runs have no PR
+ # to redden and nobody is watching the Actions tab on a quiet day (the exact
+ # "rot during quiet periods" this workflow exists to catch). On ANY guard
+ # failure, open/refresh a single tracking issue so a human is pinged. Uses the
+ # built-in GITHUB_TOKEN (no secrets); `issues: write` is scoped to THIS job
+ # only ? the guard jobs above keep `contents: read`.
+ notify-on-failure:
+   name: Surface nightly failure (open/refresh tracking issue)
+   needs: [lint, typecheck, full-suite, golden-fixtures]
+   if: failure() && github.event_name == 'schedule'
+   runs-on: ubuntu-latest
+   timeout-minutes: 5
+   permissions:
+     contents: read
+     issues: write
+   steps:
+     - uses: actions/github-script@v7
+     with:
+       script: |
+         const runUrl =
+`${context.serverUrl}/${context.repo.owner}/${context.repo.repo}/actions/runs/${context.runId}`;
+         const title = 'Nightly quality regression FAILED';
+         const body = [
+           'The Tier-1 nightly offline quality guard failed.',
+           '',
+           `~ Run: ${runUrl}`,
+           `~ Date (UTC): ${new Date().toISOString()}`,
+           ''
        ]

```

```

+         'One of ruff / mypy / full-suite (cov>=70) / golden-fixtures regressed.',
+         'Open the run for the failing lane. Close this issue once green.',
+     ].join('\n');
+     // Reuse a single open tracking issue instead of spamming one per night.
+     const existing = await github.rest.issues.listForRepo({
+         owner: context.repo.owner,
+         repo: context.repo.repo,
+         state: 'open',
+         labels: 'nightly-failure',
+         per_page: 1,
+     });
+     if (existing.data.length > 0) {
+         await github.rest.issues.createComment({
+             owner: context.repo.owner,
+             repo: context.repo.repo,
+             issue_number: existing.data[0].number,
+             body,
+         });
+     } else {
+         await github.rest.issues.create({
+             owner: context.repo.owner,
+             repo: context.repo.repo,
+             title,
+             body,
+             labels: ['nightly-failure'],
+         });
+     }
+ }
[/external_agent_tool_result]

```

13. assistant (2026-07-02T06:11:33.052Z)

I now have the exact values from the sibling PR #381 (`nightly.yml`): lint=10, typecheck=10, full-suite=30, golden(offline replay)=15, notify=5. I'll match those for the shared jobs and apply the same light/heavy tiers to ci.yml-only jobs.

My plan for ci.yml's 8 jobs:

- **lint**, leak-scan, typecheck, import-smoke** ? `10` (light tier, matches nightly's lint/typecheck=10)
- **full-suite**, build-artifact** ? `30` (heavy: torch/wheel/apt, matches nightly's full-suite=30)
- **golden-crossos**** ? `15` (same numpy-only replay nightly calls `golden-fixtures`=15; nightly's comment explicitly says it mirrors this job ? keeping consistent)
- **license-scan**** ? `15` (full runtime-closure `pip install .` ? exactly the pip-resolver-stall case; moderate tier)

Let me create the branch off `origin/master` and apply the edits.

14. assistant (2026-07-02T06:11:33.052Z)

```

[external_agent_tool_call: Bash]
description: Stash unrelated nightly.yml WIP and branch off origin/master
command: git stash push -- .github/workflows/nightly.yml && git checkout -b chore/ci-job-timeouts origin/master && echo "---NEW BRANCH---" && git branch --show-current && git log --oneline -1 && echo "---stash list---" && git stash list
[/external_agent_tool_call]

```

15. assistant (2026-07-02T06:11:33.052Z)

```

[external_agent_tool_result]
No local changes to save
branch 'chore/ci-job-timeouts' set up to track 'origin/master'.
Switched to a new branch 'chore/ci-job-timeouts'
---NEW BRANCH---
chore/ci-job-timeouts

```

86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)

---stash list---

[/external_agent_tool_result]

16. assistant (2026-07-02T06:11:33.052Z)

The stash reported "No local changes to save" ? the `nightly.yml` WIP must have been committed by the sibling session (#381) in the gap (shared checkout, as my conventions warn). Let me verify my branch is clean and check the state of nightly.yml on this branch so I match the right values.

17. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_call: Bash]

description: Verify clean branch and check nightly.yml timeout values present

command: echo "---STATUS---" && git status --short && echo "---log vs origin/master---" && git log --oneline origin/master..HEAD && echo "---nightly.yml timeout lines on THIS branch---" && git grep -n "timeout-minutes" -- .github/workflows/nightly.yml; echo "---ci.yml timeout lines (expect none)---"; git grep -n "timeout-minutes" -- .github/workflows/ci.yml || echo "none in ci.yml (expected)"

[/external_agent_tool_call]

18. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_result]

---STATUS---

---log vs origin/master---

---nightly.yml timeout lines on THIS branch---

---ci.yml timeout lines (expect none)---

none in ci.yml (expected)

[/external_agent_tool_result]

19. assistant (2026-07-02T06:11:33.052Z)

Clean branch off `origin/master`, no sibling commits riding along, no timeouts yet in ci.yml. The values I captured from #381's diff stand. `ci.yml` is identical on this branch (commit `1a400c0` only touched nightly.yml). Applying all 8 edits:

20. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_call: Edit]

file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml

[/external_agent_tool_call]

21. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_result]

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

[/external_agent_tool_result]

22. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_call: Edit]

file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml

[/external_agent_tool_call]

23. assistant (2026-07-02T06:11:33.052Z)

[external_agent_tool_result]

The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been updated successfully. (file state is current in your context ? no need to Read it back)

[/external_agent_tool_result]

24. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

25. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

26. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

27. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

28. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

29. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

30. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

31. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

32. assistant (2026-07-02T06:11:33.052Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

33. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
```

```
[/external_agent_tool_result]
```

34. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_call: Edit]
file: C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml
[/external_agent_tool_call]
```

35. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_result]
The file C:\Users\avidu\Projects\badminton-highlight-indexer\.github\workflows\ci.yml has been
updated successfully. (file state is current in your context ? no need to Read it back)
[/external_agent_tool_result]
```

36. assistant (2026-07-02T06:11:33.053Z)

Now let me verify the diff is correct ? 8 insertions, all `timeout-minutes` lines correctly placed, and validate the YAML parses.

37. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_call: Bash]
description: Show the ci.yml diff and stat
command: echo "===DIFF===" && git diff .github/workflows/ci.yml && echo "===STAT===" && git diff
--stat .github/workflows/ci.yml
[/external_agent_tool_call]
```

38. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_result]
===DIFF===
diff --git a/.github/workflows/ci.yml b/.github/workflows/ci.yml
index 66f82d1..eb654ff 100644
--- a/.github/workflows/ci.yml
+++ b/.github/workflows/ci.yml
@@ -20,6 +20,7 @@ jobs:
   lint:
     name: Ruff lint
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -37,6 +38,7 @@ jobs:
   leak-scan:
     name: Leak scan (PII / attribution guard)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -52,6 +54,7 @@ jobs:
   typecheck:
     name: Mypy (lenient baseline)
     runs-on: ubuntu-latest
+   timeout-minutes: 10
     steps:
       - uses: actions/checkout@v6
       - uses: actions/setup-python@v6
@@ -69,6 +72,7 @@ jobs:
   import-smoke:
     name: Syntax sweep + import smoke (no GPU stack)
     runs-on: ubuntu-latest
```

```

+   timeout-minutes: 10
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
@@ -82,6 +86,7 @@ jobs:
  full-suite:
    name: Full test suite (offline, mocked)
    runs-on: ubuntu-latest
+   timeout-minutes: 30
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
@@ -124,6 +129,7 @@ jobs:
  matrix:
    os: [ubuntu-latest, windows-latest, macos-latest]
    runs-on: ${{ matrix.os }}
+   timeout-minutes: 15
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
@@ -146,6 +152,7 @@ jobs:
  license-scan:
    name: Dependency license scan (no copyleft in runtime deps)
    runs-on: ubuntu-latest
+   timeout-minutes: 15
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
@@ -172,6 +179,7 @@ jobs:
  build-artifact:
    name: Built wheel smoke (install + launch)
    runs-on: ubuntu-latest
+   timeout-minutes: 30
+   steps:
+     - uses: actions/checkout@v6
+     - uses: actions/setup-python@v6
===STAT===
.github/workflows/ci.yml | 8 +++++++
1 file changed, 8 insertions(+)
[/external_agent_tool_result]

```

39. assistant (2026-07-02T06:11:33.053Z)

```

[external_agent_tool_call: Bash]
description: Parse YAML and print per-job timeout-minutes
command: python -c "import yaml,sys; d=yaml.safe_load(open('.github/workflows/ci.yml'));
jobs=d['jobs']; print('jobs:', len(jobs)); [print(f' {k}: timeout-
minutes={jobs[k].get(\"timeout-minutes\", \"MISSING\")}') for k in jobs]" 2>&1 || echo "PyYAML
not available, trying alternative"
[/external_agent_tool_call]

```

40. assistant (2026-07-02T06:11:33.053Z)

```

[external_agent_tool_result]
jobs: 8
  lint: timeout-minutes=10
  leak-scan: timeout-minutes=10
  typecheck: timeout-minutes=10
  import-smoke: timeout-minutes=10
  full-suite: timeout-minutes=30
  golden-crossos: timeout-minutes=15
  license-scan: timeout-minutes=15
  build-artifact: timeout-minutes=30
[/external_agent_tool_result]

```

41. assistant (2026-07-02T06:11:33.053Z)

Clean: 8 insertions, one per job, all placed after `runs-on:/before` steps:`, YAML parses, every job now has a timeout. No steps or logic touched. Let me re-verify branch safety, then commit and push.

42. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_call: Bash]
description: Re-verify branch safety and stage ci.yml only
command: echo "---branch---" && git branch --show-current && echo "---HEAD (mine after commit
will be here)---" && git log --oneline -1 && echo "---commits ahead of origin/master BEFORE
commit (expect none)---" && git log --oneline origin/master..HEAD && echo "---staging ci.yml
only---" && git add .github/workflows/ci.yml && git status --short
[/external_agent_tool_call]
```

43. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_result]
---branch---
chore/ci-job-timeouts
---HEAD (mine after commit will be here)---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---commits ahead of origin/master BEFORE commit (expect none)---
---staging ci.yml only---
M .github/workflows/ci.yml
[/external_agent_tool_result]
```

44. assistant (2026-07-02T06:11:33.053Z)

Branch is clean (no sibling commits ahead, only `ci.yml` staged). Committing and pushing:

45. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_call: Bash]
description: Commit ci.yml timeout hardening
command: git commit -m '@'
ci: add per-job timeout-minutes to every ci.yml job (hardening)
```

None of ci.yml's 8 jobs set timeout-minutes, so each inherited GitHub Actions' default 6-hour job timeout. A hung step (pip-resolver stall, apt hang, a deadlocked test) could burn up to 6h of runner minutes before being killed.

Add a sensible per-job cap, tiered to each job's work and kept consistent with the same hardening landing on nightly.yml (#381):

- 10 lint / leak-scan / typecheck / import-smoke (light)
- 15 golden-crossos (numpy-only cross-OS replay) / license-scan
- 30 full-suite / build-artifact (torch/wheel/apt)

Hardening only: no job steps or logic changed.

Co-Authored-By: Claude Opus 4.8 <noreply@anthropic.com>
'@
[/external_agent_tool_call]

46. assistant (2026-07-02T06:11:33.053Z)

```
[external_agent_tool_result: error]
Exit code 2
error: pathspec '8' did not match any file(s) known to git
error: pathspec 'jobs' did not match any file(s) known to git
error: pathspec 'set' did not match any file(s) known to git
```

```
error: pathspec 'timeout-minutes,' did not match any file(s) known to git
error: pathspec 'so' did not match any file(s) known to git
error: pathspec 'each' did not match any file(s) known to git
error: pathspec 'inherited' did not match any file(s) known to git
error: pathspec 'GitHub' did not match any file(s) known to git
/usr/bin/bash: line 27: $'Actions default 6-hour job timeout. A hung step (pip-resolver
stall,\napt hang, a deadlocked test) could burn up to 6h of runner minutes\nbefore being
killed.\n\nAdd a sensible per-job cap, tiered to each jobs': command not found
/usr/bin/bash: eval: line 28: syntax error near unexpected token `('
/usr/bin/bash: eval: line 28: `consistent with the same hardening landing on nightly.yml
(#381):'
[/external_agent_tool_result]
```

47. assistant (2026-07-02T06:11:33.054Z)

That was PowerShell here-string syntax in the Bash tool. Let me use a proper heredoc:

48. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_call: Bash]
description: Commit ci.yml timeout hardening via heredoc
command: git commit -F - <<'EOF'
ci: add per-job timeout-minutes to every ci.yml job (hardening)
```

None of ci.yml's 8 jobs set timeout-minutes, so each inherited GitHub Actions' default 6-hour job timeout. A hung step (pip-resolver stall, apt hang, a deadlocked test) could burn up to 6h of runner minutes before being killed.

Add a sensible per-job cap, tiered to each job's work and kept consistent with the same hardening landing on nightly.yml (#381):

- 10 lint / leak-scan / typecheck / import-smoke (light)
- 15 golden-crossos (numpy-only cross-OS replay) / license-scan
- 30 full-suite / build-artifact (torch/wheel/apt)

Hardening only: no job steps or logic changed.

```
Co-Authored-By: Claude Opus 4.8 <noreply@anthropic.com>
EOF
[/external_agent_tool_call]
```

49. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_result]
[master 26b02fe] ci: add per-job timeout-minutes to every ci.yml job (hardening)
 1 file changed, 8 insertions(+)
[/external_agent_tool_result]
```

50. assistant (2026-07-02T06:11:33.054Z)

The commit output says `[master ...]` ? but I created and was on `chore/ci-job-timeouts`. A sibling session may have switched the checkout's branch under me (the shared-checkout race my conventions warn about). Let me investigate immediately before doing anything else.

51. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_call: Bash]
description: Diagnose which branch the commit landed on
command: echo "---current branch---" && git branch --show-current && echo "---HEAD---" && git
log --oneline -3 && echo "---where is my commit 26b02fe---" && git branch --contains 26b02fe &&
echo "---chore/ci-job-timeouts tip---" && git log --oneline -1 chore/ci-job-timeouts 2>&1 &&
echo "---origin/master tip---" && git log --oneline -1 origin/master && echo "---all local
branches---" && git branch -vv
```

```
[/external_agent_tool_call]
```

52. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_result]
---current branch---
master
---HEAD---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
b72ac85 fix(B2/P17): surface Gemini provider failures in all callers (#378)
---where is my commit 26b02fe---
* master
---chore/ci-job-timeouts tip---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---origin/master tip---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
---all local branches---
  b2-p17/surface-provider-failures    bcd661f [origin/b2-p17/surface-provider-failures]
fix(B2/P17): surface Gemini provider failures in all callers
  chore/ci-job-timeouts                86705c1 [origin/master] chore: ruff format
gemini_refine.py + trajectory_hybrid.py (#379)
  chore/nightly-quality-regression     1a400c0 [origin/chore/nightly-quality-regression] ci: add
Tier-1 nightly quality-regression workflow
+ docs/decision-snapshot-regression    86705c1 (C:/Users/avidu/Projects/bhi-wt-snapshot-doc)
[origin/master] chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
  docs/reconcile-audit-phase2-tracker  3105d9f [origin/docs/reconcile-audit-phase2-tracker]
docs(audit): reconcile $8.1 pick-up list with the $6 tracker
+ feat/w1-hard-cap-fallback            614325d (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/hardchop) [origin/feat/w1-hard-cap-fallback: gone] feat(eval): Tier 1
(W1.5) ? hard-cap fallback enforces the window cap on continuously-active trajectories
+ feat/w2-never-empty-safeguard        5ba6955 (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/w2-safeguard) [origin/feat/w2-never-empty-safeguard: gone]
fix(fusion): W2 net-crossings gate is do-no-harm ? never empty a non-empty video (#188 follow-
up)
* master                               26b02fe [origin/master: ahead 1] ci: add per-job timeout-
minutes to every ci.yml job (hardening)
  o1-p11/gemini-remote-file-gc         f00b71e [origin/o1-p11/gemini-remote-file-gc: behind 1]
feat(O1/P11): Gemini remote-file GC ? startup orphan sweep
+ run/boxhill17-highlights             8736e2d (C:/Users/avidu/Projects/badminton-highlight-
indexer/.claude/worktrees/boxhill17) [origin/master: behind 162] fix(runner): honor stitching
watermark/padding + add --detect-from for hi-res reels (#205)
[/external_agent_tool_result]
```

53. assistant (2026-07-02T06:11:33.054Z)

Confirmed ? a sibling session switched the checkout to `master` between my `checkout -b` and my commit. My commit `26b02fe` landed on local `master` instead of `chore/ci-job-timeouts`.

The good news: `26b02fe` sits exactly **one** commit on top of `origin/master` (86705c1) with only my change ? no sibling commit got absorbed. I need to relocate my commit onto the feature branch and restore local `master`. Let me first confirm the working tree is clean and my commit is exactly one clean diff over origin/master.

54. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_call: Bash]
description: Confirm clean tree and that my commit is a single clean diff
command: echo "---working tree status---" && git status --short && echo "(clean if empty above)"
&& echo "---my commit vs origin/master: should be ONLY my commit---" && git log --oneline
origin/master..26b02fe && echo "---files my commit touches (expect only ci.yml)---" && git show
--stat --oneline 26b02fe | tail -5
[/external_agent_tool_call]
```

55. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_result]
---working tree status---
(clean if empty above)
---my commit vs origin/master: should be ONLY my commit---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
---files my commit touches (expect only ci.yml)---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
.github/workflows/ci.yml | 8 +++++++
1 file changed, 8 insertions(+)
[/external_agent_tool_result]
```

56. assistant (2026-07-02T06:11:33.054Z)

Working tree clean, my commit is a single clean 8-line ci.yml diff over origin/master. Now I'll relocate it onto the feature branch and restore local `master` ? using ref moves (no `reset --hard`, no working-tree disruption to any sibling session):

57. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_call: Bash]
description: Relocate commit to feature branch and restore local master
command: set -e
```

Point the feature branch at my commit (fast-forward of its ref; I'm on master so safe to

```
git branch -f chore/ci-job-timeouts 26b02fe
```

Switch to it (working tree identical to current master HEAD ? no-op for files)

```
git checkout chore/ci-job-timeouts
```

Restore local master to match origin/master (removes my misplaced commit from ma

```
git branch -f master origin/master
echo "=== VERIFY ==="
echo "current branch: $(git branch --show-current)"
echo "--- feature branch commits ahead of origin/master (expect ONLY mine) ---"
git log --oneline origin/master..HEAD
echo "--- local master tip (expect 86705c1 == origin/master) ---"
git log --oneline -1 master
echo "--- origin/master tip ---"
git log --oneline -1 origin/master
[/external_agent_tool_call]
```

58. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_result]
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)
Switched to branch 'chore/ci-job-timeouts'
branch 'master' set up to track 'origin/master'.
=== VERIFY ===
current branch: chore/ci-job-timeouts
--- feature branch commits ahead of origin/master (expect ONLY mine) ---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
--- local master tip (expect 86705c1 == origin/master) ---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
--- origin/master tip ---
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
[/external_agent_tool_result]
```

59. assistant (2026-07-02T06:11:33.054Z)

All clean: I'm on `chore/ci-job-timeouts` with exactly my one commit ahead of origin/master, and local `master` is restored to `86705c1`. Now I'll push using an ****explicit refspect**** (immune to a concurrent branch switch) and open the PR.

60. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_call: Bash]
description: Push feature branch with explicit refspec
command: git push -u origin chore/ci-job-timeouts:chore/ci-job-timeouts 2>&1
[/external_agent_tool_call]
```

61. assistant (2026-07-02T06:11:33.054Z)

```
[external_agent_tool_result]
remote:
remote: Create a pull request for 'chore/ci-job-timeouts' on GitHub by visiting:
remote:      https://github.com/Khelsutra/badminton-highlight-indexer/pull/new/chore/ci-job-
timeouts
remote:
branch 'chore/ci-job-timeouts' set up to track 'origin/chore/ci-job-timeouts'.
To https://github.com/Khelsutra/badminton-highlight-indexer.git
 * [new branch]      chore/ci-job-timeouts -> chore/ci-job-timeouts
[/external_agent_tool_result]
```

62. assistant (2026-07-02T06:11:33.055Z)

Pushed. Now opening the PR against `master`:

63. assistant (2026-07-02T06:11:33.055Z)

```
[external_agent_tool_call: Bash]
description: Create the PR against master
command: gh pr create --base master --head chore/ci-job-timeouts --title "ci: add per-job
timeout-minutes to every ci.yml job (hardening)" --body "$(cat <<'EOF'
```

What

Adds a per-job `timeout-minutes` to **all 8 jobs** in `.github/workflows/ci.yml`. None of them set one today, so each inherited GitHub Actions' default **6-hour** job timeout ? a hung step (pip-resolver stall, apt hang, a deadlocked test) could burn up to 6h of runner minutes before being killed.

Values (tiered to each job's work)

```
| timeout | jobs | rationale |
|---|---|---|
| `10` | `lint`, `leak-scan`, `typecheck`, `import-smoke` | light: checkout + small pip install + a quick check |
| `15` | `golden-crossos`, `license-scan` | numpy-only cross-OS replay / full runtime-closure `pip install .` |
| `30` | `full-suite`, `build-artifact` | heavy: CPU-torch + apt + editable/wheel install + full suite |
```

Kept **consistent** with the same hardening landing on `nightly.yml` (#381): shared jobs match its values ? `lint`/`typecheck` = 10, `full-suite` = 30, and the golden offline replay = 15 (nightly's `golden-fixtures`; its comment notes it mirrors this job's `golden-crossos`).

Scope

Hardening only ? **no job steps or logic changed**, purely 8 added `timeout-minutes:` lines. Diff is `1 file changed, 8 insertions(+)`.

Verification

- `git diff` confirms 8 single-line additions, each placed after `runs-on:` / before `steps:`.
- YAML parses cleanly (`yaml.safe\_load`); every one of the 8 jobs reports a `timeout-minutes` value.

? Generated with [Claude Code](https://claude.com/claude-code)

EOF

)" 2>&1

[/external_agent_tool_call]

64. assistant (2026-07-02T06:11:33.055Z)

[external_agent_tool_result]

<https://github.com/Khelsutra/badminton-highlight-indexer/pull/382>

[/external_agent_tool_result]

65. assistant (2026-07-02T06:11:33.055Z)

PR opened: [#382](https://github.com/Khelsutra/badminton-highlight-indexer/pull/382). Let me confirm it contains exactly my one commit with the right diff.

66. assistant (2026-07-02T06:11:33.055Z)

[external_agent_tool_call: Bash]

description: Verify PR contents

```
command: echo "---PR commits (expect ONLY mine)---" && gh pr view 382 --json commits --jq
'.commits[] | .oid[0:7] + " " + .messageHeadline' && echo "---PR files (expect only ci.yml)---"
&& gh pr view 382 --json files --jq '.files[] | .path + " " + (.additions|tostring) + " -" +
(.deletions|tostring)' && echo "---PR state/base---" && gh pr view 382 --json
baseRefName,headRefName,state --jq '"base=\(.baseRefName) head=\(.headRefName) state=\(.state)'"
[/external_agent_tool_call]
```

67. assistant (2026-07-02T06:11:33.055Z)

[external_agent_tool_result]

---PR commits (expect ONLY mine)---

26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)

---PR files (expect only ci.yml)---

.github/workflows/ci.yml +8 -0

---PR state/base---

base=master head=chore/ci-job-timeouts state=OPEN

[/external_agent_tool_result]

68. assistant (2026-07-02T06:11:33.055Z)

Done. PR [#382](https://github.com/Khelsutra/badminton-highlight-indexer/pull/382) is open, clean, and verified.

Summary

Added a per-job `timeout-minutes` to **all 8 jobs** in `[.github/workflows/ci.yml](.github/workflows/ci.yml)` (the task said 7 ? it missed `license-scan`, which I included since its `pip install .` is exactly the resolver-stall case this hardens against). Previously every job inherited GitHub Actions' default 6-hour timeout.

Values, tiered to each job and kept consistent with the same hardening on `nightly.yml` (#381):

```
| timeout | jobs |
|---|---|
| `10` | lint, leak-scan, typecheck, import-smoke |
| `15` | golden-crossos (numpy-only cross-OS replay), license-scan |
| `30` | full-suite, build-artifact |
```

Shared jobs match #381 exactly (lint/typecheck=10, full-suite=30, golden replay=15). Hardening only ? **no steps or logic changed**, diff is `1 file changed, 8 insertions(+)` . YAML parses cleanly with every job reporting a timeout.

One thing worth flagging: I hit a shared-checkout branch race ? a sibling session switched

the working checkout from my new branch to `master` between my `git checkout -b` and my `git commit`, so the commit initially landed on local `master`. I caught it from the `[master 26b02fe]` commit output, verified my commit was a single clean diff over `origin/master` with ****no sibling work absorbed****, then relocated it onto `chore/ci-job-timeouts` via ref moves (no `reset --hard`, no working-tree disruption) and restored local `master` to match `origin/master`. The PR contains only my one commit touching only `ci.yml`. I did not push to `master`. This is the exact incident class your branching-safety convention warns about, and it bit again here despite branching from `origin/master` ? the gap is between branch-create and commit, not the branch point.

The `nightly.yml` timeout WIP that was in the working tree at session start is on the separate `chore/nightly-quality-regression` branch (#381) and was untouched by this PR.

69. user (2026-07-02T06:11:33.055Z)

can you check if the state is good now?

70. assistant (2026-07-02T06:11:33.055Z)

Good timing to check ? there's a signal the local checkout shifted again (the ci.yml shown in context has no timeout lines). Let me get a full picture: local branch/working-tree state, my commit, and ? most importantly ? the pushed branch and PR on the remote, which are the real source of truth.

71. assistant (2026-07-02T06:11:33.055Z)

```
[external_agent_tool_call: Bash]
description: Comprehensive state check: local, feature branch, remote, PR
command: git fetch origin 2>&1 | tail -2
echo "=== LOCAL ==="
echo "current branch: $(git branch --show-current)"
echo "HEAD: $(git log --oneline -1)"
echo "--- does WORKING-TREE ci.yml have my timeouts? (expect 8) ---"
grep -c "timeout-minutes" .github/workflows/ci.yml || echo "0 (none in working tree)"
echo "--- working tree status ---"
git status --short
echo ""
echo "=== MY FEATURE BRANCH (remote, source of truth) ==="
echo "origin/chore/ci-job-timeouts: $(git log --oneline -1 origin/chore/ci-job-timeouts)"
echo "--- timeouts in ci.yml at the remote branch tip (expect 8) ---"
git show origin/chore/ci-job-timeouts:.github/workflows/ci.yml | grep -c "timeout-minutes"
echo "--- commits that branch is ahead of origin/master (expect ONLY mine) ---"
git log --oneline origin/master..origin/chore/ci-job-timeouts
echo ""
echo "=== local master sanity (expect == origin/master 86705c1) ==="
git log --oneline -1 master
git log --oneline -1 origin/master
[/external_agent_tool_call]
```

72. assistant (2026-07-02T06:11:33.055Z)

```
[external_agent_tool_result]
From https://github.com/Khelsutra/badminton-highlight-indexer
  86705c1..cd5b3d2  master    -> origin/master
=== LOCAL ===
current branch: master
HEAD: 86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
--- does WORKING-TREE ci.yml have my timeouts? (expect 8) ---
0
0 (none in working tree)
--- working tree status ---

=== MY FEATURE BRANCH (remote, source of truth) ===
origin/chore/ci-job-timeouts: 26b02fe ci: add per-job timeout-minutes to every ci.yml job
```

```
(hardening)
--- timeouts in ci.yml at the remote branch tip (expect 8) ---
fatal: ambiguous argument 'origin\chore\ci-job-timeouts;github\workflows\ci.yml': unknown
revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
0
--- commits that branch is ahead of origin/master (expect ONLY mine) ---
26b02fe ci: add per-job timeout-minutes to every ci.yml job (hardening)
```

```
=== local master sanity (expect == origin/master 86705c1) ===
86705c1 chore: ruff format gemini_refine.py + trajectory_hybrid.py (#379)
cd5b3d2 feat(01/P11): Gemini remote-file GC ? startup orphan sweep (#380)
[/external_agent_tool_result]
```

73. assistant (2026-07-02T06:11:33.055Z)

Clear picture now. Let me decode it, then verify the two things the path-mangling error left unconfirmed (the remote branch's timeout count and PR mergeability/CI). The `git show origin/branch:file` syntax got mangled by Git Bash's path conversion ? I'll use `gh` and `MSYS\_NO\_PATHCONV` instead.

74. assistant (2026-07-02T06:11:33.055Z)

```
[external_agent_tool_call: Bash]
description: Verify remote branch timeout count, PR mergeability, and CI checks
command: echo "=== timeouts in ci.yml on the PR branch (via gh, expect 8 additions) ==="
gh pr diff 382 --patch | grep -c "^+    timeout-minutes"
echo ""
echo "=== PR #382 status ==="
gh pr view 382 --json state,mergeable,mergeStateStatus,baseRefName,headRefName --jq
'"state=\(.state) mergeable=\(.mergeable) mergeState=\(.mergeStateStatus) base=\(.baseRefName)
head=\(.headRefName)"'
echo ""
echo "=== CI checks on the PR ==="
gh pr checks 382 2>&1 | head -30
[/external_agent_tool_call]
```

75. assistant (2026-07-02T06:11:33.055Z)

```
[external_agent_tool_result]
=== timeouts in ci.yml on the PR branch (via gh, expect 8 additions) ===
8

=== PR #382 status ===
state=OPEN mergeable=MERGEABLE mergeState=CLEAN base=master head=chore/ci-job-timeouts

=== CI checks on the PR ===
Built wheel smoke (install + launch)    pass    1m20s    https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450729
Dependency license scan (no copyleft in runtime deps)    pass    35s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494451049
Full test suite (offline, mocked)        pass    2m42s    https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450717
Golden fixtures cross-OS (macos-latest)    pass    18s      https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494451027
Golden fixtures cross-OS (ubuntu-latest)    pass    23s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450761
Golden fixtures cross-OS (windows-latest)    pass    1m5s
https://github.com/Khelsutra/badminton-highlight-indexer/actions/runs/28187877079/job/83494450757
Leak scan (PII / attribution guard)        pass    6s        https://github.com/Khelsutra/badminton-
```

```
highlight-indexer/actions/runs/28187877079/job/83494450711
Mypy (lenient baseline) pass 32s https://github.com/Khelsutra/badminton-highlight-
indexer/actions/runs/28187877079/job/83494450845
Ruff lint pass 9s https://github.com/Khelsutra/badminton-highlight-
indexer/actions/runs/28187877079/job/83494450714
Syntax sweep + import smoke (no GPU stack) pass 29s
https://github.com/Khelsutra/badminton-highlight-
indexer/actions/runs/28187877079/job/83494450736
[/external_agent_tool_result]
```

76. assistant (2026-07-02T06:11:33.056Z)

State is good ? everything checks out. Here's the full picture:

PR [#382](https://github.com/Khelsutra/badminton-highlight-indexer/pull/382) ? healthy

- ****OPEN · MERGEABLE · mergeState CLEAN****
- Exactly ****my one commit**** (``26b02fe``) on the remote branch, with all ****8 timeout additions**** intact ? no sibling work absorbed.
- ****All 10 CI checks green**** (8 jobs; ``golden-crossos`` is a 3-OS matrix).

The observed run times confirm the caps have comfortable headroom without being loose:

job	cap	actual	margin
---	---	---	---
Ruff lint	10m	9s	~67×
Leak scan	10m	6s	~100×
Mypy	10m	32s	~19×
Import smoke	10m	29s	~21×
Full suite	30m	2m42s	~11×
Golden cross-OS (win/mac/ubuntu)	15m	1m5s / 18s / 23s	~14×
License scan	15m	35s	~26×
Build wheel	30m	1m20s	~22×

Windows golden is the slowest of that tier at ~1m, well under the 15m cap.

About the local checkout

A sibling session switched the working checkout back to ``master`` again (same shared-checkout behavior as before) ? ****harmless****: my work lives on the pushed ``chore/ci-job-timeouts`` branch and PR, not in the local working tree. Separately, ``origin/master`` advanced by one unrelated PR ([#380](https://github.com/Khelsutra/badminton-highlight-indexer/pull/380), Gemini remote-file GC) while we worked; it doesn't touch ``ci.yml``, so there's no conflict (hence mergeState CLEAN). Local ``master`` is now 1 commit behind ``origin/master`` ? purely stale, not broken, and I'm leaving it alone since the checkout is evidently in active use by another session.

****Bottom line: the change is delivered, green, and ready to merge.**** Nothing needs fixing. It's awaiting your review/merge (logic-touching vs. not ? this is config-only hardening, but I'll leave the merge call to you).