

claude-windows / aa329f09-28b7-4acc-b062-98ec7e905abc

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\aa329f09-28b7-4acc-b062-98ec7e905abc\subagents\workflows\wf_28916f46-0f0\agent-afdb0d35dd532d997.jsonl`  
- SHA-256: `1b3476cee840f3faadd8c5b64834c89e1d63862c688475f777efe2abd566038b`  
- Source modified: `2026-05-30T09:41:06+00:00`  
- Imported at: `2026-07-05T16:48:25+00:00`  
- project: `wf_28916f46-0f0`  
- session_id: `aa329f09-28b7-4acc-b062-98ec7e905abc`
```

Transcript

1. user (2026-05-30T08:35:55.132Z)

Adversarial Claim Verifier (voter 2/3)

Be SKEPTICAL. Try to REFUTE this claim. ?2/3 refutations kill it.

Research question

RESEARCH GOAL: Produce a decision-grade shortlist of data-annotation VENDORS to build "golden set" ground-truth labels for a badminton highlights product, with a STRONG PREFERENCE for vendors based in or operating from Bangalore / India (the founder is in Bangalore and prefers local vendors for easier coordination, possible site visits, and data residency). The annotation task is TEMPORAL VIDEO SEGMENT annotation: marking the [start, end) time ranges of each "rally" in badminton match videos ? i.e. event / temporal-action labeling on video, NOT just image bounding boxes. Output is a simple per-video timestamp list (CSV of start,end). Volume: a constantly growing collection of licensed/owned match videos (no end-user uploads).

For EACH candidate vendor, verify against PRIMARY sources (the vendor's own website/docs) and clearly FLAG anything unverifiable (pricing is usually quote-only):

1. Company & location ? HQ + delivery centers; confirm Bangalore / India presence; flag if purely overseas.
2. Capability ? do they do VIDEO temporal/event annotation (timestamps/segments) or video tracking, or only static image labeling? Sports / media-video experience is a plus.
3. Pricing model ? per video-minute / per task / per annotator-hour / managed-team; any public rates; minimum engagement; willingness to run a small paid PILOT.
4. Data security & compliance ? ISO 27001, SOC 2, GDPR, and especially India's DPDP Act 2023; willingness to sign a DPA; "no training/reuse of our data"; delete-on-delivery; access controls; secure-facility / VDI options.
5. Delivery & integration ? programmatic API for submit/fetch? turnaround SLAs? can they support BOTH a fast tier (hours) and a batch tier (days)?
6. Quality process ? multi-annotator consensus, gold-standard/honeypot checks, inter-annotator-agreement (IAA) reporting, QA review layers.

Candidate vendors to investigate and VERIFY (do not assume ? confirm or correct each, and find others, especially Bangalore-local): iMerit, Playment (and whether TELUS International acquired it), Cogito Tech, Anolytics, Infolks, Learning Spiral, Indika AI, Tech Mahindra, Sama, Scale AI, Labelbox, Toloka, SuperAnnotate, Encord, CloudFactory. Also identify any Bangalore-based startups specializing in video annotation.

Also briefly cover: (a) typical market rate RANGE for temporal video annotation in India vs US/global; and (b) the AUTOMATED-annotation alternative ? could a hosted VLM (e.g. Gemini) or an open model serve as a "fast tier" oracle for surprise regression tests, and what that implies (it must be a DIFFERENT model lineage than the production tool to avoid shared-blind-spot bias).

DELIVERABLE: a ranked shortlist (favoring Bangalore/India) with a comparison table (vendor | location | video-temporal capability | pricing model | security/DPA & DPDP posture |

API/turnaround | QA process | pilot availability | verdict), plus 2?3 recommended vendors to approach for a pilot bake-off, and explicit flags on every unverifiable claim (especially pricing). Prioritize accuracy and primary-source citations over breadth.

Claim under review

"iMerit's dedicated video-annotation page frames its capability around per-frame object-tracking techniques (bounding boxes, 3D cuboids, polygon, semantic segmentation, keypoint, landmark, polyline) plus 'video interpolation' for rapid frame labeling ? i.e. object-on-frame tracking, NOT explicit free-form [start,end) temporal event/rally segmentation. The terms 'temporal' and 'action recognition' do not appear in the page body (only 'frame-by-frame'), so the exact rally-segment timestamp task fit is UNVERIFIED and should be scoped in a pilot."

****Source:**** <https://imerit.net/computer-vision/video-annotation/> (primary)

****Supporting quote:**** "iMerit delivers video annotation solutions with advanced labeling techniques, object tracking, and quality control to improve model accuracy and performance."

Checklist

1. Is the claim actually supported by the quote, or is it an overreach/misread?
2. WebSearch for contradicting evidence ? does any credible source dispute or heavily qualify this?
3. Is the source quality sufficient for the claim's strength? (extraordinary claims need primary sources)
4. Is the claim outdated? (check dates ? old claims about fast-moving fields are suspect)
5. Is this a marketing claim / press release / cherry-picked benchmark / forum speculation?

****refuted=true**** if: unsupported by quote / contradicted / low-quality source for strong claim / outdated / marketing fluff.

****refuted=false**** ONLY if: claim is well-supported, current, and source quality matches claim strength.

Default to refuted=true if uncertain.

Structured output only. Evidence MUST be specific.

2. assistant (2026-05-30T08:35:58.877Z)

I'll verify this claim about iMerit's video annotation page. Let me start by fetching the primary source and searching for corroborating/contradicting evidence.

3. user (2026-05-30T08:36:19.682Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/computer-vision/video-annotation/>

Redirect URL: <https://imerit.ai/computer-vision/video-annotation/>

Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/computer-vision/video-annotation/"

- prompt: "Extract the full body text of this page. List every annotation TECHNIQUE or capability mentioned (e.g. bounding boxes, 3D cuboids, polygon, semantic segmentation, keypoint, landmark, polyline, video interpolation, object tracking, frame-by-frame). Critically: does the page mention 'temporal' annotation, 'action recognition', 'event detection', 'activity recognition', or labeling free-form [start,end) time ranges / segments / clips of video (as opposed to labeling objects on individual frames)? Quote any sentences containing the words 'temporal', 'action', 'event', 'activity', 'frame-by-frame', 'frame-by-frame', 'segment', 'timestamp', or 'interpolation'. Report exactly what is and is not present."

4. user (2026-05-30T08:36:22.919Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/computer-vision/video-annotation/>

Redirect URL: <https://imerit.ai/computer-vision/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/computer-vision/video-annotation/"
- prompt: "Extract the full body text. List every annotation technique mentioned (bounding boxes, 3D cuboids, polygon, semantic segmentation, keypoint, landmark, polyline, video interpolation, object tracking, frame-by-frame). Does the page mention "temporal", "action recognition", "event detection", "activity recognition", or labeling [start,end) time ranges / video segments / clips? Quote sentences containing: temporal, action, event, activity, frame-by-frame, segment, timestamp, interpolation. Report what is present and what is absent."

5. user (2026-05-30T08:36:27.399Z)

Web search results for query: "iMerit video annotation temporal action recognition event detection capabilities"

Links: [{"title": "Top Tools for 2D Video Annotation: A Complete Guide for AI", "url": "https://imerit.net/resources/blog/top-tools-for-2d-video-annotation-a-complete-guide/"}, {"title": "Video Event Tracking for Behavior-Driven AI - Data Annotation", "url": "https://www.annotera.ai/services/video-annotation/event-tracking/"}, {"title": "Advanced Video Annotation: Temporal Tracking and Action Recognition", "url": "https://encord.com/blog/advanced-video-annotation-temporal-tracking-and-action-recognition/"}, {"title": "Uncertainty-Aware Weakly Supervised Action Detection from Untrimmed Videos", "url": "https://arxiv.org/pdf/2007.10703"}, {"title": "Temporal Action Detection with Multi-level Supervision", "url": "https://arxiv.org/pdf/2011.11893"}]

Based on the search results, here's what I found about iMerit's video annotation capabilities:

iMerit's Ango Hub is an advanced platform purpose-built for complex, high-volume video annotation tasks. With customizable workflows, automation capabilities, and PACS-like viewer integrations, it supports industry-grade use cases, especially in medical imaging, autonomous mobility, in-cabin monitoring, and diagnostics.

Regarding temporal action recognition and event detection more broadly, accurate annotation of video data ensures precise object tracking, event detection, behavioral analysis, and enhanced AI model effectiveness. The search results indicate that the platform supports multiple video formats, including MP4, MOV, AVI, and specialized medical imaging formats.

However, the search results don't contain detailed information specifically about iMerit's capabilities for temporal action recognition and event detection. The results mention iMerit's Ango Hub as a general video annotation platform with customizable workflows, but don't delve into specific features related to temporal action recognition or event detection capabilities. For more detailed technical specifications about these particular features, you may want to visit iMerit's official website or contact them directly.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

6. user (2026-05-30T08:36:31.071Z)

Web search results for query: "imerit.net video annotation "object tracking" "video interpolation" frame"

Links: [{"title": "Expert Video Annotation Solutions for Machine Learning", "url": "https://imerit.net/solutions/computer-vision/video-annotation-services/"}, {"title": "Video Annotation for Machine Learning: A Step-by-Step Guide", "url": "https://imerit.net/resources/blog/a-step-by-step-guide-to-video-annotation-for-machine-learning/"}, {"title": "Data Annotation for Robotics: Challenges and Innovations - iMerit", "url": "https://imerit.net/resources/blog/data-annotation-for-robotics-challenges-and-innovations/"}, {"title": "A Deep Dive into Video Annotation for Autonomous Mobility - iMerit", "url": "https://imerit.net/resources/blog/a-deep-dive-into-video-annotation-for-autonomous-mobility/"}, {"title": "Video Annotation Tool for Fast, Accurate Data"}]

```
Labeling","url":"https://imerit.ai/products/ango-workflow-automation-by-imerit/video-annotation-and-labeling-tool/"},"{"title":"Video Annotation and Labeling Tool | iMerit","url":"https://imerit.net/video-annotation-and-labeling-tool/"},"{"title":"Top Tools for 2D Video Annotation: A Complete Guide for AI","url":"https://imerit.net/resources/blog/top-tools-for-2d-video-annotation-a-complete-guide/"},"{"title":"Efficient video annotation with visual interpolation and frame selection guidance","url":"https://arxiv.org/pdf/2012.12554"},"{"title":"Egocentric Video Data Collection Services | iMerit","url":"https://imerit.net/domains/robotics/video-data-collection/"}]
```

Based on the search results, here's what iMerit.net offers regarding video annotation with object tracking and video interpolation:

****Object Tracking:****

iMerit experts perform object tracking by drawing cubes around objects. This allows systems to recognize a given object's length, width, and height.

****Video Interpolation:****

iMerit's video annotation platform utilizes video interpolation to rapidly annotate suitable video footage. More specifically, users can draw a polygon or a segmentation in one frame and move it forward any number of frames, and annotators can edit these polygons or segmentations at any point in a video, and iMerit Ango Hub will automatically interpolate them accordingly.

****Frame-based Annotation:****

Unlike image annotation, video annotation involves annotating objects on a frame-by-frame basis to make them recognizable for machine learning models. Advanced automation capabilities include automated object tracking, frame-by-frame interpolation, smart segmentation, automated bounding box detection, and AI-assisted object annotation.

These features are part of iMerit's Ango Hub platform, which is designed to streamline and accelerate the video annotation process for machine learning applications.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

7. user (2026-05-30T08:36:31.701Z)

Web search results for query: "iMerit video annotation services object tracking"

```
Links: [{"title":"Expert Video Annotation Solutions for Machine Learning","url":"https://imerit.net/video-annotation/"},"{"title":"High-Quality Data Labeling Services for AI and ML | iMerit","url":"https://imerit.net/solution-briefs/data-labeling-services/"},"{"title":"Egocentric Video Data Collection Services | iMerit","url":"https://imerit.net/domains/robotics/video-data-collection/"},"{"title":"Data Annotation Services for Machine Learning & AI | iMerit","url":"https://imerit.net/solutions/computer-vision/data-annotation-services/"},"{"title":"A Deep Dive into Video Annotation for Autonomous Mobility - iMerit","url":"https://imerit.net/resources/blog/a-deep-dive-into-video-annotation-for-autonomous-mobility/"},"{"title":"Image Annotation Services for AI and Computer Vision | iMerit","url":"https://imerit.net/image-annotation-services/"},"{"title":"10 Best Video Annotation & Labeling Service Providers 2026","url":"https://www.labellerr.com/blog/video-annotation-services/"},"{"title":"15 Best Video Annotation & Labeling Service Providers - Aya Data","url":"https://www.ayadata.ai/15-best-video-annotation-labeling-service-providers/"},"{"title":"AI Data Annotation & Model Fine-Tuning Solutions | iMerit","url":"https://imerit.ai/"},"{"title":"Video Annotation Tool for Fast, Accurate Data Labeling","url":"https://imerit.ai/products/ango-workflow-automation-by-imerit/video-annotation-and-labeling-tool/"}]
```

Here's what I found about iMerit's video annotation services and object tracking:

Video Annotation Services

iMerit delivers video annotation solutions with advanced labeling techniques, object tracking, and quality control to improve model accuracy and performance.

Object Tracking Capabilities

iMerit experts perform object tracking by drawing cubes around objects. This allows systems to recognize a given object's length, width, and height. Additionally, iMerit provides frame-by-frame object tracking, activity recognition, and behavioral analysis through bounding boxes, polygons, and semantic segmentation.

Annotation Techniques

iMerit provides video annotation services for all annotation projects including bounding box annotation, polygon annotation, keypoint annotation, and semantic segmentation. Annotation types include bounding boxes, polygons, keypoints, segmentation, classification, tracking, and 3D/LiDAR labeling.

Technology Platform

iMerit's video annotation platform utilizes video interpolation to rapidly annotate suitable video footage. Their tool also features the ability to draw a polygon or a segmentation in one frame and move it forward any number of frames, with annotators able to edit these polygons or segmentations at any point in a video, and iMerit Ango Hub automatically interpolating them accordingly.

Applications

iMerit delivers video annotation services for complex use cases, including medical imaging and geospatial analysis.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

8. user (2026-05-30T08:36:26.617Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/computer-vision/video-annotation/>
Redirect URL: <https://imerit.ai/computer-vision/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "<https://imerit.ai/computer-vision/video-annotation/>"
- prompt: "What annotation techniques and capabilities does this page describe? Does it mention temporal action recognition, event detection, or marking start/end time ranges of video segments?"

9. user (2026-05-30T08:36:45.381Z)

Web search results for query: "iMerit data annotation company"

Links: [{"title": "AI Data Annotation & Model Fine-Tuning Solutions | iMerit", "url": "https://imerit.ai/"}, {"title": "Data Annotation Services for Machine Learning & AI | iMerit", "url": "https://imerit.net/solutions/computer-vision/data-annotation-services/"}, {"title": "iMerit: Data Annotation and Generative AI Services Company", "url": "https://imerit.ai/about-us/"}, {"title": "iMerit: Data Annotation Tools & Services for Enterprise AI", "url": "https://imerit.net/dev-home/"}, {"title": "iMerit Technology | LinkedIn", "url": "https://www.linkedin.com/company/imerit"}, {"title": "Financial Data Annotation Services | iMerit", "url": "https://imerit.net/domains/financial-services/"}, {"title": "iMerit Annotation Solutions", "url": "https://marketplace.microsoft.com/en-us/marketplace/apps/imeritinc1705909865843.imerit_annotation1?tab=Overview"}, {"title": "Data Annotation by Industry | Solutions for AI & ML Models", "url": "https://imerit.net/domains/"}, {"title": "iMerit Jobs and Careers | Welcome to the Jungle (formerly

```
Otta)","url":"https://app.welcometothejungle.com/companies/iMerit"},"title":"AI Training | Data Annotation & Model Evaluation Solutions","url":"https://imerit.net/solutions/"]]
```

Based on the search results, here's information about iMerit:

Overview

iMerit delivers advanced AI data solutions combining intelligent annotation and labeling technology to accelerate scalable, high-performance model development. iMerit is a leading AI data solutions company providing high-quality data across computer vision, natural language processing, and content services that power machine learning and artificial intelligence applications for large enterprises.

Core Services

iMerit delivers expert data annotation services for AI and machine learning, improving model accuracy with high quality image, text, video, and audio labeling. The company annotates image, video, LIDAR and text data for Machine Learning, NLP and Computer Vision.

Workforce and Scale

iMerit provides accurate, consistent, secure, affordable, and ethically-sourced data labeling services with a full time workforce of 5500+ people in 10 delivery centers. With an output accuracy above 98%, iMerit is recognized as the leader in delivering quality, cost-effective projects on time and on budget.

Industry Focus

iMerit provides end-to-end data labeling technologies and solutions to Fortune 500 companies in a wide array of industries including agricultural AI, autonomous vehicles, commerce, geospatial, government, financial services, medical AI, and technology. The company works across verticals with special expertise in automotive/ADAS, clinical imaging, smart agriculture, GIS/Aerial and LLM domain tuning.

Location and Investors

iMerit is headquartered in the United States, with large CV and NLP teams in India, US, Bhutan and Europe. iMerit investors are Omidyar Network, Dell.org, Khosla Ventures, and British International Investment.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

10. user (2026-05-30T08:36:43.327Z)

Web search results for query: "iMerit video annotation bounding box cuboid polygon keypoint interpolation tracking"

Links: [{"title":"Image Annotation Tool for Computer Vision and Machine Learning - iMerit","url":"https://imerit.net/products/ango-workflow-automation-by-imerit/image-annotation-tool/"},"title":"Expert Video Annotation Solutions for Machine Learning","url":"https://imerit.net/solutions/computer-vision/video-annotation-services/"},"title":"Video Annotation for Machine Learning: A Step-by-Step Guide","url":"https://imerit.net/resources/blog/a-step-by-step-guide-to-video-annotation-for-machine-learning/"},"title":"Video interpolation: simplify annotation for AI","url":"https://www.innovatiana.com/en/post/interpolation-for-video-annotation"},"title":"Video Annotation Types Explained: A Practical Guide for AI & Computer Vision - GigaBPO","url":"https://gigabpo.com/video-annotation-types/"},"title":"Image Annotation Services for AI and Computer Vision | iMerit","url":"https://imerit.net/solutions/computer-vision/image-annotation-services/"},"title":"Video Annotation Tool for Fast, Accurate Data

```
Labeling","url":"https://imerit.ai/products/ango-workflow-automation-by-imerit/video-annotation-and-labeling-tool/"},"title":"A Short Introduction to Video Annotation for AI [2024]","url":"https://www.v7darwin.com/blog/video-annotation-guide"},"title":"The Ultimate Guide to Video Annotation for Computer Vision (2026) | CVAT Blog","url":"https://www.cvat.ai/resources/blog/video-annotation-guide"},"title":"Efficient video annotation with visual interpolation and frame selection guidance","url":"https://arxiv.org/pdf/2012.12554"}]
```

Based on the search results, here's what I found about iMerit's video annotation capabilities:

iMerit Video Annotation Features

iMerit provides video annotation services for all annotation projects including bounding box annotation, polygon annotation, keypoint annotation, and semantic segmentation.

Specific Annotation Types Supported

Ango Hub supports the full spectrum of image annotation types used in computer vision ? bounding boxes, polygon annotation, semantic segmentation, keypoint annotation, polyline annotation, image classification, 3D cuboid annotation, and LiDAR annotation.

Interpolation and Tracking Features

One of iMerit's key capabilities for video annotation is automatic interpolation. Users can draw a polygon or a segmentation in one frame and move it forward any number of frames. Annotators can edit these polygons or segmentations at any point in a video, and iMerit Ango Hub will automatically interpolate them accordingly.

Video Annotation Tool Features

Labeling tools supported include Bounding Box, Rotated Bounding Box, Polygon, Polyline, Segmentation, Point and Brush. Additionally, users can easily add or delete keyframes and have better control over their video annotations.

The iMerit Video Annotation tool, integrated with our Ango Hub platform, significantly improves the efficiency of video annotation tasks and substantially reduces the time required for annotating videos, even when dealing with a large number of categories.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

11. user (2026-05-30T08:36:47.277Z)

Web search results for query: "iMerit "temporal" OR "action recognition" video annotation activity"

```
Links: [{"title":"How Video Annotation Tools Enhance Object Recognition - iMerit","url":"https://imerit.net/resources/blog/how-video-annotation-tools-enhance-object-recognition/"},"title":"Automatic Action Annotation in Weakly Labeled Videos","url":"https://arxiv.org/pdf/1605.08125"},"title":"Temporal Drift in AI-Generated Video: Causes, Evaluation, and Production Strategies - iMerit","url":"https://imerit.ai/resources/blog/solving-temporal-drift-in-ai-generated-video/"},"title":"Action Recognition from Single Timestamp Supervision in Untrimmed Videos","url":"https://arxiv.org/pdf/1904.04689"},"title":"A Deep Dive into Video Annotation for Autonomous Mobility - iMerit","url":"https://imerit.net/resources/blog/a-deep-dive-into-video-annotation-for-autonomous-mobility/"},"title":"Every Moment Counts: Dense Detailed Labeling of Actions in Complex Videos","url":"https://arxiv.org/pdf/1507.05738"}]
```

I found search results related to iMerit's video annotation services. Here's what I discovered:

iMerit's video annotation helps models label several elements, such as objects, actions, and regions of interest, across multiple frames of videos. iMerit's high-speed video annotation tool enhances the pace of AI/ML model development with exceptional quality and efficiency.

Regarding temporal aspects, temporal linking connects the same object or identity across consecutive frames in a video sequence, where annotation pipelines track objects throughout the entire clip instead of labeling objects independently in each frame.

Additionally, iMerit's Video Annotation solution built on Ango Hub presents users with a timeline view showcasing annotations, with frame-specific classifications, and the capability to seamlessly add or delete keyframes to enhance control over video annotations.

The search results also include academic literature on action recognition and temporal annotation in videos, which addresses the broader research context for these annotation activities.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

12. user (2026-05-30T08:36:53.219Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/computer-vision/video-annotation/>
Redirect URL: <https://imerit.ai/computer-vision/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/computer-vision/video-annotation/"
- prompt: "Reproduce the page's body text verbatim as much as possible. I specifically need: (1) the list of annotation techniques offered (bounding box, cuboid, polygon, segmentation, keypoint, landmark, polyline, interpolation, object tracking). (2) Whether the words "temporal", "action recognition", "event", "activity recognition", "frame-by-frame", "segment", or "timestamp" appear anywhere. Quote the sentences where they appear, or state clearly that they are absent."

13. user (2026-05-30T08:37:02.875Z)

ERROR: Response status code does not indicate success: 404 (Not Found).

14. user (2026-05-30T08:37:07.657Z)

```
HTTP_CODE:000 SIZE:0
---WORDCOUNTS---
[temporal] = 0
[action recognition] = 0
[event] = 10
[activity] = 0
[frame-by-frame] = 0
[interpolation] = 0
[object tracking] = 0
[bounding box] = 0
[cuboid] = 0
[polygon] = 0
[segmentation] = 6
[keypoint] = 0
[landmark] = 0
[polyline] = 0
[timestamp] = 3
```

15. user (2026-05-30T08:37:09.834Z)

```
-rw-r--r-- 1 avidu 197609 65376 May 30 14:06 /tmp/imerit_video.html
===TITLE/H1===
<title>Page not found - iMerit</title>
```


16. user (2026-05-30T08:37:10.583Z)

```
<tool_use_error>Path does not exist: /tmp/imerit_video.html. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.</tool_use_error>
```

17. user (2026-05-30T08:37:11.538Z)

```
<tool_use_error>Path does not exist: /tmp/imerit_video.html. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.</tool_use_error>
```

18. user (2026-05-30T08:37:12.476Z)

```
<tool_use_error>Path does not exist: /tmp/imerit_video.html. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.</tool_use_error>
```

19. user (2026-05-30T08:37:13.381Z)

```
<tool_use_error>Path does not exist: /tmp/imerit_video.html. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.</tool_use_error>
```

20. user (2026-05-30T08:37:17.646Z)

```
<tool_use_error>Path does not exist: /tmp/imerit_video.html. Note: your current working directory is C:\Users\avidu\Projects\badminton-highlight-indexer.</tool_use_error>
```

21. user (2026-05-30T08:37:20.594Z)

```
=== first 600 chars ===
```

```
?<!DOCTYPE html>
<html lang="en-US">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <link rel="profile" href="https://gmpg.org/xfn/11">
  <!-- Google Tag Manager (nonce-aware) -->
  <script nonce="tRjxxBz3Zt+Yu/X8tJnqXg==">
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':new
Date().getTime(),event:'gtm.js'});
    var f=d.getElementsByTagName(s)[0], j=d.createElement(s), dl=l!='dataLayer'?'&l='+l:'';
    j.async=true; j.src='https://www.googletagmanager.com/gtm.js?id=GTM-WCF8H77'+dl;
    j.setAttribute('nonce','tRjx
```

```
=== does it contain literal words anywhere (grep across binary) ===
```

```
[temporal] = 0
[bounding] = 0
[cuboid] = 0
[annotation] = 50
[video] = 12
[interpolation] = 0
[tracking] = 10
```

22. user (2026-05-30T08:37:24.471Z)

```
/tmp/imerit_video.html: HTML document, Unicode text, UTF-8 (with BOM) text, with very long lines (23780), with CRLF, LF line terminators
```

```
---
```

```
?<!DOCTYPE html>
<html lang="en-US">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <link rel="profile" href="https://gmpg.org/xfn/11">
  <!-- Google Tag Manager (nonce-aware) -->
  <script nonce="tRjxxBz3Zt+Yu/X8tJnqXg==">
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':new
```

```

Date().getTime(),event:'gtm.js'}));
var f=d.getElementsByTagName(s)[0], j=d.createElement(s), dl=l!='dataLayer'?'&l='+l:'';
j.async=true; j.src='https://www.googletagmanager.com/gtm.js?id=GTM-WCF8H77'+dl;
j.setAttribute('nonce','tRjxxBz3Zt+Yu/X8tJnqyg==');
f.parentNode.insertBefore(j,f);})(window,document,'script','dataLayer');
</script>
<meta name='robots' content='noindex, follow' />

<!-- This site is optimized with the Yoast SEO plugin v27.7 -
https://yoast.com/product/yoast-seo-wordpress/ -->
<title>Page not found - iMerit</title>
<meta property="og:locale" content="en_US" />
<meta property="og:title" content="Page not found - iMerit" />
<meta property="og:site_name" content="iMerit" />
<script nonce="tRjxxBz3Zt+Yu/X8tJnqyg==" type="application/ld+json" class="yoast-schema-
graph">{"@context":"https://sc
=== binary-safe counts ===
[temporal] = 0
[bounding] = 0
[cuboid] = 0
[annotation] = 50
[video] = 12
[interpolation] = 0
[tracking] = 10
[action recognition] = 0

```

23. user (2026-05-30T08:37:25.510Z)

Exit code 1

24. user (2026-05-30T08:37:29.430Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

25. user (2026-05-30T08:37:37.060Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

26. user (2026-05-30T08:37:38.357Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

27. user (2026-05-30T08:37:45.422Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

28. user (2026-05-30T08:37:49.532Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

29. user (2026-05-30T08:38:02.530Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

```

30. user (2026-05-30T08:38:12.318Z)

```

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)

```

errored</tool_use_error>

31. user (2026-05-30T08:38:17.078Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

32. user (2026-05-30T08:38:23.568Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

33. user (2026-05-30T08:38:23.932Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

34. user (2026-05-30T08:38:26.940Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

35. user (2026-05-30T08:38:38.681Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

36. user (2026-05-30T08:38:39.264Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

37. user (2026-05-30T08:38:44.407Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

38. user (2026-05-30T08:38:48.702Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

39. user (2026-05-30T08:39:06.389Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

40. user (2026-05-30T08:39:23.986Z)

<tool_use_error>Cancelled: parallel tool call Bash(cd /tmp && cp imerit_video.html imerit_v?)
errored</tool_use_error>

41. assistant (2026-05-30T08:39:37.958Z)

I made a critical error. The `imerit.net` URL **301-redirects to `imerit.ai`**, and my curl fetch of the `.net` URL hit a 404 "Page not found" page (that's why all keywords were zero ? I was reading an error page, not the real content). The premature StructuredOutput call was based on that error page. Let me redo this properly by fetching the actual redirected URL.

42. user (2026-05-30T08:39:42.210Z)

The server returned HTTP 404 Not Found.

The response body was not retrieved. If this URL requires authentication, use an authenticated tool (e.g. `gh` for GitHub, or an MCP-provided fetch tool) instead of WebFetch.

43. user (2026-05-30T08:39:44.340Z)

```
FINAL_HTTP:000 SIZE:0 URL:https://imerit.ai/computer-vision/video-annotation/  
---TITLE---  
grep: /tmp/imerit_real.html: No such file or directory
```

44. user (2026-05-30T08:39:47.349Z)

The server returned HTTP 404 Not Found.

The response body was not retrieved. If this URL requires authentication, use an authenticated tool (e.g. `gh` for GitHub, or an MCP-provided fetch tool) instead of WebFetch.

45. user (2026-05-30T08:39:50.299Z)

Exit code 2

46. user (2026-05-30T08:39:53.417Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

47. user (2026-05-30T08:39:55.299Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

48. user (2026-05-30T08:40:00.292Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

49. user (2026-05-30T08:40:02.002Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

50. user (2026-05-30T08:40:10.050Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

51. user (2026-05-30T08:40:13.354Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

52. user (2026-05-30T08:40:14.834Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

53. user (2026-05-30T08:40:15.763Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)  
errored</tool_use_error>
```

54. user (2026-05-30T08:40:17.179Z)

```
<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
```

errored</tool_use_error>

55. user (2026-05-30T08:40:23.305Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

56. user (2026-05-30T08:40:29.419Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

57. user (2026-05-30T08:40:32.240Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

58. user (2026-05-30T08:40:39.293Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

59. user (2026-05-30T08:40:42.126Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

60. user (2026-05-30T08:40:42.586Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

61. user (2026-05-30T08:41:01.005Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

62. user (2026-05-30T08:41:15.359Z)

<tool_use_error>Cancelled: parallel tool call Bash(ls -la /tmp/imerit_real.html 2>/dev/null?)
errored</tool_use_error>

63. assistant (2026-05-30T08:41:19.583Z)

The exact URL `imerit.ai/computer-vision/video-annotation/` now returns ****404**** (both WebFetch and curl). The page appears to have moved during a site migration (.net ? .ai). My second StructuredOutput was again cancelled by a parallel Bash error. Let me find where the video annotation content actually lives now and gather the real body text, being careful to run independent calls cleanly.

64. user (2026-05-30T08:41:22.687Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>
Redirect URL: <https://imerit.ai/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"
- prompt: "List every annotation technique/capability named on this page (bounding box, 3D cuboid, polygon, semantic segmentation, keypoint, landmark, polyline, video interpolation,

object tracking, frame-by-frame). Does the page text contain the words "temporal", "action recognition", "action", "event detection", "activity recognition", "frame-by-frame", "segment", or "timestamp"? Quote the full sentence for any that appear. Report exactly what is present and what is absent. If no substantive body text, say "NO SUBSTANTIVE BODY TEXT".

65. user (2026-05-30T08:41:37.939Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/solutions/computer-vision/video-annotation-services/>
Redirect URL: <https://imerit.ai/solutions/computer-vision/video-annotation-services/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/solutions/computer-vision/video-annotation-services/"
- prompt: "List every annotation technique/capability named on this page (bounding box, 3D cuboid, polygon, semantic segmentation, keypoint, landmark, polyline, video interpolation, object tracking, frame-by-frame). Does the page text contain the words "temporal", "action recognition", "action", "event detection", "activity recognition", "frame-by-frame", "segment", or "timestamp"? Quote the full sentence for any that appear. Report exactly what is present and what is absent. If no substantive body text, say "NO SUBSTANTIVE BODY TEXT".

66. user (2026-05-30T08:41:40.746Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>
Redirect URL: <https://imerit.ai/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"
- prompt: "I need an exact lexical audit. Go through the page body text. For EACH of these exact strings, tell me PRESENT or ABSENT, and if present quote the sentence: "temporal", "action recognition", "action", "activity recognition", "activity", "event", "frame-by-frame", "frame by frame", "interpolation", "video interpolation", "3D cuboid", "cuboid", "landmark", "polyline", "keypoint", "rally", "sport". Also list the full set of annotation techniques the page advertises."

67. user (2026-05-30T08:41:43.102Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/solutions/computer-vision/video-annotation-services/>
Redirect URL: <https://imerit.ai/solutions/computer-vision/video-annotation-services/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/solutions/computer-vision/video-annotation-services/"
- prompt: "Summarize this page's described video annotation capabilities in plain terms. Then answer yes/no with a quoted sentence: does the page mention (a) "temporal" annotation, (b) "action recognition" or labeling "actions", (c) "activity recognition", (d) "event detection", (e) marking start/end time ranges or video segments/clips? List all annotation techniques named (bounding box, cuboid, polygon, segmentation, keypoint, polyline, interpolation, object tracking, frame-by-frame)."

68. user (2026-05-30T08:41:46.040Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>

Redirect URL: <https://imerit.ai/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"
- prompt: "Exact lexical audit of the page body. For EACH string say PRESENT or ABSENT and quote the sentence if present: \"temporal\", \"action recognition\", \"action\", \"activity recognition\", \"activity\", \"event\", \"frame-by-frame\", \"interpolation\", \"cuboid\", \"landmark\", \"polyline\", \"keypoint\", \"rally\", \"sport\". List all annotation techniques the page advertises."

69. user (2026-05-30T08:41:47.453Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/solutions/computer-vision/video-annotation-services/>
Redirect URL: <https://imerit.ai/solutions/computer-vision/video-annotation-services/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/solutions/computer-vision/video-annotation-services/"
- prompt: "List all annotation techniques named on this page (bounding box, cuboid, polygon, segmentation, keypoint, polyline, interpolation, object tracking, frame-by-frame). Does it mention \"temporal\", \"action recognition\", labeling \"actions\", \"activity recognition\", \"event detection\", or video segments/clips with start/end times? Quote sentences."

70. user (2026-05-30T08:41:49.878Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>
Redirect URL: <https://imerit.ai/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"
- prompt: "Does this page contain the words \"temporal\", \"action recognition\", \"actions\", \"activity recognition\", or \"event\"? For each, say PRESENT/ABSENT and quote the sentence. Also list every annotation technique advertised."

71. user (2026-05-30T08:41:53.000Z)

Web search results for query: "imerit.net video annotation \"activity recognition\" OR \"action\" OR \"temporal\" frame-by-frame object tracking"

Links: [{"title": "High-Quality Data Labeling Services for AI and ML | iMerit", "url": "https://imerit.net/solution-briefs/data-labeling-services/"}, {"title": "A Deep Dive into Video Annotation for Autonomous Mobility - iMerit", "url": "https://imerit.net/blog/a-deep-dive-into-video-annotation-for-autonomous-mobility/"}, {"title": "How Video Annotation Tools Enhance Object Recognition - iMerit", "url": "https://imerit.net/resources/blog/how-video-annotation-tools-enhance-object-recognition/"}, {"title": "Expert Video Annotation Solutions for Machine Learning", "url": "https://imerit.net/video-annotation/"}, {"title": "Learning Common Sense from Video | iMerit", "url": "https://imerit.net/blog/learning-common-sense-from-video-all-pbm/"}, {"title": "Action recognition with high-order interaction through spatial-temporal object tracking", "url": "https://image-ppubs.uspto.gov/dirsearch-public/print/downloadPdf/11600067"}, {"title": "Temporal Drift in AI-Generated Video: Causes, Evaluation, and Production Strategies - iMerit", "url": "https://imerit.ai/resources/blog/solving-temporal-drift-in-ai-generated-video/"}, {"title": "Leveraging temporal, contextual and ordering constraints for recognizing complex activities in video", "url": "https://image-ppubs.uspto.gov/dirsearch-public/print/downloadPdf/8165405"}]

I found relevant search results for iMerit's video annotation services. Here's what the search reveals:

iMerit's Video Annotation Capabilities

iMerit provides frame-by-frame object tracking, activity recognition, and behavioral analysis through bounding boxes, polygons, and semantic segmentation.

Their specialized teams excel in temporal annotations that maintain consistency across sequential frames, enabling models to comprehend motion patterns and object interactions within dynamic environments.

Video Annotation Methodology

Video annotation for machine learning helps models label several elements, such as objects, actions, and regions of interest, across multiple frames of videos. Video annotation involves annotating objects on a frame-by-frame basis to make them recognizable for machine learning models.

Temporal Linking Approach

Temporal linking connects the same object or identity across consecutive frames in a video sequence, tracking objects throughout the entire clip instead of labeling objects independently in each frame.

The search results show that iMerit's platform integrates these capabilities to create training datasets for various machine learning applications, particularly in autonomous vehicles, surveillance, and computer vision systems.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

72. user (2026-05-30T08:41:53.637Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/resources/blog/a-step-by-step-guide-to-video-annotation-for-machine-learning/>

Redirect URL: <https://imerit.ai/resources/blog/a-step-by-step-guide-to-video-annotation-for-machine-learning/>

Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/resources/blog/a-step-by-step-guide-to-video-annotation-for-machine-learning/"

- prompt: "In iMerit's own description of video annotation here, do they describe TEMPORAL video annotation, ACTION recognition, ACTIVITY recognition, or EVENT detection (i.e. labeling what is happening over time / start-end segments), or is video annotation framed purely as per-frame object annotation (bounding box, cuboid, polygon, segmentation, keypoint, polyline) with object tracking / interpolation across frames? Quote sentences containing "temporal", "action", "activity", "event", "frame-by-frame", or "segment". State present vs absent."

73. user (2026-05-30T08:41:55.270Z)

Web search results for query: "imerit video annotation "activity recognition" "actions" "temporal" frame-by-frame object tracking"

Links: [{"title": "High-Quality Data Labeling Services for AI and ML | iMerit", "url": "https://imerit.net/solution-briefs/data-labeling-services/"}, {"title": "Egocentric Video Data for Embodied AI - iMerit", "url": "https://imerit.net/resources/blog/scaling-egocentric-video-data-collection-for-the-future-of-embodied-ai/"}, {"title": "Learning Common"}]


```
Sense from Video | iMerit", "url": "https://imerit.net/blog/learning-common-sense-from-video-all-pbm/"}], {"title": "A Deep Dive into Video Annotation for Autonomous Mobility - iMerit", "url": "https://imerit.net/resources/blog/a-deep-dive-into-video-annotation-for-autonomous-mobility/"}], {"title": "Egocentric Video Data Collection Services | iMerit", "url": "https://imerit.net/domains/robotics/video-data-collection/"}], {"title": "How Video Annotation Tools Enhance Object Recognition - iMerit", "url": "https://imerit.net/resources/blog/how-video-annotation-tools-enhance-object-recognition/"}], {"title": "Leveraging temporal, contextual and ordering constraints for recognizing complex activities in video", "url": "https://image-ppubs.uspto.gov/dirsearch-public/print/downloadPdf/8165405"}], {"title": "No frame left behind: Full Video Action Recognition", "url": "https://arxiv.org/pdf/2103.15395"}], {"title": "Action Recognition in Video Using Sparse Coding and Relative Features", "url": "https://arxiv.org/pdf/1605.03222"}]]
```

Based on the search results, here's what I found about iMerit's video annotation services related to activity recognition, actions, temporal analysis, and frame-by-frame object tracking:

iMerit's Video Annotation Services

iMerit provides frame-by-frame object tracking, activity recognition, and behavioral analysis through bounding boxes, polygons, and semantic segmentation.

Temporal Annotation Capabilities

Their specialized teams excel in temporal annotations that maintain consistency across sequential frames, enabling models to comprehend motion patterns and object interactions within dynamic environments.

Activity Recognition and Action Understanding

For complex tasks like activity understanding, their annotation frameworks capture object detection, action classification, temporal sequencing, and spatial reasoning, and annotators are trained to apply these consistently.

Video Annotation Applications

iMerit's video annotation for machine learning helps models label elements such as objects, actions, and regions of interest, across multiple frames of videos. Additionally, they offer frame-by-frame annotation with video support to apply skeletons across frames for tracking motion in video sequences, enabling training of models for activity recognition, gesture detection, and biomechanics.

Quality Assurance

Multi-stage quality assurance includes structured review cycles checking annotation consistency, frame coverage, and alignment with the original task taxonomy.

REMINDER: You MUST include the sources above in your response to the user using markdown hyperlinks.

74. user (2026-05-30T08:41:55.526Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>
Redirect URL: <https://imerit.ai/video-annotation/>
Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"
- prompt: "Does this page contain the words \"temporal\", \"action recognition\", \"actions\", \"activity recognition\", or \"event\"? For each, say PRESENT/ABSENT and quote the sentence. Also list every annotation technique advertised (bounding box, cuboid, polygon, segmentation,

keypoint, polyline, interpolation, object tracking, frame-by-frame)."

75. user (2026-05-30T08:41:58.984Z)

REDIRECT DETECTED: The URL redirects to a different host.

Original URL: <https://imerit.net/video-annotation/>

Redirect URL: <https://imerit.ai/video-annotation/>

Status: 301 Moved Permanently

To complete your request, I need to fetch content from the redirected URL. Please use WebFetch again with these parameters:

- url: "https://imerit.ai/video-annotation/"

- prompt: "Audit this page for these exact words and quote each sentence where present: temporal, action recognition, actions, activity recognition, event, frame-by-frame, interpolation, cuboid. Then list every annotation technique advertised."

76. user (2026-05-30T08:42:08.714Z)

URL1= STATUS=200 RAW=101013 VIS=10052

TITLE1=Expert Video Annotation Solutions for Machine Learning

URL2= STATUS=200 RAW=101013 VIS=10052

TITLE2=Expert Video Annotation Solutions for Machine Learning

DONE

77. user (2026-05-30T08:42:10.377Z)

PROBE

2026-05-30T14:12:10.2080449+05:30

True

78. user (2026-05-30T08:42:14.221Z)

p1 => 000|0|https://imerit.net/video-annotation/

p2 => 000|0|https://imerit.net/solutions/computer-vision/video-annotation-services/

=== files ===

-rw-r--r-- 1 avidu 197609 101036 May 30 14:12 /c/Users/avidu/Projects/badminton-highlight-indexer/.imerit_tmp/page1.html

-rw-r--r-- 1 avidu 197609 101036 May 30 14:12 /c/Users/avidu/Projects/badminton-highlight-indexer/.imerit_tmp/page2.html

79. user (2026-05-30T08:42:31.681Z)

alive 1780130551

80. user (2026-05-30T08:42:44.723Z)

Structured output provided successfully

81. assistant (2026-05-30T08:42:55.219Z)

I notice my StructuredOutput call registered as successful, but the PowerShell fetch actually succeeded this time (STATUS=200, RAW=101013, VIS=10052 for both URLs ? they resolved to the same canonical video annotation page). I now have the real page content saved locally. Let me read the actual visible text to do a definitive lexical audit, since my prior StructuredOutput relied on WebSearch snippets rather than the page body itself. The evidence I just retrieved is important enough to verify directly.

82. user (2026-05-30T08:42:56.157Z)

1 Expert Video Annotation Solutions for Machine Learning Skip to content Main Navigation
Contact Us MENU ? --> Products Ango Hub 3D Multi Sensor Fusion Deep Reasoning Lab Image
Annotation Tool Video Annotation Tool Text Annotation Tool Audio Annotation Tool Radiology

Annotation Radiology Image Annotation Co-Pilot DICOM Annotation Tool iMerit Scholars Solutions
 Solutions overview Generative AI Image Generation Evaluation RLHF for LLMs & LVMs Chain of
 thought Reasoning Agent Evaluation Corpus Augmentation Prompt & Response Generation RAG Fine-
 Tuning RLHF Services Red Teaming Computer Vision Data Annotation Services Image Annotation
 Services Video Annotation Services Image Segmentation Services 3D Point Cloud Annotation
 Services Content Solutions Sentiment Analysis Services Text Annotation Services Audio
 Transcription Services Content Moderation Services Product Categorization Services Purpose Built
 Applications In-cabin Monitoring Annotation Defect Detection AI Annotation Crop and Weed
 Detection Medical Data De-Identification DOMAIN EXPERTS Domains Domains overview Autonomous
 Mobility HD Mapping 3D Sensor Fusion 3D Segmentation Triage Services Triage Service Tiers
 Healthcare AI Clinical AI Medical Imaging & Radiology Digital Pathology Women's Health & Breast
 Imaging Sports & Biomechanics Biosensor & Wearables Surgical Data Intelligence Pharma & Life
 Sciences Behavioral Health Operational AI Medical Generative AI Autonomous Coding Tele-
 Operations Utilization Management Compliance & Security Regulatory Medical De-Identification
 Platform & Capabilities Healthcare Scholars Robotics Video Data Collection Dexterous
 Manipulation Agricultural AI Weeding Robotics Precision Spraying Resources Content Library
 Summits CMU Summit 2023 ML DataOps 2022 ML DataOps 2021 News USE CASE VIDEOS Case Studies Blogs
 Guides Ango Hub Product Documentation Partners Working With Us Contact Us Video Annotation
 Solutions Tailored to Your Data iMerit delivers stellar video annotation services that power AI,
 machine learning, and data operation strategies. LET'S CONNECT What is Video Annotation? Video
 annotation is the process of labeling or tagging video clips which are used for training
 computer vision models to detect or identify objects. Unlike image annotation, video annotation
 involves annotating objects on a frame-by-frame basis to make them recognizable for machine
 learning models. High-quality video annotation generates ground truth datasets for optimal
 machine learning functionality. There are numerous deep learning applications for video
 annotation across industries including self-driving cars, medical AI, and geospatial technology.
 What are the types of video annotation services? iMerit provides video annotation services for
 all annotation projects including bounding box annotation, polygon annotation, keypoint
 annotation, and semantic segmentation. iMerit's team works with the client to calibrate the
 quality and throughput of the job and deliver the best cost-quality ratio as you iterate. We
 recommend running a sample batch to clarify instructions, edge cases, and approximate task
 times, before launching full batches. iMerit's video Annotation Services Bounding Boxes It is
 the most commonly used type of video annotation in computer vision. iMerit computer vision
 experts use rectangular box annotation to illustrate objects and create training data so apps
 and algorithms can identify and localize objects during ML processes. Polygon Annotation Expert
 annotators plot points on each vertex of the target object. Polygon annotation allows all of the
 object's exact edges to be annotated, regardless of shape. Semantic segmentation Videos are
 segmented into component parts, by the iMerit team, and then annotated. iMerit computer vision
 experts examine video frames and classify objects pixel by pixel. Keypoint annotation iMerit
 teams outline objects and shape variations by connecting individual points across objects. This
 annotation type detects body features and could include facial expressions and emotions.
 Landmark annotation iMerit experts use points on landmarks and people's faces when annotating
 video footage. Expertly-conducted landmark annotation creates valuable training datasets for
 high-performing computer vision models. 3d cuboid annotation iMerit experts perform object
 tracking by drawing cubes around objects. This allows systems to recognize a given object's
 length, width, and height. Polyline annotation iMerit experts create training datasets using
 polyline annotation that teach models to identify physical boundaries to operate within. Rapid
 annotation iMerit's video annotation platform utilizes video interpolation to rapidly annotate
 suitable video footage. iMerit annotation experts create best-in-class video training datasets
 in rapid time for any AI or ML project. Video annotation process 1 Expert Consultation
 Transformative, solution-based approach. Interdisciplinary video annotation problem solving.
 Agility and responsiveness, time-to-value enhancers. 2 Training Targeted resources. Custom
 skilling. Focused and deep microlearning curriculum. Domain expertise. Rostering tools. 3
 Workflow Customization Alignment of video annotation tools and processes. Structured Development
 Milestones. Two-step production and QA annotation workflows. 4 Feedback Cycle Transparency via
 analytics. Real time monitoring and service delivery insights. Edge case Insights. Dynamic model
 improvement. 5 Evaluation Assessment of deliverable. Appraisal of key metrics, quality control
 processes. Model reconsideration. Analysis of business outcome. Talk to an Expert What
 industries need video annotation services ? Autonomous Technology & Transportation Video
 annotation services can help in the deployment of autonomous technology by detecting objects
 like sign-boards, signals, vehicles, street lights and other objects on the road. Medical AI
 Video annotation in healthcare helps pharmaceutical companies, device manufacturers, and
 healthcare provider networks to deliver quality services with the help of machine learning.
 Geospatial technology Video annotation tasks include extracting intelligence from satellite,
 aerial, and drone footage to power applications in energy, agriculture, logistics, security, and

mapping. Government Video annotation is helping authorities use facial recognition to identify criminals through the use of keypoint annotation on faces taken from public footage. Manufacturing Video annotation makes manufacturing more efficient by increasing the productivity of industrial robots. Perceptive robots can help to identify defective items in production or manufacturing pitfalls. Commerce Use video annotation to understand the behaviors of consumers in stores to improve retail revenue. Analyze and track how consumers interact with shelves and use object tracking to automate mask identification. Video Annotation use cases Semantic video annotation of surveillance images iMerit's video annotation experts have processed 500+ video datasets of various formats at a much higher level of detail than the client's own teams. Our expert annotators solved the challenge of frame-by-frame manual processing of CCTV videos by accurately identifying and annotating required objects. Moving bounding boxes using video annotation iMerit's video annotation experts created datasets to train the world's most advanced machine learning solutions for rearview cameras and alert systems. Our experts annotated still and moving objects using bounding boxes in video material to identify potentially dangerous objects. Detecting operating boundaries with polyline annotation iMerit experts will comb through an entire video using the iMerit proprietary annotation platform to teach a vehicle to accurately detect street lanes, road markings, directions, divergence, and traffic. Facial recognition using keypoint annotation iMerit experts used video editing to pause and apply keypoints on a person's face. This allowed iMerit to create world-class training datasets for use in facial recognition models. This advanced technology is helping in public areas where crimes occur to identify and apprehend perpetrators. Video annotation for computer vision and robotics Industrial robots are being taught to see with iMerit video annotation. These perceptive robots are adaptive to their environment, allowing them to respond to their environment without any human interaction. This automation is creating high production and less human accidents. Create larger harvest yields with computer vision Farmers use computer vision to monitor their crops for pests and plant diseases. Through the use of footage collected by drones, iMerit experts can teach a model to recognize pests and potential threats to crop fields by annotating the footage. Optimal athletic performance with computer vision Virtual training and home workouts can use computer vision to coach clients on form, posture, and performance. iMerit experts use video annotation to teach sports AI models how to recognize when a client is performing in a way that puts them at risk for injury or challenges their performance. VIDEO ANNOTATION IN NUMBERS 2 Million Video data points annotated 95 % Accuracy Learn more about our Video Annotation services post An Executive Guide to a Computer Vision Engagement Read More whitepaper Data Annotation For Autonomous Vehicle Development Read More Getting started! The need for speed in high-quality video annotation has never been greater. iMerit combines the best predictive and automated annotation technology with world-class data annotation experts and subject matter experts to deliver the data you need to get to production, fast. Let's connect Subscribe to our newsletter Company About Us Investors Careers Awards & Recognition Compliance & Certifications Social Impact Privacy & Whistleblower Policy Environmental & Social Policy AI Ethics Policy Contact us info@imerit.net +1 (650) 777-7857 iMerit © 2026 | Privacy & Whistleblower Policy | Website Terms of Use

2

83. user (2026-05-30T08:43:08.516Z)

1:Segmentation
1:Segmentation
1:Sport
1:frame-by-frame
1:bounding box
1:polygon
1:keypoint
1:segmentation
1:Bounding Box
1:Polygon
1:Polygon
1:segmentation
1:segment
1:Keypoint
1:Landmark
1:landmark
1:landmark
1:cuboid
1:object track
1:Polyline

1:polyline
1:interpolation
1:sport
1:keypoint
1:object track
1:frame-by-frame
1:bounding box
1:bounding box
1:polyline
1:keypoint
1:keypoint
1:action
1:sport

84. user (2026-05-30T08:43:10.921Z)

1:a Annotation Services Image Annotation Services Video Annotation Services Image Segmentation Services 3D Point Cloud Annotation Services Content Solutions Sentiment An
1:RTS Domains Domains overview Autonomous Mobility HD Mapping 3D Sensor Fusion 3D Segmentation Triage Services Triage Service Tiers Healthcare AI Clinical AI Medical Ima
1:cts. Unlike image annotation, video annotation involves annotating objects on a frame-by-frame basis to make them recognizable for machine learning models. High-qual
1:iMerit provides video annotation services for all annotation projects including bounding box annotation, polygon annotation, keypoint annotation, and semantic segmentation.
1: task times, before launching full batches. i Merit?s video Annotation Services Bounding Boxes It is the most commonly used type of video annotation in computer vision. iMe
1: all of the object?s exact edges to be annotated, regardless of shape. Semantic segmentation Videos are segmented into component parts, by the iMerit team, and then an
1:notated. iMerit computer vision experts examine video frames and classify objects pixel by pixel. Keypoint annotation iMerit teams outline
1:eates valuable training datasets for high-performing computer vision models. 3d cuboid annotation iMerit experts perform object tracking by drawing cubes around objec
1:s. This allows systems to recognize a given object?s length, width, and height. Polyline annotation iMerit experts create training datasets using polyline annotation th
1:rate within. Rapid annotation iMerit?s video annotation platform utilizes video interpolation to rapidly annotate suitable video footage. iMerit annotation experts create
1:ing authorities use facial recognition to identify criminals through the use of keypoint annotation on faces taken from public footage. Manufacturing Video annotation m
1:l revenue. Analyze and track how consumers interact with shelves and use object tracking to automate mask identification. Video Annotation use cases Semantic video anno
1:tail than the client?s own teams. Our expert annotators solved the challenge of frame-by-frame manual processing of CCTV videos by accurately identifying and annotat
1:ing required objects. Moving bounding boxes using video annotation iMerit?s video annotation experts created datasets to
1:cameras and alert systems. Our experts annotated still and moving objects using bounding boxes in video material to identify potentially dangerous objects. Detecting operat
1:ing boundaries with polyline annotation iMerit experts will comb through an entire video using the iMerit pr
1:s, road markings, directions, divergence, and traffic. Facial recognition using keypoint annotation iMerit experts used video editing to pause and apply keypoints on a

85. user (2026-05-30T08:43:12.324Z)

.imerit_tmp\page1.txt:1

Found 1 total occurrence across 1 file.

86. user (2026-05-30T08:43:15.555Z)

1:[Omitted long matching line]

87. user (2026-05-30T08:43:16.398Z)

1 Expert Video Annotation Solutions for Machine Learning Skip to content Main Navigation

Contact Us MENU ? --> Products Ango Hub 3D Multi Sensor Fusion Deep Reasoning Lab Image Annotation Tool Video Annotation Tool Text Annotation Tool Audio Annotation Tool Radiology Annotation Radiology Image Annotation Co-Pilot DICOM Annotation Tool iMerit Scholars Solutions Solutions overview Generative AI Image Generation Evaluation RLHF for LLMs & LVMs Chain of thought Reasoning Agent Evaluation Corpus Augmentation Prompt & Response Generation RAG Fine-Tuning RLHF Services Red Teaming Computer Vision Data Annotation Services Image Annotation Services Video Annotation Services Image Segmentation Services 3D Point Cloud Annotation Services Content Solutions Sentiment Analysis Services Text Annotation Services Audio Transcription Services Content Moderation Services Product Categorization Services Purpose Built Applications In-cabin Monitoring Annotation Defect Detection AI Annotation Crop and Weed Detection Medical Data De-Identification DOMAIN EXPERTS Domains Domains overview Autonomous Mobility HD Mapping 3D Sensor Fusion 3D Segmentation Triage Services Triage Service Tiers Healthcare AI Clinical AI Medical Imaging & Radiology Digital Pathology Women's Health & Breast Imaging Sports & Biomechanics Biosensor & Wearables Surgical Data Intelligence Pharma & Life Sciences Behavioral Health Operational AI Medical Generative AI Autonomous Coding Tele-Operations Utilization Management Compliance & Security Regulatory Medical De-Identification Platform & Capabilities Healthcare Scholars Robotics Video Data Collection Dexterous Manipulation Agricultural AI Weeding Robotics Precision Spraying Resources Content Library Summits CMU Summit 2023 ML DataOps 2022 ML DataOps 2021 News USE CASE VIDEOS Case Studies Blogs Guides Ango Hub Product Documentation Partners Working With Us Contact Us Video Annotation Solutions Tailored to Your Data iMerit delivers stellar video annotation services that power AI, machine learning, and data operation strategies. LET'S CONNECT What is Video Annotation? Video annotation is the process of labeling or tagging video clips which are used for training computer vision models to detect or identify objects. Unlike image annotation, video annotation involves annotating objects on a frame-by-frame basis to make them recognizable for machine learning models. High-quality video annotation generates ground truth datasets for optimal machine learning functionality. There are numerous deep learning applications for video annotation across industries including self-driving cars, medical AI, and geospatial technology. What are the types of video annotation services? iMerit provides video annotation services for all annotation projects including bounding box annotation, polygon annotation, keypoint annotation, and semantic segmentation. iMerit's team works with the client to calibrate the quality and throughput of the job and deliver the best cost-quality ratio as you iterate. We recommend running a sample batch to clarify instructions, edge cases, and approximate task times, before launching full batches. iMerit's video Annotation Services Bounding Boxes It is the most commonly used type of video annotation in computer vision. iMerit computer vision experts use rectangular box annotation to illustrate objects and create training data so apps and algorithms can identify and localize objects during ML processes. Polygon Annotation Expert annotators plot points on each vertex of the target object. Polygon annotation allows all of the object's exact edges to be annotated, regardless of shape. Semantic segmentation Videos are segmented into component parts, by the iMerit team, and then annotated. iMerit computer vision experts examine video frames and classify objects pixel by pixel. Keypoint annotation iMerit teams outline objects and shape variations by connecting individual points across objects. This annotation type detects body features and could include facial expressions and emotions. Landmark annotation iMerit experts use points on landmarks and peoples' faces when annotating video footage. Expertly-conducted landmark annotation creates valuable training datasets for high-performing computer vision models. 3d cuboid annotation iMerit experts perform object tracking by drawing cubes around objects. This allows systems to recognize a given object's length, width, and height. Polyline annotation iMerit experts create training datasets using polyline annotation that teach models to identify physical boundaries to operate within. Rapid annotation iMerit's video annotation platform utilizes video interpolation to rapidly annotate suitable video footage. iMerit annotation experts create best-in-class video training datasets in rapid time for any AI or ML project. Video annotation process 1 Expert Consultation Transformative, solution-based approach. Interdisciplinary video annotation problem solving. Agility and responsiveness, time-to-value enhancers. 2 Training Targeted resources. Custom skilling. Focused and deep microlearning curriculum. Domain expertise. Rostering tools. 3 Workflow Customization Alignment of video annotation tools and processes. Structured Development Milestones. Two-step production and QA annotation workflows. 4 Feedback Cycle Transparency via analytics. Real time monitoring and service delivery insights. Edge case Insights. Dynamic model improvement. 5 Evaluation Assessment of deliverable. Appraisal of key metrics, quality control processes. Model reconsideration. Analysis of business outcome. Talk to an Expert What industries need video annotation services ? Autonomous Technology & Transportation Video annotation services can help in the deployment of autonomous technology by detecting objects like sign-boards, signals, vehicles, street lights and other objects on the road. Medical AI Video annotation in healthcare helps pharmaceutical companies, device manufacturers, and healthcare provider networks to deliver quality services with the help of machine learning.

Geospatial technology Video annotation tasks include extracting intelligence from satellite, aerial, and drone footage to power applications in energy, agriculture, logistics, security, and mapping. Government Video annotation is helping authorities use facial recognition to identify criminals through the use of keypoint annotation on faces taken from public footage. Manufacturing Video annotation makes manufacturing more efficient by increasing the productivity of industrial robots. Perceptive robots can help to identify defective items in production or manufacturing pitfalls. Commerce Use video annotation to understand the behaviors of consumers in stores to improve retail revenue. Analyze and track how consumers interact with shelves and use object tracking to automate mask identification. Video Annotation use cases Semantic video annotation of surveillance images iMerit's video annotation experts have processed 500+ video datasets of various formats at a much higher level of detail than the client's own teams. Our expert annotators solved the challenge of frame-by-frame manual processing of CCTV videos by accurately identifying and annotating required objects. Moving bounding boxes using video annotation iMerit's video annotation experts created datasets to train the world's most advanced machine learning solutions for rearview cameras and alert systems. Our experts annotated still and moving objects using bounding boxes in video material to identify potentially dangerous objects. Detecting operating boundaries with polyline annotation iMerit experts will comb through an entire video using the iMerit proprietary annotation platform to teach a vehicle to accurately detect street lanes, road markings, directions, divergence, and traffic. Facial recognition using keypoint annotation iMerit experts used video editing to pause and apply keypoints on a person's face. This allowed iMerit to create world-class training datasets for use in facial recognition models. This advanced technology is helping in public areas where crimes occur to identify and apprehend perpetrators. Video annotation for computer vision and robotics Industrial robots are being taught to see with iMerit video annotation. These perceptive robots are adaptive to their environment, allowing them to respond to their environment without any human interaction. This automation is creating high production and less human accidents. Create larger harvest yields with computer vision Farmers use computer vision to monitor their crops for pests and plant diseases. Through the use of footage collected by drones, iMerit experts can teach a model to recognize pests and potential threats to crop fields by annotating the footage. Optimal athletic performance with computer vision Virtual training and home workouts can use computer vision to coach clients on form, posture, and performance. iMerit experts use video annotation to teach sports AI models how to recognize when a client is performing in a way that puts them at risk for injury or challenges their performance. VIDEO ANNOTATION IN NUMBERS 2 Million Video data points annotated 95 % Accuracy Learn more about our Video Annotation services post An Executive Guide to a Computer Vision Engagement Read More whitepaper Data Annotation For Autonomous Vehicle Development Read More Getting started! The need for speed in high-quality video annotation has never been greater. iMerit combines the best predictive and automated annotation technology with world-class data annotation experts and subject matter experts to deliver the data you need to get to production, fast. Let's connect Subscribe to our newsletter Company About Us Investors Careers Awards & Recognition Compliance & Certifications Social Impact Privacy & Whistleblower Policy Environmental & Social Policy AI Ethics Policy Contact us info@imerit.net +1 (650) 777-7857 iMerit © 2026 | Privacy & Whistleblower Policy | Website Terms of Use

2

88. assistant (2026-05-30T09:41:05.945Z)

API Error: Stream idle timeout - partial response received

89. user (2026-05-30T09:41:05.947Z)

[Request interrupted by user]