

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a007052bef3f12d93.jsonl`  
- SHA-256: `8a901fda62724c8897502944655efaf8de65aa8c6ce829788e76f4187c48d5c6`  
- Source modified: `2026-07-02T03:14:42+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T03:05:33.225Z)

You are the completeness critic for a multi-repo tech-debt audit of C:/Users/avidu/Projects/khelsutra-guru (read-only; today 2026-07-02). The audit fanned out over: engine tracking-doc reconciliation, engine correctness/structure/CI/security/perf, engine+khelsutra issue triage, sports-data-collector, rally-annotator, sports-obsreport, non-git dirs, cross-repo consistency. CONFIRMED findings so far (title | repo | severity | category):

- PR #390 (D1/P10 main.py split) is stale and CONFLICTING while main.py grew 52% since it was cut | badminton-highlight-indexer | P1 | tech-debt
- /api/process re-runs the paid Gemini segmenter for an already-processed video (re-bill on refresh/'Try again') ? still unfixed at HEAD | badminton-highlight-indexer | P1 | critical-fix
- /api/source re-downloads the ENTIRE remote video from the bucket on every HTTP request (each browser Range request) into a fresh, never-deleted temp dir | badminton-highlight-indexer | P1 | critical-fix
- Import cycles: extracted API modules reach back into backend.main globals at call time; config layer imports pipeline layer | badminton-highlight-indexer | P1 | tech-debt
- ci.yml/nightly.yml lane drift predicted by #384 has now materialized (link-check missing from nightly, timeout divergence, duplicated coverage floor) | badminton-highlight-indexer | P2 | ci-infra
- Default CORS allow_origins=['*'] lets any website script the localhost appliance (paid Gemini runs + local data read) | badminton-highlight-indexer | P2 | security
- Path-jail rejects gs://,s3://,gdrive-api:// before scheme resolution ? bucket ingest impossible on the exposed alpha box (issue #327 still open) | badminton-highlight-indexer | P1 | tech-debt
- Engine's vendored SPA bundle is 8 feature-PRs stale ? shipped appliance UI lacks the entire storage/annotation wave | khelsutra (avidullu/khelsutra) ? SPA web/ + marketing site/ | P1 | tech-debt
- DEPLOY_ALPHA.md claims 'Status: LIVE' on a droplet retired 2026-06-25; GPU_VM_SERVING.md sources its secrets from that droplet | khelsutra (avidullu/khelsutra) ? SPA web/ + marketing site/ | P1 | doc-rot
- Docs claim the retired droplet alpha is LIVE (droplet deleted 2026-06-25) | khelsutra (avidullu/khelsutra) | P1 | doc-rot
- Issue #111 still fully valid: refresh loses the in-flight job; progress static for minutes | khelsutra (avidullu/khelsutra) | P1 | critical-fix
- Stray nested clone sports-data-collector/sports-data-collector/ pollutes tooling; safe to delete | sports-data-collector | P1 | hygiene
- BACKLOG.md lists three shipped items as open, including a red 'blocks something' ByteTrack entry | badminton-highlight-indexer | P2 | doc-rot
- DOC_STATUS register + docs/README index are ~15 PRs behind the cleanup-audit and decision-snapshot trackers | badminton-highlight-indexer | P2 | doc-rot
- M4 quality-floor gate still missing ? the one unblocked item keeping the golden-fixtures track from DONE | badminton-highlight-indexer | P2 | test-gap
- Decision-snapshot regression track: decisions locked 06-25, zero code shipped since; tracker P0 row also stale | badminton-highlight-indexer | P2 | tech-debt
- Fetched-input scratch copies are never reclaimed anywhere (process jobs, compile jobs,

/api/assets, cloud_run marker reads) ? 'OS temp reclamation' premise is false on Windows | badminton-highlight-indexer | P2 | tech-debt

- GDriveApiStorage.fetch_to_local buffers the entire file in RAM (get_media().execute()); put() deletes the old object before the new upload succeeds | badminton-highlight-indexer | P2 | critical-fix
- config.json output.output_dir is silently clobbered by the CLI --output-dir DEFAULT on every server/CLI start ? the typed knob is dead, and the DB path moves with it | badminton-highlight-indexer | P2 | critical-fix
- upload_dir default 'output/uploads' is CWD-relative and never app-home-resolved ? packaged --app writes uploads into an arbitrary CWD (or 500s on an unwritable one) while DB/reels live under RALLY_APP_HOME | badminton-highlight-indexer | P2 | critical-fix
- Cloud Run dispatch: a bucket-poll timeout abandons a still-running GPU execution ? no cancellation, so the L4 keeps billing and its late result is never ingested | badminton-highlight-indexer | P2 | critical-fix
- Stage-2 AI-handoff orchestration duplicated between the default segmenter (yolo_hybrid) and the trajectory family | badminton-highlight-indexer | P2 | tech-debt
- Four more god modules over 800 lines; database.py is a 50-method monolith | badminton-highlight-indexer | P2 | tech-debt
- 7 stale scratch/*.py files tracked in git, violating the repo's own scratch convention | badminton-highlight-indexer | P2 | hygiene
- 17 obsreport-gated reporting tests never run in any CI lane (count grew from the remembered 12) | badminton-highlight-indexer | P2 | test-gap
- ruff and mypy are unpinned in CI and the dev extra ? a new upstream release can redden every PR and the nightly overnight | badminton-highlight-indexer | P2 | ci-infra
- Misplaced type-ignore in gcs.py makes the mypy gate environment-dependent: fails locally with google-cloud installed, green in CI | badminton-highlight-indexer | P2 | hygiene
- trackers git dependency pinned to a mutable tag (not a commit SHA) and duplicated in 5 files | badminton-highlight-indexer | P2 | security
- No lockfile: runtime closure resolved fresh from floor-only pins on every CI run and image build | badminton-highlight-indexer | P2 | tech-debt
- scratch/ is gitignored as 'never meant to be committed' yet 7 scripts are still tracked | badminton-highlight-indexer | P2 | hygiene
- deploy/digitalocean/ retired (ADR-013, droplet gone 2026-06-25) but still live-coupled: carries the trackers pin and an unverified 'rotate the key shared in chat' note | badminton-highlight-indexer | P3 | doc-rot
- NEXT_STEPS.md was refreshed 2026-07-01 but still advertises the retired droplet host as 'live + browsable' | khelsutra (avidullu/khelsutra) ? SPA web/ + marketing site/ | P2 | doc-rot
- All 15 engine line-number contract anchors in the SPA API client are stale, and will drift further when engine PR #390 (main.py split) merges | khelsutra (avidullu/khelsutra) ? SPA web/ + marketing site/ | P2 | doc-rot
- SPA e2e CUJ never runs in CI and the mock engine is hand-synced ? the mock-vs-real drift bug-class already shipped once | khelsutra (avidullu/khelsutra) ? SPA web/ + marketing site/ | P2 | test-gap
- Issue #101 fixed at source but open: raw non-JSON 5xx body still rendered verbatim | khelsutra (avidullu/khelsutra) | P2 | critical-fix
- Issue #99 still valid: uploaded filename never shown during upload/processing | khelsutra (avidullu/khelsutra) | P2 | tech-debt
- Issue #98 still valid: demo rally grid keeps showing while the user's upload processes | khelsutra (avidullu/khelsutra) | P2 | tech-debt
- Issue #112 still valid: Share to WhatsApp sends text only, no Web Share API attempt | khelsutra (avidullu/khelsutra) | P2 | tech-debt
- Issue #103 partially fixed and stale as written: name-on-reload + fps/resolution landed; size/duration remain | khelsutra (avidullu/khelsutra) | P3 | hygiene
- Issue #97 stale-open: describes retired infrastructure; topology decision needs re-scoping to the Cloud Run alpha | khelsutra (avidullu/khelsutra) | P2 | hygiene
- Uncommitted .gitignore hunk (artifacts/) stale ~3 weeks and self-contradictory vs the ADR it cites | sports-data-collector | P2 | hygiene
- CI is pytest-only: no ruff/mypy/coverage gate, and default ruff already fails with 24 errors | sports-data-collector | P2 | ci-infra
- Crawler silently ingests partial matches when a per-set CSV fetch fails (no retry, no flag) | sports-data-collector | P2 | critical-fix

Refuted/already-fixed claims: none

QUESTION: what did this audit MISS? Spend up to 30 minutes spot-checking the repos for blind spots: dimensions nobody covered (e.g. data-file bloat in git history, LICENSE/README gaps, dependency vulnerabilities via pip list if available, TODO/FIXME hotspots, error-message quality

on user-facing paths), or a repo that got shallow coverage. READ-ONLY. Return max 6 NEW findings with file:line evidence, each with title/category/severity/file/line/evidence/proposed_fix/effort; return an empty findings array if coverage was genuinely complete.

2. user (2026-07-02T03:05:38.645Z)

```
total 72
drwxr-xr-x 1 avidu 197609 0 Jun 29 20:32 .
drwxr-xr-x 1 avidu 197609 0 Jun 29 20:30 ..
drwxr-xr-x 1 avidu 197609 0 Jun 23 09:53 Annotation Setup
drwxr-xr-x 1 avidu 197609 0 Jul  2 08:13 badminton-highlight-indexer
drwxr-xr-x 1 avidu 197609 0 Jul  2 08:13 khelsutra
drwxr-xr-x 1 avidu 197609 0 Jun 22 23:26 khelsutra-screencast
drwxr-xr-x 1 avidu 197609 0 Jun 22 15:03 rally-annotator
drwxr-xr-x 1 avidu 197609 0 Jun 29 15:27 sports-data-collector
drwxr-xr-x 1 avidu 197609 0 Jul  2 08:19 sports-obsreport
```

3. user (2026-07-02T03:05:40.325Z)

```
== /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/
Archive
Golden Labelled
Trajectories
golden_labels_badminton.csv
rally_review.csv
== /c/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer/
CLAUDE.md
README.md
__pycache__
artifacts
backend
backend.db
config.json
deploy
docs
eval_baselines
indexer.db
mypy.ini
output
pyproject.toml
pytest.ini
rally_index.db
requirements.txt
ruff.toml
run_all_tests.py
run_eval.py
== /c/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast/
b-205.png
b-218.png
b-228.png
cuj-1-ingest.png
cuj-2-uri.png
cuj-3-processing.png
cuj-4-rallies.png
cuj-5-reel-ready.png
cuj-downloaded-reel.mp4
cuj-screencast.mjs
deep-test.mjs
esdaid-screencast.mjs
eval-after
eval-before
eval-shots.mjs
f-end.png
f-reveal.png
```

```
flyer-es.png
frame-ingest.png
frame-rallies.png
== /c/Users/avidu/Projects/khelsutra-guru/khelsutra/
NEXT_STEPS.md
README.md
deploy
docs
locales
node_modules
site
web
== /c/Users/avidu/Projects/khelsutra-guru/rally-annotator/
CHANGELOG.md
CONTRIBUTING.md
LICENSE
README.md
docs
test
vlc
web
== /c/Users/avidu/Projects/khelsutra-guru/sports-data-collector/
README.md
__pycache__
cleanup.py
config
data
docs
pyproject.toml
sports-data-collector
src
tests
== /c/Users/avidu/Projects/khelsutra-guru/sports-obsreport/
LICENSE
README.md
pyproject.toml
schema
scripts
specs
src
tests
```

4. user (2026-07-02T03:05:56.584Z)

```
---tracked db/large files---
eval_baselines/fixtures/clean_single_rally/labels.csv
eval_baselines/fixtures/clean_single_rally/trajectory.csv
eval_baselines/fixtures/fx_r01/labels.csv
eval_baselines/fixtures/fx_r01/trajectory.csv
eval_baselines/fixtures/fx_r02/labels.csv
eval_baselines/fixtures/fx_r02/trajectory.csv
eval_baselines/fixtures/fx_r03/labels.csv
eval_baselines/fixtures/fx_r03/trajectory.csv
eval_baselines/fixtures/fx_r04/labels.csv
eval_baselines/fixtures/fx_r04/trajectory.csv
eval_baselines/fixtures/fx_r05/labels.csv
eval_baselines/fixtures/fx_r05/trajectory.csv
eval_baselines/fixtures/fx_r06/labels.csv
eval_baselines/fixtures/fx_r06/trajectory.csv
eval_baselines/fixtures/multi_rally_with_deadtime/labels.csv
eval_baselines/fixtures/multi_rally_with_deadtime/trajectory.csv
eval_baselines/fixtures/occlusion_break/labels.csv
eval_baselines/fixtures/occlusion_break/trajectory.csv
---repo size---
count: 4716
```

size: 266.33 MiB
in-pack: 1677
packs: 6
size-pack: 2.61 MiB
prune-packable: 152
garbage: 0
size-garbage: 0 bytes

5. user (2026-07-02T03:05:57.393Z)

== badminton-highlight-indexer
NO LICENSE FILE
== khelsutra
NO LICENSE FILE
== rally-annotator
LICENSE
== sports-data-collector
NO LICENSE FILE
== sports-obsreport
LICENSE

6. user (2026-07-02T03:06:07.853Z)

6549796 yolov8n.pt

7. user (2026-07-02T03:06:36.415Z)

.git/objects/0d/b4ca4b4d25d68a4497220353592645ca4f71bf
.git/objects/18/9aa535fa414fc7e940ac60ca03b1a44a215962
.git/objects/99/4ac1b70f2b75f04f1d30b9050cb1d0aa643a55
.git/objects/c5/2b1b5a59dbab6262804a42a482b84b91ecc725
.git/objects/e7/b630478f5ee528659583157437fb879c1319ce
281M .git

8. user (2026-07-02T03:06:48.216Z)

== 0db4ca4b4d25d68a4497220353592645ca4f71bf
blob
6549796
00000000: 504b 0304 0000 0808 0000 0000 0000 0000 PK.....
00000010: 0000 0000 0000 0000 0000 1000 1200 796fyo
== 189aa535fa414fc7e940ac60ca03b1a44a215962
blob
22383681
00000000: 0000 0020 6674 7970 6973 6f6d 0000 0200 ... ftypisom....
00000010: 6973 6f6d 6973 6f32 6176 6331 6d70 3431 isomiso2avc1mp41
== 994ac1b70f2b75f04f1d30b9050cb1d0aa643a55
blob
31749944
00000000: 0000 0020 6674 7970 6973 6f6d 0000 0200 ... ftypisom....
00000010: 6973 6f6d 6973 6f32 6176 6331 6d70 3431 isomiso2avc1mp41
== c52b1b5a59dbab6262804a42a482b84b91ecc725
blob
84493899
00000000: 0000 0020 6674 7970 6973 6f6d 0000 0200 ... ftypisom....
00000010: 6973 6f6d 6973 6f32 6176 6331 6d70 3431 isomiso2avc1mp41
== e7b630478f5ee528659583157437fb879c1319ce
blob
90194321
00000000: 0000 0020 6674 7970 6973 6f6d 0000 0200 ... ftypisom....
00000010: 6973 6f6d 6973 6f32 6176 6331 6d70 3431 isomiso2avc1mp41

9. user (2026-07-02T03:06:48.666Z)

```
d19557e feat(indexer): replace AGPL ultralytics YOLO with permissive torchvision + ByteTrack
5257fd5 feat: pipelined YOLO chunk processing & unified Gemini model config
backend/pipeline/segmenters/yolo_hybrid.py
tests/test_yolo_hybrid.py
---gitignore yolo---
```

10. user (2026-07-02T03:07:14.053Z)

```
--reachable from any ref?--
189aa535fa414fc7e940ac60ca03b1a44a215962 dangling
994ac1b70f2b75f04f1d30b9050cb1d0aa643a55 dangling
c52b1b5a59dbab6262804a42a482b84b91ecc725 dangling
e7b630478f5ee528659583157437fb879c1319ce dangling
--yolov8 pushed?--
  origin/HEAD -> origin/master
  origin/chore/teardown-accept-rally-vm-name
  origin/docs/nightly-person-cue-lane
```

11. user (2026-07-02T03:07:14.381Z)

```
1f72c1c feat: configurable highlights item_noun (v0.1.3)
2f5a214 feat: spec-level customer_verdict override (v0.1.2)
cba67f2 feat: customer_message ? curated customer-facing flag text (v0.1.1)
7c40654 fix: correct setuptools build-backend (underscore) so editable/pip install works
d3e2a51 C4: RunRecorder + stable-diff + JSON Schema contract
scripts:
gen_schema.py
```

```
src:
obsreport
```

```
tests:
__pycache__
test_customer_message.py
test_diff.py
test_envelope.py
test_io.py
test_recorder.py
test_render_json.py
test_render_markdown.py
test_rules.py
test_schema.py
test_spec.py
---
```

```
[build-system]
requires = ["setuptools>=61.0.0"]
build-backend = "setuptools.build_meta"
```

```
[project]
name = "obsreport"
version = "0.1.3"
description = "Reusable per-run observability report toolkit: a small config-language for
emitting technical + customer-friendly reports across data/video pipelines."
readme = "README.md"
requires-python = ">=3.9"
license = { text = "MIT" }
authors = [{ name = "Avi Dullu", email = "avi.dullu@gmail.com" }]
dependencies = [
    "pydantic>=2.0.0",
    "jinja2>=3.1.0",
    "pyyaml>=6.0",
]
```

```
[project.optional-dependencies]
dev = [
```

```

    "pytest>=7.0.0",
    "pytest-cov>=4.0.0",
]

[tool.setuptools.packages.find]
where = ["src"]

[tool.pytest.ini_options]
pythonpath = ["src"]
testpaths = ["tests"]

```

12. user (2026-07-02T03:07:25.089Z)

```

== sports-obsreport
NO CI WORKFLOWS
== rally-annotator
ci.yml
web-ci.yml
== khelsutra
test.yml
== sports-data-collector
ci.yml
== badminton-highlight-indexer
ci.yml
nightly.yml

```

13. user (2026-07-02T03:07:25.583Z)

```

3d604bc docs: sync READMEs with current state (multi-agent audit fixes) (#25)
f5ceefc docs(readme): tick live-test ? v1.7.1 verified in real VLC (incl. Indic rendering) (#24)
a0592f6 docs(readme): refresh stale roadmap + tests lines (#23)
---
docs:
  CSV_FORMAT.md
  ENDING_REASONS.md
  LOCALIZATION.md

test:
  README.md
  dialog_layout.snapshot
  dialog_test.lua

vlc:
  rally_annotator.lua

web:
  DESIGN.md
  README.md
  TESTING.md
  e2e
  entrypoints
  package-lock.json
  package.json
  playwright.config.ts
  src
  test
  tsconfig.json
  vitest.config.ts
  wxt.config.ts
--- status ---

```

14. user (2026-07-02T03:07:36.039Z)

```

origin https://github.com/Khelsutra/sports-obsreport.git (fetch)

```

origin https://github.com/Khelsutra/sports-obsreport.git (push)
2026-06-07 13:17:39 +0530 (HEAD -> main, tag: v0.1.3, origin/main)

15. user (2026-07-02T03:07:37.389Z)

```
badminton-highlight-indexer\pyproject.toml:66:# pip install -e ../sports-obsreport --no-build-  
isolation  
badminton-highlight-indexer\pyproject.toml:68: "obsreport @  
git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3",  
badminton-highlight-indexer\pyproject.toml:93:# The `reporting` extra pins obsreport to a git  
tag (a PEP 508 *direct  
badminton-highlight-indexer\requirements.txt:35:# obsreport @  
git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3  
badminton-highlight-indexer\requirements.txt:37:# pip install -e ../sports-obsreport --no-  
build-isolation  
badminton-highlight-indexer\.github\workflows\ci.yml:137: # obsreport (private, soft dep)  
is absent here: reporting tests skip via  
badminton-highlight-indexer\.github\workflows\ci.yml:140: # obsreport installed measure a  
little higher).  
badminton-highlight-indexer\.github\workflows\ci.yml:142: # with obsreport: 73%). Ratchet  
it UP as coverage grows; never down  
badminton-highlight-indexer\backend\reporting\spec.yaml:2:# The report ENGINE (config language,  
renderers) lives in the shared `obsreport`
```

16. user (2026-07-02T03:07:59.142Z)

(Bash completed with no output)

17. user (2026-07-02T03:08:00.293Z)

```
-rw-r--r-- 1 avidu 197609 3359 Jun 21 18:38 khelsutra-screencast/cuj-screencast.mjs  
-rw-r--r-- 1 avidu 197609 1942 Jun 22 04:04 khelsutra-screencast/deep-test.mjs  
-rw-r--r-- 1 avidu 197609 2818 Jun 22 09:03 khelsutra-screencast/esdaid-screencast.mjs  
-rw-r--r-- 1 avidu 197609 1246 Jun 22 03:50 khelsutra-screencast/eval-shots.mjs  
-rw-r--r-- 1 avidu 197609 1659 Jun 22 21:41 khelsutra-screencast/join-footer-shots.mjs  
-rw-r--r-- 1 avidu 197609 2724 Jun 22 07:16 khelsutra-screencast/ownmodel-screencast.mjs  
-rw-r--r-- 1 avidu 197609 2090 Jun 21 12:44 khelsutra-screencast/screencast.mjs  
-rw-r--r-- 1 avidu 197609 2180 Jun 22 06:30 khelsutra-screencast/site-screencast.mjs
```

18. user (2026-07-02T03:08:11.942Z)

```
node_modules ignored  
---tracked file count/size---  
count: 1646  
size-pack: 10.39 MiB  
site:  
README.md  
access.db  
make Og.py  
node_modules  
package-lock.json  
package.json  
public  
schema.sql  
scripts  
server.js  
src  
wrangler.toml  
  
web:  
README.md  
dist  
e2e  
index.html
```



```

node_modules
package-lock.json
package.json
src
tsconfig.json
vite.config.ts
--- web pkg ---
{
  "name": "khelsutra-web",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "description": "KhelSutra Studio ? operator console SPA (drives the rally indexer engine).",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview",
    "typecheck": "tsc --noEmit",
    "test": "vitest run",
    "test:coverage": "vitest run --coverage",
    "e2e": "playwright test -c e2e/playwright.config.mjs",
    "screencast": "vite build && playwright test -c e2e/playwright.config.mjs",
    "screencast:mp4": "node e2e/to-mp4.mjs"
  },
  "dependencies": {
    "@fontsource-variable/noto-sans-devanagari": "^5.2.8",
    "@fontsource-variable/noto-sans-kannada": "^5.2.9",
    "i18next": "^26.3.1",
    "i18next-browser-languagedetector": "^8.2.1",
    "i18next-icu": "^2.4.3",
    "react": "^19.0.0",
    "react-dom": "^19.0.0",
    "react-i18next": "^17.0.8"
  },
  "devDependencies": {
    "@playwright/test": "^1.56.0",
    "@tailwindcss/vite": "^4.0.0",
    "@testing-library/dom": "^10.4.1",
    "@testing-library/react": "^16.3.2",
    "@types/node": "^26.0.0",
    "@types/react": "^19.0.0",
    "@types/react-dom": "^19.0.0",
    "@vitejs/plugin-react": "^4.3.4",
    "@vitest/coverage-v8": "^3.2.6",
    "jsdom": "^29.1.1",
    "tailwindcss": "^4.0.0",
    "typescript": "^5.7.0",

```

19. user (2026-07-02T03:08:15.810Z)

0

20. user (2026-07-02T03:08:24.661Z)

```

---access.db info---
-rw-r--r-- 1 avidu 197609 12288 Jun 20 20:15 site/access.db
site/access.db: SQLite 3.x database, last written using SQLite version 3053000, file counter 1,
database pages 3, cookie 0x1, schema 4, UTF-8, version-valid-for 1
---schema---
-- D1 schema for Request-Access submissions.
-- Apply: npx wrangler d1 execute khelsutra-access --remote --file=schema.sql
CREATE TABLE IF NOT EXISTS access_requests (
  id          INTEGER PRIMARY KEY AUTOINCREMENT,
  created_at  TEXT NOT NULL DEFAULT (datetime('now')),
  segment     TEXT,
              -- 'academy' | 'individual'

```

```

name      TEXT,
email     TEXT NOT NULL,
city      TEXT,
org_name  TEXT,          -- academy / club name
courts    TEXT,          -- '1' | '2-4' | '5+'
has_gpu   TEXT,          -- 'yes' | 'unsure' | 'no' | 'prefer-cloud'
storage   TEXT,          -- csv of gdrive,onedrive,dropbox,bucket,local,unsure
message   TEXT,          -- free text
consent   INTEGER DEFAULT 0,
country   TEXT,          -- coarse, from cf-ipcountry (no raw IP stored)
user_agent TEXT
);

```

21. user (2026-07-02T03:08:39.480Z)

```

.gitignore:7:Thumbs.db
.gitignore:11:# server.js creates site/access.db from schema.sql (idempotent) ? runtime only
.gitignore:12:*.db
---rowcount---
(0,)

```

22. user (2026-07-02T03:08:44.056Z)

```

count: 557
size: 1.37 MiB
size-pack: 207.40 KiB
size-garbage: 0 bytes
---data dir---
26G      data
data/mock_local_badminton_anno.json
data/roora_badminton_canonical.csv
data/roora_badminton_issues.txt
data/sports_metadata.db
data/staging_coachai_match.csv
data/validation/pilot_badminton_01_report.json
data/validation/pilot_badminton_01_report.md
data/validation/pilot_badminton_01_review.csv
76
---largest tracked---
233472  data/sports_metadata.db
81991   src/cli/curate.py
34290   src/parsers/cvat/rally_cvat.py
29094   tests/test_proxy.py
27839   src/core/db.py
19821   tests/test_cvat_parser.py
19340   docs/archives/CODE_HEALTH_PLAN.md
17965   docs/annotation/ANNOTATION_GUIDE.md

```

23. user (2026-07-02T03:08:56.050Z)

```

1531 src/cli/curate.py
641  src/core/db.py
746  src/parsers/cvat/rally_cvat.py
2918 total
---db churn---
8
9f1e792 fix(rally_cvat): harden XML parsing with defusedxml (T7/OQ5) (#42)
9e6f204 feat(corpus): ingest the n=6 owned golden corpus (262 rallies, Proprietary/commercial) (#19)
e4dd8f1 chore(corpus): reclassify 23 ShuttleSet broadcast videos as non-commercial (owner-approved) (#17)
---status---
M .gitignore
?? sports-data-collector/

```

24. user (2026-07-02T03:09:12.369Z)

```
== badminton-highlight-indexer
origin https://github.com/Khelsutra/badminton-highlight-indexer.git (fetch)
== khelsutra
origin https://github.com/avidullu/khelsutra.git (fetch)
== rally-annotator
origin https://github.com/avidullu/rally-annotator.git (fetch)
== sports-data-collector
origin https://github.com/Khelsutra/sports-data-collector.git (fetch)
== sports-obsreport
origin https://github.com/Khelsutra/sports-obsreport.git (fetch)
```

25. user (2026-07-02T03:09:14.466Z)

```
{"isArchived":false,"nameWithOwner":"Khelsutra/sports-obsreport"}
{"nameWithOwner":"Khelsutra/sports-obsreport","pushedAt":"2026-06-07T08:06:31Z"}
```

26. user (2026-07-02T03:09:26.266Z)

```
/c/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer/pyproject.toml:68:
"obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3",
/c/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer/requirements.txt:35:#
obsreport @ git+ssh://git@github.com/avidullu/sports-obsreport.git@v0.1.3
/c/Users/avidu/Projects/khelsutra-guru/badminton-highlight-
indexer/tests/test_tracknet_runner.py:33: assert
to_wsl_mnt_path("/home/avidullu/clips/v.mp4") == "/home/avidullu/clips/v.mp4"
```

27. user (2026-07-02T03:09:29.263Z)

```
{"nameWithOwner":"Khelsutra/badminton-highlight-indexer"}
GraphQL: Could not resolve to a Repository with the name 'avidullu/trackers'. (repository)
GraphQL: Could not resolve to a Repository with the name 'Khelsutra/trackers'. (repository)
```

28. user (2026-07-02T03:09:43.664Z)

```
4.9G .
total 28
drwxr-xr-x 1 avidu 197609 0 Jun 23 09:53 .
drwxr-xr-x 1 avidu 197609 0 Jun 29 20:32 ..
drwxr-xr-x 1 avidu 197609 0 Jun 23 09:53 Archive
drwxr-xr-x 1 avidu 197609 0 Jun 22 15:12 Golden Labelled
drwxr-xr-x 1 avidu 197609 0 Jun 18 12:26 Trajectories
-rw-r--r-- 1 avidu 197609 2508 Jun 6 14:16 golden_labels_badminton.csv
-rw-r--r-- 1 avidu 197609 1377 Jun 6 13:14 rally_review.csv
rally_number,start_mmss,end_mmss,start_time,end_time,shots_count,ending_reason,last_shot_outcome
,notes,status
1,0:03.003,0:21.021,3.003,21.021,15,,net,"Roora put ending_reason=other; net is an outcome, set
forced/unforced",needs_review
2,0:29.000,0:32.533,29.000,32.533,2,,, "start corrected from 0:02 (stray early box); end 0:32 ok
-> ~3s rally. Also removes the 1<->2 overlap",CORRECTED-start
27 golden_labels_badminton.csv
25 rally_review.csv
52 total
Adarsh and Avi.rallies.csv
KushagraYashAviFirstVideo.rallies.csv
LargeTestVideo.rallies.csv
MahadevpuraSingles.rallies.csv
TestLargeVideo.rallies.csv
gBaaddy20May2026.rallies.csv
Badminton_BXH_2_june15_traj.csv
Boxhill_Doubles_june18_traj.csv
GX010128_june12_traj.csv
GX010137_june17_traj.csv
```

GX010141_june17_traj.csv
GX020094_june18_traj.csv
GX030094_june15_traj.csv
adarsh_avi_full_traj.csv
adarsh_avi_traj.csv
adarsh_traj.csv

29. user (2026-07-02T03:09:44.944Z)

README.md
clean_single_rally
fx_r01
fx_r02
fx_r03
fx_r04
fx_r05
fx_r06
manifest.json
multi_rally_with_deadtime
occlusion_break
start,end
5.620633,8.391633
12.894633,18.639633
2026-06-22 16:59:48 +0530

30. user (2026-07-02T03:09:56.583Z)

(Bash completed with no output)

31. user (2026-07-02T03:09:58.248Z)

Adarsh and Avi.rallies.csv
KushagraYashAviFirstVideo.rallies.csv
LargeTestVideo.rallies.csv
MahadevpuraSingles.rallies.csv
TestLargeVideo.rallies.csv
gBaaddy20May2026.rallies.csv
29K /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Golden Labelled
4.9G /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Archive
18M /c/Users/avidu/Projects/khelsutra-guru/Annotation Setup/Trajectories

32. user (2026-07-02T03:10:09.699Z)

tables: ['videos', 'badminton_rallies', 'tennis_points', 'cricket_deliveries',
'pickleball_rallies', 'tabletennis_rallies']
videos 31 ['video_id', 'sport', 'video_url', 'local_path', 'license_type', 'license_url',
'is_commercial', 'status', 'match_name', 'fps', 'resolution', 'annotation_license']
badminton_rallies 2179 ['video_id', 'rally_number', 'start_time', 'end_time', 'score_before',
'score_after', 'shots_count', 'ending_reason', 'last_shot_outcome']
tennis_points 0 ['video_id', 'point_number', 'start_time', 'end_time', 'set_score',
'game_score', 'server', 'ending_type']
cricket_deliveries 0 ['video_id', 'over_num', 'ball_num', 'start_time', 'end_time', 'batsman',
'bowler', 'runs', 'wicket', 'extras']
pickleball_rallies 0 ['video_id', 'rally_number', 'start_time', 'end_time', 'score_before',
'score_after', 'shots_count', 'ending_reason', 'last_shot_outcome']
tabletennis_rallies 0 ['video_id', 'rally_number', 'start_time', 'end_time', 'score_before',
'score_after', 'shots_count', 'ending_reason', 'last_shot_outcome']

33. user (2026-07-02T03:10:20.116Z)

('my_custom_local_match', 1, 'curated', 'data/videos/my_custom_match.mp4', None)
('staging_match_non_comm', 0, 'staging', None, 'https://youtube.com/watch?v=example')
('shuttleset_1', 0, 'staging', './data/videos\\shuttleset_1.mp4',
'https://www.youtube.com/watch?v=0669aZhH0LI')

```
( 'shuttleaset_2', 0, 'staging', './data/videos\\shuttleaset_2.mp4',
'https://www.youtube.com/watch?v=-aOI9_JxoWc')
( 'shuttleaset_3', 0, 'staging', './data/videos\\shuttleaset_3.mp4',
'https://www.youtube.com/watch?v=eugfCRwSBJo')
( 'shuttleaset_4', 0, 'staging', './data/videos\\shuttleaset_4.mp4',
'https://www.youtube.com/watch?v=y6QbtrTV-K0')
( 'shuttleaset_6', 0, 'staging', './data/videos\\shuttleaset_6.mp4',
'https://www.youtube.com/watch?v=SYyvDrUgClc')
( 'shuttleaset_8', 0, 'staging', './data/videos\\shuttleaset_8.mp4',
'https://www.youtube.com/watch?v=32j2Tg64Zbg')
( 'shuttleaset_9', 0, 'staging', './data/videos\\shuttleaset_9.mp4',
'https://www.youtube.com/watch?v=8E98Gpk-fOM')
( 'shuttleaset_10', 0, 'staging', './data/videos\\shuttleaset_10.mp4',
'https://www.youtube.com/watch?v=li1sbr6S34g')
( 'shuttleaset_11', 0, 'staging', './data/videos\\shuttleaset_11.mp4',
'https://www.youtube.com/watch?v=yD6WKVqsAKc')
( 'shuttleaset_12', 0, 'staging', None, 'https://youtube.com/watch?v=example')
( 'shuttleaset_13', 0, 'staging', './data/videos\\shuttleaset_13.mp4',
'https://www.youtube.com/watch?v=boQC4J4E1ZQ')
( 'shuttleaset_14', 0, 'staging', './data/videos\\shuttleaset_14.mp4',
'https://www.youtube.com/watch?v=5W6txLGZ1Rs')
( 'shuttleaset_15', 0, 'staging', './data/videos\\shuttleaset_15.mp4',
'https://www.youtube.com/watch?v=yu9oyMXRGHY')
( 'shuttleaset_16', 0, 'staging', './data/videos\\shuttleaset_16.mp4',
'https://www.youtube.com/watch?v=5kS_a7vS5xI')
( 'shuttleaset_17', 0, 'staging', './data/videos\\shuttleaset_17.mp4',
'https://www.youtube.com/watch?v=G9r400zkkz8')
( 'shuttleaset_18', 0, 'staging', './data/videos\\shuttleaset_18.mp4',
'https://www.youtube.com/watch?v=8lHAsyRhYYQ')
( 'shuttleaset_19', 0, 'staging', './data/videos\\shuttleaset_19.mp4',
'https://www.youtube.com/watch?v=YmW83aQFADg')
( 'shuttleaset_20', 0, 'staging', './data/videos\\shuttleaset_20.mp4',
'https://www.youtube.com/watch?v=4e3JJ4rvT3Q')
( 'shuttleaset_21', 0, 'curated', './data/videos\\shuttleaset_21.mp4',
'https://www.youtube.com/watch?v=gloiZ_gTJaE')
( 'shuttleaset_22', 0, 'staging', './data/videos\\shuttleaset_22.mp4',
'https://www.youtube.com/watch?v=8u_UHCnYSkk')
( 'shuttleaset_23', 0, 'staging', './data/videos\\shuttleaset_23.mp4',
'https://www.youtube.com/watch?v=rSK9Qx8LapE')
( 'shuttleaset_24', 0, 'staging', './data/videos\\shuttleaset_24.mp4',
'https://www.youtube.com/watch?v=NlDrJyQUTSI')
( 'shuttleaset_25', 0, 'staging', './data/videos\\shuttleaset_25.mp4',
'https://www.youtube.com/watch?v=FZPrpoGdyHI')
( 'adarsh_avi_singles', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation
Setup\\Collect\\Golden Labelled\\Adarsh and Avi.', None)
( 'kushagra_singles', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation
Setup\\Collect\\Golden Labelled\\KushagraYashAvi', None)
( 'largetest_doubles', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation
Setup\\Collect\\Golden Labelled\\LargeTestVideo.', None)
( 'gbaaddy', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation Setup\\Collect\\Golden
Labelled\\gBaaddy20May202', None)
( 'testlarge_short', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation Setup\\Collect\\Golden
Labelled\\TestLargeVideo.', None)
( 'mahadevpura_singles', 1, 'curated', 'C:\\Users\\avidu\\Projects\\Annotation
Setup\\Collect\\Golden Labelled\\MahadevpuraSing', None)
```

34. user (2026-07-02T03:10:34.876Z)

```
ls: cannot access '/c/Users/avidu/Projects/Annotation Setup': No such file or directory
Vairagi
_p3_scratch
badminton-highlight-indexer
kheIsutra-guru
muneem-ai
cleanup.py
```

35. user (2026-07-02T03:10:46.430Z)

```
fatal: not a git repository (or any of the parent directories): .git
0
2.0K    /c/Users/avidu/Projects/badminton-highlight-indexer
---current---
e410136 2026-07-01 22:06:40 +0530 api: /api/videos surfaces fps + resolution (from the stored
ffprobe details) (#413)
```

36. user (2026-07-02T03:10:47.557Z)

```
_diag.mp4.part
_diag.mp4.part-Frag320.part
_diag.mp4.ytdl
_t.mp4.part
_t.mp4.part-Frag447.part
26G    /c/Users/avidu/Projects/khelsutra-guru/sports-data-collector/data/videos
```

37. user (2026-07-02T03:10:55.619Z)

```
31
1.7G    total
-rw-r--r-- 1 avidu 197609 354248776 May 26 01:56 _diag.mp4.part
-rw-r--r-- 1 avidu 197609 261120 May 26 01:56 _diag.mp4.part-Frag320.part
-rw-r--r-- 1 avidu 197609 71 May 26 01:56 _diag.mp4.ytdl
-rw-r--r-- 1 avidu 197609 516277328 May 26 02:03 _t.mp4.part
-rw-r--r-- 1 avidu 197609 523264 May 26 02:03 _t.mp4.part-Frag447.part
-rw-r--r-- 1 avidu 197609 71 May 26 02:03 _t.mp4.ytdl
-rw-r--r-- 1 avidu 197609 849048984 May 26 02:10 _v.mp4.part
-rw-r--r-- 1 avidu 197609 261120 May 26 02:10 _v.mp4.part-Frag726.part
-rw-r--r-- 1 avidu 197609 71 May 26 02:10 _v.mp4.ytdl
```

38. user (2026-07-02T03:11:30.655Z)

```
PRIVATE
PRIVATE
PRIVATE
```

39. user (2026-07-02T03:11:35.505Z)

```
found 0 vulnerabilities
npm notice
npm notice New minor version of npm available! 11.13.0 -> 11.18.0
npm notice Changelog: https://github.com/npm/cli/releases/tag/v11.18.0
npm notice To update run: npm install -g npm@11.18.0
npm notice
```

40. user (2026-07-02T03:11:45.912Z)

```
found 0 vulnerabilities
found 0 vulnerabilities
```

41. user (2026-07-02T03:11:46.205Z)

```
/usr/bin/bash: line 1: pip-audit: command not found
C:\Users\avidu\AppData\Local\Programs\Python\Python313\python.exe: No module named pip_audit
```

42. user (2026-07-02T03:11:53.488Z)

```
fastapi>=0.111.0
uvicorn>=0.30.1
opencv-python>=4.9.0.80
numpy>=1.26.4
pydantic>=2.7.1
```

```
jinja2>=3.1.4
python-dotenv>=1.0.0
google-genai>=2.4.0
torch>=2.12.0
torchvision>=0.27.0
supervision>=0.21.0
trackers @ git+https://github.com/roboflow/trackers.git@2.5.0
scipy>=1.10
```

43. user (2026-07-02T03:12:05.257Z)

name: tests

Runs the headless dialog suite on every push to main and every PR. VLC can't be driven headlessly (Qt GUI, no offscreen render, no CLI to auto-open a Lua extension), so instead of pixels we exercise the extension's logic AND diff its full widget grid + window title against a committed golden -- the deterministic stand-in for a screenshot

on:

```
push:
  branches: [main]
pull_request:
```

jobs:

```
dialog-suite:
  name: Lua 5.1 headless dialog suite
  runs-on: ubuntu-latest
  steps:
    - uses: actions/checkout@v4

    # Lua 5.1 is the exact interpreter VLC 3.x embeds, so test semantics match the player.
    - name: Install Lua 5.1
      run: sudo apt-get update && sudo apt-get install -y lua5.1

    # Syntax gate: the extension and the test must parse. A scan-time syntax error is how
    # the extension silently failed to load in v1.3.1, so we fail fast and loudly here.
    - name: Syntax-check the extension and tests
      run: luac5.1 -p vlc/rally_annotator.lua test/dialog_test.lua

    # Logic (mark/save/edit/undo, reason reset, numbering, help, playback) + the layout
    # snapshot (widget grid + title vs test/dialog_layout.snapshot). Exit 0 = all pass.
    - name: Run dialog tests (logic + layout snapshot)
      run: lua5.1 test/dialog_test.lua
```

=== web-ci ===

name: web-extension CI

Proof-and-validation pipeline for the browser extension (web/). Runs on changes under web/. Unit + coverage (enforced thresholds), typecheck, build, then a REAL Chromium E2E that loads the built extension and drives it on a real <video> ? the recorded screencast and coverage are uploaded as artifacts.

on:

```
push:
  paths:
    - "web/**"
    - ".github/workflows/web-ci.yml"
pull_request:
  paths:
    - "web/**"
    - ".github/workflows/web-ci.yml"
```

```

jobs:
  test:
    runs-on: ubuntu-latest
    defaults:
      run:
        working-directory: web
    steps:
      - uses: actions/checkout@v4

      - uses: actions/setup-node@v4
        with:
          node-version: 22
          cache: npm
          cache-dependency-path: web/package-lock.json

      - run: npm ci

      - name: Typecheck
        run: npm run typecheck

      - name: Unit tests + coverage (enforced thresholds)
        run: npm run coverage

      - name: Build extension (chrome-mv3)
        run: npm run build

      - name: Install Playwright Chromium
        run: npx playwright install --with-deps chromium

      - name: Install Indic/Noto fonts (so hi/kn/te render in the screencasts)
        run: sudo apt-get update && sudo apt-get install -y fonts-noto-core fonts-indic

      - name: E2E in real Chromium ? per-locales screencasts
        run: xvfb-run -a npm run e2e
        env:
          CI: "true"

      - name: Upload E2E screencast + report
        uses: actions/upload-artifact@v4
        if: always()
        with:
          name: chromium-e2e-screencast
          path: |
            web/e2e-results/screencasts

```

44. user (2026-07-02T03:12:19.835Z)

```

sports-data-collector\src\reporting\__init__.py:74:         video_path = getattr(video_meta_obj,
"local_path", None)
sports-data-collector\src\reporting\adapter.py:132:     rec = _recorder(video_meta_obj.video_id,
video_meta_obj.local_path, spec)
sports-data-collector\src\crawlers\badminton_crawler.py:113:         local_path = None
sports-data-collector\src\crawlers\badminton_crawler.py:132:         local_path =
result.path
sports-data-collector\src\crawlers\badminton_crawler.py:143:         local_path =
None
sports-data-collector\src\crawlers\badminton_crawler.py:208:
local_path=local_path
sports-data-collector\src\crawlers\badminton_crawler.py:231:         if local_path and
os.path.exists(local_path):
sports-data-collector\src\crawlers\badminton_crawler.py:232:
os.remove(local_path)
sports-data-collector\src\crawlers\badminton_crawler.py:245:         if local_path and
os.path.exists(local_path):
sports-data-collector\src\crawlers\badminton_crawler.py:246:

```



```

os.remove(local_path)
sports-data-collector\src\crawlers\badminton_crawler.py:269:                "downloaded":
local_path is not None,
sports-data-collector\src\cli\curate.py:224:                video_id=vid,
sport=SportType(sport_str), video_url=None, local_path=video_path,
sports-data-collector\src\cli\curate.py:476:                status are all preserved ? only the video
file plus its `local_path`,
sports-data-collector\src\cli\curate.py:544:                video.local_path = result.path
sports-data-collector\src\cli\curate.py:578:                ShuttleSet, whether or not it has since been
downloaded to `local_path`) whose

```

[Showing results with pagination = limit: 15]

45. user (2026-07-02T03:12:50.291Z)

```

5:*.pt
49:backend/static/highlights_*.mp4
50:backend/static/*_compiled.mp4
---
142 /c/Users/avidu/Projects/khelsutra-guru/khelsutra/site/server.js

```

46. user (2026-07-02T03:12:54.800Z)

```

1      // Always-on VM host for the KhelSutra site ? dependency-free (Node 24+ only ?
node:sqlite unflagged at >=24).
2      // Serves public/ and POST /api/request-access into SQLite (node:sqlite), using the
3      // SAME handler logic as the Cloudflare Worker (src/index.js). This is the portability
4      // fallback "if Cloudflare acts out" ? see docs/PORTABILITY.md.
5      //
6      //   PORT=8080 DB_PATH=/var/lib/khelsutra/access.db node server.js
7      //
8      import { createServer } from "node:http";
9      import { readFile } from "node:fs/promises";
10     import { join, extname, normalize } from "node:path";
11     import { DatabaseSync } from "node:sqlite";
12     import { handleRequest } from "./src/index.js";
13     import { sqliteStore } from "./src/store.js";
14     import { noopNotify } from "./src/notify.js";
15
16     const PORT = Number(process.env.PORT) || 8080;
17     const ROOT = import.meta.dirname;
18     const PUBLIC = join(ROOT, "public");
19     const DB_PATH = process.env.DB_PATH || join(ROOT, "access.db");
20
21     const db = new DatabaseSync(DB_PATH);
22     db.exec(await readFile(join(ROOT, "schema.sql"), "utf8")); // CREATE TABLE IF NOT EXISTS
? idempotent
23     const store = sqliteStore(db);
24     const notify = noopNotify(); // VM host: no email yet (add SMTP later ? see
docs/PORTABILITY.md)
25
26     const TYPES = {
27       ".html": "text/html; charset=utf-8", ".png": "image/png", ".svg": "image/svg+xml",
28       ".css": "text/css", ".js": "text/javascript", ".json": "application/json;
charset=utf-8",
29       ".ico": "image/x-icon", ".txt": "text/plain",
30       ".mp4": "video/mp4", ".webm": "video/webm", ".gif": "image/gif", ".jpg": "image/jpeg",
".jpeg": "image/jpeg",
31     };
32
33     // --- Language negotiation (tracker B3 / $6.5 N8)
-----
34     // The trilingual marketing site. The client shim (public/i18n.js) does the full
negotiation in the
35     // browser; this VM host PRE-RESOLVES the locale server-side so the first paint (and any

```

```

no-JS read)
36     // already carries the right <html lang>. Same ORDER as the SPA + shim: persisted pref
-> ?lang= ->
37     // navigator/Accept-Language -> en. (On Cloudflare, assets are served directly and only
the client
38     // shim negotiates ? see src/index.js.)
39     const SITE_LOCALES = ["en", "kn", "hi", "es", "da", "id"];
40     const LANG_COOKIE = "khelesutra.lang";
41     const LOCALIZED_PAGES = new Set(["index.html", "capture.html", "own-model.html",
"privacy.html"]);
42
43     const baseLang = (code) => (code ?
String(code).toLowerCase().split(";")[0].trim().split("-")[0] : "");
44
45     function cookieValue(header, name) {
46         const m = (header || "").match(new RegExp("(?:^|;\\s*)" + name.replace(/\.\/g, "\\.") +
"=([^\s;]*)"));
47         return m ? decodeURIComponent(m[1]) : null;
48     }
49
50     function parseAcceptLanguage(header) {
51         return (header || "")
52             .split(",")
53             .map((part) => {
54                 const [tag, ...params] = part.trim().split(";");
55                 const q = params.map((p) => p.trim()).find((p) => p.startsWith("q="));
56                 return { tag, q: q ? Number(q.slice(2)) : 1 };
57             })
58             .filter((x) => x.tag)
59             .sort((a, b) => b.q - a.q)
60             .map((x) => x.tag);
61     }
62
63     // persisted (cookie) -> ?lang= -> Accept-Language -> en. Anything unsupported is
skipped.
64     function negotiateLang(req, searchParams) {
65         const candidates = [
66             cookieValue(req.headers.cookie, LANG_COOKIE),
67             searchParams.get("lang"),
68             ...parseAcceptLanguage(req.headers["accept-language"]),
69         ];
70         for (const c of candidates) {
71             const b = baseLang(c);
72             if (b && SITE_LOCALES.includes(b)) return b;
73         }
74         return "en";
75     }
76
77     const setHtmlLang = (html, lang) => html.replace(/<html lang="[^"]*"\/i, `<html
lang="${lang}"`);
78
79     async function toRequest(req) {
80         const url = `http://${req.headers.host || "localhost"}${req.url}`;
81         let body;
82         if (req.method !== "GET" && req.method !== "HEAD") {
83             const chunks = [];
84             for await (const c of req) chunks.push(c);
85             body = Buffer.concat(chunks);
86         }
87         return new Request(url, { method: req.method, headers: req.headers, body });
88     }
89
90     async function send(res, response) {
91         res.statusCode = response.status;
92         for (const [k, v] of response.headers) res.setHeader(k, v);

```

```

93     res.end(Buffer.from(await response.arrayBuffer()));
94 }
95
96 async function serveStatic(pathname, req, searchParams, res) {
97     const rel = pathname === "/" ? "index.html"
98       : pathname === "/capture" ? "capture.html"
99       : pathname === "/own-model" ? "own-model.html"
100       : pathname === "/privacy" ? "privacy.html"
101       : pathname === "/flyer" ? "flyer.html"
102       : pathname === "/flyer-kn" ? "flyer-kn.html"
103       : pathname === "/flyer-hi" ? "flyer-hi.html"
104       : pathname === "/flyer-es" ? "flyer-es.html"
105       : pathname === "/flyer-da" ? "flyer-da.html"
106       : pathname === "/flyer-id" ? "flyer-id.html"
107       : pathname.replace(/\^\/+/, "");
108     const file = normalize(join(PUBLIC, rel));
109     if (!file.startsWith(PUBLIC)) { res.statusCode = 403; return res.end("forbidden"); }
110     try {
111         let data = await readFile(file);
112         res.setHeader("content-type", TYPES[extname(file)] || "application/octet-stream");
113         if (LOCALIZED_PAGES.has(rel)) {
114             // Pre-resolve the locale and stamp <html lang> so the first paint is correct (the
client shim
115             // refines it). Vary on Accept-Language so a shared cache keeps per-language
copies distinct.
116             const lang = negotiateLang(req, searchParams);
117             if (lang !== "en") data = Buffer.from(setHtmlLang(data.toString("utf8"), lang),
"utf8");
118             res.setHeader("content-language", lang);
119             res.setHeader("vary", "Accept-Language");
120         }
121         res.end(data);
122     } catch {
123         res.statusCode = 404;
124         res.end("not found");
125     }
126 }
127
128 createServer(async (req, res) => {
129     try {
130         const parsed = new URL(`http://x${req.url}`);
131         const pathname = decodeURIComponent(parsed.pathname);
132         if (pathname === "/api/request-access") {
133             if (req.method !== "POST") { res.statusCode = 405; return
res.end('{"ok":false,"error":"method not allowed"}'); }
134             return await send(res, await handleRequest(await toRequest(req), store, notify));
135         }
136         return await serveStatic(pathname, req, parsed.searchParams, res);
137     } catch (err) {
138         res.statusCode = 500;
139         res.end('{"ok":false,"error":"server error"}');
140         console.error(err);
141     }
142 }).listen(PORT, () => console.log(`khelsutra site listening on :${PORT} (sqlite:
${DB_PATH}`));
143

```

47. user (2026-07-02T03:13:26.067Z)

sports-data-collector\docs\NEXT_STEPS.md:7:These two structural items were parked during the 2026-06-24 code-health sweep because they are either speculative (no current need) or messy to test thoroughly without the owner's golden corpus. Each has a clear criticality trigger below.

sports-data-collector\docs\NEXT_STEPS.md:15:**why parked:** The crawler's batch semantics (per-match download limits, cumulative size accounting, rollback-on-validation-failure) are genuinely different from `fetch`'s single-video retry. A clean merge needs careful design **and testing

against the live ShuttleSet repo** (which can't be done offline ? it's golden-corpus / live-network territory for the owner). A half-tested convergence refactor risks breaking the crawl's accounting invariants.

sports-data-collector\docs\MANUAL_INGESTION_POSITIONING.md:1:# Positioning: manual (rally-annotator) golden-label ingestion

sports-data-collector\docs\MANUAL_INGESTION_POSITIONING.md:13:Position the collector as the **single canonical system-of-record for golden rally

sports-data-collector\docs\MANUAL_INGESTION_POSITIONING.md:18:`calibrate\_wasb.py::load\_golden\_gts` reads `start\_time`/`end\_time` only).

sports-data-collector\docs\MANUAL_INGESTION_POSITIONING.md:111: hardcoded `CURATED` (`curate.py`), so the golden-set regression flow restricts the gold

sports-data-collector\docs\INGESTION_PIPELINE.md:6:For the step-by-step operator checklist (send a batch ? receive ? golden labels),

sports-data-collector\docs\INGESTION_PIPELINE.md:22: ?

golden labels

sports-data-collector\docs\INGESTION_PIPELINE.md:124:a delivery into trusted golden labels.

sports-data-collector\docs\INGESTION_PIPELINE.md:144: --labels golden_labels.csv --rallies 7,16 --out-dir output/rally_clips

sports-data-collector\docs\INGESTION_PIPELINE.md:151:density. For **golden training/eval labels** the bar is ± 0.3 s (Brief §4), and the

sports-data-collector\docs\DECISIONS.md:146: absorbs ~ 0.5 s slack ? valid for highlight *consumption*, invalid for ± 0.3 s golden

sports-data-collector\docs\archives\CODE_HEALTH_PLAN.md:35:[Omitted long matching line]

sports-data-collector\docs\archives\CODE_HEALTH_PLAN.md:61:| Golden label correctness | Zero-duration rallies (B2), undetected identical-boundary deliveries (B3) | Vendor drift on *new* defect types | Medium ? `detect\_issues` is pattern-based, not exhaustive. |

sports-data-collector\docs\archives\CODE_HEALTH_PLAN.md:91:### Tier B ? Label-quality wins (small, guard golden labels for the indexer)

[Showing results with pagination = limit: 15]

48. user (2026-07-02T03:13:27.241Z)

(Bash completed with no output)

49. user (2026-07-02T03:14:42.039Z)

Structured output provided successfully