

claude-windows / c1fcb4aa-537d-41fd-858e-53f93349bf5a

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\c1fcb4aa-537d-41fd-858e-53f93349bf5a\subagents\workflows\wf_41c8dc8a-8a4\agent-a2687edbcbcdcb0e3d.jsonl`  
- SHA-256: `754933c096404586ecf1b3be97f1d97f435ea9cfa2c9c0c623fff9bd966d2ffc`  
- Source modified: `2026-07-02T03:04:25+00:00`  
- Imported at: `2026-07-05T16:48:24+00:00`  
- project: `wf_41c8dc8a-8a4`  
- session_id: `c1fcb4aa-537d-41fd-858e-53f93349bf5a`
```

Transcript

1. user (2026-07-02T03:02:46.053Z)

You are an adversarial verifier in a tech-debt audit. Your default stance: REFUTE. Today is 2026-07-02.
A finder claims the following about the repo at C:/Users/avidu/Projects/khelsutra-guru/khelsutra (avidullu/khelsutra):

```
{  
  "title": "Issue #97 stale-open: describes retired infrastructure; topology decision needs re-scoping to the Cloud Run alpha",  
  "category": "hygiene",  
  "severity": "P2",  
  "file": "deploy/DEPLOY_ALPHA.md",  
  "line": 29,  
  "evidence": "The issue's 'fix applied' state (engine-served single-origin on the droplet tunnel) no longer exists: droplet retired/deleted 2026-06-25 (memory MEMORY.md:63; session-handoff.md:19 'alpha is paused pending the Cloud-Run move; api.khelsutra.guru CNAME/CF-Access need cleanup'). Its remaining items are stale: (1) app. DNS repoint targets a tunnel that is gone; (3) 'refresh the bundled SPA' targets the deleted box. Item (2) ? DEPLOY_ALPHA.md still recommending split topology (line 29) and claiming LIVE (line 3) ? is the only still-actionable piece (covered by the doc-rot finding). DNS for app./api. still resolves via Cloudflare (dangling).",  
  "proposed_fix": "Re-scope or close-and-replace #97: the durable content is the decision 'single-origin is the default for SPA+Access' ? record it in the Cloud Run serving plan and DEPLOY_ALPHA.md, then close. The DNS/Access cleanup itself is Cloudflare-dashboard work.",  
  "effort": "S",  
  "tracked_in": "khelsutra#97"  
}
```

Repo root candidates: C:/Users/avidu/Projects/khelsutra-guru/badminton-highlight-indexer, C:/Users/avidu/Projects/khelsutra-guru/khelsutra, C:/Users/avidu/Projects/khelsutra-guru/sports-data-collector, C:/Users/avidu/Projects/khelsutra-guru/rally-annotator, C:/Users/avidu/Projects/khelsutra-guru/sports-obsreport (pick from the finding's repo field; non-git dirs: 'C:/Users/avidu/Projects/khelsutra-guru/Annotation Setup', C:/Users/avidu/Projects/khelsutra-guru/khelsutra-screencast).

VERIFY against the CURRENT working tree (just pulled to origin master/main): (1) does the cited code actually exist and behave as claimed at file:line? (2) was it already fixed by a recent commit (git log --oneline -15 -- <file>)? (3) is the severity honest - construct the concrete failure scenario or downgrade; (4) is the proposed fix sane and correctly scoped; (5) is it owner-gated per: alpha/serving go-live, Studio P10/P11 corpus-promotion/training, product/strategy/licensing, real cloud spend, counsel ToS/DPA?

HARD RULES: READ-ONLY (no file modifications, no installs, no test-suite runs). gh read-only commands allowed. Your reasoning MUST cite file:line you actually read. CONFIRMED requires you personally saw the defect/debt in current code; if you cannot reproduce the claim from the code, say REFUTED; if a commit fixed it, ALREADY_FIXED.

2. user (2026-07-02T03:02:55.237Z)

```
1      # Deploy KhelSutra Studio for alpha ? a shareable page, no SSH
2
3      > **Status:** `LIVE` (deploy live-verified on the droplet 2026-06-22 ?
`deploy/droplet/README.md`; only a rotated Gemini key + a browser OTP login remain to exercise
the upload?reel CUJ) . **Topology:** split ? SPA on Cloudflare Pages + engine on an `api.`
cloudflared tunnel, Cloudflare Access over both (the engine's `HOSTING_PLAN.md` S2 alpha plan).
. **Cost:** ~$0/mo standing (Pages + Tunnel + Access are free ?50 users) + Gemini per-run
(~$0.05/match).
4
5      This turns the local-only flow (run engine + SPA on your box, drive it yourself) into a
**page you can share with alpha testers** ? they open `app.khelsutra.guru`, sign in (email
allowlist), point at a video, and get a reel. No SSH, no home IP exposed, no inbound ports.
6
7      > **Outgrown the droplet?** To move the live engine onto a **GCP L4 GPU VM** (more
CPU/RAM for ffmpeg
8      > + optional WASB GPU detection) and cut the tunnel over to it, see
**[`GPU_VM_SERVING.md`](GPU_VM_SERVING.md)**
9      > ? same tunnel + Access, no DNS change, droplet kept as fallback (~$500?600/mo while
the VM runs).
10
11     ## 0. The shape
12
13     ```
14     tester browser
15     ? https
16     ?
17     Cloudflare edge (free): DNS . TLS . Access (email-OTP allowlist) in front of BOTH
hostnames
18     ??? app.khelsutra.guru ? Cloudflare Pages          (the web/ SPA; built with
VITE_API_BASE)
19     ??? api.khelsutra.guru ? cloudflared Tunnel (outbound-only) ?? 127.0.0.1:8000 on
YOUR box
20
21                                     ? FastAPI engine
22                                     ? (Gemini
segmenter; GPU optional)
23                                     ? async jobs,
SQLite, output/ on disk
24     ```
25     - **No inbound ports.** `cloudflared` dials out; the engine stays bound to
`127.0.0.1:8000`. The box's home/public IP is never exposed.
26     - **Auth at the edge.** Cloudflare Access gates both hostnames; the engine *also*
verifies the `Cf-Access` JWT in-app (defence in depth ? `security.edge_auth_enabled`), so a
direct hit to the tunnel can't spoof identity.
27     - **Cross-origin, on purpose.** `app.` (SPA) and `api.` (engine) are different origins ?
the SPA is built with `VITE_API_BASE=https://api.khelsutra.guru/api` (PR #64) and the engine
locks CORS to the SPA origin via `RALLY_CORS_ALLOW_ORIGINS` (no engine code change ? it's
already env-driven).
28
29     > **Alternative (single-origin):** if you'd rather run **one box** that serves the SPA
*and* the API behind one origin (Caddy reverse-proxy, no Pages, no cross-origin), see
`LOCAL_APPLIANCE_ARCHITECTURE.md` D1. This runbook ships the **split** topology you chose
(stable Pages-hosted page + a thin API tunnel).
30
31     ---
32
33     ## 1. Prerequisites
34
35     - A **box** to run the engine: the CPU droplet `168.144.126.176` (Gemini-only ? no GPU;
fine for alpha) **or** your Windows+WSL GPU box (real WASB). `ffmpeg` + Python 3.8+ installed;
the `badminton-highlight-indexer` engine checked out.
36     - A **Cloudflare account** with the `khelsutra.guru` zone (you already run the marketing
site there).
```

```

37     - `cloudflared` installed on the box (`https://developers.cloudflare.com/cloudflare-
one/connections/connect-networks/downloads/`).
38     - A **fresh** `GEMINI_API_KEY` (rotate the chat-shared one ? it uploads downsized chunks
to Google; this is a paid + cloud action).
39
40     ---
41
42     ## 2. Engine (the `api.` side)
43
44     ### 2.1 Install (with the auth extra)
45     ```bash
46     cd badminton-highlight-indexer
47     pip install -e .[auth]          # PyJWT[crypto] ? REQUIRED when edge auth is on, else
every authenticated request is rejected 401
48     ```
49
50     ### 2.2 The safe-exposed config
51     Create / edit `config.json` on the box. **Where it must live:** the engine reads
`$RALLY_APP_HOME/config.json` if `RALLY_APP_HOME` is set, else `./config.json` relative to *the
directory you launch the server from* ? **not** necessarily the repo root. If the engine reads a
different (or absent) file it silently falls back to all-defaults, which means **edge auth is
OFF** *. To make writer and reader agree by construction, write it with `python -m backend.main
--setup` (it targets the exact path the server reads) and edit *that* file:
52     ```jsonc
53     {
54         "security": {
55             "edge_auth_enabled": true,                // turn the CF-Access JWT verify ON
56             "allowed_video_root": "/srv/khelsutra/incoming", // the path-jail ? REQUIRED when
exposed
57             "upload_dir": "/srv/khelsutra/incoming/uploads", // MUST sit UNDER
allowed_video_root (see §7)
58             "cf_team_domain": "https://<your-team>.cloudflareaccess.com",
59             "cf_access_aud": "<the CF Access application AUD>" // filled in §4
60         },

```

3. user (2026-07-02T03:02:57.166Z)

```

6e4dbaf docs(deploy): GPU_VM_SERVING.md ? move the live engine to an L4 GPU VM off the droplet
(#113)
7dc7de5 docs: freshness sweep ? reconcile 13 docs with the live repo (+ engine origin/master)
(#95)
7b04f02 deploy(kit): align with the live-verified droplet deploy (+ the gemini-default fix)
(#85)
3f0cdb8 docs(deploy): fix two would-break-the-deploy gaps in the alpha runbook
(RALLY_ALLOWED_HOSTS + gs:// jail) (#78)
4627830 docs(deploy): alpha deploy kit ? make Studio a shareable page (split: Pages + api.*
tunnel + CF Access) (#65)
f9eea14 web: resilient video-summary readers + show fps in the library (#140)
9223ba9 docs: refresh khelsutra docs for today's storage-track work (P2-P5) (#139)
fb2f561 web: persistent "FFmpeg not detected" banner (hard-blocker warning) (#138)

```

master...origin/master

4. user (2026-07-02T03:03:07.016Z)

```

{"createdAt":"2026-06-22T13:54:39Z","labels":[],"state":"OPEN","title":"Hosted alpha: split-
origin (Pages app. + tunnel api.) breaks Cloudflare Access for the SPA ? single-origin
needed","updatedAt":"2026-06-22T13:54:39Z"}
---BODY---

```

Symptom

On the hosted alpha, the SPA loaded at `app.khelsutra.guru` but **every upload failed "Can't reach KhelSutra. Is it running?"** ? even though the engine was healthy.

Root cause (NOT file size)

`app.khelsutra.guru` (Cloudflare Pages) and `api.khelsutra.guru` (cloudflared tunnel) are **different origins**. The SPA's `fetch` (`web/src/api/client.ts:60`) sends **no `credentials: 'include'`**, so cross-origin calls to `api.` never carry the Cloudflare Access cookie. Access **302's** every API call to the login page? the fetch rejects? "can't reach." It fails on **any** upload, not just large ones.

Verified it's not size: a real **95 MiB** chunk PUT through the tunnel returned 200 in **~2s** (and 50 MiB ? 200).

Fix applied (2026-06-22) ? single-origin

The engine already bundles the SPA (P1b), so I repointed to **single-origin**:

`api.khelsutra.guru` now serves the **SPA** at `/` and the **API** at `/api` behind **one** Access cookie. Verified end-to-end via a service token: `GET /` ? 200 (`<title>KhelSutra Studio</title>`), `/api/health` ? 200, `upload/init` + 95 MiB + 50 MiB chunk PUTs ? 200.

Remaining / to pick up

1. **app.khelsutra.guru** DNS needs repointing to the tunnel: `CNAME app ? 55142398-732c-4803-8a9c-48766f1f5cac.cfargotunnel.com`, proxied. Blocked on the CF API token lacking `Zone.DNS:Edit` (the scope add didn't take); do via dashboard or fix the token. (The Pages custom domain for `app.` was removed.)
2. **Update** `deploy/DEPLOY\_ALPHA.md` to recommend **single-origin** (engine-served SPA) as the default for the SPA+Access case, OR document the cross-origin requirements if split is desired: SPA `credentials: 'include'` + engine CORS `allow\_credentials=true` + a way to pre-warm the `api.` Access cookie (the hard part for fetch).
3. **Refresh** the engine's bundled SPA (currently commit #68) to latest, so the localized reel-watermark (LW2 #73) + recent polish (#82/#83/#86) ship in the hosted app.
4. **Lesson:** a service-token full-chain test passes (header auth) while a browser cookie path fails? the hosted CUJ must be verified with a **real browser session**.

5. user (2026-07-02T03:03:07.041Z)

50 - [Eval dual-set regression](eval-dual-set-regression.md) ? owner directive (2026-06-16): keep a **RAW eval set** + a **GROWING GOLDEN-finalized set** (promote raw?golden when at-par) + a separate **golden TRAINING set**; every quality launch must NOT regress on EITHER eval set. The ablation layer A/Bs these; wire dual-set aggregate into `run\_regression.py` when R2 lands.

51 - [Decision-snapshot regression](decision-snapshot-regression.md) ? **tracked project**, decisions LOCKED, #383 merged (2026-06-25). **Deterministic quality-neutral proof**: freeze+compare DECISION output (segments+stitch plan) off a cached trajectory in CI ? lets a genuine refactor be auto-called quality-neutral (NOT a reel-MD5). ? next = \$7 P1. Doc `docs/DECISION\_SNAPSHOT\_REGRESSION.md`.

52
53 ## Packaging / distribution
54 - [? Next session: packaging app](next-session-packaging-app.md) ? **the icebreaker/handoff** to resume this track (read first; also under ? Start here).
55 - [Batteries-included app plan](packaging-app-plan.md) ? downloadable Python app (local web service for inference/training/annotation). **11 PRs merged 2026-06-21/22** ? **LIGHT-tier bundle-ready** (`pip install`?`indexer --app`?bundled SPA, torch-free). Doc `docs/PACKAGING\_PLAN.md` \$7. **01+02 LOCKED** (cross-platform, **LIGHT-first WASB-complete north star**); 03+ gated. Pairs [[ui-driven-cloud-serving-gap]]. Don't relitigate locked calls.

56
57 ## Monetization (hosted API)
58 - [Monetization plan](monetization-plan.md) ? hosted video?highlights API on a GPU VM; licensing & per-video cost are first-class; user is Bangalore-based
59 - [Monetization research status](monetization-research-status.md) ? audit done: Ultralytics AGPL swapped out (PR #8); MonoTrack/YOLO-NAS weights avoided; codec=watch; full report in docs/

60 - [Machine-pooling idea](machine-pooling-idea.md) ? owner "food for thought" (2026-06-20): pool GPU machines (queue-on-one-host vs Cloud-Run scale-to-zero) instead of spin-up/kill per task ? born from a single-GPU-slot collision between two sessions (quota=1). Infra-track design item.

61 - [UI-driven cloud-serving gap](ui-driven-cloud-serving-gap.md) ? **owner directive** (2026-06-21): cloud highlight flow must be UI-driven + ALPHA-SHAREABLE, not SSH/CLI; surface compute options (local vs cloud) in UI at start. ? The compute-picker + real Cloud Run L4 GPU

```

e2e validation LANDED 2026-06-22 ? see [[cloudrun-gpu-serving-gotchas]].
62     - [Cloud Run GPU serving gotchas](cloudrun-gpu-serving-gotchas.md) ? **reusable knobs to
run the WASB worker on Cloud Run L4 GPU** (region?Mumbai · `--no-gpu-zonal-redundancy` · GCS
volume-mount weights · PowerShell-not-Bash `/mnt` flags · `skip_ai_handoff=true` no-key ·
digest-pin?`jobs update` · `.[storage-gcs]` in image · control plane needs google-cloud-
run+ADC). Verified 2026-06-22 (`artifacts/cloudrun_e2e_validation/`).
63     - [Khelsutra site droplet parity](khelsutra-site-droplet-parity.md) ? **RETIRED
2026-06-25.** DO droplet `claude-do-rally-test` (dual-purpose site mirror + alpha engine) kept
drifting from CF ? owner retired it: data archived to GCS+local, droplet deleted ($0), monitor
removed (khelsutra #117). Follow-ups: `api.` CNAME/CF-Access cleanup. Pairs [[compute-stack-gcp-
only]] [[ui-driven-cloud-serving-gap]].
64
65     ## Forward-looking
66     - [Sibling internship repo](sibling-internship-repo.md) ? khelacharya shot-intelligence
layer builds ON TOP of our rally segmentation; kept off master at branch level (NOT a separate
GitHub repo ? corrected 2026-06-06)
67     - [Paper co-author aim](paper-coauthor-aim.md) ? **standing side-aim**: co-author a
paper on "local, cheap & efficient rally detection via multiple clever ideas". Keep
`docs/QUALITY_ITERATIONS.md` as the ablation-ready empirical backbone; honest measured results
ONLY.
68
69     ## Project: muneem-ai (SEPARATE root from khelsutra-guru)
70     - [muneem-ai workspace](muneem-ai-workspace.md) ? `C:\Users\avidu\Projects\muneem-ai` =
3 repos (**muneem** Python local-first finance bookkeeper + **node-text-detection**
Node/Tesseract OCR + **Email-Mining** prior art). Per-session focus switch (2026-07-01);
persistent root stays khelsutra-guru. muneem CI = ruff(len 100)/mypy/pytest-cov80, vendored
`ruff-bin/ruff.exe`. Detail [[muneem-ai-workspace]].
71     - [muneem grocery-replenishment SENSOR](muneem-grocery-replenishment.md) ? **GR.0?GR.5
BUILT + MERGED to main 2026-07-01 (9 PRs #100?108).** Loop = `grocery ingest`/`ingest-receipt
--store` ? `pantry due`/`pantry compare`. A depletion **sensor** (owner: "as a sensor, not a
delight"): per-item history (`purchase_items`, migration v8) ? slow-staple run-out + confidence
+ cheapest-store; 2nd source via OCR/text receipt. Built on 206 real BigBasket line-items from
**`avidullu.svp@`** Gmail. GR.5 = deterministic structural canonicalization; **the LEARNED
Tier-1 is the ONLY unbuilt piece ? parked under $8.5 (owner-gated).** Detail [[muneem-grocery-
replenishment]].
72

```

6. user (2026-07-02T03:03:07.358Z)

```

1     ---
2     name: session-handoff
3     description: "Living \"you are here\" handoff ? current state, next steps, open
decisions, ramp-up kit. AUTO-REFRESHED at meaningful checkpoints (PR merged, key decision, phase
shift, session wrap). \"update the handoff\" forces a full rewrite."
4     metadata:
5         node_type: memory
6         type: project
7         originSessionId: 45ea3a91-654d-4972-9cd3-65f35db54caf
8     ---
9
10    # Session handoff ? badminton-highlight-indexer (rename PENDING) + siblings: sports-
data-collector, rally-annotator, sports-obsreport
11
12    **Last updated:** 2026-06-25 (**review-automation + audit-completion session** ? see ?
You are here (2026-06-25) below. Maintenance/PR-review phase, NOT serving/alpha: 0 open PRs, all
CI green, no GCP VMs, PR-review watch loop OFF. The serving/alpha track below is UNCHANGED +
owner-gated.) Prior: 2026-06-22 (**M11+M12 serving-code session** ? owner: "build 3 then 4 then
we pair on the alpha (2)". **Both Claude-doable engine items DONE + merged:** **M11** data-
flywheel skeleton [#336](https://github.com/Khelsutra/badminton-highlight-indexer/pull/336)
(`334ad0f` ? default-OFF + consent FAKED-DENY, inert; reuses workspace/eval/promotion; NO
migration) + **M12** `gdrive-api://` OAuth StorageBackend
[#338](https://github.com/Khelsutra/badminton-highlight-indexer/pull/338) (`819e395` ?
idempotent put, lazy Google imports, injected-fake tests; live per-user OAuth owner-gated). Both
adversarially reviewed, full-suite+cross-OS green, merged on green, in an isolated worktree. **?
NEXT = pair with owner on the ALPHA GO-LIVE (option 2)** ? owner brings CF dashboard + box +

```

rotated Gemini key; the counsel ToS/DPA inputs (the 7-pt checklist) gate M11 *live* + M9-consent. ? schema ladder drifted under me this session: v7=`locale`, v8=compute-picker ? the future M9-consent migration is **v9** (check `PRAGMA user\_version` before authoring). Prior same-day: **maintenance / green-PR merge-sweep session** ? owner asked to merge the green PRs + finish loose ends. 6 PRs now on master: worker dated-label fix **319**, nightly Cloud-Run scheduler **320**, DATA_IN_GCS map **316**, doc **321**, gate-A litmus re-ground **322**, golden-fixtures backlog **323**. engine `origin/master` = `9b37269`, suite **14287**, **0 open engine PRs**; docs-archive had no terminal candidate (owner-gated). Full per-PR detail = [[current-state]] top. ? ~10 concurrent worktrees/sessions ? owner is trimming concurrency before new work. The serving/alpha plan below is UNCHANGED. Prior **2026-06-21 ALPHA-SHAREABLE session** ? Claude's half of "make it UI-driven + alpha-shareable" is **DONE**: 3 PRs merged ? engine **294** exposure-safety boot posture + khelsutra **64** SPA `VITE\_API\_BASE` + **65** deploy kit. **KEY CORRECTION**: B-P2 (SPA ingest screen) was ALREADY shipped (#56) ? alpha-shareable was a DEPLOY/AUTH task, not an SPA build. Owner chose the **SPLIT** topology (SPA on CF Pages + `api.` cloudflared tunnel + CF Access). Remaining = OWNER stand-up via `khelsutra/deploy/DEPLOY\_ALPHA.md`; then engine M11/M12. Full record [[ui-driven-cloud-serving-gap]]. Prior: HUGE serving session ? M1?M9-auth shipped (#279?#291) + real M7 L4 run. **Repo is under the `Khelsutra` GitHub org**.

13

14 > **Read order:** this file ? [[current-state]] top (dense per-checkpoint detail) ? `docs/NEXT\_STEPS.md` (the prioritized cross-track plan, refreshed 2026-06-21) ? `docs/DOC\_STATUS.md` (doc lifecycle/hygiene).

15

16 ## ? You are here (2026-06-25)

17 **Review-automation + audit-completion session.** engine `origin/master` = **0b4f492**
· all CI green · **0 open PRs** · no GCP VMs · **PR-review watch loop OFF** (cancelled). NOT serving/alpha (that track is the "Earlier" block below, unchanged + owner-gated).

18 - **Repo tidy:** synced master, pruned ~92 stale local branches + 7 stale worktrees;
fixed a corrupted (UTF-16-tail) `.gitignore` ? `artifacts/` ignored + `KHELSUTRA\_PRODUCT\_OVERVIEW.md` tracked (377**); owner un-hid the hidden `C:\Users\avidu\Projects` folder.

19 - **khelsutra site-droplet RETIRED** ([[khelsutra-site-droplet-parity]]): the dual-purpose `claude-do-rally-test`/`168.144.126.176` (marketing-site mirror + alpha engine) kept drifting from CF ? **deleted (\$0; data archived to `gs://khelsutra-rally-corpus/archive/droplet-?-20260625/` + local), parity monitor removed (khelsutra #117), Node-20 actions bumped (#118).** ? This means the prior "LIVE alpha on the droplet" in the Earlier block is **GONE** ? alpha is paused pending the Cloud-Run move; `api.khelsutra.guru` CNAME/CF-Access need cleanup.

20 - **CODE_CLEANUP_AUDIT advanced ? 3 HIGH items + infra all merged:** B2/P17 surface-Gemini-failures (**378**) · 01/P11 Gemini remote-file GC (**380**) · B1/P9 remove-fabricated-motion-data (**385**); + ruff-format split (#379), audit-doc reconcile/accuracy (#375/#376), Tier-1 nightly `nightly.yml` (#381), per-job CI timeouts (#382). **Remaining audit items: D1 (split `main.py` ~1450 lines), D13 (ByteTrack?trackers`), Phase-3 (B3/B4/B6/B7/B8/D5/D6/D8-D10/O3/O4).**

21 - **NEW tracked project: Decision-Snapshot Regression** ([[decision-snapshot-regression]] · `docs/DECISION\_SNAPSHOT\_REGRESSION.md` · **383 merged**) ? a deterministic **quality-neutral proof** (freeze+compare the DECISION output = segments + stitch plan off a cached trajectory; **NOT** a reel-MD5). **Decisions D1?D11 LOCKED** (D10 = double-run determinism guard, deterministic segmenters only; D11 = advisory?gating staging). **? NEXT = \$7 P1** (canonical snapshot schema/serializer) ? P2 (`build\_stitch\_plan()` extract) ? P3 (extend `test\_golden\_fixtures` + guard). B1/#385 makes `motion` snapshot-eligible.

22 - **Review-automation patterns established** ([[review-signoff-policy]] + [[review-trust-ci-over-rerun]]): spin off **multi-agent review Workflows** (Ultracode; agents READ-ONLY) ? adversarially verify ? post synthesized findings; **sign-off policy** = LGTM pure-refactors on green (AST-identity vs master), HOLD logic/CI-infra for owner; **written LGTM only** (gh=`avidullu` = owner's own account ? GitHub blocks self-Approve); **trust green CI + a PR `## Verification` section, don't re-run identical CI checks** ? reserve local effort for what CI can't cover (AST-identity, merge-safety, env-noise-vs-real-defect, findings-actually-fixed).

23

24 **? Likely next pick-up:** start the Decision-Snapshot project at **\$7 P1**, or continue the audit (D1 split-main.py / D13 ByteTrack). Serving/alpha remains owner-gated (now needs the Cloud-Run move since the droplet is gone).

25

26 ---

27

28 ### Earlier ? serving/alpha track (2026-06-22/23, UNCHANGED + owner-gated; note the
droplet alpha is now retired per above)

29

30 ## ? You are here (2026-06-22)

31 **(2026-06-23 #342)** engine `origin/master` = **`688d28f`** ? merged a small compute-
path fix: `GoogleCloudRunJobClient.run\_job` now guards an unset/empty `GOOGLE\_CLOUD\_PROJECT`
(was passing `Optional[str]` into `JobsClient.job\_path(project: str,?)` ? latent mypy `arg-type`
seen only with `google-cloud-run` installed + a bogus `projects/None/?` path at runtime). Guard
runs before the lazy SDK import (CI-testable, SDK-absent) and raises a clear `RuntimeError`;
+`test\_real\_client\_rejects\_missing\_project`. Full suite 1488?, cov 85.86%, all 10 CI green,
merged on green per [[working-agreement-merging]]. Follow-up doc
[#345](https://github.com/Khelsutra/badminton-highlight-indexer/pull/345) (`9329473`) added the
operator note to `deploy/cloudrun/README.md` Gotchas. (Originated as a spawned chip; the live
cloud-toggle work above is the sibling track ? see [[current-state]] top.)

32

33 **(2026-06-22 M11+M12)** engine `origin/master` = **`819e395`** (past #336 M11 + #338
M12; also sibling #333 M6?/api/process, #334 Cloud-Run env, #6d3d054 SPA compute-picker) .
khelsutra `origin/master` = `ba38f15` (past #96 Privacy Policy, #100). **The two Claude-doable
serving-code items are DONE** (M11 flywheel skeleton #336 + M12 gdrive-api #338 ? both default-
OFF/inert, adversarially reviewed, merged on green). **Claude's serving + alpha-shareable code
is now complete.** **?? THE ONLY REMAINING ALPHA STEP IS OWNER-DRIVEN: pair on the go-live**
(cloudflared tunnel + CF Pages + CF Access + Gemini-key rotation per
`khelsutra/deploy/DEPLOY\_ALPHA.md`) ? Claude guides, owner drives the CF dashboard/box. M11
going *live* + M9-consent need the counsel ToS/DPA inputs (the 7-pt checklist in [[ui-driven-
cloud-serving-gap]] / this session). Other future engine code: M7 real cloud-serving e2e (owner
GCP spend), per-video workspace P1?P6, the rally-quality track (corpus-gated).

34

35 **(2026-06-22 sweep)** engine `origin/master` = **`9b37269`** (+ today's
#316/#319/#320/#321/#322/#323) . engine **~1428** tests green (combined-master verified w/
corpus manifest) . **0 open engine PRs** . no GCP VMs. This was a cross-track maintenance sweep
(worker fix, nightly scheduler, GCS-data doc, gate-A litmus re-ground, golden-fixtures backlog)
? the serving/alpha forward-plan below is unchanged. ? a sibling's redundant gate-A branch
`fix/served-gate-a-regrounded-15clip` sits in the MAIN checkout; concurrency being trimmed.

36

37 **(2026-06-21 prior)** engine `origin/master` = `0c0e064`+ (past #292/#293/#294) .
khelsutra `origin/master` = `4627830` (past #63/#64/#65) . **no GCP VMs (audited \$0)** . engine
~1259 tests green.

38 **?? ALPHA-SHAREABLE SESSION (2026-06-21) ? 3 PRs MERGED; Claude's half of the owner's
top priority is DONE:**

39 - **KEY CORRECTION (anti-spiral [[lesson-verify-engine-surface-before-scoping]]):** the
handoff said "do the B-P2 SPA ingest screen + M7 Cloud Run *service*" ? but **B-P2 was already
shipped** (khelsutra #56, live e2e in `DRY\_RUN\_CUJ.md` §9) and recon showed alpha-shareable is a
DEPLOY/AUTH task, not an SPA build. CORS is already env-driven; the engine needed no CORS
code.

40 - **Owner decisions (this session):** (1) pursue alpha-shareable via topology **(i)
Tunnel-to-a-box** (2) sub-topology = **SPLIT** (SPA on CF **Pages** + engine on `api.\*`
cloudflared tunnel + CF Access over both ? engine `HOSTING\_PLAN.md` §2), single-origin Caddy
kept as the alternative.

41 - **engine [#294](https://github.com/Khelsutra/badminton-highlight-indexer/pull/294)
(`0c0e064`) ? exposure-safety boot posture:** `backend/config/startup.py` fails fast at boot
(server-only `include\_exposure=True`) when `security.edge\_auth\_enabled` is ON but half-
configured ? `EXPOSED\_NO\_VIDEO\_ROOT` (fatal, jail unset), `EXPOSED\_EDGE\_AUTH\_INCOMPLETE` (fatal,
CF team/AUD), `EXPOSED\_AUTH\_EXTRA\_MISSING` (warn). **Default-OFF** (edge_auth off ? no-op;
worker never opts in). Aligned `auth.resolve\_tenant` whitespace-strip. Adversarial 3-lens review
(`wf\_35b735a9`) ? no bypass. +16 tests; 1259 green cross-OS.

42 - **khelsutra [#64](https://github.com/avidullu/khelsutra/pull/64) (`8bbc557`) ? SPA
`VITE\_API\_BASE`:** `apiBase()` env-driven (default same-origin `/api`) + `vite-env.d.ts` + 3
tests; build-smoke proved the override bakes in.

43 - **khelsutra [#65](https://github.com/avidullu/khelsutra/pull/65) (`4627830`) ? alpha
deploy kit:** `deploy/DEPLOY\_ALPHA.md` (full split runbook + CORS-preflight gotcha + posture
test + deferred notes) + `deploy/cloudflared.config.example.yml` + README/tracker pointers.

44 - **Discipline:** isolated PRs off `origin/master` (khelsutra in a dedicated
worktree ? main tree had sibling A8 WIP, since merged as #63), default-OFF, adversarial
review, full CI green cross-OS, merged own green PRs, tracker+changelog in-PR. **? REMAINING for
alpha = OWNER stand-up only** (tunnel + Pages + CF Access + key rotation per

`khelsutra/deploy/DEPLOY\_ALPHA.md`). **M1?M9-auth (prior sessions) detail below.**

45 ***? HUGE SERVING SESSION (2026-06-21) ? 6 PRs MERGED + a REAL cloud-GPU run, owner BATCH-AUTHORIZED the default-OFF code path + \$100/?10k spend:** **285** (docs §8 D16/D17 + P3 reconcile) . **286 M5** (`backend/config/startup.py` per-profile fail/warn-fast checks + the **L4 profile-parity** proof; worker stays torch-free) . **287 M6** (`backend/compute/` ComputeBackend registry ? `CloudRunCompute` dispatch a Cloud Run **Job** + bucket-poll; `deploy/cloudrun/{Dockerfile,README}`; mocked) . **288 M8** (per-job **cost ledger** + v6 migration + versioned `pricebook` \$0 + `/cost` API) . **290 M9-auth** (Cf-Access JWT verify RS256 + `owner\_id` tenant tag; security review found NO bypass; alg=none + HS256-confusion locked) . **291 ops-agent codify` + `docs/CLOUD_GPU_DRYRUN_GUIDE.md`\*\* (`deploy/gcp/create_gpu_vm.sh` always bakes the Ops Agent). All **default-OFF**, isolated, **adversarial-reviewed (a workflow per PR)**, full-suite+cross-OS CI green, tracker+changelog in-PR. **? REAL M7 L4 RUN DONE + VERIFIED:** native WASB on a real L4 ? **22 rallies** on the smoke clip ? GCS out; VM deleted (\$0, ~\$0.21). ? the no-Gemini cloud run needs **`skip\_ai\_handoff=true`** (the long-flagged "0 rallies" cold-start fix). A 2nd dry run via `create\_gpu\_vm.sh` **confirmed Ops-Agent auto-installs** + found the **watermark-font gap** (fixed in #292: `bootstrap.sh` now installs `fonts-dejavu-core`). **M1?M4 (prior session) detail below.**

46 - **M1 ([#279](https://github.com/Khelsutra/badminton-highlight-indexer/pull/279), `ce22791`):** `deployment.profile` + `compute\_target` on `AppConfig` + `backend/config/presets.py` (PROFILE_PRESETS + `suggest\_profile`) + loader preset/precedence (defaults<preset<config.json<env via `\_deep\_merge`; no-profile path = exact old shallow merge) + auto-detect-as-SUGGESTION (D15). Pure/additive, profile='' == today. 3 minor review findings folded.

47 - **M2 ([#280](https://github.com/Khelsutra/badminton-highlight-indexer/pull/280), `e111add`):** `StorageConfig.input\_backend`/`input\_root` + `backend/storage/{ref.resolve\_input\_uri, \_\_init\_\_.resolve\_input\_ref/acquire\_local\_input/input\_is\_local}` + `main.py` API/CLI wired (acquire local; keep source URI for DB/report). **local = identity passthrough (byte-for-byte unchanged)**; bucket/Drive fetched to scratch (mirrors worker `cmd\_infer`). Unknown scheme?clean 400 (was a 500 regression ? caught by review); `local://` accepted on resolved key; hosted-mode rejects non-local; OS-independent anchored-path detection (os.path.isabs differs Win+py3.13). 1 major + 6 minor review findings folded. Suite 1105 green, cov 84.84%.

48 - **M3 ([#282](https://github.com/Khelsutra/badminton-highlight-indexer/pull/282), `2afd54f`):** configurable output/scratch base ? `backend/utils/paths.output\_base(config)` (returns `output.output\_dir`, default `"output"`); routed all 6 hardcoded `os.path.join("output", ?)` scratch sites in `trajectory\_hybrid`/`yolo\_hybrid`/`gemini` through it (create+cleanup same var). **DEFAULT "output" ? byte-identical** (golden + cross-OS green); a custom `--output-dir` now actually moves scratch (latent bug fixed). Default-OFF ? no Launch Report. `tests/test\_output\_base.py` + a yolo call-site capture; clean-bill focused review (yolo-coverage minor folded). Suite 1114 green.

49 - **M4 ([#283](https://github.com/Khelsutra/badminton-highlight-indexer/pull/283), `cee4baa`):** `DeviceContext` (`backend/pipeline/detectors/device.py`) + native WASB **CPU-fallback** via a new `device="auto"` (cuda-if-available-else-cpu). **Explicit "cuda" stays STRICT** (healthcheck still hard-fails without a GPU ? no silent slow-CPU downgrade; "cuda default unchanged"). CUDA probe **cached** (healthcheck?run_predict reuse); `\_effective\_device()` resolves before argv so "auto" NEVER reaches `wasb\_infer.py`; fail-fast on a typo'd device. `wasb\_infer.py` already supports cpu ? no change there. Device-selection tested offline (mocked subprocess); **real CPU-inference run = owner/GPU-verified.** `tests/test\_device\_context.py` + native-runner additions; clean-bill focused review (2 nits folded). Suite 1126 green, cov 84.96%.

50 ***? NEXT (priority order):**

51 1. **? ALPHA-SHAREABLE ? Claude's half DONE this session (#294/#64/#65).** Engine is exposure-safe by construction; SPA targets a split origin; the deploy kit + runbook are merged. **? REMAINING = OWNER stand-up** (not Claude-doable): on the box `pip install -e .[auth]` + the safe-exposed `config.json` + `RALLY\_CORS\_ALLOW\_ORIGINS` + rotate `GEMINI\_API\_KEY` + run `backend.main --server`; CF ? cloudflared tunnel (`api.khelsutra.guru`) + CF Pages (`app.khelsutra.guru`, `VITE\_API\_BASE`) + ONE CF Access app over both + the OPTIONS-preflight bypass. **Runbook = `khelsutra/deploy/DEPLOY\_ALPHA.md`.** (A later UI polish, not the alpha blocker: a compute PICKER in the UI, D13/D15.)* Full record: [[ui-driven-cloud-serving-gap]].

52 2. **M11** (data-flywheel plumbing) ? ? privacy-sensitive (consent/data), give it FRESH focus: `backend/flywheel.py` capture?store?shadow-eval?goldenize reusing `workspace.py::for\_video` + `backend/eval/experiment.compare` + `backend/eval/promotion.py::promote\_if\_served\_safe`, behind `flywheel.\*`=OFF + a faked `consent\_attested`. ? depends on M9's not-yet-landed **v7 consent migration** (M8 took v6) +

counsel ToS/DPA; only a default-OFF skeleton is Claude-doable.

```
53      3. **M12** (`gdrive-api` OAuth StorageBackend) ? `backend/storage/gdrive_api.py`  
`GDriveApiStorage(StorageBackend)` + a `gdrive-api://` scheme (regex allows the hyphen; add to  
`_KNOWN`+`_backend_class`+the StorageConfig Literal) vs an INJECTED fake Drive (mirror `gcs.py`  
DI); keep mount-only `gdrive://`. ? M9-consent cols + per-video P1 = a new **v7** migration (M8  
took v6).  
54      **? owner-only residual:** real M5 truly-local runlog (template pre-staged) · GCP spend  
for the M7 *service* deploy + a real e2e · counsel ToS/DPA (M9-consent) · real GCP prices+FX +  
the M8 usage-emission follow-up · Google OAuth app (M12 real) · CF team-domain/AUD+ingress-lock  
· repo rename · DO droplet/token retire.  
55  
56      ## ? Icebreaker for the NEXT session (copy-paste)  
57      > Continue the badminton-highlight-indexer ENGINE serving + UX track. FIRST: `git pull  
--ff-only`, then read memory `session-handoff.md` + `current-state.md` (top) + [[ui-driven-  
cloud-serving-gap]] + [[compute-stack-gcp-only]].  
58      > STATE: **The cloud alpha is LIVE + proven end-to-end** (2026-06-22 night: a real match  
? **27 rallies ? reel downloaded**, on the droplet `claude-do-rally-test`/`168.144.126.176`  
behind CF Access at `app.khelsutra.guru`; fixed live: `app.` DNS?the tunnel, the Gemini key,  
`RALLY_ALLOWED_HOSTS`). **Engine #294 + M11 #336 + M12 #338, khelsutra #64/#65 all merged.**  
59      > **?? TOP NEXT ACTION ? owner LOCKED IN the GCP L4 (2026-06-22 night): spin up the L4  
for the NON-GEMINI phase** (native WASB inference + owned-model training, NO Gemini). Run  
**`bash deploy/gcp/create_gpu_vm.sh`** (defaults `RALLY_GPU=l4` ? `g2-standard-4` 24GB, zone-  
sweeps Mumbai?Singapore, bakes Ops-Agent) ? pull corpus from `gs://khelsutra-rally-corpus`  
([[gcs-data-source-of-truth]]) ? `python -m backend.worker infer|train` with  
`skip_ai_handoff=true` ? **`bash deploy/gcp/teardown.sh delete` AFTER** ([[gcp-vm-always-  
delete]]), **$100/?10k cap**. On-demand ~$0.74/hr Mumbai (?$122/interactive session, fine);  
`RALLY_GPU=t4` fallback if L4 stocks out; add a Spot toggle (`--provisioning-model=SPOT`,  
currently STANDARD at `create_gpu_vm.sh:41`) before any LONG training run. Full config/pricing =  
[[compute-stack-gcp-only]].  
60      > **Also queued ? 3 alpha-hardening issues from the live run (Claude-doable, default-  
safe):** khelsutra#111 (SPA survive-refresh + live progress ? the 10-min poll ceiling timed out  
~secs before a long job finished), khelsutra#112 (WhatsApp share the VIDEO via Web Share API,  
not just text), engine#340 (idempotent `/api/process` ? no Gemini RE-BILL on refresh/"Try  
again").  
61      > Discipline: ONE isolated PR per item off `origin/master`, default-OFF + golden/cross-  
OS-gated, adversarial review before commit, full `run_all_tests.py`+ruff+mypy green, merge own  
green PRs, tracker+changelog in-PR, checkpoint memory. ? **shared checkout** (engine AND  
khelsutra ? sibling sessions commit concurrently; khelsutra needs a dedicated **worktree**:  
junction `web/node_modules` then **`rmdir` the junction BEFORE `git worktree remove`**). ? **the  
LIVE alpha runs on the droplet** (SSH `~/ssh/khelsutra_droplet` root) ? don't disrupt the  
`khelsutra-engine`/`cloudflared` services or the marketing site.  
62  
63      Prior session delivered the **engine compute/serving + doc-hygiene** track (10 PRs  
merged: #263?#267, #270, #272?#274, #276):  
64      - **M2 FINALIZED on a real GPU** ? `worker train --trajectory-source detector` on a GCP  
**L4 (Singapore; Mumbai was stocked-out)** ? Gen-0 bundle `gs://khelsutra-rally-  
corpus/weights/0.1.0-l4/` (honest **n=2 plumbing** result, not a quality model). Both VMs  
**deleted**.  
65      - **DigitalOcean DROPPED for compute ? GCP is the sole stack** (ADR-013; DO GPU not  
enabled/credit-funded, Paperspace subscription-gated). [[compute-stack-gcp-only]] · [[gcp-vm-  
always-delete]] · [[gcp-ops-agent-enable]].  
66      - **DECOUPLED_COMPUTE delivered + ARCHIVED** ?  
`docs/archives/past_projects/DECOUPLED_COMPUTE/`.  
67      - **NEW tracked subproject: `docs/COMPUTE_DECOUPLED_SERVING/` + ADR-014** ? one pure  
core (DETECT?WINDOW?STITCH, never branches on profile) + `ComputeBackend`/`StorageBackend`  
profiles (**truly-local**, **cloud-serving** [Cloud Run GPU runs detect AND stitch, metered],  
**cpu-mock**). **? AWAITING OWNER M0 DESIGN SIGN-OFF before any code.**  
68      - **Doc governance:** `docs/DOC_STATUS.md` register + **archival due-diligence**  
(honestly-update?then-archive; codified in CLAUDE.md; [[doc-status-register]]); per-video docs  
reconciled; **data layer** carved into `docs/data_pipeline/` (no-ML), field-  
ops/PMF?`archives/field-pmf/`, Roora?`archives/roora-vendor/`.  
69  
70      ? **Shared checkout** ? sibling sessions commit + flip branches here mid-session (hit  
twice this session). **Branch from `origin/master` explicitly, re-verify HEAD before commit,  
stage explicit paths, never `git add -A`.** [[gotcha-shared-checkout-branch-collisions]]. ?
```

```

**`sed -i` over a glob churns CRLF on all matched files** ? separate real changes with `git diff
--ignore-cr-at-eol` and revert the noise.
71
72     ## ? Next steps (resume here)
73     1. **? M0?M4 SHIPPED (#279/#280/#282/#283) ? the config/input/output/device SEAM LAYER
is COMPLETE ? NOW M5+ (mostly owner-gated).** Decisions locked in README **$2 D7?D15** (D7
scale-to-zero · D8 versioned DB pricebook USD/INR · D9 Cloudflare Access · D10 data-for-reels
trade adults-only · D11 Gemini-ON-until-floor + D12/M11 flywheel · D13 user-switchable profiles
· D14 NORTHSTAR gdrive-api OAuth = M12 · D15 suggest?confirm). **Engine build sequence:** ~~M1
deployment.profile~~ ? ~~M2 input_backend~~ ? ~~M3 output-base~~ ? ~~M4 DeviceContext + CPU-
fallback~~ **ALL DONE.** **? M5** = truly-local profile e2e (preset + startup checks + first
committed runlog) ? **? owner real-GPU** (needs a GPU box / owner's WSL machine to run
detect+stitch locally, then commit the runlog). **M6/M7** Cloud Run dispatch + container image
(? owner GCP spend), **M8** cost ledger + pricebook, **M9** edge-auth (Cf-Access), **M11** data-
flywheel harness, **M12** gdrive-api OAuth. **Per-video-workspace P3 (`output/chunks_*) is now
subsumed by M3 ? reconcile/close it.** **Claude-doable WITHOUT owner gating:** the M5
preset+startup-check code (the actual run is owner's); the M8 cost-ledger DB migration +
pricebook + aggregation (pure code, owner does the real-cost calibration); the M11 harness
plumbing. M6/M7/M9/M12 need owner cloud/counsel sign-off.
74     2. **Per-video workspace P1?P6** (#264 shipped P0): P1 v6 DB migration `workspace_uri` ?
P2 worker ? P3 `output/chunks_*` de-hardcode ? ? (Claude-doable, default-OFF).
75     3. **Ops-Agent codification into `deploy/gcp`** (auto-enable observability on every VM)
? small, [[gcp-ops-agent-enable]].
76     4. **[owner]** Grow the golden corpus (highest-leverage) · set ship-gate target #172 ·
full-corpus training (n?5) for real weights.
77     5. Full prioritized P0/P1/P2 list = `docs/NEXT_STEPS.md` top.
78
79     ## ? Open decisions / owner gates
80     - **M0 design sign-off** (the blocker above) + the COMPUTE_DECOUPLED_SERVING $8
questions.
81     - Doc-hygiene leftovers (`DOC_STATUS.md` $4): confirm the 3 COMPLETED top-level pointer-
stubs; `HOSTING_PLAN`/`UI_PROPOSAL` currency.
82     - Housekeeping: retire the shared D0 droplet `claude-do-rally-test` (~$24/mo) + the D0
token; rename repo off "badminton".
83
84     ## ? Ramp-up kit
85     - **Memory:** [[current-state]] (read first) · [[compute-stack-gcp-only]] · [[gcp-vm-
always-delete]] · [[gcp-ops-agent-enable]] · [[doc-status-register]] · [[gotcha-shared-checkout-
branch-collisions]].
86     - **Docs:**
`docs/COMPUTE_DECOUPLED_SERVING/{README,TESTING_STRATEGY,architecture.svg,runlogs/}` ·
ADR-012/013/**014** in `docs/archives/decisions/DECISIONS.md` · `docs/NEXT_STEPS.md` ·
`docs/DOC_STATUS.md` · `docs/PER_VIDEO_WORKSPACE.md` · `deploy/gcp/README.md` (GPU runbook;
teardown defaults to `delete`).
87     - **Code anchors (the pure core the serving project builds on):**
`backend/pipeline/detectors/base.py` (DetectorRunner CSV contract) ·
`tracknet_runner.py::trajectory_to_action_windows` ·
`backend/pipeline/stitcher/compiler.py::compile_highlights` ·
`backend/pipeline/segmenters/trajectory_hybrid.py::_resolve_runner` (the compute seam) ·
`backend/storage/*` · `backend/worker/___main___py` · `backend/utils/workspace.py`.
88
89     ## ? Parallel track (NOT this session ? sibling sessions)
90     **KhelSutra brand-site + product UX/Hindi-Kannada localization** (repo
`Khelsutra/khelsutra` + #275 here) ? [[next-session-ux-localization]] / [[khelsutra-domain-
launch]]. The **rally-quality / owned-model** track is live too (R-series,
`RALLY_QUALITY_RESEARCH.md`; gated on corpus growth). These are background to the
compute/serving resume above.
91

```

7. assistant (2026-07-02T03:03:27.876Z)

Issue #97 is confirmed OPEN and untouched since 2026-06-22. Let me check the DNS claim and whether a successor issue exists.

8. user (2026-07-02T03:03:29.766Z)

Name: app.khelsutra.guru
Addresses: 2606:4700:3037::ac43:a95b
2606:4700:3035::6815:4f4f
172.67.169.91
104.21.79.79

===

Name: api.khelsutra.guru
Addresses: 2606:4700:3037::ac43:a95b
2606:4700:3035::6815:4f4f
104.21.79.79
172.67.169.91

9. user (2026-07-02T03:03:31.552Z)

114 Cloudflare Access: an allowlisted email still couldn't sign in (alpha auth)
112 Share to WhatsApp sends only a text message, not the reel video
111 Resilient processing UX: survive page refresh + continually-updating progress
103 SPA: show video stats (name, size, fps, resolution, duration) + persist them on reload
102 SPA: &debug=1 (trace panel) / &debug=2 (full runlog) URL params for debugging + tracing
101 SPA: show a friendly failure notice on a timeout/5xx (Cloudflare 524), not the raw
Cloudflare error HTML
99 SPA: keep the uploaded video's filename visible during processing (it disappears mid-job)
98 SPA: replace the demo rally-selection the moment an upload/processing starts (so the user knows their reel is coming)
97 Hosted alpha: split-origin (Pages app. + tunnel api.) breaks Cloudflare Access for the SPA ? single-origin needed
72 i18n: add Telugu (te) locale (catalog + Noto Telugu font, key-parity green)

10. user (2026-07-02T03:03:58.958Z)

Found 1 file
khelsutra\deploy\GPU_VM_SERVING.md

11. user (2026-07-02T03:04:00.384Z)

f9eea14 web: resilient video-summary readers + show fps in the library (#140)
9223ba9 docs: refresh khelsutra docs for today's storage-track work (P2-P5) (#139)
fb2f561 web: persistent "FFmpeg not detected" banner (hard-blocker warning) (#138)
8667dbf P5: SPA storage-medium picker (store a video into your medium) (#137)
a04a21b docs(tracker): inline the D14 decisions into the P2-P5 rows (#136)
a1d9e41 docs(decision): ratify P2-P5 medium-track decisions (D14) ? track is turnkey (#135)
180a747 docs(tracker): accuracy pass ? reconcile the project doc with shipped state (#134)
dfc643f docs(tracker): annotation proxy landed (D4, engine #406) (#133)
DEPLOY_ALPHA.md
GPU_VM_SERVING.md
cloudflared.config.example.yml
droplet
stage_from_bucket.sh

12. assistant (2026-07-02T03:04:08.112Z)

All evidence gathered. Calling StructuredOutput with the verdict.

13. user (2026-07-02T03:04:25.272Z)

Structured output provided successfully