

claude-windows / 7dc3da51-af38-47b6-83f6-fdda83b60664

Metadata

```
- Source: `claude-windows`  
- Kind: `claude`  
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-inde  
xer\7dc3da51-af38-47b6-83f6-fdda83b60664\subagents\workflows\wf_0febe894-ff9\agent-  
a01b67fa0b38dca55.jsonl`  
- SHA-256: `395dd3d051a3c9a2232b3f0c269a6fba7d504a41b2ddcc5764af06344c1283cf`  
- Source modified: `2026-07-07T03:39:56+00:00`  
- Imported at: `2026-07-08T16:00:05+00:00`  
- project: `wf_0febe894-ff9`  
- session_id: `7dc3da51-af38-47b6-83f6-fdda83b60664`
```

Transcript

1. user (2026-07-07T03:39:30.339Z)

Reviewing GitHub PR #58 "docs: refresh current project documentation" (branch agent/docs-sweep
-> main). DOCS-ONLY refresh + a few
doc-accuracy source edits (help text, docstrings, Dockerfile comment, pyproject description).
+782/-787, 14 files. Checked-out copy at C:/Users/avidu/Projects/_wt-pr58.
This is an ACCURACY review: the docs must match the MERGED code (Tracks B-F + ADR 0012 F1-F7 are
all merged). Read the doc diff:
git -C C:/Users/avidu/Projects/Telegram diff 7fadffb..origin/agent/docs-sweep -- <file>
and cross-check every concrete claim against the actual code (src/tg_video_filter/*.py,
docs/adr/*). Read code via Read/Grep; run
C:/Users/avidu/Projects/Telegram/.venv/Scripts/python.exe to check defaults/behavior.

KEY GROUND TRUTH (verified by the main reviewer) to check the docs against:

- Selective scanning is OPT-IN: new sources default watched=false (should_ingest_source); the
watched flag is user-controlled (set_source_watched / /watch,/unwatch);
upsert_source no longer clobbers watched (a fix in #41). Commands: /channels, /watch
<id|@name>, /unwatch, /watchlist.
- FilterConfig exclusion DEFAULTS: exclude_gif=True, exclude_round=True, exclude_nosound=False
(i.e. GIF/round excluded, nosound allowed). The old "all off by default" was WRONG.
- Policy pipeline stages (evaluate_pipeline order): topic-preferences -> url-reputation ->
caption-safety -> deep-inspection. Deep inspection is a budget BOUNDARY only; NO production
fetcher is wired (ctx.fetcher/budget are None in the live path), so enabling deep_inspect drops
items.
- Config lives in policies.config_json (raw dict); save_filter_config MERGES flat FilterConfig
keys so ADR 0012 keys (topics/security_checks/deep_inspect) survive a /set. There is NO /set
command to set those policy keys yet (dormant).
- Tables: accounts, telegram_sessions, sources, content_items, policies, destinations,
routing_rules, delivery_attempts, policy_decisions (+ *_deprecated). policy_decisions has NO
TTL/retention cleanup (deferred, issue #56).
- Dedup: 3-tier (message instance, Telegram document.id, metadata fingerprint) via
content_items.dedup_key. Delivery modes forward/link/both to me/@username/chat id.
- /why <content_item_id> is account-scoped (get_content_item_for_account), renders the stored
policy trace or a caveated metadata replay; markdown-escaped.

Ground rules: READ the doc diff AND the code, cite file:line. Report ONLY doc claims in THIS PR
diff that are FACTUALLY WRONG or MISLEADING vs the merged code
(a stale table name, a command that does not exist, a wrong default, a wrong ADR status, a "does
X" the code does not do). No style nitpicks unless misleading.
Severity: high (a wrong claim a user/operator would act on and be broken by, e.g. wrong
command/flag/deploy step), medium (misleading/ambiguous/stale), low (typo/broken link/minor).

ADVERSARIALLY VERIFY this doc-accuracy finding ? try to REFUTE it. Read the cited doc line AND
the code it describes; run C:/Users/avidu/Projects/Telegram/.venv/Scripts/python.exe if needed.
CONFIRMED only if the doc claim genuinely ships in THIS PR diff and is factually
wrong/misleading vs the merged code. REFUTED if the doc is actually correct / the code does do

what it says / it is out of scope. PLAUSIBLE if unsettled. Corrected severity (wrong actionable command/step=high; misleading=medium; typo=low).

FINDING (adr_notes): design.md observability list cites a nonexistent log event ``delivery_record_failed``

severity low | docs/design.md:214

summary: The new Observability section (§10) lists ``delivery_record_failed`` as an "important event", but no such log event exists anywhere in the codebase.

why_wrong: grep of src/tg_video_filter/*.py finds no ``delivery_record_failed``. The only delivery-failure log lines are ``delivery_failed`` and ``delivery_retry_failed`` (delivery.py:116,119) plus ``link_delivery_failed_in_both_mode``/``forward_delivery_failed_in_both_mode`` (delivery.py:266,268). The other events in the list (``manager_started``, ``client_connected``, ``video_seen``, ``video_forwarded``, ``flood_wait``, ``config_updated``, ``client_disconnected``) all exist; this one is fabricated. An operator following the design doc and grepping logs for ``delivery_record_failed`` would find nothing.

evidence: src/tg_video_filter/delivery.py:119 ``log.exception("delivery_failed video=%s", video_id)``; ``grep -rn delivery_record_failed src/`` returns NOT FOUND. Contrast runbook.md §13 which lists real events only (video_dedup_document_id, video_dedup_fingerprint, config_updated, etc., all verified present in telethon_client.py / command_service.py).

rec: Replace ``delivery_record_failed`` in docs/design.md §10 with the real event name(s) ``delivery_failed`` / ``delivery_retry_failed``, or drop the line. Align it with the accurate event list already used in runbook.md §13.

2. assistant (2026-07-07T03:39:32.270Z)

I'll verify this finding by checking the doc diff and the code.

3. user (2026-07-07T03:39:34.945Z)

```
450:### 10. Observability
458:+- `delivery_record_failed`
482:## 9. Observability (v1 minimum)
```

4. user (2026-07-07T03:39:35.967Z)

```
C:/Users/avidu/Projects/Telegram/src/tg_video_filter/delivery.py:116:
log.exception("delivery_retry_failed video=%s", video_id)
C:/Users/avidu/Projects/Telegram/src/tg_video_filter/delivery.py:119:
log.exception("delivery_failed video=%s", video_id)
C:/Users/avidu/Projects/Telegram/src/tg_video_filter/delivery.py:266:
log.warning("link_delivery_failed_in_both_mode video=%s", video_id)
C:/Users/avidu/Projects/Telegram/src/tg_video_filter/delivery.py:268:
log.warning("forward_delivery_failed_in_both_mode video=%s", video_id)
Binary file
C:/Users/avidu/Projects/Telegram/src/tg_video_filter/__pycache__/delivery.cpython-313.pyc
matches
```

5. assistant (2026-07-07T03:39:39.844Z)

The finding is confirmed. The doc diff at design.md:458 adds ``delivery_record_failed`` to the new Observability section (§10), but the code only has ``delivery_failed``, ``delivery_retry_failed``, ``link_delivery_failed_in_both_mode``, and ``forward_delivery_failed_in_both_mode``. No ``delivery_record_failed`` exists.

Let me verify the other events in the list actually exist (to confirm this one is uniquely fabricated) and check the exact doc context.

6. user (2026-07-07T03:39:42.544Z)

```
+values, breaks raw autolinks, and caps replies below Telegram's message limit.
+
+### 10. Observability
+
+The app logs to stdout. Important events include:
```

```

+
+- `manager_started`
+- `client_connected`
+- `video_seen`
+- `video_forwarded`
+- `delivery_record_failed`
+- `flood_wait`
+- `config_updated`
+- policy-stage warnings for invalid config or failed deep inspection
+- `client_disconnected`
+
+There is no metrics endpoint. Docker restart policy and logs are the current
+operational surface.
+
+### 11. Security Notes

-## 8. Security & operational notes
-
-- **Secrets**: `TG_API_ID`, `TG_API_HASH`, and session files (`*.session`) are
- sensitive. `.gitignore` excludes `*.session` and `.env`. In Docker, the
- `data/` volume holds both the SQLite DB and session files ? back it up, treat
- it as a credential.
-- **Session rotation**: see [runbook.md](./runbook.md) §"Rotate a user session".

```

7. user (2026-07-07T03:39:46.786Z)

manager_started	FOUND
client_connected	FOUND
video_seen	FOUND
video_forwarded	FOUND
flood_wait	FOUND
config_updated	FOUND
client_disconnected	FOUND

8. assistant (2026-07-07T03:39:51.765Z)

All seven other events in the list are present in the source; only `delivery\_record\_failed` is fabricated. The finding is confirmed. This is a doc claim shipping in THIS PR diff (design.md:458) that is factually wrong versus the merged code.

On severity: this is a log event name an operator might grep for and find nothing, but it's an observability aid, not an actionable command/flag/deploy step, and the section is described loosely ("Important events include:"). Low severity is appropriate ? an operator would be mildly misled but not broken.

9. user (2026-07-07T03:39:56.899Z)

Structured output provided successfully