# Simple Tables

Source-backed grouped table sample

## 1 Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.03307_table_5

| max-min iter. | $\mu_l$ | $\mu_h$ | $\mu_{x_{\text{in}}}$ | $\mu_{z_x}$ | $\mu_{r_s}$ | $\mu_c$ | $\mu_a$ | $\mu_{r_{\text{cat}}}$ | $\mu_m$ | $\mu_d$ |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5 | 10 | 3 | 5 | 1.0 | 8 | tanh | 0.9 | 0.4 | uniform |
| 2 | 3 | 5 | 2 | 5 | 0.1 | 2 | identity | 1.0 | 0.4 | uniform |
| 3 | 12 | 128 | 13 | 200 | 0.0 | 2 | identity | 0.4 | 0.0 | uniform |
| 4 | 3 | 5 | 2 | 6 | 0.6 | 2 | tanh | 1.0 | 0.0 | exponential |
| 5 | 10 | 64 | 8 | 32 | 0.4 | 2 | tanh | 1.0 | 0.0 | uniform |
| 6 | 8 | 32 | 5 | 13 | 0.8 | 10 | identity | 0.0 | 0.2 | normal |
| 7 | 10 | 64 | 8 | 162 | 0.9 | 6 | elu | 0.6 | 0.0 | normal |
| 8 | 5 | 10 | 3 | 13 | 0.0 | 10 | tanh | 0.8 | 0.0 | uniform |
| 9 | 5 | 10 | 3 | 5 | 0.3 | 6 | identity | 0.6 | 0.0 | exponential |
| 10 | 5 | 10 | 3 | 5 | 0.1 | 10 | tanh | 0.5 | 0.0 | normal |
| 11 | 3 | 5 | 2 | 5 | 0.0 | 8 | relu | 1.0 | 0.0 | normal |
| 12 | 3 | 5 | 2 | 5 | 0.6 | 4 | relu | 0.6 | 0.0 | exponential |
| 13 | 3 | 5 | 2 | 5 | 0.4 | 6 | tanh | 0.6 | 0.0 | normal |
| 14 | 5 | 10 | 3 | 5 | 0.8 | 8 | identity | 0.8 | 0.0 | exponential |
| 15 | 3 | 5 | 2 | 5 | 1.0 | 8 | elu | 0.6 | 0.0 | uniform |
| 16 | 3 | 5 | 2 | 6 | 0.7 | 6 | identity | 0.3 | 0.0 | uniform |
| 17 | 8 | 32 | 5 | 91 | 0.0 | 2 | tanh | 1.0 | 0.0 | exponential |
| 18 | 3 | 5 | 2 | 5 | 0.0 | 8 | tanh | 1.0 | 0.0 | exponential |
| 19 | 3 | 5 | 2 | 6 | 0.2 | 6 | tanh | 0.2 | 0.0 | exponential |
| 20 | 12 | 128 | 13 | 200 | 0.2 | 2 | identity | 0.1 | 0.0 | exponential |
| 21 | 3 | 5 | 2 | 6 | 0.9 | 8 | relu | 0.6 | 0.0 | exponential |
| 22 | 3 | 5 | 2 | 5 | 0.3 | 8 | identity | 0.2 | 0.0 | uniform |
| 23 | 5 | 10 | 3 | 5 | 0.2 | 4 | tanh | 0.3 | 0.0 | normal |
| 24 | 3 | 5 | 2 | 5 | 0.8 | 8 | identity | 0.1 | 0.0 | uniform |
| 25 | 3 | 5 | 2 | 5 | 0.2 | 4 | relu | 1.0 | 0.0 | exponential |
| 26 | 3 | 5 | 2 | 5 | 0.5 | 8 | tanh | 0.8 | 0.0 | normal |
| 27 | 8 | 32 | 5 | 13 | 0.1 | 4 | identity | 0.0 | 0.0 | exponential |
| 28 | 3 | 5 | 2 | 6 | 0.4 | 4 | tanh | 0.1 | 0.0 | exponential |
| 29 | 3 | 5 | 2 | 5 | 0.1 | 8 | identity | 0.2 | 0.0 | exponential |

Table 2: Source table 2: 2512.02195_table_6

| # | Word type | *f* |
|---|---|---|
| 1. | *te* (at', to', COMP) | 1018 |
| 2. | *dat* (that')], [658], [3.], [#it("niet") (not') | 650 |
| 4. | *om* (to')], [446], [5.], [#it("de") (the', MASC/FEM/PL) | 291 |
| 6. | *er* (there')], [271], [7.], [#it("geen") (no') | 270 |
| 8. | *elk* (every', #sc("neut"))], [251], [9.], [#it("iedere") (every', MASC/FEM) | 247 |
| 10. | *of* (or', whether') | 244 |
| 11. | *elke* (every', #sc("masc/fem"))], [229], [12.], [#it("ieder") (every', NEUT) | 223 |
| 13. | *alle* (all')], [215], [14.], [#it("een") (a', one')], [212], [15.], [#it("ik") (I') | 194 |
| 16. | *massa's* (masses')], [186], [17.], [#it("het") (the', NEUT:SG) | 180 |
| 18. | *op* (on')], [178], [19.], [#it("deze") (this', MASC/FEM) | 172 |
| 20. | *weinig* (a few')], [171], [21.], [#it("daar") (there') | 163 |
| 22. | *aan* (to', #sc("prep"))], [161], [23.], [#it("veel") (a lot of') | 155 |
| 24. | *hier* (here')], [146], [25.], [#it("voor") (for') | 144 |
| 26. | *dit* (this', #sc("neut"))], [140], [27.], [#it("zijn") (are', be', his') | 130 |
| 28. | *door* (by')], [122], [29.], [#it("in") (in') | 120 |
| 30. | *menig* (many', #sc("sg"))], [118], [31.], [#it("menige") (many', PL) | 111 |
| 32. | *je* (you', #sc("inform"))], [110], [33.], [#it("die") (that', MASC/FEM) | 103 |
| 34. | *waar* (where')], [97], [35.], [#it("sommige") (some', PL) | 90 |