# Moderate Tables

Source-backed grouped table sample

## Tables

These tables are grouped from source-backed LaTeX table data and compiled as a single benchmark data point.

Table 1: Source table 1: 2512.03369_table_1

| Dataset | Coverage | Task | Spa. Reso. | Temp. Reos. | Areas (km²) | Period | Fig/Video | Device | Mod. |
|---|---|---|---|---|---|---|---|---|---|
| Sim2Real-Fire | Worldwide | Fire Mask Forecast<br>Fire Mask Backtrack | 30 m | 1 hour | 20,000,000 | 2013-2023 | Fig | Satellite | 5 |
| FireSpreadTS | USA | Fire Mask Forecast<br>Fire Mask Backtrack | 375 m | 1 day | 9,834,000 | 2018-2021 | Fig | Satellite | 4 |
| Mesogeos | Mediterranean | Fire Mask Forecast<br>Danger Forecast | 1000 m | 1 day | 9,000,999 | 2006-2022 | Fig | Satellite | 4 |
| FireDB | USA | Fire Intensity Forecast | 375 m | 1 day | 9,834,000 | 2012-2017 | Fig | Satellite | 4 |
| Next Day fire | USA | Fire Mask Forecast | 1 km | 1 day | 9,834,000 | 2012-2020 | Fig | Satellite | 4 |
| SeasFire Cube | Worldwide | Fire Behavior | 500 m | 1 day | 149,000,000 | 2001-2017 | Fig | Satellite | 4 |
| CFSDS | Canada | Fire Behavior | 180 m | 1 day | 9,985,000 | 2002–2021 | Fig | Satellite | 4 |
| BA-ONFIRE | Worldwide | Fire Behavior | 111 km | 1 month | 149,000,000 | 1950-2021 | Fig | Satellite | 1 |
| GlobFire | Worldwide | Fire Behavior | 500 m | 1 day | 149,000,000 | 2001-2017 | Fig | Satellite | 1 |
| Re-FWI | Canada | Fire Behavior | 80 km | 1 day | 9,985,000 | 1980-2018 | Fig | Satellite | 7 |
| GFBS | Worldwide | Fire Behavior | 30 m | 16 days | 149,000,000 | 2003-2016 | Fig | Satellite | 1 |
| FPA FOD-A | USA | Fire Behavior | 4 km | 1 day | 9,834,000 | 1992-2020 | Fig | Satellite | 4 |
| GFED5 | Worldwide | Fire Behavior | 500 m | 1 month | 149,000,000 | 1997-2020 | Fig | Satellite | 1 |
| CloCAB | Worldwide | Fire Behavior | 27.7 km | 1 month | 149,000,000 | 2002-2020 | Fig | Satellite | 3 |
| PT-FireSprd | Portugal | Fire Behavior<br>Fire Mask Forecast<br>Danger Forecast | 4 km | 14 hours | 92,150 | 2015-2021 | Fig | Satellite | 1 |
| NSMC-H8 | China | Fire Monitoring | 3 km | 1 hour | 9,597,000 | 2019-2021 | Fig | Satellite | 1 |
| WCU-US | Western USA | Danger Forecast | 250 m | 5 weeks | 4,200,000 | 2005-2017 | Fig | Satellite | 1 |
| ECUF | Regions in South Korea | Danger Forecast<br>Casualty Prediction | 1 km | 1 month | 605 | 2017-2021 | Fig | Satellite | 5 |
| LCLQ | Regions in China | Danger Forecast | 500 m | 12 hour | 16,411 | 2015-2020 | Fig | Satellite | 4 |
| CaBuAr | Regions in USA | Fire Mask Forecast | 20 m | 1 year | 450,000 | 2015-2022 | Fig | Satellite | 1 |
| GABAM | Worldwide | Fire Behavior | 30 m | 1 year | 149,000,000 | 1990-2021 | Fig | Satellite | 1 |
| Fire Atlas | Worldwide | Fire Behavior | 500 m | 1 day | 149,000,000 | 2003-2016 | Fig | Satellite | 1 |
| MODIS | Worldwide | Fire Mask Forecast<br>Danger Forecast | 1 km | 1 day | 149,000,000 | 2000-2024 | Fig | Satellite | 3 |
| VIIRS | Worldwide | Fire Mask Forecast<br>Danger Forecast | 375 m | 12 hours | 149,000,000 | 2012-2024 | Fig | Satellite | 3 |
| NOAA HMS Fire | North America | Danger Forecast | 2 km | 1 day | 24,710,000 | 2003-2024 | Fig | Satellite | 3 |
| NOAA HMS Smoke | North America | Danger Forecast | 2 km | 1 day | 24,710,000 | 2005-2024 | Fig | Satellite | 1 |
| GOES fire | Western Hemisphere | Fire Mask Forecast<br>Danger Forecast | 2 km | 5 mins | 61,000,000 | 2017-2024 | Fig | Satellite | 4 |
| NIFC WP | USA | Fire Mask Forecast | 2 km | 5 mins | 9,834,000 | 2000-2024 | Fig | Satellite | 1 |
| FRY | Worldwide | Fire Behavior | 500 m | 1 day | 149,000,000 | 2005-2011 | Fig | Satellite | 1 |
| FireCanada | Canada | Fire Behavior | 1 km | 1 day | 61 | 2014.8 | Fig | Satellite | 3 |
| **FireSentry** | Regions in China | Fire Video Prediction<br>Infrared Video Prediction | **0.5 m** | **1 s** | 0.7 | 2025.2 | **Video** | **Drone** | 4 |

Table 2: Source table 2: 2512.01188_table_1

| Task<br>Platform | Target Obs.<br>Privileged Obs. | Reward<br>Demos | Offline Steps<br>Online Steps | Description |
|---|---|---|---|---|
| Camouflage Pick<br>Sim. Koch | Side Cam<br>True Obj. Pos | Sparse<br>100 suboptimal | 20K<br>80K | Pick up barely visible object |
| Fully Obs. Pick<br>Sim. xArm | Side Cam<br>True Obj. Pos | Sparse<br>100 suboptimal | 20K<br>20K | Pick up fully visible object |
| AP Koch<br>Sim. Koch | Wrist Cam<br>True Obj. Pos | Sparse<br>100 suboptimal | 100K<br>900K | Locate then pick up object |
| Blind Pick<br>Real Koch | Joints, Init Obj. Pos<br>Obj. Pos Estimate | Dense<br>100 suboptimal | 20K<br>1.2K | Pick object from proprioception |
| Bookshelf-P<br>Real Franka | Wrist Cam, Joints<br>Bbox, Mask | Dense<br>∼150 suboptimal | 100K<br>0 | Look for object & switch to $\pi_0$ |
| Bookshelf-D<br>Real Franka | Wrist Cam, Joints<br>Bbox, Mask | Dense<br>∼100 suboptimal | 100K<br>0 | Look for object & switch to $\pi_0$ |
| Shelf-Cabinet<br>Real Franka | Wrist Cam, Joints<br>Bbox, Mask | Dense<br>∼30 suboptimal | 100K<br>0 | Look for object & switch to $\pi_0$ |
| Complex<br>Real Franka | Wrist Cam, Joints<br>Bbox, Mask | Dense<br>∼50 expert | 100K<br>0 | Look for object & switch to $\pi_0$ |