⚖️ LEGAL DEADLINE: ADA TITLE II (2026)

The 2026 WCAG 2.1 AA Engineering Audit Checklist

The DOJ final rule is now codified into federal law. All digital public platforms must meet WCAG 2.1 Level AA.

Here are the **5 critical violations** automated scanners completely miss—and how to catch them in CI with Playwright before legal letters arrive.

🎯 **Who This Is For**

CTOs, VPs of Engineering, and Frontend Leads at B2B SaaS, HealthTech, EdTech, and enterprise scale-ups.

AV

Alberto E. Vilano Reyna

Senior SDET & AI Quality Engineer • avilano.dev

Swipe ➔

THE AUTOMATION ILLUSION

Automated Linters Only Catch 30% to 35% of WCAG Flaws

Running `@axe-core` or Lighthouse in CI is necessary—but dangerously incomplete on its own.

⚠️ **What Automated Scanners CAN See**

Missing `alt` text tags, raw DOM contrast ratios, missing form labels, duplicate element IDs.

🚫 **What Automated Scanners CANNOT See**

Keyboard focus traps in modals, logical tab sequences, async ARIA live announcements, screen-reader focus restoration after dismiss.

⚡ **The Overlay Widget Myth**

Third-party inject plugins (e.g., AccessiBe) do NOT grant legal immunity. Over 900 federal ADA lawsuits in 2024 specifically targeted sites using overlay widgets.

AV

Alberto E. Vilano Reyna
avilano.dev

Swipe ➔

Keyboard Focus Traps & Missing Skip Links

WCAG 2.1.2 (No Keyboard Trap) & 2.4.1 (Bypass Blocks) are plaintiff favorites.

❌ THE ANTI-PATTERN: UNCONSTRAINED DIALOG

```
<!-- When open, Tab key escapes the modal into the background DOM -->
<div class="modal-overlay">
  <h3>Confirm Action</h3>
  <button>Cancel</button><button>Delete</button>
</div>
```

✅ THE CI PLAYWRIGHT TEST (DETERMINISTIC TRAP CHECK)

```
await page.getByRole('button', { name: 'Delete' }).press('Tab');
// Focus MUST wrap to first focusable element inside dialog:
await expect(page.getByRole('button', { name: 'Cancel' })).toBeFocused();
```

💡 **Don't Forget the Skip Link**

Every page needs an obsidian-contrast `<a href="#main-content" class="sr-only focus:not-sr-only">Skip to content</a>` as its first DOM child.

AV

Alberto E. Vilano Reyna
avilano.dev

Invisible Dynamic Errors: Silent Async Mutations

WCAG 4.1.3 (Status Messages). When an API request fails, sighted users see a red toast—screen reader users hear dead silence.

❌ SIGHTED-ONLY DYNAMIC BANNER

```
<!-- Screen readers completely ignore dynamic DOM insertions -->
<div class="toast-error">Payment failed: Card expired</div>
```

✅ SEMANTIC ACCESSIBLE LIVE REGION

```
<!-- VoiceOver & NVDA interrupt to announce error instantly -->
<div role="status" aria-live="polite" class="toast-error">
  Payment failed: Card expired
</div>
```

🧪 **Playwright Verification Rule**

`await expect(page.locator('[role="status"]')).toHaveAttribute('aria-live', 'polite')`

AV

Alberto E. Vilano Reyna
avilano.dev

Target Size Minimums & Dark Mode Contrast Drift

WCAG 2.2 Criterion 2.5.8 (Target Size Minimum) & 1.4.3 (Contrast Minimum 4.5:1).

🔪 **The 24×24px Touch Target Rule**

Interactive targets (buttons, icons, menu toggles) must either be at least **24×24 CSS pixels** or have sufficient surrounding spacing so circles don't intersect.

🎨 **The Dark Mode Contrast Trap**

Buttons with white text on sky blue (`#0ea5e9`) only have a **2.77:1** ratio—failing WCAG AA. Obsidian dark themes require high-contrast text (`#030712` on `#ffffff`, ratio **18.7:1**) to pass audit scrutiny.

🔍 **Subtle Text (#64748b vs #94a3b8)**

Slate-500 fails contrast on `#070a12`. Muted text must be upgraded to slate-400 (`#94a3b8`, 7.4:1 ratio) to guarantee compliance.

AV

Alberto E. Vilano Reyna

avilano.dev

Automating WCAG Gates in GitHub Actions with Playwright

Never rely on developer memory. Block regressions at the PR level.

⚡ ZERO-TOLERANCE ACCESSIBILITY TEST FIXTURE

```
import { test, expect } from '@playwright/test';
import AxeBuilder from '@axe-core/playwright';

test('dashboard must pass WCAG 2.1 AA standards', async ({ page }) => {
  await page.goto('/dashboard');
  const results = await new AxeBuilder({ page })
    .withTags(['wcag2a', 'wcag2aa', 'wcag21a', 'wcag21aa'])
    .analyze();

  expect(results.violations).toEqual([]);
});
```

Execution Time: < 400ms per Route

Axe scans the DOM in-memory. Running this alongside your existing Playwright E2E suite adds zero noticeable CI overhead.

AV

Alberto E. Vilano Reyna
avilano.dev

Is Your Frontend Stack Ready for 2026?

4 steps to bulletproof your application against legal & compliance scrutiny:

- ✓ **Ban overlay widgets** (they invite plaintiff demand letters)
- ✓ **Enforce `@axe-core/playwright` in CI** to prevent contrast regressions
- ✓ **Audit dynamic modals & drawer traps** with keyboard assertions
- ✓ **Add `aria-live` status regions** for all asynchronous mutations

Need a comprehensive WCAG 2.1 AA audit?

Book an async **Accessibility Diagnostic Sprint** or read the full 2,000-word engineering guide at **avilano.dev**.

AV

Alberto E. Vilano Reyna

Senior SDET & AI Quality Engineer • avilano.dev

avilano.dev ↗