

How Deodapper.com works

Live at <https://www.deodapper.com> · Deep analysis generated 2026-10-06 · app booted via docker; screenshots are real captures · model claude-sonnet-5

Overview

Deodapper is a web app for planning and driving a self-guided tour by car. A visitor lands on a landing page with two doors: "Take a free tour," which browses a shared library of previously published, narrated routes and lets the visitor pick one, set their own date/time, and drive it at no cost; or "Create your own route," a paid per-route planner where the visitor supplies a start, an end, a time window, and free-text interests, and Claude (Anthropic's model) proposes stops, orders them, times the day, and writes narration for each stop and for interesting places passed along the way. The planner (`plan.html`) is the hub of the app: it behaves differently for the two tiers (`?tier=free` vs `?tier=subscriber`/`?tier=create`), hiding AI controls for free users and showing route search instead.

Once a route exists, "Prepare drive" generates spoken narration clips and geofenced trigger points, and the resulting "drive package" can be saved to the phone (stored client-side in IndexedDB so it survives offline) and opened in `drive.html`, an installable PWA screen that tracks the driver's GPS position, shows a turn-by-turn banner, speaks narration as stops are approached, and lets the driver adjust voice talkativeness, narration voice, and units. Drive mode works fully offline once a trip package is imported, since planning and narration happen ahead of time on the server and the result travels with the device.

The app targets two kinds of users: casual free drivers who want a free, ready-made, narrated outing (e.g., a published Houston or Los Angeles coast drive), and paying customers who want a bespoke, timed itinerary built around specific interests (e.g., "Indian stuff, historic neighborhoods") between a particular start and end. An optional email-only account (no password, magic link via Resend) lets a user's routes follow them across devices; otherwise routes live only in that browser's storage. Payment is per-route via Stripe with manual-capture `PaymentIntents` — the card is only actually charged once planning succeeds, and the hold is released automatically if it fails.

Server-side, Deodapper is gated by a tier system: every `/api` request is stamped `subscriber` (knows the `APP_SECRET` passphrase, or local dev with no secret set) or `free`; AI-heavy routes (plan, suggest, prepare-drive, publish) require either the passphrase or a valid payment credit, while place search, re-timing and the route library are open to anyone but rate-limited per IP. A content moderation layer screens anything published to the shared library for markup injection, SQL-shaped text and abusive language before it's stored.

Architecture

The stack is a single Node.js/Express server (`server/index.js`, Node ≥ 22 , `node:sqlite` for storage — no external DB) serving a vanilla-JS, no-framework frontend (`web/`) with ES modules per concern (`map.js`, `drive.js`, `speech.js`, `pay.js`, `account.js`, `myRoutes.js`, etc.) and hand-written CSS (`app.css`, `drive.css`, `landing.css`). There is no build step or bundler — the PWA is also mirrored to GitHub Pages as a static copy via `.github/workflows/pages.yml` for drive-mode-only use when no planning server is reachable. Data persists in a single SQLite file (`data/deodapper.db`) holding published routes (`server/lib/library.js`), payment credits (`server/lib/pay.js`), accounts/sessions (`server/lib/accounts.js`), owner tokens (`server/lib/owner.js`), usage analytics (`server/lib/analytics.js`), Claude call costs (`server/lib/usage.js`), and cached research (`server/lib/research.js`).

Planning flows through `server/plan.js` (candidate stop generation, Claude call via `claude.js` — either the Anthropic SDK or a shelled-out `claude -p --json-schema` CLI call when no API key is set — grounded against Wikipedia/Nominatim/Photon/Google Places), `server/schedule.js` (timing), and `server/narrate.js` (per-stop narration text plus `server/lib/tts.js` for voice clips), with OSRM/Valhalla used for actual driving routes (`server/osrm.js`) and `server/lib/routeImage.js` picking a freely-licensed Wikimedia Commons banner photo for each published route by cross-referencing Wikipedia pageviews. Long-running plan/prepare calls run as server-side jobs (`server/lib/jobs.js`) so

a dropped phone connection can reattach and resume. Guardrails (`DAILY\_CLAUDE\_BUDGET\_USD`, `AI\_CALLS\_PER\_HOUR`, per-credit quotas) sit in front of the three AI routes to bound Claude spend.

On the client, `web/js/state.js` holds the current itinerary and notifies subscribers (`map.js`, `itinerary.js`) to re-render; `storage.js`/IndexedDB holds saved "drive packages"; `drive.js` plus `geofence.js`, `maneuvers.js`, `speech.js`, `turnVoice.js` and `sim.js` drive the GPS-triggered narration and turn-by-turn experience in `drive.html`. Payment runs through `web/js/pay.js` talking to `/api/pay/\*` (Stripe Payment Element, manual capture, webhook-synced state). Admin operations (seeding starter routes, sales, cost and analytics dashboards, moderation/picture refresh) live behind `web/admin.html` and `web/js/admin.js`, authenticated by the same owner-passphrase/token mechanism (`server/lib/owner.js`) used for subscriber tier.

Marketing/landing page that explains what Deodapper does and routes the visitor into one of two experiences: a free ready-made tour or a paid custom-planned route.



Deodapper

YOUR TOUR GUIDE FOR THE DRIVE

Turn the hours between landing and check-in into a real tour.
Tell Deodap what you love, get a timed route of stops, and hear the story of each place as you drive past it.

ALWAYS FREE

Take a free tour

Ready-made drives, with Deodap telling the stories along the way. Pick one, set your day and go.

Create your own route

From \$1.99 a route · Deodap plans a day around your interests and writes the narration. You're only charged when it's ready.

- Plan.** Start, end, the time you have, what you're into. Deodap picks the stops and works out what fits.
- Prepare.** Every stop and the interesting places along the way get a short spoken story.
- Drive.** Phone on the mount, Google Maps on the car screen. Deodap talks when you get there.

[Browse the saved routes](#) without installing anything. Already have a trip on this phone? [Open drive mode.](#)

[Terms](#) · [Privacy](#) · © 2026 Deodapper. Stories draw on [Wikipedia \(CC BY-SA\)](#) and [OpenStreetMap](#) data.
Payments are handled by Stripe; Deodapper keeps a payment reference, never your card or contact details. Usage stats are IP-level only. [Terms & refunds](#) · [Privacy](#) · [Contact](#)

Controls & fields

CONTROL / FIELD	WHAT IT DOES
Always free · Take a free tour (a.choice.free)	Links to <code>`plan.html?tier=free`</code> ; loads the planner in free mode where <code>`tier()`/`isFree()`</code> in <code>`web/js/config.js`</code> hides AI controls and shows the saved-route search instead.
Create your own route · From \$1.99 a route (a.choice.sub)	Links to <code>`plan.html?tier=create`</code> (treated as subscriber-flow entry); opens the full AI planner form, gated behind either the owner passphrase or a Stripe payment credit per <code>`requireAccess`</code> in <code>`server/index.js`</code> .
Browse the saved routes	Links to the public <code>`/routes`</code> index (<code>`server/routePages.js`</code>), listing every published route without needing the app.
Open drive mode	Links directly to <code>`drive.html`</code> for returning users who already have a prepared trip saved on this device (IndexedDB) and want to skip planning.

Terms	Links to `terms.html`, the pricing/refund/usage terms page.
Privacy	Links to `privacy.html`, the data-handling disclosure page.
Wikipedia (CC BY-SA)	Attribution link to Wikipedia, credited because stop text is sourced from Wikipedia under CC BY-SA.
OpenStreetMap	Attribution link to OpenStreetMap, credited as the map/geocoding data source.
Terms & refunds	Footer link, duplicate path to `terms.html`.
Contact	Footer link to the support contact (support@deodapper.com, per README/terms).

Page: /plan.html

The core planning and search screen — for subscribers, the AI route builder (start/end/time/interests → stops); for free users, a searchable index of the shared route library; also the hub for "My routes," sign-in, and units preference.

 **Deodapper**
Free tours

mi

km

Drive mode

Find a saved route

Narrated drives other people built with Deodap. Search a city, an airport or anything you love, set your own day and time, and drive it free.

 City, airport, or a word from the route...

Find

My routes · none yet

Set the day you're driving this route and when you'll start. Times below re-fit to your schedule.

Date

10/06/2026

Start at

9:00 am

Be at the end by

9:00 pm

Controls & fields

CONTROL / FIELD	WHAT IT DOES
DeodapperFree tours (brand link + tier badge)	<code>`a.brand`</code> link back to <code>`index.html`</code> ; the adjoining <code>`#tier-badge`</code> span shows "Free tours" or "Create a route" set in <code>`main.js`</code> based on <code>`isFree()`</code> .
mi / km (button[button], units toggle)	Toggles <code>`#units-toggle`</code> buttons with <code>`data-units="imperial"/>"metric"`</code> ; dispatches <code>`tg:units`</code> event in <code>`main.js`</code> , which re-renders itinerary, map and library cards with the chosen distance/temperature units (<code>`web/js/units.js`</code>).
Drive mode (a)	<code>`#drive-link`</code> , links to <code>`drive.html`</code> to resume driving the currently loaded/prepared trip.
Routes near my location (button[button])	<code>`#library-near`</code> , a geolocation button (<code>`web/js/library.js`</code>) that requests the device's GPS once and calls <code>`GET /api/routes?near=lat,lon`</code> to find published routes near the visitor.
City, airport, or a word	<code>`#library-query`</code> ; live-searches as typed (300 ms debounce, 2+ characters) via <code>`GET /api/routes?live=1&q=`</code> which matches only route text (title, description, stops, labels), not place geocoding,

from the route... (input[text])	per Nominatim policy against autocomplete.
Find (button[button])	`#library-search`; on click or Enter runs the full search (`GET /api/routes?q=`), which also geocodes the typed words via Nominatim and adds routes passing within 50 km of that place; empty input shows a prompt instead of searching.
My routes · none yet (summary, collapsible)	`#my-routes` details element (`web/js/myRoutes.js`); expands to list every drive package stored in this browser's IndexedDB (planned, prepared, paid, from the library, imported) with Open/Drive/Delete actions per row and a live count in the title.
Email for a sign-in link (input[email])	`#signin-email`; validated client-side as an email address and POSTed via `POST /api/auth/request` (`server/lib/accounts.js`), which mints a single-use 20-minute token and emails a sign-in link (rate-limited to 3 per address per 15 minutes).
Send sign-in link (button[submit])	`#signin-send`; submits the sign-in form, triggering `account.requestLink()` in `web/js/account.js`, showing a confirmation or error in `#signin-msg`.
(unlabeled date field, input[date])	Sets the date the trip/route will be driven; used to re-time the schedule (weather lookups and arrival times key off this date) and, for the "From" side on the subscriber form, feeds into the Plan request body.
Start time (select)	Chooses the planned arrival/departure start hour; drives `schedule.js`'s timing of stops and (for free/saved routes) a pure re-timing pass since stops themselves stay fixed.
Be at the end by (select)	Sets the deadline the whole day's itinerary must fit inside; used both by the AI planner (`plan.runPlan`) to decide how many stops fit and by the free-tier re-timing logic.

Page: /routes

Public, crawlable index of every route published to the shared library, so routes are discoverable and shareable outside the app (and indexable by search engines / IndexNow).

 Deodapper

Saved routes, free to drive

0 published routes · each narrated stop by stop as you drive

Routes people built with Deodapper and shared. Pick one near you, set your own day and time, and Deodap tells the stories as you pass each place. Want one built around your own interests? [Create your own](#) from \$1.99.

No routes have been published yet. Be the first: [create one](#) and publish it.

Didn't find what you were looking for?

Have Deodap make a route just for you: your start, your end, your interests →

[All saved routes](#) · [Deodapper home](#) · [Terms](#) · [Privacy](#) · © 2026 Deodapper. Stories draw on [Wikipedia \(CC BY-SA\)](#) and [OpenStreetMap](#) data.


Controls & fields

CONTROL / FIELD	WHAT IT DOES
Deodapper (a)	Brand link back to `index.html`/home.
Create your own	Links into the paid planner (`plan.html?tier=create` or similar) to start a custom AI-planned route.
create one	Secondary link with the same destination, inline in body copy, offering the create flow when no suitable saved route exists.
Didn't find what you were looking for? Have Deodap make a route just for you: your start, y...	Calls out to the create flow, mirroring the same prompt shown at the end of free-tier searches on `plan.html`.
All saved routes	Link to the full listing of every published route (likely this same page or an unfiltered view), served from `GET /api/routes` equivalent data via `routePages.js`.
Deodapper home	Link back to the landing page `index.html`.

Terms	Link to `terms.html`.
Privacy	Link to `privacy.html`.
Wikipedia (CC BY-SA)	Attribution link, since route narration text and photo credits derive from Wikipedia.
OpenStreetMap	Attribution link, since routing and place data derive from OpenStreetMap/Nominatim.

Page: /drive.html

The actual driving experience — a full-screen map and narration UI that follows the driver by GPS, speaks stop stories and turn directions, and works offline once a trip is prepared and imported.



Controls & fields

CONTROL / FIELD	WHAT IT DOES
OpenStreetMap (a, attrib)	Required map-tile attribution link to openstreetmap.org/copyright .
Back to plan (a.back)	Returns to `plan.html` to re-edit the route or load a different trip.
Show or hide the panel (div#sheet-grip)	Draggable/tappable grip that expands or collapses the bottom sheet showing stop details and controls.
Visited (button#skip-stop)	Manually marks the current "next stop" as visited/skipped, advancing the itinerary without waiting for geofence detection.
Start drive (button#start-btn)	Begins GPS tracking and narration playback; toggles to "End drive" (`#stop-btn`) once running.
 (button#mute-btn)	Toggles narration audio on/off (`aria-pressed`), muting spoken stories and turn directions without stopping the drive.

 Heading up (button#orient- btn)	Toggles map orientation between heading-up (driver's view, rotates with travel direction) and north-up, `aria-pressed` reflects current state.
Spoken directions: Talkative, Reserved or Mute (input[range]#turn-voice)	Three-position slider (0-2) controlling how verbose turn-by-turn spoken guidance is, per `turnVoice.js`; ticks labeled Talkative/Reserved/Mute.
Distance and temperature units (select#units)	Switches imperial (miles/feet/°F) vs metric (km/metres/°C) display and spoken units throughout drive mode.
Voice ▶ (summary#voice-section)	Expands a details panel to choose and test the narration voice.
Narration voice (select#voice-preset)	Chooses which synthesized voice (`tts.js`/device TTS) reads stop narration and directions.
Test (button#voice-test)	Plays a short sample clip of the currently selected voice so the driver can preview it before driving.
Pre-drive checklist ▶ (summary, details.checklist)	Expands a checklist (location permissions, ringer, phone mount, "Start drive" confirmation) to help the driver set up correctly before departing.
Plan screen (a, back-to-plan equivalent)	Secondary link/button returning to the planning page, same destination as "Back to plan".

Page: /terms.html

Legal/commercial terms: what Deodapper is, what each route tier costs, how the Stripe hold-then-capture payment works, refund policy, and content/publishing rules.

Terms and refunds

Effective 27 September 2026

What Deodapper is

Deodapper plans a self-guided driving day between two places, around the things you're interested in, and narrates it out loud as you drive. The stops and the stories are written on demand by an AI model (Claude, by Anthropic) from public sources such as Wikipedia and OpenStreetMap. Deodapper is run by an individual in the United States, not a company with a support desk, so please read this page before you pay.

Free and paid

Take a free tour is always free: pick a route someone else created, set your own day and time, save it to your phone and drive it. **Create your own route** is paid per route. There is no subscription. An account is optional: sign in with your email (we send a link, there is no password) and the routes you make follow you to any device you sign in on; without one they stay on the device you made them on, so clearing that browser's data loses them.

ROUTE	TIME WINDOW	PRICE
Short outing	up to 3 hours	\$1.99
Half day	3 to 6 hours	\$2.99
Full day	over 6 hours	\$4.49

Prices are in US dollars. Sales tax, where it applies, is added at checkout. One payment covers, for the start and end you chose: up to three plans (the first plus two re-plans, as long as the day stays within the tier you paid for), edits to the stops, spoken narration for the whole drive, and the option to publish the route for free-tier drivers. It stays usable for 30 days.

How payment works

Payments are processed by [Stripe](#). When you press Pay, the price shown is charged to your card and appears on your statement, at first as pending. Your route is then planned. If planning fails, or you cancel before it finishes, the charge is cancelled automatically and the pending amount disappears from your statement within a few days; you are not charged for a route you didn't get. Enter an email on the payment form if you'd like Stripe to send you a receipt. Your card details go to Stripe directly and never reach Deodapper; we keep only a payment reference.

Refunds

- **You were not charged** for anything that didn't produce a route. That is the normal case for a failed or cancelled plan, and it happens automatically.
- **Delivered routes are not refundable** as a rule, because each one is generated for you on demand and costs us to make. The stops are based on public information and may not match your taste; that is not a defect.
- **We will refund** a duplicate or accidental purchase, and a route that was genuinely unusable (for example, the planner returned no stops or the narration was missing) if you tell us within 7 days. Contact us with the date of the payment and the start and end of the route. Refunds go back to the original card and can take 5 to 10 days to appear.

Use it sensibly

You are the driver. Deodapper is not a navigation system: the turn banner and spoken directions are a convenience, and your car's or phone's navigation should lead. Obey traffic laws, keep your eyes on the road, and set up the phone before you move off. Stop information, opening hours and stories come from an AI model working from public sources and can be wrong, out of date or incomplete; check anything that matters before you rely on it. Deodapper is provided as is, and our liability to you is limited to the amount you paid for the route in question.

Publishing a route

If you publish a route, you allow other Deodapper users to load and drive it, and you confirm that the title and description you wrote are yours to share. We filter published text for markup, code and abusive language, and we may remove a route at any time. Don't publish addresses that identify a private home; the app refuses obvious ones.

Content and copyright

Deodapper's own text, design, artwork (including Deodap the elephant) and software are © 2026 Deodapper; please don't copy or resell them. The facts in the stories come from public sources, chiefly [Wikipedia](#) (text under the [CC BY-SA licence](#), which is why each stop lists its sources) and [OpenStreetMap](#) (ODbL), with place details from Google where noted. Route photos come from [Wikimedia Commons](#) under the free licence shown with each one. A route you create is yours to use however you like, including sharing the exported file. If you publish a route, you give Deodapper permission to store it, show it to other users, list it on the public route pages and in search engines, and remove it; you keep any rights you

pages, social pages and in search engines, and remove it, you keep any rights you have in it, and you confirm it contains nothing you don't have the right to share.

Availability

Planning depends on outside services (Wikipedia, OpenStreetMap routing, the AI model). They are sometimes slow or unavailable, and so, at those moments, is Deodapper. We don't promise any particular uptime. Drive mode works offline once a route is saved to your phone.

Changes and contact

We may update these terms; the date at the top tells you when. Questions, refund requests and takedown requests: support@deodapper.com. See also our [privacy policy](#).

[Back to Deodapper](#) · © 2026 Deodapper. Stories draw on [Wikipedia \(CC BY-SA\)](#) and [OpenStreetMap](#) data.

Controls & fields

CONTROL / FIELD	WHAT IT DOES
Deodapper (a)	Brand/home link back to `index.html`.
Stripe (a)	Links to stripe.com, the payment processor referenced in the payment-terms section.
Wikipedia (a)	Links to en.wikipedia.org, the source of narration facts, referenced for attribution.
CC BY-SA licence (a)	Links to the Creative Commons BY-SA 4.0 license text covering Wikipedia text reuse.
OpenStreetMap (a)	Links to openstreetmap.org, the source of routing/map data (ODbL).
Wikimedia Commons (a)	Links to commons.wikimedia.org, the source of route banner photos.
support@deodapper.com (a)	Mailto link for contacting the operator about refunds or account deletion.
privacy policy (a)	Cross-link to `privacy.html`.
Back to Deodapper (a)	Returns the visitor to the main app/landing page.
Wikipedia (CC BY-SA) (a)	Footer attribution link, same as elsewhere in the app.

Page: /privacy.html

Discloses exactly what personal data Deodapper stores (very little — hashed email, IP-derived coarse location, payment references) and what it explicitly does not store (card numbers, GPS location, names, cookies that track across sites), plus which third-party services are involved.

Privacy

Effective 21 September 2026

The short version: Deodapper never sees your card and never stores your name. The only account is an optional sign-in by email, and even then we keep a one-way hash of the address rather than the address itself, plus the routes you choose to keep in it. It keeps rough usage statistics for 90 days and a reference number for each payment. Your location while driving stays on your phone.

What we keep

- **Usage statistics.** For each page view and action: the time, your IP address, the approximate city derived from it, your device type and browser family, and what you did (planned, prepared, published, searched). Nothing you type into forms. Kept for 90 days, then deleted.
- **Payment references.** When you pay for a route: a Stripe payment id, the price tier, the amount, its status (held, charged, released), timestamps, the start and end area of the route (rounded to about a kilometre), the IP address that paid, and a random id your browser generated. This lets us honour your purchase. It is kept for 30 days after the credit expires, and longer only in Stripe's own records.
- **Your route while it's being made.** The start, end, times and interests you enter are processed on our server to plan and narrate the route, then returned to your phone. We don't store your route on the server unless you publish it.
- **Your account, if you sign in.** Signing in is optional and works by email link, no password. We store a one-way hash of your email address (enough to recognise the address when you type it again, not enough to read it back), sign-in links for 20 minutes, sessions for up to 180 days with the random device id, and the routes you keep in the account: start, end, stops, times, narration, and whether the route was paid for. Deleting a route removes it from the server within 30 days. Email support to delete the account itself.
- **Published routes.** If you choose to publish, the route (title, description, stops, narration, start and end places) is stored and shown to other users. Don't include personal details; we screen for street addresses.
- **Your Claude and payment usage in aggregate,** for our own costs and accounting, without anything that identifies you.

What we don't keep

- Card numbers, expiry dates or security codes. They go from your browser straight to Stripe.
- Names or phone numbers. Email addresses are not stored either: sign-in keeps only the one-way hash described above. The optional receipt email on the payment form goes to Stripe; we pass it straight through, and use it once to send you a sign-in link so your paid route stays yours, without keeping the address.
- Your GPS position while driving. Drive mode runs on your phone and works offline; your location is never sent to us.
- Cookies. We use your browser's local storage for settings, your saved routes, your route credit, your sign-in session and the random device id, and nothing follows you across sites.

Services we rely on

Building a route involves other companies, each seeing only what it needs:

- **Stripe** processes payments and holds whatever you enter on the payment form. See [Stripe's privacy policy](#).
- **Anthropic (Claude)** receives your start, end, times and interests, and the names and Wikipedia summaries of candidate stops, to propose stops and write narration. For stops with little written about them it may also run a web search for the place's name. It receives no payment or contact details.
- **The places' own websites** are fetched by our server (not your browser) to gather facts for narration; those sites see our server, not you.
- **Wikipedia / Wikimedia** and **OpenStreetMap's Nominatim** are queried by our server for place information. **Photon (komoot)** and OpenStreetMap map tiles are fetched by your browser directly for the search box and the map, so those services see your IP address.
- **Valhalla (FOSSGIS) and OSRM** compute the driving route from the coordinates involved.
- **ipwho.is** turns IP addresses into an approximate city for our statistics.
- **Google Places**, when the operator has enabled it, is asked about a place name and a route area only after Wikipedia and OpenStreetMap have nothing; it learns the search text, not who you are.
- **Open-Meteo** supplies the weather shown at each stop in drive mode; your browser asks it directly for the stops' coordinates, so it sees your IP address but not who you are.
- **Resend** delivers the sign-in emails, so it sees the address an email is sent to. See [Resend's privacy policy](#).
- **Render** hosts the server and **Cloudflare** serves the domain. Data is stored in the United States.

Your choices

Email support@deodapper.com to ask what we hold about an IP address or a payment, or to have it deleted; give us the approximate date and, for payments, the last four digits of the card so we can find it in Stripe. Unpublishing a route you published is also a matter of asking. Deodapper is not directed at children under 13.

Changes

If this page changes, the date at the top changes with it. Our [terms and refunds](#) page covers the paid features.

[Back to Deodapper](#) · © 2026 Deodapper. Stories draw on [Wikipedia \(CC BY-SA\)](#) and [OpenStreetMap](#) data.

Controls & fields

CONTROL / FIELD	WHAT IT DOES
Deodapper (a)	Brand/home link back to `index.html`.
Stripe's privacy policy (a)	External link to stripe.com/privacy for payment-data handling detail.
Resend's privacy policy (a)	External link to Resend's privacy policy, the email provider used for sign-in links.
support@deodapper.com (a)	Mailto link for privacy-related requests (e.g., account deletion).
terms and refunds (a)	Cross-link to `terms.html`.
Back to Deodapper (a)	Returns to the main app/landing page.
Wikipedia (CC BY-SA) (a)	Attribution link, consistent with other pages.
OpenStreetMap (a)	Attribution link, consistent with other pages.

Page: /index.html

Identical landing page to `` (the same static file serves both the root path and `/index.html`), explaining the product and offering the same two entry points.



Deodapper

YOUR TOUR GUIDE FOR THE DRIVE

Turn the hours between landing and check-in into a real tour.
Tell Deodap what you love, get a timed route of stops, and hear the story of each place as you drive past it.

ALWAYS FREE

Take a free tour

Ready-made drives, with Deodap telling the stories along the way. Pick one, set your day and go.

Create your own route

From \$1.99 a route · Deodap plans a day around your interests and writes the narration. You're only charged when it's ready.

- Plan.** Start, end, the time you have, what you're into.
Deodap picks the stops and works out what fits.
- Prepare.** Every stop and the interesting places along the way get a short spoken story.
- Drive.** Phone on the mount, Google Maps on the car screen.
Deodap talks when you get there.

[Browse the saved routes](#) without installing anything. Already have a trip on this phone?
[Open drive mode.](#)

[Terms](#) · [Privacy](#) · © 2026 Deodapper. Stories draw on [Wikipedia \(CC BY-SA\)](#) and [OpenStreetMap](#) data.
Payments are handled by Stripe; Deodapper keeps a payment reference, never your card or contact details. Usage stats are IP-level only. [Terms & refunds](#) · [Privacy](#) · [Contact](#)

Controls & fields

CONTROL / FIELD	WHAT IT DOES
Always free · Take a free tour	Same as on ``; links to `plan.html?tier=free`.
Create your own route · From \$1.99 a route	Same as on ``; links to `plan.html?tier=create`.
Browse the saved routes	Links to the public `/routes` listing.
Open drive mode	Links to `drive.html` to resume an existing saved trip.
Terms	Links to `terms.html`.
Privacy	Links to `privacy.html`.
Wikipedia (CC BY-SA)	Attribution link to Wikipedia.
OpenStreetMap	Attribution link to OpenStreetMap.
Terms & refunds	Footer duplicate link to `terms.html`.
Contact	Footer link to support contact.

