

How Deodapper.com works

Deep analysis generated 2026-09-27 · app booted via docker; screenshots are real captures · model claude-sonnet-5

Overview

Deodapper is a personal project (by a developer named Avishek, named for an elephant, Deodap, who is the app's cartoon mascot) that turns a gap in a travel day — usually the hours between landing at an airport and checking into a hotel — into a self-guided, narrated driving tour. A visitor gives a start point, an end point, a time window and a few interests; an AI (Anthropic's Claude, called either through the API or, with no key configured, by shelling out to the Claude Code CLI) proposes 10-14 candidate stops along the corridor, the server grounds each candidate against Wikipedia, Nominatim, Photon and optionally Google Places, a router (Valhalla, with the OSRM demo server as fallback) builds an actual driving route and schedule (with a calibrated traffic multiplier), and Claude then writes short spoken narrations for each stop and for interesting places passed along the way. The finished "drive package" is saved to the phone (IndexedDB) and can be driven with an installable, offline-capable PWA that tracks GPS, shows a turn banner, and speaks each story as the driver arrives.

The product has two doors, matching two tiers stamped onto every API request: **free** visitors can only browse and drive routes that a subscriber has already built and published to a shared library (SQLite-backed, searchable by keyword or "near me"), re-timing them to their own date/start time; **subscriber/paid** visitors get the full AI planner. Subscriber access on a hosted server is gated either by a hidden owner passphrase (`APP_SECRET``, unlocked by a long-press on the logo or `?owner``) or by paying per route via Stripe. Payment is pay-per-route, not a subscription: a Stripe PaymentIntent is created with **manual capture**, so the card is only actually charged once a plan succeeds; the resulting "credit" unlocks a bounded number of re-plans, suggestions, narration preparations and one publish, for 30 days, scoped to that specific start/end pair.

Accounts are optional and deliberately minimal: signing in is just an email magic link (no password), the address itself is never stored (only a keyed HMAC of it), and a signed-in account's job is solely to sync locally-stored route packages across devices. Everything else — trips, credits, sign-in sessions, device ids — lives in the browser's localStorage/IndexedDB, so an anonymous visitor loses nothing by not signing in and loses everything by clearing site data.

The people this is built for are, first, the developer's own family/friends taking a specific trip (the README calls out "First trip: Houston, November 2026"), and second, any other traveler who stumbles on the site and either wants a free narrated drive someone already built, or is willing to pay a few dollars to have one custom-built and narrated for their own day. An admin dashboard (`/admin.html``, password-gated by `ADMIN_SECRET``) exists purely for the operator to watch usage, Stripe sales, Claude spend, and moderate/delete published routes.

Architecture

The backend is a single Node.js/Express app (`server/index.js``) with no external database server: persistence is entirely SQLite via Node's built-in `node:sqlite`` module, writing to one file (`data/deodapper.db``) that holds the route library, Stripe credits, accounts/sessions, analytics events, Claude/TTS usage logs, owner brute-force counters and a research/webpage cache. Supporting modules under `server/lib/`` each own one concern (accounts, analytics, library, moderation, owner, pay, ratelimit, tts, usage, mail, indexnow, webpage research, geo math, timings), and top-level `server/*.js`` files implement the planning pipeline itself: `claude.js`` (AI calls), `resolve.js`` / `stops.js`` (grounding candidates against Wikipedia/Nominatim/Photon/Places), `router.js`` (Valhalla/OSRM), `schedule.js`` (timing the day, traffic multipliers, lunch logic), `narrate.js`` (writing the spoken scripts), `plan.js`` (orchestrates a whole plan), and `routePages.js`` (server-rendered public route pages for SEO/social preview).

The frontend is vanilla JavaScript with no build step or framework, split by concern under `web/js/``: `state.js`` holds the itinerary, `map.js`` wraps Leaflet, `itinerary.js`` / `actions.js`` drive the planner form, `drive.js`` / `geofence.js`` / `speech.js`` / `turnVoice.js`` / `sim.js`` run the drive-mode GPS/narration engine, `storage.js``

persists trip packages to IndexedDB, ``account.js`/`myRoutes.js`/`library.js`` implement sign-in, cross-device sync and the shared-route search, and ``pay.js`/`pricing.js`` implement the Stripe checkout flow and shared price logic (the same ``pricing.js`` module is imported by both browser and server so quotes always agree). ``web/sw.js`` is a service worker enabling offline use once a trip is saved. A GitHub Actions workflow separately publishes the static ``web/`` folder to GitHub Pages, since drive mode and local import/export need no server — only planning does.

Data flows: a plan request goes browser → ``POST /api/plan`` (guarded by tier, credit and rate-limit middleware) → Claude proposes stops → grounding calls to Wikipedia/Nominatim/Photon/Google Places → Valhalla/OSRM routes it → a scheduled itinerary comes back to the browser and lives in app state/IndexedDB. A "prepare drive" call similarly fetches research (Wikipedia + the stop's own website + optional Claude web search) and calls Claude again to write narration text, optionally voiced immediately through Google Cloud TTS and cached by hash so the same script is never paid for twice. Every meaningful action is logged to the analytics/usage tables for the admin dashboard, and Stripe webhooks asynchronously reconcile payment/credit state that the browser might not have seen (capture, cancellation, refund, dispute).

Page: /

Marketing/landing page and the single entry point that splits visitors into the free "drive a saved route" path and the paid "create your own route" planning path.



Deodapper

SELF-GUIDED TOUR CREATOR

Turn the hours between landing and check-in into a real tour.
Tell Deodap what you love, get a timed route of stops, and hear the story of each place as you drive past it.

Drive a saved route

Free · pick a route others have built and let Deodap narrate it

Create your own route

From \$1.99 a route · Deodap plans a day around your interests and writes the narration. You're only charged when it's ready.

- Plan.** Start, end, the time you have, what you're into. Deodap picks the stops and works out what fits.
- Prepare.** Every stop and the interesting places along the way get a short spoken story.
- Drive.** Phone on the mount, Google Maps on the car screen. Deodap talks when you get there.

[Browse the saved routes](#) without installing anything. Already have a trip on this phone? [Open drive mode.](#)


Payments are handled by Stripe; Deodapper keeps a payment reference, never your card or contact details. Usage stats are IP-level only. [Terms & refunds](#) · [Privacy](#) · [Contact](#)

Controls

CONTROL	WHAT IT DOES
Drive a saved route (a.choice.free)	links to plan.html?tier=free, which loads the planner UI in free mode (body gets class "free", AI controls hidden, library/search shown) per main.js boot() and tier()/isFree() in config.js.
Create your own route (a.choice.sub)	links to plan.html?tier=create, loading the full subscriber/paid planner (AI controls, Stripe pay flow via pay.js).
Browse the saved routes	links to /routes, the server-rendered public index of published routes (server/routePages.js).
Open drive mode	links to drive.html directly, for a visitor who already has a prepared trip saved locally (storage.js/IndexedDB), bypassing the planner.
Terms & refunds	links to terms.html.
Privacy	links to privacy.html.
Contact	mailto link to support@deodapper.com (per README/terms/privacy pages), the address Stripe's activation review and refund/takedown requests use.

Page: /plan.html

The core planning/drive-prep application: for free visitors it's a search interface over the shared route library; for subscribers/paid visitors it's the full AI itinerary builder, complete with map, scheduling, payment, sign-in and "my routes" management.



Controls

CONTROL	WHAT IT DOES
Self-Guided Tour Creator / tier-badge (brand link)	<code></code> , returns to the landing page; the tier-badge span text is set in main.js boot() to "Free · saved routes" or "Create your own route" based on isFree().
Drive mode (#drive-link)	links to drive.html, opening drive mode with whatever trip is currently active (via <code>?trip=</code> on return, handled in main.js).
Zoom in / Zoom out	standard Leaflet map zoom controls wired up in web/js/map.js's init().
Leaflet / OpenStreetMap attribution links	standard map-tile attribution, no app behavior.
Routes near my location	calls the browser geolocation API then library.js's search-near flow, hitting <code>GET /api/routes?near=lat,lon</code> (server/lib/library.js) to find published routes passing within 50 km.

(#library-near)	
City, airport, or a word... (#library-query) + Find (#library-search)	submits a text query to `GET /api/routes?q=...`; matches words against title, description, region, interests, stop names, start/end labels, and (if the words resolve to a place via Nominatim) routes passing within 50 km of it.
My routes ► (summary)	toggles open the collapsed "My routes" card (web/js/myRoutes.js), listing every locally stored drive package with Open/Drive/Delete controls.
Email for a sign-in link (#signin-email) + Send sign-in link (#signin-send)	submits to `POST /api/auth/request` (server/lib/accounts.js requestLink), which mints a 20-minute single-use token and emails a `plan.html?login=<token>` link via Resend (server/lib/mail.js); rate-limited to 3 links per address per 15 minutes.
Date field (unlabeled input[date])	sets the trip's date, used by schedule-core.js to compute the timed itinerary.
Start time (select)	sets the arrival/departure time the schedule is built from (a 30-min buffer is added automatically when the start is detected as an airport).
Be at the end by (select)	sets the deadline the schedule must finish by, driving the price tier via web/js/pricing.js (up to 3h / 3-6h / 6h+ = \$1.99/\$2.99/\$4.49).
Copy shareable link	web/js/share.js bind(), serializes the current itinerary into a `#i=` URL hash for copying/sharing.
Open in Google Maps	builds and opens a Google Maps deep link with the ordered stops for turn-by-turn navigation outside the app.
Save to this phone for driving	web/js/storage.js, persists the prepared/re-timed package into IndexedDB after re-running planMatch.js's same-route check, making it appear in "My routes."
Export trip	downloads the drive package as a JSON file (the same shape as samples/houston-drive-package.json) for backup or import elsewhere.

Page: /routes

A public, crawlable index of every published shared route, letting anyone browse or search the free library without opening the planner app.

 Deodapper

Saved routes, free to drive

0 published routes · each narrated stop by stop as you drive

Routes people built with Deodapper and shared. Pick one near you, set your own day and time, and Deodap tells the stories as you pass each place. Want one built around your own interests? [Create your own](#) from \$1.99.

No routes have been published yet. Be the first: [create one](#) and publish it.


[All saved routes](#) · [Deodapper home](#) · [Terms](#) · [Privacy](#)

Controls

CONTROL	WHAT IT DOES
Deodapper (brand link)	returns to the landing page (index.html).
Create your own	links to the paid planner (plan.html?tier=create), same destination as the landing page's paid choice.
create one (empty-state link)	same as "Create your own," shown when the library has nothing matching or is empty.
All saved routes	links to /routes itself (a "view all" affordance, likely resetting any filter/pagination state).
Deodapper home	footer link back to index.html.
Terms / Privacy	footer legal links to terms.html and privacy.html.

Page: /drive.html

The GPS-driven, narrated driving experience: once a trip is prepared and saved, this page tracks the driver's location, shows the next stop/maneuver, and speaks narration and turn-by-turn cues through the phone's own text-to-speech, working fully offline as an installed PWA.



Controls

CONTROL	WHAT IT DOES
OpenStreetMap attribution link	standard map-tile credit, no app behavior.
Back to plan (a.back, "<")	links to plan.html, returning to the planner/editor.
Show or hide the panel (#sheet-grip div)	drag/tap handle that toggles the bottom sheet's expanded/collapsed state (drive.js), revealing or hiding the stop list, voice settings and controls.
Visited (#skip-stop)	manually marks the current "next stop" as visited, advancing the geofence/narration state machine (web/js/geofence.js, drive.js) without waiting for GPS arrival.
Start drive / End drive (#start-btn / #stop-btn)	begins or ends the GPS tracking session (drive.js), triggering the "Starting tour" narration and activating geofencing, traffic/reroute checks (web/js/reroute.js, traffic.js).
 (#mute-btn)	toggles narration audio mute on/off (web/js/speech.js), aria-pressed reflects state.

 Heading up (#orient-btn)	toggles the map between heading-up (rotates with direction of travel) and north-up orientation (web/js/map.js).
Spoken directions slider (#turn-voice, range 0-2)	sets turn-by-turn verbosity to Talkative, Reserved or Mute (web/js/turnVoice.js), independent of the stop-narration mute button.
Voice ▶ (summary#voice-section)	expands the voice settings panel.
Narration voice (#voice-preset select)	chooses which TTS voice preset Deodap uses for stop narration (synthesized server-side via server/lib/tts.js and cached).
Test (#voice-test)	plays a short sample clip of the selected voice via the cached/streamed audio (audioCache.js, GET /api/audio/<hash>.mp3).
Pre-drive checklist ▶ (summary)	expands a checklist of setup steps (location permission, ringer, auto-lock, phone mount) to run through before starting.
Plan screen (link in overlay, not fully shown)	returns to plan.html, likely shown on an initial "Ready" overlay before the drive begins.

Legal terms of service covering pricing, the hold-then-capture payment model, refund policy, acceptable use, and publishing rules.

Terms and refunds

Effective 21 September 2026

What Deodapper is

Deodapper plans a self-guided driving day between two places, around the things you're interested in, and narrates it out loud as you drive. The stops and the stories are written on demand by an AI model (Claude, by Anthropic) from public sources such as Wikipedia and OpenStreetMap. Deodapper is run by an individual in the United States, not a company with a support desk, so please read this page before you pay.

Free and paid

Drive a saved route is free: pick a route someone else created, set your own day and time, save it to your phone and drive it. **Create your own route** is paid per route. There is no subscription. An account is optional: sign in with your email (we send a link, there is no password) and the routes you make follow you to any device you sign in on; without one they stay on the device you made them on, so clearing that browser's data loses them.

ROUTE	TIME WINDOW	PRICE
Short outing	up to 3 hours	\$1.99
Half day	3 to 6 hours	\$2.99
Full day	over 6 hours	\$4.49

Prices are in US dollars. Sales tax, where it applies, is added at checkout. One payment covers, for the start and end you chose: up to three plans (the first plus two re-plans, as long as the day stays within the tier you paid for), edits to the stops, spoken narration for the whole drive, and the option to publish the route for free-tier drivers. It stays usable for 30 days.

How payment works

Payments are processed by [Stripe](#). When you press Pay, the price shown is charged to your card and appears on your statement, at first as pending. Your route is then planned. If planning fails, or you cancel before it finishes, the charge is cancelled automatically and the pending amount disappears from your statement within a few days; you are not charged for a route you didn't get. Enter an email on the payment form if you'd like Stripe to send you a receipt. Your card details go to Stripe directly and never reach Deodapper; we keep only a payment reference.

Refunds

- **You were not charged** for anything that didn't produce a route. That is the normal case for a failed or cancelled plan, and it happens automatically.
- **Delivered routes are not refundable** as a rule, because each one is generated for you on demand and costs us to make. The stops are based on public information and may not match your taste; that is not a defect.
- **We will refund** a duplicate or accidental purchase, and a route that was genuinely unusable (for example, the planner returned no stops or the narration was missing) if you tell us within 7 days. Contact us with the date of the payment and the start and end of the route. Refunds go back to the original card and can take 5 to 10 days to appear.

Use it sensibly

You are the driver. Deodapper is not a navigation system: the turn banner and spoken directions are a convenience, and your car's or phone's navigation should lead. Obey traffic laws, keep your eyes on the road, and set up the phone before you move off. Stop information, opening hours and stories come from an AI model working from public sources and can be wrong, out of date or incomplete; check anything that matters before you rely on it. Deodapper is provided as is, and our liability to you is limited to the amount you paid for the route in question.

Publishing a route

If you publish a route, you allow other Deodapper users to load and drive it, and you confirm that the title and description you wrote are yours to share. We filter published text for markup, code and abusive language, and we may remove a route at any time. Don't publish addresses that identify a private home; the app refuses obvious ones.

Availability

Planning depends on outside services (Wikipedia, OpenStreetMap routing, the AI model). They are sometimes slow or unavailable, and so, at those moments, is Deodapper. We don't promise any particular uptime. Drive mode works offline once a route is saved to your phone.

Changes and contact

We may update these terms; the date at the top tells you when. Questions, refund requests and takedown requests: support@deodapper.com. See also our [privacy](#)

[policy.](#)

[Back to Deodapper](#)

Controls

CONTROL	WHAT IT DOES
Deodapper (doc-home link with logo)	returns to index.html.
Stripe (external link)	links to stripe.com, the payment processor referenced in the payment explanation.
support@deodapper.com	mailto link for refund requests, questions and takedown requests.
privacy policy (inline link)	links to privacy.html.
Back to Deodapper (footer link)	returns to index.html.

Page: /privacy.html

Privacy policy detailing exactly what data Deodapper stores (usage stats, payment references, optional email-hash accounts, published route text) versus what it explicitly never stores (card data, names, phone GPS, cookies), and which third-party services are involved.

Privacy

Effective 21 September 2026

The short version: Deodapper never sees your card and never stores your name. The only account is an optional sign-in by email, and even then we keep a one-way hash of the address rather than the address itself, plus the routes you choose to keep in it. It keeps rough usage statistics for 90 days and a reference number for each payment. Your location while driving stays on your phone.

What we keep

- **Usage statistics.** For each page view and action: the time, your IP address, the approximate city derived from it, your device type and browser family, and what you did (planned, prepared, published, searched). Nothing you type into forms. Kept for 90 days, then deleted.
- **Payment references.** When you pay for a route: a Stripe payment id, the price tier, the amount, its status (held, charged, released), timestamps, the start and end area of the route (rounded to about a kilometre), the IP address that paid, and a random id your browser generated. This lets us honour your purchase. It is kept for 30 days after the credit expires, and longer only in Stripe's own records.
- **Your route while it's being made.** The start, end, times and interests you enter are processed on our server to plan and narrate the route, then returned to your phone. We don't store your route on the server unless you publish it.
- **Your account, if you sign in.** Signing in is optional and works by email link, no password. We store a one-way hash of your email address (enough to recognise the address when you type it again, not enough to read it back), sign-in links for 20 minutes, sessions for up to 180 days with the random device id, and the routes you keep in the account: start, end, stops, times, narration, and whether the route was paid for. Deleting a route removes it from the server within 30 days. Email support to delete the account itself.
- **Published routes.** If you choose to publish, the route (title, description, stops, narration, start and end places) is stored and shown to other users. Don't include personal details; we screen for street addresses.
- **Your Claude and payment usage in aggregate,** for our own costs and accounting, without anything that identifies you.

What we don't keep

- Card numbers, expiry dates or security codes. They go from your browser straight to Stripe.
- Names or phone numbers. Email addresses are not stored either: sign-in keeps only the one-way hash described above. The optional receipt email on the payment form goes to Stripe; we pass it straight through, and use it once to send you a sign-in link so your paid route stays yours, without keeping the address.
- Your GPS position while driving. Drive mode runs on your phone and works offline; your location is never sent to us.
- Cookies. We use your browser's local storage for settings, your saved routes, your route credit, your sign-in session and the random device id, and nothing follows you across sites.

Services we rely on

Building a route involves other companies, each seeing only what it needs:

- **Stripe** processes payments and holds whatever you enter on the payment form. See [Stripe's privacy policy](#).
- **Anthropic (Claude)** receives your start, end, times and interests, and the names and Wikipedia summaries of candidate stops, to propose stops and write narration. For stops with little written about them it may also run a web search for the place's name. It receives no payment or contact details.
- **The places' own websites** are fetched by our server (not your browser) to gather facts for narration; those sites see our server, not you.
- **Wikipedia / Wikimedia** and **OpenStreetMap's Nominatim** are queried by our server for place information. **Photon (komoot)** and OpenStreetMap map tiles are fetched by your browser directly for the search box and the map, so those services see your IP address.
- **Valhalla (FOSSGIS) and OSRM** compute the driving route from the coordinates involved.
- **ipwho.is** turns IP addresses into an approximate city for our statistics.
- **Google Places**, when the operator has enabled it, is asked about a place name and a route area only after Wikipedia and OpenStreetMap have nothing; it learns the search text, not who you are.
- **Open-Meteo** supplies the weather shown at each stop in drive mode; your browser asks it directly for the stops' coordinates, so it sees your IP address but not who you are.
- **Resend** delivers the sign-in emails, so it sees the address an email is sent to. See [Resend's privacy policy](#).
- **Render** hosts the server and **Cloudflare** serves the domain. Data is stored in the United States.

Your choices

Email support@deodapper.com to ask what we hold about an IP address or a payment, or to have it deleted; give us the approximate date and, for payments, the last four digits of the card so we can find it in Stripe. Unpublishing a route you published is also a matter of asking. Deodapper is not directed at children under 13.

Changes

If this page changes, the date at the top changes with it. Our [terms and refunds](#) page covers the paid features.

[Back to Deodapper](#)

Controls

CONTROL	WHAT IT DOES
Deodapper (doc-home link with logo)	returns to index.html.
Stripe's privacy policy (external link)	links to stripe.com/privacy.
Resend's privacy policy (external link)	links to Resend's legal/privacy page, relevant since Resend delivers sign-in emails and sees the recipient address.
support@deodapper.com	mailto link for account-deletion and other privacy requests.
terms and refunds (inline link)	links to terms.html.
Back to Deodapper (footer link)	returns to index.html.

Page: /index.html

Identical to / — the same landing page served at its explicit filename, functioning as the canonical entry point and tier-selection screen.



Deodapper

SELF-GUIDED TOUR CREATOR

Turn the hours between landing and check-in into a real tour.
Tell Deodap what you love, get a timed route of stops, and hear the story of each place as you drive past it.

Drive a saved route

Free · pick a route others have built and let Deodap narrate it

Create your own route

From \$1.99 a route · Deodap plans a day around your interests and writes the narration. You're only charged when it's ready.

- Plan.** Start, end, the time you have, what you're into. Deodap picks the stops and works out what fits.
- Prepare.** Every stop and the interesting places along the way get a short spoken story.
- Drive.** Phone on the mount, Google Maps on the car screen. Deodap talks when you get there.

[Browse the saved routes](#) without installing anything. Already have a trip on this phone? [Open drive mode.](#)

Payments are handled by Stripe; Deodapper keeps a payment reference, never your card or contact details. Usage stats are IP-level only. [Terms & refunds](#) · [Privacy](#) · [Contact](#)

Controls

CONTROL	WHAT IT DOES
Drive a saved route Free · pick a route others have built and let Deodap narrate it	links to plan.html?tier=free, same as on /.
Create your own route From \$1.99 a route · Deodap plans a day around your interests and wr...	links to plan.html?tier=create, same as on /.
Browse the saved routes	links to /routes.
Open drive mode	links to drive.html.
Terms & refunds	links to terms.html.
Privacy	links to privacy.html.
Contact	mailto link to support@deodapper.com.

Generated by the workbench deep-analysis pipeline from the repository source and a live crawl.