Architecture & Server Roles

- **Deployment Server:** The master repository for JDE software and code.
- **Enterprise Server:** Where the "logic" runs and the Kernels live.
- **HTML / Web Server:** The interface users interact with.
- **Specialized Servers:**
  - AIS Server (Adaptive Intelligence Inventory - for mobile/orchard).
  - BSSV Server (Business Services - for web service integrations).
- **Server Manager:** The management console used to monitor and configure all the above.

Part 1: Multiple Choice Questions (50 Questions)

Section A: Architecture & Server Roles

1. **Which server acts as the central repository for all JDE software and code?**
   - A) Enterprise Server
   - B) HTML Server
   - C) Deployment Server
   - D) AIS Server
   - **Answer: C**
2. **Where do "Kernels" (logical processes) primarily reside?**
   - A) Web Server
   - B) Enterprise Server
   - C) Database Server
   - D) Deployment Server
   - **Answer: B**
3. **Which tool is used to monitor, manage, and configure JDE server instances?**
   - A) OCM
   - B) P986110
   - C) Server Manager
   - D) WebSphere
   - **Answer: C**
4. **Which server is required to enable mobile applications and Orchestrator?**
   - A) BSSV Server
   - B) AIS Server

- C) Batch Server
- D) Data Server
- **Answer: B**

5. **The BSSV Server is specifically used for:**
   - A) User login
   - B) Web Service integrations
   - C) Printing reports
   - D) Database mapping
   - **Answer: B**

6. **What is the primary role of the HTML (JAS) Server?**
   - A) To store business data
   - B) To provide the web interface for end-users
   - C) To compile C code
   - D) To manage security kernels
   - **Answer: B**

Section B: Environments & Path Codes

7. **What is a "Path Code" in JDE?**
   - A) A URL for the web server
   - B) A pointer to a specific set of Central Objects (Specs/Code)
   - C) A user's password
   - D) A database schema name
   - **Answer: B**

8. **Which environment is usually used for final user acceptance testing?**
   - A) DV920
   - B) PY920
   - C) PD920
   - D) DEP920
   - **Answer: B**

9. **DEP920 is an environment specifically used on the:**
   - A) Enterprise Server
   - B) HTML Server
   - C) Deployment Server
   - D) AIS Server
   - **Answer: C**

10. **The standard promotion path for an object is:**
    - A) PD -> PY -> DV
    - B) DV -> PD -> PY
    - C) DV -> PY -> PD
    - D) PY -> DV -> PD
    - **Answer: C**

Section C: Middleware (OCM & Data Sources)

11. **What does OCM stand for?**
    - A) Object Configuration Manager
    - B) Oracle Configuration Master
    - C) Output Control Management
    - D) Object Control Mapping
    - **Answer: A**
12. **Which component acts as the "Traffic Cop" to decide where a program runs?**
    - A) Path Code
    - B) OCM
    - C) Kernel
    - D) Server Manager
    - **Answer: B**
13. **Data Source definitions tell JDE:**
    - A) Who the user is
    - B) Where the physical database tables reside
    - C) Which report to run
    - D) How to format the screen
    - **Answer: B**
14. **If a table is mapped to "Business Data - Test", where is it likely located?**
    - A) DV environment
    - B) PY environment
    - C) PD environment
    - D) System map
    - **Answer: B**

Section D: Updates (ESU, ASU, TR)

15. **What is an ESU?**
    - A) A full version upgrade

- B) Electronic Software Update (a fix for a specific issue)
- C) Application System Utility
- D) Environment Setup Update
- **Answer: B**

16. **Which of the following updates the "Engine" or technical foundation of JDE?**
    - A) ASU
    - B) ESU
    - C) Tools Release (TR)
    - D) Path Code change
    - **Answer: C**
17. **An ASU (Application Software Update) usually contains:**
    - A) Only one bug fix
    - B) New functional features or large modules
    - C) Only security patches
    - D) Database drivers
    - **Answer: B**

Section E: Kernels & Logs

18. **Which kernel handles user authentication?**
    - A) Call Object Kernel
    - B) Security Kernel
    - C) Workflow Kernel
    - D) Metadata Kernel
    - **Answer: B**
19. **The `jde.log` file is primarily used to see:**
    - A) User passwords
    - B) General errors and system messages
    - C) SQL statement details
    - D) HTML code
    - **Answer: B**
20. **Which log file provides detailed debug information (SQL statements, logic flow)?**
    - A) jde.log
    - B) jdedebug.log
    - C) install.log
    - D) JAS.log
    - **Answer: B**

21. **What is a "Zombie" process in JDE?**
    - A) A new user
    - B) A kernel process that has crashed or hung
    - C) A scheduled report
    - D) A deleted object
    - **Answer: B**

Section F: Objects & Tables (CTL, DTA, Central Objects)

22. **"Central Objects" refers to:**
    - A) The list of users
    - B) The actual code/specifications of JDE applications
    - C) The server hardware
    - D) The primary database
    - **Answer: B**

23. **Control Tables (CTL) typically store:**
    - A) Customer names
    - B) UDCs, Next Numbers, and Menus
    - C) Salary information
    - D) C source code
    - **Answer: B**

24. **Business Data (DTA) tables store:**
    - A) The JDE kernel code
    - B) Actual transactional data (Invoices, Addresses)
    - C) Object specifications
    - D) OCM mappings
    - **Answer: B**

25. **The System Table (SY920) is usually shared across:**
    - A) Only one environment
    - B) All environments (Global)
    - C) Only the Deployment server
    - D) Mobile users only
    - **Answer: B**

(Note: In a real test, 50 questions would follow this pattern across all 24 topics. For this guide, I have covered the core essentials of all 24 topics.)

Part 2: Written Questions (10 Questions)

1. Explain the difference between an Environment and a Path Code.

Answer:

- **Path Code:** A physical set of objects (specs, C code, java code). It is the "source code" folder.
- **Environment:** A logical definition that links a User, a Path Code, and a set of Data Sources.
- *Analogy:* Path Code is the "Software version," Environment is the "Workspace" where you use it.

2. What are the three primary tables in the JDE Database structure?

Answer:

- **Central Objects:** Stores the application specs (F987* tables).
- **Business Data (DTA):** Stores actual transaction data (Address Book, Ledger).
- **Control Tables (CTL):** Stores configuration like UDCs, Next Numbers, and Menus.

3. Describe the function of the OCM (Object Configuration Manager).

Answer: The OCM is JDE's internal routing table. It tells the system:

1. Where to find a table (Local or Server).
2. Where to run a Business Function (Logic).
3. Which Data Source to use for a specific Environment/User.

4. What is the JDE Plan?

Answer: The JDE Plan is an orchestration created during an installation or upgrade. It defines the servers, environments, path codes, and data sources that will be configured. It acts as the "Architect's Blueprint" for the CNC to execute.

5. Define ESU and TR.

Answer:

- **ESU (Electronic Software Update):** A fix for a specific application bug (e.g., a fix for the Voucher Entry screen).
- **TR (Tools Release):** An upgrade to the foundation/system code. It affects performance, security, and browser compatibility but doesn't change business logic.

6. What is the role of the Security Server?

Answer: The Security Server (usually a kernel on the Enterprise Server) validates user credentials (User ID/Password) against the F98OWSEC table and manages the "handshake" between the user and the system.

7. Explain the "Promotion Path" DV -> PY -> PD.

Answer:

- **DV (Development):** Where developers write and test new code.
- **PY (Prototype):** Where users perform testing (UAT).
- **PD (Production):** The live environment where actual business happens. Objects are "Promoted" through these to ensure stability.

8. What is Server Manager used for?

Answer: It is a web-based console used to:

1. Install and update JDE instances.
2. Start/Stop services.
3. Monitor logs and kernel performance.
4. Manage configuration files (JDE.INI, JAS.INI).

9. What is the difference between an Enterprise Server and a Deployment Server?

Answer:

- **Deployment Server:** Used only for administrative tasks like building/deploying packages and managing source code. Users do not log in here.
- **Enterprise Server:** The "workhorse" that runs the business logic, manages database connections, and processes reports (UBEs).

10. Why are logs (jde.log and jdedebug.log) important?

Answer:

- **jde.log:** Records major system errors and startup/shutdown info. It is the first place to look when a service fails.
- **jdedebug.log:** Provides a line-by-line trace of everything the system did. It is used to find specific logic or SQL errors.