

## Placement Empowerment Program

## Cloud Computing and DevOps Centre

Set Up a Local Git Repository: Initialize a Git repository locally and version control your static website

Name: AVINASH S

Department: CSE

# Introduction

Version control is a fundamental practice in software development that allows you to manage changes to your code over time. It provides a systematic way to track updates, collaborate with others, and revert to previous versions if needed. Git is one of the most widely used version control systems, known for its efficiency, flexibility, and distributed nature.

In this POC, we'll initialize a local Git repository to version control your static website. By doing so, you'll be able to track changes to your project files, experiment with new features in a controlled way, and easily share your project with others if needed. Setting up a Git repository is a critical step towards maintaining a structured and reliable workflow, especially for developers and teams working on collaborative projects.

## Overview

Here's what we will cover in this setup:

- 1. Installing Git:** Ensure Git is installed on your system and properly configured.
- 2. Creating a Local Repository:** Initialize a Git repository in the root folder of your static website
- 3. Staging and Committing Files:** Add your project files to the staging area and commit them to the repository to save a snapshot of your work.
- 4. Reviewing the evolves. Repository State:** Use Git commands to check the status of your repository and verify that everything is tracked properly.

# Importance of Setting Up a Local Git Repository

**Track Changes:** Git records all modifications, ensuring a clear history of your project.

**Rollback:** Easily revert to previous versions to recover from mistakes.

**Collaboration:** Prepares your project for team work, enabling smooth integration of changes.

## Step-by-Step Overview

### Step 1:

Search for "Git" in Chrome, download it, and click the "Downloads" option on the website.

git - Google Search

google.com/search?q=git&rlz=1C1CHBF\_enlN1126IN1126&coq=git+&gs\_lcrp=EgZjaHJvbwUqBwgAEAAyJwlyBwgAEAAyJwlyDwgBEC4YChjHARjRAXiAB...

git

All Images Videos News Shopping Web Maps More Tools

**Git**  
https://git-scm.com

Git is easy to learn and has a tiny footprint with lightning fast performance. It outclasses SCM tools like Subversion, CVS, Perforce, and ClearCase with ...

**Downloads**  
Git via Git ... You can also always browse the current contents of ...

**Download for Windows**  
Click here to download the latest (2.47.1(2)) 64-bit version of Git ...

**Book**  
Download Ebook. The entire Pro Git book, written by Scott ...

**Documentation**  
External Links. The External Links section is a curated, ever ...

**Download for macOS**  
There are several options for installing Git on macOS. Note ...

**Git**  
System software

Git is a distributed version control system that tracks versions of files. It is often used to control source code by programmers who are developing software collaboratively. [Wikipedia](#)

**Programming languages:** Python, C, C++, Perl, Tcl

**Initial release date:** 7 April 2005

**Developer(s):** Junio Hamano and others

**License:** GPL-2.0-only

**Operating system:** POSIX (Linux, macOS, Solaris, AIX), Windows

**Original author(s):** Linus Torvalds

**Repository:** git.kernel.org/pub/scm/git/git.git

**git** --distributed-is-the-new-centralized

Git is a **free and open source** distributed version control system designed to handle everything from small to very large projects with speed and efficiency.

Git is **easy to learn** and has a **tiny footprint with lightning fast performance**. It outclasses SCM tools like Subversion, CVS, Perforce, and ClearCase with features like **cheap local branching**, convenient **staging areas**, and **multiple workflows**.

**About**  
The advantages of Git compared to other source control systems.

**Documentation**  
Command reference pages, Pro Git book content, videos and other material.


**Downloads**  
GUI clients and binary releases for all major platforms.

**Community**  
Get involved! Bug reporting, mailing list, chat, development and more.

Latest source Release  
**2.48.1**  
[Release Notes \(2025-01-13\)](#)  
[Download for Windows](#)

## Step 2


Click the **Windows** option on the download page and follow the installation wizard.




## Step 3

In your Desktop Create a folder named website for your static website

Inside that folder, create a simple HTML file named index.html. You can write some basic HTML



## Step 4



## Step 5

Open the Command prompt and set the path to the folder named website we created

```
C:\Windows\System32\cmd.e  X  +  v
(c) Microsoft Corporation. All rights reserved.
C:\Users\maniv\OneDrive\Desktop\Website>git init
```

## Step 6

Now, initialize Git by typing this command:

**git init**

This command will create a .git folder inside your project folder, which tells Git to start tracking your files.

```
C:\Users\maniv\OneDrive\Desktop\Website>git init
Initialized empty Git repository in C:/Users/maniv/OneDrive/Desktop/Website/.git/
```

## Step 7

Next, we need to tell Git to start tracking your website files.

To tell Git which files to track, use the `git add` command. If you want to track all the files in your folder, type

**`git add .`**

This command adds all the files to Git's tracking system.

```
C:\Users\maniv\OneDrive\Desktop\Website>git add .
```

## Step 8

Set Up Your Name and Email Globally Git doesn't know who is making the commit because you haven't configured your name and email yet. Git uses this information to track who made the changes.

```
C:\Users\maniv\OneDrive\Desktop\Website>git config --global user.name "avinashhh-25"  
C:\Users\maniv\OneDrive\Desktop\Website>git config --global user.email "avinashshanmuganathan2510@gmail.com"
```

## Step 9

Now, we need to save these changes in Git. When you "commit" changes, Git takes a snapshot of your files.

Type the following command to commit your changes:

**`git commit -m "Initial commit of my static website"`**

The `-m` flag allows you to add a message about your changes. In this case, we're saying this is the "initial commit," meaning the first time we're saving our work.

```
C:\Users\maniv\OneDrive\Desktop\Website>git commit -m "Initial commit of my static website"
[master (root-commit) 0d4d797] Initial commit of my static website
1 file changed, 28 insertions(+)
create mode 100644 index.html
```


## Step 10

### Create a New Repository:

Once you're logged in, click the green **"New"** button on the top-right of your GitHub homepage to create a new repository.

Give your repository a name, for example, my-website.

Leave the other settings as default, and click **"Create repository"**.



## Step 11

### Add the Remote Repository URL to Your Local Repository:

Go back to your Command Line and type the following:

```
git remote add origin
https://github.com/yourusername/my-website.git
```

Replace yourusername with your GitHub username and my-website with the name of your GitHub repository.



```
C:\Users\maniv\OneDrive\Desktop\Website>git remote add origin https://github.com/avinashhh-25/my-website.git
```

## Step 12

The **git branch -M** main command is used to **rename the current branch** to main. Here's what it does:

**-M:** This flag forces the renaming, even if a branch named main already exists. It will overwrite the existing main branch.

**main:** This is the new name for the current branch.

```
C:\Users\maniv\OneDrive\Desktop\Website>git branch -M main  
  
C:\Users\maniv\OneDrive\Desktop\Website>push -u origin main  
'push' is not recognized as an internal or external command,  
operable program or batch file.
```

## Step 13

The command **git push -u origin main** is used to push your local **main** branch to the remote repository (**origin**) and set it as the upstream branch

```
C:\Users\maniv\OneDrive\Desktop\Website>git push -u origin main  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Delta compression using up to 16 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 621 bytes | 310.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To https://github.com/avinashhh-25/my-website.git  
* [new branch]      main -> main  
branch 'main' set up to track 'origin/main'.
```


## Step 14

Verify Your Files on GitHub

Go to your GitHub Repository:

Open your web browser and navigate to your GitHub repository (e.g., <https://github.com/yourusername/my-website>).

You should see your website files there!



## Expected Outcome

By completing this PoC of setting up a local Git repository, you will:

1. Successfully initialize a Git repository in your local static website folder.
2. Track changes made to your website files (HTML, CSS, etc.) using Git version control.
3. Understand the basic Git commands (git init, git add, git commit) for version control.
4. Commit your changes locally with a descriptive commit message.
5. Gain hands-on experience with Git and how it helps manage and track website file changes.

