

API Documentation

Contents :

- POST

[Key Based Authentication](#)
- POST

[Disable users of specified domain](#)
- POST

[Enable users of specified domain](#)
- POST

[Unmark users as Admin of specified domain](#)
- POST

[Create User API](#)
- POST

[User info update API](#)
- GET

[User Data Extraction API](#)
- GET

[GET disabled users](#)
- POST

[Mark users as Admin of specified domain](#)
- POST

[Users and mailbox's deletion API](#)
- GET

[Get profile of user](#)
- POST

[User Password update API](#)

iRedAdmin APIs

POST Key Based Authentication

https://SERVER_ADDRESS_DOMAIN/iredadmin/login?key=YOUR_API_KEY

PARAMS

key	YOUR_API_KEY
-----	--------------

GET User Data Extraction API

https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN

POST Disable users of specified domain

https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN?mail=user1%40your_domain&mail=user22%40your_domain&action=disable

PARAMS

mail	user1%40your_domain
mail	user22%40your_domain
action	disable

GET GET disabled users

https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/your_domain/disabled

POST Enable users of specified domain

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN?mail=user1%40your_domain&mail=user22%40your_domain&action=enable
```

PARAMS

mail	user1%40your_domain
mail	user22%40your_domain
action	enable

POST Mark users as Admin of specified domain

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN?mail=user1%40your_domain&mail=user22%40your_domain&action=markasadmin
```

PARAMS

mail	user1%40your_domain
mail	user22%40your_domain
action	markasadmin

POST Unmark users as Admin of specified domain

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN?mail=user1%40your_domain&mail=user22%40your_domain&action=unmarkasadmin
```

PARAMS

mail	user1%40your_domain
mail	user22%40your_domain
action	unmarkasadmin

POST Users and mailbox's deletion API

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/users/YOUR_DOMAIN?mail=user1%40your_domain&mail=user22%40your_domain&keep_mailbox_days=7&action=delete
```

PARAMS

mail	user1%40your_domain
mail	user22%40your_domain
keep_mailbox_days	7
action	delete

POST Create User API

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/user/create/your_domain?domainName=DOMAIN&username=USERNAME&newpw=PASSWORD&confirmpw=PASSWORD&cn=DISPLAY_NAME&preferredLanguage=CHOSEN_LANGUAGE_en_US&mailQuota=QUOTA_IN_MB
```

PARAMS

domainName	DOMAIN
username	USERNAME
newpw	PASSWORD
confirmpw	PASSWORD
cn	DISPLAY_NAME
preferredLanguage	CHOSEN_LANGUAGE_en_US
mailQuota	QUOTA_IN_MB

GET Get profile of user

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/user/profile/user1@your_domain
```

POST User info update API

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/user/profile/user@your_domain?accountStatus=UPDATED_ACC_STATUS&cn=UPDATED_NAME&mailQuota=UPDATED_QUOTA&preferredLanguage=UPDATED_LANG_en_US&timezone=UPDATED_TIMEZONE_Asia%2FKolkata&employeeNumber=UPDATED_EMPNO&profile_type=general
```

PARAMS

accountStatus	UPDATED_ACC_STATUS
cn	UPDATED_NAME
mailQuota	UPDATED_QUOTA
preferredLanguage	UPDATED_LANG_en_US
timezone	UPDATED_TIMEZONE_Asia%2FKolkata
employeeNumber	UPDATED_EMPNO
profile_type	general

POST User Password update API

```
https://SERVER_ADDRESS_DOMAIN/iredadmin/api/user/profile/user@your_domain?newpw=UPDATED_PASS&confirmpw=UPDATED_PASS&profile_type=password
```

PARAMS

newpw	UPDATED_PASS
confirmpw	UPDATED_PASS
profile_type	password