

Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



nimcet Previous Year Questions (PYQs)

nimcet 2009 PYQ

Qus : 1 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

$$\text{If } \theta = \tan^{-1} \frac{1}{1+2} + \tan^{-1} \frac{1}{1+2 \cdot 3} + \tan^{-1} \frac{1}{1+3 \cdot 4} + \dots + \tan^{-1} \frac{1}{1+n(n+1)},$$

then $\tan \theta$ is equal to:

- 1

$\frac{n}{n+1}$
- 2

$\frac{n+1}{n+2}$
- 3

$\frac{n}{n+2}$
- 4

$\frac{n-1}{n+2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16410\)](https://www.test.aspirestudy.in/library/qus/16410)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 2 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $(1 + x - 2x^2)^6 = 1 + a_1x + a_2x^2 + \dots + a_{12}x^{12}$, then the value of $a_2 + a_4 + a_6 + \dots + a_{12}$ is:

- 1 1024
- 2 64
- 3 32
- 4 31

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16411\)](https://www.test.aspirestudy.in/library/qus/16411)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 3 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A square with side a is revolved about its centre through 45° . What is the area common to both the squares?

- 1 $2(\sqrt{2} - 1)a^2$
- 2 $\frac{(\sqrt{2} + 1)a^2}{2}$
- 3 $(\sqrt{3} - 1)a^2$
- 4 $(\sqrt{5} - 1)a^2$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16412\)](https://www.test.aspirestudy.in/library/qus/16412)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 4 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A and B throw a die in succession to win a bet with A starting first. Whoever throws '1' first wins Rs. 110. What are the respective expectations of A and B?

- 1 Rs. 70 and Rs. 40
- 2 Rs. 60 and Rs. 50
- 3 Rs. 75 and Rs. 35
- 4 None of these

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16413>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 5 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

How many different paths in the xy -plane are there from $(1, 3)$ to $(5, 6)$, if a path proceeds one step at a time either right (R) or upward (U)?

- 1 35
- 2 40
- 3 45
- 4 None of these

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16414>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 6 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If the distance of (x, y) from the origin is defined as $d(x, y) = \max(|x|, |y|)$, then the locus of points where $d(x, y) = 1$ is:

1

a square of area 1 sq. unit

2

a circle of radius 1

3

a triangle

4

a square of area 4 sq. units

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16415\)](https://www.test.aspirestudy.in/library/qus/16415)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 7 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $\sin^{-1} x + \cos^{-1}(1 - x) = \sin^{-1}(1 - x)$ then x satisfies the equation:

1

$$2x^2 - x + 2 = 0$$

2

$$2x^2 - 3x = 0$$

3

$$2x^2 + x - 1 = 0$$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16416\)](https://www.test.aspirestudy.in/library/qus/16416)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 8 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A and B are independent witnesses. Probability A speaks the truth = x , Probability B speaks the truth = y . If both agree on a statement, the probability that the statement is true is:

1

$$\frac{xy}{xy + (1 - x)(1 - y)}$$

2

$$\frac{xy}{(1 - x)(1 - y)}$$

3

$$\frac{(1 - x)(1 - y)}{xy + (1 - x)(1 - y)}$$

4

$$\frac{(1 - x)(1 - y)}{xy}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16417>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 9 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If A is a 3×3 matrix with $\det(A) = 3$, then $\det(\text{adj } A)$ is:

1

3

2

9

3

27

4

6

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16418>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 10 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A set contains $(2n + 1)$ elements. If the number of subsets that contain at most n elements is 4096, then the value of n is:

- ☐ 1 28
- ☐ 2 21
- ☐ 3 15
- ☐ 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16419\)](https://www.test.aspirestudy.in/library/qus/16419)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 11 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The total number of relations that exist from a set A with m elements into the set $A \times A$ is:

- ☐ 1 m^2
- ☐ 2 m^3
- ☐ 3 m
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16420\)](https://www.test.aspirestudy.in/library/qus/16420)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 12 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Water runs into a conical tank of radius 5 ft and height 10 ft at a constant rate of $2 \text{ ft}^3/\text{min}$. How fast is the water level rising when the water is 6 ft deep?

- 1 $\frac{2}{9}$ feet/minute
- 2 $\frac{2}{9\pi}$ feet/minute
- 3 $\frac{2\pi}{9}$ feet/minute
- 4 $\frac{\pi}{9}$ feet/minute

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16421\)](https://www.test.aspirestudy.in/library/qus/16421)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 13 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The probability that a man who is 85 yrs old will die before attaining the age of 90 is $\frac{1}{3}$.

A_1, A_2, A_3, A_4 are four persons aged 85 yrs. The probability that A_1 will die before attaining 90 and will be the first to die is:

- 1 $\frac{3}{5}$
- 2 $\frac{13}{81}$
- 3 $\frac{65}{324}$
- 4 $\frac{13}{108}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16422\)](https://www.test.aspirestudy.in/library/qus/16422)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 14 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A box open at the top is made by cutting squares from the four corners of a 6×6 m sheet. The height of the box for maximum volume is:

- ☐ 1 2 m
- ☐ 2 2.5 m
- ☐ 3 1.2 m
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16423\)](https://www.test.aspirestudy.in/library/qus/16423)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 15 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $\vec{a}, \vec{b}, \vec{c}$ are unit vectors, then $|\vec{a} - \vec{b}|^2 + |\vec{b} - \vec{c}|^2 + |\vec{c} - \vec{a}|^2$ does not exceed:

- ☐ 1 9
- ☐ 2 4
- ☐ 3 8
- ☐ 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16424\)](https://www.test.aspirestudy.in/library/qus/16424)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 16 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Let $f(x) = \lfloor x^2 - 3 \rfloor$ where $\lfloor \cdot \rfloor$ is the greatest integer function. Number of points in $(1, 2)$ where f is discontinuous:

- ☐ 1 4

2

2

3

6

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16425\)](https://www.test.aspirestudy.in/library/qus/16425)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 17 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $a + b + c \neq 0$, the system of equations: $(b + c)(y + z) - ax = b - c$
 $(c + a)(z + x) - by = c - a$ $(a + b)(x + y) - cz = a - b$ has:

1

a unique solution

2

No solution

3

Infinite number of solutions

4

Finitely many solutions

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16426\)](https://www.test.aspirestudy.in/library/qus/16426)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 18 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $y = f(x)$ is odd and differentiable on $(-\infty, \infty)$ such that $f'(3) = -2$, then $f'(-3)$ equals:

1

4

2

2

3

-2

4

n

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16427\)](https://www.test.aspirestudy.in/library/qus/16427)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 19 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The value of $\int_0^{\pi} \frac{x \sin x}{1 + \cos^2 x}, dx$ is:

- 1 ☐ $\frac{\pi^2}{3}$
- 2 ☐ $\frac{\pi^2}{4}$
- 3 ☐ $\frac{\pi^2}{6}$
- 4 ☐ $\frac{\pi^2}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16428\)](https://www.test.aspirestudy.in/library/qus/16428)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 20 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $\tan^{-1}(2x) + \tan^{-1}(3x) = \frac{\pi}{4}$, then x is:

- 1 ☐ $\frac{1}{6}$
- 2 ☐ $\frac{1}{3}$
- 3 ☐ $\frac{1}{2}$
- 4 ☐ $\frac{1}{4}$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 21 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The equation $\sin^4 x + \cos^4 x + \sin 2x + \alpha = 0$ is solvable for:

- 1 $-\frac{1}{2} \leq \alpha \leq \frac{1}{2}$
- 2 $-3 \leq \alpha \leq 1$
- 3 $-\frac{3}{2} \leq \alpha \leq \frac{1}{2}$
- 4 $-1 \leq \alpha \leq 1$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16430\)](https://www.test.aspirestudy.in/library/qus/16430)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 22 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $x < -1$ and $2^{|x+1|} - 2^x = |2x - 1| + 1$ then the value of x is:

- 1 -2
- 2 2
- 3 0
- 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16431\)](https://www.test.aspirestudy.in/library/qus/16431)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 23 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The vector $\vec{B} = 3\vec{i} + 4\vec{k}$ is to be written as the sum of a vector $\vec{B}_1$ parallel to $\vec{A} = \vec{i} + \vec{j}$ and a vector $\vec{B}_2$ perpendicular to $\vec{A}$. Then $\vec{B}_1$ is:

- 1 ☐ $\frac{3}{2}(\vec{i} + \vec{j})$
- 2 ☐ $\frac{2}{3}(\vec{i} + \vec{j})$
- 3 ☐ $\frac{1}{2}(\vec{i} + \vec{j})$
- 4 ☐ None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16432\)](https://www.test.aspirestudy.in/library/qus/16432)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 24 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Find k in the equation $x^3 - 6x^2 + kx + 64 = 0$ if roots are in geometric progression.

- 1 ☐ 24
- 2 ☐ 16
- 3 ☐ -16
- 4 ☐ -24

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16433\)](https://www.test.aspirestudy.in/library/qus/16433)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 25 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $P = (4^n - 3n - 1) : n \in N$ and $Q = (9n - 9) : n \in N$, then $P \cup Q$ equals to:

- 1 ☐ N
- 2 ☐ P
- 3 ☐ Q
- 4 ☐ None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16434\)](https://www.test.aspirestudy.in/library/qus/16434)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 26 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$, then $I + A + A^2 + A^3 + \dots \infty$ equals:

- 1 ☐ $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
- 2 ☐ $\begin{bmatrix} -1 & -2 \\ -3 & -4 \end{bmatrix}$
- 3 ☐ $\begin{bmatrix} \frac{1}{2} & -\frac{1}{3} \\ -\frac{1}{2} & 0 \end{bmatrix}$
- 4 ☐ $\begin{bmatrix} -\frac{1}{3} & \frac{1}{4} \\ \frac{1}{2} & 0 \end{bmatrix}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16435\)](https://www.test.aspirestudy.in/library/qus/16435)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

year)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 27 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A_1, A_2, A_3, A_4 are subsets of U (75 elements). Each A_i has 28 elements. Any two intersect in 12 elements. Any three intersect in 5 elements. All four intersect in 1 element. Find the number of elements belonging to none of the four subsets.

1 15

2 17

3 16

4 18

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16436\)](https://www.test.aspirestudy.in/library/qus/16436)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 28 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

ABC is isosceles with $AB = AC$. BC is parallel to x-axis. m_1, m_2 are slopes of the medians from B and C . Then:

1 $m_1 m_2 = -1$

2 $m_1 + m_2 = 0$

3 $m_1 m_2 = 2$

4 $(m_1 + m_2)^2 + 2m_1 m_2 = 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16437\)](https://www.test.aspirestudy.in/library/qus/16437)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 29 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The smaller area bounded by $y = 2 - x$ and $x^2 + y^2 = 4$ is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16438\)](https://www.test.aspirestudy.in/library/qus/16438)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 30 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

There are 10 points, out of which 6 are collinear. Number of triangles formed:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16439\)](https://www.test.aspirestudy.in/library/qus/16439)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 31 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Number of distinct integer values of a satisfying $2^{2a} - 3(2^{a+2}) + 25 = 0$ is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16440\)](https://www.test.aspirestudy.in/library/qus/16440)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 32 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A man has 5 coins: 2 double-headed 1 double-tailed 2 normal He randomly picks a coin and tosses it. Probability that the lower face is a head is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16441\)](https://www.test.aspirestudy.in/library/qus/16441)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 33 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $A = \cos^2 \theta + \sin^4 \theta$, then for all values of θ :

- 1 $1 \leq A \leq 2$
- 2 $\frac{13}{16} \leq A \leq 1$
- 3 $\frac{3}{4} \leq A \leq \frac{13}{16}$
- 4 $\frac{3}{4} \leq A \leq 1$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16442\)](https://www.test.aspirestudy.in/library/qus/16442)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 34 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

From 50 students: 37 passed Math, 24 Physics, 43 Chemistry. At most 19 passed Math & Physics, at most 29 passed Math & Chemistry, at most 20 passed Physics & Chemistry. Intersection of all 3 is x . Find maximum possible value of x .

- 1 10
- 2 12
- 3 9
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16443\)](https://www.test.aspirestudy.in/library/qus/16443)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Ous : 35 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Number of solutions for $\tan^{-1} \sqrt{x(x+1)} + \sin^{-1} \sqrt{x^2 + x + 1} = \frac{\pi}{2}$ is:

1 Zero

2 One

3 two

4 infinite

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16444\)](https://www.test.aspirestudy.in/library/qus/16444)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 36 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $\vec{a}, \vec{b}, \vec{c}$ are non-coplanar unit vectors and $\vec{a} \times (\vec{b} \times \vec{c}) = \frac{\vec{b} + \vec{c}}{\sqrt{2}}$, then the angle between $\vec{a}$ and $\vec{b}$ is:

1 $\frac{\pi}{4}$

2 $\frac{3\pi}{4}$

3 $\frac{\pi}{2}$

4 π

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16445\)](https://www.test.aspirestudy.in/library/qus/16445)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 37 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The straight lines $\frac{x}{a} + \frac{y}{b} = k$ and $\frac{x}{a} + \frac{y}{b} = \frac{1}{k}$ (with $k \neq 0$) meet on:

- 1 a parabola
- 2 an ellipse
- 3 a hyperbola
- 4 a circle

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16446>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 38 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Events A and B satisfy: $P(A \cup B) = \frac{1}{6}$, $P(A \cap B) = \frac{1}{4}$, $P(A) = \frac{1}{4}$ Then events A and B are:

- 1 Independent but not equally likely
- 2 Mutually exclusive and independent
- 3 Equally likely and mutually exclusive
- 4 Equally likely but not independent

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16447>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 39 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

An anti-aircraft gun fires a maximum of four shots. Probabilities of hitting in the 1st, 2nd, 3rd, and 4th shot are 0.4, 0.3, 0.2 and 0.1 respectively. Find the probability that the gun hits the plane.

1 0.6972

2 0.6978

3 0.6976

4 0.6974

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16448\)](https://www.test.aspirestudy.in/library/qus/16448)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 40 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $2x^4 + x^3 - 11x^2 + x + 2 = 0$ then the values of $x + \frac{1}{x}$ are:

1 $-3, \frac{5}{2}$

2 $-\frac{1}{5}, 3$

3 $\frac{2}{5}, \frac{1}{3}$

4 $\frac{1}{3}, -5$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16449\)](https://www.test.aspirestudy.in/library/qus/16449)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 41 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If all digits 6 in the numbers from 1 to 100 are replaced by 9, by how much does the algebraic sum change?

1 330

2

333

3

219

4

279

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16450\)](https://www.test.aspirestudy.in/library/qus/16450)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 42 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Pick 1st, 2nd, 4th, 5th, 6th letters from REASONING, form another word, then write the first and last letters of the new word.

1

SE

2

ES

3

NE

4

OR

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16451\)](https://www.test.aspirestudy.in/library/qus/16451)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 43 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The sum of the numbers from 1 to 100 which are not divisible by 3 and 5 is:

1

2946

2

2732

3

2632

4

2317

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16452\)](https://www.test.aspirestudy.in/library/qus/16452)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 44 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Three shopkeepers each make one true statement and one false statement.

Shopkeeper 1:

- Dog had black hair
- Dog had a long tail

Shopkeeper 2:

- Dog had a short tail
- Dog wore a collar

Shopkeeper 3:

- Dog had white hair
- Dog had no collar

Find correct description.

1 White hair, short tail, no collar

2 White hair, long tail, a collar

3 Black hair, long tail, a collar

4 Black hair, long tail, no collar

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16453\)](https://www.test.aspirestudy.in/library/qus/16453)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 45 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A train travels 60 km, then due to an accident runs at $\frac{3}{4}$ of its former speed and reaches 40 minutes

late. If the accident had occurred 25 km later, it would be 10 minutes earlier. Find the original speed and distance.

1 160 km/hr, 150 km

2 160 km/hr, 140 km

3 50 km/hr, 160 km

4 40 km/hr, 160 km

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16454\)](https://www.test.aspirestudy.in/library/qus/16454)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 46 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Find the remainder when $X = 1! + 2! + 3! + \dots + 100!$ is divided by 240.

1 153

2 33

3 73

4 187

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16455\)](https://www.test.aspirestudy.in/library/qus/16455)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 47 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Find the unit digit of $(13647)^{3265}$.

1 1

2 3

3

7

4

9

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16456\)](https://www.test.aspirestudy.in/library/qus/16456)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 48 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Arrange statements P, Q, R, S logically:

P: The logic that underlines this is two-fold.

Q: RBI is likely to cut bank rate and CRR.

R: Over the last few years, RBI has tried to implement policy changes.

S: According to sources, bank rate will be out in April.

1

QRPS

2

RPSQ

3

QSRP

4

SPQR

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16457\)](https://www.test.aspirestudy.in/library/qus/16457)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 49 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Computer A takes 3 minutes per input.

Computer B takes 5 minutes per input.

Let C take x minutes per input.

Together A + B + C process:

14 inputs per hour = $\frac{14}{60}$ inputs per minute.

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16458\)](https://www.test.aspirestudy.in/library/qus/16458)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 50 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Find the value of x , if: $\left(2^{\frac{1}{\log_x 4}}\right) \left(2^{\frac{1}{\log_x 16}}\right) \left(2^{\frac{1}{\log_x 256}}\right) \dots = 2$

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16459\)](https://www.test.aspirestudy.in/library/qus/16459)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 51 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Statements:

All jewels are rings.

Some rings are necklaces.

Some cakes are jewels

Conclusions:

- I. Some necklaces are jewels.
- II. Some rings are cakes.
- III. No jewel is necklace.

1

Only II and either I or III follow

2

Only either I or III follows

3

Only II and III follow

4

Only II follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16460\)](https://www.test.aspirestudy.in/library/qus/16460)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 52 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Statements:

- All actors are writers.
- Some writers are dancers.
- All poets are writers.

Conclusions:

- I. All actors are poets.
- II. Some dancers are writers.
- III. Some dancers are actors.

1

None follows

2

Only I and II follow

3

Only II follows

4

Only I and III follow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16461\)](https://www.test.aspirestudy.in/library/qus/16461)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

year)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 53 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Statements:

Some trees are branches.

All buds are branches.

All flowers are trees.

Conclusions:

I. Some branches are buds.

II. Some trees are flowers.

III. Some buds are trees.

1

Only I follows

2

Only II follows

3

Only I and II follow

4

All follow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16462\)](https://www.test.aspirestudy.in/library/qus/16462)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 54 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Statements:

Some pots are eatables.

All eatables are drinks.

No banana is pot.

Conclusions:

I. Some pots are drinks.

II. All eatables are pots.

III. Some drinks are eatables.

1

Only I follows

2

Only III follows

3

Only II follows

4

Only I and III follow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16463\)](https://www.test.aspirestudy.in/library/qus/16463)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 55 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

How many 5s are there in the number series each of which is immediately followed by 4 but not immediately preceded by 6? Series: 456 656 455 455 654 456 456 5454

1

One

2

Three

3

Four

4

Two

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16464\)](https://www.test.aspirestudy.in/library/qus/16464)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 56 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

You are in the land of logic where there are 3 types of rabbits. Blue rabbits always tell the truth, green rabbits sometimes tell the truth and red rabbits never tell the truth. A rabbit says to you: "I always lie." What colour is the rabbit?

1

Blue

2

Red

3

Green

4

Cannot be concluded

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16465\)](https://www.test.aspirestudy.in/library/qus/16465)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 57 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

How many pairs of letters are there in the word PRISON such that the number of letters between them in the word is the same as in the English alphabet?

1

2

2

3

3

5

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16466\)](https://www.test.aspirestudy.in/library/qus/16466)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 58 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If $A_1 = \{3\}$, $A_2 = \{5, 7, 9\}$, $A_3 = \{11, 13, 15, 17, 19\}$, $A_4 = \{21, 23, 25, 27, 29, 31, 33\}$ and so on, what is the average of the numbers of the set A_{20} ?

1

761

2

763

3

765

4


767

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 59 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Identify the number of triangles in the given figure.



1

44

2

48

3

36

4

32

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 60 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Reena met Natasha's children. Rahul said, "The square of my age plus the cube of my sister's age is 7148." Preeti said, "The square of my age plus the cube of his age is 5274."

1

Preeti 23 Rahul 14

2

Preeti 18 Rahul 16

3

Preeti 21 Rahul 19

4

Preeti 19 Rahul 17

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16469\)](https://www.test.aspirestudy.in/library/qus/16469)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 61 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows:

The roof must be painted either green, red, or yellow.

The chimney must be painted either white, black, or red.

No house may have the same colour chimney as the colour of roof.

No house may use any of the same colours that the every next house uses.

House E has a green roof.

House B has a red roof and a black chimney.

What is maximum total number of green roofs for houses?

1

1

2

2

3

3

4

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16470\)](https://www.test.aspirestudy.in/library/qus/16470)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 62 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows:

The roof must be painted either green, red, or yellow.

The chimney must be painted either white, black, or red.

No house may have the same colour chimney as the colour of roof.

No house may use any of the same colours that the every next house uses.

House E has a green roof.

House B has a red roof and a black chimney.

If house C has a yellow roof, which one of the following is true?

1

House E has a white chimney.

2

House E has a black chimney.

3

House E has a red chimney.

4

House D has a red chimney.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16471\)](https://www.test.aspirestudy.in/library/qus/16471)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 63 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows:

The roof must be painted either green, red, or yellow.

The chimney must be painted either white, black, or red.

No house may have the same colour chimney as the colour of roof.

No house may use any of the same colours that the every next house uses.

House E has a green roof.

House B has a red roof and a black chimney.

Which of the following is true?

1

At least two houses have black chimneys.

2

At least two houses have red roofs.

3

At least two houses have white chimneys.

4

At least two houses have green roofs.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16472\)](https://www.test.aspirestudy.in/library/qus/16472)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 64 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows:

The roof must be painted either green, red, or yellow.

The chimney must be painted either white, black, or red.

No house may have the same colour chimney as the colour of roof.

No house may use any of the same colours that the every next house uses.

House E has a green roof.

House B has a red roof and a black chimney.

Which statement is false?

1

House A has a yellow roof.

2

House A & C have different colour chimneys.

3

House D has a black chimney.

4

House E has a white chimney.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16473\)](https://www.test.aspirestudy.in/library/qus/16473)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 65 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows:

The roof must be painted either green, red, or yellow.

The chimney must be painted either white, black, or red.

No house may have the same colour chimney as the colour of roof.

No house may use any of the same colours that the every next house uses.

House E has a green roof.

House B has a red roof and a black chimney.

Which possible combinations of roof & chimney can a house have?

i. A red roof & a black chimney.

ii. A yellow roof & a red chimney.

ii. A yellow roof & a black chimney.

1

I & II & III

2

II only

3

III only

4

I & II only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16474\)](https://www.test.aspirestudy.in/library/qus/16474)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 66 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Cars are safer than planes. Fifty percent of plane accidents result in death, while only one percent of car accidents result in death. Which of the following, if true, would most seriously weaken the argument above?

1

Planes are inspected more often than cars.

2

The number of car accidents is several hundred thousand times higher than the number of plane accidents.

3

Pilots never fly under the influence of alcohol, while car drivers often do.

4


Plane accidents are usually the fault of air traffic controllers, not of pilots.

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 67 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Study the pie charts given below and answer the following questions:



Price of car = Rs. 1,00,000



If transmission cost increases by 20% by what amount is the profit reduced (total price of car remains same)?

1

Rs. 3,000

2

Rs. 4,000

3

Rs. 6,000

4

cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16476\)](https://www.test.aspirestudy.in/library/qus/16476)


nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 68 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)


Study the pie charts given below and answer the following questions:

Cost break up of transmission



Price of car = Rs. 1,00,000

Sale Price break - up of a car



If transmission cost increases by 10% and engine cost increases by 20%, what is the percentage contribution of transmission cost with respect to the total cost?

1

20%

2

22.44%

3

21.86%

4


21.98%

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 69 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Study the pie charts given below and answer the following questions:



Price of car = Rs. 1,00,000



What is the profit percentage?

10%

2 9.09%

3 11.11%

4 cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16478\)](https://www.test.aspirestudy.in/library/qus/16478)


nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 70 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)


Study the pie charts given below and answer the following questions:

Cost break up of transmission



Price of car = Rs. 1,00,000

Sale Price break - up of a car



If all the costs increase by 10% and the selling price remains the same, by what percent will the profit be reduced?

1

50%

2

90%

3

10%

4


cannot be determined

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 71 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Study the pie charts given below and answer the following questions:



Price of car = Rs. 1,00,000



If the price of tyres goes up by 25% by what amount should the sale price be increased to maintain the amount of profit?

1

Rs. 750

2

Rs. 2,250

3

Rs. 3,750

4

375

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16480\)](https://www.test.aspirestudy.in/library/qus/16480)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 72 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Bala had three sons. He had some chocolates which he distributed among them. To his eldest son, he gave 3 chocolates more than half the number of chocolates with him. To his second eldest son he gave 4 chocolates more than one third of the remaining number of chocolates with him. To his youngest son he gave 4 chocolates more than one fourth of the remaining number of chocolates with him. He was left with 11 chocolates. How many chocolates did he initially have?

1

180

2

78

3

144

4

120

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16481\)](https://www.test.aspirestudy.in/library/qus/16481)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 73 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Twelve villages in a district are divided into 3 zones with 4 villages per zone. The telephone department intends to connect villages so that every two villages in the same zone are connected with three direct lines and every two villages belonging to different zones are connected with two direct lines. How many direct lines are required?

- 1 210
- 2 96
- 3 54
- 4 150

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16482\)](https://www.test.aspirestudy.in/library/qus/16482)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 74 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A teacher gave a student the task of adding 'N' natural numbers starting from 1. After a while, the student reported his result as 700. The teacher replied that the result was wrong. The student realized he had added one number twice. Find the sum of digits of the number which the student had added twice.

- 1 5
- 2 6
- 3 7
- 4 8

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16483\)](https://www.test.aspirestudy.in/library/qus/16483)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 75 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Using the digits 1,5,2,8 all possible four digit numbers are formed and the sum of all such numbers is between

1

10000 & 20000

2

20000 & 50000

3

50000 & 100000

4

10000 & 150000

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16484\)](https://www.test.aspirestudy.in/library/qus/16484)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 76 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

How long would it take you to count 1 billion orally if you could count 200 every minute and were given a day off every four years? Assume that you start counting on 1 January 2001.

1

10 years, 107 days, 5 hours, 20 minutes

2

8 years, 287 days, 15 hours, 40 minutes

3

9 years, 187 days, 5 hours, 20 minutes

4

9 years, 278 days, 12 hours, 34 minutes

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16485\)](https://www.test.aspirestudy.in/library/qus/16485)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 77 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A motorboat going downstream passes a raft at point A. Exactly one hour later it turned back and while coming upstream it passed the same raft at point B, 6 km from point A. What is the speed of the water current in km/hr?

1

2.0

2

3.0

3

4.0

4

6.0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16486\)](https://www.test.aspirestudy.in/library/qus/16486)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 78 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Rajita has unique way of attempting the question paper having 50 questions. She starts from question 1 and attempts all questions which are in A.P. with a common difference of 3 in the forward direction and 3 in reverse direction. If she reaches a stage when she cannot attempt any more question, she starts in the reverse direction with the first unanswered question. She repeats the same process and when she reaches a stage when she can not process any further, she reverses her direction again starting with the first unanswered question.

Which is the last question that she answers if she attempts all the 50 questions?

1

50

2

49

3

48

4

3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16487\)](https://www.test.aspirestudy.in/library/qus/16487)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 79 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Rajita has unique way of attempting the question paper having 50 questions. She starts from question 1 and attempts all questions which are in A.P. with a common difference of 3 in the forward

direction and 3 in reverse direction. If she reaches a stage when she cannot attempt any more question, she starts in the reverse direction with the first unanswered question. She repeats the same process and when she reaches a stage when she can not process any further, she reverses her direction again starting with the first unanswered question.

Which is the 20th question Rajita answers?

- ☒ 1 50
- ☐ 2 48
- ☐ 3 47
- ☐ 4 44

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16488\)](https://www.test.aspirestudy.in/library/qus/16488)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 80 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Rajita has unique way of attempting the question paper having 50 questions. She starts from question 1 and attempts all questions which are in A.P. with a common difference of 3 in the forward direction and 3 in reverse direction. If she reaches a stage when she cannot attempt any more question, she starts in the reverse direction with the first unanswered question. She repeats the same process and when she reaches a stage when she can not process any further, she reverses her direction again starting with the first unanswered question.

How many times does she reverse her direction?

- ☒ 1 3
- ☐ 2 4
- ☐ 3 5
- ☐ 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16489\)](https://www.test.aspirestudy.in/library/qus/16489)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

year)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 81 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Each time Sachin is the captain India loses.

(P) Sachin is the captain

(Q) India did not win

(R) Sachin is not the captain

(S) Indian Won

1

PS

2

SR

3

SP

4

RP

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16490\)](https://www.test.aspirestudy.in/library/qus/16490)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 82 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

All the letters of the word 'INDIA' are permuted... the 58th word in dictionary order is?

1

NIIDA

2

INIDA

3

NIDIA

4

NIDAI

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16491\)](https://www.test.aspirestudy.in/library/qus/16491)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 83 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

13 identical balls, one odd (heavier or lighter not known). Minimum weighings?

- ☐ 1 3
- ☐ 2 5
- ☐ 3 6
- ☐ 4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16492\)](https://www.test.aspirestudy.in/library/qus/16492)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 84 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Sum of all 3-digit numbers (digits non-zero) where all digits are perfect squares.

- ☐ 1 3108
- ☐ 2 6216
- ☐ 3 13986
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16493\)](https://www.test.aspirestudy.in/library/qus/16493)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 85 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

It is wrong for doctor to lie about their patients illnesses? Aren't doctors just like any other people we

hire to do a job for us? Surely, we would not tolerate not being told the truth about the condition of our automobile from the mechanic we hired to fix it, or the condition of our roof from the carpenter we employed to repair it. Just as these workers would be guilty of violating their good faith contracts with us if they were to do this, doctors who lie to their patients about their illnesses violate these contracts as well, and this is clearly wrong.

The conclusion of the argument is best expressed by which of the following?

1

Doctors who lie to their patients about their illnesses violate their good faith contracts with their patients.

2

Doctors often lie to their patients about their illnesses.

3

It is wrong for doctors to lie about their patients' illnesses.

4

Doctors, like mechanics and carpenters enter into good faith contracts with us when we hire them.


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16494\)](https://www.test.aspirestudy.in/library/qus/16494)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 86 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Which number will be there in the place of question mark (?) in the following figure?



1

5

2

6

3

4

4

8

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16495\)](https://www.test.aspirestudy.in/library/qus/16495)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 87 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If

$$A + B = C + D,$$

$$B + D = 2A,$$

$$D + E > A + B,$$

$$C + D > A + E,$$

then which of the following is true?

1

$$D > B > E > A > C$$

2

$$A > B > D > E > C$$

3

$$A > D > B > E > C$$

4

$$D > A > B > E > C$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16496\)](https://www.test.aspirestudy.in/library/qus/16496)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 88 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

What will come in place of the question mark (?) in the following series?

12, 22, 69, 272, 1365, ?

1

8196

2

8195

3

6830

4

8184

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16497\)](https://www.test.aspirestudy.in/library/qus/16497)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 89 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A man walks down an escalator.

If he walks down 26 steps, he takes 30 seconds.

If he walks down 34 steps, he takes 18 seconds.

Time is measured from when the top step begins to descend until he steps off at the bottom.

What is the height of the stairway in steps?

- ☐ 1 40
- ☐ 2 46
- ☐ 3 52
- ☐ 4 58

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16498\)](https://www.test.aspirestudy.in/library/qus/16498)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 90 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Divide Rs. 1074 (in whole Rs., having incremental amounts) into a number of bags so that any amount between Rs. 1 and Rs. 1074 can be given by selecting some bags without opening them.

What is the minimum number of bags required?

- ☐ 1 12
- ☐ 2 10
- ☐ 3 9
- ☐ 4 11

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16499\)](https://www.test.aspirestudy.in/library/qus/16499)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 91 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

After months of talent searching for an administrative assistant to the president of the college the field of applicants had been narrowed down to five (A, B, C, D and E). It was announced that the finalist would be chosen after a series of all day group personal interviews. The examining committee agreed upon the following procedure.

1. The interviews will be held once a week.
2. Three candidates will appear at any all day interview session.
3. Each candidate will appear at least once.
4. If it becomes necessary to call applicants for additional interviews, no more than one such applicant should be asked to appear the next week.
5. Because of a detail given in the written applications, it was agreed that whenever candidate B appears, A should also be present.
6. Because of travel difficulties, it was agreed that C will appear for only one interview.

If A, B and D appear at the interview and D is called for an additional interview the following week, which two candidates may be asked to appear with D?

A

II. B

III. C

IV. E

1

I and II only

2

III and IV only

3

I and III only

4

II and IV only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16500\)](https://www.test.aspirestudy.in/library/qus/16500)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 92 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

After months of talent searching for an administrative assistant to the president of the college the field of applicants had been narrowed down to five (A, B, C, D and E). It was announced that the finalist would be chosen after a series of all day group personal interviews. The examining committee agreed upon the following procedure.

1. The interviews will be held once a week.
2. Three candidates will appear at any all day interview session.
3. Each candidate will appear at least once.
4. If it becomes necessary to call applicants for additional interviews, no more than one such applicant should be asked to appear the next week.
5. Because of a detail given in the written applications, it was agreed that whenever candidate B appears, A should also be present.
6. Because of travel difficulties, it was agreed that C will appear for only one interview.

Which of the following is a possible sequence of combinations for interviews in two successive weeks?

- 1 ABC; BDE
- 2 ABD; ABE
- 3 ADE; ABC
- 4 BDE; ACD

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16501\)](https://www.test.aspirestudy.in/library/qus/16501)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 93 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

After months of talent searching for an administrative assistant to the president of the college the field of applicants had been narrowed down to five (A, B, C, D and E). It was announced that the finalist would be chosen after a series of all day group personal interviews. The examining committee agreed upon the following procedure. 1. The interviews will be held once a week. 2. Three candidates will appear at any all day interview session. 3. Each candidate will appear at least once. 4. If it becomes necessary to call applicants for additional interviews, no more than one such applicant should be asked to appear the next week. 5. Because of a detail given in the written applications, it was agreed that whenever candidate B appears, A should also be present. 6. Because of travel difficulties, it was agreed that C will appear for only one interview.

At the first interview, the following candidates appear: A, B, and D. Which of the following

combinations can be called for the interview to be held the next week?

- 1 BCD
- 2 CDE
- 3 ABE
- 4 ABC

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16502\)](https://www.test.aspirestudy.in/library/qus/16502)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 94 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

After months of talent searching for an administrative assistant to the president of the college the field of applicants had been narrowed down to five (A, B, C, D and E). It was announced that the finalist would be chosen after a series of all day group personal interviews. The examining committee agreed upon the following procedure. 1. The interviews will be held once a week. 2. Three candidates will appear at any all day interview session. 3. Each candidate will appear at least once. 4. If it becomes necessary to call applicants for additional interviews, no more than one such applicant should be asked to appear the next week. 5. Because of a detail given in the written applications, it was agreed that whenever candidate B appears, A should also be present. 6. Because of travel difficulties, it was agreed that C will appear for only one interview.

Which of the following correctly state(s) the procedure followed by the search committee?

- 1. After the second interview, all applicants might have appeared at least once.
- 2. The committee interviews each applicant a second time.
- 3. If a third session is held, it is possible for all applicants to appear at least twice.

- 1 I only
- 2 II only
- 3 I and II only
- 4 III only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16503\)](https://www.test.aspirestudy.in/library/qus/16503)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 95 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

When you reverse the digits of the number 13, the number increases by 18. How many other two digit numbers increase by 18 when their digits are reversed?

- ☒ 1 5
- ☐ 2 6
- ☐ 3 7
- ☐ 4 8

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16504\)](https://www.test.aspirestudy.in/library/qus/16504)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 96 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

In the virtual memory system, the address space specified by address lines of the CPU must be _____ than the physical memory size and _____ than the secondary storage size.

- ☒ 1 Smaller, smaller
- ☐ 2 Smaller, larger
- ☐ 3 Larger, smaller
- ☐ 4 Larger, larger

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16505\)](https://www.test.aspirestudy.in/library/qus/16505)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 97 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

To change upper case to the lower case letter in ASCII, correct mask and operation should be:

- 1 0100000 and NOR
- 2 0100000 and NAND
- 3 0100000 and OR
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16506\)](https://www.test.aspirestudy.in/library/qus/16506)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous%20Year))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET%202009))

Qus : 98 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The switching expression corresponding to $f(A, B, C, D) = \Sigma(1, 4, 5, 9, 11, 12)$ is:

- 1 $B\bar{C}\bar{D}$
+ $\bar{A}CD$
+ $A\bar{B}D$
- 2 $AB\bar{C}$
+ ACD
+ $\bar{B}\bar{C}D$
- 3 $AC\bar{D}$
+ $\bar{A}BC$
+ $A\bar{C}D$
- 4 $\bar{A}BC$
+ ACD
+ $BC\bar{D}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16507\)](https://www.test.aspirestudy.in/library/qus/16507)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous>)

Year)

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 99 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Assuming all numbers are in 2's complement representation, which of the following numbers is divisible by 11111011?

1 11100100

2 11010111

3 11011011

4 00000110

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16508\)](https://www.test.aspirestudy.in/library/qus/16508)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 100 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Why is the width of a data bus so important to the processing speed of a computer?

1 The narrower it is, the greater the computer's processing speed.

2 The wider it is, the more data can fit into the main memory.

3 The wider it is, the greater the computer's processing speed.

4 The wider it is, the slower the computer's processing speed.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16509\)](https://www.test.aspirestudy.in/library/qus/16509)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2009 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2009))

Qus : 101 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A computer with a 32 bit word size uses 2's complement to represent numbers. The range of integers that can be represented by this computer is:

- 1 -2^{32} to 2^{32}
- 2 -2^{31} to 2^{32}
- 3 -2^{31} to $2^{31} - 1$
- 4 -2^{32} to 2^{31}

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16510\)](https://www.test.aspirestudy.in/library/qus/16510)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 102 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

On receiving an interrupt from an I/O device, the CPU:

- 1 Hand over the control of address and data bus to interrupting device.
- 2 Branch off to interrupt service subroutine immediately.
- 3 Branch off to interrupt service subroutine after completion of current instruction.
- 4 None of the above.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16511\)](https://www.test.aspirestudy.in/library/qus/16511)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 103 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A switching circuit that produces one in a set of input bits as an output based on the control value of control bits is termed as:

1

Full adder

2

Inverter

3

Multiplexer

4

Converter

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16512\)](https://www.test.aspirestudy.in/library/qus/16512)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 104 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Index register in a digital computer is used for:

1

Pointing to the stack address.

2

Indirect addressing.

3

Keeping track the number of times loop executed.

4

Address modification.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16513\)](https://www.test.aspirestudy.in/library/qus/16513)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 105 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Micro programmed control unit is:

1

Faster than hard wired unit.

2

Slower than hard wired unit.

3

To facilitate easy implementation of new instructions.

4

Both (2) and (3).

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16514\)](https://www.test.aspirestudy.in/library/qus/16514)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 106 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

If someone is “gung ho” then he/she is:

1

Stupid

2

Childish

3

Enthusiastic

4

Loud

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16515\)](https://www.test.aspirestudy.in/library/qus/16515)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 107 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The pleasures of the table are never of consequence to one naturally abstemious. The word abstemious can be replaced by:

1

Indulgent

2

Temperate

3

Discreet

4

Profligate

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16516\)](https://www.test.aspirestudy.in/library/qus/16516)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 108 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

A sentence has been given in active (or passive) voice. Out of the four alternatives select the one which best expresses the same sentence in passive (or active) voice. I know him.

1

He has been known by me.

2

He was known to me.

3

He is known by me.

4

He is known to me.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16517\)](https://www.test.aspirestudy.in/library/qus/16517)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 109 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Which of the underlined parts in the sentence given below is a mistake which may need to be deleted or modified? He can be able to pass the test in flying colours without any difficulties whatsoever.

1

Be able

2

Flying colours

3

Difficulties

4

Whatsoever

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16518\)](https://www.test.aspirestudy.in/library/qus/16518)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2009)

Qus : 110 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The following passage consists of six sentences. The first sentence (S1) is given in the beginning. The final sentence (S6) is given in the last. The middle four sentences are jumbled up and labeled as P,Q,R and S. You are required to find out the proper sequence of the four sentences and mark accordingly.

S1: Unlike many modern thinkers, Tagore had no blueprint for the world's salvation.

P: His thought will therefore never be out of date.

Q: He merely emphasized certain basic truths which men may ignore only at their peril.

R: He believed in no particular 'ism'

S: He was what Gandhi ji rightly termed the great sentinel.

S6: As a poet he will always delight, as a singer he will always enchant, as a teacher he will always enlighten.

The proper sequence should be:

1

SRPQ

2

PRQS

3

RSPQ

4

RQPS

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16519\)](https://www.test.aspirestudy.in/library/qus/16519)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous> Year)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2009)

Qus : 111 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Select the set of words that best fits the meaning of the sentence as a whole. While the disease is in _____ state it is almost impossible to determine its existence by _____.

1

a dormant, postulate

2

a critical, examination

3

a cute, analysis

4

a latent, observation

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16520\)](https://www.test.aspirestudy.in/library/qus/16520)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 112 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The fossil remains of the first flying vertebrates, the pterosaurs, have intrigued paleontologists for more than two centuries. How such large creatures, which weighted in some cases as much as a piloted hang glider and had wingspans from 8 to 12 meters. Solved the problems of powered flight, and exactly what these creatures were reptiles or birds are among the questions scientists have puzzled over.

Perhaps the least controversial assertion about the pterosaurs is that they were reptiles. Their skulls, pelvises, and hind feet are reptilian. The anatomy of their wings suggests that they did not evolve into the class of birds. In pterosaurs a greatly elongated fourth finger of each forelimb supported a wing like membrane. The other fingers were short and reptilian, with sharp claws. In birds the second fingure is the principle strut of the wing, which consists primarily of feathers. If the pterosaur walked or remained stationary, the fourth finger, and with it the wing, could only turn upward in an extended inverted V-shape along side of the animal's body.

The pterosaurs resembled both birds and bats in their overall structure and proportions. This is not surprising because the design of any flying vertebrate is subject to aerodynamic constraints. Both the pterosaurs and the birds have hollow bones, a feature that represents a saving in weight. In the birds, however, these bones are reinforced more massively by internal struts.

According to the passage the skeleton of pterosaurs can be distinguished from that of a bird by the:

1

The size of its wingspan.

2

Presence of hollow spaces in its bones.

3

Anatomic origin of its wing strut.

4

Presence of hook like projections on its hind feet.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16521\)](https://www.test.aspirestudy.in/library/qus/16521)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 113 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The fossil remains of the first flying vertebrates, the pterosaurs, have intrigued paleontologists for more than two centuries. How such large creatures, which weighted in some cases as much as a piloted hang glider and had wingspans from 8 to 12 meters. Solved the problems of powered flight, and exactly what these creatures were reptiles or birds are among the questions scientists have puzzled over.

Perhaps the least controversial assertion about the pterosaurs is that they were reptiles. Their skulls, pelvises, and hind feet are reptilian. The anatomy of their wings suggests that they did not evolve into the class of birds. In pterosaurs a greatly elongated fourth finger of each forelimb supported a wing like membrane. The other fingers were short and reptilian, with sharp claws. In birds the second figure is the principle strut of the wing, which consists primarily of feathers. If the pterosaur walked or remained stationary, the fourth finger, and with it the wing, could only turn upward in an extended inverted V-shape along side of the animal's body.

The pterosaurs resembled both birds and bats in their overall structure and proportions. This is not surprising because the design of any flying vertebrate is subject to aerodynamic constraints. Both the pterosaurs and the birds have hollow bones, a feature that represents a saving in weight. In the birds, however, these bones are reinforced more massively by internal struts.

It can be inferred from the passage that the scientists now generally agree that:

1

Enormous wingspan of the pterosaurs enables them to fly great distances.

2

Structure of the skeleton of the pterosaurs suggests a close evolutionary relationship to bats.

3

Fossil remains of the pterosaurs reveal how they solved the problem of powered flight.

4

Pterosaurs were reptiles.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16522\)](https://www.test.aspirestudy.in/library/qus/16522)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 114 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Identify the correct sentence.

1

I have difficulty in remembering people's names.

2

I get difficulty in remembering people's names.

3

I have difficulty on remembering people's names.

4

I am getting difficulty remembering people's names.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16523\)](https://www.test.aspirestudy.in/library/qus/16523)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 115 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Fill in the blank: I could not _____ him to attend the meeting.

1

Prevail over

2

Prevail upon

3

Prevail about

4

Prevail in

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16524\)](https://www.test.aspirestudy.in/library/qus/16524)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 116 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

For the word "QUIBBLE" find the most appropriate meaning from the alternatives given below:

1

Agreement

2

Appreciation

3

Creation

4

Complain

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16525\)](https://www.test.aspirestudy.in/library/qus/16525)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 117 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

The idiom “I will be a monkey’s uncle” means:

1

To want to keep a monkey

2

That I have been enlightened

3

That I have been fooled

4

To express disbelief

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16526\)](https://www.test.aspirestudy.in/library/qus/16526)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 118 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Find the antonym of the word “DISPARAGE”.

1

Degrade

2

Improve

3

Scatter

4

Applaud

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16527\)](https://www.test.aspirestudy.in/library/qus/16527)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 119 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Choose the pair of words which exhibits the same relationship between each other as the given pair of words. WRITING : PLAGIARISM

1

Confidence : Deception

2

Money : Misappropriation

3

Gold : Theft

4

Germ : Disease

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16528\)](https://www.test.aspirestudy.in/library/qus/16528)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

Qus : 120 nimcet PYQ 2009 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2009>)

Choose the word which can be used to replace the underlined word, in both the sentences. 1.It is certainly a thing which tempts people. 2.I take exception to what he has just said.

1

Object

2

Protest

3

Issue

4

Prototype

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16529\)](https://www.test.aspirestudy.in/library/qus/16529)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2009>)

nimcet NIMCET 2009 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet/view=topic&key=NIMCET+2009>)

nimcet

Online Test Series,
Information About Examination,
Syllabus, Notification
and More.

Click Here to
View More (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

Ask Your Question or Put Your Review.

Add Comment

Visit Us

Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,
Kanpur - 208024, INDIA

Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

Join Us on



(<https://www.facebook.com/aspirestudyindia>) (<https://www.youtube.com/channel/UCtA->

10mMlg_FU0QUBpYHC9g)

General Links



Terms of Use (https://www.test.aspirestudy.in/docs/view/terms_of_use)



Privacy Policy (https://www.test.aspirestudy.in/docs/view/privacy_policy)



Cookies Policy (https://www.test.aspirestudy.in/docs/view/cookies_policy)