

Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



nimcet Previous Year Questions (PYQs)

nimcet 2010 PYQ

Qus : 1 **nimcet PYQ 2010** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If REASON is coded as 5 and BELIEVED as 7, what is the code number for GOVERNMENT?

- | | |
|----------|----|
| 1 | 6 |
| 2 | 8 |
| 3 | 9 |
| 4 | 10 |

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16384\)](https://www.test.aspirestudy.in/library/qus/16384)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 2 **nimcet PYQ 2010** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In the following questions, select one alternative in which the third statement is implied by the first two statements.

1

All elephants are wild. All lions are wild. So all lions are elephants.

2

All mangoes are red. Some apples are mangoes. So all apples are red.

3

All roads are boxes. All foxes are roads, So all boxes are foxes.

4

All XYZ can run. All ABC are XYZ. So all ABC can run

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16385\)](https://www.test.aspirestudy.in/library/qus/16385)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 3 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In the following questions, select one alternative in which the third statement is implied by the first two statements.

1

All dogs are mad. All sick persons are mad. So all sick persons are dogs.

2

All oranges are black. All figs are oranges. So all figs are black.

3

All windows are dogs. Some doors are dogs. So all windows are doors.

4

No man can fly. No kite can fly. So all men are kites.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16386\)](https://www.test.aspirestudy.in/library/qus/16386)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 4 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In each of the following three questions, four numbers are given. Out of these, three are alike in a certain way but the rest one is different. Choose the one which is different from the rest three.

1

2384

2

3629

3

3756

4

4298

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16387\)](https://www.test.aspirestudy.in/library/qus/16387)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 5 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In each of the following three questions, four numbers are given. Out of these, three are alike in a certain way but the rest one is different. Choose the one which is different from the rest three.

1

325

2

236

3

178

4

639

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16388\)](https://www.test.aspirestudy.in/library/qus/16388)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 6 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In each of the following three questions, four numbers are given. Out of these, three are alike in a certain way but the rest one is different. Choose the one which is different from the rest three.

1

5698

2

4321

3

7963

4

4232

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 7 **nimcet PYQ 2010** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If finger is called toe, toe is called foot, foot is called thumb, thumb is called ankle, ankle is called palm and palm is called knee, which one finger has a different name?

- ☒ 1 Thumb
- ☐ 2 Ankle
- ☐ 3 Knee
- ☐ 4 Palm

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 8 **nimcet PYQ 2010** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In a certain code language, '617' means 'sweet' and 'hot'. '735' means 'coffee is sweet'. '263' means 'tea is hot'. Which of the following would mean 'coffee is hot'?

- ☒ 1 731
- ☐ 2 536
- ☐ 3 367
- ☐ 4 753

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 9 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If the direction North-East becomes South-East how will other directions change?

- 1 West to North
- 2 South to South-West
- 3 North-West to East
- 4 East to South-West

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16392\)](https://www.test.aspirestudy.in/library/qus/16392)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 10 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

3, 8, 13, 24, 41, (...)

- 1 70
- 2 75
- 3 80
- 4 85

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16393\)](https://www.test.aspirestudy.in/library/qus/16393)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 11 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

4, 23, 60, 121, (...)

- 1 212
- 2 221
- 3 241
- 4 242


Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16394>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 12 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Find the missing number in each of the following questions



- 1 13
- 2 14
- 3 20
- 4 21


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16395\)](https://www.test.aspirestudy.in/library/qus/16395)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 13 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Find the missing number in each of the following questions



1 10

2 11

3 12

4 13

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16396\)](https://www.test.aspirestudy.in/library/qus/16396)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 14 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $\frac{3}{4}$ of a number is equal to $\frac{2}{3}$ of another number, what is the ratio between these two numbers?

- 1 3 : 4
- 2 5 : 6
- 3 8 : 9
- 4 9 : 10

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16397>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 15 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Q is shorter than P but taller than R.

R is shorter than P but taller than A.

If they stand in ascending order of their height, the sequence is:

- 1 ARQP
- 2 AQPR
- 3 QPAR
- 4 RPQA

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16398>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 16 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A man starts walking towards south. After walking 5 km he again turns left at right angles. In what direction is he finally walking?

- 1 North
- 2 South
- 3 East
- 4 West

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16399\)](https://www.test.aspirestudy.in/library/qus/16399)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 17 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Find the missing number in the following series: 4, 6, 3, 5, 2, ?

- 1 8
- 2 4
- 3 3
- 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16400\)](https://www.test.aspirestudy.in/library/qus/16400)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 18 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If UNDERSTAND is coded as 1234567823, how will START be coded?

- 1 56781
- 2 83243

3

73652

4

67857

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16401\)](https://www.test.aspirestudy.in/library/qus/16401)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 19 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A cyclist goes 30 km North and then turning East he goes 40 km. Again he turns right and goes 20 km. After this he turns to his right and goes 40 km. How far is he from his starting point?

1

0 km

2

10 km

3

25 km

4

40 km

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16402\)](https://www.test.aspirestudy.in/library/qus/16402)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 20 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A one rupee coin is placed on a plain paper. How many coins of the same size can be placed round it so that each one touches the central and adjacent coins?

1

9

2

8

3

4

4

6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16403\)](https://www.test.aspirestudy.in/library/qus/16403)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 21 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A, B, C, D and E distribute some cards among themselves in a manner that A gets one less than B; C gets 5 more than D; E gets 3 more than B while D gets as many as B. Who gets the least cards?

1

A

2

C

3

D

4

E

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16404\)](https://www.test.aspirestudy.in/library/qus/16404)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 22 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)



If r is the radius of the circle given below, what is the area of the shaded region?

1

$4r^2$

2

r^2

3

$\frac{4}{3}r^2$

4

$4r$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16405\)](https://www.test.aspirestudy.in/library/qus/16405)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 23 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

An elevator has a capacity of 12 adults or 20 children. How many adults can board the elevator with 15 children?

1

4

2

5

3

3

4

6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16406\)](https://www.test.aspirestudy.in/library/qus/16406)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 24 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Which two months in a year have the same calendar?

1

June – October

2

April – November

3

April – July

4

October – December

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16407\)](https://www.test.aspirestudy.in/library/qus/16407)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 25 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

How many numbers from 1 to 100 are such each of which is divisible by 8 and whose at least one digit is 8?

1

Four

2

Zero

3

Eight

4

Six

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16408\)](https://www.test.aspirestudy.in/library/qus/16408)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 26 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In the following square, numbers have been filled according to some rule. One space has been left blank. Find the correct number out of those given below for the blank space.

56	65	78
12		30
44	14	48

1

14

2

44

3

62

4

51

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16409\)](https://www.test.aspirestudy.in/library/qus/16409)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 27 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

How many proper subsets of 1, 2, 3, 4, 5, 6, 7 contain the numbers 1 and 7?

1

7

2

31

3

32

4

62

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16289>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 28 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Identify the wrong statement.

1

$$A - B \\ = A \cap \overline{B}$$

2

$$(A - B) \\ - C \\ = (A \\ - C) \\ - (B \\ - C)$$

3

$$\overline{A \cup B} \\ = \overline{A} \cap \overline{B}$$

4

$$A \cap B \\ \cap \overline{C} \subset A \\ \cap B$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16290>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 29 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Survey: 63 like cheese, 76 like apples. If x like both?

1

$x \geq 39$

2

$x \leq 63$

3

$39 \leq x \leq 63$

4

None

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16291\)](https://www.test.aspirestudy.in/library/qus/16291)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 30 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Set A has 3 elements. Set B has 4 elements. Number of injections?

1

144

2

12

3

24

4

64

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16292\)](https://www.test.aspirestudy.in/library/qus/16292)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 31 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $(1+x)^n = a_0 + a_1x + a_2x^2 + \dots + a_nx^n$, then
 $\left(1 + \frac{a_1}{a_0}\right) \left(1 + \frac{a_2}{a_1}\right) \left(1 + \frac{a_3}{a_2}\right) \dots \left(1 + \frac{a_n}{a_{n-1}}\right)$

1

$n^n/n!$

2

$(n+1)^n/n!$

3

$$\frac{n^{n+1}}{(n+1)!}$$

4

$$\frac{(n-1)^n}{n!}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16293\)](https://www.test.aspirestudy.in/library/qus/16293)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 32 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

India plays 4 matches. Probabilities of scoring 0, 1, 2 points: 0.45, 0.05, 0.50. Find probability of at least 7 points.

1

0.8750

2

0.0875

3

0.0625

4

0.0250

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16294\)](https://www.test.aspirestudy.in/library/qus/16294)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 33 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A coin is tossed three times. Probability of getting heads and tails alternately is:

1

 $\frac{1}{11}$

2

 $\frac{2}{3}$

3

 $\frac{3}{4}$

4

$$\frac{1}{4}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16295\)](https://www.test.aspirestudy.in/library/qus/16295)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 34 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

One hundred identical coins, each with probability p of showing up a head, are tossed. If \$0

1

$$\frac{1}{2}$$

2

$$\frac{49}{101}$$

3

$$\frac{50}{101}$$

4

$$\frac{51}{101}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16296\)](https://www.test.aspirestudy.in/library/qus/16296)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 35 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

n a Poisson distribution if $P[X = 3] = \frac{1}{4}P[X = 4]$ then $P[X = 5] = kP[X = 7]$ where k equals to

1

$$\frac{1}{7}$$

2

$$\frac{21}{128}$$

3

$$\frac{128}{21}$$

4

$$\frac{21}{256}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16297\)](https://www.test.aspirestudy.in/library/qus/16297)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 36 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The average marks per student in a class of 30 students were 45. On rechecking it was found that marks had been entered wrongly in two cases. After correction these marks were increased by 24 and 34 in the two cases. The correct average marks per student are

- ☐ 1 75
- ☐ 2 60
- ☐ 3 56
- ☐ 4 47

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16298\)](https://www.test.aspirestudy.in/library/qus/16298)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 37 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The value of 'a' for which the system of equations $a^3x + (a + 1)^3y + (a + 2)^3z = 0$
 $ax + (a + 1)y + (a + 2)z = 0$ $x + y + z = 0$ has a non-zero solution, is

- ☐ 1 1
- ☐ 2 0
- ☐ 3 -1
- ☐ 4 none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16299\)](https://www.test.aspirestudy.in/library/qus/16299)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2010>)

Qus : 38 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The value of $X^4 + 9X^3 + 35X^2 - X + 4$ for $X = -5 + 2\sqrt{-4}$ is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16300\)](https://www.test.aspirestudy.in/library/qus/16300)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2010>)

Qus : 39 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $y = a \log x + bx^2 + x$ has its extremum value at $x = -1$ and $x = 2$, then

- 1 $a = 2, b = -1$
- 2 $a = -2, b = \frac{1}{2}$
- 3 $a = 2, b = -\frac{1}{2}$
- 4 $a = 1, b = -\frac{1}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16301\)](https://www.test.aspirestudy.in/library/qus/16301)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2010)

Qus : 40 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If a, b, c are in A.P., p, q, r are in H.P. and ap, bq, cr in G.P., then $\frac{p}{r} + \frac{r}{p}$ is equal to

1

$$\frac{a}{c} - \frac{c}{a}$$

2

$$\frac{a}{c} + \frac{c}{a}$$

3

$$\frac{b}{q} - \frac{a}{p}$$

4

$$\frac{b}{q} + \frac{a}{p}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16302\)](https://www.test.aspirestudy.in/library/qus/16302)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 41 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $a \neq p, b \neq q, c \neq r$ and $\begin{vmatrix} p & b & c \\ a & q & c \\ a & b & r \end{vmatrix} = 0$, then the value of $\frac{p}{p-a} + \frac{q}{q-b} + \frac{r}{r-c}$ is

1

0

2

1

3

-1

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16303\)](https://www.test.aspirestudy.in/library/qus/16303)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 42 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $\omega \neq 1$ is a cube root of unity and $i = \sqrt{-1}$, the value of the determinant

$$\begin{vmatrix} 1 & 1+i+\omega^2 & \omega \\ 1-i & -1 & \omega^2-1 \\ -i & -i+\omega-1 & -\omega^3 \end{vmatrix}$$
 is

1

0

2

ω

3

ω^2

4

$1 + \omega^2$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16304\)](https://www.test.aspirestudy.in/library/qus/16304)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 43 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The point $(4, 1)$ undergoes the following transformations successively: (i) Reflection about the line $y = x$ (ii) Translation through a distance 2 units along the positive x -axis (iii) Rotation by an angle $\frac{\pi}{4}$ anticlockwise about the origin The final position of the point is:

1

$\left(\frac{-1}{\sqrt{2}}, \frac{7}{\sqrt{2}}\right)$

2

$\left(\frac{1}{\sqrt{2}}, \frac{7}{\sqrt{2}}\right)$

3

$(-2, 7\sqrt{2})$

4

$(\sqrt{2}, 7\sqrt{2})$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16305\)](https://www.test.aspirestudy.in/library/qus/16305)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 44 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If the two pair of lines $X^2 - 2mXY - Y^2 = 0$ and $X^2 - 2nXY - Y^2 = 0$ are such that one represents the bisector of the angles between the other, then:

- 1 $mn + 1 = 0$
- 2 $mn - 1 = 0$
- 3 $\frac{1}{m} + \frac{1}{n} = 0$
- 4 $\frac{1}{m} - \frac{1}{n} = 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16306\)](https://www.test.aspirestudy.in/library/qus/16306)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 45 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The circle $x^2 + y^2 = 9$ is contained in the circle $x^2 + y^2 - 6x - 8y + 25 = c^2$ if

- 1 $c = 2$
- 2 $c = 3$
- 3 $c = 5$
- 4 $c = 10$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16307\)](https://www.test.aspirestudy.in/library/qus/16307)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2010)

Qus : 46 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If any tangent to the ellipse $\frac{X^2}{a^2} + \frac{Y^2}{b^2} = 1$ intercepts equal length l on both axes, then $l =$

1

$$a^2 + b^2$$

2

$$\sqrt{a^2 + b^2}$$

3

$$(a^2 + b^2)^2$$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16308\)](https://www.test.aspirestudy.in/library/qus/16308)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 47 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The angle between the asymptotes of the hyperbola $27x^2 - 9y^2 = 24$ is

1

$$60^\circ$$

2

$$120^\circ$$

3

$$30^\circ$$

4

$$150^\circ$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16309\)](https://www.test.aspirestudy.in/library/qus/16309)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 48 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The angle of intersection of the cardioids $r = a(1 + \cos \theta)$ and $r = a(1 - \cos \theta)$ is



π

1

$\frac{\pi}{2}$

2

0

3

$\frac{\pi}{4}$

4

π

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16310\)](https://www.test.aspirestudy.in/library/qus/16310)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 49 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If the tangents at the extremities of a focal chord of the parabola $x^2 = 4ay$ meet at a point where the abscissas are x_1 and x_2 , then $x_1 x_2 =$

1

a^2

2

$a^2 - 1$

3

$a^2 + 1$

4

$-a^2$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16311\)](https://www.test.aspirestudy.in/library/qus/16311)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 50 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The value of the integral $\int_3^6 \frac{\sqrt{x}}{\sqrt{9-x} + \sqrt{x}} dx$ is

1

1

2

$\frac{1}{2}$

3

$\frac{3}{2}$

4

2

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16312>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 51 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The value of the integral $\int_0^{\frac{\pi}{4}} \frac{\sin x + \cos x}{3 + \sin 2x} dx$ is

1

 $\log 2$

2

 $\log 3$

3

 $\frac{1}{4} \log 3$

4

 $\frac{1}{8} \log 3$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16313>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 52 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $f(x) = \begin{cases} x \sin\left(\frac{1}{x}\right), & x \neq 0 \\ 0, & x = 0 \end{cases}$ then

1

 f is a continuous function

2

 $f'(0+)$ exists but $f'(0-)$ does not exist

3

$$\begin{aligned} &f'(0+) \\ &\neq f'(0-) \end{aligned}$$

4

 $f'(0+)$ and $f'(0-)$ do not exist[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16314\)](https://www.test.aspirestudy.in/library/qus/16314)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 53 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

$\int \log_{10} x, dx$ is

1

 $(x - 1) \log e, x + c$

2

 $\log 10 \cdot x \log e \left(\frac{x}{e} \right) + c$

3

 $\log 10 \cdot x \log e \left(\frac{x}{e} \right) + c$

4

 $\frac{1}{x} + c$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16315\)](https://www.test.aspirestudy.in/library/qus/16315)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 54 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

$I_1 = \int_0^1 2x^2 dx, I_2 = \int_0^1 2x^3 dx, I_3 = \int_1^2 x^2 dx, I_4 = \int_1^2 2x^3 dx$

1

 $I_3 = I_4$

2

 $I_3 > I_4$

3

 $I_3 < I_4$

3

$$I_2 > I_1$$

4

$$I_1 > I_2$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16316>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 55 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Area between $y = 2 - x^2$ and $y = x^2$

1

$$\frac{8}{3}$$

2

$$\frac{4}{3}$$

3

$$\frac{2}{3}$$

4

$$\frac{5}{3}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16317>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 56 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A vector $\vec{a}$ has components $2p$ and 1 . After rotation, it becomes $(p + 1, 1)$. Find p .

1

$$p = 0$$

2

$$p = 1 \text{ or } p = \frac{1}{3}$$

3

$$p = -1 \text{ or } p = \frac{1}{3}$$

4

$$p = 1 \text{ or } p = -1$$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 57 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The vectors $\vec{a}, \vec{b}, \vec{c}$ are equal in length and taken pairwise make equal angles. If $\vec{a} = \hat{i} + \hat{j}$, $\vec{b} = \hat{j} + \hat{k}$ and $\vec{c}$ makes an obtuse angle with $\hat{i}$, then $\vec{c}$ is equal to

1

$$\hat{i} + \hat{k}$$

2

$$-\hat{i} + 4\hat{j} - \hat{k}$$

3

$$\frac{1}{3}\hat{i} + \frac{4}{3}\hat{j} - \frac{1}{3}\hat{k}$$

4

$$\frac{1}{3}\hat{i} + \frac{4}{3}\hat{j} + \frac{1}{3}\hat{k}$$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 58 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The position vectors of A, B, C, D are $\hat{i} + \hat{j} + \hat{k}, 2\hat{i} + 5\hat{j}, 3\hat{i} + 2\hat{j} - 3\hat{k}, \hat{i} - 6\hat{j} - \hat{k}$ Angle between $\overrightarrow{AB}$ and $\overrightarrow{CD}$ is:

1

$$0$$

2

$$\frac{\pi}{4}$$

3

$$\frac{\pi}{2}$$

4

$$\pi$$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 59 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Let $\vec{a}, \vec{b}, \vec{c}$ be three non-zero vectors, no two collinear. If $\vec{a} + \vec{b}$ is collinear with $\vec{c}$ and $\vec{b} + \vec{c}$ is collinear with $\vec{a}$, then $\vec{a} + \vec{b} + \vec{c}$ is equal to

1

$\vec{a}$

2

$\vec{b}$

3

$\vec{c}$

4

none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16321\)](https://www.test.aspirestudy.in/library/qus/16321)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 60 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If C is midpoint of AB and P is any point outside AB , then

1

$$\begin{aligned} \vec{PA} \\ + \vec{PB} \\ = \vec{PC} \end{aligned}$$

2

$$\begin{aligned} \vec{PA} \\ + \vec{PB} \\ = 2\vec{PC} \end{aligned}$$

3

$$\begin{aligned} \vec{PA} \\ + \vec{PB} \\ = \vec{PC} \end{aligned}$$

$$+ \overrightarrow{PC}$$

$$= \vec{0}$$

4

$$\overrightarrow{PA}$$

$$+ \overrightarrow{PB}$$

$$+ 2\overrightarrow{PC}$$

$$= \vec{0}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16322\)](https://www.test.aspirestudy.in/library/qus/16322)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 61 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Value of $\sqrt{3} \cos 20^\circ - 4 \cos 20^\circ$ is:

1

1

2

-1

3

0

4

none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16323\)](https://www.test.aspirestudy.in/library/qus/16323)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 62 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $\sin^{-1} \frac{2a}{1+a^2} - \cos^{-1} \frac{1-b^2}{1+b^2} = \tan^{-1} \frac{2x}{1-x^2}$ then x equals:

1

a

2

b

3

$\frac{a+b}{\dots}$

$1 - ab$

4

$\frac{a - b}{1 + ab}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16324>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 63 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

In $\triangle ABC$, R is circumradius and $8R^2 = a^2 + b^2 + c^2$. Then $\triangle ABC$ is:

1

Acute angled

2

Obtuse angled

3

Right angled

4

none of these

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16325>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 64 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The rate of increase of length of the shadow of a man 2 meters high, due to a lamp at 10 meters height, when he is moving away from it at 2 m/sec is

1

$\frac{1}{2}$ m/sec

2

$\frac{2}{5}$ m/sec

3

$\frac{1}{3}$ m/sec

4

5 m/sec

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16326\)](https://www.test.aspirestudy.in/library/qus/16326)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 65 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A person stands at a point A due south of a tower and observes elevation 60° . He walks west to B , elevation becomes 45° . At point C on AB extended, elevation becomes 30° . Find $\frac{AB}{BC}$.

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16327\)](https://www.test.aspirestudy.in/library/qus/16327)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 66 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Distance between the parallel lines $y = 2x + 4$ and $6x = 3y + 5$ is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16328\)](https://www.test.aspirestudy.in/library/qus/16328)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 67 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Which of the following is NOT one of the four major data-processing functions of a computer?

1

Gathering data

2

Processing data into information

3

Analyzing the data or information

4

Storing the data or information

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16329\)](https://www.test.aspirestudy.in/library/qus/16329)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 68 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Simplified form of $F(X, Y, Z) = \Sigma(0, 2, 4, 5, 6)$ is:

1

$\bar{Z}X + \bar{X}Y$

2

$\bar{Z} + \bar{X}Y$

3

$YZ + \bar{X}Y$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16330\)](https://www.test.aspirestudy.in/library/qus/16330)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2010)

Qus : 69 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Which gate is equivalent to (NOR) OR (XOR)?

- 1 NAND
- 2 OR
- 3 AND
- 4 XOR

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16331\)](https://www.test.aspirestudy.in/library/qus/16331)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 70 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Place the common data elements from smallest to largest:

- 1 Field, Record, Character, Database
- 2 Character, Record Field, Database
- 3 Character, Field, Record, Database
- 4 Bit, Byte, Character, Record, Field, Database

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16332\)](https://www.test.aspirestudy.in/library/qus/16332)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 71 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Which is a stored-program machine?

- 1 Micro-processor

2

Calculator

3

Analog computer

4

Micro-computer

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16333\)](https://www.test.aspirestudy.in/library/qus/16333)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 72 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Access time = 45 ns, gap = 5 ns Bandwidth = ?

1

25 MHz

2

20 MHz

3

40 MHz

4

50 MHz

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16334\)](https://www.test.aspirestudy.in/library/qus/16334)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 73 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

CPU has 12-bit address bus. Total memory = 16 KB. Word length = ?

1

2 bytes

2

4 bytes

3

8 bytes

4

16 bytes

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16335\)](https://www.test.aspirestudy.in/library/qus/16335)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 74 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

For I/O mapped I/O:

1

Memory and I/O addresses are distinct

2

Not all data transfer instructions can be used for I/O

3

Both (1) and (2)

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16336\)](https://www.test.aspirestudy.in/library/qus/16336)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 75 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Execution of OS begins with:

1

Window manager

2

Scheduler

3

Bootstrap

4

None

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16337\)](https://www.test.aspirestudy.in/library/qus/16337)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 76 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

If $(12x)_3 = (123)_x$ then the value of x is:

- ☒ 1
- ☐ 2
- ☐ Both (1) and (2)
- ☐ None of above

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16338\)](https://www.test.aspirestudy.in/library/qus/16338)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 77 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Observe the dilemma of the fungus: It is a plant, but it possesses no chlorophyll. While all other plants put the sun's energy to work for them combining the nutrients of ground and air into the body structure, the chlorophyllless must look elsewhere for energy supply. It finds it in those other plants which, having received their energy free from the sun, relinquish it at some point in their cycle either to animals (like us humans) or to the fungi. In this search for energy the fungus has become the earth's major source of rot and decay. Whereever you see mold forming on a piece of bread, or a pile of leaves turning to compost, or a blown-down tree becoming pulp on the ground, you are watching a fungus eating. Without fungus action the earth would be piled high with the dead plant life of past centuries. In fact, certain plants which contain resins that are toxic to fungi will last indefinitely; specimens of the redwood, for instance, can still be found resting on the forest

floor

centuries after having been blown down

The passage states all the following about fungi EXCEPT;

1

They are responsible for the decomposition of much plant life

2

They cannot live completely apart from other plants

3

They are vastly different from other plants

4

They are poisonous to resin-producing plants

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16339\)](https://www.test.aspirestudy.in/library/qus/16339)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 78 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Observe the dilemma of the fungus: It is a plant, but it possesses no chlorophyll. While all other plants put the sun's energy to work for them combining the nutrients of ground and air into the body structure, the chlorophyllless must look elsewhere for energy supply. It finds it in those other plants which, having received their energy free from the sun, relinquish it at some point in their cycle either to animals (like us humans) or to the fungi. In this search for energy the fungus has become the earth's major source of rot and decay. Whereever you see mold forming on a piece of bread, or a pile of leaves turning to compost, or a blown-down tree becoming pulp on the ground, you are watching a fungus eating. Without fungus action the earth would be piled high with the dead plant life of past centuries. In fact, certain plants which contain resins that are toxic to fungi will last indefinitely; specimens of the redwood, for instance, can still be found resting on the forest floor centuries after having been blown down

The passage is primarily concerned with:

1

Warning people of the dangers of fungi

2

Rot and decay of plants in nature

3

Describing the action of fungi

4

Relating how most plants use solar energy

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16340\)](https://www.test.aspirestudy.in/library/qus/16340)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 79 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Fill in the blank: The sugar dissolved in water _____; finally all that remained was an almost _____ residue on the bottom of the glass.

1

Quickly lumpy

2

Immediately fragrant

3

Gradually imperceptible

4

Subsequently glassy

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16341\)](https://www.test.aspirestudy.in/library/qus/16341)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 80 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Find the synonym most nearly similar in meaning to the word Clandestine

1

abortive

2

secret

3

tangible

4

doomed

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16342\)](https://www.test.aspirestudy.in/library/qus/16342)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 81 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Choose the word that is opposite in meaning to the word Compose

1

disturb

2

reveal

3

strengthen

4

isolate

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16343\)](https://www.test.aspirestudy.in/library/qus/16343)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 82 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

It was us who had left before he arrived.

1

We who had left before time he had arrived

2

Us who has went before he arrived

3

Us who had went before he had arrived

4

We who had left before he arrived

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16344\)](https://www.test.aspirestudy.in/library/qus/16344)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 83 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Many of these environmentalists proclaim to save nothing less than the planet itself.

1

to save nothing lesser than

2

that they are saving nothing less than

3

that they save nothing less than

4

to have saved nothing less than

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16345\)](https://www.test.aspirestudy.in/library/qus/16345)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 84 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

MOTH : CLOTHING

1

egg : larva

2

hole : repair

3

suit : dress

4

stigma : reputation

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16346\)](https://www.test.aspirestudy.in/library/qus/16346)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 85 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

ASCETIC : LUXURY ::

1 philosopher : knowledge

2 general : victory

3 misogynist : women

4 teacher : blackboard

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16347\)](https://www.test.aspirestudy.in/library/qus/16347)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 86 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Choose the incorrect statement

1 A hater of marriage is a misogynist

2 Violation of sacred things is sacrilege

3 To prevaricate means to make evasive or misleading statements

4 A torpid person is generally hyperactive

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16348\)](https://www.test.aspirestudy.in/library/qus/16348)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 87 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

His presentation was so lengthy and _____ that it was difficult for us to find the real _____ in it.

1 verbose, content

2

tedious, skill

3

laborious, coverage

4

simple, meaning

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16349\)](https://www.test.aspirestudy.in/library/qus/16349)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 88 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Opposite of the word FLAMBOYANT

1

Quiet

2

Excited

3

Disturbed

4

Distressed

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16350\)](https://www.test.aspirestudy.in/library/qus/16350)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 89 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Meaning of the word CLEMENCY

1

Empathy

2

Kindness

3

Sympathy

4

Forgiveness

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 90 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The sentences given below, when properly sequenced, form a coherent paragraph.

Sentences:

P. Surrendered, or captured, combatants cannot be incarcerated in razor wire cages; this 'war' has dubious legality.

Q. How can one then characterize a conflict to be waged against a phenomenon as war?

R. The phrase 'war against terror' which has passed into the common lexicon, is a huge misnomer.

S. Besides, war has a juridical meaning in international law, which has confined the laws of war, imbuing them with a humanitarian content.

T. Terror is a phenomenon, not an entity – either State or non-State.

1 TRSQP

2 QTRSP

3 TQRPS

4 RTQSP

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 91 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Choose the option in which the usage of the word "BUNDLE" is inappropriate.

1 The newborn baby was a bundle of joy for the family.

2 Mobile operators are offering a bundle of additional benefits.

3 He made a bundle in the share market.

4

It was sheer luck that brought a bundle of boy-scouts to where I was lying wounded.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16353\)](https://www.test.aspirestudy.in/library/qus/16353)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 92 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Steel Express runs between Tatanagar and Howrah and has five stoppages in between. Find the number of different kinds of one-way second class tickets that Indian Railways must print to cover all possible passenger trips.

1

49

2

42

3

21

4

7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16354\)](https://www.test.aspirestudy.in/library/qus/16354)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 93 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

There are 6561 balls out of which 1 is heavy. Find the minimum number of weighings required to find the heavy ball.

1

12

2

9

3

8

4

15

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16355\)](https://www.test.aspirestudy.in/library/qus/16355)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 94 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Find the word that names a necessary part of the underlined word. Gala

1

Celebration

2

Tuxedo

3

Appetizer

4

Orator

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16356\)](https://www.test.aspirestudy.in/library/qus/16356)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 95 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

How many numbers between 1 and 1000 (both excluded) are both squares and cubes?

1

none

2

1

3

2

4

3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16357\)](https://www.test.aspirestudy.in/library/qus/16357)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 96 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Rita owns a bakery known for wedding cakes. Research shows people don't think of her shop for daily visits but only special occasions. Which strategy should increase her daily business?

- 1 Making coupons for discount on wedding/anniversary/birthday cakes
- 2 Exhibiting at Bridal Expo with cake samples
- 3 Placing ads showing wide variety of breads, muffins, cookies
- 4 Moving bakery to other side of town

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16358\)](https://www.test.aspirestudy.in/library/qus/16358)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 97 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

There are 6 tasks and 6 persons. Task 1 cannot go to person 1 or 2. Task 2 must go to either person 3 or person 4. Every person gets exactly one task. How many assignments are possible?

- 1 144
- 2 180
- 3 192
- 4 360

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16359\)](https://www.test.aspirestudy.in/library/qus/16359)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 98 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

What are X and Y?

s 8W 16A5CXA4
20J25T 4K7LYN

1

X is 6, Y is 7

2

X is 5, Y is 15

3

X is 4, Y is 6

4

X is 16, Y is 23

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16360\)](https://www.test.aspirestudy.in/library/qus/16360)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 99 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Which should be the next two numbers in the series 28 25 5 21 18 5 14 ?

1

11, 5

2

10, 7

3

11, 8

4

5, 10

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16361\)](https://www.test.aspirestudy.in/library/qus/16361)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 100 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A, B, C, D and E are five integers. When written in ascending order of values the difference between any two adjacent integers is 4. D is the greatest and A is the least. B is greater than E but less than C. The sum of the integers is equal to E. What is the product of integers?

1

-945

2

945

3

315

4

0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16362\)](https://www.test.aspirestudy.in/library/qus/16362)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 101 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Persons X, Y, Z and Q live in red, green, yellow or blue houses placed in a sequence on a street. Z lives in a yellow house. The green house is adjacent to the blue house. X does not live adjacent to Z. The yellow house is in between the green and red house. The color of the house X lives in is

1

Green

2

Blue

3

Red

4

Cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16363\)](https://www.test.aspirestudy.in/library/qus/16363)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 102 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

220 guests are to be transported from A to B. Any number of buses of the following passenger carrying capacities are available.

Type P: 60, Type Q : 50, Type R : 40, Type S : 30

The cost per trip for a bus of each of these types is given as follows:

Type P: Rs 200, Type Q: Rs 140, Type R Rs :125, Type S: Rs 95

No buses can be overloaded and, prefer no vacant seats in each trips

What is the minimum possible cost for the trip?

- 1 Rs 690
- 2 Rs 615
- 3 Rs 640
- 4 Rs 695

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16364\)](https://www.test.aspirestudy.in/library/qus/16364)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 103 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

220 guests are to be transported from A to B. Any number of buses of the following passenger carrying capacities are available.

Type P: 60, Type Q : 50, Type R : 40, Type S : 30

The cost per trip for a bus of each of these types is given as follows:

Type P: Rs 200, Type Q: Rs 140, Type R Rs :125, Type S: Rs 95

No buses can be overloaded and, prefer no vacant seats in each trips

How many buses are needed for the above (Minimum cost trip)?

- 1 5
- 2 4
- 3 7
- 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16365\)](https://www.test.aspirestudy.in/library/qus/16365)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 104 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The second cheapest trip arrangement would involve

- 1 Rs 630
- 2 Rs 680
- 3 Rs 710
- 4 Rs 655

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16366>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 105 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A child can do a piece of work 15 hours slower than a woman. The child works for 18 hours on the job and then the woman takes charge for 6 hours. In this way, $\frac{3}{5}$ of the work is completed. To complete the job now, how much time does the woman take?

- 1 24 hours
- 2 18 hours
- 3 12 hours
- 4 30 hours

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16367>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 106 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

A culprit was spotted by the police from a distance of 250 m. When the police started running towards the culprit at 10 km/h, the culprit also fled at 8 km/h. Find how far the culprit had run before

he was caught.

1

2 km

2

1 km

3

1.5 km

4

0.8 km


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16368\)](https://www.test.aspirestudy.in/library/qus/16368)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 107 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The following sketch shows the pipeline carrying material from one location to another. The capacity of each pipeline is 2000. The demand for the material at B is 800, at C is 800, at D is 1400 and at E is 400. The arrow indicates the direction of material flow through pipeline. The flow through pipelines meets exactly the demand at each location, flow from B to C is 600.



The quantity moved from A to E is

1

400

2

1600

3

1400

4

2000

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16369\)](https://www.test.aspirestudy.in/library/qus/16369)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 108 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The free capacity available in the A–B pipeline is NIMCET 2010

1

0

2

200

3

400

4

600

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16370\)](https://www.test.aspirestudy.in/library/qus/16370)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 109 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

What is the free capacity available in the E–C pipeline? NIMCET 2010

1

600

2

400

3


200

4

0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16372\)](https://www.test.aspirestudy.in/library/qus/16372)

Qus : 110 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)



- | | |
|---|---|
| 1 | A |
| 2 | B |
| 3 | C |

4

D


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16373\)](https://www.test.aspirestudy.in/library/qus/16373)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 111 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The plan given below, shows office for six officers namely A, B, C, D, E and F. Both B and C occupy offices to the right of the corridor (as one enters the office block) and A occupies the office to the left of the corridor. E and F occupy offices on opposite sides of the corridor but their offices do not face each other. The offices of C and D face each other. E does not have a corner office. F's office is further down the corridor than A's, but on the same side.



Whose office faces A's office?

1

B

2

C

3

D

4

E


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16374\)](https://www.test.aspirestudy.in/library/qus/16374)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 112 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The plan given below, shows office for six officers namely A, B, C, D, E and F. Both B and C occupy offices to the right of the corridor (as one enters the office block) and A occupies the office to the left of the corridor. E and F occupy offices on opposite sides of the corridor but their offices do not face each other. The offices of C and D face each other. E does not have a corner office. F's office is further down the corridor than A's, but on the same side.



Who is/are F's neighbour(s)?

- ☐ 1 A only
- ☐ 2 A and D
- ☐ 3 C only
- ☐ 4 B and C

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16375\)](https://www.test.aspirestudy.in/library/qus/16375)


nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 113 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

The plan given below, shows office for six officers namely A, B, C, D, E and F. Both B and C occupy offices to the right of the corridor (as one enters the office block) and A occupies the office to the left of the corridor. E and F occupy offices on opposite sides of the corridor but their offices do not face each other. The offices of C and D face each other. E does not have a corner office. F's office is

further down the corridor than A's, but on the same side.



D was heard telling someone to go further down the corridor to the last office on the right. To whose room was he trying to direct that person?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16376\)](https://www.test.aspirestudy.in/library/qus/16376)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 114 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Given below is a binary tree, where every letter has been coded with a

string of digits 0 and 1. At any node going left is denoted by 1; at any node going right is denoted by 0. Thus

N is denoted as: 10000. All the codes are in Binary notation.



What will be the code for S?

- 1 01011
- 2 01110
- 3 01111
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16377\)](https://www.test.aspirestudy.in/library/qus/16377)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 115 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Given below is a binary tree, where every letter has been coded with a

string of digits 0 and 1. At any node going left is denoted by 1; at any node going right is denoted by 0. Thus

N is denoted as: 10000. All the codes are in Binary notation.



Which letter is represented by 11001?

- 1
- 2
- 3
- 4


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16378\)](https://www.test.aspirestudy.in/library/qus/16378)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 116 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Given below is a binary tree, where every letter has been coded with a string of digits 0 and 1. At any node going left is denoted by 1; at any node going right is denoted by 0. Thus N is denoted as: 10000. All the codes are in Binary notation.



What is the value of C + R in binary notation?

- 1 11101
- 2 1101
- 3 1001
- 4 None of these


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16379\)](https://www.test.aspirestudy.in/library/qus/16379)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 117 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Given below is a binary tree, where every letter has been coded with a string of digits 0 and 1. At any node going left is denoted by 1; at any node going right is denoted by 0. Thus
N is denoted as: 10000. All the codes are in Binary notation.



If all the codes are converted into decimal notation, then how many letters have their values greater than L?

- ☒ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16380\)](https://www.test.aspirestudy.in/library/qus/16380)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 118 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Read the following information carefully and answer the questions that follow

- (1) There is group of five persons - P, Q, R, S and T.
- (2) One of them is a horticulturist, one is a physicist, one is a journalist, one is an industrialist and one is an advocate.
- (3) Three of them - P, R and advocate prefer tea to coffee and two of them –Q and the journalist prefer coffee to tea.
- (4) The industrialist, S and P are friends to one another but two of these prefer coffee to tea.

(5) The horticulturist is R's brother.

Who is a horticulturist?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16381\)](https://www.test.aspirestudy.in/library/qus/16381)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 119 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Read the following information carefully and answer the questions that follow

- (1) There is group of five persons - P, Q, R, S and T.
- (2) One of them is a horticulturist, one is a physicist, one is a journalist, one is an industrialist and one is an advocate.
- (3) Three of them - P, R and advocate prefer tea to coffee and two of them –Q and the journalist prefer coffee to tea.
- (4) The industrialist, S and P are friends to one another but two of these prefer coffee to tea.
- (5) The horticulturist is R's brother.

Who is an industrialist?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16382\)](https://www.test.aspirestudy.in/library/qus/16382)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

Qus : 120 nimcet PYQ 2010 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2010>)

Read the following information carefully and answer the questions that follow

- (1) There is group of five persons - P, Q, R, S and T.
- (2) One of them is a horticulturist, one is a physicist, one is a journalist, one is an industrialist and one is an advocate.
- (3) Three of them - P, R and advocate prefer tea to coffee and two of them –Q and the journalist prefer coffee to tea.
- (4) The industrialist, S and P are friends to one another but two of these prefer coffee to tea.
- (5) The horticulturist is R's brother.

Which of the following groups include a person who likes tea but is not an advocate?

- 1 PRT
- 2 ST
- 3 QRT
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16383\)](https://www.test.aspirestudy.in/library/qus/16383)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2010 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2010>)

nimcet

Online Test Series,
Information About Examination,
Syllabus, Notification

and More.

Click Here to
View More (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

Ask Your Question or Put Your Review.

Add Comment

Visit Us

Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,
Kanpur - 208024, INDIA

Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

Join Us on



(<https://www.facebook.com/aspirestudykanpur/>)
(<https://twitter.com/aspirestudykanpur>)
(https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g)

General Links



Terms of Use (https://www.test.aspirestudy.in/docs/view/terms_of_use)



Privacy Policy (https://www.test.aspirestudy.in/docs/view/privacy_policy)

