

# Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,  
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



## nimcet Previous Year Questions (PYQs)

### nimcet 2011 PYQ

**Qus : 1** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If the mean of the squares of first  $n$  natural numbers be 11, then  $n$  is equal to

- ☒ 1  $-\frac{13}{2}$
- ☐ 2 11
- ☐ 3 5
- ☐ 4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16168\)](https://www.test.aspirestudy.in/library/qus/16168)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 2** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Probability a blade is defective = 0.002, packet of 10 blades. Find packets with no defective blades in 10000 packets.

- 1 2000
- 2 9802
- 3 9950
- 4 8000

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16169>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 3 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Regression lines:  $3x + 2y = 26$ ,  $6x + y = 31$  Correlation between  $x, y$  is

- 1 0.5
- 2 0.7
- 3  $-0.7$
- 4  $-0.5$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16170>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 4 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Car travels half distance with  $v_1$ , half with  $v_2$ . Average speed is

- 1  $\frac{v_1 + v_2}{2}$
- 2  $\sqrt{v_1 v_2}$

2

3

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16171\)](https://www.test.aspirestudy.in/library/qus/16171)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 5 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Mean of first  $n$  natural numbers =  $\frac{n+7}{3}$ . Find  $n$ :

1

2

3

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16172\)](https://www.test.aspirestudy.in/library/qus/16172)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 6 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Find least integer  $k$  such that  $(k-2)x^2 + k + 8x + 4 > 0$  for all  $x \in \mathbb{R}$ .

1

2

3

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16173\)](https://www.test.aspirestudy.in/library/qus/16173)

**nimcet Previous Year PYQ**

(<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 7 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $\sum_{K=0}^{2n} (-1)^K \binom{2n}{K}^2 = A$ , find  $\sum_{K=0}^{2n} (-1)^K (K - 2n) \binom{2n}{K}^2$ .

1

 $nA$ 

2

 $-nA$ 

3

0

4

 $A$ 

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16174\)](https://www.test.aspirestudy.in/library/qus/16174)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 8 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Solve inequality  $\log_3 ((x + 2)(x + 4)) + \log_{1/3}(x + 2) < \frac{1}{2} \log_{\sqrt{3}} 7$

1

 $(-2, -1)$ 

2

 $(-2, 3)$ 

3

 $(-1, 3)$ 

4

 $(3, \infty)$ 

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16175\)](https://www.test.aspirestudy.in/library/qus/16175)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2011>)

**Qus : 9** **nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$a, b, c$  are positive and  $c > a$  and in H.P. Compute  $\log(a + c) + \log(a - 2b + c)$ .

- 1  $2 \log(c - b)$
- 2  $2 \log(a + c)$
- 3  $2 \log(c - a)$
- 4  $\log a + \log b + \log c$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16176\)](https://www.test.aspirestudy.in/library/qus/16176)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2011>)

**Qus : 10** **nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Area enclosed by  $|x| + |y| = 1$

- 1 1
- 2 2
- 3 3
- 4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16177\)](https://www.test.aspirestudy.in/library/qus/16177)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 11 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A polygon has 44 diagonals, the number of its sides is

- 1 9
- 2 10
- 3 11
- 4 12

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16178\)](https://www.test.aspirestudy.in/library/qus/16178)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 12 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Let  $X$  be the universal set for sets  $A$  and  $B$ . If  $n(A) = 200$ ,  $n(B) = 300$ ,  $n(A \cap B) = 100$ , then  $n(A' \cap B') = 300$  provided  $n(X)$  is equal to

- 1 600
- 2 700
- 3 800
- 4 900

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16179\)](https://www.test.aspirestudy.in/library/qus/16179)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 13 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

In a college of 300 students, every student reads 5 newspapers and every newspaper is read by 60 students. The number of newspapers is

- 1 at least 30
- 2 at most 20
- 3 exactly 25
- 4 exactly 28

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16180\)](https://www.test.aspirestudy.in/library/qus/16180)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 14 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The number of ways of forming different 9-digit numbers from 223355588 by rearranging digits so that odd digits occupy even positions is

- 1 16
- 2 36
- 3 60
- 4 180

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16181\)](https://www.test.aspirestudy.in/library/qus/16181)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 15 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

An anti-aircraft gun fires at a plane. Probabilities of hitting at slots 1,2,3,4 are 0.4, ; 0.3, ; 0.2, ; 0.1. Probability that the gun hits the plane is

- 1 0.5

2

0.7235

3

0.6976

4

1.0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16182\)](https://www.test.aspirestudy.in/library/qus/16182)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 16 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The minimum value of  $px + qy$  when  $xy = r^2$  and  $p, q, x, y$  are positive numbers is

1

 $2r\sqrt{pq}$ 

2

 $2pq\sqrt{3}$ 

3

 $-2r\sqrt{pq}$ 

4

 $\sqrt{pqr}$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16183\)](https://www.test.aspirestudy.in/library/qus/16183)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 17 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $a$  is a positive integer, then the number of values satisfying

$$\int_0^{\pi/2} \left[ a^2 \left( \frac{\cos 3x}{4} + \frac{3}{4} \cos x \right) + a \sin x - 20 \cos x \right] dx \leq -\frac{a^2}{3} \text{ is}$$

1

only one

2

two



3

three

4

four

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16184\)](https://www.test.aspirestudy.in/library/qus/16184)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 18 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Find  $\frac{d}{dx} \left( \sqrt{x} - \frac{5}{\sqrt{x}} \right)$

1

$$\frac{1}{2\sqrt{x}} + \frac{5}{x^{3/2}}$$

2

$$2x - \frac{5}{2}x^{-3/2}$$

3

$$2x + \frac{5}{2}x^{-3/2}$$

4

none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16185\)](https://www.test.aspirestudy.in/library/qus/16185)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 19 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$\lim_{x \rightarrow 0} \frac{x + \sin x}{\sqrt{x} - \cos x}$

1

0

2

1

3

-1

4

none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16186\)](https://www.test.aspirestudy.in/library/qus/16186)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 20 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $f(x) = \int_0^x t \sin t, dt$ , then  $f'(x)$  is

1

 $\cos x + x \sin x$ 

2

 $x \sin x$ 

3

 $x \cos x$ 

4

 $\frac{x^2}{2}$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16187\)](https://www.test.aspirestudy.in/library/qus/16187)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 21 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The value of  $\sin 30^\circ \cos 45^\circ + \cos 30^\circ \sin 45^\circ$

1

 $\frac{1 - \sqrt{3}}{2}$ 

2

 $\frac{\sqrt{3}+1}{2\sqrt{2}}$ 

3

 $\frac{2}{\sqrt{2}}$

4

$$\frac{\sqrt{3}}{2}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16188>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 22 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

In  $\triangle ABC$ ,  $B = 45^\circ$ ,  $C = 105^\circ$ ,  $c = \sqrt{2}$ . Find side  $a$  and  $b$ .

1

$$\begin{aligned} A &= 30^\circ, \\ a &= \sqrt{3} \\ &- 1, b \\ &= \sqrt{2} \\ &(\sqrt{3} - 1) \end{aligned}$$

2

$$\begin{aligned} A &= 30^\circ, \\ a &= \sqrt{3} \\ &+ 1, b \\ &= \sqrt{2} \\ &(\sqrt{3} - 1) \end{aligned}$$

3

$$\begin{aligned} A &= 30^\circ, \\ a &= 1 \\ &- \sqrt{3}, b \\ &= \sqrt{2} \\ &(\sqrt{3} + 1) \end{aligned}$$

4

$$\begin{aligned} A &= 30^\circ, \\ a &= \sqrt{3} \\ &- 1, ; b \\ &= \sqrt{2} \\ &(\sqrt{3} + 1) \end{aligned}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16189>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 23 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $\tan \theta = \frac{b}{a}$ , then the value of  $a \cos 2\theta + b \sin 2\theta$  is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16190\)](https://www.test.aspirestudy.in/library/qus/16190)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 24 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The general solution of  $\sqrt{3} \cos x + \sin x = 3$  is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16191\)](https://www.test.aspirestudy.in/library/qus/16191)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 25 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The value of  $\frac{1 - \tan^2 15^\circ}{1 + \tan^2 15^\circ}$  is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16192\)](https://www.test.aspirestudy.in/library/qus/16192)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 26 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$$\int_0^{1/2} \frac{dx}{\sqrt{x-x^2}}$$

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16193\)](https://www.test.aspirestudy.in/library/qus/16193)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 27 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If area between  $y = x^2$  and  $y = x$  is  $A$ , then area between  $y = x^2$  and  $y = 1$  is:

1  $2A + 1$

2  $2A$

3  $2A + 2$

4  $A + 2$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16194>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 28 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $a, b, c$  are coplanar, evaluate  $[2a - b, 2b - c, 2c - a]$

1 0

2 1

3  $-\sqrt{3}$

4  $\sqrt{3}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/16195>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 29 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$\vec{a} = x\hat{i} - 3\hat{j} - \hat{k}$ ,  $\vec{b} = 2x\hat{i} + x\hat{j} - \hat{k}$  Angle between  $\vec{a}$  and  $\vec{b}$  is acute and angle between  $\vec{b}$  and  $+y$  axis lies in  $\left(\frac{\pi}{2}, \pi\right)$  Find  $x$ .

1 1, 2

2

 $-2, -3$ 

3

 $x : x < 0$ 

4

 $x : x > 0$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16196\)](https://www.test.aspirestudy.in/library/qus/16196)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 30 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Lines  $2x + 3y - 6 = 0$  and  $9x + 6y - 18 = 0$  cut coordinate axes in concyclic points. Center of circle is:

1

 $(1, 2)$ 

2

 $(2, 3)$ 

3

 $(5, 5)$ 

4

 $\left(\frac{5}{2}, \frac{5}{2}\right)$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16197\)](https://www.test.aspirestudy.in/library/qus/16197)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 31 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Number of distinct solutions of  $x^2 = y^2$  and  $(x - a)^2 + y^2 = 1$  where  $a$  is any real number:

1

 $0, 1, 2, 3, 4$ 

2

 $0, 1, 3$

3

0, 1, 2

4

0, 2, 3, 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16198\)](https://www.test.aspirestudy.in/library/qus/16198)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 32 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Vertex of parabola  $y^2 - 8y + 19 = 0$

1

(1, 3)

2

(4, 3)

3

(1, 4)

4

(3, 1)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16199\)](https://www.test.aspirestudy.in/library/qus/16199)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 33 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Eccentricity of ellipse  $9x^2 + 5y^2 - 30y = 0$

1

 $\frac{1}{3}$ 

2

 $\frac{2}{3}$ 

3

 $\frac{3}{4}$ 

4

 $\frac{1}{4}$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16200\)](https://www.test.aspirestudy.in/library/qus/16200)



**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 34 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$\vec{v} = 2\hat{i} + \hat{j} - \hat{k}$ ,  $\vec{w} = \hat{i} + 3\hat{k}$  If  $\vec{u}$  is a unit vector, maximum value of  $[\vec{u} \vec{v} \vec{w}]$  is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16201\)](https://www.test.aspirestudy.in/library/qus/16201)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 35 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If the function  $f : [1, \infty) \rightarrow [1, \infty)$  is defined by  $f(x) = 2^{x(x-1)}$ , then  $f^{-1}(x)$  is:

- 1
- 2

3

$$\frac{1}{2} \left( 1 - \sqrt{1 + 4 \log_2 x} \right)$$

4

not defined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16202\)](https://www.test.aspirestudy.in/library/qus/16202)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 36 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A random variable  $X$  has the probability distribution:

| $x$        | 0   | 1    | 2    | 3    | 4    | 5     | 6     | 7     | 8     |
|------------|-----|------|------|------|------|-------|-------|-------|-------|
| $P(X = x)$ | $a$ | $3a$ | $5a$ | $7a$ | $9a$ | $11a$ | $13a$ | $15a$ | $17a$ |

The value of  $a$  is:

1

$$\frac{1}{81}$$

2

$$\frac{2}{82}$$

3

$$\frac{5}{81}$$

4

$$\frac{7}{81}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16203\)](https://www.test.aspirestudy.in/library/qus/16203)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 37 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The sum of  $11^2 + 12^2 + \dots + 30^2$  is

- 1 8070
- 2  $\frac{2}{82}$
- 3 1080
- 4 9700

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16204\)](https://www.test.aspirestudy.in/library/qus/16204)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 38 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $B = -A^{-1}BA$ , then  $(A + B)^2 =$

- 1 0
- 2  $A^2 + 2AB + B^2$
- 3  $A^2 + B^2$
- 4  $A + B$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16205\)](https://www.test.aspirestudy.in/library/qus/16205)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 39 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Roots of  $x^2 - 2x + 4 = 0$  are  $\alpha, \beta$ . Compute  $\alpha^6 + \beta^6$ .

- 1 64

2

128

3

256

4

132

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16206\)](https://www.test.aspirestudy.in/library/qus/16206)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 40 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $|\vec{a} \times \vec{b}| = |\vec{a} \cdot \vec{b}|$ , then angle  $\theta$  between  $\vec{a}, \vec{b}$  is:

1

0

2

 $\pi$ 

3

 $\pi/2$ 

4

 $\pi/4$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16207\)](https://www.test.aspirestudy.in/library/qus/16207)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 41 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

$ABCD$  is a parallelogram with diagonals  $AC$  and  $BD$ . Compute  $\vec{AC} - \vec{BD}$ .

1

 $4\vec{AB}$ 

2

 $3\vec{AB}$ 

3

 $2\vec{AB}$

4

 $\overrightarrow{AB}$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16208\)](https://www.test.aspirestudy.in/library/qus/16208)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 42 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If  $\sin x$ ,  $\cos x$ ,  $\tan x$  are in GP, find  $\cot 6x - \cot 2x$ .

1

2

2

-1

3

1

4

0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16209\)](https://www.test.aspirestudy.in/library/qus/16209)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 43 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Triangle sides:  $x^2 + x + 1$ ,  $2x + 1$ ,  $x^2 - 1$ . Largest angle?

1

 $150^\circ$ 

2

 $90^\circ$ 

3

 $135^\circ$ 

4

 $120^\circ$ 
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16210\)](https://www.test.aspirestudy.in/library/qus/16210)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 44 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Solve:  $2 \sin^2 \theta - 3 \sin \theta - 2 = 0$

1

$$n\pi + (-1)^n \frac{\pi}{6}$$

2

$$n\pi + (-1)^n \frac{\pi}{2}$$

3

$$n\pi + (-1)^n \frac{5\pi}{6}$$

4

$$n\pi + (-1)^n \frac{7\pi}{6}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16211\)](https://www.test.aspirestudy.in/library/qus/16211)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 45 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Correct the following equation by inter-changing two signs.  $3 - 9 \times 27 + 9 \div 3 = 3$

1

+ and -

2

$\times$  and +

3

$\times$  and  $\div$

4

× and −

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16213\)](https://www.test.aspirestudy.in/library/qus/16213)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 46 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Pushpa is twice as old as Rita was two years ago. If the difference between their ages is 2 years, how old is Pushpa today?

1

6 years

2

8 years

3

10 years

4

12 years

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16214\)](https://www.test.aspirestudy.in/library/qus/16214)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 47 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A clock is set right at 8 a.m. The clock gains 10 minutes in 24 hours. What will be the correct time when the clock shows 1 p.m. next day?

1

11.40 p.m.

2

12.48 p.m.

3

12 noon

4

10 p.m.



**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 48 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Choose the best answer figure to substitute element 4 in the problem figures so that element 3 is related to element 4 in the same way as element 1 is related to element 2.

Problem Figures





---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 49 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Statements:

i) Price rise is a natural phenomenon

ii) If production increases prices fall

iii) High prices affect the poor

Conclusion: If production rises the poor feel relieved.

1

Only i and ii

2

Only i and iii

3

Only ii and iii

4

Data Insufficient

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16217\)](https://www.test.aspirestudy.in/library/qus/16217)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 50 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

How many arrangements of the word "DETAIL" place vowels only in odd positions?

1

32

2

36

3

48

4

60

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16218\)](https://www.test.aspirestudy.in/library/qus/16218)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 51 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

From 1 to 55, count numbers divisible by 3 but remove numbers containing digit 3.

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16219\)](https://www.test.aspirestudy.in/library/qus/16219)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 52 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

In the number series one term is wrong. 5, 12, 19, 33, 47, 75, 104

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16220\)](https://www.test.aspirestudy.in/library/qus/16220)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 53 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A is 5th from top, B is 7th from bottom. C is 6th after A AND 6th before B.

- 1 25
- 2 23
- 3 21
- 4 22

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16221\)](https://www.test.aspirestudy.in/library/qus/16221)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 54 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Let:  $X = 2^{100}$ ,  $Y = 3^{100}$ ,  $Z = 4^{100}$  Which statement is true?

- 1  $X + Y = Z$
- 2  $X + Y < Z$
- 3  $X + Y > Z$
- 4  $XY = Z$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16222\)](https://www.test.aspirestudy.in/library/qus/16222)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 55 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Directions for questions 56-59: Study the following information to answer the given questions; In a family of 6 persons, there are two couples. The lawyer is the head of the family and has only two sons – Mukesh and Rakesh – both teachers. Mrs. Reena and her mother-in-law are both lawyers. Mukesh's wife is a doctor and they have a son Ajay.

What is the profession of Rakesh's wife?

- ☐ 1 Teacher
- ☐ 2 Doctor
- ☐ 3 Lawyer
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16223\)](https://www.test.aspirestudy.in/library/qus/16223)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 56 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

How many male members are there in the family?

- ☐ 1 2
- ☐ 2 3
- ☐ 3 4
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16224\)](https://www.test.aspirestudy.in/library/qus/16224)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 57 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

What is/was Ajay's grandfather's occupation?

- ☐ 1 Teacher
- ☐ 2 Lawver

3

Doctor

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16225\)](https://www.test.aspirestudy.in/library/qus/16225)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 58 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

What is the profession of Ajay?

1

Teacher

2

Lawyer

3

Doctor

4

Cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16226\)](https://www.test.aspirestudy.in/library/qus/16226)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 59 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Statements:

(A) Some green are blue

(B) No blue is white

Conclusions:

I) Some blue are green

II) Some white are green

III) Some green are not white

IV) All white are green

1

Only I follows

2

Only II and III follows

3

Only I and III follows

4

Only I and II follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16227\)](https://www.test.aspirestudy.in/library/qus/16227)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 60 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Directions for questions 61-63: Read the information given below and answer the questions that follow:

Four persons A, B, C and D play a cards game. They put Rs. 500 as stake money. When the game is over

'C' receives Rs. 19 more than 'D' and 'B' receives Rs. 21 less than 'A' whose amount was Rs. 2 less than the quarter of Rs. 500

How much money did "C" get?

1

Rs. 147

2

Rs. 123

3

Rs. 144

4

Rs. 159

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16228\)](https://www.test.aspirestudy.in/library/qus/16228)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 61 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

How much money did  $B$  get?

- ☐ 1 Rs. 102
- ☐ 2 Rs. 107
- ☐ 3 Rs. 108
- ☐ 4 Rs. 110

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16229\)](https://www.test.aspirestudy.in/library/qus/16229)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 62** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Who gets the highest amount?

- ☐ 1 A
- ☐ 2 B
- ☐ 3 C
- ☐ 4 D

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16230\)](https://www.test.aspirestudy.in/library/qus/16230)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)


**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 63** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Directions for questions 64- 66: In The following diagram circle stands for 'educated", square for 'hardworking', triangle for 'urban people', and rectangle for 'honest'. Different regions in the diagram arc

numbered from 2 to 12. Study the diagram carefully and answer.



Educated, hard-working and urban people are indicated by

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16231\)](https://www.test.aspirestudy.in/library/qus/16231)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 64 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Non-urban educated people who are neither hardworking nor honest are indicated by

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16232\)](https://www.test.aspirestudy.in/library/qus/16232)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)



2011)

**Qus : 65 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Honest, educated and hardworking non-urban people are indicated by

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16233\)](https://www.test.aspirestudy.in/library/qus/16233)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 66 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Five persons A, B, C, D and E were travelling in a car.

There were two ladies. One drove first, one drove last.

A is brother of D. B is wife of D. E drove last.

Who was the other lady in the group?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16234\)](https://www.test.aspirestudy.in/library/qus/16234)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 67** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Choose the next pair in the sequence:

61, 57, 50, 61, 43, 36, ...

1

29, 61

2

27, 20

3

31, 61

4

29, 22

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16235\)](https://www.test.aspirestudy.in/library/qus/16235)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 68** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Directions for questions 69-71: In each of the 3 questions below, are given four statements followed by four conclusions numbered I, II, III, IV. You have to take the given statements to be true if they seem

to be at variance from commonly known facts. Read all the conclusions and then decide which of the given conclusions logically follows from the given statements disregarding commonly known facts.

Statements:

Some doctors are lawyers.

All teachers are lawyers.

Some engineers are lawyers.

All engineers are businessmen.

Conclusions:

I. Some teachers are doctors.

II. Some businessmen are lawyers.

III. Some businessmen are teachers.

IV. Some lawyers are teachers.

1

none follows

2

only II follows

3

Only III follows

4

Only II and IV follow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16236\)](https://www.test.aspirestudy.in/library/qus/16236)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 69 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Statements:

All plastics are glasses.

Some sponges are glasses.

All sponges are clothes.

All clothes are liquids.

Conclusions:

I. All liquids are sponges.

II. Some plastics are clothes.

III. All glasses are plastics.

IV. All liquids are clothes.

1

None follows

2

only either II or IV follows

3

only III and IV follow

4

only I and IV follow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16237\)](https://www.test.aspirestudy.in/library/qus/16237)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 70 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Statements:

All sands are beaches.

All shores are beaches.

Some beaches are trees.

All trees are hotels.

Conclusions:

I. Some shores are hotels.

II. All beaches are shores.

III. Some beaches are hotels.

IV. Some sands are trees.

1

only III follows

2

only II follows

3

only IV follows

4

none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16238\)](https://www.test.aspirestudy.in/library/qus/16238)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 71 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

In a certain code, RIPPLE is written as 613382 and LIFE is written as 8192. How is FILLER written in that code?

1

918826

2

318286

3

618826

4

328816

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16239\)](https://www.test.aspirestudy.in/library/qus/16239)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 72 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A doctor said to his compounder "I go to see the patients at their residence after every 3:30 hours. I have already gone to the patient 1:20 hours ago and next time I shall go at 1.40 pm". At what time this information was given to the compounder by the doctor?

- ☒ 1 10.10 a.m.
- ☐ 2 11.30 a.m.
- ☐ 3 11.20 a.m.
- ☐ 4 none of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16240\)](https://www.test.aspirestudy.in/library/qus/16240)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 73 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Mr. X left his entire estate to his wife, his daughter, his son and the cook. His daughter and son got half the estate, sharing in the ratio of 4 to 3. His wife got twice as much as the son. If the cook received a bequest of 500, then the entire estate was

- ☒ 1 3500
- ☐ 2 5500
- ☐ 3 6500
- ☐ 4 7000

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16241\)](https://www.test.aspirestudy.in/library/qus/16241)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 74 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

At a dance party a group of girls and boys exchange dances as follows:

One boy dances with 5 girls. Second boy dances with 6 girls, and so on; last boy dances with all girls. If  $b$  represents the number of boys and  $g$  represents the number of girls, then

1

$$b = g$$

2

$$b = g/5$$

3

$$b = g - 4$$

4

$$b = g - 5$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16242\)](https://www.test.aspirestudy.in/library/qus/16242)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 75 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The average age of husband and wife was 22 years when they were married five years back. What is the present average age of the family if they have a three year old child?

1

19 Years

2

25 Years

3

27 Years

4

28½ Years

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16243\)](https://www.test.aspirestudy.in/library/qus/16243)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 76 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which of the following will be acceptable for establishing a fact?

1

Opinion of large number of people

2

Traditionally in practice over a long period of time

3

Availability of observable evidences

4

References in the ancient literature

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16244\)](https://www.test.aspirestudy.in/library/qus/16244)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 77 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Directions for questions 78-81: Six scientists A, B, C, D, E and F are to present at paper each at a one-day conference. Three of them will present their papers in the morning session before the lunch break whereas the other three will be presented in the afternoon session. The lectures have to be scheduled in such a way that they comply with the following restrictions:

B should present his paper immediately before C's presentation; their presentations cannot be separated by the lunch break. D must be either the first or the last scientist to present his paper.

In case C is the fifth scientist to present his paper, B must be

1

first

2

second

3

third

4

fourth

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16245\)](https://www.test.aspirestudy.in/library/qus/16245)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 78 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

B could be placed for any of the following places in the order of presenters EXCEPT

- 1 fifth
- 2 second
- 3 third
- 4 fourth

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16246\)](https://www.test.aspirestudy.in/library/qus/16246)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 79 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If F is to present immediately after D presents his paper, C could be scheduled for which of the following places?

- 1 fifth
- 2 second
- 3 third
- 4 fourth

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16247\)](https://www.test.aspirestudy.in/library/qus/16247)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 80 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If F and E are the fifth and sixth presenters respectively, which must be true?

- 1 A is first



2

A is third

3

A is fourth

4

B is first

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16248\)](https://www.test.aspirestudy.in/library/qus/16248)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 81 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Assume that the following three statements are true:

- I. All freshmen are human
- II. All students are human
- III. Some students think

Given the following four statements:

- (1) All freshmen are students
- (2) Some humans think
- (3) No freshmen think
- (4) Some humans who think are not students

Those which are logical consequences of I, II and III are:

1

2

2

4

3

2, 3

4

1, 2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16249\)](https://www.test.aspirestudy.in/library/qus/16249)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 82 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Directions for questions 83–85:

Mrs. Thomes received a large order for stitching school uniforms from Mayflower school and Little flower school. She has two cutters who will cut the fabric, five tailors who will do the stitching and two assistants to stitch the buttons and button holes. Each of these nine persons will work for exactly 10 hours a day. Each of the Mayflower uniforms requires 20 min for cutting the fabric, one hour for stitching, and 15 min for stitching buttons and button holes, whereas the Little flower uniform requires 30 min, 1 hour and 30 min respectively for these activities.

What is the number of Little flower uniforms that Mrs. Thomes can complete in a day?

- ☐ 1 50
- ☐ 2 20
- ☐ 3 40
- ☐ 4 30

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16250\)](https://www.test.aspirestudy.in/library/qus/16250)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 83 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

On a particular day, Mrs. Thomes decided to complete 20 Little flower uniforms. How many Mayflower uniforms can she complete on that day?

- ☐ 1 30
- ☐ 2 40
- ☐ 3 20
- ☐ 4 0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16251\)](https://www.test.aspirestudy.in/library/qus/16251)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

2011)

**Qus : 84 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

If she hires one more assistant, what is the maximum number of Mayflower uniforms that she can complete in a day?

- ☒ 1 40
- ☐ 2 50
- ☐ 3 60
- ☐ 4 30

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16252\)](https://www.test.aspirestudy.in/library/qus/16252)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 85 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Consider  $x$  and  $y$  be some Boolean variables,  $+$  denotes the OR operation and  $.$  denotes the AND operation. What will be the simplified form of the Boolean expression:  $x.(x + y)$ ?

- ☒ 1  $y$
- ☐ 2 1
- ☐ 3 0
- ☐ 4  $x$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16253\)](https://www.test.aspirestudy.in/library/qus/16253)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 86 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which one of the following is not a valid rule of Boolean algebra?

1

$$A + 1 = 1$$

2

$$A = A'$$

3

$$AA = A$$

4

$$A + 0 = A$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16254\)](https://www.test.aspirestudy.in/library/qus/16254)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 87 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

When two binary numbers are added, then an overflow will never occur if

1

Both numbers of same sign

2

The carry into the sign bit position and out of sign bit position are not equal

3

The carry into the sign bit position and out of sign bit position are equal

4

The carry into the sign bit position is 1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16255\)](https://www.test.aspirestudy.in/library/qus/16255)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 88 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The sum of  $11010 + 01111$  equals

1

101001

2

101010

3

110101

4

101000

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16256\)](https://www.test.aspirestudy.in/library/qus/16256)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 89 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which protocol needs to be installed for Internet access on a network?

1

TCP/IP

2

TELNET

3

IPX/SPX

4

Net BEUI

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16257\)](https://www.test.aspirestudy.in/library/qus/16257)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 90 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

A petabyte represents approximately

1

1000 gigabytes

2

1000 kilobytes

3

1000 terabytes

4

1000 yottabytes

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 91 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The least significant bit of the binary number, which is equivalent to any odd decimal number is

- ☒ 1 0
- ☐ 2 1
- ☐ 3 1 or 0
- ☐ 4 All of the above

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16259\)](https://www.test.aspirestudy.in/library/qus/16259)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 92 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which of the following Boolean expression represents the shaded portion of the Venn diagram?

Note: Here "." represents an AND operation and "+" denotes an OR operation.

- ☒ 1  $Z' + (X.Y)$
- ☐ 2  $Z.(X + Y)$
- ☐ 3  $(Z.X') + Y$
- ☐ 4  $Z'.(X + Y)$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16260\)](https://www.test.aspirestudy.in/library/qus/16260)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 93** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

The ASCII code of 'A' is

- ☐ 1 66D
- ☐ 2 41H
- ☐ 3 01000010
- ☐ 4 01100011

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16261\)](https://www.test.aspirestudy.in/library/qus/16261)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 94** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

An eight bit byte is capable of representing how many different characters?

- ☐ 1 64
- ☐ 2 128
- ☐ 3 256
- ☐ 4 512

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16262\)](https://www.test.aspirestudy.in/library/qus/16262)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 95** nimcet PYQ 2011 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Choose the option for the human system mechanisms whose interactions eventually result into cardiovascular diseases due to air pollution?

1

inflammation

2

Coagulation

3

Antigen

4

Both (1) and (2)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16263\)](https://www.test.aspirestudy.in/library/qus/16263)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 96 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which is the central syndrome talked about in the paragraph?

1

Inflammation

2

Atherogenesis

3

Secretions of tissue factors

4

Thrombo Modulin

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16264\)](https://www.test.aspirestudy.in/library/qus/16264)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 97 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Which of the following is true?

- i) Exposure to air pollution may result in increase in TF and decrease in TM
- ii) Effect of air pollution is severe on humans and occurs after adolescence
- iii) Endothelial cells are sensitive target for air pollutants

1

All are true

2

Only (i) and (ii) are true



3

Only (i) and (iii) are true

4

Only (ii) and (iii) are true

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16265\)](https://www.test.aspirestudy.in/library/qus/16265)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 98 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The primary cause of cardiovascular disease due to factors discussed in paragraph is

1

Lack of immunity

2

Anticoagulation

3

Thrombomodulin

4

Endothelial Dysfunction

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16266\)](https://www.test.aspirestudy.in/library/qus/16266)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 99 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

RETROGRADE

1

progressing

2

reclining

3

evaluating

4

directing

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 100 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Paragraph

Books are 101 the most 102 product of human effort. Temples 103 to ruin, pictures and statues 104; but books 105.

Books are 101 the most \_\_\_\_\_ product of human effort.

1

decidedly

2

definitely

3

by far

4

certainly

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16268\)](https://www.test.aspirestudy.in/library/qus/16268)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 101 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Books are by far the most 102 product of human effort.

1

lasting

2

everlasting

3

temporary

4

permanent

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16269\)](https://www.test.aspirestudy.in/library/qus/16269)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 102 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Temples 103 to ruin.

- 1 break down
- 2 fall
- 3 broken
- 4 crumble

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16270\)](https://www.test.aspirestudy.in/library/qus/16270)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 103 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Pictures and statues 104.

- 1 die
- 2 decay
- 3 fade
- 4 disappear

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16271\)](https://www.test.aspirestudy.in/library/qus/16271)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 104 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

But books 105.

- 1 live
- 2 survive
- 3 last
- 4 disappear

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16272\)](https://www.test.aspirestudy.in/library/qus/16272)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 105 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Profound

- 1 Shallow
- 2 Sonorous
- 3 Superficial
- 4 Lofty

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16273\)](https://www.test.aspirestudy.in/library/qus/16273)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 106 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Give the analogy for ELUSIVE : CAPTURE

- 1 Elastic : Stretch
- 2 Headstrong : Control

3

Sensible : Decide

4

Persuasive : Convince

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16274\)](https://www.test.aspirestudy.in/library/qus/16274)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 107 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The meaning of the word EGRESS is

1

Entrance

2

Exit

3

Double

4

Program

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16275\)](https://www.test.aspirestudy.in/library/qus/16275)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 108 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Choose the wrongly spelt word

1

Deficient

2

Efficient

3

Magnificent

4

Reticent

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16276\)](https://www.test.aspirestudy.in/library/qus/16276)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 109 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

I have been working here \_\_\_\_\_ six months.

1

since

2

by

3

for

4

in

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16277\)](https://www.test.aspirestudy.in/library/qus/16277)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 110 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Defile

1

Pollute

2

Disapprove

3

Delay

4

Reveal

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16278\)](https://www.test.aspirestudy.in/library/qus/16278)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 111 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

POLEMIC

- 1 black
- 2 magnetic
- 3 grimace
- 4 controversial

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16279\)](https://www.test.aspirestudy.in/library/qus/16279)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 112 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

The synonym of FOOLHARDY is

- 1 Erudite
- 2 Unwise
- 3 Rusty
- 4 Roll

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16280\)](https://www.test.aspirestudy.in/library/qus/16280)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 113 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Deep

- 1 low

2

distracted

3

flat

4

awake

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16281\)](https://www.test.aspirestudy.in/library/qus/16281)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 114 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Antonym of CRYPTIC

1

Futile

2

Candid

3

Famous

4

Indifferent

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16282\)](https://www.test.aspirestudy.in/library/qus/16282)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 115 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

The people \_\_\_\_\_ you socialize are called friends.

1

with whom

2

who

3

with who

4

whom



[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16283\)](https://www.test.aspirestudy.in/library/qus/16283)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 116 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Every one of them \_\_\_\_\_ to the music every day.

1

Listen

2

Listening

3

Listens

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16284\)](https://www.test.aspirestudy.in/library/qus/16284)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 117 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

I didn't work hard when I was \_\_\_\_\_ school.

1

in

2

on

3

at

4

by

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16285\)](https://www.test.aspirestudy.in/library/qus/16285)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 118 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

Where are you \_\_\_\_\_ ?

1

from

2

by

3

of

4

to

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16286\)](https://www.test.aspirestudy.in/library/qus/16286)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 119 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Which of these is an adjective in "It is \_\_\_\_\_"?

1

Hard

2

Hardly

3

Hardship

4

Harden

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16287\)](https://www.test.aspirestudy.in/library/qus/16287)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

**Qus : 120 nimcet PYQ 2011** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2011>)

---

Which of these is an adjective in "The movie was \_\_\_\_\_"?

1

Quickly

2

Beautiful

3

Running

4

Happiness

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/16288\)](https://www.test.aspirestudy.in/library/qus/16288)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2011 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2011>)

## nimcet

**Online Test Series,**  
Information About Examination,  
Syllabus, Notification  
and More.

**Click Here to**  
**View More** (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

**Ask Your Question or Put Your Review.**

[Add Comment](#)

## Visit Us

### Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,  
Kanpur - 208024, INDIA

## Contact US

---

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

## Join Us on

---



(<https://www.facebook.com/aspirestudyin/>) ([https://www.youtube.com/channel/UCtA-10mMIg\\_FU0QUBpYHC9g](https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g))

## General Links

---



Terms of Use ([https://www.test.aspirestudy.in/docs/view/terms\\_of\\_use](https://www.test.aspirestudy.in/docs/view/terms_of_use))



Privacy Policy ([https://www.test.aspirestudy.in/docs/view/privacy\\_policy](https://www.test.aspirestudy.in/docs/view/privacy_policy))



Cookies Policy ([https://www.test.aspirestudy.in/docs/view/cookies\\_policy](https://www.test.aspirestudy.in/docs/view/cookies_policy))