

# Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,  
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



## nimcet Previous Year Questions (PYQs)

### nimcet 2012 PYQ

**Qus : 1** nimcet PYQ 2012 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $H$  is the harmonic mean between  $P$  and  $Q$ , then  $\frac{H}{P} + \frac{H}{Q}$  is

1

2

2

$$\frac{P+Q}{Q}$$

3

$$\frac{PQ}{P+Q}$$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3625\)](https://www.test.aspirestudy.in/library/qus/3625)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 2** nimcet PYQ 2012 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The number of values of  $k$  for which the system of equations  $(k+1)x + 8y = 4k$  and

The number of values of  $k$  for which the system of equations  $(k+1)x + 3y = 4k$  and  $kx + (k+3)y = 3k - 1$  has infinitely many solutions, is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3626\)](https://www.test.aspirestudy.in/library/qus/3626)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 3 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The sum  ${}^{20}C_8 + {}^{20}C_9 + {}^{21}C_{10} + {}^{22}C_{11} - {}^{23}C_{11}$

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3627\)](https://www.test.aspirestudy.in/library/qus/3627)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 4 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The value of  $\cot^{-1}(21) + \cot^{-1}(13) + \cot^{-1}(-8)$  is:

- 1
- 2

3

$\infty$

4

$\frac{\pi}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3628\)](https://www.test.aspirestudy.in/library/qus/3628)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 5** **nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Normal to the curve  $y = x^3 - 3x + 2$  at the point  $(2, 4)$  is:

1

$$9x - y - 14 = 0$$

2

$$x - 9y + 40 = 0$$

3

$$x + 9y - 38 = 0$$

4

$$-9x + y + 22 = 0$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3629\)](https://www.test.aspirestudy.in/library/qus/3629)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 6** **nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The value of  $\lim_{n \rightarrow \infty} \frac{\pi}{n} \left[ \sin \frac{\pi}{n} + \sin \frac{2\pi}{n} + \cdots + \sin \frac{(n-1)\pi}{n} \right]$  is:

1

0

2

$\pi$

3

2

4

 $\frac{\pi}{2}$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3630\)](https://www.test.aspirestudy.in/library/qus/3630)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 7 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The point on the curve  $y = 6x - x^2$  where the tangent is parallel to the x-axis is:

1

(0,0)

2

(2,8)

3

(6,0)

4

(3,9)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3631\)](https://www.test.aspirestudy.in/library/qus/3631)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 8 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $I_1 = \int_0^1 2^{x^2}, dx$ ,  $I_2 = \int_0^1 2^{x^3}, dx$ ,  $I_3 = \int_1^2 2^{x^2}, dx$ ,  $I_4 = \int_1^2 2^{x^3}, dx$ , then

1

 $I_1 = I_2$ 

2

 $I_2 > I_1$ 

3

 $I_3 > I_4$ 

4

 $I_4 > I_3$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3632\)](https://www.test.aspirestudy.in/library/qus/3632)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 9 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The value of integral  $\int_0^{\pi/2} \log \tan x dx$  is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3633\)](https://www.test.aspirestudy.in/library/qus/3633)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 10 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A determinant is chosen at random from the set of all determinants of matrices of order 2 with elements 0 and 1 only. The probability that the determinant chosen is non-zero is:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3634\)](https://www.test.aspirestudy.in/library/qus/3634)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 11 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\sin^2 x = 1 - \sin x$ , then  $\cos^4 x + \cos^2 x$  is equal to:

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3635\)](https://www.test.aspirestudy.in/library/qus/3635)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 12 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The equation of the plane passing through the point  $(1, 2, 3)$  and having the normal vector  $N = 3\mathbf{i} - \mathbf{j} + 2\mathbf{k}$  is:

- 1 
$$\begin{aligned} 2x - y \\ + 3z + 7 \\ = 0 \end{aligned}$$
- 2 
$$\begin{aligned} 3x - y \\ + 2z + 7 \\ = 0 \end{aligned}$$
- 3 
$$\begin{aligned} 3x - y \\ + 2z = 7 \end{aligned}$$
- 4 
$$\begin{aligned} 3x + y \\ + 2z = 7 \end{aligned}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3636\)](https://www.test.aspirestudy.in/library/qus/3636)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 13 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The value of  $\int_0^{\sin^2 x} \sin^{-1} \sqrt{t} dt + \int_0^{\cos^2 x} \cos^{-1} \sqrt{t} dt$  is:

- ☐ 1  $\frac{\pi}{4}$
- ☐ 2  $\frac{\pi}{2}$
- ☐ 3 1
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3637\)](https://www.test.aspirestudy.in/library/qus/3637)

**nimcet Previous Year PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 14 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Coefficients  $a, b, c$  of  $ax^2 + bx + c = 0$  are chosen by tossing 3 fair coins. Head means 1, Tail means 2. Find the probability that the roots are imaginary

- ☐ 1  $\frac{7}{8}$
- ☐ 2  $\frac{5}{8}$
- ☐ 3  $\frac{3}{8}$
- ☐ 4  $\frac{1}{8}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3638\)](https://www.test.aspirestudy.in/library/qus/3638)

**nimcet Previous Year PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 15 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

In a class of 100 students, 55 passed in Mathematics and 67 passed in Physics. The number of students who passed in Physics only is:

- ☐ 1 22
- ☐ 2 33
- ☐ 3 10
- ☐ 4 45

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3639\)](https://www.test.aspirestudy.in/library/qus/3639)

**nimcet Previous Year PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 16 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $(4, -3)$  and  $(-9, 7)$  are two vertices of a triangle and  $(1, 4)$  is its centroid, find the area of the triangle.

- ☐ 1  $\frac{138}{2}$
- ☐ 2  $\frac{319}{2}$
- ☐ 3  $\frac{183}{2}$
- ☐ 4  $\frac{381}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3640\)](https://www.test.aspirestudy.in/library/qus/3640)

**nimcet Previous Year PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 17 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)



The equation of ellipse with major axis along the x-axis and passes through the point  $(4, 3)$  and  $(-1, 4)$ .

1

$$15x^2 + 7y^2 = 247$$

2

$$7x^2 + 15y^2 = 247$$

3

$$16x^2 + 9y^2 = 247$$

4

$$9x^2 + 16y^2 = 247$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3641\)](https://www.test.aspirestudy.in/library/qus/3641)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 18 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If the circles  $x^2 + y^2 + 2x + 2ky + 6 = 0$  and  $x^2 + y^2 + 2ky + k = 0$  intersect orthogonally, then  $k$  is:

1

$$2 \text{ or } -\frac{3}{2}$$

2

$$-2 \text{ or } -\frac{3}{2}$$

3

$$2 \text{ or } \frac{3}{2}$$

4

$$-2 \text{ or } \frac{3}{2}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3642\)](https://www.test.aspirestudy.in/library/qus/3642)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 19 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Focus of the parabola  $x^2 + y^2 - 2xy - 4(x + y - 1) = 0$  is:

- 1 (1,1)
- 2 (1,2)
- 3 (2,1)
- 4 (0,2)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3643\)](https://www.test.aspirestudy.in/library/qus/3643)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 20 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If **a**, **b**, **c** are unit vectors such that **a + b + c = 0**, then the value of **a · b + b · c + c · a** is:

- 1  $\frac{2}{3}$
- 2  $-\frac{2}{3}$
- 3  $\frac{3}{2}$
- 4  $-\frac{3}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3644\)](https://www.test.aspirestudy.in/library/qus/3644)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 21 nimcet PYO 2012** (<https://www.test.aspirestudv.in/libravr/bva/1/nimcet?view=vear&kev=2012>)

If two towers of heights  $h_1$  and  $h_2$  subtend angles  $60^\circ$  and  $30^\circ$  respectively at the mid-point of the line joining their feet, then  $h_1 : h_2$  is

- (a) 1 : 2      (b) 1 : 3      (c) 2 : 1      (d) 3 : 1

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3645\)](https://www.test.aspirestudy.in/library/qus/3645)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 22 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If the vectors  $\mathbf{a} = (1, x, -2)$  and  $\mathbf{b} = (x, 3, -4)$  are mutually perpendicular, then the value of  $x$  is

- (a) -2                      (b) 2  
(c) 4                        (d) -4

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3646\)](https://www.test.aspirestudy.in/library/qus/3646)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 23 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

What is the value of  $a$  for which  
$$f(x) = \begin{cases} \sin x, & \text{if } x \leq \frac{\pi}{2} \\ ax, & \text{if } x > \frac{\pi}{2} \end{cases}$$
 is continuous?

- (a)  $\pi$  (b)  $\frac{\pi}{2}$   
(c)  $\frac{2}{\pi}$  (d) 0

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3647\)](https://www.test.aspirestudy.in/library/qus/3647)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 24 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If the real number  $x$  when added to its inverse gives the minimum value of the sum, then the value of  $x$  is equal to

- (a)  $-2$  (b)  $2$

(c) 1

(d) -1

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3648\)](https://www.test.aspirestudy.in/library/qus/3648)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 25 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\cos(\alpha + \beta) = \frac{4}{5}$  and  $\sin(\alpha - \beta) = \frac{5}{13}$ ,  $0 < \alpha, \beta, \frac{\pi}{4}$ ,

then  $\tan(2\alpha)$  is equal to

(a)  $\frac{56}{33}$

(b)  $\frac{63}{65}$

(c)  $\frac{16}{63}$

(d)  $\frac{33}{56}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3649\)](https://www.test.aspirestudy.in/library/qus/3649)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 26 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The number of words that can be formed by using the letters of the word 'MATHEMATICS' that start as well as end with T is

1

80720

2

90720

3

20860

4

37528

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3650\)](https://www.test.aspirestudy.in/library/qus/3650)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 27 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $A - B = \frac{\pi}{4}$ , then  $(1 + \tan A)(1 - \tan B)$  is equal to

(a) 2

(b) 1

(c) 0

(d) 3

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3651\)](https://www.test.aspirestudy.in/library/qus/3651)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2012)

**Qus : 28 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Let  $P(E)$  denote the probability of event  $E$ . Given  $P(A) = 1$ ,  $P(B) = \frac{1}{2}$ , the values of  $P(A | B)$  and  $P(B | A)$  respectively are

1

$\frac{1}{4}, \frac{1}{2}$

2

$\frac{1}{2}, \frac{1}{4}$

3

$\frac{1}{2}, 1$

4

$1, \frac{1}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3652\)](https://www.test.aspirestudy.in/library/qus/3652)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 29 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The number of different license plates that can be formed in the format 3 English letters (A...Z) followed by 4 digits (0, 1, ... 9) with repetitions allowed in letters and digits is equal to

(a)  $26^3 \times 10^4$

(b)  $26^3 + 10^4$

(c) 36

(d)  $26^3$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3653\)](https://www.test.aspirestudy.in/library/qus/3653)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2012 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

Qus : 30 nimcet PYQ 2012 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Which of the following is correct?

(a)  $\sin 1^\circ > \sin 1$

(b)  $\sin 1^\circ < \sin 1$

(c)  $\sin 1^\circ = \sin 1$

(d)  $\sin 1^\circ = \frac{\pi}{180} \sin 1$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3654\)](https://www.test.aspirestudy.in/library/qus/3654)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2012 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

Qus : 31 nimcet PYQ 2012 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\mathbf{a}$ ,  $\mathbf{b}$ ,  $\mathbf{c}$  are non-coplanar vectors and  $\lambda$  is a real number, then the vectors  $\mathbf{a} + 2\mathbf{b} + 3\mathbf{c}$ ,  $\lambda\mathbf{b} + 4\mathbf{c}$  and  $(2\lambda - 1)\mathbf{c}$  are non-coplanar for

(a) all values of  $\lambda$

(b) all except one value of  $\lambda$

(c) all except two values of  $\lambda$

(d) no value of  $\lambda$

1

(a)



2

(b)

3

(c)

4

(d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3655>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 32 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Suppose values taken by a random variable  $X$  are such that  $a \leq x_i \leq b$ , where  $x_i$  denotes the value of  $X$  in the  $i$ th case for  $i = 1, 2, 3, \dots, n$ , then

(a)  $(b - a)^2 \geq \text{Var}(X)$       (b)  $\frac{a^2}{4} \leq \text{Var}(X)$

(c)  $a^2 \leq \text{Var}(X) \leq b^2$       (d)  $a \leq \text{Var}(X) \leq b$

1

(a)

2

(b)

3

(c)

4

(d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3656>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 33 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\omega$  is the cube root of unity, then the system of equations  $x + \omega^2 y + \omega z = 0$ ,  $\omega x + y + \omega^2 z = 0$  and  $\omega^2 x + \omega y + z = 0$  is

- (a) consistent and has unique solution
- (b) consistent and has more than one solution
- (c) inconsistent
- (d) None of the above

1 (a)

2 (b)

3 (c)

4 (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3657\)](https://www.test.aspirestudy.in/library/qus/3657)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 34 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $x = \log_a bc$ ,  $y = \log_b ca$  and  $z = \log_c ab$ , then

$\frac{1}{1+x} + \frac{1}{1+y} + \frac{1}{1+z}$  is equal to

- (a)  $abc$
- (b)  $\sqrt{ab} + \sqrt{bc} + \sqrt{ca}$
- (c) 1
- (d)  $x + y + z$

1 (a)

2 (b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3658\)](https://www.test.aspirestudy.in/library/qus/3658)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 35 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $2^a = 3^b = 6^{-c}$ , then  $ab + bc + ca$  is equal to

(a) 1

(b) 2

(c) 0

(d) None of these

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3659\)](https://www.test.aspirestudy.in/library/qus/3659)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 36 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $e$  and  $e'$  be the eccentricities of a hyperbola and its conjugate, then  $\frac{1}{e^2} + \frac{1}{e'^2}$  is equal to

(a) 0

(b) 1

(c) 2

(d) None of these

1

(a)

2

(b)

3

(c)

4

(d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3660>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 37 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If a fair coin is tossed  $n$  times, then the probability that the head comes odd number of times is

(a)  $\frac{1}{2}$

(b)  $\frac{1}{2^n}$

(c)  $\frac{1}{2^{n-1}}$

(d) None of these

1

(a)

2

(b)

3

(c)

4

(d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3661>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 38 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\sin (\pi \cos \theta)=\cos (\pi \sin \theta)$ , then  $\sin 2 \theta$  is equal to

- (a)  $\pm \frac{3}{4}$       (b)  $\pm \frac{1}{3}$       (c)  $\pm \frac{1}{4}$       (d)  $\pm \frac{4}{3}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3662\)](https://www.test.aspirestudy.in/library/qus/3662)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 39 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

In which of the following regular polygons, the number of diagonals is equal to number of sides?

- (a) Pentagon                      (b) Square  
(c) Octagon                      (d) Hexagon

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3663\)](https://www.test.aspirestudy.in/library/qus/3663)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 40 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

One hundred identical coins each with probability  $P$  of showing up heads are tossed. If  $0 < P < 1$  and the probability of heads showing on 50 coins is equal to that of heads on 51 coins, then the value of  $P$  is

- (a)  $\frac{1}{2}$       (b)  $\frac{49}{101}$       (c)  $\frac{50}{101}$       (d)  $\frac{51}{101}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3664\)](https://www.test.aspirestudy.in/library/qus/3664)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 41 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The equation  $(\cos p - 1)x^2 + (\cos p)x + \sin p = 0$ , where  $x$  is a variable has real roots. Then, the interval of  $p$  is

- (a)  $(0, 2\pi)$       (b)  $(-\pi, 0)$   
(c)  $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$       (d)  $(0, \pi)$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3665\)](https://www.test.aspirestudy.in/library/qus/3665)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 42 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Number of real roots of  $3x^5 + 15x - 8 = 0$  is

(a) 3

(b) 5

(c) 1

(d) 0

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3666\)](https://www.test.aspirestudy.in/library/qus/3666)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 43 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The value of  $k$  for which the set of equations  $3x + ky - 2z = 0$ ,  $x + ky + 3z = 0$  and  $2x + 3y - 4z = 0$  has a non-trivial solution, is

- (a)  $\frac{15}{2}$       (b)  $\frac{17}{2}$       (c)  $\frac{31}{2}$       (d)  $\frac{33}{2}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3667\)](https://www.test.aspirestudy.in/library/qus/3667)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 44 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $x = \log_3 5$ ,  $y = \log_{17} 25$ , then which one of the following is correct?

(a)  $x > y$

(b)  $x < y$

(c)  $x \leq y$

(d)  $x = y$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3668\)](https://www.test.aspirestudy.in/library/qus/3668)



**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 45 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $A = \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$ , then  $A^n$  for any natural number  $n$  is

(a)  $\begin{bmatrix} n & n \\ 0 & n \end{bmatrix}$

(b)  $\begin{bmatrix} 1 & n \\ 0 & 1 \end{bmatrix}$

(c)  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

(d) None of these

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3669\)](https://www.test.aspirestudy.in/library/qus/3669)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 46 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A problem in Mathematics is given to three students  $A, B$  and  $C$  whose chances of solving it are  $\frac{1}{2}, \frac{1}{3}$  and  $\frac{1}{4}$ , respectively. If they all try to solve the problem, what is the probability that the problem will be solved?

- (a)  $\frac{1}{2}$  (b)  $\frac{1}{4}$   
(c)  $\frac{1}{3}$  (d)  $\frac{3}{4}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3670\)](https://www.test.aspirestudy.in/library/qus/3670)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 47 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The function  $x^x$  decreases in the interval

- (a)  $(0, e)$  (b)  $(0, 1)$   
(c)  $\left(0, \frac{1}{e}\right)$  (d) None of these

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3671\)](https://www.test.aspirestudy.in/library/qus/3671)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 48 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\mathbf{a} + \mathbf{b} + \mathbf{c} = 0$ ,  $|\mathbf{a}| = 3$ ,  $|\mathbf{b}| = 5$ ,  $|\mathbf{c}| = 7$ , then angle between the vectors  $\mathbf{a}$  and  $\mathbf{b}$  is

(a)  $\frac{\pi}{2}$

(b)  $\frac{\pi}{3}$

(c)  $\frac{\pi}{4}$

(d)  $\frac{\pi}{6}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3672\)](https://www.test.aspirestudy.in/library/qus/3672)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 49 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $\theta$  ( $0 \leq \theta \leq \pi$ ) is the angle between the vectors  $\mathbf{a}$  and  $\mathbf{b}$ , then  $\frac{|\mathbf{a} \times \mathbf{b}|}{\mathbf{a} \cdot \mathbf{b}}$  equals to

- (a)  $-\cot \theta$  (b)  $\tan \theta$   
(c)  $-\tan \theta$  (d)  $\cot \theta$

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3673>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 50 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $f(a+b) = f(a) \times f(b)$  for all  $a$  and  $b$  and  $f(5) = 2$ ,  $f'(0) = 3$ , then  $f'(5)$  is equal to  
(a) 2 (b) 4 (c) 6 (d) 8

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3674>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2012)

**Qus : 51 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If a man walks at the rate of 4 km/h, he misses a train by only 6 min. However, if he walks at the rate of 5 km/h he reaches the station 6 min before the arrival of the train. The distance covered by him to reach the station is

- (a) 4 km (b) 7 km  
(c) 9 km (d) 5 km

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3675\)](https://www.test.aspirestudy.in/library/qus/3675)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous> Year)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2012)

**Qus : 52 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The missing number in the given series

3, 6, 6, 12, 9, ..., 12 is

- (a) 15 (b) 18  
(c) 11 (d) 13

- 1 (a)  
2 (b)  
3 (c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3676\)](https://www.test.aspirestudy.in/library/qus/3676)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 53 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A man runs 20 m towards east and turns right, runs 10 m and turns right, runs 9 m and turns left, runs 5 m and turns left, runs 12 m and finally turns left and runs 6 m. Which direction is the man facing?

(a) North

(b) South

(c) East

(d) West

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3677\)](https://www.test.aspirestudy.in/library/qus/3677)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 54 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

In a club, there are certain number of males and females. If 15 females are absent, then number of males will be half of females. If 45 males are absent, then female strength will be 5 times that of males. Number of males actually present is

- (a) 45 (b) 80  
(c) 105 (d) 175

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3678>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 55 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The missing number in the following series

6, 12, 21, ..., 48 is

- (a) 40 (b) 33 (c) 38 (d) 45

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3679>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012>)

**Qus : 56 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** Read the following passage carefully and answer the questions.

Six boys A, B, C, D, E and F are marching in a line. They are arranged according to their heights, the tallest being at the back and the shortest in the front. F is between B and A. E is shorter than D but taller than C who is taller than A. E and F have two boys between them. A is not the shortest among them.

Where is E?

- (a) Between A and B                      (b) Between C and A  
(c) Between D and C                    (d) In front of C

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3680\)](https://www.test.aspirestudy.in/library/qus/3680)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012>)

**Qus : 57 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** Read the following passage carefully and answer the questions.

Six boys A, B, C, D, E and F are marching in a line. They are arranged according to their heights, the tallest being at the back and the shortest in the front. F is between B and A. E is shorter than D but taller than C who is taller than A. E and F have two boys between them. A is not



the shortest among them.

If we start counting from the shortest, which boy is fourth in the line?

- (a) E (b) A  
(c) D (d) C

- 1 (a)  
2 (b)  
3 (c)  
4 (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3681\)](https://www.test.aspirestudy.in/library/qus/3681)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 58 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** Read the following passage carefully and answer the questions.

Six boys A, B, C, D, E and F are marching in a line. They are arranged according to their heights, the tallest being at the back and the shortest in the front. F is between B and A. E is shorter than D but taller than C who is taller than A. E and F have two boys between them. A is not the shortest among them.

Who is next to the shortest?

- (a) C (b) B  
(c) E (d) F

- 1 (a)  
2 (b)  
3 (c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3682\)](https://www.test.aspirestudy.in/library/qus/3682)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 59 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Let  $x$ ,  $y$  and  $z$  be distinct integers.  $x$  and  $y$  are odd and positive and  $z$  is even and positive. Which one of the following statements cannot be true?

- (a)  $(x - z)^2 y$  is even      (b)  $(x - z) y^2$  is odd  
(c)  $(x - z) y$  is odd      (d)  $(x - y)^2 z$  is even

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3683\)](https://www.test.aspirestudy.in/library/qus/3683)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 60 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Pointing towards a man in the photograph, lady said "the father of his brother is the only son of my mother". How is the man related to lady?

1

Brother

2

Son

3

Cousin

4

Nephew

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3684\)](https://www.test.aspirestudy.in/library/qus/3684)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 61 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Find the odd number in the following series.

2, 9, 28, 65, 126, 216, 344, ...

(a) 28

(b) 65

(c) 126

(d) 216

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3685\)](https://www.test.aspirestudy.in/library/qus/3685)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 62 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Average age of students of an adult school is 40 yr. 120 new students whose average age is 32 yr joined the school. As a result the average age is decreased by 4 yr. The number of students of the school after joining of the new students is

(a) 1200  
(c) 360

(b) 120  
(d) 240

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3686\)](https://www.test.aspirestudy.in/library/qus/3686)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 63 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)



**Qus : 64 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Five persons K, L, M, N and O are sitting around a dining table. K is the mother of M, M is actually the wife of O, N is the brother of K and L is the husband of K. How is N related to L?

(a) Son

(b) Cousin

(c) Brother

(d) Brother-in-law

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3689\)](https://www.test.aspirestudy.in/library/qus/3689)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 65 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Three men A, B and C play cards. If one loses the game he has to give ₹3. If he wins the game he will gain ₹3 each from the other two losers. If A has won 3 games, B loses ₹3, C wins ₹12, then the total number of games played is

- ☒ 1 12
- ☐ 2 21
- ☐ 3 20
- ☐ 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3690\)](https://www.test.aspirestudy.in/library/qus/3690)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 66 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A causes B or C, but not both

F occurs only if B occurs

D occurs if B or C occurs

E occurs only if C occurs

J occurs only if E or F occurs

D causes G, H or both

H occurs if E occurs

G occurs if F occurs

If A occurs, which may occur?

I. F and G    II. E and H    III. D

(a) Only I

(b) Only II

(c) I and III or II and III, but not both

(d) I, II and III

- ☒ 1 (a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3691\)](https://www.test.aspirestudy.in/library/qus/3691)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 67 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A causes B or C, but not both

F occurs only if B occurs

D occurs if B or C occurs

E occurs only if C occurs

J occurs only if E or F occurs

D causes G, H or both

H occurs if E occurs

G occurs if F occurs

If B occurs, which must occur?

(a) D

(b) G

(c) H

(d) J

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3692\)](https://www.test.aspirestudy.in/library/qus/3692)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 68 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A causes B or C, but not both  
F occurs only if B occurs  
D occurs if B or C occurs  
E occurs only if C occurs  
J occurs only if E or F occurs  
D causes G, H or both  
H occurs if E occurs  
G occurs if F occurs  
If J occurs which must have occurred

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3693\)](https://www.test.aspirestudy.in/library/qus/3693)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 69 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If 'ROAST' is coded as 'PQYUR' in a certain language, then 'SLOPPY' is coded in that language as

- (a) MRNAQN
- (b) NRMNQA
- (c) QNMRNA
- (d) RANNMQ

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3694\)](https://www.test.aspirestudy.in/library/qus/3694)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 70 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If 'lelibroon' means 'yellow hat', 'plekafroti' means 'flower garden' and 'frotimix' means 'garden salad', then which word could mean 'yellow flower'?

- (a) lelifroti                      (b) lelipleka  
(c) plekabroon                (d) frotibroon

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3695\)](https://www.test.aspirestudy.in/library/qus/3695)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 71 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If + is \*, - is +, \* is / and / is -, then  $6 - 9 + 8 * 3/20$  is equal to

- (a) -2                              (b) 6  
(c) 10                              (d) 12

1

(a)

2

(b)



3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3696\)](https://www.test.aspirestudy.in/library/qus/3696)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 72 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

In a certain year, there were exactly four Fridays and four Mondays in January. On what day of the week did the 20th of January fall that year?

(a) Saturday

(b) Sunday

(c) Thursday

(d) Tuesday

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3697\)](https://www.test.aspirestudy.in/library/qus/3697)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 73 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Krishna said, "This girl is the wife of grandson of my mother". How is Krishna related to girl?

(a) Father

(b) Father-in-law

(c) Husband

(d) Grandfather

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3698\)](https://www.test.aspirestudy.in/library/qus/3698)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 74 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Instead of walking along two adjacent sides of a rectangular field, a boy took a shortcut along the diagonal of the field and saved a distance equal to half the longer side. The ratio of the shorter side of the rectangle to the longer side is

- (a)  $\frac{1}{2}$       (b)  $\frac{2}{3}$       (c)  $\frac{1}{4}$       (d)  $\frac{3}{4}$

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3699\)](https://www.test.aspirestudy.in/library/qus/3699)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 75 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Each word in parenthesis below is formed in a method. This method is used in all four examples.

SNIP (NICE) PACE  
TEAR (EAST) FAST  
TRAY (RARE) FIRE  
POUT (OURS) CARS

Based on this method, the word in the parenthesis of CANE (?) BATS is

(a) NEAT      (b) CATS      (c) ANTS      (d) NETS

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3700\)](https://www.test.aspirestudy.in/library/qus/3700)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 76 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

sdfds

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3701\)](https://www.test.aspirestudy.in/library/qus/3701)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

year)

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 77 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** (Q.Nos. Read the following passage carefully and answer the questions.

Five roommates Randy, Sally, Terry, Uma and Vernon each do one housekeeping task mopping, sweeping, laundry, vacuuming or dusting one day a week, Monday through Friday.

- Vernon does not vacuum and does not do his task on Tuesday.
- Sally does the dusting and does not do it on Monday or Friday.
- The mopping is done on Thursday.
- Terry does his task, which is not vacuuming, on Wednesday.
- The laundry is done on Friday and not by Uma.
- Randy does his task on Monday.

The day on which the vacuuming is done, is

- (a) Friday                      (b) Monday  
(c) Tuesday                  (d) Wednesday

1 (a)

2 (b)

3 (c)

4 (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3703\)](https://www.test.aspirestudy.in/library/qus/3703)

**nimcet Previous Year PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

**nimcet NIMCET 2012 PYQ** ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2012))

**Qus : 78 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Directions (Q.Nos. Read the following passage carefully and answer the questions.

Five roommates Randy, Sally, Terry, Uma and Vernon each do one housekeeping task mopping, sweeping, laundry, vacuuming or dusting one day a week, Monday through Friday.

- Vernon does not vacuum and does not do his task on Tuesday.
- Sally does the dusting and does not do it on Monday or Friday.
- The mopping is done on Thursday.
- Terry does his task, which is not vacuuming, on Wednesday.
- The laundry is done on Friday and not by Uma.
- Randy does his task on Monday.

Sally does dusting on

- (a) Friday (b) Monday  
(c) Tuesday (d) Wednesday

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3704\)](https://www.test.aspirestudy.in/library/qus/3704)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 79 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Directions Read the following passage carefully and answer the questions.

P, Q, R, S, T, U, V and W are sitting round the circle and are facing the centre. P is second to the right of T, T is the neighbour of R and V. S is not the neighbour of P, V is the neighbour of U, Q is not between S and W and W is not between U and S.

Which two of the following are not neighbours?

- (a) RV (b) UV  
(c) RP (d) QW

1

(a)

2

(b)

3

(c)

4

(d)

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/3705>)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 80 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** Read the following passage carefully and answer the questions.

P, Q, R, S, T, U, V and W are sitting round the circle and are facing the centre. P is second to the right of T, T is the neighbour of R and V. S is not the neighbour of P, V is the neighbour of U, Q is not between S and W and W is not between U and S.

What is the position of S?

- (a) Between U and V  
(b) Second to the right of P  
(c) To the immediate right of W  
(d) Data inadequate

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3706\)](https://www.test.aspirestudy.in/library/qus/3706)**nimcet Previous Year PYQ**<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)**Qus : 81 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The ratio between a two-digit number and the sum of the digits of that number is 4 : 1. If the digit in the unit's place is 3 more than the digit in ten's place, then the number is

1

24

2

63

3

36

4

42

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3707\)](https://www.test.aspirestudy.in/library/qus/3707)**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)**Qus : 82 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Two positions of a dice are shown below. When number 1 is on the top, what number will be at the bottom?



(I)



(II)

1

2

2

3

3

5

4

Cannot be determined



Cannot be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3708\)](https://www.test.aspirestudy.in/library/qus/3708)

### nimcet Previous Year PYQ

(<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 83 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

A, B, C, D, E, F and G are sitting in a line facing East. C is immediate to the right of D. B is at one of the extreme ends and has E as his neighbour. G is between E and F. D is sitting third from the South end. Who is sitting third from North?

1

A

2

E

3

F

4

G

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3709\)](https://www.test.aspirestudy.in/library/qus/3709)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 84 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

There is a family party consisting of two fathers, two mothers, two sons, one father-in-law, one mother-in-law, one daughter-in-law, one grandfather, one grandmother and one grandson.

What is the minimum number of persons required, so that this is possible?

(a) 5

(b) 6

(c) 7

(d) 8

1

(a)



2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3710\)](https://www.test.aspirestudy.in/library/qus/3710)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 85 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If A is brother of B, C is brother of B and A is brother of D, then which of the following must be true?

1

A is brother of C

2

B is brother of C

3

D is brother of C

4

B is brother of D

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3711\)](https://www.test.aspirestudy.in/library/qus/3711)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 86 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions: Read the following passage carefully and answer the questions.**

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows.

1. The roof must be painted either green, red or yellow.
2. The chimney must be painted either white, black or red.
3. No house may have the same colour chimney as the colour of roof.
4. No house may use any of the same colours that adjacent house uses.
5. House E has a green roof.
6. House B has a red roof and a black chimney.

Which of the following is true?

- 1 Atleast two houses have black chimney
- 2 Atleast two houses have red roofs
- 3 Atleast two houses have white chimenys
- 4 Atleast two houses have green roofs

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3712\)](https://www.test.aspirestudy.in/library/qus/3712)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 87 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions: Read the following passage carefully and answer the questions.**

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows.

1. The roof must be painted either green, red or yellow.
2. The chimney must be painted either white, black or red.
3. No house may have the same colour chimney as the colour of roof.
4. No house may use any of the same colours that adjacent house uses.
5. House E has a green roof.
6. House B has a red roof and a black chimney.

If house C has a yellow roof, then which of the following must be true?

- 1 House E has a white chimney
- 2 House E has a black chimney
- 3 House E has a red chimney
- 4 House D has a red chimney

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3713\)](https://www.test.aspirestudy.in/library/qus/3713)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 88 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions: Read the following passage carefully and answer the questions.**

Five houses lettered A, B, C, D and E are built in a row next to each other. The houses are lined up in the order A, B, C, D and E. Each of the five houses have coloured roofs and chimneys. The roof and chimney of each house must be painted as follows.

1. The roof must be painted either green, red or yellow.
2. The chimney must be painted either white, black or red.
3. No house may have the same colour chimney as the colour of roof.
4. No house may use any of the same colours that adjacent house uses.
5. House E has a green roof.
6. House B has a red roof and a black chimney.

What is the maximum number of green roofs?

- |   |   |
|---|---|
| 1 | 1 |
| 2 | 2 |
| 3 | 3 |
| 4 | 4 |

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3714\)](https://www.test.aspirestudy.in/library/qus/3714)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 89 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

For the word, four spellings are given. Choose the correct one.

- |   |         |
|---|---------|
| 1 | Cieling |
| 2 | Cealing |
| 3 | Ceiling |
| 4 | Ceeling |

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3715\)](https://www.test.aspirestudy.in/library/qus/3715)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 90 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Choose the wrongly spelled word.

1 Believe

2 Relieve

3 Grieve

4 Decieve

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3716\)](https://www.test.aspirestudy.in/library/qus/3716)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 91 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Choose the word or phrase that is most similar in meaning to the word **POLEMIC**.

1 Black

2 Magnetic

3 Grimace

4 Controversial

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3717\)](https://www.test.aspirestudy.in/library/qus/3717)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 92 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

dsds

- ☐ 1 (a)
- ☐ 2 (b)
- ☐ 3 (c)
- ☐ 4 (d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3718\)](https://www.test.aspirestudy.in/library/qus/3718)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 93 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

---

Pick the synonym of the word 'Mearge'.

- ☐ 1 Helpful
- ☐ 2 Abundant
- ☐ 3 Essential
- ☐ 4 Limited

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3721\)](https://www.test.aspirestudy.in/library/qus/3721)

---

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 94 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

---

Choose the words that best express the meaning of the given idiom-Mud slinging.

- ☐ 1 Giving pain

2

Abusing someone

3

Laying blame

4

Damaging the reputation

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3722\)](https://www.test.aspirestudy.in/library/qus/3722)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 95 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Pick the antonym of the word 'Timid'.

1

Bold

2

Lazy

3

Calm

4

Slow

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3723\)](https://www.test.aspirestudy.in/library/qus/3723)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 96 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Pick the part of the sentence that has an error. If you would have come to me, I would have helped you.

(a) If you would have

(b) Come to me

(c) I would have

(d) Helped you

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3724\)](https://www.test.aspirestudy.in/library/qus/3724)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 97 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Choose the word or phrase that is most nearly opposite in meaning to the word 'Extrinsic'.

(a) Reputable

(b) Inherent

(c) Ambitious

(d) Cursory

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3725\)](https://www.test.aspirestudy.in/library/qus/3725)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 98 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Select the alternative giving the closest meaning of the idiom – To eat a humble pie.

(a) To become a vegetarian

(b) Disinfecting everything

(c) To fill one's belly

(d) To say you are sorry for a mistake that you made

(a) To say you are sorry for a mistake that you made

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3726\)](https://www.test.aspirestudy.in/library/qus/3726)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 99 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Pick the antonym of the word 'Fabricate'.

(a) Construct

(b) Weaken

(c) Dismantle

(d) Evolve

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3727\)](https://www.test.aspirestudy.in/library/qus/3727)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 100 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions (Q.Nos. Fill in the blank with correct option to make a proper sentence.**



The people ... you socialise are called friends.

- (a) with whom                      (b) who  
(c) with who                      (d) whom

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3728\)](https://www.test.aspirestudy.in/library/qus/3728)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 101 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** (Q.Nos. Fill in the blank with correct option to make a proper sentence.

... to school yesterday?

- (a) Did you walk                      (b) Did you walked  
(c) Do you walk                      (d) Have you walked

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3729\)](https://www.test.aspirestudy.in/library/qus/3729)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 102 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Directions (Q.Nos. Fill in the blank with correct option to make a proper sentence.

There was no ... in the railway compartment for additional passengers.

- (a) space (b) place  
(c) seat (d) room

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3730\)](https://www.test.aspirestudy.in/library/qus/3730)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 103 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Directions (Q.Nos. Fill in the blank with correct option to make a proper sentence.

And now for this evening's main headline; Britain ... another olympic gold medal.

- (a) had won (b) wins  
(c) won (d) has won

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3731\)](https://www.test.aspirestudy.in/library/qus/3731)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 104 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** (Q.Nos. Fill in the blank with correct option to make a proper sentence.

If she ..... about his financial situation, she would have helped him out.

- |               |                      |
|---------------|----------------------|
| (a) knew      | (b) had been knowing |
| (c) had known | (d) have known       |

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3732\)](https://www.test.aspirestudy.in/library/qus/3732)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 105 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Directions** (Q.Nos. Fill in the blank with correct option to make a proper sentence.

I am sure she can teach computers as well. She's not ..... new to the subject.

- (a) all together
- (b) altogether
- (c) alltogether
- (d) together

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3733\)](https://www.test.aspirestudy.in/library/qus/3733)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 106 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Directions (Q.Nos. Fill in the blank with correct option to make a proper sentence.

You are trying to drag me ... a controversy.

(a) in

(b) into

(c) from

(d) for

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3734\)](https://www.test.aspirestudy.in/library/qus/3734)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 107 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

An I/O processor controls the flow of information between

- (a) cache memory and I/O devices
- (b) main memory and I/O devices
- (c) two I/O devices
- (d) cache and main memories

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3735\)](https://www.test.aspirestudy.in/library/qus/3735)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 108 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Which of following devices will take highest time in taking the backup of the data from a computer?

- (a) Magnetic disk
- (b) Pen drive
- (c) CD
- (d) Magnetic tape

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3736\)](https://www.test.aspirestudy.in/library/qus/3736)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous>)

Year)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2012)

**Qus : 109 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

ROM is a kind of

- (a) primary memory      (b) cache memory  
(c) removable memory    (d) secondary memory

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3737\)](https://www.test.aspirestudy.in/library/qus/3737)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous> Year)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET> 2012)

**Qus : 110 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The errors that can be pointed out by compilers are

- (a) syntax errors      (b) semantic errors  
(c) logical errors      (d) internal errors

1

(a)

2

(b)

3

(c)

4

(d)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3738\)](https://www.test.aspirestudy.in/library/qus/3738)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 111 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Let  $x = 11111010$  and  $y = 00001010$  be two 8-bit 2's complement numbers. Their product in 2's complement notation is

- 1 11000100
- 2 10011100
- 3 10100101
- 4 11010101

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3739\)](https://www.test.aspirestudy.in/library/qus/3739)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 112 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The range of numbers that can be stored in 8 bits, if negative numbers are stored in 2's complement form is

- 1 -128 to +128
- 2 -128 to +127
- 3 -127 to +128
- 4 -127 to +127

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3740\)](https://www.test.aspirestudy.in/library/qus/3740)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 113 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

**Qus : 113 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Primary storage is ... as compared to secondary memory.

- 1 slow and expensive
- 2 fast and inexpensive
- 3 fast and expensive
- 4 slow and inexpensive

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3741\)](https://www.test.aspirestudy.in/library/qus/3741)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 114 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Which of the following units is used to supervise each instruction in the CPU?

- 1 Control unit
- 2 Accumulator
- 3 ALU
- 4 Control Register

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3742\)](https://www.test.aspirestudy.in/library/qus/3742)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 115 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

$(2FA0C)_{16}$  is equivalent to

- 1  $(195084)_{10}$



2

 $(00101111101000001100)_2$ 

3

Both (a) and (b)

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3743\)](https://www.test.aspirestudy.in/library/qus/3743)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 116 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The decimal equivalent to octal 111010 is

1

81

2

72

3

71

4

61

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/3744\)](https://www.test.aspirestudy.in/library/qus/3744)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 117 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The number of words that can be formed by using the letters of the word MATHEMATICS that start as well as end with T is

1

80720

2

90720

3

20860

4

37528

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10433\)](https://www.test.aspirestudy.in/library/qus/10433)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 118 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

If  $A - B = \frac{\pi}{4}$ , then  $(1 + \tan A)(1 - \tan B)$  is equal to

1 2

2 1

3 0

4 3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10434\)](https://www.test.aspirestudy.in/library/qus/10434)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 119 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

Let  $P(E)$  denote the probability of event  $E$ . Given  $P(A) = 1$ ,  $P(B) = \frac{1}{2}$  the value of  $P(A|B)$  and  $P(B|A)$  respectively are

1  $\frac{1}{4}, \frac{1}{2}$

2  $\frac{1}{2}, \frac{1}{4}$

3  $\frac{1}{2}, 1$

4  $1, \frac{1}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10435\)](https://www.test.aspirestudy.in/library/qus/10435)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

**Qus : 120 nimcet PYQ 2012** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2012>)

The number of different license plates that can be formed in the format 3 English letters (A....Z) followed by 4 digits (0, 1, ...9) with repetitions allowed in letters and digits is equal to

1

$$26^3 \times 10^4$$

2

$$26^3 + 10^4$$

3

36

4

$$26^3$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10436\)](https://www.test.aspirestudy.in/library/qus/10436)

**nimcet Previous Year PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

**nimcet NIMCET 2012 PYQ** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2012>)

## nimcet

**Online Test Series,**  
Information About Examination,  
Syllabus, Notification  
and More.

**Click Here to**  
**View More** (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

**Ask Your Question or Put Your Review.**

**Add Comment**

---

## Visit Us

### Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,  
Kanpur - 208024, INDIA

## Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

## Join Us on



(<https://www.facebook.com/aspirestudykanpur/>)

(<https://twitter.com/aspirestudykanpur>)

([https://www.youtube.com/channel/UCtA-10mMIg\\_FU0QUBpYHC9g](https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g))

## General Links



Terms of Use ([https://www.test.aspirestudy.in/docs/view/terms\\_of\\_use](https://www.test.aspirestudy.in/docs/view/terms_of_use))



Privacy Policy ([https://www.test.aspirestudy.in/docs/view/privacy\\_policy](https://www.test.aspirestudy.in/docs/view/privacy_policy))



Cookies Policy ([https://www.test.aspirestudy.in/docs/view/cookies\\_policy](https://www.test.aspirestudy.in/docs/view/cookies_policy))