

Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



nimcet Previous Year Questions (PYQs)

nimcet 2013 PYQ

Qus : 1 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 1 \\ 0 & -2 & 4 \end{bmatrix}$ and $6A^{-1} = A^2 + cA + dI$, where A^{-1} is A- inverse, I is the identify matrix, then (c, d) is

1

(-6, 11)

2

(6, -11)

3

(11, -6)

4

(6,11)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10312\)](https://www.test.aspirestudy.in/library/qus/10312)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 2 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Let $\vec{a} = \hat{j} - \hat{k}$ and $\vec{c} = \hat{i} - \hat{j} - \hat{k}$. Then the vector $\vec{b}$ satisfying $(\vec{a} \times \vec{b}) + \vec{c} = 0$ and $\vec{a} \cdot \vec{b} = 3$ is

- 1 $-\hat{i} + \hat{j} - 2\hat{k}$
- 2 $2\hat{i} - \hat{j} + 2\hat{k}$
- 3 $\hat{i} - \hat{j} - 2\hat{k}$
- 4 $\hat{i} + \hat{j} - 2\hat{k}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10313\)](https://www.test.aspirestudy.in/library/qus/10313)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 3 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Find the number of elements in the union of 4 sets A, B, C and D having 150, 180, 210 and 240 elements respectively, given that each pair of sets has 15 elements in common. Each triple of sets has 3 elements in common and $A \cap B \cap C \cap D = \phi$

- 1 616
- 2 512
- 3 111
- 4 702

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10314\)](https://www.test.aspirestudy.in/library/qus/10314)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 4 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If the straight line $ax + by + c = 0$ always passes through $(1, -2)$, then a, b, c are in

- 1 AP
- 2 HP
- 3 GP
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10315\)](https://www.test.aspirestudy.in/library/qus/10315)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 5 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A six faced die is a biased one. It is thrice more likely to show an odd number than to show an even number. It is thrown twice. The probability that the sum of the numbers in the two throws is even is

- 1 $4/8$
- 2 $5/8$
- 3 $6/8$
- 4 $7/8$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10316\)](https://www.test.aspirestudy.in/library/qus/10316)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 6 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $I_n = \int_0^{\pi/4} \tan^n \theta d\theta$, then $I_8 + I_6$ equals

- 1 $1/4$

2

1/5

3

1/6

4

1/7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10317\)](https://www.test.aspirestudy.in/library/qus/10317)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 7 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Let $\triangle ABC$ be a triangle whose area is $10\sqrt{3}$ units with side lengths $|AB| = 8$ units and $|AC| = 5$ units. Find possible values of the angle A

1

60° or 120°

2

45° or 135°

3

30° only

4

90° only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10318\)](https://www.test.aspirestudy.in/library/qus/10318)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 8 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Person A can hit a target 4 times in 5 attempts. Person B - 3 times in four attempts. Person C – 2 times in 3 attempts. They fire a volley. The probability that the target is hit at least two times. Is

1

3/4

2

1/2

3

5/6

4

1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10319\)](https://www.test.aspirestudy.in/library/qus/10319)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 9 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The value of the integral $\int_0^{\pi/2} \frac{\sqrt{\sin x}}{\sqrt{\sin x} + \sqrt{\cos x}} dx$ is

1

0

2

 $-\frac{\pi}{4}$

3

 $\frac{\pi}{2}$

4

 $\frac{\pi}{4}$
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10320\)](https://www.test.aspirestudy.in/library/qus/10320)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 10 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If ω is a cube root of unity, then find the value of determinant $\begin{vmatrix} 1 + \omega & \omega^2 & -\omega \\ 1 + \omega^2 & \omega & -\omega^2 \\ \omega^2 + \omega & \omega & -\omega^2 \end{vmatrix}$

1

 3ω

2

 -3ω

3

 $3\omega^2$

4

 $-3\omega^2$

nimcet Previous Year PYQ

(<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 11 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If the vector $2\hat{i} - 3\hat{j}$, $\hat{i} + \hat{j} - \hat{k}$ and $3\hat{i} - \hat{k}$ form three conterminous edges of a parallelepiped, then the volume of parallelepiped is

1

8

2

10

3

4

4

14

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10322\)](https://www.test.aspirestudy.in/library/qus/10322)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 12 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In a G.P. consisting of positive terms, each term equals the sum of the next two terms. Then the common ratio of the G.P. is

1

$\frac{(1-\sqrt{5})}{2}$

2

$\frac{(\sqrt{5})}{2}$

3

$\sqrt{5}$

4

$\frac{(\sqrt{5}-1)}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10323\)](https://www.test.aspirestudy.in/library/qus/10323)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2013 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2013))

Qus : 13 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $f(x) = \tan^{-1} \left[\frac{\sin x}{1 + \cos x} \right]$, then what is the first derivative of $f(x)$?

1

$\frac{1}{2}$

2

$\frac{-1}{2}$

3

2

4

-2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10324\)](https://www.test.aspirestudy.in/library/qus/10324)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2013 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2013))

Qus : 14 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The solution of $\sin x + 1 = \cos x$ such that $0 \leq x \leq 2\pi$ is

1

$0, \pi$

2

$0, \frac{\pi}{2}$

3

$\frac{\pi}{2}, \frac{3\pi}{2}$

4

$0, \frac{3\pi}{2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10325\)](https://www.test.aspirestudy.in/library/qus/10325)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2013 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2013))

Qus : 15 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Let T_n denote the number of triangles which can be formed by using the vertices of a regular polygon of n sides. If $T_{n+1} - T_n = 21$ then n equals

- 1 5
- 2 7
- 3 6
- 4 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10326\)](https://www.test.aspirestudy.in/library/qus/10326)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 16 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $\bar{X}_1$ and $\bar{X}_2$ are the means of two distributions such that $\bar{X}_1 < \bar{X}_2$ and $\bar{X}$ is the mean of the combined distribution, then

- 1 $\bar{X} < \bar{X}_1$
- 2 $\bar{X} > \bar{X}_2$
- 3 $\bar{X} = \frac{\bar{X}_1 + \bar{X}_2}{2}$
- 4 $\bar{X}_1 < \bar{X} < \bar{X}_2$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10327\)](https://www.test.aspirestudy.in/library/qus/10327)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 17 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The area enclosed within the curve $|X| + |Y| = 1$ (in square units) is

1

$\sqrt{2}$

2

1

3

$\sqrt{3}$

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10328\)](https://www.test.aspirestudy.in/library/qus/10328)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 18 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Let $f(x)$ be a polynomial function of second degree and $f(1) = f(-1)$. If a, b, c are in A.P. then $f'(a), f'(b), f'(c)$ are in.

1

GP

2

HP

3

AGP

4

AP

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10329\)](https://www.test.aspirestudy.in/library/qus/10329)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 19 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Find the point at which, the tangent to the curve $y = \sqrt{4x - 3} - 1$ as its slope $\frac{2}{3}$

1

(3,3)

2

(3,2)

3

(2,3)

4

(2,2)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10330\)](https://www.test.aspirestudy.in/library/qus/10330)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 20 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Atal Speaks truth in 70% and George speaks the truth in 60% cases. In what percentage of cases they are likely to contradict each other in stating the same fact?

1

 $\frac{13}{50}$

2

 $\frac{11}{50}$

3

 $\frac{23}{50}$

4

 $\frac{33}{50}$
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10331\)](https://www.test.aspirestudy.in/library/qus/10331)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 21 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A man observes the angle of elevation of the top of mountain to be 30° . He walks 1000 feet nearer and finds the angle of elevation to be 45° . What is the distance of the first point of observation from the foot of the mountain?

1

$$500\sqrt{3} \text{ ft}$$

$$(\sqrt{3} + 1)$$

2

$$500(\sqrt{3} \text{ ft}$$

$$+ 1)$$

3

$$500(\sqrt{3} \text{ ft} - 1)$$

4

$$500\sqrt{3} \text{ ft} (\sqrt{3} - 1)$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/10332>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 22 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The sum of n terms of an arithmetic series is 216. The value of the first term is n and the value of the n^{th} term is $2n$. The common difference, d is.

1

1

2

 $\frac{2}{3}$

3

 $\frac{3}{2}$

4

 $\frac{12}{11}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/10333>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 23 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Force $3\hat{i} + 2\hat{j} + 5\hat{k}$ and $2\hat{i} + \hat{j} - 3\hat{k}$ are acting on a particle and displace it from the point $2\hat{i} - \hat{j} - 3\hat{k}$ to $4\hat{i} - 3\hat{j} + 7\hat{k}$ the point then the work done by the force is

1

18 units

2

30 units

3

24 units

4

36 units

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10334\)](https://www.test.aspirestudy.in/library/qus/10334)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 24 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The value of $9^{\frac{1}{3}} \cdot 9^{\frac{1}{9}} \cdot 9^{\frac{1}{27}} \dots \infty$ is.

1

3

2

6

3

9

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10335\)](https://www.test.aspirestudy.in/library/qus/10335)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 25 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The minimum value of the function $y = 2x^3 + 36x - 20$ is

1

-120

2

-126

3

-128

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10336\)](https://www.test.aspirestudy.in/library/qus/10336)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 26 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In how many different ways can the letters of the word “CORPORATION” be arranged so that all the vowels is always come together?

- ☐ 1 810
- ☐ 2 1440
- ☐ 3 2880
- ☐ 4 50400

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10337\)](https://www.test.aspirestudy.in/library/qus/10337)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 27 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $\log_x^y = 100$ and $\log_2^x = 10$ then the value of y is.

- ☐ 1 2^{10}
- ☐ 2 2^{100}
- ☐ 3 2^{1000}
- ☐ 4 2^{1000}

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10338\)](https://www.test.aspirestudy.in/library/qus/10338)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 28 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The equations of the line parallel to the line $2x - 3y = 7$ and passing through the middle point of the line segment joining the points $(1, 3)$ and $(1, -7)$ is.

1

$$2x - 3y - 4 = 0$$

2

$$2x - 3y + 4 = 0$$

3

$$2x - 3y - 8 = 0$$

4

$$2x - 3y + 8 = 0$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10339\)](https://www.test.aspirestudy.in/library/qus/10339)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 29 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In a $\triangle ABC$, $(c + a + b)(a + b - c) = ab$ The measure of the angle C is.

1

$$\frac{\pi}{3}$$

2

$$\frac{\pi}{6}$$

3

$$\frac{2\pi}{3}$$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10340\)](https://www.test.aspirestudy.in/library/qus/10340)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 30 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The number of non-negative integers less than 1000 that contain the digit 1 are.

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10341\)](https://www.test.aspirestudy.in/library/qus/10341)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 31 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The lines $3x - 4y + 4 = 0$ and $6x - 8y - 7 = 0$ are tangent to the same circle. The radius of this circle is.

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10342\)](https://www.test.aspirestudy.in/library/qus/10342)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 32 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The area of the parallelogram whose diagonals are $\vec{a} = 3\hat{i} + \hat{j} - 2\hat{k}$ and $\vec{b} = \hat{i} - 3\hat{j} + 4\hat{k}$ is

- 1

2

$5\sqrt{3}$

3

$10\sqrt{2}$

4

$5\sqrt{2}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/10343>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 33 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $\sin x + a \cos x = b$, then what is the expression for $|a \sin x - \cos x|$ in terms of a and b ?

1

$\sqrt{\frac{a^2 - b^2}{-1}}$

2

$\sqrt{\frac{a^2 + b^2}{-1}}$

3

$\sqrt{\frac{a^2 + b^2}{+1}}$

4

$\sqrt{\frac{a^2 - b^2}{+1}}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/10344>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 34 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If A and B are two events such that $P(A \cup B) = \frac{5}{6}$, $P(A \cap B) = \frac{1}{3}$ and $P(\bar{B}) = \frac{1}{2}$, then the events A and B are

1

Dependent

2

Independent

3

Mutually exclusive

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10345\)](https://www.test.aspirestudy.in/library/qus/10345)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 35 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If there vectors $2\hat{i} - \hat{j} + \hat{k}$, $\hat{i} + 2\hat{j} - 3\hat{k}$ and $3\hat{i} + \lambda\hat{j} + 5\hat{k}$ are coplanar, then λ is

1

-1

2

-2

3

-3

4

-4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10346\)](https://www.test.aspirestudy.in/library/qus/10346)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 36 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The equation of the base of an equilateral triangle is $x + y = 2$ and the vertex is $(2, -1)$. The length of the side of the triangle is.

1

 $\sqrt{\frac{3}{2}}$

2

 $\sqrt{2}$

3

 $\sqrt{\frac{2}{3}}$

4

 $\sqrt{\frac{20}{3}}$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 37 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The total number of numbers that can be formed using the digits 3,5 and 7 only if no repetitions are allowed, is.

1

39

2

105

3

15

4

27

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10348\)](https://www.test.aspirestudy.in/library/qus/10348)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 38 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $x = a \cos t$, $y = b \sin t$, then $\frac{d^2y}{dx^2}$ is

1

$\frac{-b^4}{a^2 y^3}$

2

$-\frac{b^4}{a^2 x^3}$

3

$\frac{b}{ay^4}$

4

$\frac{a^4}{bx^3}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10349\)](https://www.test.aspirestudy.in/library/qus/10349)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 39 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A random variable X has the distribution law as given below:

X	1	2	3
P(X=x)	0.3	0.4	0.3

The variance of the distribution is

- ☒ 1 0.4
- ☐ 2 0.6
- ☐ 3 2
- ☐ 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10350\)](https://www.test.aspirestudy.in/library/qus/10350)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 40 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The value of $\tan \theta + 2 \tan 2\theta + 4 \tan 4\theta + 8 \cot 8\theta$ is

- ☒ 1 $\cot \theta$
- ☐ 2 $\tan \theta$
- ☐ 3 $\sin \theta$
- ☐ 4 $\cos \theta$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10351\)](https://www.test.aspirestudy.in/library/qus/10351)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET-2013>)

Qus : 41 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The sum of integers between 200 and 400, that are multiples of 7 is

- 1 8729
- 2 8700
- 3 8972
- 4 8279

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10352\)](https://www.test.aspirestudy.in/library/qus/10352)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 42 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

$\lim_{x \rightarrow 0} \left[\frac{\tan x - x}{x^2 \tan x} \right]$ is equal to

- 1 0
- 2 1
- 3 1/2
- 4 1/3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10353\)](https://www.test.aspirestudy.in/library/qus/10353)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 43 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Two fair dice are tossed. What is the probability that the total score is a prime number?

Two fair dice are tossed. What is the probability that the total score is a prime number?

1

$\frac{1}{6}$

2

$\frac{5}{12}$

3

$\frac{1}{2}$

4

$\frac{7}{9}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10354\)](https://www.test.aspirestudy.in/library/qus/10354)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 44 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Find the equation of the circle which passes through $(-1, 1)$ and $(2, 1)$, and having centre on the line $x + 2y + 3 = 0$.

1

$$\begin{aligned} &2x^2 \\ &+ 2y^2 \\ &- 2x \\ &+ 7y \\ &- 13 = 0 \end{aligned}$$

2

$$\begin{aligned} &x^2 + y^2 \\ &- 2x \\ &+ 7y \\ &- 13 = 0 \end{aligned}$$

3

$$\begin{aligned} &2x^2 \\ &+ 2y^2 \\ &+ 2x \\ &+ 7y \\ &- 13 = 0 \end{aligned}$$

4

$$\begin{aligned} &x^2 + y^2 \\ &+ 2x \\ &+ 7y \\ &- 13 = 0 \end{aligned}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10355\)](https://www.test.aspirestudy.in/library/qus/10355)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 45 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Let $\vec{a}, \vec{b}, \vec{c}$ be the position vectors of three vertices A, B, C of a triangle respectively then the area of this triangle is given by

1

$$\frac{1}{2}(\vec{a} \times \vec{b})\vec{c}$$

2

$$\frac{1}{2}|\vec{a} \times \vec{b} + \vec{b} \times \vec{c} + \vec{c} \times \vec{a}|$$

3

$$\vec{a} \times \vec{b} + \vec{b} \times \vec{c} + \vec{c} \times \vec{a}$$

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10356\)](https://www.test.aspirestudy.in/library/qus/10356)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 46 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The sum of the focal distances of any point on the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ with eccentricity e is given by

1

$$2ae$$

2

$$2b$$

3

$$2a$$

4

$$2be$$

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 47 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $\sin x + \sin^2 x = 1$, then $\cos^2 x + \cos^4 x$ is equal to.

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10358\)](https://www.test.aspirestudy.in/library/qus/10358)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 48 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

An experiment succeeds twice often as it fails. The probability that in the next six trials there will be at least four successes is.

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10359\)](https://www.test.aspirestudy.in/library/qus/10359)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

2013)

Qus : 49 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Sum of 20 terms of the series $-1^2 + 2^2 - 3^2 + 4^2 - \dots$ is

1 180

2 200

3 210

4 220

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10360\)](https://www.test.aspirestudy.in/library/qus/10360)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 50 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If $\tan \alpha = \frac{m}{m+1}$ and $\tan \beta = \frac{1}{2m+1}$ then $\alpha + \beta$ is equal to

1 $\frac{\pi}{3}$

2 $\frac{\pi}{4}$

3 $\frac{\pi}{6}$

4 π

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10361\)](https://www.test.aspirestudy.in/library/qus/10361)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 51 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A train takes 18 seconds to pass completely through a station 162 m long and 15 seconds through another station 120 m long, at the same speed. What is the length of the train, in meters?

- 1 70
- 2 80
- 3 90
- 4 100

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10362\)](https://www.test.aspirestudy.in/library/qus/10362)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 52 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In a row of children facing North, Shamika is third to the right of Nikhil, who is 17th from the right end of the row. Ravi is 5th to the left of Shamika and is 20th from the left end. Totally how many children are there in the row?

- 1 37
- 2 38
- 3 39
- 4 None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10363\)](https://www.test.aspirestudy.in/library/qus/10363)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 53 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Given that

- i) Some apples are blackberries.
- ii) Some doughnuts are apples.
- iii) No coconut is a doughnut.
- iv) All blackberries are coconuts.

Which of the following statements is false?

1

Some blackberries are doughnuts

2

Some coconuts are apples

3

All coconuts are not apples

4

All doughnuts are not coconuts

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10364\)](https://www.test.aspirestudy.in/library/qus/10364)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 54 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- In a family of 6 persons, there are two couples.
- The lawyer is the head of the family and has two sons-Mukesh and Rakesh-both teachers.
- Mrs. Reena and her mother-in-law both are lawyers.
- Mukesh's wife is a doctor and they have a son, Ajay.

Which of the following is definitely a couple?

1

Lawyer-Teacher

2

Doctor-Lawyer

3

Teacher-Teacher

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10365\)](https://www.test.aspirestudy.in/library/qus/10365)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 55 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- In a family of 6 persons, there are two couples.

- The lawyer is the head of the family and has two sons-Mukesh and Rakesh-both teachers.
- Mrs. Reena and her mother-in-law both are lawyers.
- Mukesh's wife is a doctor and they have a son, Ajay.

What is the profession of Rakesh's wife?

- ☒ 1 Teacher
- ☐ 2 Doctor
- ☐ 3 Lawyer
- ☐ 4 Can not be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10366\)](https://www.test.aspirestudy.in/library/qus/10366)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 56 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- In a family of 6 persons, there are two couples.
- The lawyer is the head of the family and has two sons-Mukesh and Rakesh-both teachers.
- Mrs. Reena and her mother-in-law both are lawyers.
- Mukesh's wife is a doctor and they have a son, Ajay.

What is/was Ajay's grandfather's occupation?

- ☐ 1 Teacher
- ☐ 2 Lawyer
- ☐ 3 Doctor
- ☐ 4 Can not be determined

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10367\)](https://www.test.aspirestudy.in/library/qus/10367)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 57 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Find the missing element in the series

A, CD, GHI, — — —, UVWXY

1

LMNO

2

MNOP

3

NOPQ

4

OPQR

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10368\)](https://www.test.aspirestudy.in/library/qus/10368)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 58 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In a code language, FRIEND is coded as GTLISJ. Which of the following is coded as HWDVI in that language?

1

HAPPY

2

GUARD

3

BEADS

4

SPEED

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10369\)](https://www.test.aspirestudy.in/library/qus/10369)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 59 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are four brothers Alan, Bob, Carl and Dave. Dave is two years older than Bob. Bob is one year younger than Carl. Alan, who is 34, is two years younger than Carl. Who is the oldest?

1

Alan

2

Bob

3

Carl

4

Dave

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10370\)](https://www.test.aspirestudy.in/library/qus/10370)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 60 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

An employee has been assigned the task of allotting offices to six of the staff members. The offices are numbered 1 - 6. The offices are arranged in a row and they are separated from each other by six foot high dividers. Hence voices, sounds and cigarette smoke flow easily from one office to another.

Miss Robert needs to use the telephone quite often throughout the day. Mr. Mike and Mr. Brown need adjacent offices as they need to consult each other often while working. Miss. Hardy, is a senior employee and has to be allotted office number 5, having the biggest window. Mr. Donald requires silence in the offices next to his and Mr. Tim prefers to be as away as possible from Miss Robert. Mr. Mike and Mr. Donald are all smokers. Miss Hardy finds tobacco smoke allergic and consecutively the offices next to hers to be occupied by non-smokers. Unless specifically stated all the employees maintain an atmosphere of silence during office hours.

The ideal candidate to occupy the office farthest from Mr. Brown would be

1

Miss Hardy

2

Mr. Mike

3

Mr. Tim

4

Mr. Donald

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10371\)](https://www.test.aspirestudy.in/library/qus/10371)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 61 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

An employee has been assigned the task of allotting offices to six of the staff members. The offices are numbered 1 - 6. The offices are arranged in a row and they are separated from each other by six foot high dividers. Hence voices, sounds and cigarette smoke flow easily from one office to another.

Miss Robert needs to use the telephone quite often throughout the day. Mr. Mike and Mr. Brown need adjacent offices as they need to consult each other often while working. Miss. Hardy, is a senior employee and has to be allotted office number 5, having the biggest window. Mr. Donald requires silence in the offices next to his and Mr. Tim prefers to be as away as possible from Miss Robert. Mr. Mike and Mr. Donald are all smokers. Miss Hardy finds tobacco smoke allergic and consecutively the offices next to hers to be occupied by non-smokers. Unless specifically stated all the employees maintain an atmosphere of silence during office hours.

1. The three employees who are smokers should be seated in the offices.

- ☐ 1, 2 and 4
- ☐ 2, 3 and 4
- ☐ 1, 2 and 6
- ☐ 1, 2 and 3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10372\)](https://www.test.aspirestudy.in/library/qus/10372)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 62 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

An employee has been assigned the task of allotting offices to six of the staff members. The offices are numbered 1 - 6. The offices are arranged in a row and they are separated from each other by six foot high dividers. Hence voices, sounds and cigarette smoke flow easily from one office to another.

Miss Robert needs to use the telephone quite often throughout the day. Mr. Mike and Mr. Brown need adjacent offices as they need to consult each other often while working. Miss. Hardy, is a senior employee and has to be allotted office number 5, having the biggest window. Mr. Donald requires silence in the offices next to his and Mr. Tim prefers to be as away as possible from Miss Robert. Mr. Mike and Mr. Donald are all smokers. Miss Hardy finds tobacco smoke allergic and consecutively the offices next to hers to be occupied by non-smokers. Unless specifically stated all the employees maintain an atmosphere of silence during office hours.

The ideal office for Mr. Mike would be

- ☐ 2
- ☐ 6

3

1

4

3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10373\)](https://www.test.aspirestudy.in/library/qus/10373)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 63 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A doctor said to his compounder "I go to see the patients at their residence after every 3 hours 30 minutes. I have already gone to the patient 1 hour 20 minutes ago and next time I shall go at 1:40 P.M." At what time this information was given to the compounder by the doctor?

1

11.30 A.M.

2

11.20 A.M.

3

10.10 A.M.

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10374\)](https://www.test.aspirestudy.in/library/qus/10374)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 64 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Which pair of numbers comes next in the following series? 42 40 38 35 33 31 28

1

25 22

2

26 23

3

26 24

4

25 23

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10375\)](https://www.test.aspirestudy.in/library/qus/10375)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 65 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- i) All G's are H's
- ii) All G's are J's or K's
- iii) All J's and K's are G's
- iv) All L's are K's
- v) All N's are M's
- vi) No M's are G's

If no P's are K's, which of the following must be true?

1

All P's are J's

2

If any P is a G, it is a J

3

No P is an H

4

If any P is an H, it is a G

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10376\)](https://www.test.aspirestudy.in/library/qus/10376)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 66 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- i) All G's are H's
- ii) All G's are J's or K's
- iii) All J's and K's are G's
- iv) All L's are K's
- v) All N's are M's
- vi) No M's are G's

Which of the following is inconsistent with one or more of the conditions?

1

All H's are G's

2

All H's that are not G's are M's

3

Some H's are both M's and G's

4

No M's are H's

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10377\)](https://www.test.aspirestudy.in/library/qus/10377)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 67 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Shyam is taller than Pradeep and Pradeep is as tall as Anurag. But Anand is shorter than Suresh, who is as tall as Anurag. If Pradeep is taller than Praveen, who is the tallest of all?

1

Pradeep

2

Praveen

3

Suresh

4

Shyam

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10378\)](https://www.test.aspirestudy.in/library/qus/10378)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 68 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

When Rajeev was born his father was 32 years older than his brother and his mother was 25 years older than his sister. If Rajeev's brother is 6 years older than Rajeev and his mother is 3 years younger than his father, how old was Rajeev's sister when he was born?

1

15 years

2

14 years

3

7 years

4

10 years

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10379\)](https://www.test.aspirestudy.in/library/qus/10379)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 69 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Dhoni starts from his office at 8 A.M. on a Sunday morning, travels 10 km towards West and then turns to his left and walks 8 km. Then he again turns to his left and walks 4 km and then stops. What is the shortest distance to his office from the point where he stopped?

1

18 km

2

8 km

3

10 km

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10380\)](https://www.test.aspirestudy.in/library/qus/10380)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 70 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A treasure chest has less than 100 gold coins. The number of coins is

- i) One more than a multiple of 3
- ii) Two more than a multiple of 4
- iii) Three more than a multiple of 5 and
- iv) Four more than a multiple of 6

How many coins are there in the chest?

- 1 58
- 2 88
- 3 98
- 4 38

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10381\)](https://www.test.aspirestudy.in/library/qus/10381)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 71 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Read the statements and then decide which of the conclusions logically follow.

Statements:

- i) All mangoes are golden in colour.
- ii) No golden coloured things are cheap.

Conclusions:

- i) All mangoes are cheap.
- ii) Golden coloured mangoes are not cheap.

- 1 Only conclusion i) follows
- 2 Only conclusion ii) follows
- 3 Either i) or ii) follows
- 4 neither i) nor ii) follows

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10382\)](https://www.test.aspirestudy.in/library/qus/10382)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 72 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- A blacksmith has five iron articles A, B, C, D and E, each having a different weight.
- A weighs twice as much as B
- B weighs four and half times as much as C
- C weighs half as much as D
- D weighs half as much as E
- E weighs less than A but more than C

Which of the following article is heaviest in weight?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10383\)](https://www.test.aspirestudy.in/library/qus/10383)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 73 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- A blacksmith has five iron articles A, B, C, D and E, each having a different weight.
- A weighs twice as much as B
- B weighs four and half times as much as C
- C weighs half as much as D
- D weighs half as much as E
- E weighs less than A but more than C

Which of the following represents the descending order of weights of the articles?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10384\)](https://www.test.aspirestudy.in/library/qus/10384)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 74 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are three switches A, B and C which can be in ON/OFF position. Their settings change as per the following rules:

- If A is the only switch as ON, change B to ON.
- If A and B are only switches as ON, change C to ON.
- If all three switches are ON, change C to OFF.
- For all other situations, all switches in ON are changed to OFF and all switches in OFF are changed to ON

If switches A and B are ON and C is OFF, their changed settings will be:

- 1 AON, B OFF, C OFF
- 2 A ON, B ON, C ON
- 3 A ON, B OFF, C ON
- 4 A OFF, B ON, C OFF

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10385\)](https://www.test.aspirestudy.in/library/qus/10385)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 75 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are three switches A, B and C which can be in ON/OFF position. Their settings change as per the following rules:

- If A is the only switch as ON, change B to ON.
- If A and B are only switches as ON, change C to ON.
- If all three switches are ON, change C to OFF.
- For all other situations, all switches in ON are changed to OFF and all switches in OFF are changed to ON

If only B is ON, the changed setting will be:

- 1 A ON, BO N, C ON

2

A ON, B ON, C OFF

3

A ON, B OFF, C ON

4

A OFF, B OFF, C ON

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10386\)](https://www.test.aspirestudy.in/library/qus/10386)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 76 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are three switches A, B and C which can be in ON/OFF position. Their settings change as per the following rules:

- If A is the only switch as ON, change B to ON.
- If A and B are only switches as ON, change C to ON.
- If all three switches are ON, change C to OFF.
- For all other situations, all switches in ON are changed to OFF and all switches in OFF are changed to ON

If only B is ON in the changed setting, which of the following could have been the original setting?

1

A ON, B ON, C ON

2

A ON, B OFF, C ON

3

A OFF, B ON, C OFF

4

A OFF, B OFF, C ON

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10387\)](https://www.test.aspirestudy.in/library/qus/10387)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 77 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

If the third day of a month falls on Friday, what day will be on the fourth day after twenty first of the month?

1

Monday

2

Tuesday

3

Saturday

4

Thursday

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10388\)](https://www.test.aspirestudy.in/library/qus/10388)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 78 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Ana is a girl and has the same number of brothers as sisters. Andrew is a boy and has twice as many sisters as brothers. Ana and Andrew are the children of Emma. How many children does Emma have?

1

2

2

3

3

5

4

7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10389\)](https://www.test.aspirestudy.in/library/qus/10389)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 79 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- Anu is taller than Cini
- Eenu is shorter than Binu
- Anu is shorter than Dany
- Eenu is taller than Anu

The best answer to "Who is the tallest?" is

1

Dany

2

Binu

3

Dany or Binu

4

Both Dany and Binu

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10390\)](https://www.test.aspirestudy.in/library/qus/10390)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 80 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- Anu is taller than Cini
- Eenu is shorter than Binu
- Anu is shorter than Dany
- Eenu is taller than Anu

Who is the shortest?

1

Cini

2

Anu or Cini

3

Eenu

4

Insufficient data to conclude

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10391\)](https://www.test.aspirestudy.in/library/qus/10391)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 81 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

- Anu is taller than Cini
- Eenu is shorter than Binu
- Anu is shorter than Dany
- Eenu is taller than Anu

Which of the following statements would help to logically order the persons according to their heights?

1

Binu is 7 feet tall

2

Dany and Binu do not have equal height

3

Eenu is the tallest in the group

4

Dany is the tallest in the group

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10392\)](https://www.test.aspirestudy.in/library/qus/10392)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 82 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Karan and Arjun run a 100 metres race, where Karan beats Arjun by 10 metres. To do a favour to Arjun, Karan starts 10 metres behind the starting line in a second 100 metre race. They both run at their earlier speeds. Which of the following is true in connection with the second race?

1

Karan and Arjun reach the finishing line simultaneously

2

Arjun beats Karan by 1 metre

3

Arjun beats Karan by 11 metres

4

Karan beats Arjun by 1 metre

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10393\)](https://www.test.aspirestudy.in/library/qus/10393)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 83 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

In a cricket season, India defeated Australia twice. West Indies defeated India twice. Australia defeated West Indies twice. India defeated New Zealand twice and West Indies defeated New Zealand twice. Which country has lost most number of times?

1

India

2

Australia

3

New Zealand

4

West Indies

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10394\)](https://www.test.aspirestudy.in/library/qus/10394)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 84 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Pointing to a woman, Nirmal said "She is the daughter of my wife's grandfather's only child". How is the woman related to Nirmal?

1

Wife

2

Sister-in-law

3

Sister

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10395\)](https://www.test.aspirestudy.in/library/qus/10395)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 85 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are five persons A, B, C, D, E standing on six steps numbered 1, 2, 3, 4, 5 and 6 from the bottom. At most one person is standing on each step. The step number, on which A is standing, is two less than that of C. Step number on which B is standing is one more than that of D. If A is standing on Step 1, which of the following is true?

1

B is standing on step 2

2

C is standing on step 4

3

E is standing on step 3

4

D is standing one step higher than C

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10396\)](https://www.test.aspirestudy.in/library/qus/10396)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 86 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are five persons A, B, C, D, E standing on six steps numbered 1, 2, 3, 4, 5 and 6 from the bottom. At most one person is standing on each step. The step number, on which A is standing, is two less than that of C. Step number on which B is standing is one more than that of D. If D is standing on step 1, on which step A could be standing?

1

2 or 4 only

2

3 or 5 only

3

3 or 4 only

4

4 or 5 only

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10397\)](https://www.test.aspirestudy.in/library/qus/10397)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 87 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are five persons A, B, C, D, E standing on six steps numbered 1, 2, 3, 4, 5 and 6 from the bottom. At most one person is standing on each step. The step number, on which A is standing, is two less than that of C. Step number on which B is standing is one more than that of D.

3. Step number on which D is standing is one more than that of C.

If there are two steps in between the steps on which A and D are standing, A must be standing on which of the following steps?

- 1 3
- 2 4
- 3 5
- 4 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10398\)](https://www.test.aspirestudy.in/library/qus/10398)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 88 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

From the information given below: $A * B$ means A and B are of the same age, $A - B$ means B is younger than A. $A + B$ means A is younger than B. What does Sachin * Mohan – Ravi mean?

- 1 Sachin is youngest
- 2 Ravi is youngest
- 3 Sachin is oldest
- 4 Mohan is oldest

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10399\)](https://www.test.aspirestudy.in/library/qus/10399)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 89 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Jimmy saw the time while going to the tennis court. He saw the hour hand is 20° away from 4. After he returned from tennis court, he noticed that the hour hand is 20° away from 4. If he took ten minutes to go to tennis court and he walked at the same speed while going to the tennis court and while returning, how much time did he spent at the tennis court?

1

60 minutes

2

80 minutes

3

70 minutes

4

50 minutes

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10400\)](https://www.test.aspirestudy.in/library/qus/10400)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 90 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

There are 8 balls looking alike, seven of which have equal weight and one is slightly heavier. The weighing balance is of unlimited capacity. Using this balance, the minimum number of weighings required to identify the heavier ball is:

1

1

2

2

3

3

4

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10401\)](https://www.test.aspirestudy.in/library/qus/10401)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 91 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Out of the alternatives, choose the appropriate phrase to make the sentence meaningful. If you had joint accounts with who died, then you will be responsible for the bills.

1

Everybody

2

anyone

3

everyone

4

someone

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10402\)](https://www.test.aspirestudy.in/library/qus/10402)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 92 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the analogy that is closest in meaning to the pair - Diamond: Necklace

1

Cars: Roads

2

Flowers : Bouquet

3

Gold: Bangle

4

Books : Shop

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10403\)](https://www.test.aspirestudy.in/library/qus/10403)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 93 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the suitable proposition for the blank to make a meaningful sentence.

Suresh is angry _____ his servant.

1

about

2

on

3

bv

4

with

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10404\)](https://www.test.aspirestudy.in/library/qus/10404)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 94 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the correct alternative for the sentence below:

The earth is always revolving round the sun

1

The earth revolves round the sun

2

The earth is revolving round the sun

3

The earth revolving round the sun

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10405\)](https://www.test.aspirestudy.in/library/qus/10405)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 95 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the word that best expresses the meaning of the given idiom: "A close shave"

1

A clean shave

2

A narrow escape

3

A guarded secret

4

A sudden fall

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10406\)](https://www.test.aspirestudy.in/library/qus/10406)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 96 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Pick the part of the sentence that has an error: My elder brother is a MA whereas I am only a BA

1

My elder brother

2

is a MA

3

whereas I am

4

only a BA

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10407\)](https://www.test.aspirestudy.in/library/qus/10407)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 97 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the suitable phrasal verb for the blank in the sentence below .

I _____ my hopes when untimely rain threatened my crops.

1

gave in

2

gave out

3

gave up

4

gave off

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10408\)](https://www.test.aspirestudy.in/library/qus/10408)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 98 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Out of the given alternatives, choose the word that is opposite in meaning to the word AFFLUENT

- 1 Reluctant
- 2 Poor
- 3 Clear
- 4 Enthusiastic

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10409\)](https://www.test.aspirestudy.in/library/qus/10409)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 99 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Fill in the blank with appropriate form of noun:

Don't blame yourself, it's not your _____

- 1 misunderstanding
- 2 error
- 3 Slip
- 4 fault

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10410\)](https://www.test.aspirestudy.in/library/qus/10410)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 100 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Fill in the blank:

The instructor, along with the class, _____ angry about the room change

1

are

2

have

3

has

4

is

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10411\)](https://www.test.aspirestudy.in/library/qus/10411)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 101 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the suitable word for the blank to make it a meaningful statement.

What you say is _____ my comprehension

1

Before

2

beside

3

behind

4

beyond

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10412\)](https://www.test.aspirestudy.in/library/qus/10412)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 102 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Fill in the blank with a suitable preposition:

If you want to avoid traffic, you need to leave _____ 7.30 A.M.

1

until

2

by

3

during

4

at

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10413\)](https://www.test.aspirestudy.in/library/qus/10413)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 103 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose the word that best expresses the meaning of the given idiom: "to smell a rat"

1

To suspect something bad

2

To misunderstand

3

To detect bad smell

4

To forsake

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10414\)](https://www.test.aspirestudy.in/library/qus/10414)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 104 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Out of the given alternatives, choose the word that best expresses the meaning of the word ABRIDGE.

1

Judge

2

Release

3

Shorten

4

Dissolve

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10415\)](https://www.test.aspirestudy.in/library/qus/10415)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 105 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

'A dog's breakfast means

1

Breakfast cooked for a dog

2

Breakfast cooked by a dog

3

Something that has been done very badly

4

None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10416\)](https://www.test.aspirestudy.in/library/qus/10416)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 106 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Change the speech: She says, "I like going to the seaside".

1

She says she likes going to the seaside

2

She says I like going to the seaside

3

She says that she liked going to the seaside

4

She says she like going to the seaside

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10417\)](https://www.test.aspirestudy.in/library/qus/10417)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 107 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Arrange the following to form a correct sentence

P: will normally be granted

Q: candidates should note

R: that no request for

S: change of centre

1

SRQP

2

PROS

3

QSPR

4

QRSP

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10418\)](https://www.test.aspirestudy.in/library/qus/10418)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 108 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Rewrite the sentence after correcting the error: She was one of the -average student of the class.

1

She was one of the average students of the class

2

She is one of the average student of the class

3

She was one among the average student of the class

4

She is an average students of the class

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10419\)](https://www.test.aspirestudy.in/library/qus/10419)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 109 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Choose appropriate words to form a grammatically correct sentence:

The decoration of the new house, including the furniture and curtains _____

1 is more pleasing

2 are more pleasing

3 is most pleasing

4 are pleasing

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10420\)](https://www.test.aspirestudy.in/library/qus/10420)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 110 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Fill in the blank:

The President of the United States, accompanied by his advisors, _____ enroute to Europe.

1 were

2 are

3 was

4 both (1) and (3)

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10421\)](https://www.test.aspirestudy.in/library/qus/10421)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 111 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

All digital circuits can be realized by using only

1 Exclusive OR gates

2 Half adders

3 Multiplexers

4 OR gate

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10422\)](https://www.test.aspirestudy.in/library/qus/10422)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 112 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The Boolean function $a + (\bar{a}b)$ is equivalent to

1 $a.b$

2 $a + b$

3 $a + \bar{b}$

4 $\bar{a} + b$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10423\)](https://www.test.aspirestudy.in/library/qus/10423)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 113 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Which of the following circuit is used as a memory device in computers?

1 Flip-Flop

2

Rectifier

3

Comparator

4

All of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10424\)](https://www.test.aspirestudy.in/library/qus/10424)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 114 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Convert the Hexadecimal number 4DF to its octal equivalent

1

2333

2

2337

3

2773

4

2373

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10425\)](https://www.test.aspirestudy.in/library/qus/10425)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 115 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

A tautology is a Boolean formula that is always true. Which of the following is a tautology?

1

 x

2

 $(x + \bar{x})y$

3

 $x + \bar{y} + \bar{x}$

4

 $xy + \bar{x}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10426\)](https://www.test.aspirestudy.in/library/qus/10426)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 116 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

Acronym of EEPROM is

- 1 Extended Erasable Programmable Memory
- 2 Electrically Erasable Read Only Memory
- 3 Electrically Erasable Programmable Read Only Memory
- 4 Extended Erasable Page-Oriented Memory

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10427\)](https://www.test.aspirestudy.in/library/qus/10427)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 117 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

For reproducing sound, a CD audio player uses a

- 1 Quartz crystal
- 2 Titanium needle
- 3 Barium ceramic
- 4 Laser beam

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10428\)](https://www.test.aspirestudy.in/library/qus/10428)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 118 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

When we open an internet site, we see www. What does www stand for?

- 1 World Wide Word
- 2 World Wide Web
- 3 World Wide Webinar
- 4 Word Widing Works

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10429\)](https://www.test.aspirestudy.in/library/qus/10429)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 119 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The answer of the operation $(10111)_2 \times (1110)_2$ in hex equivalent is

- 1 150
- 2 14C
- 3 142
- 4 13E

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10430\)](https://www.test.aspirestudy.in/library/qus/10430)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

Qus : 120 nimcet PYQ 2013 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2013>)

The minimum number of bits to represent a character from ASCII code set is

- 1 2

2

8

3

5

4

7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/10431\)](https://www.test.aspirestudy.in/library/qus/10431)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2013 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2013>)

nimcet

Online Test Series,
Information About Examination,
Syllabus, Notification
and More.

Click Here to
View More (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

Ask Your Question or Put Your Review.

[Add Comment](#)

Visit Us

Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,
Kanpur - 208024, INDIA

Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

Join Us on



(<https://www.facebook.com/aspirestudyin/>) (<https://twitter.com/aspirestudyin>) (https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g)

General Links



Terms of Use (https://www.test.aspirestudy.in/docs/view/terms_of_use)



Privacy Policy (https://www.test.aspirestudy.in/docs/view/privacy_policy)



Cookies Policy (https://www.test.aspirestudy.in/docs/view/cookies_policy)