

Aspire's Library

A Place for Latest Exam wise Questions, Videos, Previous Year Papers,
Study Stuff for MCA Examinations

nimcet

Previous Year Questions



nimcet Previous Year Questions (PYQs)

nimcet 2016 PYQ

Qus : 1 **nimcet PYQ 2016** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

While cement is the basic raw material for producing cement tiles and cement paint which are used extensively in building construction. The main consumers of white cement are, therefore, cement tile and cement paint manufacturing units. These consumers, mostly in the small scale sector, are today facing a major crisis because of a significant increase in the price of white cement during a short period. The present actual licensed production capacity of white and grey cement in the country is approximately 3.5 lakh tonnes. The average demand is 2–2.5 lakh tonnes. This means that there is idle capacity to the tune of one lakh tonnes or more. The price rise is, therefore, not a phenomenon arising out of inadequate production capacity but evidently because of artificial scarcity created by the manufacturers in their self-interest.

The main reason for the continuing spurt in cement price is its decontrol. As it is, there is stiff competition in the cement paint and tile manufacturing business. Any further price revision at this stage is bound to have a severe adverse impact on the market conditions. The government should take adequate steps to ensure that suitable controls are brought in. Else it should allow import of cement.

What is the crisis being faced by the cement tile manufacturers as described in the passage?

1

White cement prices are very high

2

White cement is not of good quality

3

White cement usage is high

4

White cement is priced very low

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18176\)](https://www.test.aspirestudy.in/library/qus/18176)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 2 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

While cement is the basic raw material for producing cement tiles and cement paint which are used extensively in building construction. The main consumers of white cement are, therefore, cement tile and cement paint manufacturing units. These consumers, mostly in the small scale sector, are today facing a major crisis because of a significant increase in the price of white cement during a short period. The present actual licensed production capacity of white and grey cement in the country is approximately 3.5 lakh tonnes. The average demand is 2–2.5 lakh tonnes. This means that there is idle capacity to the tune of one lakh tonnes or more. The price rise is, therefore, not a phenomenon arising out of inadequate production capacity but evidently because of artificial scarcity created by the manufacturers in their self-interest.

The main reason for the continuing spurt in cement price is its decontrol. As it is, there is stiff competition in the cement paint and tile manufacturing business. Any further price revision at this stage is bound to have a severe adverse impact on the market conditions. The government should take adequate steps to ensure that suitable controls are brought in. Else it should allow import of cement.

Which of the following words has the same meaning as the word 'artificial' as used in the passage?

1

Deliberate

2

Prolonged

3

Practical

4

Unnatural

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18177\)](https://www.test.aspirestudy.in/library/qus/18177)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

Year)

nimcet NIMCET 2016 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2016))

Qus : 3 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

While cement is the basic raw material for producing cement tiles and cement paint which are used extensively in building construction. The main consumers of white cement are, therefore, cement tile and cement paint manufacturing units. These consumers, mostly in the small scale sector, are today facing a major crisis because of a significant increase in the price of white cement during a short period. The present actual licensed production capacity of white and grey cement in the country is approximately 3.5 lakh tonnes. The average demand is 2–2.5 lakh tonnes. This means that there is idle capacity to the tune of one lakh tonnes or more. The price rise is, therefore, not a phenomenon arising out of inadequate production capacity but evidently because of artificial scarcity created by the manufacturers in their self-interest.

The main reason for the continuing spurt in cement price is its decontrol. As it is, there is stiff competition in the cement paint and tile manufacturing business. Any further price revision at this stage is bound to have a severe adverse impact on the market conditions. The government should take adequate steps to ensure that suitable controls are brought in. Else it should allow import of cement.

Which of the following words has the opposite meaning as the word 'basic' as used in the passage?

1

Vital

2

Unimportant

3

Acidic

4

Last

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18178\)](https://www.test.aspirestudy.in/library/qus/18178)

nimcet Previous Year PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=PreviousYear))

nimcet NIMCET 2016 PYQ ([https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016](https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET2016))

Qus : 4 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

While cement is the basic raw material for producing cement tiles and cement paint which are used extensively in building construction. The main consumers of white cement are, therefore, cement tile and cement paint manufacturing units. These consumers, mostly in the small scale sector, are today

facing a major crisis because of a significant increase in the price of white cement during a short period. The present actual licensed production capacity of white and grey cement in the country is approximately 3.5 lakh tonnes. The average demand is 2–2.5 lakh tonnes. This means that there is idle capacity to the tune of one lakh tonnes or more. The price rise is, therefore, not a phenomenon arising out of inadequate production capacity but evidently because of artificial scarcity created by the manufacturers in their self-interest.

The main reason for the continuing spurt in cement price is its decontrol. As it is, there is stiff competition in the cement paint and tile manufacturing business. Any further price revision at this stage is bound to have a severe adverse impact on the market conditions. The government should take adequate steps to ensure that suitable controls are brought in. Else it should allow import of cement.

Why is the price of cement going up?

- 1 Because the Government is controlling the quota
- 2 Because of export of white cement
- 3 Because of the large usage of white cement
- 4 None of the above

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18179\)](https://www.test.aspirestudy.in/library/qus/18179)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 5 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Which of the following words means 'Theatrical'?

- 1 Thrilling
- 2 Histrionic
- 3 Delicate
- 4 Delicious

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18180\)](https://www.test.aspirestudy.in/library/qus/18180)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 6 **nimcet PYQ 2016** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Identify the word which is different from the rest of the words:

- 1 Indisputable
- 2 Uncertain
- 3 Dubious
- 4 Doubtful

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18181\)](https://www.test.aspirestudy.in/library/qus/18181)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 7 **nimcet PYQ 2016** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Choose the word that accurately signifies a person who makes money by starting or running business:

- 1 Antreprenneur
- 2 Andrapreneur
- 3 Entrapranour
- 4 Entrepreneur

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18182\)](https://www.test.aspirestudy.in/library/qus/18182)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 8 **nimcet PYQ 2016** (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Which of the following is correct phrase to describe a group of insects?

- 1 A flock of insects
- 2 A swarm of insects
- 3 A school of insects
- 4 A shoal of insects

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18183>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 9 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Which of the following has closest meaning to the word 'REPUTATION'?

- 1 Character
- 2 Respect
- 3 Fame
- 4 Honour

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18184>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 10 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The meaning of the word "EGRESS" is

- 1 Entrance

2

Exit

3

Double

4

Program

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18185\)](https://www.test.aspirestudy.in/library/qus/18185)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 11 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Choose the answer which best expresses the meaning of the idiom/phrase 'Elbow room'?

1

Opportunity for freedom of action

2

Special room for the guest

3

To give enough space to move or work in

4

To add a new room to the house

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18186\)](https://www.test.aspirestudy.in/library/qus/18186)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 12 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Select the pair that best expresses a relationship similar to that expressed in SCALE:TONE.

1

Physician: Medicine

2

Wave: Amplitude

3

Spectrum: Colour

4

Rainbow: Shower

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18187\)](https://www.test.aspirestudy.in/library/qus/18187)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 13 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Choose the answer which best expresses the meaning of the idiom/phrase “to burn a hole in the pocket”.

1 Steal from someone's pocket

2 To destroy other's belongings

3 To be very miserly

4 Money that is spent quickly

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18188\)](https://www.test.aspirestudy.in/library/qus/18188)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 14 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Choose the correct alternative to fill the blank My window look the garden.

1 up on

2 out on

3 in

4 at

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18189\)](https://www.test.aspirestudy.in/library/qus/18189)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 15 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fill in the blank with suitable article. darkest cloud has a silver lining.

1

An

2

A

3

The

4

From

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18190\)](https://www.test.aspirestudy.in/library/qus/18190)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 16 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fill in the blank with appropriate adjective. This steak is completely, it is cold and tough.

1

edible

2

erratic

3

unswerving

4

inedible

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18191\)](https://www.test.aspirestudy.in/library/qus/18191)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 17 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fill in the blank with appropriate preposition. We have been looking for a new flat ages.

1

Since

2

for

3

during

4

in

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18192\)](https://www.test.aspirestudy.in/library/qus/18192)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 18 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fill in the blank with appropriate verb. Where is he? He should home hours ago

1

be

2

have been

3

had been

4

were

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18193\)](https://www.test.aspirestudy.in/library/qus/18193)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 19 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Change the following sentence into passive sentence They studied Mathematics last year

1

Mathematics was studied by them last year

2

Mathematics were studied by them last year

3

Mathematics has been studied by them last year

4

Mathematics studied them last year

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18194\)](https://www.test.aspirestudy.in/library/qus/18194)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 20 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fill in the blank with appropriate verb

1

shouldn't you?

2

should you not?

3

wouldn't you?

4

should you?

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18195\)](https://www.test.aspirestudy.in/library/qus/18195)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 21 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If a twelve sided regular polygon is inscribed in a circle of radius 3 centimeters, then the length of each side of the polygon is

1

3

2

 $18 - 9\sqrt{3}$

3

 $18 + 9\sqrt{3}$

4

 $\sqrt{18 - 9\sqrt{3}}$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4708\)](https://www.test.aspirestudy.in/library/qus/4708)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 22 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If C is the midpoint of AB and P is any point outside AB, then

1 $\overrightarrow{PA} + \overrightarrow{PB} = 2\overrightarrow{PC}$

2 $\overrightarrow{PA} + \overrightarrow{PB} = \overrightarrow{PC}$

3 $\overrightarrow{PA} + \overrightarrow{PB} + 2\overrightarrow{PC} = 0$

4 $\overrightarrow{PA} + \overrightarrow{PB} + \overrightarrow{PC} = 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4709\)](https://www.test.aspirestudy.in/library/qus/4709)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 23 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The average marks of boys in class is 52 and that of

1 80%

2 60%

3 40%

4 20%

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4710\)](https://www.test.aspirestudy.in/library/qus/4710)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 24 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The number of 5 people groups that can be selected from 9 people when two particular persons are not to be in the same group is

- 1 126
- 2 35
- 3 91
- 4 252

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4711\)](https://www.test.aspirestudy.in/library/qus/4711)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 25 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The solution set of equation $\log_x 2 \log_{2x} 2 = \log_{4x} 2$ is

- 1 $\{2^{-\sqrt{2}}, 2^{\sqrt{2}}\}$
- 2 $\{1/2, 2\}$
- 3 $\{1/4, 2^2\}$
- 4 $\{1/4, 2\}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4712\)](https://www.test.aspirestudy.in/library/qus/4712)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 26 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The equation of a circle with diameters are $2x - 3y + 12 = 0$ and $x + 4y - 5 = 0$ and area of 154 sq. units is

1

$$x^2 + y^2 - 6x + 4y - 36 = 0$$

2

$$x^2 + y^2 + 6x - 4y - 36 = 0$$

3

$$x^2 + y^2 - 6x - 4y + 25 = 0$$

4

None of the above

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4713\)](https://www.test.aspirestudy.in/library/qus/4713)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 27 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

$$\int \frac{x^2 - 1}{x^3 \sqrt{2x^4 - 2x^2 + 1}} dx \text{ is equal to}$$

1

$$\frac{\sqrt{2x^4 - 2x^2 + 1}}{x^2} + C$$

2

$$\frac{\sqrt{2x^4 - 2x^2 + 1}}{x^3} + C$$

3

$$\frac{\sqrt{2x^4 - 2x^2 + 1}}{x} + C$$

4

$$\frac{\sqrt{2x^4 - 2x^2 + 1}}{2x^2} + C$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4714\)](https://www.test.aspirestudy.in/library/qus/4714)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 28 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $\vec{a}$, $\vec{b}$, and $\vec{a} + \vec{b}$ are vectors of magnitude α then the magnitude of the vector $\vec{a} - \vec{b}$ is

1

$\sqrt{2} \alpha$

2

$\sqrt{3} \alpha$

3

2α

4

3α

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4715\)](https://www.test.aspirestudy.in/library/qus/4715)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 29 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A box contains 2 blue caps, 4 red caps, 5 green caps and 1 yellow cap. If four caps are picked at random, the probability that none of them is green is

1

$\frac{7}{99}$

2

$\frac{7}{12}$

3

$\frac{5}{99}$

4

$\frac{5}{12}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4716\)](https://www.test.aspirestudy.in/library/qus/4716)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 30 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The line $3x + 5y = k$ touches the ellipse $16x^2 + 25y^2 = 400$, if k is

1

$\pm\sqrt{5}$

2

$\pm\sqrt{15}$

3

$+25$

4

 $\pm\sqrt{35}$
[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4717\)](https://www.test.aspirestudy.in/library/qus/4717)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 31 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A, B, C, D, E, F and G are members of a family consisting of four adults, three children, three male and four female. Out of the children F and G are girls. A and D are brothers and A is a doctor. E is an engineer married to one of the brothers and has two children. B is married to D and G is their child. Who is C?

1

E's Daughter

2

A's son

3

G's brother

4

F's Father

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4503\)](https://www.test.aspirestudy.in/library/qus/4503)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 32 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

P, Q, R and S are four logical statements such that if P is true, then Q is true; if Q is true, then R is true; and if S is true, then at least one of Q and R is false. Then it follows that

1

if S is false, then
both Q and R are true

2

If at least one of Q and
R is true, then S is false

3

if P is true, then S is false

3 If P is true, then S is false

4

if Q is true, then S is true

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4504\)](https://www.test.aspirestudy.in/library/qus/4504)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 33 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Eight friends J, K, L, M, N, O, P and Q live on eight different floors of a building but not necessarily in the same order. The lowermost floor of the building is numbered one, the one above that is numbered two and so on until the topmost floor is numbered eight.

- J lives on the floor numbered six.
- Only one person lives between J and L.
- O lives on the floor immediately below L.
- Only one person lives between O and P.
- O lives above P.
- K lives on an even numbered floor but not on the floor numbered two.
- Two persons live between K and Q.
- Q does not live on the lower most floor.
- N lives on one of the floors above Q.

Which of the following is true about M?

1

K lives immediately above M

2

Only two people live between M and Q

3

M lives on an odd numbered floor.

4

M lives on the lower most floor.

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4505\)](https://www.test.aspirestudy.in/library/qus/4505)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 34 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Eight friends J, K, L, M, N, O, P and Q live on eight different floors of a building but not necessarily in the

Eight friends J, K, L, M, N, O, P and Q live on eight different floors of a building but not necessarily in the same order. The lowermost floor of the building is numbered one, the one above that is numbered two and

so on until the topmost floor is numbered eight.

- J lives on the floor numbered six.
- Only one person lives between J and L.
- O lives on the floor immediately below L.
- Only one person lives between O and P.
- O lives above P.
- K lives on an even numbered floor but not on the floor numbered two.
- Two persons live between K and Q.
- Q does not live on the lower most floor.
- N lives on one of the floors above Q.

Who amongst the following lives on the floor number eight?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4506\)](https://www.test.aspirestudy.in/library/qus/4506)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 35 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Eight friends J, K, L, M, N, O, P and Q live on eight different floors of a building but not necessarily in the same order. The lowermost floor of the building is numbered one, the one above that is numbered two and so on until the topmost floor is numbered eight.

- J lives on the floor numbered six.
- Only one person lives between J and L.
- O lives on the floor immediately below L.
- Only one person lives between O and P.
- O lives above P.
- K lives on an even numbered floor but not on the floor numbered two.
- Two persons live between K and Q.
- Q does not live on the lower most floor.
- N lives on one of the floors above Q.

Three of the following four are alike in a certain way based on the given arrangement and thus form a group. Which of the following does not belong to the group?

- 1 PL
- 2 MQ
- 3 LN
- 4 OM

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4507\)](https://www.test.aspirestudy.in/library/qus/4507)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 36 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Eight friends J, K, L, M, N, O, P and Q live on eight different floors of a building but not necessarily in the same order. The lowermost floor of the building is numbered one, the one above that is numbered two and so on until the topmost floor is numbered eight.

- J lives on the floor numbered six.
- Only one person lives between J and L.
- O lives on the floor immediately below L.
- Only one person lives between O and P.
- O lives above P.
- K lives on an even numbered floor but not on the floor numbered two.
- Two persons live between K and Q.
- Q does not live on the lower most floor.
- N lives on one of the floors above Q.

If P and L interchange their places, who will live between P and M?

- 1 O
- 2 L
- 3 J
- 4 No one

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4508\)](https://www.test.aspirestudy.in/library/qus/4508)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 37 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If the English word 'EXAMINATION' is coded as 56149512965, then the word 'GOVERNMENT' can be coded as :

- 1 7655955552
- 2 7645954552
- 3 7645954452
- 4 7644956552

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4509\)](https://www.test.aspirestudy.in/library/qus/4509)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 38 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A family has several children. Each boy in this family has as many sisters as brothers, but each girl has twice as many brothers as sisters. How many brothers and sisters are there?

- 1 1 and 2
- 2 3 and 4
- 3 6 and 3
- 4 4 and 3

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4510\)](https://www.test.aspirestudy.in/library/qus/4510)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 39 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

In a certain code language '134' means 'good and tasty', '478' means 'see good pictures' and '729' means 'pictures are faint'. Which of the following numerical symbols stand for 'see'?

- 1 2
- 2 7
- 3 8
- 4 1

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4511\)](https://www.test.aspirestudy.in/library/qus/4511)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 40 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A team must be selected from the ten probable players A, B, C, D, E, F, G, H, I and J. Of these, A, C, E and J are forwards, B, G and H are point guards and D, F and I are defenders.

- The team must have at least one forward, one point guard and one defender.
- If the team includes J, it must also include F.
- The team must include E or B, but not both.
- If the team includes G, it must also include F.
- The team must include exactly one among C, G and I.
- C and F cannot be members of the same team.
- D and H cannot be members of the same team.
- The team must include both A and D or neither of them.
- There is no restriction on the number of members in the team.

What could be the maximum size of the team that includes G?

- 1 4
- 2 5
- 3 6
- 4 More than 6

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4512\)](https://www.test.aspirestudy.in/library/qus/4512)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 41 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A team must be selected from the ten probable players A, B, C, D, E, F, G, H, I and J. Of these, A, C, E and J are forwards, B, G and H are point guards and D, F and I are defenders.

- The team must have at least one forward, one point guard and one defender.
- If the team includes J, it must also include F.
- The team must include E or B, but not both.
- If the team includes G, it must also include F.
- The team must include exactly one among C, G and I.
- C and F cannot be members of the same team.
- D and H cannot be members of the same team.
- The team must include both A and D or neither of them.
- There is no restriction on the number of members in the team.

What would be the size of the largest possible team?

- | | |
|---|---|
| 1 | 7 |
| 2 | 6 |
| 3 | 5 |
| 4 | 4 |

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4513\)](https://www.test.aspirestudy.in/library/qus/4513)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 42 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A team must be selected from the ten probable players A, B, C, D, E, F, G, H, I and J. Of these, A, C, E and J are forwards, B, G and H are point guards and D, F and I are defenders.

- The team must have at least one forward, one point guard and one defender.
- If the team includes J, it must also include F.
- The team must include E or B, but not both.
- If the team includes G, it must also include F.
- The team must include exactly one among C, G and I.

- The team must include exactly one among C, E and F.
- C and F cannot be members of the same team.
- D and H cannot be members of the same team.
- The team must include both A and D or neither of them.
- There is no restriction on the number of members in the team.

Which of the following cannot be included in a team of size 6?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4514\)](https://www.test.aspirestudy.in/library/qus/4514)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 43 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A Group of 630 children are seated in n rows for a group photo session. Each row contains three less children than the row in front of it. Which one of the following number of rows is not possible?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4515\)](https://www.test.aspirestudy.in/library/qus/4515)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 44 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

405 sweets were distributed equally among a group of children such that the number of sweets

received by each child is one-fifth of the number of children. The number of children in the group is

- ☐ 1 45
- ☐ 2 9
- ☐ 3 21
- ☐ 4 15

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4516\)](https://www.test.aspirestudy.in/library/qus/4516)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 45 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The number of common terms in the two sequences 17, 21, 25,, 817 and 16, 21, 26,, 851 is

- ☐ 1 28
- ☐ 2 39
- ☐ 3 40
- ☐ 4 87

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4517\)](https://www.test.aspirestudy.in/library/qus/4517)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 46 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Fact 1 : Most stuffed toys are stuffed with beans.

Fact 2 : There are stuffed bears and stuffed tigers.

Fact 3 : Some chairs are stuffed with beans.

If the above statements are fact, which of the following statements must also be fact?

1. Only children's chairs are stuffed with beans.
2. All stuffed tigers are stuffed with beans.
3. Stuffed monkeys are not stuffed with beans.

1

1 is a fact

2

Only 2 is a fact

3

Both 2 and 3 are facts

4

None of the statements 1, 2, 3 are true

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4518\)](https://www.test.aspirestudy.in/library/qus/4518)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 47 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- Eleven students, A, B, C, D, E, F, G, H, I, J and K are sitting in the first row of the class facing the teacher.
- D who is to the immediate left of F is second to the right of C
- A is second to the right of E, Who is at one of the ends.
- J is the immediate neighbour of A and B and third to the left of G.
- H is to the immediate left of D and third to the right of I.

Who is sitting in the middle of the row?

1

B

2

C

3

G

4

I

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4519\)](https://www.test.aspirestudy.in/library/qus/4519)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 48 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- Eleven students, A, B, C, D, E, F, G, H, I, J and K are sitting in the first row of the class facing the teacher.
- D who is to the immediate left of F is second to the right of C
- A is second to the right of E, Who is at one of the ends.
- J is the immediate neighbour of A and B and third to the left of G.
- H is to the immediate left of D and third to the right of I.

If E and D, C and B, A and H and K and F interchange their positions, which of the following pairs of students are sitting at the ends?

- 1** D and E
- 2** E and F
- 3** D and K
- 4** K and F

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4520\)](https://www.test.aspirestudy.in/library/qus/4520)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 49 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- Eleven students, A, B, C, D, E, F, G, H, I, J and K are sitting in the first row of the class facing the teacher.
- D who is to the immediate left of F is second to the right of C
- A is second to the right of E, Who is at one of the ends.
- J is the immediate neighbour of A and B and third to the left of G.
- H is to the immediate left of D and third to the right of I.

Which of the following groups of friends is sitting to the right of G?

- 1** CHDE
- 2** CHDF
- 3** IBJA
- 4** None of these

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4521\)](https://www.test.aspirestudy.in/library/qus/4521)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 50 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The day after the day after tomorrow is four days after Monday. What day is it today?

- ☒ 1 Monday
- ☐ 2 Tuesday
- ☐ 3 Wednesday
- ☐ 4 Thursday

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4522\)](https://www.test.aspirestudy.in/library/qus/4522)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 51 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A boy is asked to put in a basket one mango when ordered 'One', one orange when ordered 'Two', one apple when ordered "Three" and is asked to take out from the basket one mango and an orange when ordered "Four". A sequence of orders is given as 12332142314223314113234.

How many total oranges were in the basket at the end of the above sequence?

- ☒ 1 1
- ☐ 2 4
- ☐ 3 3
- ☐ 4 2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4523\)](https://www.test.aspirestudy.in/library/qus/4523)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 52 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A boy is asked to put in a basket one mango when ordered 'One', one orange when ordered 'Two', one apple when ordered "Three" and is asked to take out from the basket one mango and an orange when ordered "Four". A sequence of orders is given as 12332142314223314113234.

How many total fruits will be in the basket at the end of the above order sequence?

- ☒ 1 9
- ☐ 2 8
- ☐ 3 11
- ☐ 4 10

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4524\)](https://www.test.aspirestudy.in/library/qus/4524)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 53 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

How many pairs of letters are there in the word **NECESSARY** which have as many letters between them in the word as there are between them in the alphabet and in the same order

- ☒ 1 One
- ☐ 2 Two
- ☐ 3 Three
- ☐ 4 Four

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4525\)](https://www.test.aspirestudy.in/library/qus/4525)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 54 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

What is the missing number in the series 4, 7, 11, 18, 29, 47, _____, 123, 199?

- ☐ 1 76
- ☐ 2 77
- ☐ 3 86
- ☐ 4 87

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4526\)](https://www.test.aspirestudy.in/library/qus/4526)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 55 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A, B, C, D, E and F are six members in a family in which there are two married couples.
- D is brother of F.
- Both D and F are lighter than B.
- B is mother of D and lighter than E
-
- C a lady, is neither heaviest nor lightest in the family.
- E is lighter than C.
- The grandfather in the family is the heaviest.

Which of the following is a pair of married couples?

- ☐ 1 AB
- ☐ 2 BC
- ☐ 3 AD
- ☐ 4 BE

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4527\)](https://www.test.aspirestudy.in/library/qus/4527)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 56 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A, B, C, D, E and F are six members in a family in which there are two married couples.
- D is brother of F.
- Both D and F are lighter than B.
- B is mother of D and lighter than E
-
- C a lady, is neither heaviest nor lightest in the family.
- E is lighter than C.
- The grandfather in the family is the heaviest.

Who among the following will be in the second place if all the members in the family are arranged in descending order of their weights?

- 1 C
- 2 A
- 3 D
- 4 Data inadequate

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4528\)](https://www.test.aspirestudy.in/library/qus/4528)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 57 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A, B, C, D, E and F are six members in a family in which there are two married couples.
- D is brother of F.
- Both D and F are lighter than B.
- B is mother of D and lighter than E
-
- C a lady, is neither heaviest nor lightest in the family.
- E is lighter than C.
- The grandfather in the family is the heaviest.

How is C related to D?

- 1 Grandmother
- 2 Cousin

3

Sister

4

Mother

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4529\)](https://www.test.aspirestudy.in/library/qus/4529)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 58 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Raman was born on March 5, 1970. Lakshman was born 25 days before Raman. The year when they took birth, Republic Day fell on Monday. What is the day of birth of Lakshman?

1

Sunday

2

Monday

3

Wednesday

4

Saturday

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4530\)](https://www.test.aspirestudy.in/library/qus/4530)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 59 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A clock is set right at 5 a.m. The clock loses 16 minutes in 24 hours. What will be the correct time when the clock indicates 10 p.m. on the 3rd day?

1

11 p.m.

2

10:45 p.m.

3

11:15 p.m.

4

12 p.m.

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 60 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- There are six houses P, Q, R, S, T and U, three on either side of a road.
- The houses are of different colours – red, blue, green, orange, yellow and white.
- All the houses are of different heights.
- T, the tallest house is exactly opposite to the red coloured house.
- The shortest house is exactly opposite to the green coloured house.
- U, the orange coloured house is located between P and S.
- R, the yellow coloured house is exactly opposite to P.
- Q, the green coloured house is exactly opposite to U.
- P, the white coloured house is taller than R, but shorter than S and Q.

Which is the second largest house?

- 1
- 2
- 3
- 4

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 61 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- There are six houses P, Q, R, S, T and U, three on either side of a road.
- The houses are of different colours – red, blue, green, orange, yellow and white.
- All the houses are of different heights.
- T, the tallest house is exactly opposite to the red coloured house.
- The shortest house is exactly opposite to the green coloured house.
- U, the orange coloured house is located between P and S.
- R, the yellow coloured house is exactly opposite to P.
- Q, the green coloured house is exactly opposite to U.
- P, the white coloured house is taller than R, but shorter than S and Q.

T, the white coloured house is taller than R, but shorter than S and Q.

Which is the second shortest house?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4533\)](https://www.test.aspirestudy.in/library/qus/4533)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 62 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- There are six houses P, Q, R, S, T and U, three on either side of a road.
- The houses are of different colours – red, blue, green, orange, yellow and white.
- All the houses are of different heights.
- T, the tallest house is exactly opposite to the red coloured house.
- The shortest house is exactly opposite to the green coloured house.
- U, the orange coloured house is located between P and S.
- R, the yellow coloured house is exactly opposite to P.
- Q, the green coloured house is exactly opposite to U.
- P, the white coloured house is taller than R, but shorter than S and Q.

What is the colored of the tallest house?

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4534\)](https://www.test.aspirestudy.in/library/qus/4534)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 63 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Unscramble the letters in the following words and find the odd one.

1

ONGEAR

2

NOONI

3

ALPEP

4

AUVAG

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4535\)](https://www.test.aspirestudy.in/library/qus/4535)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 64 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A bus starts from its depot filled to seating capacity. It stops at a point A where $\frac{1}{6}$ th of the passengers alight and 10 board the bus. At point B, $\frac{1}{5}$ th of the passengers alight and 3 board the bus. At point C which is the last stop, all the 55 passengers alight. The capacity of the bus is

1

96

2

99

3

45

4

90

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4536\)](https://www.test.aspirestudy.in/library/qus/4536)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 65 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Kha-kha is an obscure island which is inhabited by two types of people : the “Yes” type and the “No”

type. Native of type 'Yes' ask only questions the right answer to which is 'Yes' while those of type 'No' ask only questions the right answer to which is 'No'. For example the 'Yes' type will ask questions like "Is 2 plus 2 equal to 4?" While the "No" type will ask questions like "Is 2 plus 2 equal to 5?". The following question is based on your visit to the island Kha-Kha.

Kevin and Kumar are brothers from the island. Kumar asks you. Is at least one of us is of type 'No' ? You can conclude that

1 Kevin is 'No', Kumar is 'Yes'

2 Both are 'Yes'

3 Kevin is 'Yes', Kumar is 'No'

4 Both are 'No'

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4537\)](https://www.test.aspirestudy.in/library/qus/4537)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 66 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A group of six friends are sitting around a hexagonal table, each one at one corner of the hexagon.
- Ram is sitting opposite to Ramesh.
- Jyoti is sitting next to Seema.
- Neeta is sitting opposite to Seema but not next to Ram.
- Amrit has a person sitting between Ramesh and himself.

If Neeta sits to the right of Amrit, then who is sitting to the left of Amrit?

1 Ramesh

2 Neeta

3 Jyoti

4 Ram

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4538\)](https://www.test.aspirestudy.in/library/qus/4538)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 67 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A group of six friends are sitting around a hexagonal table, each one at one corner of the hexagon.
- Ram is sitting opposite to Ramesh.
- Jyoti is sitting next to Seema.
- Neeta is sitting opposite to Seema but not next to Ram.
- Amrit has a person sitting between Ramesh and himself.

Who is sitting between Amrit and Ramesh ?

- 1 Neeta
- 2 Jyoti
- 3 Seema
- 4 Ram

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4539\)](https://www.test.aspirestudy.in/library/qus/4539)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 68 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A group of six friends are sitting around a hexagonal table, each one at one corner of the hexagon.
- Ram is sitting opposite to Ramesh.
- Jyoti is sitting next to Seema.
- Neeta is sitting opposite to Seema but not next to Ram.
- Amrit has a person sitting between Ramesh and himself.

Who is sitting opposite to Jyoti?

- 1 Ramesh
- 2 Neeta
- 3 Amrit
- 4 Seema

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 69 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

- A group of six friends are sitting around a hexagonal table, each one at one corner of the hexagon.
- Ram is sitting opposite to Ramesh.
- Jyoti is sitting next to Seema.
- Neeta is sitting opposite to Seema but not next to Ram.
- Amrit has a person sitting between Ramesh and himself.

If Seema and Jyoti mutually interchange their positions, then who will be sitting opposite to Neeta?

- ☐ 1 Jyoti
- ☐ 2 Ram
- ☐ 3 Seema
- ☐ 4 Ramesh

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4541\)](https://www.test.aspirestudy.in/library/qus/4541)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 70 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If all the 6's are replaced by 9's, then the algebraic sum of all the numbers from 1 to 100 (both inclusive)

- ☐ 1 333
- ☐ 2 300
- ☐ 3 279
- ☐ 4 330

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4542\)](https://www.test.aspirestudy.in/library/qus/4542)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 71 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $X = 4^n - 3n - 1, ; n \in N$ and $Y = 9n - 9, ; n \in N$, then $X \cup Y$ is equal to

1

Y

2

X

3

N

4

None

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18136\)](https://www.test.aspirestudy.in/library/qus/18136)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 72 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

$\int \left(\frac{\log x - 1}{1 + (\log x)^2} \right)^2 dx$ is equal to

1

$\frac{xe^x}{1 + x^2} + c$

2

$\frac{x}{(\log x)^2} + 1 + c$

3

$\frac{\log x}{(\log x)^2} + 1 + c$

4

$$\frac{x}{x^2 + 1 + c}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18137>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 73 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Which of the following statements is False ?

1

$2 \in A \cup B$ implies that if $2 \notin A$ then $2 \in B$

2

$2, 3 \subseteq A$ implies that $2 \in A$ and $3 \in A$

3

$A \cap B$ implies that $2, 3 \subseteq A$ and $2, 3 \subseteq B$
 $\supseteq 2, 3$

4

none of the above

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18138>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 74 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The volume of the parallelepiped determined by $u = i + 2j - k$, $v = -2i + 3k$ and $w = 7j - 4k$

1

21

2

22

3

23

4

24

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18139\)](https://www.test.aspirestudy.in/library/qus/18139)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 75 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The vector perpendicular to the plane passing through $(1, -1, 0)$, $(2, 1, -1)$ and $(-1, 1, 2)$ is

1

$$6\hat{i} + 6\hat{k}$$

2

$$6\hat{i} + 7\hat{k}$$

3

$$7\hat{i} + 6\hat{k}$$

4

$$7\hat{i} + 8\hat{k}$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18140\)](https://www.test.aspirestudy.in/library/qus/18140)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 76 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $2x^2 + 7xy + 3y^2 + 8x + 14y + \lambda = 0$ represents a pair of straight lines, the value of λ is

1

2

2

4

3

6

4

8

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18141\)](https://www.test.aspirestudy.in/library/qus/18141)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 77 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The area of region bounded by the lines $y = |x - 1|$ and $y = 3 - |x|$ is

1 3 sq. unit

2 4 sq. unit

3 6 sq. unit

4 2 sq. unit

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18142\)](https://www.test.aspirestudy.in/library/qus/18142)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 78 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

In a triangle ABC , $a = 4$, $b = 3$, $\angle BAC = 60^\circ$, then the equation for which c is the root is

1 $c^2 - 3c - 7 = 0$

2 $c^2 + 3c - 7 = 0$

3 $c^2 - 3c + 7 = 0$

4 $c^2 + 3c - 7 = 0$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18143\)](https://www.test.aspirestudy.in/library/qus/18143)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 79 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $\cos \theta = \frac{5}{13}$, $\frac{3\pi}{4} < \theta < 2\pi$, then $\tan 2\theta$ is

- 1 $-\frac{120}{119}$
- 2 $-\frac{120}{169}$
- 3 $\frac{119}{169}$
- 4 $\frac{120}{119}$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18144>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 80 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

An experiment has 10 equally likely outcomes. Let A and B be two non-empty events of the experiment. If A consists of 4 outcomes, the number of outcomes that B must have so that A and B are independent is

- 1 2, 4 or 8
- 2 3, 6 or 9
- 3 4 or 8
- 4 5 or 10

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18145>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 81 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Let $\vec{a}$, $\vec{b}$ and $\vec{c}$ be three non-zero vectors, no two of which are collinear, if the vector $\vec{a} + 2\vec{b}$ is collinear with $\vec{c}$ and $\vec{b} + 3\vec{c}$ is collinear with $\vec{a}$ then $\vec{a} + 2\vec{b} + 6\vec{c}$ is equal to

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18146\)](https://www.test.aspirestudy.in/library/qus/18146)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 82 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The minimum value of a , for which the sum of the squares of the roots of the equation $x^2 - (a - 2)x - (a + 1) = 0$

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18147\)](https://www.test.aspirestudy.in/library/qus/18147)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 83 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

For any two events A and B , the probability that atleast one of them occur is 0.6. If A and B occur simultaneously with a probability 0.3 then $P(A') + P(B')$ is

- 1

2

1.15

3

1.1

4

1.0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18148\)](https://www.test.aspirestudy.in/library/qus/18148)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 84 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Two finite sets A and B are having m and n elements. The total number of subsets of the first set is 56 more than the total number of subsets of the second set. The value of m and n are

1

7,6

2

6,3

3

5, 3

4

8, 7

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18149\)](https://www.test.aspirestudy.in/library/qus/18149)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 85 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The probability that A speaks truth is $\frac{4}{5}$ while this probability for B is $\frac{3}{4}$. The probability that they contradict each other when asked to speak on a fact is

1

 $\frac{3}{20}$

2

 $\frac{1}{5}$

3

7/20

4

4/5

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18150\)](https://www.test.aspirestudy.in/library/qus/18150)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 86 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The 2's complement representation of the number $(-100)_{10}$ in an 8 bit computer is

1

10011011

2

01100100

3

11100100

4

10011100

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4583\)](https://www.test.aspirestudy.in/library/qus/4583)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 87 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The sum of the expression $\frac{1}{\sqrt{1} + \sqrt{2}} + \frac{1}{\sqrt{2} + \sqrt{3}} + \frac{1}{\sqrt{3} + \sqrt{4}} + \dots + \frac{1}{\sqrt{80} + \sqrt{81}}$ is

1

7

2

8

3

9

4

10

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18151\)](https://www.test.aspirestudy.in/library/qus/18151)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 88 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The number of terms in the product of sums canonical form of $\overline{[(x_1 + x_2)(x_3 x_4)]}$ is

- ☒ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4584\)](https://www.test.aspirestudy.in/library/qus/4584)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 89 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Consider the function f defined by $f(x) = \begin{cases} x^2 - 1, & x < 3 \\ 2ax, & x \geq 3 \end{cases}$ for all real number x . If f is continuous at $x = 3$, then value of a is

- ☒ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18152\)](https://www.test.aspirestudy.in/library/qus/18152)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET>)

2016)

Qus : 90 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Find the odd man out :

- 1 HTTP
- 2 FCFS
- 3 HTML
- 4 TCP/IP

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4585\)](https://www.test.aspirestudy.in/library/qus/4585)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 91 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Three house are available in a locality. Three persons apply for the houses. Each applies for one house without consulting other. The probability that all the three apply for the same house is

- 1 $8/9$
- 2 $7/9$
- 3 $2/9$
- 4 $1/9$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18153\)](https://www.test.aspirestudy.in/library/qus/18153)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 92 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Consider a hard disk with 16 recording surfaces (0-15) having 16384 cylinders (0-16383) and each cylinder contains 64 sectors(0-63). Data storage capacity in each sector is 512 bytes. Data are

organized cylinderwise and the addressing format is . A file of size 42797KB is stored in the disk

and the starting disk location of the file is <1200,9,40>. What is cylinder number of the last sector of the file, if it is stored in a contiguous manner?

- 1 1284
- 2 1282
- 3 1286
- 4 1288

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4586\)](https://www.test.aspirestudy.in/library/qus/4586)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 93 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Five horse are in a race. Mr. A selects two of the horses at random and bets on them. The probability that Mr. A selected winning horse is

- 1 $\frac{3}{5}$
- 2 $\frac{1}{5}$
- 3 $\frac{2}{5}$
- 4 $\frac{4}{5}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18154\)](https://www.test.aspirestudy.in/library/qus/18154)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 94 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Consider the following min term expression for F.

$$F(P,Q,R,S) = \sum (0, 2, 5, 7, 8, 10, 13, 15)$$

The minterms 2, 7, 8 and 13 are 'do not care' terms.

The minimal sum of products form for F is

1

$$Q\bar{S} + \bar{Q}S$$

2

$$QS + \bar{Q}\bar{S}$$

3

$$\overline{QRS} + \overline{Q}R\bar{S} + Q\bar{R}S + QRS$$

4

$$\overline{PQS} + \bar{P}QS + PQS + P\bar{Q}\bar{S}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/4587>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 95 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $3^x = 4^{x-1}$, then $x =$

1

$$\frac{2 - \log_3 2}{2 \log_3 2 - 1}$$

2

$$\frac{2}{2 \log_3 2 - 1}$$

3

$$\frac{2 - \log_3 2}{2 \log_3 2 + 1}$$

4

$$\frac{2 \log_3 2}{2 \log_3 2 - 1}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18155>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 96 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Consider the equation $(43)_x = (y3)_8$ where x and y are unknown. The number of possible solutions is

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4588\)](https://www.test.aspirestudy.in/library/qus/4588)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 97 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The matrix A has x rows and $(x + 5)$ columns and the matrix B has y rows and $(11 - y)$ columns. If both the matrices AB and BA exist, then value of x and y are

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18156\)](https://www.test.aspirestudy.in/library/qus/18156)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 98 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Subtract $(1010)_2$ from $(1101)_2$ using first complement

- ☐ 1

2

 $(0101)_2$

3

 $(1001)_2$

4

 $(0011)_2$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4589\)](https://www.test.aspirestudy.in/library/qus/4589)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 99 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A circus artist is climbing a 20 m long rope, which is tightly stretched and tied from the top of a vertical pole to the ground. Find the height of the pole, if the angle made by the rope with the ground level is 30°

1

10

2

20

3

30

4

40

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18157\)](https://www.test.aspirestudy.in/library/qus/18157)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 100 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

A hard disk has a rotational speed of 6000 rpm. Its average latency time is

1

 5×10^{-3} sec

2

0.05 sec

3

1 sec

4

0.5 sec

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4590\)](https://www.test.aspirestudy.in/library/qus/4590)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 101 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

There are n equally spaced points $1, 2, \dots, n$ marked on the circumference of a circle. If the point 15 is directly opposite to the point 49, then the total number of points is

1

50

2

68

3

66

4

70


[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18158\)](https://www.test.aspirestudy.in/library/qus/18158)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 102 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The Boolean expression represented by the following Venn diagram is



1

 $a \text{ XOR } b$

2

 $a'b + ab'$

3

$$ab + a'b'$$

4

$$(a + b')(a' + b)$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/4591>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 103 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Let $S = \{1, 2, \dots, n\}$. The number of possible pairs of the form (A, B) with $A \subseteq B$ for subsets A, B of S is

1

$$2^n$$

2

$$3^n$$

3

$$n!$$

4

$$\sum_{k=0}^n \binom{n}{k} \binom{n}{n-k}$$

Go to Discussion (<https://www.test.aspirestudy.in/library/qus/18159>)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 104 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The range of n -bit signed magnitude representation is

1

$$0 \text{ to } 2^n - 1$$

2

$$-(2^{n-1} - 1) \text{ to } (2^{n-1} - 1)$$

3

$$-(2^n - 1) \text{ to } (2^n - 1)$$

4

0 to $2^{n-1} - 1$ [Go to Discussion \(https://www.test.aspirestudy.in/library/qus/4592\)](https://www.test.aspirestudy.in/library/qus/4592)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 105 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Sum of the roots of the equation $4^x - 3(2^{x+3}) + 128 = 0$ is

1

5

2

6

3

7

4

8

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18160\)](https://www.test.aspirestudy.in/library/qus/18160)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 106 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If the sum of the slopes of the lines given by $x^2 - 2cxy - 7y^2 = 0$ is four times their product, then the value of c is

1

1

2

-1

3

-2

4

2

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18161\)](https://www.test.aspirestudy.in/library/qus/18161)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 107 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The system of equations

$$x + y + 2z = a$$

$$x + z = b$$

$$2x + y + 3z = c$$

has a solution if

1

$$b = c$$

2

$$c = a + b$$

3

$$c = a + 2b$$

4

$$a = b = c$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18162\)](https://www.test.aspirestudy.in/library/qus/18162)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 108 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Let $f(x) = x^2 - bx + c$, b is an odd positive integer. If $f(x)=0$ has two prime numbers as roots and $b + c = 35$, then the global minimum value of $f(x)$ is

1

$$-183/4$$

2

$$173/16$$

3

$$-81/4$$

4

$$17/2$$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18163\)](https://www.test.aspirestudy.in/library/qus/18163)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 109 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The vertex of the parabola whose focus is $(-1, 1)$ and directrix is $4x + 3y - 24 = 0$ is

- 1 $\left(0, \frac{3}{2}\right)$
- 2 $\left(0, \frac{5}{2}\right)$
- 3 $\left(1, \frac{3}{2}\right)$
- 4 $\left(1, \frac{5}{2}\right)$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18164\)](https://www.test.aspirestudy.in/library/qus/18164)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 110 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The number of points in $(-\infty, \infty)$, for which $x^2 - x \sin x - \cos x = 0$ is

- 1 6
- 2 4
- 3 2
- 4 0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18165\)](https://www.test.aspirestudy.in/library/qus/18165)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 111 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

There are 4 books on fairy tales, 5 novels and 3 plays. In how many ways can they be arranged in the order books on fairy tales, novels and then plays so that books of same category are put together

- ☒ 1 17280
- ☐ 2 103680
- ☐ 3 51840
- ☐ 4 360

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18166\)](https://www.test.aspirestudy.in/library/qus/18166)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 112 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Suppose a population A has 100 observations $101, 102, \dots, 200$ and another population B has 100 observations $151, 152, \dots, 250$. If V_A and V_B represent variance of the two populations respectively, then $\frac{V_A}{V_B}$ is

- ☒ 1 $\frac{9}{4}$
- ☐ 2 $\frac{4}{9}$
- ☐ 3 1
- ☐ 4 $\frac{2}{3}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18167\)](https://www.test.aspirestudy.in/library/qus/18167)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 113 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $\vec{a}, \vec{b}$ are vector such that $|\vec{a} + \vec{b}| = \sqrt{29}$ and $\vec{a} \times (2\hat{i} + 3\hat{j} + 4\hat{k}) = (2\hat{i} + 3\hat{j} + 4\hat{k}) \times \vec{b}$, then a possible value of $(\vec{a} + \vec{b}) \cdot (-7\hat{i} + 2\hat{j} + 3\hat{k})$ is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18168\)](https://www.test.aspirestudy.in/library/qus/18168)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 114 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Let $x_1, x_2, \dots, x_n$ be n observations such that $\sum x_i^2 = 400$ and $\sum x_i = 80$. Then a possible value of n amongst the following is

- 1
- 2
- 3
- 4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18169\)](https://www.test.aspirestudy.in/library/qus/18169)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 115 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

Area of the greatest rectangle that can be inscribed in the ellipse is

1

$\sqrt{ab}$

2

$2ab$

3

ab

4

a/b

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18170\)](https://www.test.aspirestudy.in/library/qus/18170)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 116 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

. Two common tangents to the circles $x^2 + y^2 = 2a^2$ and parabola $y^2 = 8ax$ are

1

$x = \pm(y + 2a)$

2

$y = \pm(x + 2a)$

3

$x = \pm(y + a)$

4

$y = \pm(x + a)$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18171\)](https://www.test.aspirestudy.in/library/qus/18171)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 117 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

If $a_1, a_2, \dots, a_n$ are in A.P. and $a_1 = 0$ then the value of

$$\left(\frac{a_3}{a_2} + \frac{a_4}{a_3} + \dots + \frac{a_n}{a_{n-1}} \right) - a_2 \left(\frac{1}{a_2} + \frac{1}{a_3} + \dots + \frac{1}{a_{n-2}} \right) \text{ is equal to}$$

- 1 $(n-2) + \frac{1}{n-2}$
- 2 $\frac{1}{n-2}$
- 3 $n-2$
- 4 $n - \frac{1}{n-2}$

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18172\)](https://www.test.aspirestudy.in/library/qus/18172)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 118 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The value of $\cos 20^\circ + \cos 100^\circ + \cos 140^\circ$ is

- 1 0
- 2 $\frac{1}{\sqrt{2}}$
- 3 $\frac{1}{2}$
- 4 0

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18173\)](https://www.test.aspirestudy.in/library/qus/18173)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 119 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The permutations of a, b, c, d, e, f, g are listed in lexicographic order. Which of the following

The permutations of a, b, c, d, e, f, g are listed in lexicographic order. Which of the following permutations are just before and just after the permutation $bacdefg$?

1

2

3

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18174\)](https://www.test.aspirestudy.in/library/qus/18174)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Qus : 120 nimcet PYQ 2016 (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=year&key=2016>)

The foci of the ellipse $\frac{x^2}{16} + \frac{y^2}{b^2} = 1$ and the hyperbola $\frac{x^2}{144} - \frac{y^2}{81} = \frac{1}{25}$ coincide. Then the value of b^2 is

1

2

3

4

[Go to Discussion \(https://www.test.aspirestudy.in/library/qus/18175\)](https://www.test.aspirestudy.in/library/qus/18175)

nimcet Previous Year PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=sub&key=Previous Year>)

nimcet NIMCET 2016 PYQ (<https://www.test.aspirestudy.in/library/pyq/1/nimcet?view=topic&key=NIMCET 2016>)

Online Test Series,
Information About Examination,
Syllabus, Notification
and More.

Click Here to
View More (<https://www.test.aspirestudy.in/exams/view/1/nimcet>)

Ask Your Question or Put Your Review.

Add Comment

Visit Us

Aspire Study

Corp Office / Postal Address : 167, Lakhanpur,
Kanpur - 208024, INDIA

Contact US

 **Phone (India)** : +91-8400072444, +91-7007286637 (tel:+91-8400072444)

 **Email** : team@aspirestudy.in (mailto:team@aspirestudy.in)

Join Us on



(<https://www.facebook.com/aspirestudykanpur/>)
(<https://twitter.com/aspirestudykanpur>)
(https://www.youtube.com/channel/UCtA-10mMIg_FU0QUBpYHC9g)

General Links



Terms of Use (https://www.test.aspirestudy.in/docs/view/terms_of_use)



Privacy Policy (https://www.test.aspirestudy.in/docs/view/privacy_policy)



Cookies Policy (https://www.test.aspirestudy.in/docs/view/cookie_policy)

